EPA Validated Data Summary Report - HW-15a
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	1-Butanol	Alcohols	2/7/2012	10000	U	ug/L	U		10		1500	ug/L
HW15a-P	1-Butanol	Alcohols	2/7/2012	10000	U	ug/L	U		10		1500	ug/L
HW15a	1-Propanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a-P	1-Propanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a	2-Butanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a-P	2-Butanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a	Ethanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a-P	Ethanol	Alcohols	2/7/2012	10000	U	ug/L	U		10			
HW15a	Methanol	Alcohols	2/7/2012	10000	U	ug/L	U		10		7800	ug/L
HW15a-P	Methanol	Alcohols	2/7/2012	10000	U	ug/L	U		10		7800	ug/L
HW15a	Anionic Surfactants	Anionic Surfact	2/7/2012	0.01	U	mg/L			0.01	0.01		
HW15a-P	Anionic Surfactants	Anionic Surfact	2/7/2012	0.01	U	mg/L			0.01	0.01		
HW15a	Heterotrophic Plate Count	Bacteria	2/7/2012		R	cfu/1mL	R3		1			
HW15a-P	Heterotrophic Plate Count	Bacteria	2/7/2012		R	cfu/1mL	R3		1			
HW15a	Total Coliform Bacteria	Bacteria	2/7/2012	1	U	cfu/100 mL			1		0	cfu/100mL
HW15a-P	Total Coliform Bacteria	Bacteria	2/7/2012	1	U	cfu/100 mL			1		0	cfu/100mL
HW15a	Ethane	Dissolved Gase	2/7/2012	130		ug/L		0.6		1.2		
HW15a-P	Ethane	Dissolved Gase	2/7/2012	1.2	U	ug/L	U	0.6		1.2		
HW15a	Ethene	Dissolved Gase	2/7/2012	1.1	U	ug/L	U	0.5		1.1		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Ethene	Dissolved Gase	2/7/2012	1.1	U	ug/L	U	0.5		1.1		
HW15a	Methane	Dissolved Gase	2/7/2012	14000		ug/L		48		97	28000	ug/L
HW15a-P	Methane	Dissolved Gase	2/7/2012	27		ug/L		0.6		1.2	28000	ug/L
HW15a	2-Butoxyethanol	Glycols	2/7/2012	5	U	ug/L	U		5			
HW15a-P	2-Butoxyethanol	Glycols	2/7/2012	5	U	ug/L	U		5			
HW15a	2-Methoxyethanol	Glycols	2/7/2012	10	U	ug/L	U		10		78	ug/L
HW15a	2-Methoxyethanol	Glycols	2/7/2012	5	UJ	ug/L	UUJ		60		78	ug/L
HW15a-P	2-Methoxyethanol	Glycols	2/7/2012	5	UJ	ug/L	UUJ		60		78	ug/L
HW15a-P	2-Methoxyethanol	Glycols	2/7/2012	10	U	ug/L	U		10		78	ug/L
HW15a	Diethylene Glycol	Glycols	2/7/2012	50	U	ug/L	U		50		8000	ug/L
HW15a-P	Diethylene Glycol	Glycols	2/7/2012	50	U	ug/L	U		50		8000	ug/L
HW15a	Ethylene Glycol	Glycols	2/7/2012	10	U	mg/L	U	0.76	10	10	31000	ug/L
HW15a-P	Ethylene Glycol	Glycols	2/7/2012	10	U	mg/L	U	0.76	10	10	31000	ug/L
HW15a	TETRAETHYLENE GLYCOL	Glycols	2/7/2012	25	U	ug/L	U		25		8000	ug/L
HW15a-P	TETRAETHYLENE GLYCOL	Glycols	2/7/2012	25	U	ug/L	U		25		8000	ug/L
HW15a	TRIETHYLENE GLYCOL	Glycols	2/7/2012	25	U	ug/L	U		25		8000	ug/L
HW15a-P	TRIETHYLENE GLYCOL	Glycols	2/7/2012	25	U	ug/L	U		25		8000	ug/L
HW15a	Bromide	Inorganic Ions	2/7/2012	0.5	U	mg/L	U	0.019	0.5	0.019		
HW15a-P	Bromide	Inorganic Ions	2/7/2012	0.5	U	mg/L	U	0.019	0.5	0.019		
HW15a	Chloride	Inorganic Ions	2/7/2012	15.6		mg/L	D	0.112	0.5	0.112		
HW15a-P	Chloride	Inorganic Ions	2/7/2012	15		mg/L		0.056	0.25	0.056		
HW15a	Fluoride	Inorganic Ions	2/7/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW15a-P	Fluoride	Inorganic Ions	2/7/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW15a	Sulfate	Inorganic Ions	2/7/2012	3.95		mg/L		0.116	0.5	0.116		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Sulfate	Inorganic Ions	2/7/2012	3.74		mg/L		0.116	0.5	0.116		
HW15a	Mercury	Mercury	2/7/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW15a-F	Mercury	Mercury	2/7/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW15a-P	Mercury	Mercury	2/7/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW15a-PF	Mercury	Mercury	2/7/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW15a	Aluminum	Metals	2/7/2012	30	U	ug/L	U		30		16000	ug/L
HW15a-F	Aluminum	Metals	2/7/2012	30	U	ug/L	U		30		16000	ug/L
HW15a-P	Aluminum	Metals	2/7/2012	30	U	ug/L	U		30		16000	ug/L
HW15a-PF	Aluminum	Metals	2/7/2012	30	U	ug/L	U		30		16000	ug/L
HW15a	Antimony	Metals	2/7/2012	2	U	ug/L	U		2		6	ug/L
HW15a-F	Antimony	Metals	2/7/2012	2	U	ug/L	U		2		6	ug/L
HW15a-P	Antimony	Metals	2/7/2012	2	U	ug/L	U		2		6	ug/L
HW15a-PF	Antimony	Metals	2/7/2012	2	U	ug/L	U		2		6	ug/L
HW15a	Arsenic	Metals	2/7/2012	**5.1**		ug/L	D		1		4.5	ug/L
HW15a-F	Arsenic	Metals	2/7/2012	4.3		ug/L	D		1		4.5	ug/L
HW15a-P	Arsenic	Metals	2/7/2012	3.3		ug/L	D		1		4.5	ug/L
HW15a-PF	Arsenic	Metals	2/7/2012	2.8		ug/L	D		1		4.5	ug/L
HW15a	Barium	Metals	2/7/2012	582		ug/L		1.2	200	1.2	2900	ug/L
HW15a-F	Barium	Metals	2/7/2012	545		ug/L		1.2	200	1.2	2900	ug/L
HW15a-P	Barium	Metals	2/7/2012	18.4		ug/L	D		10		2900	ug/L
HW15a-PF	Barium	Metals	2/7/2012	19.5		ug/L	D		10		2900	ug/L
HW15a	Beryllium	Metals	2/7/2012	1	U	ug/L	U		1		16	ug/L
HW15a-F	Beryllium	Metals	2/7/2012	1	U	ug/L	U		1		16	ug/L
HW15a-P	Beryllium	Metals	2/7/2012	1	U	ug/L	U		1		16	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-PF	Beryllium	Metals	2/7/2012	1	U	ug/L	U		1		16	ug/L
HW15a	Boron	Metals	2/7/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW15a-F	Boron	Metals	2/7/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW15a-P	Boron	Metals	2/7/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW15a-PF	Boron	Metals	2/7/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW15a	Cadmium	Metals	2/7/2012	1	U	ug/L	U		1		6.9	ug/L
HW15a-F	Cadmium	Metals	2/7/2012	1	U	ug/L	U		1		6.9	ug/L
HW15a-P	Cadmium	Metals	2/7/2012	1	U	ug/L	U		1		6.9	ug/L
HW15a-PF	Cadmium	Metals	2/7/2012	1	U	ug/L	U		1		6.9	ug/L
HW15a	Calcium	Metals	2/7/2012	31900		ug/L		6.6	500	6.6		
HW15a-F	Calcium	Metals	2/7/2012	31900		ug/L		6.6	500	6.6		
HW15a-P	Calcium	Metals	2/7/2012	1560		ug/L		6.6	500	6.6		
HW15a-PF	Calcium	Metals	2/7/2012	1560		ug/L		6.6	500	6.6		
HW15a	Chromium	Metals	2/7/2012	2	U	ug/L	U		2		3.1	ug/L
HW15a-F	Chromium	Metals	2/7/2012	2	U	ug/L	U		2		3.1	ug/L
HW15a-P	Chromium	Metals	2/7/2012	2	U	ug/L	U		2		3.1	ug/L
HW15a-PF	Chromium	Metals	2/7/2012	2.2		ug/L	D		2		3.1	ug/L
HW15a	Cobalt	Metals	2/7/2012	1	U	ug/L	U		1		4.7	ug/L
HW15a-F	Cobalt	Metals	2/7/2012	1	U	ug/L	U		1		4.7	ug/L
HW15a-P	Cobalt	Metals	2/7/2012	1	U	ug/L	U		1		4.7	ug/L
HW15a-PF	Cobalt	Metals	2/7/2012	1	U	ug/L	U		1		4.7	ug/L
HW15a	Copper	Metals	2/7/2012	2		ug/L	D		2		620	ug/L
HW15a-F	Copper	Metals	2/7/2012	2	U	ug/L	U		2		620	ug/L
HW15a-P	Copper	Metals	2/7/2012	13.4		ug/L	D		2		620	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-PF	Copper	Metals	2/7/2012	11.5		ug/L	D		2		620	ug/L
HW15a	Iron	Metals	2/7/2012	109		ug/L		2.6	100	2.6	11000	ug/L
HW15a-F	Iron	Metals	2/7/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW15a-P	Iron	Metals	2/7/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW15a-PF	Iron	Metals	2/7/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW15a	Lead	Metals	2/7/2012	1	U	ug/L	U		1		15	ug/L
HW15a-F	Lead	Metals	2/7/2012	1	U	ug/L	U		1		15	ug/L
HW15a-P	Lead	Metals	2/7/2012	1	U	ug/L	U		1		15	ug/L
HW15a-PF	Lead	Metals	2/7/2012	1	U	ug/L	U		1		15	ug/L
HW15a	Lithium	Metals	2/7/2012	**32.3**		ug/l	U		25		31	ug/L
HW15a	Lithium	Metals	2/7/2012	200	U	ug/L	U		200		31	ug/L
HW15a-F	Lithium	Metals	2/7/2012	200	U	ug/L	U		200		31	ug/L
HW15a-F	Lithium	Metals	2/7/2012	29.1		ug/l	U		25		31	ug/L
HW15a-P	Lithium	Metals	2/7/2012	200	U	ug/L	U		200		31	ug/L
HW15a-P	Lithium	Metals	2/7/2012	**33.5**		ug/l	U		25		31	ug/L
HW15a-PF	Lithium	Metals	2/7/2012	**31.6**		ug/l	U		25		31	ug/L
HW15a-PF	Lithium	Metals	2/7/2012	200	U	ug/L	U		200		31	ug/L
HW15a	Magnesium	Metals	2/7/2012	10300		ug/L		20.4	500	20.4		
HW15a-F	Magnesium	Metals	2/7/2012	10000		ug/L		20.4	500	20.4		
HW15a-P	Magnesium	Metals	2/7/2012	629		ug/L		20.4	500	20.4		
HW15a-PF	Magnesium	Metals	2/7/2012	632		ug/L		20.4	500	20.4		
HW15a	Manganese	Metals	2/7/2012	157		ug/L	D		1		320	ug/L
HW15a-F	Manganese	Metals	2/7/2012	160		ug/L	D		1		320	ug/L
HW15a-P	Manganese	Metals	2/7/2012	1	U	ug/L	U		1		320	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-PF	Manganese	Metals	2/7/2012	1	U	ug/L	U		1		320	ug/L
HW15a	Nickel	Metals	2/7/2012	1.4		ug/L	D		1		300	ug/L
HW15a-F	Nickel	Metals	2/7/2012	1.1		ug/L	D		1		300	ug/L
HW15a-P	Nickel	Metals	2/7/2012	1	U	ug/L	U		1		300	ug/L
HW15a-PF	Nickel	Metals	2/7/2012	1	U	ug/L	U		1		300	ug/L
HW15a	Potassium	Metals	2/7/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW15a-F	Potassium	Metals	2/7/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW15a-P	Potassium	Metals	2/7/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW15a-PF	Potassium	Metals	2/7/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW15a	Selenium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-F	Selenium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-P	Selenium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-PF	Selenium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a	Silver	Metals	2/7/2012	1	U	ug/L	U		1		71	ug/L
HW15a-F	Silver	Metals	2/7/2012	1	U	ug/L	U		1		71	ug/L
HW15a-P	Silver	Metals	2/7/2012	1	U	ug/L	U		1		71	ug/L
HW15a-PF	Silver	Metals	2/7/2012	1	U	ug/L	U		1		71	ug/L
HW15a	Sodium	Metals	2/7/2012	16900		ug/L		9.2	1000	9.2	20000	ug/L
HW15a-F	Sodium	Metals	2/7/2012	16200		ug/L		9.2	1000	9.2	20000	ug/L
HW15a-P	Sodium	Metals	2/7/2012	**64600**		ug/L		9.2	1000	9.2	20000	ug/L
HW15a-PF	Sodium	Metals	2/7/2012	**66000**		ug/L		9.2	1000	9.2	20000	ug/L
HW15a	Strontium	Metals	2/7/2012	803		ug/L			200		9300	ug/L
HW15a-F	Strontium	Metals	2/7/2012	789		ug/L			200		9300	ug/L
HW15a-P	Strontium	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-PF	Strontium	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L
HW15a	Thallium	Metals	2/7/2012	1	U	ug/L	U		1		0.16	ug/L
HW15a-F	Thallium	Metals	2/7/2012	1	U	ug/L	U		1		0.16	ug/L
HW15a-P	Thallium	Metals	2/7/2012	1	U	ug/L	U		1		0.16	ug/L
HW15a-PF	Thallium	Metals	2/7/2012	1	U	ug/L	U		1		0.16	ug/L
HW15a	Tin	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L
HW15a-F	Tin	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L
HW15a-P	Tin	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L
HW15a-PF	Tin	Metals	2/7/2012	200	U	ug/L	U		200		9300	ug/L
HW15a	Titanium	Metals	2/7/2012	200	U	ug/L	U		200			
HW15a-F	Titanium	Metals	2/7/2012	200	U	ug/L	U		200			
HW15a-P	Titanium	Metals	2/7/2012	200	U	ug/L	U		200			
HW15a-PF	Titanium	Metals	2/7/2012	200	U	ug/L	U		200			
HW15a	Uranium	Metals	2/7/2012	1	U	ug/L	U		1		47	ug/L
HW15a-F	Uranium	Metals	2/7/2012	1	U	ug/L	U		1		47	ug/L
HW15a-P	Uranium	Metals	2/7/2012	1.1		ug/L	D		1		47	ug/L
HW15a-PF	Uranium	Metals	2/7/2012	1.2		ug/L	D		1		47	ug/L
HW15a	Vanadium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-F	Vanadium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-P	Vanadium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a-PF	Vanadium	Metals	2/7/2012	5	U	ug/L	U		5		78	ug/L
HW15a	Zinc	Metals	2/7/2012	2	U	ug/L	U		2		4700	ug/L
HW15a-F	Zinc	Metals	2/7/2012	2	U	ug/L	U		2		4700	ug/L
HW15a-P	Zinc	Metals	2/7/2012	2	U	ug/L	U		2		4700	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-PF	Zinc	Metals	2/7/2012	2	U	ug/L	U		2		4700	ug/L
HW15a	Oil and Grease	Oil and Grease	2/7/2012	5.4	U	mg/L	U	0.8	5.4	0.8		
HW15a-P	Oil and Grease	Oil and Grease	2/7/2012	5	UJ	mg/L	UUJ	0.8	5	0.8		
HW15a	Total Dissolved Solids	Residue	2/7/2012	158		mg/L	B	10	20	10		
HW15a-P	Total Dissolved Solids	Residue	2/7/2012	175		mg/L	B	10	20	10		
HW15a	Total Suspended Solids	Residue	2/7/2012	10	U	mg/L	U		10			
HW15a-P	Total Suspended Solids	Residue	2/7/2012	10	U	mg/L	U		10			
HW15a	1-Methylnaphthalene	SVOCs	2/7/2012	5	UJ	ug/L	UUJ		5		97	ug/L
HW15a-P	1-Methylnaphthalene	SVOCs	2/7/2012	5	UJ	ug/L	UUJ		5		97	ug/L
HW15a	Acenaphthene	SVOCs	2/7/2012	5	U	ug/L	U	0.98	5	5	400	ug/L
HW15a-P	Acenaphthene	SVOCs	2/7/2012	5	U	ug/L	U	0.98	5	5	400	ug/L
HW15a	Acenaphthylene	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5		
HW15a-P	Acenaphthylene	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5		
HW15a	Acetophenone	SVOCs	2/7/2012	5	U	ug/L	U	0.8	5	5	1500	ug/L
HW15a-P	Acetophenone	SVOCs	2/7/2012	5	U	ug/L	U	0.8	5	5	1500	ug/L
HW15a	Anthracene	SVOCs	2/7/2012	5	U	ug/L	U	0.76	5	5	1300	ug/L
HW15a-P	Anthracene	SVOCs	2/7/2012	5	U	ug/L	U	0.76	5	5	1300	ug/L
HW15a	Atrazine	SVOCs	2/7/2012	5	U	ug/L	U	0.4	5	5	26	ug/L
HW15a-P	Atrazine	SVOCs	2/7/2012	5	U	ug/L	U	0.4	5	5	26	ug/L
HW15a	Benzaldehyde	SVOCs	2/7/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW15a-P	Benzaldehyde	SVOCs	2/7/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW15a	Benzo(a)anthracene	SVOCs	2/7/2012	5	U	ug/L	U	1.21	5	5	2.9	ug/L
HW15a-P	Benzo(a)anthracene	SVOCs	2/7/2012	5	U	ug/L	U	1.21	5	5	2.9	ug/L
HW15a	Benzo(a)pyrene	SVOCs	2/7/2012	5	U	ug/L	U	1.01	5	5	0.29	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Benzo(a)pyrene	SVOCs	2/7/2012	5	U	ug/L	U	1.01	5	5	0.29	ug/L
HW15a	Biphenyl	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5		
HW15a-P	Biphenyl	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5		
HW15a	Bromophenyl-4 Phenyl Ether	SVOCs	2/7/2012	5	U	ug/L	U	1.25	5	5		
HW15a-P	Bromophenyl-4 Phenyl Ether	SVOCs	2/7/2012	5	U	ug/L	U	1.25	5	5		
HW15a	Butylbenzyl phthalate	SVOCs	2/7/2012	5	U	ug/L	U	1.45	5	5	1400	ug/L
HW15a-P	Butylbenzyl phthalate	SVOCs	2/7/2012	5	U	ug/L	U	1.45	5	5	1400	ug/L
HW15a	Caprolactam	SVOCs	2/7/2012	5	U	ug/L	U	0.9	5	5	7700	ug/L
HW15a-P	Caprolactam	SVOCs	2/7/2012	5	U	ug/L	U	0.9	5	5	7700	ug/L
HW15a	Carbazole	SVOCs	2/7/2012	5	U	ug/L	U	4.29	5	5		
HW15a-P	Carbazole	SVOCs	2/7/2012	5	U	ug/L	U	4.29	5	5		
HW15a	Chlorobenzenamine-4	SVOCs	2/7/2012	5	U	ug/L	U	2.6	5	5	3.2	ug/L
HW15a-P	Chlorobenzenamine-4	SVOCs	2/7/2012	5	U	ug/L	U	2.6	5	5	3.2	ug/L
HW15a	Chloronaphthalene-2	SVOCs	2/7/2012	5	U	ug/L	U	0.95	5	5	550	ug/L
HW15a-P	Chloronaphthalene-2	SVOCs	2/7/2012	5	U	ug/L	U	0.95	5	5	550	ug/L
HW15a	Chlorophenol-2	SVOCs	2/7/2012	5	U	ug/L	U	0.69	5	5	71	ug/L
HW15a-P	Chlorophenol-2	SVOCs	2/7/2012	5	U	ug/L	U	0.69	5	5	71	ug/L
HW15a	Chlorophenyl-4 phenyl ether	SVOCs	2/7/2012	5	U	ug/L	U	1.23	5	5		
HW15a-P	Chlorophenyl-4 phenyl ether	SVOCs	2/7/2012	5	U	ug/L	U	1.23	5	5		
HW15a	Chrysene	SVOCs	2/7/2012	5	U	ug/L	U	1.27	5	5	290	ug/L
HW15a-P	Chrysene	SVOCs	2/7/2012	5	U	ug/L	U	1.27	5	5	290	ug/L
HW15a	Cresol, parachloro meta-	SVOCs	2/7/2012	5	U	ug/L	U	0.66	5	5		
HW15a-P	Cresol, parachloro meta-	SVOCs	2/7/2012	5	U	ug/L	U	0.66	5	5		
HW15a	Cresol-4,6-dinitro-ortho	SVOCs	2/7/2012	10	U	ug/L	U	1.4	10	10		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Cresol-4,6-dinitro-ortho	SVOCs	2/7/2012	10	U	ug/L	U	1.4	10	10		
HW15a	Cresol-o	SVOCs	2/7/2012	5	U	ug/L	U	0.96	5	5	720	ug/L
HW15a-P	Cresol-o	SVOCs	2/7/2012	5	U	ug/L	U	0.96	5	5	720	ug/L
HW15a	Cresol-p	SVOCs	2/7/2012	5	U	ug/L	U	1.79	5	5	72	ug/L
HW15a-P	Cresol-p	SVOCs	2/7/2012	5	U	ug/L	U	1.79	5	5	72	ug/L
HW15a	Dibenz(a,h)anthracene	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5	0.29	ug/L
HW15a-P	Dibenz(a,h)anthracene	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5	0.29	ug/L
HW15a	Dibenzofuran	SVOCs	2/7/2012	5	U	ug/L	U	1.03	5	5		
HW15a-P	Dibenzofuran	SVOCs	2/7/2012	5	U	ug/L	U	1.03	5	5		
HW15a	Dichlorobenzidine-3,3'	SVOCs	2/7/2012	5	U	ug/L	U	3.08	5	5	11	ug/L
HW15a-P	Dichlorobenzidine-3,3'	SVOCs	2/7/2012	5	U	ug/L	U	3.08	5	5	11	ug/L
HW15a	Dichlorophenol-2,4	SVOCs	2/7/2012	5	U	ug/L	U	0.62	5	5	35	ug/L
HW15a-P	Dichlorophenol-2,4	SVOCs	2/7/2012	5	U	ug/L	U	0.62	5	5	35	ug/L
HW15a	Dimethylphenol, 2,4-	SVOCs	2/7/2012	5	U	ug/L	U	3.7	5	5	270	ug/L
HW15a-P	Dimethylphenol, 2,4-	SVOCs	2/7/2012	5	U	ug/L	U	3.7	5	5	270	ug/L
HW15a	Dinitrophenol-2,4	SVOCs	2/7/2012	5	U	ug/L	U		5		30	ug/L
HW15a-P	Dinitrophenol-2,4	SVOCs	2/7/2012	5	U	ug/L	U		5		30	ug/L
HW15a	Dinitrotoluene-2,4	SVOCs	2/7/2012	5	U	ug/L	U	1.07	5	5		
HW15a-P	Dinitrotoluene-2,4	SVOCs	2/7/2012	5	U	ug/L	U	1.07	5	5		
HW15a	Dinitrotoluene-2,6	SVOCs	2/7/2012	5	U	ug/L	U	0.95	5	5		
HW15a-P	Dinitrotoluene-2,6	SVOCs	2/7/2012	5	U	ug/L	U	0.95	5	5		
HW15a	Ether, bis(2-chloroethyl)	SVOCs	2/7/2012	5	U	ug/L	U	1.08	5	5	1.2	ug/L
HW15a-P	Ether, bis(2-chloroethyl)	SVOCs	2/7/2012	5	U	ug/L	U	1.08	5	5	1.2	ug/L
HW15a	Ether-bis(2-chloroisopropyl)	SVOCs	2/7/2012	5	U	ug/L	U	0.88	5	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Ether-bis(2-chloroisopropyl)	SVOCs	2/7/2012	5	U	ug/L	U	0.88	5	5		
HW15a	Fluoranthene	SVOCs	2/7/2012	5	U	ug/L	U	1.26	5	5	630	ug/L
HW15a-P	Fluoranthene	SVOCs	2/7/2012	5	U	ug/L	U	1.26	5	5	630	ug/L
HW15a	Fluoranthene benzo(k)	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5	29	ug/L
HW15a-P	Fluoranthene benzo(k)	SVOCs	2/7/2012	5	U	ug/L	U	1.57	5	5	29	ug/L
HW15a	Fluoranthene-benzo(b)	SVOCs	2/7/2012	5	U	ug/L	U	1.56	5	5	5.6	ug/L
HW15a-P	Fluoranthene-benzo(b)	SVOCs	2/7/2012	5	U	ug/L	U	1.56	5	5	5.6	ug/L
HW15a	Fluorene	SVOCs	2/7/2012	5	U	ug/L	U	1.2	5	5	220	ug/L
HW15a-P	Fluorene	SVOCs	2/7/2012	5	U	ug/L	U	1.2	5	5	220	ug/L
HW15a	Hexachlorobenzene	SVOCs	2/7/2012	5	U	ug/L	U	1.14	5	5	4.2	ug/L
HW15a-P	Hexachlorobenzene	SVOCs	2/7/2012	5	U	ug/L	U	1.14	5	5	4.2	ug/L
HW15a	Hexachlorobutadiene	SVOCs	2/7/2012	5	U	ug/L	U	2.17	5	5	26	ug/L
HW15a	Hexachlorobutadiene	SVOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5	26	ug/L
HW15a-P	Hexachlorobutadiene	SVOCs	2/7/2012	5	U	ug/L	U	2.17	5	5	26	ug/L
HW15a-P	Hexachlorobutadiene	SVOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5	26	ug/L
HW15a	Hexachlorocyclopentadiene	SVOCs	2/7/2012	5	U	ug/L	U	0.56	5	5	22	ug/L
HW15a-P	Hexachlorocyclopentadiene	SVOCs	2/7/2012	5	U	ug/L	U	0.56	5	5	22	ug/L
HW15a	Hexachloroethane	SVOCs	2/7/2012	5	U	ug/L	U	2.39	5	5	5.1	ug/L
HW15a-P	Hexachloroethane	SVOCs	2/7/2012	5	U	ug/L	U	2.39	5	5	5.1	ug/L
HW15a	Isophorone	SVOCs	2/7/2012	5	U	ug/L	U	0.69	5	5	6700	ug/L
HW15a-P	Isophorone	SVOCs	2/7/2012	5	U	ug/L	U	0.69	5	5	6700	ug/L
HW15a	Methane, bis(2-chloroethoxy)	SVOCs	2/7/2012	5	U	ug/L	U	2.61	5	5	47	ug/L
HW15a-P	Methane, bis(2-chloroethoxy)	SVOCs	2/7/2012	5	U	ug/L	U	2.61	5	5	47	ug/L
HW15a	Methylnaphthalene-2	SVOCs	2/7/2012	5	U	ug/L	U	1.13	5	5	27	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Methylnaphthalene-2	SVOCs	2/7/2012	5	U	ug/L	U	1.13	5	5	27	ug/L
HW15a	Naphthalene	SVOCs	2/7/2012	0.5	U	ug/L	U	0.32	0.5	0.5	14	ug/L
HW15a	Naphthalene	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5	14	ug/L
HW15a-P	Naphthalene	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5	14	ug/L
HW15a-P	Naphthalene	SVOCs	2/7/2012	0.5	U	ug/L	U	0.32	0.5	0.5	14	ug/L
HW15a	Nitroaniline, ortho	SVOCs	2/7/2012	5	U	ug/L	U	1.2	5	5	150	ug/L
HW15a-P	Nitroaniline, ortho	SVOCs	2/7/2012	5	U	ug/L	U	1.2	5	5	150	ug/L
HW15a	Nitroaniline-3	SVOCs	2/7/2012	5	U	ug/L	U	1.9	5	5		
HW15a-P	Nitroaniline-3	SVOCs	2/7/2012	5	U	ug/L	U	1.9	5	5		
HW15a	Nitrobenzenamine-4	SVOCs	2/7/2012	5	U	ug/L	U	1.9	5	5	61	ug/L
HW15a-P	Nitrobenzenamine-4	SVOCs	2/7/2012	5	U	ug/L	U	1.9	5	5	61	ug/L
HW15a	Nitrobenzene	SVOCs	2/7/2012	5	U	ug/L	U	0.66	5	5	12	ug/L
HW15a-P	Nitrobenzene	SVOCs	2/7/2012	5	U	ug/L	U	0.66	5	5	12	ug/L
HW15a	Nitrophenol-2	SVOCs	2/7/2012	5	U	ug/L	U	0.71	5	5		
HW15a-P	Nitrophenol-2	SVOCs	2/7/2012	5	U	ug/L	U	0.71	5	5		
HW15a	Nitrophenol-4	SVOCs	2/7/2012	10	U	ug/L	U	1.67	10	10		
HW15a-P	Nitrophenol-4	SVOCs	2/7/2012	10	U	ug/L	U	1.67	10	10		
HW15a	Nitrosodimethylamine-n	SVOCs	2/7/2012	5	U	ug/L	U	2.25	5	5	0.042	ug/L
HW15a-P	Nitrosodimethylamine-n	SVOCs	2/7/2012	5	U	ug/L	U	2.25	5	5	0.042	ug/L
HW15a	Nitrosodiphenylamine-n	SVOCs	2/7/2012	5	U	ug/L	U	1.6	5	5	1000	ug/L
HW15a-P	Nitrosodiphenylamine-n	SVOCs	2/7/2012	5	U	ug/L	U	1.6	5	5	1000	ug/L
HW15a	Pentachlorophenol	SVOCs	2/7/2012	5	U	ug/L	U	5.91	5	5	17	ug/L
HW15a-P	Pentachlorophenol	SVOCs	2/7/2012	5	U	ug/L	U	5.91	5	5	17	ug/L
HW15a	Perylene-benzo(ghi)	SVOCs	2/7/2012	5	U	ug/L	U	1.77	5	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Perylene-benzo(ghi)	SVOCs	2/7/2012	5	U	ug/L	U	1.77	5	5		
HW15a	Phenanthrene	SVOCs	2/7/2012	5	U	ug/L	U	0.86	5	5		
HW15a-P	Phenanthrene	SVOCs	2/7/2012	5	U	ug/L	U	0.86	5	5		
HW15a	Phenol	SVOCs	2/7/2012	5	U	ug/L	U	0.81	5	5	4500	ug/L
HW15a-P	Phenol	SVOCs	2/7/2012	5	U	ug/L	U	0.81	5	5	4500	ug/L
HW15a	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	2/7/2012	5	U	ug/L	JB	2.77	5	5	7.1	ug/L
HW15a-P	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	2/7/2012	5	U	ug/L	JB	2.77	5	5	7.1	ug/L
HW15a	Phthalate, Dimethyl	SVOCs	2/7/2012	5	U	ug/L	U	0.79	5	5	1400	ug/L
HW15a-P	Phthalate, Dimethyl	SVOCs	2/7/2012	0.01	J	ug/L	J	0.79	5	5	1400	ug/L
HW15a	Phthalate, di-n-butyl-	SVOCs	2/7/2012	5	U	ug/L	JB	3.6	5	5	670	ug/L
HW15a-P	Phthalate, di-n-butyl-	SVOCs	2/7/2012	5	U	ug/L	JB	3.6	5	5	670	ug/L
HW15a	Phthalate, di-n-octyl	SVOCs	2/7/2012	5	U	ug/L	U	2.54	5	5		
HW15a-P	Phthalate, di-n-octyl	SVOCs	2/7/2012	5	U	ug/L	U	2.54	5	5		
HW15a	Phthalate-diethyl	SVOCs	2/7/2012	5	U	ug/L	JB	1.14	5	5	11000	ug/L
HW15a-P	Phthalate-diethyl	SVOCs	2/7/2012	5	U	ug/L	JB	1.14	5	5	11000	ug/L
HW15a	Propylamine,n-nitroso di-n-	SVOCs	2/7/2012	5	U	ug/L	U	0.76	5	5	0.93	ug/L
HW15a-P	Propylamine,n-nitroso di-n-	SVOCs	2/7/2012	5	U	ug/L	U	0.76	5	5	0.93	ug/L
HW15a	Pyrene	SVOCs	2/7/2012	5	U	ug/L	U	1.28	5	5	87	ug/L
HW15a-P	Pyrene	SVOCs	2/7/2012	5	U	ug/L	U	1.28	5	5	87	ug/L
HW15a	Pyrene-indeno(1,2,3-cd)	SVOCs	2/7/2012	5	U	ug/L	U	1.45	5	5	3	ug/L
HW15a-P	Pyrene-indeno(1,2,3-cd)	SVOCs	2/7/2012	5	U	ug/L	U	1.45	5	5	3	ug/L
HW15a	Tetrachlorobenzene, 1,2,4,5-	SVOCs	2/7/2012	5	U	ug/L	U		5		1.2	ug/L
HW15a-P	Tetrachlorobenzene, 1,2,4,5-	SVOCs	2/7/2012	5	U	ug/L	U		5		1.2	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	Tetrachlorophenol, 2,3,4,6-	SVOCs	2/7/2012	5	U	ug/L	U		5		170	ug/L
HW15a-P	Tetrachlorophenol, 2,3,4,6-	SVOCs	2/7/2012	5	U	ug/L	U		5		170	ug/L
HW15a	Trichlorophenol-2,4,5	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5	890	ug/L
HW15a-P	Trichlorophenol-2,4,5	SVOCs	2/7/2012	5	U	ug/L	U	0.92	5	5	890	ug/L
HW15a	Trichlorophenol-2,4,6	SVOCs	2/7/2012	5	U	ug/L	U	0.46	5	5	9.04	ug/L
HW15a-P	Trichlorophenol-2,4,6	SVOCs	2/7/2012	5	U	ug/L	U	0.46	5	5	9.04	ug/L
HW15a	TPH - Diesel Range Organics	Total Petroleu	2/7/2012	250	U	ug/L	U	120		250		
HW15a-P	TPH - Diesel Range Organics	Total Petroleu	2/7/2012	240	U	ug/L	U	120		240		
HW15a	TPH - Gasoline Range Organics	Total Petroleu	2/7/2012	50	U	ug/L	U	25		50		
HW15a-P	TPH - Gasoline Range Organics	Total Petroleu	2/7/2012	50	U	ug/L	U	25		50		
HW15a	TPH - Oil Range Organics	Total Petroleu	2/7/2012	1000	U	ug/L	U	500		1000		
HW15a-P	TPH - Oil Range Organics	Total Petroleu	2/7/2012	950	U	ug/L	U	470		950		
HW15a	1,2-Dibromo-3-chloropropane (DBCP)	VOCs	2/7/2012	2	U	ug/L	U	0.28	2	0.5	0.032	ug/L
HW15a-P	1,2-Dibromo-3-chloropropane (DBCP)	VOCs	2/7/2012	2	U	ug/L	U	0.28	2	0.5	0.032	ug/L
HW15a	4-Methyl-2-pentanone	VOCs	2/7/2012	2	U	ug/L	U	0.33	2	2	1000	ug/L
HW15a-P	4-Methyl-2-pentanone	VOCs	2/7/2012	2	U	ug/L	U	0.33	2	2	1000	ug/L
HW15a	Acetone	VOCs	2/7/2012	2	U	ug/L	U	0.22	2	2		
HW15a-P	Acetone	VOCs	2/7/2012	3.3	U	ug/L	JB	0.22	3.3	2		
HW15a	Benzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW15a-P	Benzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW15a	Bromobenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a-P	Bromobenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	Bromoform	VOCs	2/7/2012	1	U	ug/L	U	0.32	1	0.5		
HW15a-P	Bromoform	VOCs	2/7/2012	1	U	ug/L	U	0.32	1	0.5		
HW15a	Butylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW15a-P	Butylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW15a	Butylbenzene, sec-	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a-P	Butylbenzene, sec-	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a	Butylbenzene, tert-	VOCs	2/7/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW15a-P	Butylbenzene, tert-	VOCs	2/7/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW15a	Carbon disulfide	VOCs	2/7/2012	0.5	U	ug/L	U	0.21	0.5	0.5		
HW15a-P	Carbon disulfide	VOCs	2/7/2012	0.5	U	ug/L	U	0.21	0.5	0.5		
HW15a	Carbon Tetrachloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a-P	Carbon Tetrachloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a	Chlorobenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW15a-P	Chlorobenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW15a	Chlorobromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.4	0.5	0.5		
HW15a-P	Chlorobromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.4	0.5	0.5		
HW15a	Chloroethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a-P	Chloroethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a	Chloroform	VOCs	2/7/2012	0.5	U	ug/L	JB	0.34	0.5	0.5		
HW15a-P	Chloroform	VOCs	2/7/2012	0.5	U	ug/L	JB	0.34	0.5	0.5		
HW15a	Chlorotoluene	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	180	ug/L
HW15a-P	Chlorotoluene	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	180	ug/L
HW15a	Chlorotoluene-p	VOCs	2/7/2012	0.5	U	ug/L	U	0.32	0.5	0.5	190	ug/L
HW15a-P	Chlorotoluene-p	VOCs	2/7/2012	0.5	U	ug/L	U	0.32	0.5	0.5	190	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	Cyclohexane	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a-P	Cyclohexane	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a	Dibromochloromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a-P	Dibromochloromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a	Dibromoethane-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	0.65	ug/L
HW15a-P	Dibromoethane-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	0.65	ug/L
HW15a	Dibromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW15a-P	Dibromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW15a	Dichlorobenzene-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	280	ug/L
HW15a-P	Dichlorobenzene-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5	280	ug/L
HW15a	Dichlorobenzene-1,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a-P	Dichlorobenzene-1,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a	Dichlorobenzene-1,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	42	ug/L
HW15a-P	Dichlorobenzene-1,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	42	ug/L
HW15a	Dichlorobromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW15a-P	Dichlorobromomethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW15a	Dichlorodifluoromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW15a-P	Dichlorodifluoromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW15a	Dichloroethane-1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.34	0.5	0.5	240	ug/L
HW15a-P	Dichloroethane-1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.34	0.5	0.5	240	ug/L
HW15a	Dichloroethane-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.38	0.5	0.5	15	ug/L
HW15a-P	Dichloroethane-1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.38	0.5	0.5	15	ug/L
HW15a	Dichloroethene-1,2 trans	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a-P	Dichloroethene-1,2 trans	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	Dichloroethylene-1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.23	0.5	0.5		
HW15a-P	Dichloroethylene-1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.23	0.5	0.5		
HW15a	Dichloroethylene-1,2 cis	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW15a-P	Dichloroethylene-1,2 cis	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW15a	Dichloropropane, 1,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5	38	ug/L
HW15a-P	Dichloropropane, 1,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5	38	ug/L
HW15a	Dichloropropane, 1,3-	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	290	ug/L
HW15a-P	Dichloropropane, 1,3-	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	290	ug/L
HW15a	Dichloropropane, 2,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a-P	Dichloropropane, 2,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a	Dichloropropene, 1,1-	VOCs	2/7/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW15a-P	Dichloropropene, 1,1-	VOCs	2/7/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW15a	Dichloropropene, 1,3 cis-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a-P	Dichloropropene, 1,3 cis-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a	Dichloropropene, 1,3 trans-	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW15a-P	Dichloropropene, 1,3 trans-	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW15a	Ethylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW15a-P	Ethylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW15a	Freon 113	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a-P	Freon 113	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a	Hexanone, 2-	VOCs	2/7/2012	2	U	ug/L	U	0.42	2	2	34	ug/L
HW15a-P	Hexanone, 2-	VOCs	2/7/2012	2	U	ug/L	U	0.42	2	2	34	ug/L
HW15a	Isopropylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW15a-P	Isopropylbenzene	VOCs	2/7/2012	0.5	U	ug/L	U	0.27	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a	Isopropylbenzene-4,methyl-1	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW15a-P	Isopropylbenzene-4,methyl-1	VOCs	2/7/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW15a	m,p-Xylene	VOCs	2/7/2012	1	U	ug/L	U	0.57	1	1		
HW15a-P	m,p-Xylene	VOCs	2/7/2012	1	U	ug/L	U	0.57	1	1		
HW15a	Methyl acetate	VOCs	2/7/2012	1	U	ug/L	U	0.38	1	0.5		
HW15a-P	Methyl acetate	VOCs	2/7/2012	1	U	ug/L	U	0.38	1	0.5		
HW15a	Methyl bromide	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW15a-P	Methyl bromide	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW15a	Methyl chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a-P	Methyl chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a	Methyl cyclohexane	VOCs	2/7/2012	0.5	U	ug/L	U	0.17	0.5	0.5		
HW15a-P	Methyl cyclohexane	VOCs	2/7/2012	0.5	U	ug/L	U	0.17	0.5	0.5		
HW15a	Methyl ethyl ketone	VOCs	2/7/2012	2	U	ug/L	U	0.29	2	2	4900	ug/L
HW15a-P	Methyl ethyl ketone	VOCs	2/7/2012	2	U	ug/L	U	0.29	2	2	4900	ug/L
HW15a	Methyl tertiary butyl ether (MTBE)	VOCs	2/7/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW15a-P	Methyl tertiary butyl ether (MTBE)	VOCs	2/7/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW15a	Methylene chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW15a-P	Methylene chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW15a	Propylbenzene-n	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW15a-P	Propylbenzene-n	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW15a	Styrene	VOCs	2/7/2012	1	U	ug/L	U	0.3	1	1		
HW15a-P	Styrene	VOCs	2/7/2012	1	U	ug/L	U	0.3	1	1		
HW15a	Tetrachloroethane, 1,1,1,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	50	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Tetrachloroethane, 1,1,1,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	50	ug/L
HW15a	Tetrachloroethane, 1,1,2,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	6.6	ug/L
HW15a-P	Tetrachloroethane, 1,1,2,2-	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	6.6	ug/L
HW15a	Tetrachloroethylene	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a-P	Tetrachloroethylene	VOCs	2/7/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW15a	Toluene	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a-P	Toluene	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW15a	Trichlorobenzene-1,2,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	5.2	ug/L
HW15a-P	Trichlorobenzene-1,2,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	5.2	ug/L
HW15a	Trichlorobenzene-1,2,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	5.2	ug/L
HW15a-P	Trichlorobenzene-1,2,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	5.2	ug/L
HW15a	Trichloroethane-1,1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5	7500	ug/L
HW15a-P	Trichloroethane-1,1,1	VOCs	2/7/2012	0.5	U	ug/L	U	0.28	0.5	0.5	7500	ug/L
HW15a	Trichloroethane-1,1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5	0.41	ug/L
HW15a-P	Trichloroethane-1,1,2	VOCs	2/7/2012	0.5	U	ug/L	U	0.33	0.5	0.5	0.41	ug/L
HW15a	Trichloroethylene	VOCs	2/7/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW15a-P	Trichloroethylene	VOCs	2/7/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW15a	Trichlorofluoromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a-P	Trichlorofluoromethane	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW15a	Trichloropropane-1,2,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5	0.065	ug/L
HW15a-P	Trichloropropane-1,2,3	VOCs	2/7/2012	0.5	U	ug/L	U	0.22	0.5	0.5	0.065	ug/L
HW15a	Trimethylbenzene-1,2,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	15	ug/L
HW15a-P	Trimethylbenzene-1,2,4	VOCs	2/7/2012	0.5	U	ug/L	U	0.3	0.5	0.5	15	ug/L
HW15a	Trimethylbenzene-1,3,5	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	87	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW15a-P	Trimethylbenzene-1,3,5	VOCs	2/7/2012	0.5	U	ug/L	U	0.31	0.5	0.5	87	ug/L
HW15a	Vinyl acetate	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a-P	Vinyl acetate	VOCs	2/7/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW15a	Vinyl chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW15a-P	Vinyl chloride	VOCs	2/7/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW15a	Xylene-o	VOCs	2/7/2012	1	U	ug/L	U	0.37	1	1		
HW15a-P	Xylene-o	VOCs	2/7/2012	1	U	ug/L	U	0.37	1	1		
HW15a	Nitrogen, Nitrite + Nitrate	Wet Chem	2/7/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW15a-P	Nitrogen, Nitrite + Nitrate	Wet Chem	2/7/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW15a	Total Nitrogen	Wet Chem	2/7/2012	1	U	mg/L	U	0.2	1	0.2		
HW15a-P	Total Nitrogen	Wet Chem	2/7/2012	1	UJ	mg/L	UJ	0.2	1	0.2		
HW15a	Total Phosphorus as P	Wet Chem	2/7/2012	0.05	U	mg/L	U		0.05			
HW15a-P	Total Phosphorus as P	Wet Chem	2/7/2012	0.05	U	mg/L	U		0.05			