EPA Validated Data Summary Report - HW-16
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	1-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		1500	ug/L
HW16-P	1-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		1500	ug/L
HW16z	1-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		1500	ug/L
HW16	1-Propanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16-P	1-Propanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16z	1-Propanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16	2-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16-P	2-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16z	2-Butanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16	Ethanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16-P	Ethanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16z	Ethanol	Alcohols	2/10/2012	10000	U	ug/L	U		10			
HW16	Methanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		7800	ug/L
HW16-P	Methanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		7800	ug/L
HW16z	Methanol	Alcohols	2/10/2012	10000	U	ug/L	U		10		7800	ug/L
HW16	Anionic Surfactants	Anionic Surfact	2/10/2012	0.023		mg/L			0.01	0.01		
HW16-P	Anionic Surfactants	Anionic Surfact	2/10/2012	0.01	U	mg/L			0.01	0.01		
HW16z	Anionic Surfactants	Anionic Surfact	2/10/2012	0.023		mg/L			0.01	0.01		
HW16	Heterotrophic Plate Count	Bacteria	2/10/2012		R	cfu/1mL	R3		1			
HW16-P	Heterotrophic Plate Count	Bacteria	2/10/2012		R	cfu/1mL	R3		1			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16z	Heterotrophic Plate Count	Bacteria	2/10/2012		R	cfu/1mL	R3		1			
HW16	Total Coliform Bacteria	Bacteria	2/10/2012	1	U	cfu/100 mL			1		0	cfu/100mL
HW16-P	Total Coliform Bacteria	Bacteria	2/10/2012	1	U	cfu/100 mL			1		0	cfu/100mL
HW16z	Total Coliform Bacteria	Bacteria	2/10/2012	1	U	cfu/100 mL			1		0	cfu/100mL
HW16	Ethane	Dissolved Gase	2/10/2012	11		ug/L		0.6		1.2		
HW16-P	Ethane	Dissolved Gase	2/10/2012	1.2	U	ug/L	U	0.6		1.2		
HW16z	Ethane	Dissolved Gase	2/10/2012	10		ug/L		0.6		1.2		
HW16	Ethene	Dissolved Gase	2/10/2012	1.1	U	ug/L	U	0.5		1.1		
HW16-P	Ethene	Dissolved Gase	2/10/2012	1.1	U	ug/L	U	0.5		1.1		
HW16z	Ethene	Dissolved Gase	2/10/2012	1.1	U	ug/L	U	0.5		1.1		
HW16	Methane	Dissolved Gase	2/10/2012	25000		ug/L		120		240	28000	ug/L
HW16-P	Methane	Dissolved Gase	2/10/2012	380		ug/L		1.9		3.9	28000	ug/L
HW16z	Methane	Dissolved Gase	2/10/2012	26000		ug/L		97		190	28000	ug/L
HW16	2-Butoxyethanol	Glycols	2/10/2012	5	U	ug/L	U		5			
HW16-P	2-Butoxyethanol	Glycols	2/10/2012	5	U	ug/L	U		5			
HW16z	2-Butoxyethanol	Glycols	2/10/2012	5	U	ug/L	U		5			
HW16	2-Methoxyethanol	Glycols	2/10/2012		R	ug/L	UUJ		57.1		78	ug/L
HW16	2-Methoxyethanol	Glycols	2/10/2012	10	U	ug/L	U		10		78	ug/L
HW16-P	2-Methoxyethanol	Glycols	2/10/2012	10	U	ug/L	U		10		78	ug/L
HW16-P	2-Methoxyethanol	Glycols	2/10/2012		R	ug/L	UUJ		57.1		78	ug/L
HW16z	2-Methoxyethanol	Glycols	2/10/2012		R	ug/L	UUJ		57.1		78	ug/L
HW16z	2-Methoxyethanol	Glycols	2/10/2012	10	U	ug/L	U		10		78	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Diethylene Glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16-P	Diethylene Glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16z	Diethylene Glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16	Ethylene Glycol	Glycols	2/10/2012	10	U	mg/L	U	0.76	10	10	31000	ug/L
HW16-P	Ethylene Glycol	Glycols	2/10/2012	10	U	mg/L	U	0.76	10	10	31000	ug/L
HW16z	Ethylene Glycol	Glycols	2/10/2012	10	U	mg/L	U	0.76	10	10	31000	ug/L
HW16	Tetraethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16-P	Tetraethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16z	Tetraethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16	Triethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16-P	Triethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16z	Triethylene glycol	Glycols	2/10/2012	25	U	ug/L	U		25		8000	ug/L
HW16	Bromide	Inorganic Ions	2/10/2012	0.856		mg/L		0.019	0.5	0.019		
HW16-P	Bromide	Inorganic Ions	2/10/2012	0.857		mg/L		0.019	0.5	0.019		
HW16z	Bromide	Inorganic Ions	2/10/2012	0.851		mg/L		0.019	0.5	0.019		
HW16	Chloride	Inorganic Ions	2/10/2012	94.9		mg/L	D	0.56	2.5	0.56		
HW16-P	Chloride	Inorganic Ions	2/10/2012	94.1		mg/L	D	0.56	2.5	0.56		
HW16z	Chloride	Inorganic Ions	2/10/2012	93.4		mg/L	D	0.56	2.5	0.56		
HW16	Fluoride	Inorganic Ions	2/10/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW16-P	Fluoride	Inorganic Ions	2/10/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW16z	Fluoride	Inorganic Ions	2/10/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW16	Sulfate	Inorganic Ions	2/10/2012	0.628		mg/L		0.116	0.5	0.116		
HW16-P	Sulfate	Inorganic Ions	2/10/2012	0.5	U	mg/L	U	0.116	0.5	0.116		
HW16z	Sulfate	Inorganic Ions	2/10/2012	0.595		mg/L		0.116	0.5	0.116		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16-F	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16-P	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16-PF	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16z	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16z-F	Mercury	Mercury	2/10/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW16	Aluminum	Metals	2/10/2012	102		ug/L	D		30		16000	ug/L
HW16-F	Aluminum	Metals	2/10/2012	30	U	ug/L	U		30		16000	ug/L
HW16-P	Aluminum	Metals	2/10/2012	30	U	ug/L	U		30		16000	ug/L
HW16-PF	Aluminum	Metals	2/10/2012	30	U	ug/L	U		30		16000	ug/L
HW16z	Aluminum	Metals	2/10/2012	95.4		ug/L	D		30		16000	ug/L
HW16z-F	Aluminum	Metals	2/10/2012	30	U	ug/L	U		30		16000	ug/L
HW16	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16-F	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16-P	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16-PF	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16z	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16z-F	Antimony	Metals	2/10/2012	2	U	ug/L	U		2		6	ug/L
HW16	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L
HW16-F	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L
HW16-P	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L
HW16-PF	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L
HW16z	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L
HW16z-F	Arsenic	Metals	2/10/2012	1	U	ug/L	U		1		4.5	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Barium	Metals	2/10/2012	**2910**		ug/L		1.2	200	1.2	2900	ug/L
HW16-F	Barium	Metals	2/10/2012	2870		ug/L		1.2	200	1.2	2900	ug/L
HW16-P	Barium	Metals	2/10/2012	2850		ug/L		1.2	200	1.2	2900	ug/L
HW16-PF	Barium	Metals	2/10/2012	2860		ug/L		1.2	200	1.2	2900	ug/L
HW16z	Barium	Metals	2/10/2012	2890		ug/L		1.2	200	1.2	2900	ug/L
HW16z-F	Barium	Metals	2/10/2012	**3040**		ug/L		1.2	200	1.2	2900	ug/L
HW16	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16-F	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16-P	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16-PF	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16z	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16z-F	Beryllium	Metals	2/10/2012	1	U	ug/L	U		1		16	ug/L
HW16	Boron	Metals	2/10/2012	88.4		ug/L		3.5	50	3.5	3100	ug/L
HW16-F	Boron	Metals	2/10/2012	83.8		ug/L		3.5	50	3.5	3100	ug/L
HW16-P	Boron	Metals	2/10/2012	85.6		ug/L		3.5	50	3.5	3100	ug/L
HW16-PF	Boron	Metals	2/10/2012	86.2		ug/L		3.5	50	3.5	3100	ug/L
HW16z	Boron	Metals	2/10/2012	91.5		ug/L		3.5	50	3.5	3100	ug/L
HW16z-F	Boron	Metals	2/10/2012	89.1		ug/L		3.5	50	3.5	3100	ug/L
HW16	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L
HW16-F	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L
HW16-P	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L
HW16-PF	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L
HW16z	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L
HW16z-F	Cadmium	Metals	2/10/2012	1	U	ug/L	U		1		6.9	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Calcium	Metals	2/10/2012	35000		ug/L		6.6	500	6.6		
HW16-F	Calcium	Metals	2/10/2012	34700		ug/L		6.6	500	6.6		
HW16-P	Calcium	Metals	2/10/2012	34500		ug/L		6.6	500	6.6		
HW16-PF	Calcium	Metals	2/10/2012	34800		ug/L		6.6	500	6.6		
HW16z	Calcium	Metals	2/10/2012	34900		ug/L		6.6	500	6.6		
HW16z-F	Calcium	Metals	2/10/2012	36700		ug/L		6.6	500	6.6		
HW16	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16-F	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16-P	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16-PF	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16z	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16z-F	Chromium	Metals	2/10/2012	2	U	ug/L	U		2		3.1	ug/L
HW16	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16-F	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16-P	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16-PF	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16z	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16z-F	Cobalt	Metals	2/10/2012	1	U	ug/L	U		1		4.7	ug/L
HW16	Copper	Metals	2/10/2012	2	U	ug/L	U		2		620	ug/L
HW16-F	Copper	Metals	2/10/2012	2	U	ug/L	U		2		620	ug/L
HW16-P	Copper	Metals	2/10/2012	3.5		ug/L	D		2		620	ug/L
HW16-PF	Copper	Metals	2/10/2012	3.4		ug/L	D		2		620	ug/L
HW16z	Copper	Metals	2/10/2012	2	U	ug/L	U		2		620	ug/L
HW16z-F	Copper	Metals	2/10/2012	2	U	ug/L	U		2		620	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Iron	Metals	2/10/2012	464		ug/L		2.6	100	2.6	11000	ug/L
HW16-F	Iron	Metals	2/10/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW16-P	Iron	Metals	2/10/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW16-PF	Iron	Metals	2/10/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW16z	Iron	Metals	2/10/2012	415		ug/L		2.6	100	2.6	11000	ug/L
HW16z-F	Iron	Metals	2/10/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW16	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16-F	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16-P	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16-PF	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16z	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16z-F	Lead	Metals	2/10/2012	1	U	ug/L	U		1		15	ug/L
HW16	Lithium	Metals	2/10/2012	**103**		ug/l	U		25		31	ug/L
HW16	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L
HW16-F	Lithium	Metals	2/10/2012	**104**		ug/l	U		25		31	ug/L
HW16-F	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L
HW16-P	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L
HW16-P	Lithium	Metals	2/10/2012	**100**		ug/l	U		25		31	ug/L
HW16-PF	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L
HW16-PF	Lithium	Metals	2/10/2012	**104**		ug/l	U		25		31	ug/L
HW16z	Lithium	Metals	2/10/2012	**105**		ug/l	U		25		31	ug/L
HW16z	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L
HW16z-F	Lithium	Metals	2/10/2012	**102**		ug/l	U		25		31	ug/L
HW16z-F	Lithium	Metals	2/10/2012	200	U	ug/L	U		200		31	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Magnesium	Metals	2/10/2012	10200		ug/L		20.4	500	20.4		
HW16-F	Magnesium	Metals	2/10/2012	10100		ug/L		20.4	500	20.4		
HW16-P	Magnesium	Metals	2/10/2012	9980		ug/L		20.4	500	20.4		
HW16-PF	Magnesium	Metals	2/10/2012	10100		ug/L		20.4	500	20.4		
HW16z	Magnesium	Metals	2/10/2012	10100		ug/L		20.4	500	20.4		
HW16z-F	Magnesium	Metals	2/10/2012	10700		ug/L		20.4	500	20.4		
HW16	Manganese	Metals	2/10/2012	64.8		ug/L	D		1		320	ug/L
HW16-F	Manganese	Metals	2/10/2012	62		ug/L	D		1		320	ug/L
HW16-P	Manganese	Metals	2/10/2012	1	U	ug/L	U		1		320	ug/L
HW16-PF	Manganese	Metals	2/10/2012	1	U	ug/L	U		1		320	ug/L
HW16z	Manganese	Metals	2/10/2012	64.7		ug/L	D		1		320	ug/L
HW16z-F	Manganese	Metals	2/10/2012	55.6		ug/L	D		1		320	ug/L
HW16	Nickel	Metals	2/10/2012	1.8		ug/L	D		1		300	ug/L
HW16-F	Nickel	Metals	2/10/2012	1.5		ug/L	D		1		300	ug/L
HW16-P	Nickel	Metals	2/10/2012	1.5		ug/L	D		1		300	ug/L
HW16-PF	Nickel	Metals	2/10/2012	1.7		ug/L	D		1		300	ug/L
HW16z	Nickel	Metals	2/10/2012	1.8		ug/L	D		1		300	ug/L
HW16z-F	Nickel	Metals	2/10/2012	1.4		ug/L	D		1		300	ug/L
HW16	Potassium	Metals	2/10/2012	2110		ug/L		47.8	2000	47.8		
HW16-F	Potassium	Metals	2/10/2012	2030		ug/L		47.8	2000	47.8		
HW16-P	Potassium	Metals	2/10/2012	2040		ug/L		47.8	2000	47.8		
HW16-PF	Potassium	Metals	2/10/2012	2030		ug/L		47.8	2000	47.8		
HW16z	Potassium	Metals	2/10/2012	2100		ug/L		47.8	2000	47.8		
HW16z-F	Potassium	Metals	2/10/2012	2120		ug/L		47.8	2000	47.8		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-F	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-P	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-PF	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16z	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16z-F	Selenium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16-F	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16-P	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16-PF	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16z	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16z-F	Silver	Metals	2/10/2012	1	U	ug/L	U		1		71	ug/L
HW16	Sodium	Metals	2/10/2012	**50200**		ug/L		9.2	1000	9.2	20000	ug/L
HW16-F	Sodium	Metals	2/10/2012	**49500**		ug/L		9.2	1000	9.2	20000	ug/L
HW16-P	Sodium	Metals	2/10/2012	**50200**		ug/L		9.2	1000	9.2	20000	ug/L
HW16-PF	Sodium	Metals	2/10/2012	**49500**		ug/L		9.2	1000	9.2	20000	ug/L
HW16z	Sodium	Metals	2/10/2012	**50200**		ug/L		9.2	1000	9.2	20000	ug/L
HW16z-F	Sodium	Metals	2/10/2012	**52000**		ug/L		9.2	1000	9.2	20000	ug/L
HW16	Strontium	Metals	2/10/2012	1800		ug/L			200		9300	ug/L
HW16-F	Strontium	Metals	2/10/2012	1770		ug/L			200		9300	ug/L
HW16-P	Strontium	Metals	2/10/2012	1790		ug/L			200		9300	ug/L
HW16-PF	Strontium	Metals	2/10/2012	1760		ug/L			200		9300	ug/L
HW16z	Strontium	Metals	2/10/2012	1800		ug/L			200		9300	ug/L
HW16z-F	Strontium	Metals	2/10/2012	1870		ug/L			200		9300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16-F	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16-P	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16-PF	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16z	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16z-F	Thallium	Metals	2/10/2012	1	U	ug/L	U		1		0.16	ug/L
HW16	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16-F	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16-P	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16-PF	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16z	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16z-F	Tin	Metals	2/10/2012	200	U	ug/L	U		200		9300	ug/L
HW16	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16-F	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16-P	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16-PF	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16z	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16z-F	Titanium	Metals	2/10/2012	200	U	ug/L	U		200			
HW16	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L
HW16-F	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L
HW16-P	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L
HW16-PF	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L
HW16z	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L
HW16z-F	Uranium	Metals	2/10/2012	1	U	ug/L	U		1		47	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-F	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-P	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16-PF	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16z	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16z-F	Vanadium	Metals	2/10/2012	5	U	ug/L	U		5		78	ug/L
HW16	Zinc	Metals	2/10/2012	2	U	ug/L	U		2		4700	ug/L
HW16-F	Zinc	Metals	2/10/2012	2	U	ug/L	U		2		4700	ug/L
HW16-P	Zinc	Metals	2/10/2012	24.8		ug/L	D		2		4700	ug/L
HW16-PF	Zinc	Metals	2/10/2012	24.8		ug/L	D		2		4700	ug/L
HW16z	Zinc	Metals	2/10/2012	2	U	ug/L	U		2		4700	ug/L
HW16z-F	Zinc	Metals	2/10/2012	2	U	ug/L	U		2		4700	ug/L
HW16	Oil and Grease	Oil and Grease	2/10/2012	5.2	UJ	mg/L	UUJ	0.8	5.2	0.8		
HW16-P	Oil and Grease	Oil and Grease	2/10/2012	5.3	UJ	mg/L	UUJ	0.8	5.3	0.8		
HW16z	Oil and Grease	Oil and Grease	2/10/2012	5.4	UJ	mg/L	UUJ	0.8	5.4	0.8		
HW16	Total Dissolved Solids	Residue	2/10/2012	258		mg/L	B	10	10	10		
HW16-P	Total Dissolved Solids	Residue	2/10/2012	239		mg/L	B	10	10	10		
HW16z	Total Dissolved Solids	Residue	2/10/2012	270		mg/L	B	10	10	10		
HW16	Total Suspended Solids	Residue	2/10/2012	10	U	mg/L	U		10			
HW16-P	Total Suspended Solids	Residue	2/10/2012	10	U	mg/L	U		10			
HW16z	Total Suspended Solids	Residue	2/10/2012	10	U	mg/L	U		10			
HW16	1-Methylnaphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		97	ug/L
HW16-P	1-Methylnaphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		97	ug/L
HW16z	1-Methylnaphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		97	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Acenaphthene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.98	4.76	5	400	ug/L
HW16-P	Acenaphthene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.98	4.76	5	400	ug/L
HW16z	Acenaphthene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.98	4.76	5	400	ug/L
HW16	Acenaphthylene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5		
HW16-P	Acenaphthylene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5		
HW16z	Acenaphthylene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5		
HW16	Acetophenone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.8	4.76	5	1500	ug/L
HW16-P	Acetophenone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.8	4.76	5	1500	ug/L
HW16z	Acetophenone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.8	4.76	5	1500	ug/L
HW16	Anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	1300	ug/L
HW16-P	Anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	1300	ug/L
HW16z	Anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	1300	ug/L
HW16	Atrazine	SVOCs	2/10/2012	4.76	U	ug/L	U	0.4	4.76	5	26	ug/L
HW16-P	Atrazine	SVOCs	2/10/2012	4.76	U	ug/L	U	0.4	4.76	5	26	ug/L
HW16z	Atrazine	SVOCs	2/10/2012	4.76	U	ug/L	U	0.4	4.76	5	26	ug/L
HW16	Benzaldehyde	SVOCs	2/10/2012	4.76	U	ug/L	U	0	4.76	0	1500	ug/L
HW16-P	Benzaldehyde	SVOCs	2/10/2012	4.76	U	ug/L	U	0	4.76	0	1500	ug/L
HW16z	Benzaldehyde	SVOCs	2/10/2012	4.76	U	ug/L	U	0	4.76	0	1500	ug/L
HW16	Benzo(a)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.21	4.76	5	2.9	ug/L
HW16-P	Benzo(a)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.21	4.76	5	2.9	ug/L
HW16z	Benzo(a)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.21	4.76	5	2.9	ug/L
HW16	Benzo(a)pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.01	4.76	5	0.29	ug/L
HW16-P	Benzo(a)pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.01	4.76	5	0.29	ug/L
HW16z	Benzo(a)pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.01	4.76	5	0.29	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Biphenyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5		
HW16-P	Biphenyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5		
HW16z	Biphenyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5		
HW16	Bromophenyl-4 Phenyl Ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.25	4.76	5		
HW16-P	Bromophenyl-4 Phenyl Ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.25	4.76	5		
HW16z	Bromophenyl-4 Phenyl Ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.25	4.76	5		
HW16	Butylbenzyl phthalate	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	1400	ug/L
HW16-P	Butylbenzyl phthalate	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	1400	ug/L
HW16z	Butylbenzyl phthalate	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	1400	ug/L
HW16	Caprolactam	SVOCs	2/10/2012	4.76	U	ug/L	U	0.9	4.76	5	7700	ug/L
HW16-P	Caprolactam	SVOCs	2/10/2012	4.76	U	ug/L	U	0.9	4.76	5	7700	ug/L
HW16z	Caprolactam	SVOCs	2/10/2012	4.76	U	ug/L	U	0.9	4.76	5	7700	ug/L
HW16	Carbazole	SVOCs	2/10/2012	4.76	U	ug/L	U	4.29	4.76	5		
HW16-P	Carbazole	SVOCs	2/10/2012	4.76	U	ug/L	U	4.29	4.76	5		
HW16z	Carbazole	SVOCs	2/10/2012	4.76	U	ug/L	U	4.29	4.76	5		
HW16	Chlorobenzenamine-4	SVOCs	2/10/2012	4.76	UJ	ug/L	UUJ	2.6	4.76	5	3.2	ug/L
HW16-P	Chlorobenzenamine-4	SVOCs	2/10/2012	4.76	UJ	ug/L	UUJ	2.6	4.76	5	3.2	ug/L
HW16z	Chlorobenzenamine-4	SVOCs	2/10/2012	4.76	UJ	ug/L	UUJ	2.6	4.76	5	3.2	ug/L
HW16	Chloronaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5	550	ug/L
HW16-P	Chloronaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5	550	ug/L
HW16z	Chloronaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5	550	ug/L
HW16	Chlorophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	71	ug/L
HW16-P	Chlorophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	71	ug/L
HW16z	Chlorophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	71	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Chlorophenyl-4 phenyl ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.23	4.76	5		
HW16-P	Chlorophenyl-4 phenyl ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.23	4.76	5		
HW16z	Chlorophenyl-4 phenyl ether	SVOCs	2/10/2012	4.76	U	ug/L	U	1.23	4.76	5		
HW16	Chrysene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.27	4.76	5	290	ug/L
HW16-P	Chrysene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.27	4.76	5	290	ug/L
HW16z	Chrysene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.27	4.76	5	290	ug/L
HW16	Cresol, parachloro meta-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5		
HW16-P	Cresol, parachloro meta-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5		
HW16z	Cresol, parachloro meta-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5		
HW16	Cresol-4,6-dinitro-ortho	SVOCs	2/10/2012	9.52	UJ	ug/L	UUJ	1.4	9.52	10		
HW16-P	Cresol-4,6-dinitro-ortho	SVOCs	2/10/2012	9.52	UJ	ug/L	UUJ	1.4	9.52	10		
HW16z	Cresol-4,6-dinitro-ortho	SVOCs	2/10/2012	9.52	UJ	ug/L	UUJ	1.4	9.52	10		
HW16	Cresol-o	SVOCs	2/10/2012	4.76	U	ug/L	U	0.96	4.76	5	720	ug/L
HW16-P	Cresol-o	SVOCs	2/10/2012	4.76	U	ug/L	U	0.96	4.76	5	720	ug/L
HW16z	Cresol-o	SVOCs	2/10/2012	4.76	U	ug/L	U	0.96	4.76	5	720	ug/L
HW16	Cresol-p	SVOCs	2/10/2012	4.76	U	ug/L	U	1.79	4.76	5	72	ug/L
HW16-P	Cresol-p	SVOCs	2/10/2012	4.76	U	ug/L	U	1.79	4.76	5	72	ug/L
HW16z	Cresol-p	SVOCs	2/10/2012	4.76	U	ug/L	U	1.79	4.76	5	72	ug/L
HW16	Dibenz(a,h)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	0.29	ug/L
HW16-P	Dibenz(a,h)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	0.29	ug/L
HW16z	Dibenz(a,h)anthracene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	0.29	ug/L
HW16	Dibenzofuran	SVOCs	2/10/2012	4.76	U	ug/L	U	1.03	4.76	5		
HW16-P	Dibenzofuran	SVOCs	2/10/2012	4.76	U	ug/L	U	1.03	4.76	5		
HW16z	Dibenzofuran	SVOCs	2/10/2012	4.76	U	ug/L	U	1.03	4.76	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Dichlorobenzidine-3,3'	SVOCs	2/10/2012		R	ug/L	UUJ	3.08	57.1	5	11	ug/L
HW16-P	Dichlorobenzidine-3,3'	SVOCs	2/10/2012		R	ug/L	UUJ	3.08	57.1	5	11	ug/L
HW16z	Dichlorobenzidine-3,3'	SVOCs	2/10/2012		R	ug/L	UUJ	3.08	57.1	5	11	ug/L
HW16	Dichlorophenol-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	0.62	4.76	5	35	ug/L
HW16-P	Dichlorophenol-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	0.62	4.76	5	35	ug/L
HW16z	Dichlorophenol-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	0.62	4.76	5	35	ug/L
HW16	Dimethylphenol, 2,4-	SVOCs	2/10/2012	4.76	U	ug/L	U	3.7	4.76	5	270	ug/L
HW16-P	Dimethylphenol, 2,4-	SVOCs	2/10/2012	4.76	U	ug/L	U	3.7	4.76	5	270	ug/L
HW16z	Dimethylphenol, 2,4-	SVOCs	2/10/2012	4.76	U	ug/L	U	3.7	4.76	5	270	ug/L
HW16	Dinitrophenol-2,4	SVOCs	2/10/2012		R	ug/L	UUJ		4.76		30	ug/L
HW16-P	Dinitrophenol-2,4	SVOCs	2/10/2012		R	ug/L	UUJ		4.76		30	ug/L
HW16z	Dinitrophenol-2,4	SVOCs	2/10/2012		R	ug/L	UUJ		4.76		30	ug/L
HW16	Dinitrotoluene-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.07	4.76	5		
HW16-P	Dinitrotoluene-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.07	4.76	5		
HW16z	Dinitrotoluene-2,4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.07	4.76	5		
HW16	Dinitrotoluene-2,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5		
HW16-P	Dinitrotoluene-2,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5		
HW16z	Dinitrotoluene-2,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.95	4.76	5		
HW16	Ether, bis(2-chloroethyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.08	4.76	5	1.2	ug/L
HW16-P	Ether, bis(2-chloroethyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.08	4.76	5	1.2	ug/L
HW16z	Ether, bis(2-chloroethyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.08	4.76	5	1.2	ug/L
HW16	Ether-bis(2-chloroisopropyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	0.88	4.76	5		
HW16-P	Ether-bis(2-chloroisopropyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	0.88	4.76	5		
HW16z	Ether-bis(2-chloroisopropyl)	SVOCs	2/10/2012	4.76	U	ug/L	U	0.88	4.76	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Fluoranthene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.26	4.76	5	630	ug/L
HW16-P	Fluoranthene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.26	4.76	5	630	ug/L
HW16z	Fluoranthene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.26	4.76	5	630	ug/L
HW16	Fluoranthene benzo(k)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	29	ug/L
HW16-P	Fluoranthene benzo(k)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	29	ug/L
HW16z	Fluoranthene benzo(k)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.57	4.76	5	29	ug/L
HW16	Fluoranthene-benzo(b)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.56	4.76	5	5.6	ug/L
HW16-P	Fluoranthene-benzo(b)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.56	4.76	5	5.6	ug/L
HW16z	Fluoranthene-benzo(b)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.56	4.76	5	5.6	ug/L
HW16	Fluorene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	220	ug/L
HW16-P	Fluorene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	220	ug/L
HW16z	Fluorene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	220	ug/L
HW16	Hexachlorobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.14	4.76	5	4.2	ug/L
HW16-P	Hexachlorobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.14	4.76	5	4.2	ug/L
HW16z	Hexachlorobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.14	4.76	5	4.2	ug/L
HW16	Hexachlorobutadiene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5	26	ug/L
HW16	Hexachlorobutadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	2.17	4.76	5	26	ug/L
HW16-P	Hexachlorobutadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	2.17	4.76	5	26	ug/L
HW16-P	Hexachlorobutadiene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5	26	ug/L
HW16z	Hexachlorobutadiene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5	26	ug/L
HW16z	Hexachlorobutadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	2.17	4.76	5	26	ug/L
HW16	Hexachlorocyclopentadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.56	4.76	5	22	ug/L
HW16-P	Hexachlorocyclopentadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.56	4.76	5	22	ug/L
HW16z	Hexachlorocyclopentadiene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.56	4.76	5	22	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Hexachloroethane	SVOCs	2/10/2012	4.76	U	ug/L	U	2.39	4.76	5	5.1	ug/L
HW16-P	Hexachloroethane	SVOCs	2/10/2012	4.76	U	ug/L	U	2.39	4.76	5	5.1	ug/L
HW16z	Hexachloroethane	SVOCs	2/10/2012	4.76	U	ug/L	U	2.39	4.76	5	5.1	ug/L
HW16	Isophorone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	6700	ug/L
HW16-P	Isophorone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	6700	ug/L
HW16z	Isophorone	SVOCs	2/10/2012	4.76	U	ug/L	U	0.69	4.76	5	6700	ug/L
HW16	Methane, bis(2-chloroethoxy)	SVOCs	2/10/2012	4.76	U	ug/L	U	2.61	4.76	5	47	ug/L
HW16-P	Methane, bis(2-chloroethoxy)	SVOCs	2/10/2012	4.76	U	ug/L	U	2.61	4.76	5	47	ug/L
HW16z	Methane, bis(2-chloroethoxy)	SVOCs	2/10/2012	4.76	U	ug/L	U	2.61	4.76	5	47	ug/L
HW16	Methylnaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	1.13	4.76	5	27	ug/L
HW16-P	Methylnaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	1.13	4.76	5	27	ug/L
HW16z	Methylnaphthalene-2	SVOCs	2/10/2012	4.76	U	ug/L	U	1.13	4.76	5	27	ug/L
HW16	Naphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	14	ug/L
HW16	Naphthalene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	14	ug/L
HW16-P	Naphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	14	ug/L
HW16-P	Naphthalene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	14	ug/L
HW16z	Naphthalene	SVOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	14	ug/L
HW16z	Naphthalene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	14	ug/L
HW16	Nitroaniline, ortho	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	150	ug/L
HW16-P	Nitroaniline, ortho	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	150	ug/L
HW16z	Nitroaniline, ortho	SVOCs	2/10/2012	4.76	U	ug/L	U	1.2	4.76	5	150	ug/L
HW16	Nitroaniline-3	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5		
HW16-P	Nitroaniline-3	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5		
HW16z	Nitroaniline-3	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Nitrobenzenamine-4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5	61	ug/L
HW16-P	Nitrobenzenamine-4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5	61	ug/L
HW16z	Nitrobenzenamine-4	SVOCs	2/10/2012	4.76	U	ug/L	U	1.9	4.76	5	61	ug/L
HW16	Nitrobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5	12	ug/L
HW16-P	Nitrobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5	12	ug/L
HW16z	Nitrobenzene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.66	4.76	5	12	ug/L
HW16	Nitrophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.71	4.76	5		
HW16-P	Nitrophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.71	4.76	5		
HW16z	Nitrophenol-2	SVOCs	2/10/2012	4.76	U	ug/L	U	0.71	4.76	5		
HW16	Nitrophenol-4	SVOCs	2/10/2012	9.52	U	ug/L	U	1.67	9.52	10		
HW16-P	Nitrophenol-4	SVOCs	2/10/2012	9.52	U	ug/L	U	1.67	9.52	10		
HW16z	Nitrophenol-4	SVOCs	2/10/2012	9.52	U	ug/L	U	1.67	9.52	10		
HW16	Nitrosodimethylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	2.25	4.76	5	0.042	ug/L
HW16-P	Nitrosodimethylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	2.25	4.76	5	0.042	ug/L
HW16z	Nitrosodimethylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	2.25	4.76	5	0.042	ug/L
HW16	Nitrosodiphenylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	1.6	4.76	5	1000	ug/L
HW16-P	Nitrosodiphenylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	1.6	4.76	5	1000	ug/L
HW16z	Nitrosodiphenylamine-n	SVOCs	2/10/2012	4.76	U	ug/L	U	1.6	4.76	5	1000	ug/L
HW16	Pentachlorophenol	SVOCs	2/10/2012	4.76	U	ug/L	U	5.91	4.76	5	17	ug/L
HW16-P	Pentachlorophenol	SVOCs	2/10/2012	4.76	U	ug/L	U	5.91	4.76	5	17	ug/L
HW16z	Pentachlorophenol	SVOCs	2/10/2012	4.76	U	ug/L	U	5.91	4.76	5	17	ug/L
HW16	Perylene-benzo(ghi)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.77	4.76	5		
HW16-P	Perylene-benzo(ghi)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.77	4.76	5		
HW16z	Perylene-benzo(ghi)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.77	4.76	5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16	Phenanthrene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.86	4.76	5		
HW16-P	Phenanthrene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.86	4.76	5		
HW16z	Phenanthrene	SVOCs	2/10/2012	4.76	U	ug/L	U	0.86	4.76	5		
HW16	Phenol	SVOCs	2/10/2012	4.76	U	ug/L	U	0.81	4.76	5	4500	ug/L
HW16-P	Phenol	SVOCs	2/10/2012	4.76	U	ug/L	U	0.81	4.76	5	4500	ug/L
HW16z	Phenol	SVOCs	2/10/2012	4.76	U	ug/L	U	0.81	4.76	5	4500	ug/L
HW16	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	2/10/2012	4.76	U	ug/L	U	2.77	4.76	5	7.1	ug/L
HW16-P	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	2/10/2012	4.76	U	ug/L	JBD	2.77	4.76	5	7.1	ug/L
HW16z	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	2/10/2012	4.76	U	ug/L	U	2.77	4.76	5	7.1	ug/L
HW16	Phthalate, Dimethyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.79	4.76	5	1400	ug/L
HW16-P	Phthalate, Dimethyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.79	4.76	5	1400	ug/L
HW16z	Phthalate, Dimethyl	SVOCs	2/10/2012	4.76	U	ug/L	U	0.79	4.76	5	1400	ug/L
HW16	Phthalate, di-n-butyl-	SVOCs	2/10/2012	4.76	U	ug/L	JBD	3.6	4.76	5	670	ug/L
HW16-P	Phthalate, di-n-butyl-	SVOCs	2/10/2012	4.76	U	ug/L	JBD	3.6	4.76	5	670	ug/L
HW16z	Phthalate, di-n-butyl-	SVOCs	2/10/2012	4.76	U	ug/L	JBD	3.6	4.76	5	670	ug/L
HW16	Phthalate, di-n-octyl	SVOCs	2/10/2012	4.76	U	ug/L	U	2.54	4.76	5		
HW16-P	Phthalate, di-n-octyl	SVOCs	2/10/2012	4.76	U	ug/L	U	2.54	4.76	5		
HW16z	Phthalate, di-n-octyl	SVOCs	2/10/2012	4.76	U	ug/L	U	2.54	4.76	5		
HW16	Phthalate-diethyl	SVOCs	2/10/2012	4.76	U	ug/L	JBD	1.14	4.76	5	11000	ug/L
HW16-P	Phthalate-diethyl	SVOCs	2/10/2012	4.76	U	ug/L	JBD	1.14	4.76	5	11000	ug/L
HW16z	Phthalate-diethyl	SVOCs	2/10/2012	4.76	U	ug/L	U	1.14	4.76	5	11000	ug/L
HW16	Propylamine,n-nitroso di-n-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	0.93	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Propylamine,n-nitroso di-n-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	0.93	ug/L
HW16z	Propylamine,n-nitroso di-n-	SVOCs	2/10/2012	4.76	U	ug/L	U	0.76	4.76	5	0.93	ug/L
HW16	Pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.28	4.76	5	87	ug/L
HW16-P	Pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.28	4.76	5	87	ug/L
HW16z	Pyrene	SVOCs	2/10/2012	4.76	U	ug/L	U	1.28	4.76	5	87	ug/L
HW16	Pyrene-indeno(1,2,3-cd)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	3	ug/L
HW16-P	Pyrene-indeno(1,2,3-cd)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	3	ug/L
HW16z	Pyrene-indeno(1,2,3-cd)	SVOCs	2/10/2012	4.76	U	ug/L	U	1.45	4.76	5	3	ug/L
HW16	Tetrachlorobenzene, 1,2,4,5-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		1.2	ug/L
HW16-P	Tetrachlorobenzene, 1,2,4,5-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		1.2	ug/L
HW16z	Tetrachlorobenzene, 1,2,4,5-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		1.2	ug/L
HW16	Tetrachlorophenol, 2,3,4,6-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		170	ug/L
HW16-P	Tetrachlorophenol, 2,3,4,6-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		170	ug/L
HW16z	Tetrachlorophenol, 2,3,4,6-	SVOCs	2/10/2012	4.76	U	ug/L	U		4.76		170	ug/L
HW16	Trichlorophenol-2,4,5	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	890	ug/L
HW16-P	Trichlorophenol-2,4,5	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	890	ug/L
HW16z	Trichlorophenol-2,4,5	SVOCs	2/10/2012	4.76	U	ug/L	U	0.92	4.76	5	890	ug/L
HW16	Trichlorophenol-2,4,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.46	4.76	5	9.04	ug/L
HW16-P	Trichlorophenol-2,4,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.46	4.76	5	9.04	ug/L
HW16z	Trichlorophenol-2,4,6	SVOCs	2/10/2012	4.76	U	ug/L	U	0.46	4.76	5	9.04	ug/L
HW16	TPH - Diesel Range Organics	Total Petroleu	2/10/2012	250	U	ug/L	U	120		250		
HW16-P	TPH - Diesel Range Organics	Total Petroleu	2/10/2012	250	U	ug/L	U	120		250		
HW16z	TPH - Diesel Range Organics	Total Petroleu	2/10/2012	250	U	ug/L	U	120		250		
HW16	TPH - Gasoline Range Organics	Total Petroleu	2/10/2012	50	U	ug/L	U	25		50		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	TPH - Gasoline Range Organics	Total Petroleu	2/10/2012	50	U	ug/L	U	25		50		
HW16z	TPH - Gasoline Range Organics	Total Petroleu	2/10/2012	50	U	ug/L	U	25		50		
HW16	TPH - Oil Range Organics	Total Petroleu	2/10/2012	1000	U	ug/L	U	500		1000		
HW16-P	TPH - Oil Range Organics	Total Petroleu	2/10/2012	1000	U	ug/L	U	500		1000		
HW16z	TPH - Oil Range Organics	Total Petroleu	2/10/2012	1000	U	ug/L	U	500		1000		
HW16	1,2-Dibromo-3-chloropropane (DBCP)	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	0.032	ug/L
HW16-P	1,2-Dibromo-3-chloropropane (DBCP)	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	0.032	ug/L
HW16z	1,2-Dibromo-3-chloropropane (DBCP)	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	0.032	ug/L
HW16	4-Methyl-2-pentanone	VOCs	2/10/2012	2	U	ug/L	U	0.33	2	2	1000	ug/L
HW16-P	4-Methyl-2-pentanone	VOCs	2/10/2012	2	U	ug/L	U	0.33	2	2	1000	ug/L
HW16z	4-Methyl-2-pentanone	VOCs	2/10/2012	2	U	ug/L	U	0.33	2	2	1000	ug/L
HW16	Acetone	VOCs	2/10/2012	2	U	ug/L	JB	0.22	2	2		
HW16-P	Acetone	VOCs	2/10/2012	4.2	J	ug/L	JB	0.22	2	2		
HW16z	Acetone	VOCs	2/10/2012	2	U	ug/L	U	0.22	2	2		
HW16	Benzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16-P	Benzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16z	Benzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16	Bromobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16-P	Bromobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16z	Bromobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16	Bromoform	VOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Bromoform	VOCs	2/10/2012	2.4		ug/L		0.32	0.5	0.5		
HW16z	Bromoform	VOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5		
HW16	Butylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16-P	Butylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16z	Butylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16	Butylbenzene, sec-	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16-P	Butylbenzene, sec-	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16z	Butylbenzene, sec-	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16	Butylbenzene, tert-	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16-P	Butylbenzene, tert-	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16z	Butylbenzene, tert-	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16	Carbon disulfide	VOCs	2/10/2012	0.05	J	ug/L	J	0.21	0.5	0.5		
HW16-P	Carbon disulfide	VOCs	2/10/2012	0.5	U	ug/L	U	0.21	0.5	0.5		
HW16z	Carbon disulfide	VOCs	2/10/2012	0.06	J	ug/L	J	0.21	0.5	0.5		
HW16	Carbon Tetrachloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16-P	Carbon Tetrachloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16z	Carbon Tetrachloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16	Chlorobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16-P	Chlorobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16z	Chlorobenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16	Chlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.4	0.5	0.5		
HW16-P	Chlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.4	0.5	0.5		
HW16z	Chlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.4	0.5	0.5		
HW16	Chloroethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Chloroethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16z	Chloroethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16	Chloroform	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16-P	Chloroform	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16z	Chloroform	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5		
HW16	Chlorotoluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	180	ug/L
HW16-P	Chlorotoluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	180	ug/L
HW16z	Chlorotoluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	180	ug/L
HW16	Chlorotoluene-p	VOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	190	ug/L
HW16-P	Chlorotoluene-p	VOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	190	ug/L
HW16z	Chlorotoluene-p	VOCs	2/10/2012	0.5	U	ug/L	U	0.32	0.5	0.5	190	ug/L
HW16	Cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16-P	Cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16z	Cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16	Dibromochloromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16-P	Dibromochloromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16z	Dibromochloromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16	Dibromoethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	0.65	ug/L
HW16-P	Dibromoethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	0.65	ug/L
HW16z	Dibromoethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	0.65	ug/L
HW16	Dibromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW16-P	Dibromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW16z	Dibromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW16	Dichlorobenzene-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	280	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Dichlorobenzene-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	280	ug/L
HW16z	Dichlorobenzene-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5	280	ug/L
HW16	Dichlorobenzene-1,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16-P	Dichlorobenzene-1,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16z	Dichlorobenzene-1,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16	Dichlorobenzene-1,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	42	ug/L
HW16-P	Dichlorobenzene-1,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	42	ug/L
HW16z	Dichlorobenzene-1,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	42	ug/L
HW16	Dichlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16-P	Dichlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16z	Dichlorobromomethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16	Dichlorodifluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16-P	Dichlorodifluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16z	Dichlorodifluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16	Dichloroethane-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5	240	ug/L
HW16-P	Dichloroethane-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5	240	ug/L
HW16z	Dichloroethane-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.34	0.5	0.5	240	ug/L
HW16	Dichloroethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5	15	ug/L
HW16-P	Dichloroethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5	15	ug/L
HW16z	Dichloroethane-1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5	15	ug/L
HW16	Dichloroethene-1,2 trans	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16-P	Dichloroethene-1,2 trans	VOCs	2/10/2012	0.5		ug/L		0.3	0.5	0.5		
HW16z	Dichloroethene-1,2 trans	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16	Dichloroethylene-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.23	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Dichloroethylene-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.23	0.5	0.5		
HW16z	Dichloroethylene-1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.23	0.5	0.5		
HW16	Dichloroethylene-1,2 cis	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16-P	Dichloroethylene-1,2 cis	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16z	Dichloroethylene-1,2 cis	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5		
HW16	Dichloropropane, 1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	38	ug/L
HW16-P	Dichloropropane, 1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	38	ug/L
HW16z	Dichloropropane, 1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	38	ug/L
HW16	Dichloropropane, 1,3-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	290	ug/L
HW16-P	Dichloropropane, 1,3-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	290	ug/L
HW16z	Dichloropropane, 1,3-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	290	ug/L
HW16	Dichloropropane, 2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16-P	Dichloropropane, 2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16z	Dichloropropane, 2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16	Dichloropropene, 1,1-	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16-P	Dichloropropene, 1,1-	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16z	Dichloropropene, 1,1-	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16	Dichloropropene, 1,3 cis-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16-P	Dichloropropene, 1,3 cis-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16z	Dichloropropene, 1,3 cis-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16	Dichloropropene, 1,3 trans-	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16-P	Dichloropropene, 1,3 trans-	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16z	Dichloropropene, 1,3 trans-	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16	Ethylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Ethylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW16z	Ethylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW16	Freon 113	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16-P	Freon 113	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16z	Freon 113	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16	Hexanone, 2-	VOCs	2/10/2012	2	U	ug/L	U	0.42	2	2	34	ug/L
HW16-P	Hexanone, 2-	VOCs	2/10/2012	2	U	ug/L	U	0.42	2	2	34	ug/L
HW16z	Hexanone, 2-	VOCs	2/10/2012	2	U	ug/L	U	0.42	2	2	34	ug/L
HW16	Isopropylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16-P	Isopropylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16z	Isopropylbenzene	VOCs	2/10/2012	0.5	U	ug/L	U	0.27	0.5	0.5		
HW16	Isopropylbenzene-4,methyl-1	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW16-P	Isopropylbenzene-4,methyl-1	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW16z	Isopropylbenzene-4,methyl-1	VOCs	2/10/2012	0.5	U	ug/L	U	0.29	0.5	0.5		
HW16	m,p-Xylene	VOCs	2/10/2012	1	U	ug/L	U	0.57	1	1		
HW16-P	m,p-Xylene	VOCs	2/10/2012	1	U	ug/L	U	0.57	1	1		
HW16z	m,p-Xylene	VOCs	2/10/2012	1	U	ug/L	U	0.57	1	1		
HW16	Methyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5		
HW16-P	Methyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5		
HW16z	Methyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.38	0.5	0.5		
HW16	Methyl bromide	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16-P	Methyl bromide	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16z	Methyl bromide	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5		
HW16	Methyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16-P	Methyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16z	Methyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16	Methyl cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.17	0.5	0.5		
HW16-P	Methyl cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.17	0.5	0.5		
HW16z	Methyl cyclohexane	VOCs	2/10/2012	0.5	U	ug/L	U	0.17	0.5	0.5		
HW16	Methyl ethyl ketone	VOCs	2/10/2012	2	U	ug/L	U	0.29	2	2	4900	ug/L
HW16-P	Methyl ethyl ketone	VOCs	2/10/2012	3.1		ug/L	B	0.29	2	2	4900	ug/L
HW16z	Methyl ethyl ketone	VOCs	2/10/2012	2	U	ug/L	U	0.29	2	2	4900	ug/L
HW16	Methyl tertiary butyl ether (MTBE)	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16-P	Methyl tertiary butyl ether (MTBE)	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16z	Methyl tertiary butyl ether (MTBE)	VOCs	2/10/2012	0.5	U	ug/L	U	0.25	0.5	0.5		
HW16	Methylene chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16-P	Methylene chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16z	Methylene chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.35	0.5	0.5		
HW16	Propylbenzene-n	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16-P	Propylbenzene-n	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16z	Propylbenzene-n	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5		
HW16	Styrene	VOCs	2/10/2012	1	U	ug/L	U	0.3	1	1		
HW16-P	Styrene	VOCs	2/10/2012	1	U	ug/L	U	0.3	1	1		
HW16z	Styrene	VOCs	2/10/2012	1	U	ug/L	U	0.3	1	1		
HW16	Tetrachloroethane, 1,1,1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	50	ug/L
HW16-P	Tetrachloroethane, 1,1,1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	50	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16z	Tetrachloroethane, 1,1,1,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	50	ug/L
HW16	Tetrachloroethane, 1,1,2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	6.6	ug/L
HW16-P	Tetrachloroethane, 1,1,2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	6.6	ug/L
HW16z	Tetrachloroethane, 1,1,2,2-	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	6.6	ug/L
HW16	Tetrachloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16-P	Tetrachloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16z	Tetrachloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.26	0.5	0.5		
HW16	Toluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16-P	Toluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16z	Toluene	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5		
HW16	Trichlorobenzene-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	5.2	ug/L
HW16-P	Trichlorobenzene-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	5.2	ug/L
HW16z	Trichlorobenzene-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	5.2	ug/L
HW16	Trichlorobenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	5.2	ug/L
HW16-P	Trichlorobenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	5.2	ug/L
HW16z	Trichlorobenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	5.2	ug/L
HW16	Trichloroethane-1,1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	7500	ug/L
HW16-P	Trichloroethane-1,1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	7500	ug/L
HW16z	Trichloroethane-1,1,1	VOCs	2/10/2012	0.5	U	ug/L	U	0.28	0.5	0.5	7500	ug/L
HW16	Trichloroethane-1,1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	0.41	ug/L
HW16-P	Trichloroethane-1,1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	0.41	ug/L
HW16z	Trichloroethane-1,1,2	VOCs	2/10/2012	0.5	U	ug/L	U	0.33	0.5	0.5	0.41	ug/L
HW16	Trichloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW16-P	Trichloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16z	Trichloroethylene	VOCs	2/10/2012	0.5	U	ug/L	U	0.39	0.5	0.5		
HW16	Trichlorofluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16-P	Trichlorofluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16z	Trichlorofluoromethane	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5		
HW16	Trichloropropane-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5	0.065	ug/L
HW16-P	Trichloropropane-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5	0.065	ug/L
HW16z	Trichloropropane-1,2,3	VOCs	2/10/2012	0.5	U	ug/L	U	0.22	0.5	0.5	0.065	ug/L
HW16	Trimethylbenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	15	ug/L
HW16-P	Trimethylbenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	15	ug/L
HW16z	Trimethylbenzene-1,2,4	VOCs	2/10/2012	0.5	U	ug/L	U	0.3	0.5	0.5	15	ug/L
HW16	Trimethylbenzene-1,3,5	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	87	ug/L
HW16-P	Trimethylbenzene-1,3,5	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	87	ug/L
HW16z	Trimethylbenzene-1,3,5	VOCs	2/10/2012	0.5	U	ug/L	U	0.31	0.5	0.5	87	ug/L
HW16	Vinyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16-P	Vinyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16z	Vinyl acetate	VOCs	2/10/2012	0.5	U	ug/L	U	0.19	0.5	0.5		
HW16	Vinyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16-P	Vinyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16z	Vinyl chloride	VOCs	2/10/2012	0.5	U	ug/L	U	0.24	0.5	0.5		
HW16	Xylene-o	VOCs	2/10/2012	1	U	ug/L	U	0.37	1	1		
HW16-P	Xylene-o	VOCs	2/10/2012	1	U	ug/L	U	0.37	1	1		
HW16z	Xylene-o	VOCs	2/10/2012	1	U	ug/L	U	0.37	1	1		
HW16	Nitrogen, Nitrite + Nitrate	Wet Chem	2/10/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW16-P	Nitrogen, Nitrite + Nitrate	Wet Chem	2/10/2012	0.05	U	mg/L	U	0.001	0.05	0.001		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW16z	Nitrogen, Nitrite + Nitrate	Wet Chem	2/10/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW16	Total Nitrogen	Wet Chem	2/10/2012	1	U	mg/L	U	0.2	1	0.2		
HW16-P	Total Nitrogen	Wet Chem	2/10/2012	1	U	mg/L	U	0.2	1	0.2		
HW16z	Total Nitrogen	Wet Chem	2/10/2012	1	U	mg/L	U	0.2	1	0.2		
HW16	Total Phosphorus as P	Wet Chem	2/10/2012	0.05	U	mg/L	U		0.05			
HW16-P	Total Phosphorus as P	Wet Chem	2/10/2012	0.05	U	mg/L	U		0.05			
HW16z	Total Phosphorus as P	Wet Chem	2/10/2012	0.05	U	mg/L	U		0.05			