EPA Validated Data Summary Report - HW26
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	1-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		1.5	ug/mL
HW26-P	1-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		1.5	ug/mL
HW26	1-Propanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26-P	1-Propanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26	2-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26-P	2-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26	Ethanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26-P	Ethanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW26	Methanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		7.8	ug/mL
HW26-P	Methanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		7.8	ug/mL
HW26	Anionic Surfactants	Anionic Surfact	1/31/2012	0.011		mg/L			0.01	0.01		
HW26-P	Anionic Surfactants	Anionic Surfact	1/31/2012	0.01	U	mg/L			0.01	0.01		
HW26	Heterotrophic Plate Count	Bacteria	1/31/2012		R	cfu/1ml	R3		1			
HW26-P	Heterotrophic Plate Count	Bacteria	1/31/2012		R	cfu/1ml	R3		1			
HW26	Total Coliform Bacteria	Bacteria	1/31/2012	1	U	cfu/100 ml			1		0	cfu/100mL
HW26-P	Total Coliform Bacteria	Bacteria	1/31/2012	1	U	cfu/100 ml			1		0	cfu/100mL
HW26	Ethane	Dissolved Gase	1/31/2012	18		ug/L		0.6		1.2		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Ethane	Dissolved Gase	1/31/2012	17		ug/L		0.6		1.2		
HW26	Ethene	Dissolved Gase	1/31/2012	1.1	U	ug/L	U	0.5		1.1		
HW26-P	Ethene	Dissolved Gase	1/31/2012	1.1	U	ug/L	U	0.5		1.1		
HW26	Methane	Dissolved Gase	1/31/2012	**43000**		ug/L		240		480	28000	ug/L
HW26-P	Methane	Dissolved Gase	1/31/2012	**38000**		ug/L		240		480	28000	ug/L
HW26	2-Butoxyethanol	Glycols	1/31/2012	5	U	ug/L	U		5			
HW26-P	2-Butoxyethanol	Glycols	1/31/2012	5	U	ug/L	U		5			
HW26	2-Methoxyethanol	Glycols	1/31/2012	10	U	ug/L	U		10		78	ug/L
HW26	2-Methoxyethanol	Glycols	1/31/2012	60	U	ug/L	UUJ		60		78	ug/L
HW26-P	2-Methoxyethanol	Glycols	1/31/2012	60	U	ug/L	UUJ		60		78	ug/L
HW26-P	2-Methoxyethanol	Glycols	1/31/2012	10	U	ug/L	U		10		78	ug/L
HW26	Diethylene glycol	Glycols	1/31/2012		R	ug/L	J B	0.51	10	10	8000	ug/L
HW26	Diethylene Glycol	Glycols	1/31/2012	50	U	ug/L	U		50		8000	ug/L
HW26-P	Diethylene glycol	Glycols	1/31/2012		R	ug/L	J B	0.51	10	10	8000	ug/L
HW26-P	Diethylene Glycol	Glycols	1/31/2012	50	U	ug/L	U		50		8000	ug/L
HW26	Ethanol, 2-ethoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.94	10	10		
HW26-P	Ethanol, 2-ethoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.94	10	10		
HW26	Ethanol, 2-methoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	78	ug/L
HW26-P	Ethanol, 2-methoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	78	ug/L
HW26	Ethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	31	mg/L
HW26	Ethylene glycol	Glycols	1/31/2012	10	U	mg/L	U	5	10	10	31	mg/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Ethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	31	mg/L
HW26-P	Ethylene glycol	Glycols	1/31/2012	10	U	mg/L	U	5	10	10	31	mg/L
HW26	Tetraethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW26-P	Tetraethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW26	Triethylene glycol	Glycols	1/31/2012		R	ug/L	J B	1.6	10	10	8000	ug/L
HW26	Triethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW26-P	Triethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW26-P	Triethylene glycol	Glycols	1/31/2012		R	ug/L	J B	1.6	10	10	8000	ug/L
HW26	Bromide	Inorganic Ions	1/31/2012	0.5	U	mg/L	U	0.019	0.5	0.019		
HW26-P	Bromide	Inorganic Ions	1/31/2012	0.5	U	mg/L	U	0.019	0.5	0.019		
HW26	Chloride	Inorganic Ions	1/31/2012	31		mg/L	D	0.28	1.25	0.28	250	mg/L
HW26-P	Chloride	Inorganic Ions	1/31/2012	30.3		mg/L	D	0.28	1.25	0.28	250	mg/L
HW26	Fluoride	Inorganic Ions	1/31/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW26-P	Fluoride	Inorganic Ions	1/31/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW26	Sulfate	Inorganic Ions	1/31/2012	0.5	U	mg/L	U	0.116	0.5	0.116		
HW26-P	Sulfate	Inorganic Ions	1/31/2012	0.5	U	mg/L	U	0.116	0.5	0.116		
HW26	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW26-F	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW26-P	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW26	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L
HW26-F	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L
HW26	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW26-F	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW26-P	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW26	Arsenic	Metals	1/31/2012	2	U	ug/L	U		2		4.5	ug/L
HW26-F	Arsenic	Metals	1/31/2012	2	U	ug/L	U		2		4.5	ug/L
HW26-P	Arsenic	Metals	1/31/2012	2	U	ug/L	U		2		4.5	ug/L
HW26	Barium	Metals	1/31/2012	1780		ug/L		1.2	200	1.2	2900	ug/L
HW26-F	Barium	Metals	1/31/2012	1790		ug/L		1.2	200	1.2	2900	ug/L
HW26-P	Barium	Metals	1/31/2012	1780		ug/L		1.2	200	1.2	2900	ug/L
HW26	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW26-F	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW26-P	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW26	Boron	Metals	1/31/2012	69.6		ug/L		3.5	50	3.5	3100	ug/L
HW26-F	Boron	Metals	1/31/2012	68.2		ug/L		3.5	50	3.5	3100	ug/L
HW26-P	Boron	Metals	1/31/2012	64.3		ug/L		3.5	50	3.5	3100	ug/L
HW26	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW26-F	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW26-P	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW26	Calcium	Metals	1/31/2012	27300		ug/L		6.6	500	6.6		
HW26-F	Calcium	Metals	1/31/2012	27000		ug/L		6.6	500	6.6		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Calcium	Metals	1/31/2012	27200		ug/L		6.6	500	6.6		
HW26	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW26-F	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW26-P	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW26	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW26-F	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW26-P	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW26	Copper	Metals	1/31/2012	4.4		ug/L	D		2		620	ug/L
HW26-F	Copper	Metals	1/31/2012	2	U	ug/L	U		2		620	ug/L
HW26-P	Copper	Metals	1/31/2012	2	U	ug/L	U		2		620	ug/L
HW26	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW26-F	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW26-P	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW26	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW26-F	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW26-P	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW26	Lithium	Metals	1/31/2012	200	U	ug/L	U		200		31	ug/L
HW26-F	Lithium	Metals	1/31/2012	200	U	ug/L	U		200		31	ug/L
HW26-P	Lithium	Metals	1/31/2012	200	U	ug/L	U		200		31	ug/L
HW26	Magnesium	Metals	1/31/2012	7360		ug/L		20.4	500	20.4		
HW26-F	Magnesium	Metals	1/31/2012	7390		ug/L		20.4	500	20.4		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Magnesium	Metals	1/31/2012	7340		ug/L		20.4	500	20.4		
HW26	Manganese	Metals	1/31/2012	94		ug/L	D		1		320	ug/L
HW26-F	Manganese	Metals	1/31/2012	92		ug/L	D		1		320	ug/L
HW26-P	Manganese	Metals	1/31/2012	93.9		ug/L	D		1		320	ug/L
HW26	Nickel	Metals	1/31/2012	1		ug/L	D		1		300	ug/L
HW26-F	Nickel	Metals	1/31/2012	1	U	ug/L	U		1		300	ug/L
HW26-P	Nickel	Metals	1/31/2012	1.2		ug/L	D		1		300	ug/L
HW26	Potassium	Metals	1/31/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW26-F	Potassium	Metals	1/31/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW26-P	Potassium	Metals	1/31/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW26	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26-F	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26-P	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW26-F	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW26-P	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW26	Sodium	Metals	1/31/2012	**27400**		ug/L		9.2	1000	9.2	20000	ug/L
HW26-F	Sodium	Metals	1/31/2012	**27400**		ug/L		9.2	1000	9.2	20000	ug/L
HW26-P	Sodium	Metals	1/31/2012	**27400**		ug/L		9.2	1000	9.2	20000	ug/L
HW26	Strontium	Metals	1/31/2012	817		ug/L			200		9300	ug/L
HW26-F	Strontium	Metals	1/31/2012	814		ug/L			200		9300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Strontium	Metals	1/31/2012	816		ug/L			200		9300	ug/L
HW26	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW26-F	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW26-P	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW26	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW26-F	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW26-P	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW26	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW26-F	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW26-P	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW26	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW26-F	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW26-P	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW26	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26-F	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26-P	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW26	Zinc	Metals	1/31/2012	2	U	ug/L	U		2		4700	ug/L
HW26-F	Zinc	Metals	1/31/2012	2	U	ug/L	U		2		4700	ug/L
HW26-P	Zinc	Metals	1/31/2012	9.9		ug/L	BD		2		4700	ug/L
HW26	Oil and Grease	Oil and Grease	1/31/2012	5.3	U	mg/L	U	0.8	5.3	0.8		
HW26-P	Oil and Grease	Oil and Grease	1/31/2012	5.1	U	mg/L	U	0.8	5.1	0.8		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Total Dissolved Solids	Residue	1/31/2012	160		mg/L	B	10	10	10		
HW26-P	Total Dissolved Solids	Residue	1/31/2012	10	U	mg/L	UB	10	10	12		
HW26	Total Suspended Solids	Residue	1/31/2012	10	U	mg/L	U		10			
HW26-P	Total Suspended Solids	Residue	1/31/2012	10	U	mg/L	U		10			
HW26	1-Methylnaphthalene	SVOCs	1/31/2012	5	U	ug/L	UUJ		5		97	ug/ L
HW26-P	1-Methylnaphthalene	SVOCs	1/31/2012	5	U	ug/L	UUJ		5		97	ug/ L
HW26	Acenaphthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	400	ug/L
HW26-P	Acenaphthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	400	ug/L
HW26	Acenaphthylene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Acenaphthylene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Acetophenone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW26-P	Acetophenone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW26	Anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1300	ug/L
HW26-P	Anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1300	ug/L
HW26	Atrazine	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW26-P	Atrazine	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW26	Benzo(a)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	2.9	ug/L
HW26-P	Benzo(a)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	2.9	ug/L
HW26	Benzo(a)pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW26-P	Benzo(a)pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW26	Biphenyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Biphenyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Bromophenyl-4 Phenyl Ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Bromophenyl-4 Phenyl Ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Butylbenzyl phthalate	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW26-P	Butylbenzyl phthalate	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW26	Caprolactam	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	7700	ug/L
HW26-P	Caprolactam	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	7700	ug/L
HW26	Carbazole	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Carbazole	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Chlorobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3.2	ug/L
HW26-P	Chlorobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3.2	ug/L
HW26	Chloronaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	550	ug/L
HW26-P	Chloronaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	550	ug/L
HW26	Chlorophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	71	ug/L
HW26-P	Chlorophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	71	ug/L
HW26	Chlorophenyl-4 phenyl ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Chlorophenyl-4 phenyl ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Chrysene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	290	ug/L
HW26-P	Chrysene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	290	ug/L
HW26	Cresol, parachloro meta-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Cresol, parachloro meta-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Cresol-4,6-dinitro-ortho	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW26-P	Cresol-4,6-dinitro-ortho	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW26	Cresol-o	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	720	ug/L
HW26-P	Cresol-o	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	720	ug/L
HW26	Cresol-p	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	72	ug/L
HW26-P	Cresol-p	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	72	ug/L
HW26	Dibenz(a,h)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW26-P	Dibenz(a,h)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW26	Dibenzofuran	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Dibenzofuran	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Dichlorobenzidine-3,3'	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	11	ug/L
HW26-P	Dichlorobenzidine-3,3'	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	11	ug/L
HW26	Dichlorophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	35	ug/L
HW26-P	Dichlorophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	35	ug/L
HW26	Dimethylphenol, 2,4-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	270	ug/L
HW26-P	Dimethylphenol, 2,4-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	270	ug/L
HW26	Dinitrophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U		5		30	ug/L
HW26-P	Dinitrophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U		5		30	ug/L
HW26	Dinitrotoluene-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Dinitrotoluene-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Dinitrotoluene-2,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Dinitrotoluene-2,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Ether, bis(2-chloroethyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1.2	ug/L
HW26-P	Ether, bis(2-chloroethyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1.2	ug/L
HW26	Ether-bis(2-chloroisopropyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Ether-bis(2-chloroisopropyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Fluoranthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	630	ug/L
HW26-P	Fluoranthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	630	ug/L
HW26	Fluoranthene benzo(k)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	29	ug/L
HW26-P	Fluoranthene benzo(k)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	29	ug/L
HW26	Fluoranthene-benzo(b)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.6	ug/L
HW26-P	Fluoranthene-benzo(b)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.6	ug/L
HW26	Fluorene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	220	ug/L
HW26-P	Fluorene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	220	ug/L
HW26	Hexachlorobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4.2	ug/L
HW26-P	Hexachlorobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4.2	ug/L
HW26	Hexachlorobutadiene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		26	ug/L
HW26	Hexachlorobutadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW26-P	Hexachlorobutadiene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		26	ug/L
HW26-P	Hexachlorobutadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW26	Hexachlorocyclopentadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	22	ug/L
HW26-P	Hexachlorocyclopentadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	22	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Hexachloroethane	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.1	ug/L
HW26-P	Hexachloroethane	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.1	ug/L
HW26	Isophorone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	6700	ug/L
HW26-P	Isophorone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	6700	ug/L
HW26	Methane, bis(2-chloroethoxy)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	47	ug/L
HW26-P	Methane, bis(2-chloroethoxy)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	47	ug/L
HW26	Methylnaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	27	ug/L
HW26-P	Methylnaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	27	ug/L
HW26	Naphthalene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		14	ug/L
HW26	Naphthalene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	14	ug/L
HW26-P	Naphthalene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		14	ug/L
HW26-P	Naphthalene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	14	ug/L
HW26	Nitroaniline, ortho	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	150	ug/L
HW26-P	Nitroaniline, ortho	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	150	ug/L
HW26	Nitroaniline-3	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Nitroaniline-3	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Nitrobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	61	ug/L
HW26-P	Nitrobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	61	ug/L
HW26	Nitrobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	12	ug/L
HW26-P	Nitrobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	12	ug/L
HW26	Nitrophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Nitrophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Nitrophenol-4	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW26-P	Nitrophenol-4	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW26	Nitrosodimethylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.042	ug/L
HW26-P	Nitrosodimethylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.042	ug/L
HW26	Nitrosodiphenylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1000	ug/L
HW26-P	Nitrosodiphenylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1000	ug/L
HW26	Pentachlorophenol	SVOCs	1/31/2012	40	U	ug/L	U	0	40	0	17	ug/L
HW26-P	Pentachlorophenol	SVOCs	1/31/2012	40	U	ug/L	U	0	40	0	17	ug/L
HW26	Perylene-benzo(ghi)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Perylene-benzo(ghi)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Phenanthrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Phenanthrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Phenol	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4500	ug/L
HW26-P	Phenol	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4500	ug/L
HW26	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	7.1	ug/L
HW26-P	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	7.1	ug/L
HW26	Phthalate, Dimethyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW26-P	Phthalate, Dimethyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW26	Phthalate, di-n-butyl-	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	670	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Phthalate, di-n-butyl-	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	670	ug/L
HW26	Phthalate, di-n-octyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26-P	Phthalate, di-n-octyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW26	Phthalate-diethyl	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	11000	ug/L
HW26-P	Phthalate-diethyl	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	11000	ug/L
HW26	Propylamine,n-nitroso di-n-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.93	ug/L
HW26-P	Propylamine,n-nitroso di-n-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.93	ug/L
HW26	Pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	87	ug/L
HW26-P	Pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	87	ug/L
HW26	Pyrene-indeno(1,2,3-cd)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3	ug/L
HW26-P	Pyrene-indeno(1,2,3-cd)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3	ug/L
HW26	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/31/2012	5	U	ug/L	U		5		1.2	ug/L
HW26-P	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/31/2012	5	U	ug/L	U		5		1.2	ug/L
HW26	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/31/2012	5	U	ug/L	U		5		170	ug/L
HW26-P	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/31/2012	5	U	ug/L	U		5		170	ug/L
HW26	Trichlorophenol-2,4,5	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	890	ug/L
HW26-P	Trichlorophenol-2,4,5	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	890	ug/L
HW26	Trichlorophenol-2,4,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	9.04	ug/L
HW26-P	Trichlorophenol-2,4,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	9.04	ug/L
HW26	TPH - Diesel Range Organics	Total Petroleu	1/31/2012	250	U	ug/L	U	120		250		
HW26-P	TPH - Diesel Range Organics	Total Petroleu	1/31/2012	250	U	ug/L	U	120		250		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	TPH - Oil Range Organics	Total Petroleu	1/31/2012	1000	U	ug/L	U	500		1000		
HW26-P	TPH - Oil Range Organics	Total Petroleu	1/31/2012	1000	U	ug/L	U	500		1000		
HW26	TPH as Gasoline	Total Petroleu	1/31/2012	50	U	ug/L	U	25		50		
HW26-P	TPH as Gasoline	Total Petroleu	1/31/2012	50	U	ug/L	U	25		50		
HW26	4-Methyl-2-pentanone	VOCs	1/31/2012	2	U	ug/L	U		2		1000	ug/L
HW26-P	4-Methyl-2-pentanone	VOCs	1/31/2012	2	U	ug/L	U		2		1000	ug/L
HW26	Acetone	VOCs	1/31/2012	2	U	ug/L	JB		2			
HW26-P	Acetone	VOCs	1/31/2012	1.3		ug/L	JB		2			
HW26	Benzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW26-P	Benzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW26	Bromobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Bromobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Bromoform	VOCs	1/31/2012	1	U	ug/L	U		1		80	ug/L
HW26-P	Bromoform	VOCs	1/31/2012	1	U	ug/L	U		1		80	ug/L
HW26	Butylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Butylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Butylbenzene, sec-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Butylbenzene, sec-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Butylbenzene, tert-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Butylbenzene, tert-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Carbon disulfide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Carbon disulfide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Carbon Tetrachloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW26-P	Carbon Tetrachloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW26	Chlorobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		100	ug/L
HW26-P	Chlorobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		100	ug/L
HW26	Chlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Chlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Chloroethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Chloroethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Chloroform	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW26-P	Chloroform	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW26	Chlorotoluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		180	ug/L
HW26-P	Chlorotoluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		180	ug/L
HW26	Chlorotoluene-p	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		190	ug/L
HW26-P	Chlorotoluene-p	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		190	ug/L
HW26	Cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26-P	Cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26	DBCP	VOCs	1/31/2012	2	UJ	ug/L	U		2		0.032	ug/L
HW26-P	DBCP	VOCs	1/31/2012	2	UJ	ug/L	U		2		0.032	ug/L
HW26	Dibromochloromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW26-P	Dibromochloromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Dibromoethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.65	ug/L
HW26-P	Dibromoethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.65	ug/L
HW26	Dibromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dibromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichlorobenzene-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		280	ug/L
HW26-P	Dichlorobenzene-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		280	ug/L
HW26	Dichlorobenzene-1,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichlorobenzene-1,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichlorobenzene-1,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		42	ug/L
HW26-P	Dichlorobenzene-1,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		42	ug/L
HW26	Dichlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichlorodifluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichlorodifluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloroethane-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		240	ug/L
HW26-P	Dichloroethane-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		240	ug/L
HW26	Dichloroethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ugL
HW26-P	Dichloroethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ugL
HW26	Dichloroethene-1,2 trans	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloroethene-1,2 trans	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloroethylene-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Dichloroethylene-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloroethylene-1,2 cis	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloroethylene-1,2 cis	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloropropane, 1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		38	ug/L
HW26-P	Dichloropropane, 1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		38	ug/L
HW26	Dichloropropane, 1,3-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		290	ug/L
HW26-P	Dichloropropane, 1,3-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		290	ug/L
HW26	Dichloropropane, 2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloropropane, 2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloropropene, 1,1-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloropropene, 1,1-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloropropene, 1,3 cis-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloropropene, 1,3 cis-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Dichloropropene, 1,3 trans-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Dichloropropene, 1,3 trans-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Ethylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Ethylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Freon 113	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26-P	Freon 113	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26	Hexanone, 2-	VOCs	1/31/2012	2	U	ug/L	U		2		34	ug/L
HW26-P	Hexanone, 2-	VOCs	1/31/2012	2	U	ug/L	U		2		34	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Isopropylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Isopropylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Isopropylbenzene-4,methyl-1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Isopropylbenzene-4,methyl-1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	m,p-Xylene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26-P	m,p-Xylene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26	Methyl acetate	VOCs	1/31/2012	1	UJ	ug/L	U		1			
HW26-P	Methyl acetate	VOCs	1/31/2012	1	UJ	ug/L	U		1			
HW26	Methyl bromide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Methyl bromide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Methyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Methyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Methyl cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26-P	Methyl cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26	Methyl ethyl ketone	VOCs	1/31/2012	2	U	ug/L	U		2		4900	ug/L
HW26-P	Methyl ethyl ketone	VOCs	1/31/2012	2	U	ug/L	U		2		4900	ug/L
HW26	Methyl tertiary butyl ether (MTBE)	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26-P	Methyl tertiary butyl ether (MTBE)	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW26	Methylene chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Methylene chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26	Propylbenzene-n	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Propylbenzene-n	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Styrene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26-P	Styrene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26	Tetrachloroethane, 1,1,1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		50	ug/L
HW26-P	Tetrachloroethane, 1,1,1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		50	ug/L
HW26	Tetrachloroethane, 1,1,2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		6.6	ug/L
HW26-P	Tetrachloroethane, 1,1,2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		6.6	ug/L
HW26	Tetrachloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Tetrachloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Toluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Toluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Trichlorobenzene-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW26-P	Trichlorobenzene-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW26	Trichlorobenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW26-P	Trichlorobenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW26	Trichloroethane-1,1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		7500	ug/L
HW26-P	Trichloroethane-1,1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		7500	ug/L
HW26	Trichloroethane-1,1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.41	ug/L
HW26-P	Trichloroethane-1,1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.41	ug/L
HW26	Trichloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW26-P	Trichloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Trichlorofluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Trichlorofluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Trichloropropane-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.065	ug/L
HW26-P	Trichloropropane-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.065	ug/L
HW26	Trimethylbenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ug/L
HW26-P	Trimethylbenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ug/L
HW26	Trimethylbenzene-1,3,5	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		87	ug/L
HW26-P	Trimethylbenzene-1,3,5	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		87	ug/L
HW26	Vinyl acetate	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Vinyl acetate	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Vinyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26-P	Vinyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW26	Xylene-o	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26-P	Xylene-o	VOCs	1/31/2012	1	U	ug/L	U		1			
HW26	Nitrogen, Nitrite + Nitrate	Wet Chem	1/31/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW26-P	Nitrogen, Nitrite + Nitrate	Wet Chem	1/31/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW26	Total Nitrogen	Wet Chem	1/31/2012	1	U	mg/L	U	0.2	1	0.2		
HW26-P	Total Nitrogen	Wet Chem	1/31/2012	1	U	mg/L	U	0.2	1	0.2		
HW26	Total Phosphorus as P	Wet Chem	1/31/2012	0.05	U	mg/L	U		0.05			
HW26-P	Total Phosphorus as P	Wet Chem	1/31/2012	0.05	U	mg/L	U		0.05			