EPA Validated Data Summary Report - HW35
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	1-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		1.5	ug/mL
HW35	1-Propanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW35	2-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW35	Ethanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW35	Methanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		7.8	ug/mL
HW35	Anionic Surfactants	Anionic Surfact	1/31/2012	0.01	U	mg/L			0.01	0.01		
HW35	Fecal Coliform Bacteria	Bacteria	1/31/2012	1	PRESENT	Present			1		0.0001	
HW35	Heterotrophic Plate Count	Bacteria	1/31/2012		R	cfu/1ml	R3		1			
HW35	Total Coliform Bacteria	Bacteria	1/31/2012	**34**		cfu/100 ml			1		0	cfu/100mL
HW35	Ethane	Dissolved Gase	1/31/2012	1.2	U	ug/L	U	0.6		1.2		
HW35	Ethene	Dissolved Gase	1/31/2012	1.1	U	ug/L	U	0.5		1.1		
HW35	Methane	Dissolved Gase	1/31/2012	6.6		ug/L		0.6		1.2	28000	ug/L
HW35	2-Butoxyethanol	Glycols	1/31/2012	5	U	ug/L	U		5			
HW35	2-Methoxyethanol	Glycols	1/31/2012	10	U	ug/L	U		10		78	ug/L
HW35	2-Methoxyethanol	Glycols	1/31/2012	60	U	ug/L	UUJ		60		78	ug/L
HW35	Diethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.51	10	10	8000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Diethylene Glycol	Glycols	1/31/2012	50	U	ug/L	U		50		8000	ug/L
HW35	Ethanol, 2-ethoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.94	10	10		
HW35	Ethanol, 2-methoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	78	ug/L
HW35	Ethylene glycol	Glycols	1/31/2012	10	U	mg/L	U	5	10	10	31	mg/L
HW35	Ethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	31	mg/L
HW35	Tetraethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW35	Triethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW35	Triethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	1.6	10	10	8000	ug/L
HW35	Bromide	Inorganic Ions	1/31/2012	0.5	U	mg/L	U	0.019	0.5	0.019		
HW35	Chloride	Inorganic Ions	1/31/2012	50.5		mg/L	D	0.28	1.25	0.28	250	mg/L
HW35	Fluoride	Inorganic Ions	1/31/2012	0.1	U	mg/L	U	0.019	0.1	0.019	0.62	mg/L
HW35	Sulfate	Inorganic Ions	1/31/2012	14.3		mg/L		0.116	0.5	0.116		
HW35	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW35-F	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW35	Aluminum	Metals	1/31/2012	240		ug/L	D		30		16000	ug/L
HW35-F	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L
HW35	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW35-F	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW35	Arsenic	Metals	1/31/2012	2	U	ug/L	U		2		4.5	ug/L
HW35-F	Arsenic	Metals	1/31/2012	2	U	ug/L	U		2		4.5	ug/L
HW35	Barium	Metals	1/31/2012	101		ug/L	D		10		2900	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35-F	Barium	Metals	1/31/2012	73.1		ug/L	D		10		2900	ug/L
HW35	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW35-F	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW35	Boron	Metals	1/31/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW35-F	Boron	Metals	1/31/2012	50	U	ug/L	U	3.5	50	3.5	3100	ug/L
HW35	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW35-F	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW35	Calcium	Metals	1/31/2012	14300		ug/L		6.6	500	6.6		
HW35-F	Calcium	Metals	1/31/2012	500	U	ug/L	U	6.6	500	6.6		
HW35	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW35-F	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW35	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW35-F	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW35	Copper	Metals	1/31/2012	74		ug/L	D		2		620	ug/L
HW35-F	Copper	Metals	1/31/2012	45		ug/L	D		2		620	ug/L
HW35	Iron	Metals	1/31/2012	478		ug/L		2.6	100	2.6	11000	ug/L
HW35-F	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW35	Lead	Metals	1/31/2012	**21.2**		ug/L	BD		1		15	ug/L
HW35-F	Lead	Metals	1/31/2012	2.4		ug/L	BD		1		15	ug/L
HW35	Lithium	Metals	1/31/2012	200	U	ug/L	U		200		31	ug/L
HW35-F	Lithium	Metals	1/31/2012	200	U	ug/L	U		200		31	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Magnesium	Metals	1/31/2012	2280		ug/L		20.4	500	20.4		
HW35-F	Magnesium	Metals	1/31/2012	500	U	ug/L	U	20.4	500	20.4		
HW35	Manganese	Metals	1/31/2012	5.4		ug/L	D		1		320	ug/L
HW35-F	Manganese	Metals	1/31/2012	1.7		ug/L	D		1		320	ug/L
HW35	Nickel	Metals	1/31/2012	1.3		ug/L	D		1		300	ug/L
HW35-F	Nickel	Metals	1/31/2012	1.3		ug/L	D		1		300	ug/L
HW35	Potassium	Metals	1/31/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW35-F	Potassium	Metals	1/31/2012	2000	U	ug/L	U	47.8	2000	47.8		
HW35	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW35-F	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW35	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW35-F	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW35	Sodium	Metals	1/31/2012	**28700**		ug/L		9.2	1000	9.2	20000	ug/L
HW35-F	Sodium	Metals	1/31/2012	1000	U	ug/L	U	9.2	1000	9.2	20000	ug/L
HW35	Strontium	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW35-F	Strontium	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW35	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW35-F	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW35	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW35-F	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW35	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35-F	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW35	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW35-F	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW35	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW35-F	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW35	Zinc	Metals	1/31/2012	98.3		ug/L	D		2		4700	ug/L
HW35-F	Zinc	Metals	1/31/2012	96.2		ug/L	D		2		4700	ug/L
HW35	Oil and Grease	Oil and Grease	1/31/2012	5.3	U	mg/L	U	0.8	5.3	0.8		
HW35	Total Dissolved Solids	Residue	1/31/2012	37	J	mg/L	JB	10	10	12		
HW35	Total Suspended Solids	Residue	1/31/2012	10	U	mg/L	U		10			
HW35	1-Methylnaphthalene	SVOCs	1/31/2012	5	U	ug/L	UUJ		5		97	ug/ L
HW35	Acenaphthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	400	ug/L
HW35	Acenaphthylene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Acetophenone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW35	Anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1300	ug/L
HW35	Atrazine	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW35	Benzo(a)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	2.9	ug/L
HW35	Benzo(a)pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW35	Biphenyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Bromophenyl-4 Phenyl Ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Butylbenzyl phthalate	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Caprolactam	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	7700	ug/L
HW35	Carbazole	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Chlorobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3.2	ug/L
HW35	Chloronaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	550	ug/L
HW35	Chlorophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	71	ug/L
HW35	Chlorophenyl-4 phenyl ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Chrysene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	290	ug/L
HW35	Cresol, parachloro meta-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Cresol-4,6-dinitro-ortho	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW35	Cresol-o	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	720	ug/L
HW35	Cresol-p	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	72	ug/L
HW35	Dibenz(a,h)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW35	Dibenzofuran	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Dichlorobenzidine-3,3'	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	11	ug/L
HW35	Dichlorophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	35	ug/L
HW35	Dimethylphenol, 2,4-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	270	ug/L
HW35	Dinitrophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U		5		30	ug/L
HW35	Dinitrotoluene-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Dinitrotoluene-2,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Ether, bis(2-chloroethyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1.2	ug/L
HW35	Ether-bis(2-chloroisopropyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Fluoranthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	630	ug/L
HW35	Fluoranthene benzo(k)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	29	ug/L
HW35	Fluoranthene-benzo(b)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.6	ug/L
HW35	Fluorene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	220	ug/L
HW35	Hexachlorobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4.2	ug/L
HW35	Hexachlorobutadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW35	Hexachlorobutadiene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		26	ug/L
HW35	Hexachlorocyclopentadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	22	ug/L
HW35	Hexachloroethane	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.1	ug/L
HW35	Isophorone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	6700	ug/L
HW35	Methane, bis(2-chloroethoxy)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	47	ug/L
HW35	Methylnaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	27	ug/L
HW35	Naphthalene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	14	ug/L
HW35	Naphthalene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		14	ug/L
HW35	Nitroaniline, ortho	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	150	ug/L
HW35	Nitroaniline-3	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Nitrobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	61	ug/L
HW35	Nitrobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	12	ug/L
HW35	Nitrophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Nitrophenol-4	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW35	Nitrosodimethylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.042	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Nitrosodiphenylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1000	ug/L
HW35	Pentachlorophenol	SVOCs	1/31/2012	40	U	ug/L	U	0	40	0	17	ug/L
HW35	Perylene-benzo(ghi)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Phenanthrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Phenol	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4500	ug/L
HW35	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	7.1	ug/L
HW35	Phthalate, Dimethyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW35	Phthalate, di-n-butyl-	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	670	ug/L
HW35	Phthalate, di-n-octyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW35	Phthalate-diethyl	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	11000	ug/L
HW35	Propylamine,n-nitroso di-n-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.93	ug/L
HW35	Pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	87	ug/L
HW35	Pyrene-indeno(1,2,3-cd)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3	ug/L
HW35	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/31/2012	5	U	ug/L	U		5		1.2	ug/L
HW35	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/31/2012	5	U	ug/L	U		5		170	ug/L
HW35	Trichlorophenol-2,4,5	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	890	ug/L
HW35	Trichlorophenol-2,4,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	9.04	ug/L
HW35	TPH - Diesel Range Organics	Total Petroleu	1/31/2012	250	U	ug/L	U	120		250		
HW35	TPH - Oil Range Organics	Total Petroleu	1/31/2012	1000	U	ug/L	U	500		1000		
HW35	TPH as Gasoline	Total Petroleu	1/31/2012	50	U	ug/L	U	25		50		
HW35	4-Methyl-2-pentanone	VOCs	1/31/2012	2	U	ug/L	U		2		1000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Acetone	VOCs	1/31/2012	2	U	ug/L	JB		2			
HW35	Benzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW35	Bromobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Bromoform	VOCs	1/31/2012	1	U	ug/L	U		1		80	ug/L
HW35	Butylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Butylbenzene, sec-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Butylbenzene, tert-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Carbon disulfide	VOCs	1/31/2012	0.1		ug/L	J		0.5			
HW35	Carbon Tetrachloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW35	Chlorobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		100	ug/L
HW35	Chlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Chloroethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Chloroform	VOCs	1/31/2012	0.5	U	ug/L	JB		0.5		80	ug/L
HW35	Chlorotoluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		180	ug/L
HW35	Chlorotoluene-p	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		190	ug/L
HW35	Cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW35	DBCP	VOCs	1/31/2012	2	UJ	ug/L	U		2		0.032	ug/L
HW35	Dibromochloromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW35	Dibromoethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.65	ug/L
HW35	Dibromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichlorobenzene-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		280	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Dichlorobenzene-1,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichlorobenzene-1,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		42	ug/L
HW35	Dichlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichlorodifluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloroethane-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		240	ug/L
HW35	Dichloroethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ugL
HW35	Dichloroethene-1,2 trans	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloroethylene-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloroethylene-1,2 cis	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloropropane, 1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		38	ug/L
HW35	Dichloropropane, 1,3-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		290	ug/L
HW35	Dichloropropane, 2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloropropene, 1,1-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloropropene, 1,3 cis-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Dichloropropene, 1,3 trans-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Ethylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Freon 113	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW35	Hexanone, 2-	VOCs	1/31/2012	2	U	ug/L	U		2		34	ug/L
HW35	Isopropylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Isopropylbenzene-4,methyl-1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	m,p-Xylene	VOCs	1/31/2012	1	U	ug/L	U		1			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Methyl acetate	VOCs	1/31/2012	1	UJ	ug/L	U		1			
HW35	Methyl bromide	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW35	Methyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Methyl cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW35	Methyl ethyl ketone	VOCs	1/31/2012	2	U	ug/L	U		2		4900	ug/L
HW35	Methyl tertiary butyl ether (MTBE)	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW35	Methylene chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Propylbenzene-n	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Styrene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW35	Tetrachloroethane, 1,1,1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		50	ug/L
HW35	Tetrachloroethane, 1,1,2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		6.6	ug/L
HW35	Tetrachloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Toluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Trichlorobenzene-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW35	Trichlorobenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW35	Trichloroethane-1,1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		7500	ug/L
HW35	Trichloroethane-1,1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.41	ug/L
HW35	Trichloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Trichlorofluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Trichloropropane-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.065	ug/L
HW35	Trimethylbenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW35	Trimethylbenzene-1,3,5	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		87	ug/L
HW35	Vinyl acetate	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Vinyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW35	Xylene-o	VOCs	1/31/2012	1	U	ug/L	U		1			
HW35	Nitrogen, Nitrite + Nitrate	Wet Chem	1/31/2012	2.38	J	mg/L	J	0.001	0.05	0.001		
HW35	Total Nitrogen	Wet Chem	1/31/2012	2.74		mg/L		0.2	1	0.2		
HW35	Total Phosphorus as P	Wet Chem	1/31/2012	0.05	U	mg/L	U		0.05			