HW-34a
EPA Validated Data Summary Report
Dimock Residential Sampling
Sample Date: 2/1/2012

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW34a	1-Propanol	10.00	U	ug/mL										
HW34a	2-Butanol	10.00	U	ug/mL										
HW34a	Ethanol	10.00	U	ug/mL										
HW34a	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW34a	Anionic Surfactants	0.01	U	mg/L										
HW34a	Heterotrophic Plate Count		R	cfu/1ml										
HW34a	Total Coliform Bacteria	1.00	U	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW34a	Ethane	55.00		ug/L										
HW34a	Ethene	1.10	U	ug/L										
HW34a	Methane	26,000.00		ug/L	28,000.00	ug/L								
HW34a	2-Butoxyethanol	5.00	U	ug/L										
HW34a	2-Methoxyethanol	57.10	U	ug/L	78.00	ug/L								
HW34a	2-Methoxyethanol	10.00	U	ug/L	78.00	ug/L								
HW34a	Diethylene Glycol	50.00	U	ug/L	8,000.00	ug/L								
HW34A	Diethylene glycol	10,000.00	U	ug/L	8,000.00	ug/L								
HW34A	Ethanol, 2-ethoxy-	10,000.00	U	ug/L										
HW34A	Ethanol, 2-methoxy-	10,000.00	U	ug/L	78.00	ug/L								
HW34a	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW34A	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW34a	Tetraethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW34a	Triethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW34A	Triethylene glycol	10,000.00	U	ug/L	8,000.00	ug/L								
HW34a	Bromide	0.50	U	mg/L										

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Chloride	49.50	mg/L					250.00	mg/L			250.00	mg/L
HW34a	Fluoride	0.10 U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW34a	Sulfate	1.08	mg/L					250.00	mg/L			250.00	mg/L
HW34a	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-F	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW34a	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW34a-F	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW34a	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW34a-F	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW34a	Arsenic	1.10	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW34a-F	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW34a	Barium	1,440.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW34a-F	Barium	1,440.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW34a	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW34a-F	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW34a	Boron	79.80	ug/L	3,100.00	ug/L								
HW34a-F	Boron	80.00	ug/L	3,100.00	ug/L								
HW34a	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW34a-F	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW34a	Calcium	27,100.00	ug/L										
HW34a-F	Calcium	27,100.00	ug/L										
HW34a	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW34a-F	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW34a	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW34a-F	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW34a	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW34a-F	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW34a	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW34a-F	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Lead	1.00	U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW34a-F	Lead	1.00	U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW34a	Lithium	200.00	U	ug/L	31.00	ug/L								
HW34a-F	Lithium	200.00	U	ug/L	31.00	ug/L								
HW34a	Magnesium	8,020.00		ug/L										
HW34a-F	Magnesium	8,020.00		ug/L										
HW34a	Manganese	58.80		ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW34a-F	Manganese	62.80		ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW34a	Nickel	1.00		ug/L	300.00	ug/L								
HW34a-F	Nickel	1.10		ug/L	300.00	ug/L								
HW34a	Potassium	2,000.00	U	ug/L										
HW34a-F	Potassium	2,000.00	U	ug/L										
HW34a	Selenium	5.00	U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a-F	Selenium	5.00	U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a	Silver	1.00	U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW34a-F	Silver	1.00	U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW34a	Sodium	**39,600.00**		ug/L	20,000.00	ug/L								
HW34a-F	Sodium	**39,700.00**		ug/L	20,000.00	ug/L								
HW34a	Strontium	1,120.00		ug/L	9,300.00	ug/L								
HW34a-F	Strontium	1,120.00		ug/L	9,300.00	ug/L								
HW34a	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-F	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW34a	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW34a-F	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW34a	Titanium	200.00	U	ug/L										
HW34a-F	Titanium	200.00	U	ug/L										
HW34a	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW34a-F	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW34a	Vanadium	5.00	U	ug/L	78.00	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-F	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW34a	Zinc	2.00	U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW34a-F	Zinc	2.00	U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW34a	Oil and Grease	5.00	UJ	mg/L										
HW34a	Total Dissolved Solids	199.00		mg/L					500.00	mg/L			500.00	mg/L
HW34a	Total Suspended Solids	10.00	U	mg/L										
HW34a	1-Methylnaphthalene	4.76	U	ug/L	97.00	ug/ L								
HW34a	Acenaphthene	57.10	U	ug/L	400.00	ug/L								
HW34a	Acenaphthylene	4.76	U	ug/L										
HW34a	Acetophenone	4.76	U	ug/L	1,500.00	ug/L								
HW34a	Anthracene	4.76	U	ug/L	1,300.00	ug/L								
HW34a	Atrazine	4.76	U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW34a	Benzo(a)anthracene	4.76	U	ug/L	2.90	ug/L								
HW34a	Benzo(a)pyrene	4.76	U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW34a	Biphenyl	4.76	U	ug/L										
HW34a	Bromophenyl-4 Phenyl Ether	57.10	U	ug/L										
HW34a	Butylbenzyl phthalate	4.76	U	ug/L	1,400.00	ug/L								
HW34a	Caprolactam	4.76	U	ug/L	7,700.00	ug/L								
HW34a	Carbazole	4.76	U	ug/L										
HW34a	Chlorobenzenamine-4	4.76	U	ug/L	3.20	ug/L								
HW34a	Chloronaphthalene-2	4.76	U	ug/L	550.00	ug/L								
HW34a	Chlorophenol-2	4.76	U	ug/L	71.00	ug/L								
HW34a	Chlorophenyl-4 phenyl ether	4.76	U	ug/L										
HW34a	Chrysene	4.76	U	ug/L	290.00	ug/L								
HW34a	Cresol, parachloro meta-	4.76	U	ug/L										
HW34a	Cresol-4,6-dinitro-ortho	57.10	U	ug/L										
HW34a	Cresol-o	4.76	U	ug/L	720.00	ug/L								
HW34a	Cresol-p	4.76	U	ug/L	72.00	ug/L								
HW34a	Dibenz(a,h)anthracene	4.76	U	ug/L	0.29	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Dibenzofuran	4.76	U	ug/L										
HW34a	Dichlorobenzidine-3,3'	4.76	U	ug/L	11.00	ug/L								
HW34a	Dichlorophenol-2,4	4.76	U	ug/L	35.00	ug/L								
HW34a	Dimethylphenol, 2,4-	4.76	U	ug/L	270.00	ug/L								
HW34a	Dinitrophenol-2,4	57.10	U	ug/L	30.00	ug/L								
HW34a	Dinitrotoluene-2,4	4.76	U	ug/L										
HW34a	Dinitrotoluene-2,6	57.10	U	ug/L										
HW34a	Ether, bis(2-chloroethyl)	4.76	U	ug/L	1.20	ug/L								
HW34a	Ether-bis(2-chloroisopropyl)	57.10	U	ug/L										
HW34a	Fluoranthene	4.76	U	ug/L	630.00	ug/L								
HW34a	Fluoranthene benzo(k)	4.76	U	ug/L	29.00	ug/L								
HW34a	Fluoranthene-benzo(b)	4.76	U	ug/L	5.60	ug/L								
HW34a	Fluorene	57.10	U	ug/L	220.00	ug/L								
HW34a	Hexachlorobenzene	4.76	U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW34a	Hexachlorobutadiene	4.76	U	ug/L	26.00	ug/L								
HW34a	Hexachlorobutadiene	0.50	U	ug/L	26.00	ug/L								
HW34a	Hexachlorocyclopentadiene	4.76	U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a	Hexachloroethane	4.76	U	ug/L	5.10	ug/L								
HW34a	Isophorone	4.76	U	ug/L	6,700.00	ug/L								
HW34a	Methane, bis(2-chloroethoxy)	4.76	U	ug/L	47.00	ug/L								
HW34a	Methylnaphthalene-2	4.76	U	ug/L	27.00	ug/L								
HW34a	Naphthalene	4.76	U	ug/L	14.00	ug/L								
HW34a	Naphthalene	0.50	U	ug/L	14.00	ug/L								
HW34a	Nitroaniline, ortho	4.76	U	ug/L	150.00	ug/L								
HW34a	Nitroaniline-3	4.76	U	ug/L										
HW34a	Nitrobenzenamine-4	4.76	U	ug/L	61.00	ug/L								
HW34a	Nitrobenzene	4.76	U	ug/L	12.00	ug/L								
HW34a	Nitrophenol-2	4.76	U	ug/L										
HW34a	Nitrophenol-4	9.52	U	ug/L										

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Nitrosodimethylamine-n	4.76 U	ug/L	0.04	ug/L								
HW34a	Nitrosodiphenylamine-n	4.76 U	ug/L	1,000.00	ug/L								
HW34a	Pentachlorophenol	57.10 U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		
HW34a	Perylene-benzo(ghi)	4.76 U	ug/L										
HW34a	Phenanthrene	57.10 U	ug/L										
HW34a	Phenol	4.76 U	ug/L	4,500.00	ug/L								
HW34a	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00 U	ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW34a	Phthalate, Dimethyl	4.76 U	ug/L	1,400.00	ug/L								
HW34a	Phthalate, di-n-butyl-	5.00 U	ug/L	670.00	ug/L								
HW34a	Phthalate, di-n-octyl	4.76 U	ug/L										
HW34a	Phthalate-diethyl	4.76 U	ug/L	11,000.00	ug/L								
HW34a	Propylamine,n-nitroso di-n-	4.76 U	ug/L	0.93	ug/L								
HW34a	Pyrene	57.10 U	ug/L	87.00	ug/L								
HW34a	Pyrene-indeno(1,2,3-cd)	4.76 U	ug/L	3.00	ug/L								
HW34a	Tetrachlorobenzene, 1,2,4,5-	4.76 U	ug/L	1.20	ug/L								
HW34a	Tetrachlorophenol, 2,3,4,6-	4.76 U	ug/L	170.00	ug/L								
HW34a	Trichlorophenol-2,4,5	4.76 U	ug/L	890.00	ug/L								
HW34a	Trichlorophenol-2,4,6	4.76 U	ug/L	9.04	ug/L								
HW34a	TPH - Diesel Range Organics	250.00 U	ug/L										
HW34a	TPH - Oil Range Organics	1,000.00 U	ug/L										
HW34a	TPH as Gasoline	50.00 U	ug/L										
HW34a	4-Methyl-2-pentanone	2.00 U	ug/L	1,000.00	ug/L								
HW34a	Acetone	2.00 U	ug/L										
HW34a	Benzene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a	Bromobenzene	0.50 U	ug/L										
HW34a	Bromoform	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a	Butylbenzene	0.50 U	ug/L										
HW34a	Butylbenzene, sec-	0.50 U	ug/L										
HW34a	Butylbenzene, tert-	0.50 U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Carbon disulfide	1.40		ug/L										
HW34a	Carbon Tetrachloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a	Chlorobenzene	0.50	U	ug/L			100.00	ug/L						
HW34a	Chlorobromomethane	0.50	U	ug/L										
HW34a	Chloroethane	0.50	U	ug/L										
HW34a	Chloroform	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a	Chlorotoluene	0.50	U	ug/L	180.00	ug/L								
HW34a	Chlorotoluene-p	0.50	U	ug/L	190.00	ug/L								
HW34a	Cyclohexane	0.50	UJ	ug/L										
HW34a	DBCP	0.50	U	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW34a	Dibromochloromethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a	Dibromoethane-1,2	0.50	U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW34a	Dibromomethane	0.50	U	ug/L										
HW34a	Dichlorobenzene-1,2	0.50	U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW34a	Dichlorobenzene-1,3	0.50	U	ug/L										
HW34a	Dichlorobenzene-1,4	0.50	U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW34a	Dichlorobromomethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a	Dichlorodifluoromethane	0.50	U	ug/L										
HW34a	Dichloroethane-1,1	0.50	U	ug/L	240.00	ug/L								
HW34a	Dichloroethane-1,2	0.50	U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW34a	Dichloroethene-1,2 trans	0.50	U	ug/L										
HW34a	Dichloroethylene-1,1	0.50	U	ug/L			7.00	ug/L			7.00	ug/L		
HW34a	Dichloroethylene-1,2 cis	0.50	U	ug/L			70.00	ug/L			70.00	ug/L		
HW34a	Dichloropropane, 1,2-	0.50	U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW34a	Dichloropropane, 1,3-	0.50	U	ug/L	290.00	ug/L								
HW34a	Dichloropropane, 2,2-	0.50	U	ug/L										
HW34a	Dichloropropene, 1,1-	0.50	U	ug/L										
HW34a	Dichloropropene, 1,3 cis-	0.50	U	ug/L										
HW34a	Dichloropropene, 1,3 trans-	0.50	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Ethylbenzene	0.50	U	ug/L			700.00	ug/L			700.00	ug/L		
HW34a	Freon 113	0.50	UJ	ug/L										
HW34a	Hexanone, 2-	2.00	U	ug/L	34.00	ug/L								
HW34a	Isopropylbenzene	0.50	U	ug/L										
HW34a	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW34a	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW34a	Methyl acetate	0.50	UJ	ug/L										
HW34a	Methyl bromide	0.50	U	ug/L										
HW34a	Methyl chloride	0.50	U	ug/L										
HW34a	Methyl cyclohexane	0.50	UJ	ug/L										
HW34a	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW34a	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW34a	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a	Propylbenzene-n	0.50	U	ug/L										
HW34a	Styrene	1.00	UJ	ug/L			100.00	ug/L			100.00	ug/L		
HW34a	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW34a	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								
HW34a	Tetrachloroethylene	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a	Toluene	0.50	U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW34a	Trichlorobenzene-1,2,3	0.50	U	ug/L	5.20	ug/L								
HW34a	Trichlorobenzene-1,2,4	0.50	U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW34a	Trichloroethane-1,1,1	0.50	U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW34a	Trichloroethane-1,1,2	0.50	U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW34a	Trichloroethylene	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a	Trichlorofluoromethane	0.50	U	ug/L										
HW34a	Trichloropropane-1,2,3	0.50	U	ug/L	0.07	ug/L								
HW34a	Trimethylbenzene-1,2,4	0.50	U	ug/L	15.00	ug/L								
HW34a	Trimethylbenzene-1,3,5	0.50	U	ug/L	87.00	ug/L								
HW34a	Vinyl acetate	0.50	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a	Vinyl chloride	0.50	U	ug/L			2.00	ug/L			2.00	ug/L		
HW34a	Xylene-o	1.00	UJ	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW34a	Nitrogen, Nitrite + Nitrate	0.05	U	mg/L			10.00	mg/L			10.00	mg/L		
HW34a	Total Nitrogen	1.00	U	mg/L										
HW34a	Total Phosphorus as P	0.05	U	mg/L										
HW34a-P	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW34a-P	1-Propanol	10.00	U	ug/mL										
HW34a-P	2-Butanol	10.00	U	ug/mL										
HW34a-P	Ethanol	10.00	U	ug/mL										
HW34a-P	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW34a-P	Anionic Surfactants	0.03		mg/L										
HW34a-P	Heterotrophic Plate Count		R	cfu/1ml										
HW34a-P	Total Coliform Bacteria	1.00	U	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW34a-P	Ethane	1.60		ug/L										
HW34a-P	Ethene	1.10	U	ug/L										
HW34a-P	Methane	470.00		ug/L	28,000.00	ug/L								
HW34a-P	2-Butoxyethanol	5.00	U	ug/L										
HW34a-P	2-Methoxyethanol	10.00	U	ug/L	78.00	ug/L								
HW34a-P	2-Methoxyethanol	60.00	U	ug/L	78.00	ug/L								
HW34a-P	Diethylene Glycol	50.00	U	ug/L	8,000.00	ug/L								
HW34A-P	Diethylene glycol		R	ug/L	8,000.00	ug/L								
HW34A-P	Ethanol, 2-ethoxy-	10,000.00	U	ug/L										
HW34A-P	Ethanol, 2-methoxy-	10,000.00	U	ug/L	78.00	ug/L								
HW34A-P	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW34a-P	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW34a-P	Tetraethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW34A-P	Triethylene glycol		R	ug/L	8,000.00	ug/L								
HW34a-P	Triethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW34a-P	Bromide	0.50	U	mg/L										

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Chloride	49.40	mg/L					250.00	mg/L			250.00	mg/L
HW34a-P	Fluoride	0.10 U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW34a-P	Sulfate	1.01	mg/L					250.00	mg/L			250.00	mg/L
HW34a-P	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-PF	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-P	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW34a-PF	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW34a-P	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW34a-PF	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW34a-P	Arsenic	1.00	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW34a-PF	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW34a-P	Barium	1,400.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW34a-PF	Barium	1,410.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW34a-P	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW34a-PF	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW34a-P	Boron	81.10	ug/L	3,100.00	ug/L								
HW34a-PF	Boron	80.00	ug/L	3,100.00	ug/L								
HW34a-P	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW34a-PF	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW34a-P	Calcium	26,700.00	ug/L										
HW34a-PF	Calcium	26,600.00	ug/L										
HW34a-P	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW34a-PF	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW34a-P	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW34a-PF	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW34a-P	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW34a-PF	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW34a-P	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW34a-PF	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW34a-PF	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW34a-P	Lithium	200.00 U	ug/L	31.00	ug/L								
HW34a-PF	Lithium	200.00 U	ug/L	31.00	ug/L								
HW34a-P	Magnesium	7,910.00	ug/L										
HW34a-PF	Magnesium	7,940.00	ug/L										
HW34a-P	Manganese	79.70	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW34a-PF	Manganese	78.80	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW34a-P	Nickel	1.00	ug/L	300.00	ug/L								
HW34a-PF	Nickel	1.00	ug/L	300.00	ug/L								
HW34a-P	Potassium	2,000.00 U	ug/L										
HW34a-PF	Potassium	2,000.00 U	ug/L										
HW34a-P	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a-PF	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a-P	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW34a-PF	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW34a-P	Sodium	**38,700.00**	ug/L	20,000.00	ug/L								
HW34a-PF	Sodium	**38,800.00**	ug/L	20,000.00	ug/L								
HW34a-P	Strontium	1,100.00	ug/L	9,300.00	ug/L								
HW34a-PF	Strontium	1,100.00	ug/L	9,300.00	ug/L								
HW34a-P	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-PF	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW34a-P	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW34a-PF	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW34a-P	Titanium	200.00 U	ug/L										
HW34a-PF	Titanium	200.00 U	ug/L										
HW34a-P	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW34a-PF	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW34a-P	Vanadium	5.00 U	ug/L	78.00	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-PF	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW34a-P	Zinc	2.00	U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW34a-PF	Zinc	2.00	U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW34a-P	Oil and Grease	5.00	UJ	mg/L										
HW34a-P	Total Dissolved Solids	192.00		mg/L					500.00	mg/L			500.00	mg/L
HW34a-P	Total Suspended Solids	10.00	U	mg/L										
HW34a-P	1-Methylnaphthalene	5.00	U	ug/L	97.00	ug/ L								
HW34a-P	Acenaphthene	60.00	U	ug/L	400.00	ug/L								
HW34a-P	Acenaphthylene	5.00	U	ug/L										
HW34a-P	Acetophenone	5.00	U	ug/L	1,500.00	ug/L								
HW34a-P	Anthracene	5.00	U	ug/L	1,300.00	ug/L								
HW34a-P	Atrazine	5.00	U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW34a-P	Benzo(a)anthracene	5.00	U	ug/L	2.90	ug/L								
HW34a-P	Benzo(a)pyrene	5.00	U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW34a-P	Biphenyl	5.00	U	ug/L										
HW34a-P	Bromophenyl-4 Phenyl Ether	60.00	U	ug/L										
HW34a-P	Butylbenzyl phthalate	5.00	U	ug/L	1,400.00	ug/L								
HW34a-P	Caprolactam	5.00	U	ug/L	7,700.00	ug/L								
HW34a-P	Carbazole	5.00	U	ug/L										
HW34a-P	Chlorobenzenamine-4	5.00	U	ug/L	3.20	ug/L								
HW34a-P	Chloronaphthalene-2	5.00	U	ug/L	550.00	ug/L								
HW34a-P	Chlorophenol-2	5.00	U	ug/L	71.00	ug/L								
HW34a-P	Chlorophenyl-4 phenyl ether	5.00	U	ug/L										
HW34a-P	Chrysene	5.00	U	ug/L	290.00	ug/L								
HW34a-P	Cresol, parachloro meta-	5.00	U	ug/L										
HW34a-P	Cresol-4,6-dinitro-ortho	60.00	U	ug/L										
HW34a-P	Cresol-o	5.00	U	ug/L	720.00	ug/L								
HW34a-P	Cresol-p	5.00	U	ug/L	72.00	ug/L								
HW34a-P	Dibenz(a,h)anthracene	5.00	U	ug/L	0.29	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Dibenzofuran	5.00	U	ug/L										
HW34a-P	Dichlorobenzidine-3,3'	5.00	U	ug/L	11.00	ug/L								
HW34a-P	Dichlorophenol-2,4	5.00	U	ug/L	35.00	ug/L								
HW34a-P	Dimethylphenol, 2,4-	5.00	U	ug/L	270.00	ug/L								
HW34a-P	Dinitrophenol-2,4	60.00	U	ug/L	30.00	ug/L								
HW34a-P	Dinitrotoluene-2,4	5.00	U	ug/L										
HW34a-P	Dinitrotoluene-2,6	60.00	U	ug/L										
HW34a-P	Ether, bis(2-chloroethyl)	5.00	U	ug/L	1.20	ug/L								
HW34a-P	Ether-bis(2-chloroisopropyl)	60.00	U	ug/L										
HW34a-P	Fluoranthene	5.00	U	ug/L	630.00	ug/L								
HW34a-P	Fluoranthene benzo(k)	5.00	U	ug/L	29.00	ug/L								
HW34a-P	Fluoranthene-benzo(b)	5.00	U	ug/L	5.60	ug/L								
HW34a-P	Fluorene	60.00	U	ug/L	220.00	ug/L								
HW34a-P	Hexachlorobenzene	5.00	U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW34a-P	Hexachlorobutadiene	5.00	U	ug/L	26.00	ug/L								
HW34a-P	Hexachlorobutadiene	0.50	U	ug/L	26.00	ug/L								
HW34a-P	Hexachlorocyclopentadiene	5.00	U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		
HW34a-P	Hexachloroethane	5.00	U	ug/L	5.10	ug/L								
HW34a-P	Isophorone	5.00	U	ug/L	6,700.00	ug/L								
HW34a-P	Methane, bis(2-chloroethoxy)	5.00	U	ug/L	47.00	ug/L								
HW34a-P	Methylnaphthalene-2	5.00	U	ug/L	27.00	ug/L								
HW34a-P	Naphthalene	0.50	U	ug/L	14.00	ug/L								
HW34a-P	Naphthalene	5.00	U	ug/L	14.00	ug/L								
HW34a-P	Nitroaniline, ortho	5.00	U	ug/L	150.00	ug/L								
HW34a-P	Nitroaniline-3	5.00	U	ug/L										
HW34a-P	Nitrobenzenamine-4	5.00	U	ug/L	61.00	ug/L								
HW34a-P	Nitrobenzene	5.00	U	ug/L	12.00	ug/L								
HW34a-P	Nitrophenol-2	5.00	U	ug/L										
HW34a-P	Nitrophenol-4	10.00	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Nitrosodimethylamine-n	5.00	U	ug/L	0.04	ug/L								
HW34a-P	Nitrosodiphenylamine-n	5.00	U	ug/L	1,000.00	ug/L								
HW34a-P	Pentachlorophenol	60.00	U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		
HW34a-P	Perylene-benzo(ghi)	5.00	U	ug/L										
HW34a-P	Phenanthrene	60.00	U	ug/L										
HW34a-P	Phenol	5.00	U	ug/L	4,500.00	ug/L								
HW34a-P	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00	U	ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW34a-P	Phthalate, Dimethyl	5.00	U	ug/L	1,400.00	ug/L								
HW34a-P	Phthalate, di-n-butyl-	5.00	U	ug/L	670.00	ug/L								
HW34a-P	Phthalate, di-n-octyl	5.00	U	ug/L										
HW34a-P	Phthalate-diethyl	5.00	U	ug/L	11,000.00	ug/L								
HW34a-P	Propylamine,n-nitroso di-n-	5.00	U	ug/L	0.93	ug/L								
HW34a-P	Pyrene	60.00	U	ug/L	87.00	ug/L								
HW34a-P	Pyrene-indeno(1,2,3-cd)	5.00	U	ug/L	3.00	ug/L								
HW34a-P	Tetrachlorobenzene, 1,2,4,5-	5.00	U	ug/L	1.20	ug/L								
HW34a-P	Tetrachlorophenol, 2,3,4,6-	5.00	U	ug/L	170.00	ug/L								
HW34a-P	Trichlorophenol-2,4,5	5.00	U	ug/L	890.00	ug/L								
HW34a-P	Trichlorophenol-2,4,6	5.00	U	ug/L	9.04	ug/L								
HW34a-P	TPH - Diesel Range Organics	250.00	U	ug/L										
HW34a-P	TPH - Oil Range Organics	1,000.00	U	ug/L										
HW34a-P	TPH as Gasoline	50.00	U	ug/L										
HW34a-P	4-Methyl-2-pentanone	2.00	U	ug/L	1,000.00	ug/L								
HW34a-P	Acetone	2.00	U	ug/L										
HW34a-P	Benzene	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a-P	Bromobenzene	0.50	U	ug/L										
HW34a-P	Bromoform	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a-P	Butylbenzene	0.50	U	ug/L										
HW34a-P	Butylbenzene, sec-	0.50	U	ug/L										
HW34a-P	Butylbenzene, tert-	0.50	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Carbon disulfide	0.50	U	ug/L										
HW34a-P	Carbon Tetrachloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a-P	Chlorobenzene	0.50	U	ug/L			100.00	ug/L						
HW34a-P	Chlorobromomethane	0.50	U	ug/L										
HW34a-P	Chloroethane	0.50	U	ug/L										
HW34a-P	Chloroform	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a-P	Chlorotoluene	0.50	U	ug/L	180.00	ug/L								
HW34a-P	Chlorotoluene-p	0.50	U	ug/L	190.00	ug/L								
HW34a-P	Cyclohexane	0.50	UJ	ug/L										
HW34a-P	DBCP	0.50	U	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW34a-P	Dibromochloromethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a-P	Dibromoethane-1,2	0.50	U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW34a-P	Dibromomethane	0.50	U	ug/L										
HW34a-P	Dichlorobenzene-1,2	0.50	U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW34a-P	Dichlorobenzene-1,3	0.50	U	ug/L										
HW34a-P	Dichlorobenzene-1,4	0.50	U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW34a-P	Dichlorobromomethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW34a-P	Dichlorodifluoromethane	0.50	U	ug/L										
HW34a-P	Dichloroethane-1,1	0.50	U	ug/L	240.00	ug/L								
HW34a-P	Dichloroethane-1,2	0.50	U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW34a-P	Dichloroethene-1,2 trans	0.10	J	ug/L										
HW34a-P	Dichloroethylene-1,1	0.50	U	ug/L			7.00	ug/L			7.00	ug/L		
HW34a-P	Dichloroethylene-1,2 cis	0.50	U	ug/L			70.00	ug/L			70.00	ug/L		
HW34a-P	Dichloropropane, 1,2-	0.50	U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW34a-P	Dichloropropane, 1,3-	0.50	U	ug/L	290.00	ug/L								
HW34a-P	Dichloropropane, 2,2-	0.50	U	ug/L										
HW34a-P	Dichloropropene, 1,1-	0.50	U	ug/L										
HW34a-P	Dichloropropene, 1,3 cis-	0.50	U	ug/L										
HW34a-P	Dichloropropene, 1,3 trans-	0.50	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Ethylbenzene	0.50	U	ug/L			700.00	ug/L			700.00	ug/L		
HW34a-P	Freon 113	0.50	UJ	ug/L										
HW34a-P	Hexanone, 2-	2.00	U	ug/L	34.00	ug/L								
HW34a-P	Isopropylbenzene	0.50	U	ug/L										
HW34a-P	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW34a-P	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW34a-P	Methyl acetate	0.50	UJ	ug/L										
HW34a-P	Methyl bromide	0.50	U	ug/L										
HW34a-P	Methyl chloride	0.50	U	ug/L										
HW34a-P	Methyl cyclohexane	0.50	UJ	ug/L										
HW34a-P	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW34a-P	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW34a-P	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a-P	Propylbenzene-n	0.50	U	ug/L										
HW34a-P	Styrene	1.00	UJ	ug/L			100.00	ug/L			100.00	ug/L		
HW34a-P	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW34a-P	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								
HW34a-P	Tetrachloroethylene	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a-P	Toluene	0.50	U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW34a-P	Trichlorobenzene-1,2,3	0.50	U	ug/L	5.20	ug/L								
HW34a-P	Trichlorobenzene-1,2,4	0.50	U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW34a-P	Trichloroethane-1,1,1	0.50	U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW34a-P	Trichloroethane-1,1,2	0.50	U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW34a-P	Trichloroethylene	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW34a-P	Trichlorofluoromethane	0.50	U	ug/L										
HW34a-P	Trichloropropane-1,2,3	0.50	U	ug/L	0.07	ug/L								
HW34a-P	Trimethylbenzene-1,2,4	0.50	U	ug/L	15.00	ug/L								
HW34a-P	Trimethylbenzene-1,3,5	0.50	U	ug/L	87.00	ug/L								
HW34a-P	Vinyl acetate	0.50	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW34a-P	Vinyl chloride	0.50	U	ug/L			2.00	ug/L			2.00	ug/L		
HW34a-P	Xylene-o	1.00	UJ	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW34a-P	Nitrogen, Nitrite + Nitrate	0.05	U	mg/L			10.00	mg/L			10.00	mg/L		
HW34a-P	Total Nitrogen	1.00	U	mg/L										
HW34a-P	Total Phosphorus as P	0.05	U	mg/L										