EPA Validated Data Summary Report - HW06
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	2-Butanol	Alcohols	1/26/2012	10.00	U	ug/mL	U		10			
HW06	Ethanol	Alcohols	1/26/2012	10.00	U	ug/mL	U		10			
HW06	Methanol	Alcohols	1/26/2012	10.00	U	ug/mL	U		10		7.8	mg/mL
HW06	Anionic Surfactants	Anionic Surfact	1/26/2012	0.01	U	mg/L			0.01	0.01		
HW06	Heterotrophic Plate Count	Bacteria	1/26/2012		R	cfu/1ml	R5		1			
HW06	Total Coliform Bacteria	Bacteria	1/26/2012	1.00	UJ	cfu/100 ml	K1		1		0.001	
HW06	Ethene	Dissolved Gas	1/26/2012	1.10	U	ug/L	U	0.5		1.1		
HW06	Methane	Dissolved Gas	1/26/2012	23,000.00		ug/L		74		150	28000	ug/L
HW06	Ethane	Dissovled Gas	1/26/2012	820.00		ug/L		68		150		
HW06	2-Butoxyethanol	Glycols	1/26/2012	10.00	U	ug/l	U		10			
HW06	2-Methoxyethanol	Glycols	1/26/2012	5.00	U	ug/l	U		5		78	ug/L
HW06	2-Methoxyethanol	Glycols	1/26/2012	10.00	UJ	ug/l	U		10		78	ug/L
HW06	Diethylene glycol	Glycols	1/26/2012	10.00	UJ	mg/L	U	0.51	10	10	8000	ug/L
HW06	Diethylene Glycol	Glycols	1/26/2012	50.00	U	ug/l	U		50		8000	ug/L
HW06	Ethanol, 2-ethoxy-	Glycols	1/26/2012	10.00	UJ	mg/L	U	0.94	10	10		
HW06	Ethanol, 2-methoxy-	Glycols	1/26/2012	10.00	UJ	mg/L	U	0.76	10	10	0.078	mg/L
HW06	Ethylene glycol	Glycols	1/26/2012	10.00	UJ	mg/L	U	0.76	10	10	31	mg/L

DIM0189666

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Ethylene glycol	Glycols	1/26/2012	10.00	U	mg/L	U	5	10	10	31	mg/L
HW06	TETRAETHYLENE GLYCOL	Glycols	1/26/2012	25.00	U	ug/l	U		25		8000	ug/L
HW06	Triethylene glycol	Glycols	1/26/2012	10.00	UJ	mg/L	U	1.6	10	10	8000	ug/L
HW06	TRIETHYLENE GLYCOL	Glycols	1/26/2012	25.00	U	ug/l	U		25		8000	ug/L
HW06	Bromide	Inorganic Ions	1/26/2012	0.50	U	mg/l	U	0.019	0.5	0.019		
HW06	Chloride	Inorganic Ions	1/26/2012	3.42		mg/l		0.056	0.25	0.056	250	mg/L
HW06	Fluoride	Inorganic Ions	1/26/2012	**0.63**		mg/l		0.019	0.1	0.019	0.62	mg/L
HW06	Sulfate	Inorganic Ions	1/26/2012	9.24		mg/l		0.116	0.5	0.116		
HW06	Mercury	Mercury	1/26/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW06-F	Mercury	Mercury	1/26/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW06	Aluminum	Metals	1/26/2012	2,020.00		ug/l		19.5	200	19.5	16000	ug/L
HW06-F	Aluminum	Metals	1/26/2012	30.00	U	ug/l	U		30		16000	ug/L
HW06	Antimony	Metals	1/26/2012	2.00	U	ug/l	U		2		6	ug/L
HW06-F	Antimony	Metals	1/26/2012	2.00	U	ug/l	U		2		6	ug/L
HW06	Arsenic	Metals	1/26/2012	**7.60**		ug/l	D		1		4	ug/L
HW06-F	Arsenic	Metals	1/26/2012	**6.30**		ug/l	D		1		4	ug/L
HW06	Barium	Metals	1/26/2012	164.00		ug/l	D		10		2900	ug/L
HW06-F	Barium	Metals	1/26/2012	92.40		ug/l	D		10		2900	ug/L
HW06	Beryllium	Metals	1/26/2012	1.00	U	ug/l	U		1		16	ug/L
HW06-F	Beryllium	Metals	1/26/2012	1.00	U	ug/l	U		1		16	ug/L
HW06	Boron	Metals	1/26/2012	325.00		ug/l		3.5	50	3.5	3100	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06-F	Boron	Metals	1/26/2012	321.00		ug/l		3.5	50	3.5	3100	ug/L
HW06	Cadmium	Metals	1/26/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW06-F	Cadmium	Metals	1/26/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW06	Calcium	Metals	1/26/2012	2,570.00		ug/l		6.6	500	6.6		
HW06-F	Calcium	Metals	1/26/2012	2,370.00		ug/l		6.6	500	6.6		
HW06	Chromium	Metals	1/26/2012	**10.80**		ug/l	D		2		3.1	ug/L
HW06-F	Chromium	Metals	1/26/2012	2.00	U	ug/l	U		2		3.1	ug/L
HW06	Cobalt	Metals	1/26/2012	1.30		ug/l	D		1		4.7	ug/L
HW06-F	Cobalt	Metals	1/26/2012	1.00	U	ug/l	U		1		4.7	ug/L
HW06	Copper	Metals	1/26/2012	7.20		ug/l	D		2		620	ug/L
HW06-F	Copper	Metals	1/26/2012	2.00	U	ug/l	U		2		620	ug/L
HW06	Iron	Metals	1/26/2012	2,970.00		ug/l		2.6	100	2.6	11000	ug/L
HW06-F	Iron	Metals	1/26/2012	100.00	U	ug/l	U	2.6	100	2.6	11000	ug/L
HW06	Lead	Metals	1/26/2012	1.80		ug/l	D		1		15	ug/L
HW06-F	Lead	Metals	1/26/2012	1.00	U	ug/l	U		1		15	ug/L
HW06	Lithium	Metals	1/26/2012	**236.00**		ug/l			200		31	ug/L
HW06-F	Lithium	Metals	1/26/2012	**228.00**		ug/l			200		31	ug/L
HW06	Magnesium	Metals	1/26/2012	799.00		ug/l		20.4	500	20.4		
HW06-F	Magnesium	Metals	1/26/2012	500.00	U	ug/l	U	20.4	500	20.4		
HW06	Manganese	Metals	1/26/2012	65.30		ug/l	D		1		320	ug/L
HW06-F	Manganese	Metals	1/26/2012	8.90		ug/l	D		1		320	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Nickel	Metals	1/26/2012	6.80		ug/l	D		1		300	ug/L
HW06-F	Nickel	Metals	1/26/2012	1.00	U	ug/l	U		1		300	ug/L
HW06	Potassium	Metals	1/26/2012	2,110.00		ug/l		47.8	2000	47.8		
HW06-F	Potassium	Metals	1/26/2012	2,000.00	U	ug/l	U	47.8	2000	47.8		
HW06	Selenium	Metals	1/26/2012	5.00	U	ug/l	U		5		78	ug/L
HW06-F	Selenium	Metals	1/26/2012	5.00	U	ug/l	U		5		78	ug/L
HW06	Silver	Metals	1/26/2012	1.00	U	ug/l	U		1		71	ug/L
HW06-F	Silver	Metals	1/26/2012	1.00	U	ug/l	U		1		71	ug/L
HW06	Sodium	Metals	1/26/2012	**83,700.00**		ug/l		9.2	1000	9.2	20000	ug/L
HW06-F	Sodium	Metals	1/26/2012	**83,300.00**		ug/l		9.2	1000	9.2	20000	ug/L
HW06	Strontium	Metals	1/26/2012	229.00		ug/l			200		9300	ug/L
HW06-F	Strontium	Metals	1/26/2012	212.00		ug/l			200		9300	ug/L
HW06	Thallium	Metals	1/26/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW06-F	Thallium	Metals	1/26/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW06	Tin	Metals	1/26/2012	200.00	U	ug/l	U		200		9300	ug/L
HW06-F	Tin	Metals	1/26/2012	200.00	U	ug/l	U		200		9300	ug/L
HW06	Titanium	Metals	1/26/2012	200.00	U	ug/l	U		200			
HW06-F	Titanium	Metals	1/26/2012	200.00	U	ug/l	U		200			
HW06	Uranium	Metals	1/26/2012	2.10		ug/l	D		1		47	ug/L
HW06-F	Uranium	Metals	1/26/2012	1.90		ug/l	D		1		47	ug/L
HW06	Vanadium	Metals	1/26/2012	5.00	U	ug/l	U		5		78	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06-F	Vanadium	Metals	1/26/2012	5.00	U	ug/l	U		5		78	ug/L
HW06	Zinc	Metals	1/26/2012	33.70		ug/l	D		2		4700	ug/L
HW06-F	Zinc	Metals	1/26/2012	15.50		ug/l	D		2		4700	ug/L
HW06	Oil and Grease	Oil and Grease	1/26/2012	5.80	U	mg/l	U	0.9	5.8	0.9		
HW06	Total Dissolved Solids	Residue	1/26/2012	112.00		mg/l	J	10	10	10		
HW06	Total Suspended Solids	Residue	1/26/2012	44.00		mg/l			10			
HW06	1-Methylnaphthalene	SVOCs	1/26/2012	5.00	U	ug/l	U		5		97	ug/ L
HW06	Acenaphthene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	400	ug/L
HW06	Acenaphthylene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Acetophenone	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	1500	ug/L
HW06	Anthracene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	1300	ug/L
HW06	Atrazine	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	26	ug/L
HW06	Benzo(a)anthracene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	2.9	ug/L
HW06	Benzo(a)pyrene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	0.29	ug/L
HW06	Biphenyl	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Bromophenyl-4 Phenyl Ether	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Butylbenzyl phthalate	SVOCs	1/26/2012	0.09		ug/l	JB	0	5	0	1400	ug/L
HW06	Caprolactam	SVOCs	1/26/2012	0.19		ug/l	J	0	5	0	7700	ug/L
HW06	Carbazole	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Chlorobenzenamine-4	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	3.2	ug/L
HW06	Chloronaphthalene-2	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	550	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Chlorophenol-2	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	71	ug/L
HW06	Chlorophenyl-4 phenyl ether	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Chrysene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	290	ug/L
HW06	Cresol, parachloro meta-	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Cresol-4,6-dinitro-ortho	SVOCs	1/26/2012	10.00	U	ug/l	UUJ	0	10	0		
HW06	Cresol-o	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	720	ug/L
HW06	Cresol-p	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	72	ug/L
HW06	Dibenz(a,h)anthracene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	0.29	ug/L
HW06	Dibenzofuran	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Dichlorobenzidine-3,3'	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	11	ug/L
HW06	Dichlorophenol-2,4	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	35	ug/L
HW06	Dimethylphenol, 2,4-	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	270	ug/L
HW06	Dinitrophenol-2,4	SVOCs	1/26/2012	5.00	U	ug/l	UUJ		5		30	ug/L
HW06	Dinitrotoluene-2,4	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		ug/L
HW06	Dinitrotoluene-2,6	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		ug/L
HW06	Ether, bis(2-chloroethyl)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	1.2	ug/L
HW06	Ether-bis(2-chloroisopropyl)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Fluoranthene	SVOCs	1/26/2012	0.03		ug/l	J	0	5	0	630	ug/L
HW06	Fluoranthene benzo(k)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	29	ug/L
HW06	Fluoranthene-benzo(b)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	5.6	ug/L
HW06	Fluorene	SVOCs	1/26/2012	0.01		ug/l	J	0	5	0	220	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Hexachlorobenzene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	4.2	ug/L
HW06	Hexachlorobutadiene	SVOCs	1/26/2012	0.50	U	ug/l	U		0.5		26	ug/L
HW06	Hexachlorobutadiene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	26	ug/L
HW06	Hexachlorocyclopentadiene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	22	ug/L
HW06	Hexachloroethane	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	5.1	ug/L
HW06	Isophorone	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	6700	ug/L
HW06	Methane, bis(2-chloroethoxy)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	47	ug/L
HW06	Methylnaphthalene-2	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	27	ug/L
HW06	Naphthalene	SVOCs	1/26/2012	0.50	U	ug/l	U		0.5		14	ug/L
HW06	Naphthalene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	14	ug/L
HW06	Nitroaniline, ortho	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	150	ug/L
HW06	Nitroaniline-3	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Nitrobenzenamine-4	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	61	ug/L
HW06	Nitrobenzene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	12	ug/L
HW06	Nitrophenol-2	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Nitrophenol-4	SVOCs	1/26/2012	10.00	U	ug/l	U	0	10	0		
HW06	Nitrosodimethylamine-n	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	0.042	ug/L
HW06	Nitrosodiphenylamine-n	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	1000	ug/L
HW06	Pentachlorophenol	SVOCs	1/26/2012	5.00	U	ug/l	UUJ	0	5	0	17	ug/L
HW06	Perylene-benzo(ghi)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Phenanthrene	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Phenol	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	4500	ug/L
HW06	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/26/2012	5.00	U	ug/l	JB	0	5	0	7.1	ug/L
HW06	Phthalate, Dimethyl	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	1400	ug/L
HW06	Phthalate, di-n-butyl-	SVOCs	1/26/2012	5.00	U	ug/l	JB	0	5	0	670	ug/L
HW06	Phthalate, di-n-octyl	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0		
HW06	Phthalate-diethyl	SVOCs	1/26/2012	5.00	U	ug/l	JB	0	5	0	11000	ug/L
HW06	Propylamine,n-nitroso di-n-	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	0.93	ug/L
HW06	Pyrene	SVOCs	1/26/2012	0.04		ug/l	J	0	5	0	87	ug/L
HW06	Pyrene-indeno(1,2,3-cd)	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	3	ug/L
HW06	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/26/2012	5.00	U	ug/l	U		5		1.2	ug/L
HW06	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/26/2012	5.00	U	ug/l	U		5		170	ug/L
HW06	Trichlorophenol-2,4,5	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	890	ug/L
HW06	Trichlorophenol-2,4,6	SVOCs	1/26/2012	5.00	U	ug/l	U	0	5	0	9.04	ug/L
HW06	TPH - Diesel Range Organics	Total Petroleu	1/26/2012	250.00	U	ug/L	U	120		250		
HW06	TPH - Oil Range Organics	Total Petroleu	1/26/2012	1,000.00	U	ug/L	U	500		1000		
HW06	TPH as Gasoline	Total Petroleu	1/26/2012	50.00	U	ug/L	U	25		50		
HW06	4-Methyl-2-pentanone	VOCs	1/26/2012	2.00	U	ug/l	U		2		1000	ug/L
HW06	Acetone	VOCs	1/26/2012	2.00	U	ug/l	JB		2			
HW06	Benzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW06	Bromobenzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Bromoform	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		80	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Butylbenzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Butylbenzene, sec-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Butylbenzene, tert-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Carbon disulfide	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Carbon Tetrachloride	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW06	Chlorobenzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		100	ug/L
HW06	Chlorobromomethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Chloroethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Chloroform	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW06	Chlorotoluene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		180	ug/L
HW06	Chlorotoluene-p	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		190	ug/L
HW06	Cyclohexane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	DBCP	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		0.032	ug/L
HW06	Dibromochloromethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW06	Dibromoethane-1,2	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		0.65	ug/L
HW06	Dibromomethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichlorobenzene-1,2	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		280	ug/L
HW06	Dichlorobenzene-1,3	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichlorobenzene-1,4	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		42	ug/L
HW06	Dichlorobromomethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichlorodifluoromethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Dichloroethane-1,1	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		240	ug/L
HW06	Dichloroethane-1,2	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		15	ugL
HW06	Dichloroethene-1,2 trans	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloroethylene-1,1	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloroethylene-1,2 cis	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloropropane, 1,2-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		38	ug/L
HW06	Dichloropropane, 1,3-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		290	ug/L
HW06	Dichloropropane, 2,2-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloropropene, 1,1-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloropropene, 1,3 cis-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Dichloropropene, 1,3 trans-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Ethylbenzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Freon 113	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Hexanone, 2-	VOCs	1/26/2012	2.00	U	ug/l	U		2		34	ug/L
HW06	Isopropylbenzene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Isopropylbenzene-4,methyl-1	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	M,P-XYLENE (SUM OF ISOMERS)	VOCs	1/26/2012	1.00	U	ug/l	U		1			
HW06	Methyl acetate	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Methyl bromide	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Methyl chloride	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Methyl cyclohexane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Methyl ethyl ketone	VOCs	1/26/2012	2.00	U	ug/l	U		2		4900	ug/L
HW06	Methyl tertiary butyl ether (MTBE)	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Methylene chloride	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Propylbenzene-n	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Styrene	VOCs	1/26/2012	1.00	U	ug/l	U		1			
HW06	Tetrachloroethane, 1,1,1,2-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		50	ug/L
HW06	Tetrachloroethane, 1,1,2,2-	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		6.6	ug/L
HW06	Tetrachloroethylene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Toluene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Trichlorobenzene-1,2,3	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		5.2	ug/L
HW06	Trichlorobenzene-1,2,4	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		5.2	ug/L
HW06	Trichloroethane-1,1,1	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		7500	ug/L
HW06	Trichloroethane-1,1,2	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		0.41	ug/L
HW06	Trichloroethylene	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Trichlorofluoromethane	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Trichloropropane-1,2,3	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		0.065	ug/L
HW06	Trimethylbenzene-1,2,4	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		15	ug/L
HW06	Trimethylbenzene-1,3,5	VOCs	1/26/2012	0.50	U	ug/l	U		0.5		87	ug/L
HW06	Vinyl acetate	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Vinyl chloride	VOCs	1/26/2012	0.50	U	ug/l	U		0.5			
HW06	Xylene-o	VOCs	1/26/2012	1.00	U	ug/l	U		1			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW06	Nitrogen, Nitrite + Nitrate	Wet Chem	1/26/2012	0.05	U	mg/l	U	0.001	0.05	0.001		
HW06	Total Nitrogen	Wet Chem	1/26/2012	1.00	U	mg/l	U	0.2	1	0.2		
HW06	Total Phosphorus as P	Wet Chem	1/26/2012	0.10		mg/l			0.05			