EPA Validated Data Summary Report - HW02
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	2-Butanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10			
HW02z	2-Butanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10			
HW02	Ethanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10			
HW02z	Ethanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10			
HW02	Methanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10		7.8	mg/mL
HW02z	Methanol	Alcohols	1/25/2012	10.00	U	ug/mL	U		10		7.8	mg/mL
HW02	Anionic Surfactants	Anionic Surfact	1/25/2012	0.01	U	mg/L			0.01	0.01		
HW02z	Anionic Surfactants	Anionic Surfact	1/25/2012	0.01	U	mg/L			0.01	0.01		
HW02	Fecal Coliform Bacteria	Bacteria	1/25/2012	0.00		Negativ e					0.001	
HW02	Heterotrophic Plate Count	Bacteria	1/25/2012		R	cfu/1ml	R5		1			
HW02z	Heterotrophic Plate Count	Bacteria	1/25/2012		R	cfu/1ml	R5		1			
HW02	Total Coliform Bacteria	Bacteria	1/25/2012	**82.00**		cfu/100 ml			1		0.001	
HW02z	Total Coliform Bacteria	Bacteria	1/25/2012	1.00	U	cfu/100 ml			1		0.001	
HW02	Ethene	Dissolved Gas	1/25/2012	1.10	U	ug/L	U	0.5		1.1		
HW02z	Ethene	Dissolved Gas	1/25/2012	1.10	U	ug/L	U	0.5		1.1		
HW02	Methane	Dissolved Gas	1/25/2012	18,000.00		ug/L		74		150	28000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Methane	Dissolved Gas	1/25/2012	13,000.00		ug/L		74		150	28000	ug/L
HW02	Ethane	Dissovled Gas	1/25/2012	500.00		ug/L		5.9		13		
HW02z	Ethane	Dissovled Gas	1/25/2012	570.00		ug/L		5.9		13		
HW02	2-Butoxyethanol	Glycols	1/25/2012	10.00	U	ug/l	U		10			
HW02z	2-Butoxyethanol	Glycols	1/25/2012	10.00	U	ug/l	U		10			
HW02	2-Methoxyethanol	Glycols	1/25/2012	10.00	UJ	ug/l	U		10		78	ug/L
HW02	2-Methoxyethanol	Glycols	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z	2-Methoxyethanol	Glycols	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z	2-Methoxyethanol	Glycols	1/25/2012	10.00	UJ	ug/l	U		10		78	ug/L
HW02	Diethylene Glycol	Glycols	1/25/2012	50.00	U	ug/l	U		50		8000	ug/L
HW02	Diethylene glycol	Glycols	1/25/2012		R	mg/L	J	0.51	10	10	8000	ug/L
HW02z	Diethylene Glycol	Glycols	1/25/2012	50.00	U	ug/l	U		50		8000	ug/L
HW02z	Diethylene glycol	Glycols	1/25/2012		R	mg/L	J	0.51	10	10	8000	ug/L
HW02	Ethanol, 2-ethoxy-	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.94	10	10		
HW02z	Ethanol, 2-ethoxy-	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.94	10	10		
HW02	Ethanol, 2-methoxy-	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.76	10	10	0.078	mg/L
HW02z	Ethanol, 2-methoxy-	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.76	10	10	0.078	mg/L
HW02	Ethylene glycol	Glycols	1/25/2012	10.00	U	mg/L	U	5	10	10	31	mg/L
HW02	Ethylene glycol	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.76	10	10	31	mg/L
HW02z	Ethylene glycol	Glycols	1/25/2012	10.00	UJ	mg/L	U	0.76	10	10	31	mg/L
HW02z	Ethylene glycol	Glycols	1/25/2012	10.00	U	mg/L	U	5	10	10	31	mg/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	TETRAETHYLENE GLYCOL	Glycols	1/25/2012	25.00	U	ug/l	U		25		8000	ug/L
HW02z	TETRAETHYLENE GLYCOL	Glycols	1/25/2012	25.00	U	ug/l	U		25		8000	ug/L
HW02	Triethylene glycol	Glycols	1/25/2012	10.00	UJ	mg/L	U	1.6	10	10	8000	ug/L
HW02	TRIETHYLENE GLYCOL	Glycols	1/25/2012	25.00	U	ug/l	U		25		8000	ug/L
HW02z	Triethylene glycol	Glycols	1/25/2012	10.00	UJ	mg/L	U	1.6	10	10	8000	ug/L
HW02z	TRIETHYLENE GLYCOL	Glycols	1/25/2012	25.00	U	ug/l	U		25		8000	ug/L
HW02	Bromide	Inorganic Ions	1/25/2012	0.50	U	mg/l	U	0.019	0.5	0.019		
HW02z	Bromide	Inorganic Ions	1/25/2012	0.50	U	mg/l	U	0.019	0.5	0.019		
HW02	Chloride	Inorganic Ions	1/25/2012	3.93		mg/l		0.056	0.25	0.056	250	mg/L
HW02z	Chloride	Inorganic Ions	1/25/2012	3.99		mg/l		0.056	0.25	0.056	250	mg/L
HW02	Fluoride	Inorganic Ions	1/25/2012	0.10	U	mg/l	U	0.019	0.1	0.019	0.62	mg/L
HW02z	Fluoride	Inorganic Ions	1/25/2012	0.10	U	mg/l	U	0.019	0.1	0.019	0.62	mg/L
HW02	Sulfate	Inorganic Ions	1/25/2012	8.85		mg/l		0.116	0.5	0.116		
HW02z	Sulfate	Inorganic Ions	1/25/2012	9.02		mg/l		0.116	0.5	0.116		
HW02	Mercury	Mercury	1/25/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW02-F	Mercury	Mercury	1/25/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW02z	Mercury	Mercury	1/25/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW02z-F	Mercury	Mercury	1/25/2012	0.20	U	ug/l	U	0.019	0.2	0.019	4.3	ug/L
HW02	Aluminum	Metals	1/25/2012	30.00	U	ug/l	U		30		16000	ug/L
HW02-F	Aluminum	Metals	1/25/2012	30.00	U	ug/l	U		30		16000	ug/L
HW02z	Aluminum	Metals	1/25/2012	30.00	U	ug/l	U		30		16000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z-F	Aluminum	Metals	1/25/2012	30.00	U	ug/l	U		30		16000	ug/L
HW02	Antimony	Metals	1/25/2012	2.00	U	ug/l	U		2		6	ug/L
HW02-F	Antimony	Metals	1/25/2012	2.00	U	ug/l	U		2		6	ug/L
HW02z	Antimony	Metals	1/25/2012	2.00	U	ug/l	U		2		6	ug/L
HW02z-F	Antimony	Metals	1/25/2012	2.00	U	ug/l	U		2		6	ug/L
HW02	Arsenic	Metals	1/25/2012	**4.00**		ug/l	D		2		4	ug/L
HW02-F	Arsenic	Metals	1/25/2012	2.60		ug/l	D		2		4	ug/L
HW02z	Arsenic	Metals	1/25/2012	3.20		ug/l	D		2		4	ug/L
HW02z-F	Arsenic	Metals	1/25/2012	2.30		ug/l	D		2		4	ug/L
HW02	Barium	Metals	1/25/2012	267.00		ug/l		1.2	200	1.2	2900	ug/L
HW02-F	Barium	Metals	1/25/2012	257.00		ug/l		1.2	200	1.2	2900	ug/L
HW02z	Barium	Metals	1/25/2012	275.00		ug/l		1.2	200	1.2	2900	ug/L
HW02z-F	Barium	Metals	1/25/2012	263.00		ug/l		1.2	200	1.2	2900	ug/L
HW02	Beryllium	Metals	1/25/2012	1.00	U	ug/l	U		1		16	ug/L
HW02-F	Beryllium	Metals	1/25/2012	1.00	U	ug/l	U		1		16	ug/L
HW02z	Beryllium	Metals	1/25/2012	1.00	U	ug/l	U		1		16	ug/L
HW02z-F	Beryllium	Metals	1/25/2012	1.00	U	ug/l	U		1		16	ug/L
HW02	Boron	Metals	1/25/2012	50.00	U	ug/l	U	3.5	50	3.5	3100	ug/L
HW02-F	Boron	Metals	1/25/2012	50.00	U	ug/l	U	3.5	50	3.5	3100	ug/L
HW02z	Boron	Metals	1/25/2012	50.00	U	ug/l	U	3.5	50	3.5	3100	ug/L
HW02z-F	Boron	Metals	1/25/2012	58.80		ug/l		3.5	50	3.5	3100	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Cadmium	Metals	1/25/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW02-F	Cadmium	Metals	1/25/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW02z	Cadmium	Metals	1/25/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW02z-F	Cadmium	Metals	1/25/2012	1.00	U	ug/l	U		1		6.9	ug/L
HW02	Calcium	Metals	1/25/2012	30,900.00		ug/l		6.6	500	6.6		
HW02-F	Calcium	Metals	1/25/2012	31,400.00		ug/l		6.6	500	6.6		
HW02z	Calcium	Metals	1/25/2012	31,700.00		ug/l		6.6	500	6.6		
HW02z-F	Calcium	Metals	1/25/2012	32,100.00		ug/l		6.6	500	6.6		
HW02	Chromium	Metals	1/25/2012	2.00	U	ug/l	U		2		3.1	ug/L
HW02-F	Chromium	Metals	1/25/2012	2.00	U	ug/l	U		2		3.1	ug/L
HW02z	Chromium	Metals	1/25/2012	2.00	U	ug/l	U		2		3.1	ug/L
HW02z-F	Chromium	Metals	1/25/2012	2.00	U	ug/l	U		2		3.1	ug/L
HW02	Cobalt	Metals	1/25/2012	1.00	U	ug/l	U		1		4.7	ug/L
HW02-F	Cobalt	Metals	1/25/2012	1.00	U	ug/l	U		1		4.7	ug/L
HW02z	Cobalt	Metals	1/25/2012	1.00	U	ug/l	U		1		4.7	ug/L
HW02z-F	Cobalt	Metals	1/25/2012	1.00	U	ug/l	U		1		4.7	ug/L
HW02	Copper	Metals	1/25/2012	3.50		ug/l	D		2		620	ug/L
HW02-F	Copper	Metals	1/25/2012	2.00	U	ug/l	U		2		620	ug/L
HW02z	Copper	Metals	1/25/2012	2.50		ug/l	D		2		620	ug/L
HW02z-F	Copper	Metals	1/25/2012	2.00	U	ug/l	U		2		620	ug/L
HW02	Iron	Metals	1/25/2012	1,580.00		ug/l		2.6	100	2.6	11000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02-F	Iron	Metals	1/25/2012	140.00		ug/l		2.6	100	2.6	11000	ug/L
HW02z	Iron	Metals	1/25/2012	1,620.00		ug/l		2.6	100	2.6	11000	ug/L
HW02z-F	Iron	Metals	1/25/2012	122.00		ug/l		2.6	100	2.6	11000	ug/L
HW02	Lead	Metals	1/25/2012	1.90		ug/l	D		1		15	ug/L
HW02-F	Lead	Metals	1/25/2012	1.00	U	ug/l	U		1		15	ug/L
HW02z	Lead	Metals	1/25/2012	1.20		ug/l	D		1		15	ug/L
HW02z-F	Lead	Metals	1/25/2012	1.00	U	ug/l	U		1		15	ug/L
HW02	Lithium	Metals	1/25/2012	200.00	U	ug/l	U		200		31	ug/L
HW02-F	Lithium	Metals	1/25/2012	200.00	U	ug/l	U		200		31	ug/L
HW02z	Lithium	Metals	1/25/2012	200.00	U	ug/l	U		200		31	ug/L
HW02z-F	Lithium	Metals	1/25/2012	200.00	U	ug/l	U		200		31	ug/L
HW02	Magnesium	Metals	1/25/2012	5,560.00		ug/l		20.4	500	20.4		
HW02-F	Magnesium	Metals	1/25/2012	5,610.00		ug/l		20.4	500	20.4		
HW02z	Magnesium	Metals	1/25/2012	5,730.00		ug/l		20.4	500	20.4		
HW02z-F	Magnesium	Metals	1/25/2012	5,750.00		ug/l		20.4	500	20.4		
HW02	Manganese	Metals	1/25/2012	112.00		ug/l	D		1		320	ug/L
HW02-F	Manganese	Metals	1/25/2012	105.00		ug/l	D		1		320	ug/L
HW02z	Manganese	Metals	1/25/2012	78.70	J	ug/l	JD		1		320	ug/L
HW02z-F	Manganese	Metals	1/25/2012	102.00		ug/l	D		1		320	ug/L
HW02	Nickel	Metals	1/25/2012	1.20		ug/l	D		1		300	ug/L
HW02-F	Nickel	Metals	1/25/2012	1.10		ug/l	D		1		300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Nickel	Metals	1/25/2012	1.00	U	ug/l	U		1		300	ug/L
HW02z-F	Nickel	Metals	1/25/2012	1.10		ug/l	D		1		300	ug/L
HW02	Potassium	Metals	1/25/2012	2,000.00	U	ug/l	U	47.8	2000	47.8		
HW02-F	Potassium	Metals	1/25/2012	2,000.00	U	ug/l	U	47.8	2000	47.8		
HW02z	Potassium	Metals	1/25/2012	2,000.00	U	ug/l	U	47.8	2000	47.8		
HW02z-F	Potassium	Metals	1/25/2012	2,000.00	U	ug/l	U	47.8	2000	47.8		
HW02	Selenium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02-F	Selenium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z	Selenium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z-F	Selenium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02	Silver	Metals	1/25/2012	1.00	U	ug/l	U		1		71	ug/L
HW02-F	Silver	Metals	1/25/2012	1.00	U	ug/l	U		1		71	ug/L
HW02z	Silver	Metals	1/25/2012	1.00	U	ug/l	U		1		71	ug/L
HW02z-F	Silver	Metals	1/25/2012	1.00	U	ug/l	U		1		71	ug/L
HW02	Sodium	Metals	1/25/2012	15,700.00		ug/l		9.2	1000	9.2	20000	ug/L
HW02-F	Sodium	Metals	1/25/2012	16,000.00		ug/l		9.2	1000	9.2	20000	ug/L
HW02z	Sodium	Metals	1/25/2012	15,900.00		ug/l		9.2	1000	9.2	20000	ug/L
HW02z-F	Sodium	Metals	1/25/2012	16,200.00		ug/l		9.2	1000	9.2	20000	ug/L
HW02	Strontium	Metals	1/25/2012	658.00		ug/l			200		9300	ug/L
HW02-F	Strontium	Metals	1/25/2012	669.00		ug/l			200		9300	ug/L
HW02z	Strontium	Metals	1/25/2012	661.00		ug/l			200		9300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z-F	Strontium	Metals	1/25/2012	677.00		ug/l			200		9300	ug/L
HW02	Thallium	Metals	1/25/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW02-F	Thallium	Metals	1/25/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW02z	Thallium	Metals	1/25/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW02z-F	Thallium	Metals	1/25/2012	1.00	U	ug/l	U		1		0.16	ug/L
HW02	Tin	Metals	1/25/2012	200.00	U	ug/l	U		200		9300	ug/L
HW02-F	Tin	Metals	1/25/2012	200.00	U	ug/l	U		200		9300	ug/L
HW02z	Tin	Metals	1/25/2012	200.00	U	ug/l	U		200		9300	ug/L
HW02z-F	Tin	Metals	1/25/2012	200.00	U	ug/l	U		200		9300	ug/L
HW02	Titanium	Metals	1/25/2012	200.00	U	ug/l	U		200			
HW02-F	Titanium	Metals	1/25/2012	200.00	U	ug/l	U		200			
HW02z	Titanium	Metals	1/25/2012	200.00	U	ug/l	U		200			
HW02z-F	Titanium	Metals	1/25/2012	200.00	U	ug/l	U		200			
HW02	Uranium	Metals	1/25/2012	4.00		ug/l	D		1		47	ug/L
HW02-F	Uranium	Metals	1/25/2012	3.90		ug/l	D		1		47	ug/L
HW02z	Uranium	Metals	1/25/2012	2.70		ug/l	D		1		47	ug/L
HW02z-F	Uranium	Metals	1/25/2012	3.80		ug/l	D		1		47	ug/L
HW02	Vanadium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02-F	Vanadium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z	Vanadium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L
HW02z-F	Vanadium	Metals	1/25/2012	5.00	U	ug/l	U		5		78	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Zinc	Metals	1/25/2012	2.00	U	ug/l	U		2		4700	ug/L
HW02-F	Zinc	Metals	1/25/2012	2.00	U	ug/l	U		2		4700	ug/L
HW02z	Zinc	Metals	1/25/2012	2.00	U	ug/l	U		2		4700	ug/L
HW02z-F	Zinc	Metals	1/25/2012	2.00	U	ug/l	U		2		4700	ug/L
HW02	Oil and Grease	Oil and Grease	1/25/2012	5.40	UJ	mg/l	U	0.8	5.4	0.8		
HW02z	Oil and Grease	Oil and Grease	1/25/2012	5.60	UJ	mg/l	U	0.9	5.6	0.9		
HW02	Total Dissolved Solids	Residue	1/25/2012	95.00		mg/l	J	10	10	10		
HW02z	Total Dissolved Solids	Residue	1/25/2012	85.00		mg/l	J	10	10	10		
HW02	Total Suspended Solids	Residue	1/25/2012	10.00	U	mg/l	U		10			
HW02z	Total Suspended Solids	Residue	1/25/2012	10.00	U	mg/l	U		10			
HW02	1-Methylnaphthalene	SVOCs	1/25/2012	5.00	U	ug/l	U		5		97	ug/ L
HW02z	1-Methylnaphthalene	SVOCs	1/25/2012	5.00	U	ug/l	U		5		97	ug/ L
HW02	Acenaphthene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	400	ug/L
HW02z	Acenaphthene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	400	ug/L
HW02	Acenaphthylene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Acenaphthylene	SVOCs	1/25/2012	0.01		ug/l	J	0	5	0		
HW02	Acetophenone	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	1500	ug/L
HW02z	Acetophenone	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	1500	ug/L
HW02	Anthracene	SVOCs	1/25/2012	0.18		ug/l	J	0	5	0	1300	ug/L
HW02z	Anthracene	SVOCs	1/25/2012	0.23		ug/l	J	0	5	0	1300	ug/L
HW02	Atrazine	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	26	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Atrazine	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	26	ug/L
HW02	Benzo(a)anthracene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	2.9	ug/L
HW02z	Benzo(a)anthracene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	2.9	ug/L
HW02	Benzo(a)pyrene	SVOCs	1/25/2012	0.16		ug/l	J	0	5	0	0.29	ug/L
HW02z	Benzo(a)pyrene	SVOCs	1/25/2012	0.20		ug/l	J	0	5	0	0.29	ug/L
HW02	Biphenyl	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Biphenyl	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02	Bromophenyl-4 Phenyl Ether	SVOCs	1/25/2012	0.13		ug/l	J	0	5	0		
HW02z	Bromophenyl-4 Phenyl Ether	SVOCs	1/25/2012	0.18		ug/l	J	0	5	0		
HW02	Butylbenzyl phthalate	SVOCs	1/25/2012	0.25		ug/l	JB	0	5	0	1400	ug/L
HW02z	Butylbenzyl phthalate	SVOCs	1/25/2012	0.35		ug/l	JB	0	5	0	1400	ug/L
HW02	Caprolactam	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	7700	ug/L
HW02z	Caprolactam	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	7700	ug/L
HW02	Carbazole	SVOCs	1/25/2012	0.10		ug/l	J	0	5	0		
HW02z	Carbazole	SVOCs	1/25/2012	0.29		ug/l	J	0	5	0		
HW02	Chlorobenzenamine-4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	3.2	ug/L
HW02z	Chlorobenzenamine-4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	3.2	ug/L
HW02	Chloronaphthalene-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	550	ug/L
HW02z	Chloronaphthalene-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	550	ug/L
HW02	Chlorophenol-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	71	ug/L
HW02z	Chlorophenol-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	71	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Chlorophenyl-4 phenyl ether	SVOCs	1/25/2012	0.08		ug/l	J	0	5	0		
HW02z	Chlorophenyl-4 phenyl ether	SVOCs	1/25/2012	0.10		ug/l	J	0	5	0		
HW02	Chrysene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	290	ug/L
HW02z	Chrysene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	290	ug/L
HW02	Cresol, parachloro meta-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Cresol, parachloro meta-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02	Cresol-4,6-dinitro-ortho	SVOCs	1/25/2012	10.00	U	ug/l	UUJ	0	10	0		
HW02z	Cresol-4,6-dinitro-ortho	SVOCs	1/25/2012	10.00	U	ug/l	UUJ	0	10	0		
HW02	Cresol-o	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	720	ug/L
HW02z	Cresol-o	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	720	ug/L
HW02	Cresol-p	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	72	ug/L
HW02z	Cresol-p	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	72	ug/L
HW02	Dibenz(a,h)anthracene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.29	ug/L
HW02z	Dibenz(a,h)anthracene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.29	ug/L
HW02	Dibenzofuran	SVOCs	1/25/2012	0.03		ug/l	J	0	5	0		
HW02z	Dibenzofuran	SVOCs	1/25/2012	0.04		ug/l	J	0	5	0		
HW02	Dichlorobenzidine-3,3'	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	11	ug/L
HW02z	Dichlorobenzidine-3,3'	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	11	ug/L
HW02	Dichlorophenol-2,4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	35	ug/L
HW02z	Dichlorophenol-2,4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	35	ug/L
HW02	Dimethylphenol, 2,4-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	270	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Dimethylphenol, 2,4-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	270	ug/L
HW02	Dinitrophenol-2,4	SVOCs	1/25/2012	5.00	U	ug/l	UUJ		5		30	ug/L
HW02z	Dinitrophenol-2,4	SVOCs	1/25/2012	5.00	U	ug/l	UUJ		5		30	ug/L
HW02	Dinitrotoluene-2,4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		ug/L
HW02z	Dinitrotoluene-2,4	SVOCs	1/25/2012	0.13		ug/l	J	0	5	0		ug/L
HW02	Dinitrotoluene-2,6	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		ug/L
HW02z	Dinitrotoluene-2,6	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		ug/L
HW02	Ether, bis(2-chloroethyl)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	1.2	ug/L
HW02z	Ether, bis(2-chloroethyl)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	1.2	ug/L
HW02	Ether-bis(2-chloroisopropyl)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Ether-bis(2-chloroisopropyl)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02	Fluoranthene	SVOCs	1/25/2012	0.20		ug/l	J	0	5	0	630	ug/L
HW02z	Fluoranthene	SVOCs	1/25/2012	0.27		ug/l	J	0	5	0	630	ug/L
HW02	Fluoranthene benzo(k)	SVOCs	1/25/2012	0.28		ug/l	J	0	5	0	29	ug/L
HW02z	Fluoranthene benzo(k)	SVOCs	1/25/2012	0.32		ug/l	J	0	5	0	29	ug/L
HW02	Fluoranthene-benzo(b)	SVOCs	1/25/2012	0.13		ug/l	J	0	5	0	5.6	ug/L
HW02z	Fluoranthene-benzo(b)	SVOCs	1/25/2012	0.15		ug/l	J	0	5	0	5.6	ug/L
HW02	Fluorene	SVOCs	1/25/2012	0.08		ug/l	J	0	5	0	220	ug/L
HW02z	Fluorene	SVOCs	1/25/2012	0.10		ug/l	J	0	5	0	220	ug/L
HW02	Hexachlorobenzene	SVOCs	1/25/2012	0.20		ug/l	J	0	5	0	4.2	ug/L
HW02z	Hexachlorobenzene	SVOCs	1/25/2012	0.22		ug/l	J	0	5	0	4.2	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Hexachlorobutadiene	SVOCs	1/25/2012	0.50	U	ug/l	U		0.5		26	ug/L
HW02	Hexachlorobutadiene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	26	ug/L
HW02z	Hexachlorobutadiene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	26	ug/L
HW02z	Hexachlorobutadiene	SVOCs	1/25/2012	0.50	U	ug/l	U		0.5		26	ug/L
HW02	Hexachlorocyclopentadiene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	22	ug/L
HW02z	Hexachlorocyclopentadiene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	22	ug/L
HW02	Hexachloroethane	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	5.1	ug/L
HW02z	Hexachloroethane	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	5.1	ug/L
HW02	Isophorone	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	6700	ug/L
HW02z	Isophorone	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	6700	ug/L
HW02	Methane, bis(2-chloroethoxy)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	47	ug/L
HW02z	Methane, bis(2-chloroethoxy)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	47	ug/L
HW02	Methylnaphthalene-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	27	ug/L
HW02z	Methylnaphthalene-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	27	ug/L
HW02	Naphthalene	SVOCs	1/25/2012	0.50	U	ug/l	U		0.5		14	ug/L
HW02	Naphthalene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	14	ug/L
HW02z	Naphthalene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	14	ug/L
HW02z	Naphthalene	SVOCs	1/25/2012	0.50	U	ug/l	U		0.5		14	ug/L
HW02	Nitroaniline, ortho	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	150	ug/L
HW02z	Nitroaniline, ortho	SVOCs	1/25/2012	0.07		ug/l	J	0	5	0	150	ug/L
HW02	Nitroaniline-3	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Nitroaniline-3	SVOCs	1/25/2012	0.12		ug/l	J	0	5	0		
HW02	Nitrobenzenamine-4	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	61	ug/L
HW02z	Nitrobenzenamine-4	SVOCs	1/25/2012	0.17		ug/l	J	0	5	0	61	ug/L
HW02	Nitrobenzene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	12	ug/L
HW02z	Nitrobenzene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	12	ug/L
HW02	Nitrophenol-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Nitrophenol-2	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02	Nitrophenol-4	SVOCs	1/25/2012	10.00	U	ug/l	U	0	10	0		
HW02z	Nitrophenol-4	SVOCs	1/25/2012	0.14		ug/l	J	0	10	0		
HW02	Nitrosodimethylamine-n	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.042	ug/L
HW02z	Nitrosodimethylamine-n	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.042	ug/L
HW02	Nitrosodiphenylamine-n	SVOCs	1/25/2012	0.03		ug/l	J	0	5	0	1000	ug/L
HW02z	Nitrosodiphenylamine-n	SVOCs	1/25/2012	0.17		ug/l	J	0	5	0	1000	ug/L
HW02	Pentachlorophenol	SVOCs	1/25/2012	5.00	U	ug/l	UUJ	0	5	0	17	ug/L
HW02z	Pentachlorophenol	SVOCs	1/25/2012	5.00	U	ug/l	UUJ	0	5	0	17	ug/L
HW02	Perylene-benzo(ghi)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Perylene-benzo(ghi)	SVOCs	1/25/2012	0.21		ug/l	J	0	5	0		
HW02	Phenanthrene	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0		
HW02z	Phenanthrene	SVOCs	1/25/2012	0.23		ug/l	J	0	5	0		
HW02	Phenol	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	4500	ug/L
HW02z	Phenol	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	4500	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/25/2012	5.00	U	ug/l	JB	0	5	0	7.1	ug/L
HW02z	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/25/2012	5.00	U	ug/l	JB	0	5	0	7.1	ug/L
HW02	Phthalate, Dimethyl	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	1400	ug/L
HW02z	Phthalate, Dimethyl	SVOCs	1/25/2012	0.15		ug/l	J	0	5	0	1400	ug/L
HW02	Phthalate, di-n-butyl-	SVOCs	1/25/2012	5.00	U	ug/l	JB	0	5	0	670	ug/L
HW02z	Phthalate, di-n-butyl-	SVOCs	1/25/2012	5.00	U	ug/l	JB	0	5	0	670	ug/L
HW02	Phthalate, di-n-octyl	SVOCs	1/25/2012	0.19		ug/l	J	0	5	0		
HW02z	Phthalate, di-n-octyl	SVOCs	1/25/2012	0.28		ug/l	J	0	5	0		
HW02	Phthalate-diethyl	SVOCs	1/25/2012	0.02		ug/l	JB	0	5	0	11000	ug/L
HW02z	Phthalate-diethyl	SVOCs	1/25/2012	0.26		ug/l	JB	0	5	0	11000	ug/L
HW02	Propylamine,n-nitroso di-n-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.93	ug/L
HW02z	Propylamine,n-nitroso di-n-	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	0.93	ug/L
HW02	Pyrene	SVOCs	1/25/2012	0.18		ug/l	J	0	5	0	87	ug/L
HW02z	Pyrene	SVOCs	1/25/2012	0.26		ug/l	J	0	5	0	87	ug/L
HW02	Pyrene-indeno(1,2,3-cd)	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	3	ug/L
HW02z	Pyrene-indeno(1,2,3-cd)	SVOCs	1/25/2012	0.21		ug/l	J	0	5	0	3	ug/L
HW02	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/25/2012	5.00	U	ug/l	U		5		1.2	ug/L
HW02z	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/25/2012	5.00	U	ug/l	U		5		1.2	ug/L
HW02	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/25/2012	5.00	U	ug/l	U		5		170	ug/L
HW02z	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/25/2012	5.00	U	ug/l	U		5		170	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Trichlorophenol-2,4,5	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	890	ug/L
HW02z	Trichlorophenol-2,4,5	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	890	ug/L
HW02	Trichlorophenol-2,4,6	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	9.04	ug/L
HW02z	Trichlorophenol-2,4,6	SVOCs	1/25/2012	5.00	U	ug/l	U	0	5	0	9.04	ug/L
HW02	TPH - Diesel Range Organics	Total Petroleu	1/25/2012	250.00	U	ug/L	U	120		250		
HW02z	TPH - Diesel Range Organics	Total Petroleu	1/25/2012	250.00	U	ug/L		120		250		
HW02	TPH - Oil Range Organics	Total Petroleu	1/25/2012	1,000.00	U	ug/L	U	500		1000		
HW02z	TPH - Oil Range Organics	Total Petroleu	1/25/2012	1,000.00	U	ug/L	U	500		1000		
HW02	TPH as Gasoline	Total Petroleu	1/25/2012	50.00	U	ug/L	U	25		50		
HW02z	TPH as Gasoline	Total Petroleu	1/25/2012	50.00	U	ug/L	U	25		50		
HW02	4-Methyl-2-pentanone	VOCs	1/25/2012	2.00	U	ug/l	U		2		1000	ug/L
HW02z	4-Methyl-2-pentanone	VOCs	1/25/2012	2.00	U	ug/l	U		2		1000	ug/L
HW02	Acetone	VOCs	1/25/2012	2.00	U	ug/l	JB		2			
HW02z	Acetone	VOCs	1/25/2012	2.00	U	ug/l	U		2			
HW02	Benzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW02z	Benzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW02	Bromobenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Bromobenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Bromoform	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02z	Bromoform	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02	Butylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Butylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Butylbenzene, sec-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Butylbenzene, sec-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Butylbenzene, tert-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Butylbenzene, tert-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Carbon disulfide	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Carbon disulfide	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Carbon Tetrachloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW02z	Carbon Tetrachloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5	ug/L
HW02	Chlorobenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		100	ug/L
HW02z	Chlorobenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		100	ug/L
HW02	Chlorobromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Chlorobromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Chloroethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Chloroethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Chloroform	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02z	Chloroform	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02	Chlorotoluene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		180	ug/L
HW02z	Chlorotoluene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		180	ug/L
HW02	Chlorotoluene-p	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		190	ug/L
HW02z	Chlorotoluene-p	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		190	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Cyclohexane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Cyclohexane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	DBCP	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.032	ug/L
HW02z	DBCP	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.032	ug/L
HW02	Dibromochloromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02z	Dibromochloromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		80	ug/L
HW02	Dibromoethane-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.65	ug/L
HW02z	Dibromoethane-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.65	ug/L
HW02	Dibromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dibromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichlorobenzene-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		280	ug/L
HW02z	Dichlorobenzene-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		280	ug/L
HW02	Dichlorobenzene-1,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichlorobenzene-1,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichlorobenzene-1,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		42	ug/L
HW02z	Dichlorobenzene-1,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		42	ug/L
HW02	Dichlorobromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichlorobromomethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichlorodifluoromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichlorodifluoromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloroethane-1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		240	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Dichloroethane-1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		240	ug/L
HW02	Dichloroethane-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		15	ugL
HW02z	Dichloroethane-1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		15	ugL
HW02	Dichloroethene-1,2 trans	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloroethene-1,2 trans	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloroethylene-1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloroethylene-1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloroethylene-1,2 cis	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloroethylene-1,2 cis	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloropropane, 1,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		38	ug/L
HW02z	Dichloropropane, 1,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		38	ug/L
HW02	Dichloropropane, 1,3-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		290	ug/L
HW02z	Dichloropropane, 1,3-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		290	ug/L
HW02	Dichloropropane, 2,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloropropane, 2,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloropropene, 1,1-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloropropene, 1,1-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloropropene, 1,3 cis-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloropropene, 1,3 cis-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Dichloropropene, 1,3 trans-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Dichloropropene, 1,3 trans-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Ethylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Ethylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Freon 113	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Freon 113	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Hexanone, 2-	VOCs	1/25/2012	2.00	U	ug/l	U		2		34	ug/L
HW02z	Hexanone, 2-	VOCs	1/25/2012	2.00	U	ug/l	U		2		34	ug/L
HW02	Isopropylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Isopropylbenzene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Isopropylbenzene-4,methyl-1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Isopropylbenzene-4,methyl-1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	M,P-XYLENE (SUM OF ISOMERS)	VOCs	1/25/2012	1.00	U	ug/l	U		1			
HW02z	M,P-XYLENE (SUM OF ISOMERS)	VOCs	1/25/2012	1.00	U	ug/l	U		1			
HW02	Methyl acetate	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methyl acetate	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Methyl bromide	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methyl bromide	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Methyl chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methyl chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Methyl cyclohexane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methyl cyclohexane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Methyl ethyl ketone	VOCs	1/25/2012	2.00	U	ug/l	U		2		4900	ug/L
HW02z	Methyl ethyl ketone	VOCs	1/25/2012	2.00	U	ug/l	U		2		4900	ug/L
HW02	Methyl tertiary butyl ether (MTBE)	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methyl tertiary butyl ether (MTBE)	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Methylene chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Methylene chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Propylbenzene-n	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Propylbenzene-n	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Styrene	VOCs	1/25/2012	1.00	U	ug/l	U		1			
HW02z	Styrene	VOCs	1/25/2012	1.00	U	ug/l	U		1			
HW02	Tetrachloroethane, 1,1,1,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		50	ug/L
HW02z	Tetrachloroethane, 1,1,1,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		50	ug/L
HW02	Tetrachloroethane, 1,1,2,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		6.6	ug/L
HW02z	Tetrachloroethane, 1,1,2,2-	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		6.6	ug/L
HW02	Tetrachloroethylene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Tetrachloroethylene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Toluene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Toluene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Trichlorobenzene-1,2,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5.2	ug/L
HW02z	Trichlorobenzene-1,2,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5.2	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02	Trichlorobenzene-1,2,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5.2	ug/L
HW02z	Trichlorobenzene-1,2,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		5.2	ug/L
HW02	Trichloroethane-1,1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		7500	ug/L
HW02z	Trichloroethane-1,1,1	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		7500	ug/L
HW02	Trichloroethane-1,1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.41	ug/L
HW02z	Trichloroethane-1,1,2	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.41	ug/L
HW02	Trichloroethylene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Trichloroethylene	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Trichlorofluoromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Trichlorofluoromethane	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Trichloropropane-1,2,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.065	ug/L
HW02z	Trichloropropane-1,2,3	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		0.065	ug/L
HW02	Trimethylbenzene-1,2,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		15	ug/L
HW02z	Trimethylbenzene-1,2,4	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		15	ug/L
HW02	Trimethylbenzene-1,3,5	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		87	ug/L
HW02z	Trimethylbenzene-1,3,5	VOCs	1/25/2012	0.50	U	ug/l	U		0.5		87	ug/L
HW02	Vinyl acetate	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Vinyl acetate	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Vinyl chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02z	Vinyl chloride	VOCs	1/25/2012	0.50	U	ug/l	U		0.5			
HW02	Xylene-o	VOCs	1/25/2012	1.00	U	ug/l	U		1			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW02z	Xylene-o	VOCs	1/25/2012	1.00	U	ug/l	U		1			
HW02	Nitrogen, Nitrite + Nitrate	Wet Chem	1/25/2012	0.05	U	mg/l	U	0.001	0.05	0.001		
HW02z	Nitrogen, Nitrite + Nitrate	Wet Chem	1/25/2012	0.05	U	mg/l	U	0.001	0.05	0.001		
HW02	Total Nitrogen	Wet Chem	1/25/2012	1.00	U	mg/l	U	0.2	1	0.2		
HW02z	Total Nitrogen	Wet Chem	1/25/2012	1.00	U	mg/l	U	0.2	1	0.2		
HW02	Total Phosphorus as P	Wet Chem	1/25/2012	0.05	U	mg/l	U		0.05			
HW02z	Total Phosphorus as P	Wet Chem	1/25/2012	0.05	U	mg/l	U		0.05			