	A	B	C	D	E	F	G	H	I	J
1					**SUMMAR**					
2										
3	Project #: 180-2644-1									
4	Site : DIMOCK									
5	Lab. : TALPA									
6										
7	Sample Number / Location:		TC-1		AW-2					
8										
9	Matrix :		Water		Water					
10	Units :		ug/L		ug/L					
11	Date Sampled :		08/04/2011		08/04/2011					
12	Time Sampled :		09:30		13:20					
13	pH :		<2.0		<2.0					
14	Dilution Factor :		1.0		1.0					
15	Target Compound	RL	Result	Flag	Result	Flag	Result	g	Result	g
16	Acetone	5.0								
17	Benzene	1.0								
18	Toluene	1.0								
19	Bromodichloromethane	1.0								
20	Ethylbenzene	1.0								
21	Bromoform	1.0								
22	Xylenes, Total	3.0								
23	Bromomethane	1.0								
24	Isopropylbenzne	1.0								
25	2-Butanone	5.0								
26	Methyl tert-butyl ether	1.0								
27	1,2,4-Trimetyhylbenzene	1.0								
28	Carbon disulfide	1.0								
29	1,3,5-Trimethylbenzene	1.0								
30	Carbon tetrachloride	1.0								
31	Chlorobenzne	1.0								
32	Chloroethane	1.0								
33	Chloroform	1.0								
34	Dibromochloromethane	1.0								
35	1,2-dibromoethane (EDB)	1.0								
36	Naphthalene	1.0								
37	1,2-Dichloroethane	1.0								
38	1,2-Dichloroethene, Total	1.0								
39	1,1-Dichloroethane	1.0								
40	Bromochloromethane	1.0								
41	1,2-Dichloroethane	1.0								
42	1,1-Dichloroethene	1.0								
43	trans-1,2-Dichloroethene	1.0								
44	1,2-Dichloropropane	1.0								
45	cis-1,2-Dichloropropene	1.0								
46	trans-1,3-Dichloropropene	1.0								
47	Ethylbenzene	1.0								
48	2-Hexanone	5.0								

	A	B	C	D	E	F	G	H	I	J
49										
50										
51										
52										
53										
54										
55										

	A	B	C	D	E	F	G	H	I	J
56					**SUMMAR**					
57										
58	Project #: 180-2644-1									
59	Site : DIMOCK									
60	Lab. : TALPA									
61										
62	Sample Number / Location:		TC-1		AW-2					
63										
64	Matrix :		Water		Water					
65	Units :		ug/L		ug/L					
66	Date Sampled :		08/04/2011		08/04/2011					
67	Time Sampled :		09:30		13:20					
68	pH :		<2.0		<2.0					
69	Dilution Factor :		1.0		1.0					
70	Target Compound	RL	Result	Flag	Result	Flag	Result	g	Result	g
71	Methylene Chloride	1.0								
72	4-Methyl-2-pentanone (MIBK)	5.0								
73	Styrene	1.0								
74	1,1,2,2-Tetrachloroethane	1.0								
75	Tetrachloroethene	1.0								
76	Toluene	1.0								
77	1,1,1-Trichloroethane	1.0								
78	1,1,2-Trichloroethane	1.0								
79	Trichloroethene	1.0								
80	Vinyl Chloride	1.0								
81	N-propylbenzne	1.0								
82	cis-1,2-dichloroethene	1.0								
83	1,2-Dichlorobenzene	1.0								
84	sec-Butylbenzene	1.0								
85	1,3-Dichlorobenzene	1.0								
86	p-Isopropyltoluene	1.0								
87	1,4-Dichlorobenzene	1.0								
88	1,2,4-Trichlorobenzene	1.0								
89	Chloromethane	1.0								
90	n-Butylbenzene	1.0								
91	m-Xylene & p-Xylene	2.0								
92	o-Xylene	1.0								
93	RL = Reporting Limit									
94	limits: (RL * Dilution Factor)									

	K	L
1		e
2		
3	Soil Samples	0
4	Water	2
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15	Result	g
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		

	K	L
49		
50		
51		
52		
53		
54		
55		

	K	L
56		e
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70	Result	g
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		E
94		ised

	A	B	C	D	E	F	G	H	I	J	K
1					**SUMMA**						
2											
3	Project #: 180-2644-1										of Soil
4	Site : DIMOCK										of Water
5	Lab. : TALPA										
6											
7	Sample Number :		TC-1		AW-2						
8											
9	Matrix :		Water		Water						
10	Units :		ug/L		ug/L						
11	Date Sampled :		08/04/201		08/04/201						
12	Time Sampled :		09:30		13:20						
13	pH :		> 2		> 2						
14	Dilution Factor :		1.0		1.0						
15	Dissolved Gases	RL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result
16	ETHANE	1.5		UL		UL					
17	ETHENE	1.5		UL		UL					
18	METHANE	1.0	18	L		UL					
19	PROPANE	3.0		UL		UL					
20	RL = Reporting Limit										
21	limits: (RL * Dilution Factor)										

	L
1	e
2	
3	0
4	2
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	g
16	
17	
18	
19	
20	E
21	ised

	A	B	C	D	E	F	G	H	I	J
1					**SUMMAR**					
2										
3	Project #: 180-2644-1									
4	Site : DIMOCK									
5	Lab. : TALPA									
6										
7	Sample Number / Location:		TC-1		AW-2					
8										
9	Matrix :		Water		Water					
10	Units :		ug/L		ug/L					
11	Date Sampled :		08/04/2011		08/04/2011					
12	Time Sampled :		09:30		13:20					
13	Dilution Factor :		1.18		1.01					
14	Semivolatile Compound	RL	Result	g	Result	g	Result	g	Result	Flag
15	Acenaphthene	0.20								
16	Anthracene	0.20								
17	Acenaphthylene	0.20								
18	Benzo(a)anthracene	0.20								
19	Benzo(b)fluoranthene	0.20								
20	Benzo(a)anthracene	0.20								
21	Benzo(g,h,i)perylene	0.20								
22	Benzo(a)pyrene	0.20								
23	Benzo(k)fluoranthene	0.20								
24	Chrysene	0.20								
25	Fluorene	0.20								
26	Indeo(1,2,3-cd)pyrene	0.20								
27	Bis(2-chloroethoxy)methane	1.00								
28	Phenanthrene	0.20								
29	Bis(2-chloroethyl)ether	0.20								
30	Pyrene	0.20								
31	Bis(2-ethylhexyl)phthalate	2.00								
32	Butylbenzylphthalate	1.00	0.17	J						
33	Carbazole	0.20								
34	Chrysene	0.20								
35	2-Chloronaphthalene	0.20								
36	2-Chlorophenol	1.00								
37	2,4-Dichlorophenol	0.20								
38	2,4-Dimethylphenol	1.00								
39	2,4-Dinitrophenol	5.00								
40	2,4-Dinitrotoluene	1.00								
41	2,6-Dinitrotoluene	1.00								
42	1,2-Dichlorobenzene	1.00								
43	2-Methylnaphthalene	0.20								
44	1,3-Dichlorobenzene	1.00								
45	2-Methylphenol	1.00								
46	1,4-Dichlorobenzene	1.00								
47	2-Nitroaniline	5.00								
48										

	A	B	C	D	E	F	G	H	I	J
49										
50										
51										
52										
53										

	A	B	C	D	E	F	G	H	I	J
54					**SUMMAR**					
55										
56	Project Number: 180-3644-1	: 2H-								
57	Site :	OCK								
58	Lab. :	P								
59										
60	Sample Number / Location:		TC-1		AW-2					
61										
62	Matrix :		Water		Water					
63	Units :		ug/L		ug/L					
64	Date Sampled :		08/04/2011		08/04/2011					
65	Time Sampled :		09:30		13:20					
66	Dilution Factor :		1.18		1.01					
67	Semivolatile Compound	RL	Result	g	Result	g	Result	g	Result	Flag
68	2-Nitrophenol	1.00								
69	bis(2-chloroisopropyl)ether	0.20								
70	2,4,5-Trichlorophenol	1.00								
71	2,4,6-Trichlorophenol	1.00								
72	4-Nitroaniline	5.00								
73	4-Nitrophenol	5.00								
74	4-Chlorophenyl phenyl ether	1.00								
75	Methylphenol, 3 & 4	1.00								
76	4,6-Dinitro-2-methylphenol	5.00								
77	4-chloroaniline	1.00								
78	4-Chloro-3-methylphenol	1.00								
79	4-Bromophenyl phenyl ether	1.00								
80	Dibenz(a,h)anthracene	0.20								
81	Dibenzofuran	1.00								
82	Di-n-butylphthalate	1.00	0.87	J	0.46	J				
83	Diethylphthalate	1.00			0.20	J				
84	Dimethyphthalate	1.00								
85	Di-n-octylphthalate	1.00								
86	3,3'-Dichlorobenzidine	1.00								
87	3-Nitroaniline	5.00								
88	Fluoranthene	0.20								
89	1,2,4-Trichlorobenzene	1.00								
90	Hexachlorobenzene	0.20								
91	Hexachlorobutadiene	0.20								
92	Hexachlorocyclopentadiene	1.00								
93	Hexachloroethane	1.00								
94	Isophorone	1.00								
95	Naphthalene	0.20								
96	Nitrobenzene	2.00								
97	N-Nitrosodiphenylamine	1.00								
98	N-Nitroso-n-propylamine	0.20								
99	Phenol	0.20								
100	Phenanthrene	0.20								
101	Pentachlorophenol	1.00								

	A	B	C	D	E	F	G	H	I	J
102	Benzyl alcohol	1.00								
103	N-Nitrosodimethylamine	1.00								
104	Benzoic acid	5.00								
105	1,2-Diphenylhydrazine (as Azobenzene)	1.00								
106	1-Methylnaphthalene	0.20								
107	RL = Reporting Limit									
108	(RL * Dilution Factor)									

	A	B	C	D	E	F	G	H	I	J
109										
110										
111										
112										
113										
114										
115										

	K	L
1		_3__
2		
3	Soil	0
4	Water	2
5		
6		
7		
8		
9		
10		
11		
12		
13		
14	Result	Flag
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		

	K	L
49		
50		
51		
52		
53		

	K	L
54		4
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67	Result	Flag
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		
101		

	K	L
102		
103		
104		
105		
106		
107		NAR
108		sed

	K	L
109		
110		
111		
112		
113		
114		
115		

	A	B	C	D	E	F	G	H	I	J
1					**SUMMAR**					
2										
3	Project #: 180-2644-1									
4	Site : DIMOCK									
5	Lab. : TALPA									
6										
7	Sample Number :		TC-1		AW-2					
8										
9	Matrix :		Water		Water					
10	Units :		mg/L		mg/L					
11	Date Sampled :		08/04/2011		08/04/2011					
12	Time Sampled :		09:30		13:20					
13	Dilution Factor :		1.0		1.0					
14	Glycols	RL	Result	Flag	Result	Flag	Result	Flag	Result	Flag
15	Ethylene glycol	10								
16	Propylene glycol	10								
17	Triethylene glycol	10	2.7	B						
18	2,2'-Oxybisethanol	10	1.8	J	0.58	J				
19	2-Methoxyethanol	10								
20	2-Ethoxyethanol	10								
21	RL = Reporting Limit									
22	quantitation limits: (RL *									

	K	L
1		_5___
2		
3	of Soil	0
4	of	2
5		
6		
7		
8		
9		
10		
11		
12		
13		
14	Result	Flag
15		
16		
17		
18		
19		
20		
21		NARR
22		d

	A	B	C	D	E	F	G	H	I	J	K	L
1					**SUMMAR**							_8__
2												
3	Project #: 180-2644-1										Soil	0
4	Site : DIMOCK										Water	2
5	Lab. : TALPA											
6												
7	Sample Number :		TC-1		AW-2							
8												
9	Matrix :		Water		Water							
10	Units :		ug/L		ug/L							
11	Date Sampled :		08/04/2011		08/04/2011							
12	Time Sampled :		09:30		13:20							
13	pH :		<2.0		<2.0							
14	Dilution Factor :		1.0		1.0							
15	Analyte	RL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
16	Gas Range Organic (GRO)	25			17	J						
17	RL = Reporting Limit											NAR
18	quantitation limits: (RL *											ed

	A	B	C	D	E	F	G	H	I	J	K	L
1					**SUMMAR**							_9__
2												
3	Project #: 180-2644-1										Soil	0
4	Site : DIMOCK										Water	2
5	Lab. : TALPA											
6												
7	Sample Number :		TC-1		AW-2							
8												
9	Matrix :		Water		Water							
10	Units :		mg/L		mg/L							
11	Date Sampled :		08/04/2011		08/04/2011							
12	Time Sampled :		09:30		13:20							
13	Dilution Factor :		0.98		1.05							
14	Analyte	RL	Result	Flag	Result	g	Result	Flag	Result	Flag	Result	Flag
15	Diesel Range Organic (DRO)	0.50										
16	RL = Reporting Limit			on								NAR
17	quantitation limits: (RL *											ed

	A	B	C	D	E	F	G	H	I	J	K
1					**SUMMAR**						
2											
3	Project #: 180-2644-1										Soil
4	Site : DIMOCK										Water
5	Lab. : TALPA										
6											
7	Sample Number :		TC-1		AW-2						
8											
9	Matrix :		Water		Water						
10	Units :		ug/L		ug/L						
11	Date Sampled :		08/04/2011		08/04/2011						
12	Time Sampled :		09:30		13:20						
13	Dilution Factor :		1.0		1.0						
14	Analyte	RL	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result
15	Ethylene Dibromide (EDB)	0.020									
16	RL = Reporting Limit			tion							
17	(RL * Dilution Factor)										

	L
1	_7__
2	
3	0
4	2
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	Flag
15	
16	NAR
17	sed