From:	Meyer, Lisa A
To:	Howell, Tonya
Cc:	Sperry, Clint; Miller, Barbara J
Subject:	DPT plan review
Date:	Tuesday, November 08, 2022 8:43:36 AM

Tonya,

I hear the DPT north of Huster is projected to start the end of this month/early December. Would it be acceptable for Ameren to review and comment on the plan prior to commencement? Not for the purpose of getting Ameren's approval by any means, but instead to provide plan feedback based on our historical knowledge of the site.
Thanks,

::::::::::::::::::::::::

LISA A. MEYER
Consulting Engineer, Environmental Services
C 314.488.0151
E Lmeyer2@ameren.com

.....

Ameren Missouri
1901 Chouteau Ave.
P.O. Box 66149, MC 602
St. Louis, MO 63166-6149
Ameren.com

Please consider the environment before printing this e-mail.

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.