**TRADE SECRET**

***Study Title***
H-28548: COMBINED CHRONIC TOXICITY/ONCOGENICITY
STUDY 2-YEAR ORAL GAVAGE STUDY IN RATS

Laboratory Project ID: DuPont-18405-1238

**Volume 3 of 13**

**NUMBER OF PAGES IN VOLUME:** 335

**TEST GUIDELINES:**
- U.S. EPA Health Effects Test Guidelines OPPTS 870.4300 Combined Chronic Toxicity/Carcinogenicity (1998)
- OECD Guidelines for the Testing of Chemicals Section 4 (No. 453) Health Effects (2009)
- JMAFF Japan Agricultural Chemicals Regulation Law 12 Nousan No. 8147 (2000)
- EEC Methods for the Determination of Toxicity Method B.33 Combined Chronic/Carcinogenicity test, Directive 88/302/EC (1988)

**AUTHOR:** Lisa Craig, B.S.

**STUDY COMPLETED ON:** March 28, 2013

**APPLICANT/SPONSOR:** E.I. du Pont de Nemours and Company
Wilmington, Delaware 19898
U.S.A.

**PERFORMING LABORATORY:** MPI Research, Inc.
54943 North Main Street
Mattawan, Michigan 49071-8353
U.S.A.

**WORK REQUEST NUMBER:** 18405

**SERVICE CODE NUMBER:** 1238

**MPI RESEARCH STUDY NUMBER:** 125-141

Unpublished Work
Copyright ©2013 E.I. du Pont de Nemours and Company

# Appendix F
# Individual Body Weight Values

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1001 | 219 | 274 | 324 | 359 | 397 | 422 | 440 | 464 | 472 | 485 | 502 | 500 |
| 1002 | 240 | 303 | 359 | 408 | 445 | 485 | 510 | 538 | 560 | 569 | 589 | 601 |
| 1003 | 255 | 317 | 376 | 410 | 450 | 481 | 503 | 520 | 544 | 555 | 573 | 577 |
| 1004 | 225 | 284 | 327 | 368 | 407 | 435 | 459 | 480 | 502 | 523 | 538 | 543 |
| 1005 | 250 | 323 | 382 | 444 | 492 | 534 | 569 | 598 | 625 | 636 | 670 | 643 |
| 1006 | 245 | 308 | 355 | 414 | 459 | 489 | 519 | 537 | 565 | 586 | 610 | 590 |
| 1007 | 234 | 289 | 333 | 373 | 409 | 438 | 463 | 486 | 503 | 518 | 537 | 550 |
| 1008 | 247 | 314 | 373 | 433 | 478 | 522 | 547 | 570 | 587 | 608 | 624 | 633 |
| 1009 | 231 | 289 | 330 | 370 | 396 | 427 | 447 | 459 | 482 | 496 | 519 | 531 |
| 1010 | 254 | 314 | 361 | 408 | 449 | 483 | 507 | 529 | 551 | 569 | 585 | 599 |
| 1011 | 211 | 263 | 303 | 341 | 375 | 407 | 425 | 447 | 466 | 487 | 503 | 517 |
| 1012 | 250 | 317 | 350 | 437 | 493 | 533 | 565 | 598 | 628 | 646 | 661 | 667 |
| 1013 | 222 | 281 | 332 | 382 | 414 | 447 | 468 | 494 | 509 | 531 | 557 | 562 |
| 1014 | 239 | 300 | 344 | 389 | 424 | 449 | 476 | 497 | 513 | 529 | 545 | 559 |
| 1015 | 240 | 296 | 347 | 384 | 425 | 450 | 468 | 482 | 503 | 520 | 524 | 518 |
| 1016 | 229 | 292 | 339 | 384 | 408 | 455 | 476 | 507 | 514 | 531 | 558 | 558 |
| 1017 | 242 | 308 | 359 | 411 | 449 | 482 | 506 | 535 | 561 | 577 | 593 | 592 |
| 1018 | 237 | 296 | 344 | 397 | 430 | 472 | 512 | 533 | 552 | 576 | 584 | 605 |
| 1019 | 234 | 298 | 353 | 394 | 439 | 474 | 501 | 528 | 546 | 563 | 586 | 597 |
| 1020 | 205 | 261 | 300 | 332 | 355 | 380 | 399 | 420 | 428 | 440 | 451 | 468 |
| 1021 | 239 | 312 | 381 | 432 | 478 | 523 | 556 | 583 | 608 | 627 | 648 | 669 |
| 1022 | 231 | 284 | 327 | 360 | 388 | 422 | 442 | 458 | 468 | 485 | 493 | 511 |
| 1023 | 226 | 278 | 313 | 343 | 356 | 396 | 421 | 440 | 446 | 455 | 465 | 471 |
| 1024 | 253 | 314 | 362 | 407 | 441 | 473 | 489 | 515 | 526 | 542 | 555 | 564 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1025 | 240 | 296 | 351 | 394 | 436 | 486 | 499 | 527 | 554 | 566 | 588 | 604 |
| 1026 | 223 | 275 | 321 | 358 | 389 | 413 | 428 | 442 | 460 | 471 | 487 | 503 |
| 1027 | 229 | 283 | 321 | 354 | 392 | 414 | 445 | 462 | 478 | 521 | 510 | 521 |
| 1028 | 239 | 298 | 340 | 384 | 420 | 445 | 473 | 493 | 508 | 528 | 538 | 550 |
| 1029 | 224 | 285 | 337 | 384 | 421 | 452 | 473 | 494 | 511 | 532 | 553 | 567 |
| 1030 | 226 | 284 | 341 | 378 | 417 | 458 | 471 | 495 | 513 | 528 | 548 | 562 |
| 1031 | 247 | 312 | 368 | 421 | 461 | 492 | 520 | 540 | 547 | 568 | 588 | 600 |
| 1032 | 242 | 302 | 350 | 400 | 440 | 476 | 509 | 535 | 547 | 569 | 584 | 600 |
| 1033 | 240 | 303 | 345 | 387 | 426 | 452 | 469 | 499 | 512 | 529 | 546 | 555 |
| 1034 | 244 | 304 | 353 | 386 | 435 | 463 | 486 | 519 | 535 | 545 | 559 | 577 |
| 1035 | 241 | 305 | 363 | 403 | 437 | 472 | 492 | 527 | 550 | 562 | 579 | 594 |
| 1036 | 224 | 283 | 325 | 365 | 400 | 425 | 444 | 471 | 485 | 505 | 519 | 530 |
| 1037 | 240 | 309 | 366 | 419 | 472 | 527 | 553 | 579 | 592 | 610 | 649 | 657 |
| 1038 | 235 | 303 | 362 | 414 | 454 | 488 | 510 | 532 | 560 | 565 | 589 | 601 |
| 1039 | 243 | 308 | 359 | 408 | 444 | 466 | 489 | 517 | 529 | 542 | 562 | 568 |
| 1040 | 241 | 297 | 343 | 389 | 427 | 456 | 482 | 502 | 520 | 533 | 548 | 555 |
| 1041 | 224 | 281 | 330 | 377 | 412 | 450 | 477 | 501 | 517 | 533 | 547 | 563 |
| 1042 | 233 | 294 | 348 | 385 | 423 | 454 | 481 | 507 | 509 | 533 | 551 | 560 |
| 1043 | 248 | 301 | 347 | 394 | 427 | 454 | 474 | 496 | 501 | 527 | 549 | 558 |
| 1044 | 260 | 340 | 405 | 483 | 541 | 578 | 620 | 656 | 675 | 703 | 724 | 744 |
| 1045 | 222 | 276 | 323 | 360 | 395 | 411 | 434 | 446 | 455 | 472 | 484 | 504 |
| 1046 | 237 | 304 | 355 | 404 | 439 | 465 | 490 | 516 | 532 | 543 | 559 | 566 |
| 1047 | 239 | 305 | 372 | 423 | 469 | 497 | 522 | 562 | 576 | 600 | 616 | 622 |
| 1048 | 234 | 293 | 348 | 397 | 428 | 461 | 492 | 517 | 534 | 563 | 582 | 587 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1049 | 237 | 292 | 339 | 378 | 411 | 438 | 457 | 475 | 491 | 503 | 518 | 525 |
| 1050 | 233 | 289 | 343 | 387 | 417 | 446 | 467 | 485 | 499 | 513 | 525 | 530 |
| 1051 | 241 | 278 | 362 | 410 | 443 | 476 | 505 | 528 | 549 | 566 | 569 | 604 |
| 1052 | 234 | 295 | 344 | 380 | 416 | 446 | 467 | 490 | 508 | 521 | 528 | 540 |
| 1053 | 220 | 265 | 312 | 355 | 388 | 414 | 433 | 457 | 457 | 494 | 503 | 513 |
| 1054 | 232 | 296 | 355 | 405 | 451 | 488 | 519 | 547 | 565 | 577 | 606 | 621 |
| 1055 | 240 | 305 | 359 | 407 | 450 | 486 | 498 | 533 | 559 | 580 | 593 | 603 |
| 1056 | 243 | 314 | 360 | 408 | 441 | 475 | 495 | 521 | 543 | 555 | 572 | 577 |
| 1057 | 223 | 283 | 336 | 378 | 423 | 451 | 471 | 502 | 521 | 535 | 556 | 573 |
| 1058 | 231 | 289 | 339 | 380 | 419 | 446 | 467 | 491 | 503 | 523 | 534 | 544 |
| 1059 | 227 | 289 | 343 | 379 | 415 | 449 | 465 | 487 | 504 | 525 | 534 | 550 |
| 1060 | 247 | 315 | 370 | 431 | 468 | 502 | 530 | 566 | 582 | 606 | 636 | 649 |
| 1061 | 224 | 288 | 345 | 386 | 421 | 448 | 472 | 492 | 521 | 536 | 551 | 569 |
| 1062 | 240 | 295 | 342 | 381 | 413 | 437 | 454 | 463 | 482 | 492 | 510 | 510 |
| 1063[r] | NA | NA | 389 | 421 | 450 | 482 | 509 | 526 | 538 | 551 | 561 | 581 |
| 1064 | 225 | 283 | 335 | 385 | 432 | 470 | 502 | 523 | 543 | 565 | 575 | 583 |
| 1065 | 224 | 279 | 323 | 351 | 384 | 414 | 439 | 463 | 476 | 493 | 511 | 527 |
| 1066 | 232 | 300 | 367 | 416 | 464 | 520 | 562 | 597 | 637 | 654 | 688 | 716 |
| 1067 | 233 | 290 | 342 | 384 | 400 | 464 | 485 | 504 | 525 | 548 | 563 | 577 |
| 1068 | 244 | 308 | 366 | 407 | 446 | 479 | 503 | 518 | 518 | 552 | 563 | 565 |
| 1069 | 260 | 323 | 385 | 403 | 462 | 493 | 522 | 552 | 574 | 586 | 603 | 623 |
| 1070 | 239 | 293 | 351 | 399 | 440 | 479 | 513 | 535 | 558 | 577 | 602 | 614 |
| 1071 | 243 | 307 | 366 | 423 | 454 | 487 | 510 | 542 | 564 | 573 | 597 | 612 |
| 1072 | 251 | 319 | 374 | 424 | 457 | 494 | 521 | 547 | 558 | 572 | 593 | 599 |

NA- Not Applicable/Not Available
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1073 | 251 | 318 | 376 | 421 | 468 | 510 | 534 | 556 | 573 | 585 | 611 | 620 |
| 1074 | 250 | 312 | 372 | 428 | 475 | 511 | 546 | 572 | 595 | 625 | 645 | 664 |
| 1075 | 246 | 302 | 351 | 391 | 431 | 465 | 483 | 496 | 516 | 534 | 543 | 554 |
| 1076 | 236 | 294 | 347 | 387 | 420 | 444 | 463 | 479 | 493 | 512 | 523 | 533 |
| 1077 | 245 | 308 | 360 | 411 | 448 | 478 | 488 | 519 | 545 | 564 | 580 | 586 |
| 1078 | 234 | 295 | 346 | 389 | 425 | 461 | 475 | 492 | 512 | 532 | 524 | 540 |
| 1079 | 256 | 320 | 376 | 423 | 468 | 501 | 519 | 547 | 568 | 593 | 613 | 623 |
| 1080 | 246 | 311 | 360 | 412 | 453 | 482 | 499 | 530 | 555 | 578 | 603 | 615 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1081 | 231 | 283 | 337 | 376 | 404 | 435 | 459 | 472 | 493 | 503 | 521 | 530 |
| 1082 | 230 | 302 | 366 | 425 | 462 | 507 | 533 | 565 | 589 | 612 | 630 | 643 |
| 1083 | 245 | 311 | 371 | 430 | 475 | 521 | 541 | 587 | 619 | 638 | 670 | 682 |
| 1084 | 233 | 289 | 350 | 396 | 443 | 480 | 508 | 528 | 551 | 575 | 589 | 604 |
| 1085 | 239 | 283 | 332 | 379 | 414 | 443 | 464 | 492 | 509 | 520 | 538 | 551 |
| 1086 | 248 | 301 | 366 | 420 | 466 | 499 | 515 | 534 | 554 | 566 | 579 | 587 |
| 1087 | 219 | 260 | 297 | 330 | 344 | 366 | 380 | 403 | 419 | 450 | 471 | 487 |
| 1088 | 233 | 283 | 329 | 360 | 389 | 414 | 431 | 447 | 469 | 490 | 492 | 504 |
| 1089 | 228 | 290 | 340 | 391 | 434 | 466 | 490 | 512 | 538 | 550 | 579 | 587 |
| 1090 | 239 | 293 | 339 | 386 | 423 | 449 | 473 | 499 | 526 | 536 | 552 | 559 |
| 1091 | 247 | 298 | 329 | 379 | 409 | 432 | 451 | 470 | 480 | 484 | 495 | 508 |
| 1092 | 242 | 306 | 365 | 414 | 458 | 496 | 527 | 555 | 569 | 582 | 600 | 617 |
| 1093 | 172 | 233 | 292 | 355 | 402 | 436 | 466 | 496 | 515 | 535 | 548 | 560 |
| 1094 | 159 | 233 | 302 | 360 | 407 | 449 | 473 | 496 | 525 | 544 | 561 | 574 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1095 | 230 | 289 | 339 | 383 | 419 | 457 | 475 | 500 | 518 | 525 | 551 | 559 |
| 1096 | 262 | 320 | 378 | 424 | 462 | 504 | 529 | 560 | 579 | 592 | 620 | 631 |
| 1097 | 255 | 325 | 397 | 447 | 488 | 530 | 548 | 580 | 596 | 607 | 637 | 649 |
| 1098 | 225 | 280 | 337 | 382 | 420 | 459 | 485 | 516 | 538 | 559 | 584 | 593 |
| 1099 | 233 | 287 | 340 | 376 | 407 | 430 | 446 | 472 | 481 | 495 | 516 | 523 |
| 1100 | 225 | 280 | 337 | 373 | 412 | 443 | 461 | 488 | 503 | 516 | 538 | 544 |
| 1101 | 224 | 290 | 349 | 384 | 417 | 441 | 461 | 480 | 500 | 505 | 533 | 545 |
| 1102 | 234 | 291 | 338 | 385 | 422 | 453 | 477 | 502 | 523 | 534 | 550 | 558 |
| 1103 | 189 | 244 | 328 | 376 | 408 | 451 | 482 | 521 | 542 | 564 | 588 | 598 |
| 1104 | 166 | 221 | 291 | 351 | 402 | 439 | 467 | 500 | 522 | 546 | 566 | 582 |
| 1105 | 241 | 308 | 357 | 404 | 446 | 454 | 484 | 514 | 538 | 549 | 575 | 580 |
| 1106 | 243 | 308 | 362 | 415 | 453 | 492 | 513 | 551 | 565 | 589 | 616 | 627 |
| 1107 | 244 | 300 | 361 | 417 | 450 | 484 | 507 | 540 | 554 | 564 | 554 | 573 |
| 1108 | 228 | 276 | 327 | 359 | 388 | 415 | 431 | 457 | 464 | 475 | 497 | 496 |
| 1109 | 209 | 258 | 291 | 329 | 353 | 372 | 390 | 407 | 425 | 436 | 441 | 433 |
| 1110 | 244 | 309 | 358 | 417 | 460 | 496 | 517 | 555 | 577 | 594 | 614 | 612 |
| 1111 | 249 | 324 | 395 | 458 | 504 | 552 | 587 | 612 | 638 | 659 | 680 | 692 |
| 1112 | 215 | 264 | 314 | 351 | 381 | 404 | 426 | 438 | 456 | 474 | 495 | 497 |
| 1113 | 207 | 290 | 334 | 391 | 440 | 476 | 498 | 529 | 546 | 570 | 592 | 612 |
| 1114 | 212 | 289 | 347 | 404 | 441 | 475 | 495 | 524 | 547 | 559 | 586 | 599 |
| 1115 | 259 | 327 | 381 | 433 | 487 | 515 | 541 | 570 | 589 | 615 | 630 | 647 |
| 1116 | 227 | 289 | 344 | NDC | | | | | | | | |
| 1117 | 231 | 277 | 343 | 374 | 416 | 454 | 467 | 499 | 519 | 530 | 554 | 550 |
| 1118 | 246 | 315 | 376 | 428 | 469 | 503 | 525 | 563 | 589 | 614 | 642 | 656 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1119 | 233 | 293 | 347 | 388 | 414 | 448 | 467 | 485 | 503 | 523 | 534 | 544 |
| 1120 | 232 | 297 | 361 | 408 | 446 | 480 | 503 | 531 | 550 | 565 | 582 | 603 |
| 1121 | 234 | 297 | 349 | 399 | 427 | 467 | 487 | 509 | 522 | 546 | 558 | 578 |
| 1122 | 237 | 298 | 334 | 378 | 411 | 438 | 448 | 474 | 486 | 501 | 519 | 526 |
| 1123 | 238 | 293 | 344 | 395 | 433 | 463 | 484 | 509 | 537 | 558 | 576 | 591 |
| 1124 | 228 | 279 | 317 | 365 | 399 | 430 | 451 | 444 | 446 | 484 | 509 | 519 |
| 1125 | 233 | 294 | 349 | 395 | 438 | 475 | 490 | 519 | 542 | 541 | 583 | 585 |
| 1126 | 241 | 310 | 368 | 417 | 455 | 498 | 518 | 548 | 558 | 565 | 595 | 592 |
| 1127 | 241 | 298 | 351 | 392 | 430 | 465 | 485 | 512 | 530 | 538 | 557 | 572 |
| 1128 | 246 | 320 | 369 | 427 | 470 | 509 | 532 | 564 | 593 | 600 | 626 | 639 |
| 1129 | 244 | 310 | 363 | 403 | 439 | 432 | 488 | 532 | 555 | 574 | 605 | 609 |
| 1130 | 237 | 302 | 360 | 414 | 455 | 489 | 512 | 544 | 559 | 574 | 598 | 614 |
| 1131 | 238 | 290 | 335 | 369 | 400 | 421 | 442 | 464 | 475 | 493 | 492 | 511 |
| 1132 | 233 | 298 | 343 | 390 | 437 | 468 | 496 | 525 | 538 | 560 | 586 | 600 |
| 1133 | 236 | 298 | 346 | 389 | 428 | 459 | 475 | 502 | 508 | 530 | 536 | 550 |
| 1134 | 240 | 292 | 330 | 369 | 396 | 426 | 448 | 467 | 481 | 494 | 509 | 524 |
| 1135 | 261 | 336 | 400 | 451 | 495 | 540 | 568 | 599 | 610 | 628 | 659 | 666 |
| 1136 | 231 | 296 | 346 | 391 | 433 | 483 | 511 | 530 | 553 | 567 | 584 | 595 |
| 1137 | 238 | 295 | 340 | 388 | 416 | 454 | 474 | 499 | 518 | 513 | 537 | 555 |
| 1138 | 223 | 285 | 337 | 384 | 423 | 456 | 487 | 517 | 529 | 537 | 574 | 591 |
| 1139 | 242 | 310 | 359 | 404 | 438 | 473 | 493 | 528 | 538 | 562 | 573 | 579 |
| 1140 | 214 | 275 | 310 | 362 | 393 | 420 | 442 | 461 | 469 | 488 | 493 | 497 |
| 1141 | 250 | 301 | 341 | 386 | 418 | 451 | 471 | 493 | 503 | 517 | 539 | 553 |
| 1142 | 237 | 299 | 345 | 390 | 426 | 454 | 473 | 493 | 508 | 532 | 552 | 565 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1143 | 222 | 278 | 323 | 359 | 389 | 421 | 446 | 462 | 478 | 489 | 508 | 520 |
| 1144 | 233 | 294 | 348 | 402 | 442 | 477 | 503 | 537 | 566 | 592 | 616 | 623 |
| 1145 | 232 | 291 | 342 | 386 | 423 | 455 | 479 | 503 | 515 | 546 | 562 | 571 |
| 1146 | 241 | 299 | 352 | 405 | 430 | 472 | 496 | 508 | 531 | 545 | 565 | 576 |
| 1147 | 234 | 293 | 352 | 405 | 454 | 492 | 519 | 547 | 565 | 580 | 608 | 621 |
| 1148 | 229 | 291 | 343 | 389 | 427 | 465 | 489 | 516 | 539 | 550 | 577 | 595 |
| 1149 | 233 | 289 | 336 | 370 | 399 | 435 | 458 | 480 | 498 | 506 | 520 | 525 |
| 1150 | 217 | 268 | 320 | 355 | 384 | 412 | 429 | 446 | 459 | 473 | 490 | 490 |
| 1151 | 245 | 304 | 355 | 397 | 428 | 464 | 488 | 514 | 540 | 550 | 576 | 586 |
| 1152 | 261 | 333 | 392 | 450 | 492 | 541 | 566 | 596 | 619 | 632 | 660 | 667 |
| 1153 | 253 | 319 | 373 | 431 | 471 | 513 | 536 | 573 | 588 | 607 | 625 | 645 |
| 1154 | 227 | 297 | 344 | 393 | 428 | 457 | 483 | 506 | 522 | 543 | 559 | 582 |
| 1155 | 246 | 307 | 356 | 386 | 414 | 440 | 459 | 481 | 491 | 508 | 516 | 527 |
| 1156 | 216 | 279 | 331 | 380 | 425 | 456 | 477 | 503 | 530 | 551 | 561 | 569 |
| 1157 | 243 | 311 | 358 | 407 | 408 | 456 | 472 | 498 | 519 | 534 | 559 | 567 |
| 1158 | 249 | 326 | 392 | 450 | 503 | 554 | 590 | 617 | 636 | 655 | 679 | 701 |
| 1159 | 236 | 297 | 354 | 404 | 441 | 470 | 504 | 525 | 538 | 561 | 588 | 597 |
| 1160 | 236 | 290 | 343 | 385 | 428 | 448 | 477 | 503 | 518 | 532 | 547 | 561 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1161 | 232 | 285 | 335 | 375 | 402 | 437 | 457 | 478 | 496 | 522 | 526 | 546 |
| 1162 | 231 | 294 | 344 | 394 | 428 | 466 | 482 | 497 | 528 | 541 | 557 | 568 |
| 1163 | 234 | 296 | 353 | 390 | 431 | 468 | 498 | 523 | 545 | 554 | 582 | 592 |
| 1164 | 242 | 298 | 348 | 384 | 419 | 450 | 469 | 489 | 509 | 514 | 531 | 546 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1165 | 228 | 282 | 331 | 369 | 407 | 434 | 451 | 469 | 486 | 500 | 515 | 527 |
| 1166 | 226 | 297 | 363 | 408 | 441 | 478 | 500 | 524 | 549 | 563 | 580 | 595 |
| 1167 | 245 | 308 | 351 | 393 | 420 | 450 | 474 | 500 | 520 | 533 | 549 | 557 |
| 1168 | 233 | 296 | 352 | 399 | 435 | 466 | 490 | 513 | 537 | 553 | 564 | 573 |
| 1169 | 235 | 298 | 354 | 404 | 442 | 474 | 490 | 515 | 530 | 551 | 562 | 572 |
| 1170 | 218 | 266 | 307 | 349 | 386 | 413 | 427 | 452 | 461 | 476 | 488 | 500 |
| 1171 | 235 | 304 | 353 | 400 | 439 | 464 | 481 | 507 | 525 | 546 | 560 | 566 |
| 1172 | 231 | 307 | 376 | 428 | 473 | 516 | 535 | 568 | 579 | 615 | 639 | 663 |
| 1173 | 247 | 319 | 375 | 424 | 454 | 507 | 525 | 546 | 541 | 593 | 604 | 625 |
| 1174 | 245 | 309 | 368 | 420 | 456 | 497 | 522 | 547 | 564 | 589 | 602 | 617 |
| 1175 | 263 | 346 | 415 | 477 | 518 | 582 | 616 | 650 | 685 | 708 | 737 | 754 |
| 1176 | 225 | 292 | 356 | 396 | 436 | 467 | 486 | 515 | 529 | 550 | 573 | 578 |
| 1177 | 228 | 287 | 341 | 381 | 422 | 451 | 457 | 492 | 510 | 527 | 541 | 556 |
| 1178 | 232 | 288 | 339 | 381 | 409 | 438 | 458 | 487 | 506 | 514 | 525 | 542 |
| 1179 | 230 | 306 | 360 | 408 | 428 | 478 | 499 | 535 | 560 | 578 | 603 | 608 |
| 1180 | 233 | 295 | 352 | 394 | 430 | 458 | 478 | 512 | 520 | 548 | 565 | 573 |
| 1181 | 239 | 307 | 356 | 403 | 432 | 459 | 473 | 501 | 510 | 529 | 545 | 554 |
| 1182 | 219 | 274 | 325 | 367 | 401 | 434 | 446 | 470 | 481 | 496 | 509 | 518 |
| 1183 | 252 | 311 | 368 | 399 | 458 | 499 | 517 | 548 | 571 | 594 | 616 | 628 |
| 1184 | 241 | 312 | 366 | 416 | 455 | 494 | 514 | 548 | 566 | 585 | 597 | 613 |
| 1185 | 246 | 308 | 365 | 413 | 444 | 479 | 503 | 519 | 541 | 551 | 561 | 574 |
| 1186 | 221 | 271 | 314 | 358 | 386 | 423 | 449 | 466 | 492 | 501 | 522 | 529 |
| 1187 | 252 | 323 | 392 | 451 | 495 | 545 | 563 | 594 | 616 | 637 | 654 | 673 |
| 1188 | 237 | 303 | 357 | 412 | 457 | 494 | 512 | 544 | 555 | 581 | 599 | 609 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1189 | 240 | 310 | 366 | 412 | 441 | 487 | 499 | 538 | 556 | 578 | 595 | 598 |
| 1190 | 231 | 298 | 359 | 399 | 441 | 470 | 492 | 520 | 537 | 554 | 576 | 583 |
| 1191 | 235 | 289 | 338 | 375 | 409 | 436 | 457 | 476 | 491 | 509 | 524 | 528 |
| 1192 | 228 | 285 | 333 | 374 | 404 | 431 | 450 | 474 | 487 | 492 | 505 | 512 |
| 1193 | 229 | 283 | 331 | 370 | 396 | 431 | 443 | 461 | 472 | 480 | 498 | 511 |
| 1194 | 236 | 296 | 340 | 375 | 410 | 443 | 458 | 475 | 497 | 515 | 530 | 547 |
| 1195 | 222 | 279 | 346 | 403 | 445 | 474 | 504 | 532 | 550 | 569 | 596 | 618 |
| 1196 | 252 | 312 | 361 | 403 | 413 | 450 | 471 | 490 | 504 | 515 | 516 | 523 |
| 1197 | 223 | 282 | 342 | 392 | 427 | 464 | 482 | 508 | 534 | 547 | 567 | 575 |
| 1198 | 264 | 338 | 406 | 465 | 503 | 550 | 566 | 589 | 609 | 622 | 639 | 650 |
| 1199 | 220 | 280 | 325 | 372 | 398 | 425 | 451 | 466 | 493 | 504 | 521 | 537 |
| 1200 | 254 | 319 | 373 | 425 | 458 | 493 | 519 | 539 | 567 | 581 | 607 | 632 |
| 1201 | 241 | 295 | 345 | 410 | 441 | 482 | 504 | 519 | 537 | 554 | 568 | 582 |
| 1202 | 256 | 335 | 395 | 452 | 489 | 533 | 551 | 588 | 596 | 615 | 630 | 635 |
| 1203 | 233 | 299 | 353 | 393 | 424 | 455 | 475 | 493 | 508 | 522 | 538 | 553 |
| 1204 | 231 | 294 | 345 | 387 | 426 | 457 | 477 | 500 | 521 | 531 | 542 | 555 |
| 1205 | 240 | 307 | 368 | 420 | 456 | 500 | 531 | 557 | 587 | 606 | 620 | 647 |
| 1206 | 229 | 293 | 335 | 377 | 409 | 446 | 470 | 490 | 513 | 531 | 547 | 554 |
| 1207 | 245 | 303 | 352 | 394 | 426 | 464 | 477 | 501 | 521 | 532 | 550 | 566 |
| 1208 | 239 | 300 | 351 | 394 | 424 | 457 | 479 | 501 | 515 | 540 | 549 | 564 |
| 1209 | 235 | 309 | 373 | 432 | 465 | 515 | 554 | 585 | 572 | 601 | 628 | 660 |
| 1210 | 226 | 295 | 360 | 423 | 453 | 510 | 549 | 574 | 589 | 598 | 616 | 652 |
| 1211 | 252 | 319 | 381 | 440 | 492 | 514 | 553 | 596 | 620 | 651 | 680 | 701 |
| 1212 | 249 | 310 | 357 | 401 | 431 | 446 | 473 | 493 | 505 | 530 | 545 | 556 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1213 | 219 | 273 | 313 | 355 | 379 | 414 | 433 | 406 | 446 | 456 | 478 | 492 |
| 1214 | 238 | 307 | 362 | 404 | 447 | 482 | 513 | 534 | 552 | 567 | 579 | 599 |
| 1215 | 237 | 312 | 371 | 420 | 461 | 496 | 519 | 539 | 534 | 568 | 594 | 607 |
| 1216 | 237 | 305 | 369 | 416 | 461 | 507 | 530 | 556 | 578 | 597 | 624 | 636 |
| 1217 | 228 | 288 | 345 | 386 | 413 | 454 | 477 | 501 | 514 | 535 | 553 | 555 |
| 1218 | 253 | 322 | 380 | 433 | 478 | 513 | 539 | 556 | 579 | 602 | 613 | 632 |
| 1219 | 259 | 326 | 375 | 417 | 447 | 493 | 510 | 540 | 559 | 584 | 594 | 599 |
| 1220 | 224 | 288 | 334 | 384 | 417 | 453 | 481 | 502 | 524 | 538 | 551 | 566 |
| 1221 | 233 | 288 | 329 | 372 | 400 | 432 | 453 | 470 | 475 | 497 | 504 | 512 |
| 1222 | 245 | 307 | 356 | 403 | 428 | 466 | 492 | 514 | 530 | 551 | 562 | 572 |
| 1223 | 215 | 272 | 322 | 362 | 396 | 424 | 446 | 471 | 489 | 500 | 517 | 523 |
| 1224 | 222 | 274 | 328 | 363 | 399 | 434 | 456 | 483 | 502 | 531 | 541 | 562 |
| 1225 | 245 | 299 | 358 | 406 | 439 | 489 | 519 | 535 | 552 | 571 | 586 | 593 |
| 1226 | 255 | 329 | 391 | 443 | 486 | 525 | 549 | 583 | 593 | 605 | 620 | 631 |
| 1227 | 228 | 285 | 331 | 378 | 413 | 447 | 467 | 490 | 515 | 534 | 546 | 562 |
| 1228 | 218 | 271 | 307 | 342 | 369 | 397 | 416 | 430 | 442 | 456 | 472 | 482 |
| 1229 | 232 | 296 | 345 | 409 | 449 | 492 | 519 | 538 | 555 | 563 | 591 | 590 |
| 1230 | 225 | 277 | 331 | 374 | 411 | 444 | 465 | 489 | 506 | 517 | 532 | 543 |
| 1231 | 242 | 314 | 367 | 417 | 438 | 496 | 514 | 546 | 567 | 587 | 591 | 608 |
| 1232 | 241 | 311 | 361 | 426 | 452 | 480 | 491 | 526 | 551 | 565 | 587 | 595 |
| 1233 | 250 | 318 | 380 | 429 | 464 | 496 | 519 | 542 | 561 | 591 | 602 | 624 |
| 1234 | 237 | 297 | 338 | 384 | 403 | 455 | 471 | 494 | 509 | 532 | 545 | 560 |
| 1235 | 225 | 287 | 338 | 389 | 422 | 458 | 494 | 517 | 543 | 560 | 578 | 583 |
| 1236 | 244 | 314 | 373 | 430 | 472 | 523 | 538 | 562 | 593 | 624 | 644 | 641 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1237 | 230 | 283 | 312 | 369 | 404 | 423 | 447 | 470 | 436 | 476 | 510 | 521 |
| 1238 | 257 | 327 | 393 | 445 | 482 | 522 | 540 | 574 | 591 | 610 | 630 | 643 |
| 1239 | 258 | 320 | 363 | 413 | 446 | 476 | 500 | 522 | 540 | 549 | 565 | 569 |
| 1240 | 229 | 292 | 343 | 394 | 438 | 472 | 499 | 528 | 553 | 568 | 581 | 605 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1241 | 214 | 270 | 325 | 377 | 402 | 431 | 456 | 482 | 497 | 513 | 525 | 534 |
| 1242 | 224 | 281 | 320 | 354 | 387 | 413 | 432 | 456 | 476 | 502 | 523 | 529 |
| 1243 | 221 | 282 | 327 | 367 | 404 | 405 | 446 | 473 | 490 | 509 | 526 | 550 |
| 1244 | 236 | 307 | 361 | 400 | 430 | 402 | 469 | 502 | 522 | 543 | 559 | 564 |
| 1245 | 249 | 306 | 361 | 406 | 433 | 464 | 484 | 507 | 520 | 537 | 555 | 576 |
| 1246 | 249 | 310 | 367 | 416 | 448 | 479 | 497 | 523 | 547 | 564 | 560 | 575 |
| 1247 | 251 | 332 | 386 | 436 | 458 | 516 | 535 | 559 | 580 | 595 | 606 | 613 |
| 1248 | 239 | 305 | 351 | 381 | 394 | 439 | 461 | 483 | 454 | 485 | 509 | 525 |
| 1249[r] | 323 | 346 | 415 | 471 | 511 | 557 | 583 | 607 | 641 | 671 | 685 | 716 |
| 1250 | 219 | 267 | 315 | 342 | 359 | 388 | 403 | 424 | 441 | 446 | 472 | 475 |
| 1251 | 243 | 309 | 366 | 412 | 447 | 480 | 494 | 529 | 539 | 552 | 565 | 574 |
| 1252 | 241 | 311 | 361 | 398 | 427 | 461 | 477 | 505 | 530 | 542 | 561 | 577 |
| 1253 | 237 | 302 | 355 | 396 | 424 | 419 | 430 | 466 | 481 | 495 | 516 | 529 |
| 1254 | 236 | 294 | 337 | 374 | 407 | 396 | 411 | 454 | 471 | 497 | 507 | 516 |
| 1255 | 243 | 311 | 362 | 398 | 422 | 454 | 473 | 490 | 507 | 520 | 532 | 541 |
| 1256 | 222 | 281 | 329 | 362 | 394 | 419 | 444 | 465 | 485 | 499 | 514 | 525 |
| 1257 | 229 | 303 | 351 | 395 | 415 | 463 | 484 | 510 | 532 | 554 | 579 | 600 |
| 1258 | 240 | 317 | 362 | 402 | 427 | 474 | 490 | 508 | 529 | 548 | 566 | 578 |

[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1259 | 261 | 336 | 410 | 471 | 513 | 556 | 577 | 605 | 624 | 646 | 665 | 684 |
| 1260 | 229 | 299 | 350 | 397 | 418 | 445 | 451 | 472 | 492 | 498 | 520 | 532 |
| 1261 | 245 | 306 | 352 | 379 | 388 | 419 | 424 | 441 | 465 | 480 | 494 | 501 |
| 1262 | 224 | 288 | 331 | 368 | 394 | 421 | 436 | 455 | 474 | 490 | 507 | 512 |
| 1263 | 255 | 319 | 380 | 421 | 456 | 504 | 525 | 543 | 564 | 570 | 592 | 610 |
| 1264 | 251 | 318 | 366 | 410 | 439 | 469 | 493 | 507 | 516 | 523 | 552 | 563 |
| 1265 | 238 | 310 | 366 | 414 | 446 | 485 | 514 | 530 | 545 | 558 | 574 | 588 |
| 1266 | 227 | 292 | 340 | 382 | 412 | 449 | 460 | 476 | 466 | 503 | 517 | 523 |
| 1267 | 243 | 310 | 369 | 422 | 452 | 482 | 499 | 524 | 538 | 557 | 585 | 589 |
| 1268 | 240 | 316 | 377 | 418 | 462 | 502 | 511 | 544 | 552 | 578 | 604 | 617 |
| 1269 | 246 | 315 | 361 | 397 | 415 | 439 | 460 | 480 | 488 | 496 | 519 | 535 |
| 1270 | 237 | 311 | 364 | 410 | 442 | 479 | 489 | 522 | 538 | 548 | 565 | 577 |
| 1271 | 234 | 303 | 345 | 387 | 415 | 453 | 470 | 493 | 512 | 533 | 545 | 557 |
| 1272 | 212 | 278 | 330 | 377 | 410 | 434 | 448 | 467 | 480 | 497 | 517 | 521 |
| 1273 | 258 | 327 | 380 | 413 | 451 | 496 | 521 | 536 | 535 | 561 | 577 | 591 |
| 1274 | 231 | 297 | 342 | 377 | 405 | 445 | 463 | 485 | 494 | 510 | 515 | 529 |
| 1275 | 222 | 297 | 354 | 405 | 434 | 475 | 491 | 521 | 544 | 566 | 572 | 583 |
| 1276 | 234 | 297 | 335 | 359 | 375 | 398 | 411 | 418 | 421 | 447 | 453 | 456 |
| 1277 | 247 | 311 | 347 | 388 | 412 | 450 | 468 | 484 | 489 | 509 | 522 | 536 |
| 1278 | 238 | 302 | 348 | 393 | 429 | 471 | 499 | 533 | 547 | 583 | 580 | 611 |
| 1279 | 242 | 315 | 372 | 417 | 459 | 495 | 518 | 538 | 556 | 569 | 583 | 593 |
| 1280 | 237 | 303 | 351 | 374 | 403 | 424 | 438 | 454 | 469 | 487 | 504 | 505 |
| 1281 | 235 | 304 | 356 | 400 | 427 | 460 | 481 | 497 | 512 | 531 | 547 | 543 |
| 1282 | 217 | 284 | 325 | 367 | 400 | 432 | 445 | 468 | 479 | 495 | 506 | 515 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1283 | 256 | 319 | 350 | 383 | 411 | 444 | 457 | 474 | 488 | 501 | 515 | 519 |
| 1284 | 244 | 320 | 373 | 427 | 460 | 511 | 531 | 560 | 589 | 615 | 631 | 642 |
| 1285 | 234 | 297 | 344 | 377 | 408 | 440 | 455 | 468 | 487 | 505 | 522 | 525 |
| 1286 | 249 | 323 | 381 | 433 | 471 | 514 | 533 | 565 | 595 | 613 | 636 | 643 |
| 1287 | 229 | 287 | 331 | 354 | 376 | 406 | 422 | 442 | 453 | 464 | 489 | 503 |
| 1288 | 248 | 318 | 379 | 428 | 470 | 503 | 528 | 548 | 569 | 584 | 603 | 614 |
| 1289 | 227 | 288 | 332 | 371 | 399 | 440 | 466 | 486 | 503 | 516 | 533 | 540 |
| 1290 | 252 | 322 | 382 | 426 | 462 | 508 | 520 | 541 | 553 | 571 | 595 | 608 |
| 1291 | 242 | 307 | 361 | 404 | 443 | 475 | 495 | 516 | 539 | 561 | 570 | 588 |
| 1292 | 233 | 298 | 353 | 390 | 422 | 451 | 471 | 472 | 478 | 502 | 518 | 526 |
| 1293 | 228 | 294 | 342 | 385 | 420 | 456 | 471 | 507 | 529 | 539 | 552 | 573 |
| 1294 | 226 | 282 | 317 | 345 | 366 | 398 | 410 | 433 | 440 | 449 | 462 | 470 |
| 1295 | 237 | 299 | 357 | 405 | 439 | 480 | 500 | 527 | 537 | 563 | 579 | 590 |
| 1296 | 235 | 306 | 361 | 407 | 438 | 471 | 498 | 509 | 529 | 539 | 558 | 561 |
| 1297 | 247 | 309 | 339 | 374 | 401 | 427 | 450 | 453 | 471 | 493 | 498 | 503 |
| 1298 | 222 | 288 | 332 | 373 | 403 | 429 | 447 | 463 | 488 | 509 | 522 | 532 |
| 1299 | 234 | 293 | 336 | 376 | 412 | 444 | 462 | 481 | 500 | 514 | 530 | 523 |
| 1300 | 237 | 300 | 354 | 395 | 433 | 465 | 483 | 503 | 519 | 541 | 552 | 568 |
| 1301 | 223 | 294 | 320 | 363 | 364 | 392 | 397 | 407 | 440 | 461 | 477 | 497 |
| 1302 | 250 | 331 | 386 | 435 | 470 | 521 | 543 | 573 | 594 | 611 | 632 | 637 |
| 1303 | 223 | 289 | 334 | 367 | 395 | 426 | 439 | 452 | 458 | 471 | 489 | 489 |
| 1304 | 236 | 298 | 343 | 380 | 403 | 432 | 439 | 463 | 472 | 484 | 501 | 515 |
| 1305 | 240 | 304 | 351 | 384 | 412 | 448 | 466 | 485 | 498 | 518 | 533 | 543 |
| 1306 | 229 | 293 | 337 | 369 | 408 | 444 | 461 | 478 | 499 | 505 | 534 | 530 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1307 | 253 | 331 | 384 | 433 | 469 | 508 | 528 | 556 | 568 | 604 | 618 | 633 |
| 1308 | 229 | 295 | 340 | 382 | 414 | 451 | 465 | 488 | 504 | 514 | 535 | 538 |
| 1309 | 264 | 332 | 374 | 415 | 435 | 459 | 483 | 496 | 506 | 532 | 548 | 551 |
| 1310 | 238 | 302 | 345 | 387 | 421 | 457 | 480 | 497 | 512 | 535 | 550 | 554 |
| 1311 | 239 | 305 | 352 | 395 | 423 | 453 | 475 | 494 | 500 | 525 | 544 | 554 |
| 1312 | 229 | 289 | 346 | 383 | 415 | 446 | 472 | 505 | 508 | 530 | 548 | 567 |
| 1313 | 232 | 284 | 322 | 348 | 369 | 395 | 409 | 420 | 435 | 455 | 469 | 473 |
| 1314 | 219 | 274 | 320 | 349 | 370 | 409 | 412 | 434 | 448 | 462 | 471 | 485 |
| 1315 | 234 | 303 | 342 | 377 | 416 | 445 | 461 | 478 | 489 | 506 | 525 | 473 |
| 1316 | 218 | 277 | 322 | 352 | 388 | 418 | 435 | 456 | 466 | 482 | 492 | 441 |
| 1317 | 236 | 266 | 356 | 411 | 444 | 490 | 522 | 548 | 576 | 592 | 614 | 631 |
| 1318 | 230 | 266 | 347 | 408 | 454 | 503 | 534 | 566 | 598 | 620 | 630 | 650 |
| 1319 | 231 | 301 | 353 | 386 | 417 | 456 | 467 | 489 | 497 | 504 | 519 | 508 |
| 1320 | 239 | 316 | 349 | 374 | 404 | 433 | 454 | 473 | 481 | 495 | 507 | 499 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1001 | 492 | 503 | 520 | 537 | 538 | 560 | 568 | 580 | 582 | 589 | 596 | 607 |
| 1002 | 594 | 621 | 648 | 666 | 686 | 716 | 713 | 733 | 744 | 756 | 772 | 780 |
| 1003 | 570 | 592 | 610 | 630 | 647 | 659 | 678 | 701 | 709 | 727 | 739 | 752 |
| 1004 | 531 | 564 | 591 | 603 | 624 | 647 | 648 | 669 | 669 | 689 | 686 | 708 |
| 1005 | 651 | 683 | 733 | 760 | 789 | 816 | 814 | 848 | 807 | 798 | 821 | 848 |
| 1006 | 603 | 621 | 682 | 705 | 739 | 765 | 789 | 831 | 841 | 862 | 894 | 917 |
| 1007 | 545 | 557 | 597 | 614 | 633 | 660 | 672 | 700 | 705 | 730 | 741 | 760 |
| 1008 | 613 | 626 | 658 | 685 | 708 | 728 | 758 | 777 | 786 | 801 | 826 | 837 |
| 1009 | 525 | 544 | 576 | 594 | 624 | 653 | 667 | 683 | 697 | 719 | 729 | 741 |
| 1010 | 598 | 623 | 648 | 672 | 688 | 703 | 727 | 741 | 744 | 774 | 785 | 808 |
| 1011 | 526 | 535 | 547 | 574 | 581 | 603 | 608 | 629 | 636 | 649 | 665 | 649 |
| 1012 | 691 | 707 | 726 | 762 | 781 | 821 | 842 | 866 | 890 | 918 | 935 | 956 |
| 1013 | 577 | 591 | 610 | 625 | 646 | 658 | 671 | 681 | 701 | 716 | 724 | 734 |
| 1014 | 569 | 570 | 589 | 618 | 638 | 655 | 668 | 683 | 701 | 713 | 725 | 732 |
| 1015 | 531 | 540 | 558 | 575 | 585 | 594 | 620 | 633 | 652 | 663 | 672 | 686 |
| 1016 | 575 | 583 | 607 | 629 | 654 | 662 | 683 | 711 | 707 | 721 | 739 | 752 |
| 1017 | 620 | 626 | 653 | 673 | 699 | 717 | 740 | 757 | 780 | 791 | 806 | 824 |
| 1018 | 623 | 631 | 652 | 681 | 694 | 717 | 733 | 758 | 778 | 789 | 813 | 817 |
| 1019 | 625 | 632 | 657 | 683 | 692 | 723 | 723 | 723 | 761 | 768 | 779 | 791 |
| 1020 | 482 | 481 | 508 | 521 | 546 | 554 | 566 | 574 | 602 | 615 | 618 | 627 |
| 1021 | 677 | 703 | 732 | 751 | 771 | 792 | 798 | 821 | 840 | 866 | 887 | 893 |
| 1022 | 520 | 525 | 556 | 585 | 603 | 617 | 631 | 648 | 643 | 658 | 665 | 683 |
| 1023 | 488 | 490 | 501 | 512 | 535 | 542 | 543 | 558 | 571 | 584 | 596 | 601 |
| 1024 | 573 | 571 | 605 | 613 | 638 | 653 | 659 | 663 | 681 | 693 | 712 | 724 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1025 | 618 | 632 | 649 | 669 | 691 | 707 | 711 | 717 | 744 | 737 | 752 | 757 |
| 1026 | 517 | 523 | 539 | 562 | 569 | 585 | 601 | 622 | 629 | 646 | 654 | 661 |
| 1027 | 542 | 541 | 567 | 594 | 617 | 639 | 666 | 678 | 701 | 712 | 755 | 755 |
| 1028 | 566 | 565 | 586 | 604 | 632 | 647 | 658 | 680 | 690 | 692 | 723 | 739 |
| 1029 | 584 | 584 | 610 | 636 | 663 | 678 | 705 | 724 | 742 | 761 | 775 | 786 |
| 1030 | 577 | 589 | 612 | 629 | 650 | 673 | 683 | 708 | 727 | 747 | 760 | 774 |
| 1031 | 617 | 628 | 640 | 663 | 676 | 700 | 714 | 734 | 763 | 775 | 795 | 802 |
| 1032 | 625 | 641 | 668 | 697 | 728 | 751 | 774 | 796 | 822 | 845 | 869 | 871 |
| 1033 | 582 | 588 | 612 | 643 | 663 | 690 | 700 | 727 | 738 | 761 | 778 | 789 |
| 1034 | 583 | 591 | 585 | 606 | 625 | 636 | 640 | 655 | 665 | 670 | 684 | 691 |
| 1035 | 618 | 634 | 658 | 693 | 710 | 711 | 720 | 742 | 761 | 763 | 775 | 790 |
| 1036 | 547 | 556 | 579 | 597 | 622 | 635 | 660 | 675 | 692 | 701 | 714 | 731 |
| 1037 | 680 | 696 | 734 | 764 | 775 | 784 | 807 | 838 | 855 | 875 | 894 | 899 |
| 1038 | 609 | 621 | 646 | 674 | 685 | 708 | 725 | 730 | 750 | 767 | 781 | 791 |
| 1039 | 583 | 590 | 609 | 622 | 649 | 664 | 663 | 679 | 689 | 702 | 711 | 720 |
| 1040 | 580 | 591 | 604 | 624 | 635 | 645 | 662 | 660 | 678 | 685 | 702 | 708 |
| 1041 | 579 | 583 | 610 | 638 | 657 | 677 | 684 | 701 | 718 | 721 | 756 | 764 |
| 1042 | 572 | 586 | 600 | 617 | 634 | 641 | 649 | 654 | 674 | 690 | 696 | 704 |
| 1043 | 570 | 580 | 601 | 614 | 641 | 650 | 660 | 681 | 689 | 707 | 722 | 748 |
| 1044 | 762 | 789 | 811 | 855 | 876 | 923 | 945 | 983 | 1004 | 1024 | 1049 | 1068 |
| 1045 | 517 | 525 | 546 | 565 | 589 | 603 | 616 | 626 | 643 | 659 | 680 | 699 |
| 1046 | 586 | 597 | 616 | 636 | 664 | 678 | 694 | 716 | 733 | NDC | | |
| 1047 | 648 | 651 | 672 | 708 | 744 | 759 | 765 | 794 | 810 | 818 | 843 | 858 |
| 1048 | 610 | 616 | 640 | 661 | 680 | 687 | 704 | 725 | 722 | 739 | 763 | 770 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1049 | 540 | 546 | 560 | 576 | 590 | 597 | 609 | 623 | 628 | 641 | 652 | 654 |
| 1050 | 548 | 559 | 573 | 583 | 600 | 604 | 628 | 632 | 645 | 672 | 682 | 695 |
| 1051 | 611 | 633 | 652 | 667 | 686 | 714 | 732 | 741 | 764 | 750 | 764 | 787 |
| 1052 | 556 | 568 | 579 | 606 | 624 | 646 | 654 | 675 | 683 | 695 | 709 | 721 |
| 1053 | 521 | 530 | 530 | 557 | 565 | 576 | 583 | 594 | 606 | 629 | 634 | 642 |
| 1054 | 630 | 643 | 672 | 700 | 728 | 748 | 757 | 797 | 813 | 831 | 843 | 866 |
| 1055 | 631 | 642 | 658 | 682 | 694 | 731 | 739 | 759 | 779 | 797 | 818 | 826 |
| 1056 | 581 | 600 | 627 | 649 | 679 | 684 | 691 | 681 | 718 | 726 | 751 | 745 |
| 1057 | 592 | 600 | 622 | 655 | 644 | 693 | 705 | 723 | 733 | 742 | 771 | 786 |
| 1058 | 554 | 560 | 587 | 600 | 614 | 633 | 637 | 659 | 668 | 684 | 694 | 702 |
| 1059 | 562 | 570 | 586 | 616 | 628 | 645 | 624 | 653 | 683 | NDC | | |
| 1060 | 663 | 667 | 701 | 732 | 749 | 748 | 778 | 799 | 797 | 816 | 849 | 859 |
| 1061 | 572 | 596 | 610 | 633 | 652 | 682 | 701 | 720 | 745 | 770 | 782 | 801 |
| 1062 | 503 | 536 | 552 | 563 | 578 | 598 | 602 | 611 | 625 | 640 | 652 | 661 |
| 1063[r] | 598 | 602 | 631 | 625 | 666 | 683 | 694 | 709 | 726 | 751 | 766 | 778 |
| 1064 | 610 | 625 | 643 | 655 | 681 | 697 | 707 | 720 | 742 | 760 | 777 | 790 |
| 1065 | 534 | 553 | 569 | 588 | 590 | 614 | 633 | 638 | 630 | 651 | 662 | 668 |
| 1066 | 727 | 754 | 799 | 840 | 863 | 897 | 939 | 962 | 982 | 1002 | 1019 | 1025 |
| 1067 | 589 | 596 | 622 | 641 | 669 | 681 | 711 | 736 | 739 | 742 | 771 | 782 |
| 1068 | 579 | 594 | 610 | 619 | 635 | 647 | 654 | 673 | 685 | 688 | 706 | 708 |
| 1069 | 638 | 637 | 658 | 691 | 698 | 709 | 745 | 763 | 792 | 796 | 827 | 833 |
| 1070 | 633 | 640 | 662 | 705 | 736 | 746 | 772 | 801 | 820 | 845 | 865 | 883 |
| 1071 | 625 | 632 | 660 | 673 | 705 | 729 | 760 | 765 | 795 | 803 | 827 | 827 |
| 1072 | 616 | 628 | 638 | 668 | 697 | 711 | 734 | 752 | 780 | 814 | 811 | 827 |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1073 | 637 | 650 | 679 | 705 | 727 | 738 | 764 | 790 | 809 | 825 | 842 | 849 |
| 1074 | 679 | 684 | 729 | 760 | 788 | 820 | 834 | 858 | 880 | 881 | 893 | 876 |
| 1075 | 565 | 575 | 553 | 610 | 620 | 643 | 649 | 668 | 681 | 695 | 705 | 712 |
| 1076 | 543 | 549 | 519 | 571 | 593 | 607 | 622 | 632 | 645 | 658 | 671 | 681 |
| 1077 | 597 | 610 | 628 | 649 | 671 | 683 | 700 | 712 | 720 | 728 | 746 | 750 |
| 1078 | 548 | 561 | 578 | 594 | 608 | 611 | 632 | 638 | 654 | 655 | 673 | 670 |
| 1079 | 632 | 652 | 668 | 698 | 727 | 736 | 763 | 788 | 807 | 820 | 838 | 846 |
| 1080 | 635 | 646 | 667 | 693 | 711 | 725 | 749 | 765 | 792 | 794 | 809 | 811 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1081 | 521 | 516 | 526 | 553 | 573 | 585 | 607 | 606 | 618 | 637 | 654 | 670 |
| 1082 | 641 | 667 | 701 | 731 | 753 | 780 | 810 | 823 | 836 | 864 | 880 | 909 |
| 1083 | 690 | 710 | 757 | 787 | 798 | 833 | 857 | 879 | 880 | 898 | 919 | 929 |
| 1084 | 600 | 623 | 642 | 666 | 677 | 697 | 714 | 736 | 730 | 750 | 765 | 782 |
| 1085 | 554 | 557 | 597 | 623 | 642 | 659 | 669 | 680 | 684 | 703 | 715 | 737 |
| 1086 | 582 | 612 | 632 | 640 | 672 | 678 | 676 | 686 | 683 | 704 | 718 | 735 |
| 1087 | 481 | 498 | 514 | 532 | 545 | 562 | 568 | 573 | 585 | 595 | 613 | 618 |
| 1088 | 498 | 521 | 548 | 564 | 575 | 583 | 591 | 609 | 599 | 607 | 618 | 635 |
| 1089 | 602 | 630 | 654 | 677 | 698 | 721 | 745 | 764 | 767 | 788 | 807 | 829 |
| 1090 | 549 | 572 | 595 | 618 | 623 | 641 | 654 | 674 | 653 | 675 | 685 | 703 |
| 1091 | 512 | 523 | 544 | 556 | 550 | 561 | 570 | 593 | 597 | 613 | 618 | 628 |
| 1092 | 634 | 643 | 670 | 697 | 708 | 719 | 739 | 764 | 787 | 799 | 807 | 835 |
| 1093 | 576 | 577 | 606 | 632 | 641 | 659 | 677 | 671 | 691 | 691 | 707 | 724 |
| 1094 | 592 | 605 | 630 | 647 | 669 | 691 | 694 | 696 | 717 | 721 | 736 | 740 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1095 | 568 | 583 | 600 | 631 | 646 | 670 | 677 | 690 | 711 | 737 | 749 | 759 |
| 1096 | 639 | 649 | 671 | 697 | 716 | 730 | 745 | 750 | 777 | 786 | 801 | 831 |
| 1097 | 670 | 683 | 702 | 736 | 757 | 784 | 803 | 816 | 850 | 878 | 891 | 916 |
| 1098 | 605 | 622 | 653 | 679 | 705 | 731 | 729 | 737 | 744 | 770 | 765 | 787 |
| 1099 | 528 | 541 | 549 | 576 | 580 | 611 | 619 | 625 | 644 | 660 | 668 | 683 |
| 1100 | 556 | 569 | 583 | 604 | 617 | 640 | 635 | 656 | 675 | 690 | 710 | 717 |
| 1101 | 555 | 565 | 584 | 595 | 612 | 623 | 635 | 641 | 662 | 650 | 657 | 680 |
| 1102 | 573 | 586 | 607 | 618 | 630 | 660 | 666 | 667 | 684 | 699 | 707 | 723 |
| 1103 | 627 | 643 | 653 | 701 | 711 | NDC | | | | | | |
| 1104 | 602 | 622 | 655 | 688 | 715 | 734 | 767 | 780 | 796 | 821 | 824 | 859 |
| 1105 | 591 | 600 | 629 | 664 | 679 | 695 | 726 | 741 | 743 | 764 | 766 | 795 |
| 1106 | 634 | 659 | 676 | 707 | 720 | 746 | 745 | 747 | 771 | 801 | 818 | 837 |
| 1107 | 591 | 605 | 631 | 651 | 662 | 683 | 694 | 704 | 727 | 740 | 754 | 764 |
| 1108 | 515 | 520 | 537 | 553 | 556 | 587 | 593 | 597 | 618 | 633 | 645 | 655 |
| 1109 | 446 | 462 | 483 | 501 | 501 | 512 | 527 | 541 | 551 | 571 | 569 | 588 |
| 1110 | 644 | 663 | 705 | 727 | 749 | 771 | 784 | 812 | 828 | 842 | 852 | 884 |
| 1111 | 712 | 727 | 761 | 785 | 811 | 838 | 848 | 852 | 876 | 906 | 891 | 947 |
| 1112 | 502 | 516 | 538 | 555 | 570 | 588 | 579 | 609 | 627 | 640 | 654 | 684 |
| 1113 | 619 | 635 | 650 | 675 | 696 | 720 | 730 | 748 | 764 | 781 | 780 | 774 |
| 1114 | 614 | 631 | 659 | 685 | 711 | 738 | 751 | 782 | 821 | 828 | 851 | 872 |
| 1115 | 656 | 666 | 686 | 703 | 724 | 744 | 758 | 776 | 795 | 808 | 821 | 827 |
| 1117 | 580 | 594 | 622 | 653 | 671 | 679 | 694 | 701 | 720 | 743 | 756 | 772 |
| 1118 | 679 | 689 | 704 | 730 | 750 | 764 | 765 | 786 | 808 | 800 | 819 | 844 |
| 1119 | 553 | 561 | 578 | 589 | 600 | 613 | 620 | 638 | 650 | 664 | 671 | 685 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1120 | 606 | 614 | 640 | 653 | 667 | 691 | 701 | 710 | 726 | 744 | 759 | 775 |
| 1121 | 583 | 597 | 624 | 642 | 661 | 682 | 699 | 712 | 733 | 745 | 762 | 767 |
| 1122 | 541 | 548 | 569 | 593 | 609 | 620 | 625 | 651 | 668 | 683 | 704 | 723 |
| 1123 | 604 | 620 | 643 | 673 | 694 | 728 | 752 | 768 | 798 | 823 | 843 | 858 |
| 1124 | 527 | 543 | 567 | 586 | 598 | 620 | 648 | 664 | 686 | 702 | 711 | 720 |
| 1125 | 608 | 634 | 651 | 674 | 693 | 709 | 729 | 743 | 756 | 770 | 792 | 811 |
| 1126 | 617 | 626 | 650 | 671 | 688 | 705 | 711 | 727 | 733 | 749 | 766 | 789 |
| 1127 | 586 | 593 | 601 | 623 | 641 | 676 | 694 | 704 | 716 | 711 | 738 | 744 |
| 1128 | 647 | 655 | 683 | 697 | 713 | 729 | 740 | 750 | 756 | 776 | 788 | 786 |
| 1129 | 632 | 647 | 682 | 703 | 731 | 761 | 791 | 810 | 766 | 809 | 833 | 854 |
| 1130 | 623 | 628 | 659 | 679 | 696 | 717 | 722 | 752 | 741 | 743 | 768 | 796 |
| 1131 | 520 | 530 | 547 | 566 | 575 | 590 | 598 | 618 | 628 | 641 | 661 | 681 |
| 1132 | 611 | 631 | 655 | 640 | 687 | 712 | 720 | 716 | 733 | 738 | 748 | 751 |
| 1133 | 561 | 567 | 586 | 608 | 622 | 643 | 654 | 668 | 681 | 694 | 689 | 711 |
| 1134 | 539 | 540 | 562 | 567 | 578 | 603 | 609 | 610 | 611 | 624 | 637 | 652 |
| 1135 | 686 | 690 | 717 | 738 | 757 | 775 | 781 | 786 | 814 | 823 | 820 | 862 |
| 1136 | 621 | 632 | 664 | 690 | 705 | 723 | 741 | 757 | 780 | 798 | 809 | 810 |
| 1137 | 560 | 572 | 586 | 603 | 620 | 637 | 649 | 646 | 667 | 688 | 693 | 703 |
| 1138 | 607 | 615 | 634 | 662 | 695 | 725 | 728 | 752 | 771 | 777 | 799 | 807 |
| 1139 | 594 | NDC | | | | | | | | | | |
| 1140 | 512 | 512 | 533 | 558 | 563 | 578 | 587 | 612 | 615 | 628 | 642 | 664 |
| 1141 | 556 | 565 | 580 | 596 | 619 | 634 | 650 | 669 | 677 | 690 | 695 | 711 |
| 1142 | 578 | 591 | 594 | 596 | 596 | 611 | 616 | 627 | 635 | 643 | 620 | 632 |
| 1143 | 519 | 542 | 566 | 580 | 595 | 605 | 624 | 645 | 664 | 662 | 673 | 690 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1144 | 644 | 661 | 685 | 721 | 735 | 759 | 781 | 796 | 808 | 842 | 824 | 869 |
| 1145 | 584 | 590 | 615 | 644 | 657 | 673 | 685 | 701 | 717 | 723 | 733 | 757 |
| 1146 | 588 | 601 | 625 | 642 | 670 | 676 | 696 | 724 | 742 | 763 | 773 | 800 |
| 1147 | 644 | 652 | 668 | 703 | 711 | 731 | 739 | 742 | 769 | 786 | 791 | 797 |
| 1148 | 610 | 629 | 642 | 673 | 691 | 712 | 725 | 744 | 754 | 777 | 790 | 811 |
| 1149 | 544 | 557 | 532 | 578 | 607 | 624 | 622 | 642 | 651 | 664 | 680 | 691 |
| 1150 | 497 | 509 | 514 | 535 | 540 | 551 | 558 | 571 | 585 | 587 | 606 | 616 |
| 1151 | 595 | 597 | 618 | 629 | 653 | 663 | 667 | 677 | 686 | 698 | 706 | 714 |
| 1152 | 684 | 708 | 739 | 770 | 790 | 823 | 846 | 882 | 916 | 925 | 948 | 964 |
| 1153 | 668 | 679 | 707 | 738 | 739 | 763 | 782 | 813 | 823 | 839 | 850 | 872 |
| 1154 | 587 | 614 | 641 | 664 | 680 | 711 | 734 | 741 | 765 | 780 | 792 | 811 |
| 1155 | 535 | 548 | 564 | 583 | 599 | 615 | 633 | 631 | 646 | 651 | 664 | 678 |
| 1156 | 583 | 592 | 614 | 637 | 643 | 671 | 694 | 710 | 733 | 744 | 761 | 776 |
| 1157 | 578 | 588 | 613 | 631 | 630 | 640 | 656 | 666 | 689 | 697 | 702 | 728 |
| 1158 | 712 | 733 | 757 | 792 | 829 | 855 | 874 | 890 | 897 | 918 | 922 | 950 |
| 1159 | 604 | 612 | 643 | 679 | 696 | 706 | 712 | 736 | 754 | 770 | 780 | 794 |
| 1160 | 577 | 586 | 607 | 633 | 640 | 666 | 684 | 693 | 705 | 712 | 719 | 727 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1161 | 537 | 580 | 600 | 615 | 634 | 656 | 668 | 699 | 706 | 721 | 732 | 763 |
| 1162 | 562 | 573 | 597 | 612 | 634 | 651 | 666 | 676 | 678 | 703 | 691 | 726 |
| 1163 | 595 | 629 | 627 | 664 | 694 | 711 | 727 | 748 | 747 | 766 | 787 | 794 |
| 1164 | 534 | 552 | 564 | 596 | 606 | 627 | 647 | 659 | 665 | 680 | 699 | 709 |
| 1165 | 515 | 548 | 561 | 579 | 597 | 608 | 628 | 633 | 646 | 658 | 670 | 686 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1166 | 587 | 607 | 636 | 666 | 693 | 707 | 724 | 741 | 722 | 763 | 773 | 785 |
| 1167 | 551 | 565 | 592 | 615 | 629 | 637 | 653 | 645 | 658 | 687 | 703 | 703 |
| 1168 | 568 | 594 | 607 | 636 | 657 | 677 | 685 | 688 | 698 | 707 | 733 | 748 |
| 1169 | 566 | 585 | 609 | 632 | 644 | 662 | 674 | 687 | 691 | 711 | 715 | 728 |
| 1170 | 503 | 514 | 544 | 555 | 574 | 589 | 601 | 613 | 614 | 642 | 646 | 668 |
| 1171 | 557 | 572 | 589 | 602 | 623 | 639 | 648 | 651 | 669 | 663 | 681 | 691 |
| 1172 | 676 | 695 | 720 | 758 | 784 | 809 | 833 | 844 | 869 | 881 | 890 | 902 |
| 1173 | 645 | 657 | 684 | 719 | 746 | 778 | 801 | 815 | 845 | 865 | 880 | 908 |
| 1174 | 628 | 644 | 657 | 688 | 701 | 718 | 730 | 737 | 749 | 755 | 759 | 776 |
| 1175 | 769 | 803 | 801 | 845 | 881 | 913 | 937 | 944 | 966 | 991 | 1002 | 1025 |
| 1176 | 602 | 611 | 633 | 657 | 680 | 703 | 708 | 734 | 750 | 764 | 784 | 794 |
| 1177 | 568 | 593 | 616 | 644 | 661 | 686 | 691 | 692 | 715 | 737 | 748 | 765 |
| 1178 | 555 | 562 | 584 | 611 | 630 | 648 | 663 | 661 | 696 | 705 | 723 | 749 |
| 1179 | 632 | 640 | 668 | 691 | 711 | 736 | 766 | 785 | 805 | 823 | 843 | 866 |
| 1180 | 566 | 583 | 603 | 639 | 661 | 662 | 679 | 680 | 693 | 693 | 726 | 749 |
| 1181 | 577 | 572 | 572 | 592 | 604 | 619 | 636 | 648 | 667 | 674 | 699 | 708 |
| 1182 | 524 | 534 | 549 | 560 | 573 | 590 | 598 | 606 | 617 | 630 | 641 | 644 |
| 1183 | 649 | 663 | 692 | 723 | 741 | 769 | 794 | 814 | 839 | 858 | 884 | 901 |
| 1184 | 629 | 636 | 645 | 670 | 684 | 700 | 717 | 730 | 748 | 755 | 765 | 773 |
| 1185 | 579 | 595 | 606 | 636 | 649 | 670 | 691 | 670 | 721 | 733 | 739 | 760 |
| 1186 | 540 | 553 | 574 | 575 | 594 | 590 | 602 | 589 | 622 | 632 | 643 | 651 |
| 1187 | 687 | 704 | 732 | 767 | 777 | 808 | 833 | 852 | 876 | 889 | 903 | 943 |
| 1188 | 620 | 639 | 659 | 678 | 683 | 708 | 732 | 757 | 775 | 799 | 826 | 833 |
| 1189 | 622 | 630 | 653 | 688 | 709 | 743 | 747 | 769 | 803 | 827 | 842 | 880 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1190 | 598 | 605 | 629 | 651 | 672 | 693 | 699 | 719 | 748 | 754 | 715 | 734 |
| 1191 | 541 | 553 | 573 | 587 | 594 | 609 | 631 | 635 | 652 | 666 | 666 | 692 |
| 1192 | 513 | 529 | 530 | 547 | 561 | 574 | 573 | 589 | 594 | 605 | 615 | 632 |
| 1193 | 517 | 530 | 538 | 555 | 568 | 571 | 595 | 608 | 616 | 634 | 632 | 654 |
| 1194 | 554 | 570 | 592 | 610 | 629 | 646 | 657 | 675 | 696 | 706 | 725 | 731 |
| 1195 | 645 | 664 | 692 | 736 | 752 | 777 | 791 | 824 | 840 | 868 | 880 | 900 |
| 1196 | 540 | 549 | 565 | 576 | 586 | 590 | 605 | 609 | 618 | 637 | 641 | 654 |
| 1197 | 589 | 596 | 606 | 635 | 659 | 671 | 675 | 680 | 702 | 713 | 707 | 705 |
| 1198 | 670 | 679 | 697 | 727 | 755 | 757 | 782 | 802 | 817 | 832 | 837 | 870 |
| 1199 | 545 | 555 | 572 | 588 | 597 | 609 | 619 | 625 | 635 | 643 | 652 | 651 |
| 1200 | 643 | 654 | 679 | 701 | 727 | 731 | 754 | 767 | 785 | 797 | 818 | 831 |
| 1201 | 596 | 605 | 634 | 661 | 663 | 681 | 697 | 708 | 729 | 729 | 741 | 766 |
| 1202 | 656 | 673 | 690 | 709 | 724 | 749 | 764 | 769 | 791 | 812 | 824 | 835 |
| 1203 | 563 | 566 | 582 | 603 | 619 | 625 | 640 | 654 | 674 | 673 | 694 | 694 |
| 1204 | 567 | 578 | 595 | 624 | 635 | 642 | 656 | 668 | 696 | 706 | 711 | 736 |
| 1205 | 663 | 681 | 707 | 731 | 758 | 783 | 812 | 827 | 857 | 868 | 879 | 897 |
| 1206 | 564 | 580 | 603 | 625 | 636 | 663 | 681 | 687 | 713 | 724 | 741 | 761 |
| 1207 | 580 | 586 | 618 | 627 | 648 | 669 | 732 | 767 | 798 | 831 | NDC | |
| 1208 | 574 | 583 | 603 | 622 | 639 | 658 | 659 | 666 | 686 | 701 | 703 | 711 |
| 1209 | 679 | 705 | 729 | 765 | 789 | 807 | 827 | 848 | 865 | 878 | 877 | 885 |
| 1210 | 667 | 680 | 705 | 740 | 760 | 782 | 798 | 822 | 787 | 831 | 853 | 886 |
| 1211 | 723 | 738 | 777 | 809 | 838 | 865 | 899 | 941 | 964 | 977 | 1019 | 1052 |
| 1212 | 551 | 561 | 570 | 587 | 585 | 608 | 612 | 621 | 615 | 613 | 615 | 616 |
| 1213 | 501 | 516 | 530 | 555 | 572 | 605 | 616 | 636 | 656 | 663 | 681 | 700 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1214 | 610 | 621 | 641 | 665 | 683 | 697 | 719 | 718 | 744 | 756 | 761 | 786 |
| 1215 | 623 | 639 | 669 | 686 | 704 | 727 | 743 | 770 | 789 | 811 | 830 | 834 |
| 1216 | 654 | 665 | 687 | 712 | 725 | 761 | 768 | 788 | 811 | 833 | 851 | 870 |
| 1217 | 581 | 590 | 609 | 629 | 648 | 661 | 661 | 675 | 698 | 709 | 720 | 725 |
| 1218 | 644 | 660 | 686 | 717 | 734 | 759 | 766 | 794 | 821 | 838 | 855 | 877 |
| 1219 | 611 | 623 | 649 | 677 | 691 | 717 | 727 | 749 | 769 | 783 | 802 | 832 |
| 1220 | 587 | 595 | 617 | 639 | 650 | 670 | 677 | 687 | 707 | 723 | 729 | 752 |
| 1221 | 527 | 544 | 551 | 566 | 581 | 593 | 605 | 618 | 635 | 650 | 660 | 676 |
| 1222 | 580 | 596 | 615 | 634 | 650 | 672 | 683 | 698 | 713 | 742 | 751 | 781 |
| 1223 | 530 | 541 | 559 | 576 | 589 | 594 | 607 | 621 | 634 | 640 | 644 | 665 |
| 1224 | 569 | 582 | 606 | 627 | 636 | 655 | 685 | 697 | 723 | 737 | 745 | 725 |
| 1225 | 611 | 623 | 649 | 653 | 672 | 690 | 700 | 633 | 688 | 712 | 707 | 721 |
| 1226 | 635 | 665 | 673 | 699 | 718 | 757 | 765 | 781 | 800 | 800 | 825 | 842 |
| 1227 | 564 | 571 | 601 | 602 | 606 | 624 | 620 | 638 | 657 | 658 | 657 | 672 |
| 1228 | 492 | 500 | 514 | 528 | 553 | 559 | 575 | 581 | 598 | 618 | 633 | 643 |
| 1229 | 618 | 625 | 656 | 667 | 675 | 704 | 704 | 686 | 686 | 655 | 669 | 671 |
| 1230 | 565 | 576 | 606 | 625 | 645 | 652 | 669 | 677 | 692 | 700 | 709 | 708 |
| 1231 | 608 | 634 | 667 | 698 | 723 | 751 | 766 | 797 | 820 | 844 | 864 | 875 |
| 1232 | 594 | 614 | 637 | 644 | 661 | 692 | 691 | 707 | 726 | 743 | 744 | 759 |
| 1233 | 631 | 639 | 669 | 688 | 709 | 727 | 737 | 752 | 775 | 789 | 797 | 815 |
| 1234 | 579 | 593 | 611 | 634 | 653 | 677 | 686 | 702 | 730 | 752 | 752 | 783 |
| 1235 | 610 | 623 | 653 | 681 | 708 | 733 | 762 | 782 | 805 | 830 | 849 | 874 |
| 1236 | 672 | 683 | 725 | 737 | 771 | 811 | 816 | 845 | 871 | 894 | 910 | 926 |
| 1237 | 536 | 544 | 555 | 573 | 583 | 600 | 610 | 621 | 647 | 627 | 632 | 641 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1238 | 644 | 663 | 673 | 698 | 713 | 736 | 739 | 742 | 761 | 779 | 790 | 798 |
| 1239 | 588 | 597 | 625 | 651 | 675 | 700 | 702 | 706 | 735 | 746 | 750 | 760 |
| 1240 | 623 | 634 | 657 | 673 | 689 | 700 | 714 | 720 | 739 | 753 | 757 | 771 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1241 | 542 | 559 | 590 | 611 | 627 | 642 | 650 | 669 | 652 | 687 | 697 | 717 |
| 1242 | 528 | 553 | 587 | 596 | 611 | 632 | 637 | 656 | 666 | 685 | 704 | 711 |
| 1243 | 542 | 563 | 589 | 601 | 626 | 623 | 648 | 658 | 665 | 682 | 706 | 727 |
| 1244 | 561 | 577 | 587 | 614 | 624 | 607 | 647 | 659 | 657 | 681 | 702 | 720 |
| 1245 | 575 | 589 | 616 | 644 | 671 | 690 | 706 | 724 | 733 | 761 | 747 | 740 |
| 1246 | 569 | 599 | 638 | 661 | 703 | 725 | 739 | 761 | 762 | 785 | 809 | 826 |
| 1247 | 605 | 632 | 650 | 664 | 682 | 704 | 722 | 726 | 733 | 751 | 766 | 774 |
| 1248 | 523 | 533 | 554 | 561 | 576 | 608 | 609 | 619 | 618 | 640 | 654 | 667 |
| 1249[r] | 697 | 730 | 772 | 805 | 847 | 853 | 897 | 897 | 884 | 893 | 920 | 918 |
| 1250 | 458 | 472 | 497 | 537 | 553 | 569 | 587 | 594 | 591 | 618 | 633 | 627 |
| 1251 | 569 | 595 | 606 | 605 | 627 | 648 | 655 | 669 | 670 | 695 | 694 | 714 |
| 1252 | 583 | 601 | 617 | 658 | 682 | 707 | 709 | 743 | 767 | 785 | 813 | 832 |
| 1253 | 543 | 553 | 579 | 596 | 623 | 640 | 660 | 661 | 679 | 678 | 705 | 734 |
| 1254 | 525 | 528 | 554 | 577 | 584 | 600 | 607 | 627 | 634 | 636 | 644 | 664 |
| 1255 | 549 | 551 | 572 | 585 | 596 | 614 | 622 | 631 | 647 | 663 | 675 | 689 |
| 1256 | 538 | 551 | 581 | 610 | 628 | 651 | 664 | 673 | 703 | 717 | 731 | 750 |
| 1257 | 602 | 640 | 667 | 699 | 716 | 733 | 743 | 762 | 768 | 814 | 819 | 844 |
| 1258 | 578 | 596 | 615 | 639 | 662 | 688 | 691 | 701 | 710 | 747 | 770 | 798 |
| 1259 | 694 | 701 | 728 | 749 | 782 | 805 | 822 | 844 | 873 | 895 | 908 | 932 |

[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1260 | 529 | 565 | 575 | 604 | 605 | 621 | 646 | 665 | 682 | 682 | 701 | 717 |
| 1261 | 516 | 516 | 539 | 552 | 543 | 589 | 606 | 610 | 643 | 662 | 668 | 681 |
| 1262 | 524 | 543 | 565 | 578 | 597 | 610 | 627 | 612 | 656 | 662 | 672 | 697 |
| 1263 | 618 | 630 | 648 | 665 | 689 | 693 | 706 | 729 | 731 | 736 | 755 | 764 |
| 1264 | 570 | 580 | 598 | 610 | 620 | 630 | 631 | 641 | 643 | 659 | 669 | 678 |
| 1265 | 594 | 600 | 618 | 633 | 655 | 664 | 673 | 695 | 689 | 706 | 737 | 762 |
| 1266 | 532 | 557 | 574 | 587 | 610 | 620 | 629 | 642 | 668 | 679 | 700 | 719 |
| 1267 | 609 | 615 | 642 | 669 | 695 | 699 | 720 | 742 | 766 | 780 | 795 | 811 |
| 1268 | 633 | 641 | 658 | 678 | 679 | 660 | 681 | 697 | 701 | 730 | 733 | 741 |
| 1269 | 539 | 553 | 570 | 605 | 623 | 635 | 644 | 655 | 669 | 671 | 690 | 711 |
| 1270 | 604 | 619 | 623 | 648 | 668 | 673 | 697 | 730 | 741 | 715 | 757 | 770 |
| 1271 | 570 | 588 | 610 | 633 | 660 | 681 | 691 | 689 | 736 | 717 | 749 | 783 |
| 1272 | 534 | 550 | 572 | 592 | 612 | 629 | 641 | 633 | 666 | 670 | 684 | 704 |
| 1273 | 606 | 613 | 638 | 648 | 660 | 679 | 703 | 712 | 726 | 736 | 746 | 766 |
| 1274 | 536 | 545 | 550 | 570 | 586 | 597 | 601 | 612 | 631 | 642 | 659 | 672 |
| 1275 | 578 | 600 | 609 | 625 | 627 | 622 | 661 | 669 | 664 | 708 | 716 | 725 |
| 1276 | 470 | 476 | 487 | 502 | 523 | 519 | 516 | 523 | 541 | 553 | 539 | 547 |
| 1277 | 548 | 554 | 574 | 588 | 614 | 624 | 637 | 658 | 679 | 689 | 706 | 727 |
| 1278 | 629 | 656 | 689 | 708 | 728 | 739 | 747 | 755 | 764 | 773 | 802 | 795 |
| 1279 | 610 | 617 | 636 | 672 | 690 | 706 | 729 | 750 | 750 | 777 | 792 | 793 |
| 1280 | 515 | 531 | 551 | 572 | 594 | 605 | 610 | 640 | 651 | 668 | 631 | 672 |
| 1281 | 558 | 571 | 592 | 611 | 630 | 634 | 649 | 629 | 670 | 684 | 698 | 709 |
| 1282 | 521 | 536 | 549 | 569 | 572 | 585 | 599 | 599 | 626 | 643 | 647 | 663 |
| 1283 | 530 | 543 | 547 | 579 | 593 | 614 | 618 | 636 | 646 | 657 | 674 | 683 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1284 | 653 | 671 | 693 | 717 | 730 | 750 | 768 | 787 | 799 | 829 | 843 | 848 |
| 1285 | 538 | 545 | 562 | 576 | 592 | 609 | 617 | 631 | 634 | 644 | 658 | 658 |
| 1286 | 660 | 672 | 691 | 706 | 738 | 755 | 759 | 768 | 787 | 805 | 811 | 821 |
| 1287 | 503 | 524 | 539 | 554 | 567 | 582 | 589 | 585 | 597 | 630 | 649 | 653 |
| 1288 | 625 | 637 | 662 | 675 | 691 | 720 | 706 | 715 | 721 | 759 | 784 | 802 |
| 1289 | 552 | 567 | 593 | 618 | 635 | 651 | 663 | 664 | 697 | 716 | 743 | 749 |
| 1290 | 618 | 630 | 650 | 676 | 683 | 696 | 701 | 685 | 728 | 744 | 761 | 772 |
| 1291 | 600 | 614 | 633 | 641 | 665 | 680 | 696 | 717 | 731 | 744 | 755 | 770 |
| 1292 | 545 | 564 | 588 | 619 | 626 | 658 | 668 | 689 | 698 | 716 | 731 | 741 |
| 1293 | 588 | 604 | 635 | 657 | 676 | 690 | 697 | 727 | 742 | 762 | 760 | 767 |
| 1294 | 481 | 492 | 506 | 523 | 544 | 564 | 574 | 582 | 597 | 624 | 633 | 633 |
| 1295 | 598 | 614 | 636 | 648 | 669 | 688 | 707 | 721 | 736 | 769 | 773 | 787 |
| 1296 | 567 | 589 | 603 | 617 | 646 | 666 | 670 | 686 | 654 | 674 | 696 | 715 |
| 1297 | 518 | 522 | 545 | 558 | 574 | 587 | 597 | 621 | 630 | 656 | 674 | 687 |
| 1298 | 543 | 554 | 568 | 603 | 624 | 647 | 653 | 673 | 689 | 714 | 738 | 753 |
| 1299 | 536 | 550 | 581 | 595 | 608 | 618 | 623 | 641 | 644 | 671 | 685 | 697 |
| 1300 | 570 | 587 | 596 | 608 | 616 | 650 | 666 | 687 | 689 | 720 | 729 | 731 |
| 1301 | 505 | 530 | 547 | 566 | 595 | 622 | 647 | 665 | 682 | 709 | 724 | 750 |
| 1302 | 641 | 653 | 648 | 686 | 708 | 721 | 702 | 713 | 729 | 766 | 804 | 785 |
| 1303 | 499 | 508 | 517 | 531 | 537 | 548 | 549 | 553 | 564 | 568 | 568 | 580 |
| 1304 | 527 | 539 | 555 | 576 | 596 | 617 | 623 | 640 | 654 | 676 | 694 | 708 |
| 1305 | 558 | 564 | 574 | 604 | 612 | 630 | 637 | 653 | 664 | 677 | 691 | 697 |
| 1306 | 549 | 561 | 581 | 596 | 612 | 634 | 645 | 665 | 681 | 687 | 699 | 717 |
| 1307 | 646 | 671 | 687 | 718 | 724 | 759 | 779 | 799 | 822 | 846 | 862 | 877 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1308 | 558 | 558 | 581 | 598 | 608 | 640 | 651 | 674 | 680 | 671 | 687 | 688 |
| 1309 | 583 | 602 | 613 | 628 | 648 | 662 | 679 | 696 | 713 | 721 | 738 | 743 |
| 1310 | 584 | 586 | 605 | 638 | 650 | 662 | 677 | 681 | 700 | 711 | 733 | 731 |
| 1311 | 576 | 593 | 608 | 616 | 635 | 653 | 664 | 681 | 687 | 676 | 697 | 721 |
| 1312 | 569 | 594 | 632 | 647 | 669 | 697 | 706 | 736 | 738 | 733 | 777 | 792 |
| 1313 | 482 | 502 | 515 | 529 | 551 | 558 | 557 | 577 | 591 | 600 | 590 | 605 |
| 1314 | 483 | 497 | 514 | 528 | 535 | 549 | 556 | 570 | 578 | 589 | 604 | 610 |
| 1315 | 506 | 537 | 572 | 587 | 609 | 617 | 626 | 634 | 626 | 646 | 653 | 674 |
| 1316 | 476 | 506 | 533 | 551 | 563 | 578 | 578 | 585 | 596 | 626 | 640 | 649 |
| 1317 | 645 | 661 | 691 | 710 | 742 | 764 | 759 | 783 | 800 | 808 | 829 | 847 |
| 1318 | 663 | 702 | 731 | 775 | 816 | 853 | 859 | 898 | 909 | 928 | 956 | 979 |
| 1319 | 539 | 548 | 565 | 582 | 589 | 606 | 613 | 613 | 625 | 644 | 657 | 667 |
| 1320 | 525 | 537 | 564 | 576 | 588 | 593 | 589 | 551 | 594 | 631 | 643 | 661 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1001 | 612 | 607 | 629 | 633 | 632 | 640 | 649 | 656 | 657 | NDC | | |
| 1002 | 795 | 818 | 814 | 833 | 835 | 837 | 852 | 865 | 872 | NDC | | |
| 1003 | 754 | 771 | 772 | 779 | 793 | 799 | 810 | 833 | 843 | NDC | | |
| 1004 | 709 | 720 | 737 | 740 | 747 | 756 | 762 | 777 | 767 | NDC | | |
| 1005 | 884 | 921 | 931 | 965 | 977 | 974 | 995 | 1002 | 1014 | NDC | | |
| 1006 | 944 | 968 | 986 | 1005 | 1028 | 1012 | 1036 | 1053 | 1065 | NDC | | |
| 1007 | 770 | 783 | 791 | 807 | 812 | 823 | 823 | 843 | 839 | NDC | | |
| 1008 | 835 | 859 | 861 | 885 | 882 | 898 | 903 | 929 | 919 | NDC | | |
| 1009 | 745 | 766 | 785 | 799 | 809 | 804 | 804 | 827 | 834 | NDC | | |
| 1010 | 821 | 843 | 850 | 869 | 862 | 874 | 886 | 907 | 909 | NDC | | |
| 1011 | 670 | 674 | 678 | 685 | 688 | 689 | 705 | 707 | 719 | 717 | 730 | 746 |
| 1012 | 972 | 961 | 962 | 937 | 970 | 980 | 959 | 977 | 989 | 972 | 962 | 974 |
| 1013 | 750 | 760 | 771 | 782 | 779 | 776 | 787 | 800 | 812 | 806 | 817 | 818 |
| 1014 | 740 | 762 | 771 | 780 | 792 | 780 | 804 | 805 | 814 | 807 | 829 | 843 |
| 1015 | 699 | 702 | 714 | 722 | 731 | 742 | 754 | 764 | 742 | 755 | 773 | 789 |
| 1016 | 768 | 784 | 798 | 812 | 815 | 821 | 846 | 857 | 853 | 852 | 866 | 903 |
| 1017 | 836 | 858 | 871 | 882 | 898 | 895 | 911 | 927 | 935 | 903 | 893 | 912 |
| 1018 | 811 | 829 | 835 | 847 | 851 | 865 | 867 | 882 | 894 | 886 | 897 | 891 |
| 1019 | 804 | 820 | 823 | 832 | 837 | 845 | 847 | 856 | 825 | 831 | 843 | 857 |
| 1020 | 629 | 644 | 660 | 664 | 677 | 679 | 680 | 690 | 636 | 650 | 679 | 680 |
| 1021 | 903 | 914 | 924 | 931 | 938 | 959 | 920 | 951 | 929 | 938 | 945 | 968 |
| 1022 | 686 | 698 | 703 | 718 | 710 | 708 | 690 | 726 | 744 | 742 | 767 | 770 |
| 1023 | 607 | 625 | 633 | 646 | 650 | 657 | 658 | 668 | 679 | 660 | 677 | 685 |
| 1024 | 731 | 739 | 744 | 743 | 748 | 755 | 752 | 761 | 768 | 763 | 771 | 769 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1025 | 777 | 792 | 794 | 798 | 819 | 812 | 789 | 826 | 844 | 852 | 860 | 871 |
| 1026 | 664 | 667 | 661 | 682 | 688 | 688 | 667 | 688 | 692 | 686 | 704 | 723 |
| 1027 | 774 | 799 | 799 | 814 | 821 | 798 | 818 | 840 | 860 | 849 | 841 | 808 |
| 1028 | 740 | 756 | 762 | 765 | 749 | 748 | 760 | 783 | 784 | 728 | 766 | 794 |
| 1029 | 806 | 823 | 841 | 858 | 862 | 882 | 890 | 915 | 922 | 929 | 930 | 945 |
| 1030 | 794 | 802 | 817 | 829 | 828 | 847 | 852 | 866 | 882 | 884 | 899 | 905 |
| 1031 | 833 | 848 | 851 | 835 | 850 | 881 | 894 | 914 | 928 | 916 | 948 | 957 |
| 1032 | 887 | 894 | 905 | 926 | 929 | 940 | 947 | 964 | 970 | 941 | 932 | 916 |
| 1033 | 800 | 815 | 829 | 839 | NDC | | | | | | | |
| 1034 | 693 | 705 | 700 | 704 | 697 | 706 | 702 | 711 | 691 | 679 | 703 | 690 |
| 1035 | 816 | 840 | 839 | 853 | 866 | 870 | 876 | 901 | 912 | 906 | 898 | 899 |
| 1036 | 740 | 756 | 757 | 781 | 785 | 789 | 794 | 779 | 809 | 777 | 804 | 826 |
| 1037 | 919 | 930 | 940 | 938 | 953 | 966 | 965 | 970 | 984 | 978 | 970 | 959 |
| 1038 | 808 | 820 | 832 | 844 | 857 | 870 | 871 | 877 | 894 | 887 | 882 | 892 |
| 1039 | 738 | 749 | 756 | 762 | 768 | 782 | 782 | 794 | 789 | 774 | 793 | 765 |
| 1040 | 722 | 729 | 739 | 743 | 743 | 751 | 749 | 738 | 764 | 764 | 775 | 737 |
| 1041 | 763 | 772 | 775 | 777 | 792 | 807 | 792 | 815 | 823 | 824 | 847 | 856 |
| 1042 | 716 | 721 | 730 | 729 | 719 | 731 | 736 | 749 | 745 | 743 | 754 | 763 |
| 1043 | 746 | 751 | 764 | 782 | 785 | 785 | 768 | 810 | 821 | 830 | 835 | 846 |
| 1044 | 1102 | 1021 | 1087 | 1099 | 1099 | NDC | | | | | | |
| 1045 | 709 | 723 | 734 | 748 | 759 | 771 | 771 | 787 | 793 | 727 | 758 | 779 |
| 1047 | 872 | 882 | 883 | 900 | 909 | 917 | 930 | 948 | 955 | 951 | 954 | 966 |
| 1048 | 782 | 784 | 797 | 782 | 780 | 778 | 749 | 684 | 656 | 531 | NDC | |
| 1049 | 667 | 674 | 674 | 692 | 690 | 695 | 698 | 716 | 722 | 720 | 743 | 742 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1050 | 694 | 701 | 709 | 725 | 722 | 724 | 727 | 741 | 733 | 737 | 758 | 774 |
| 1051 | 813 | 818 | 831 | 847 | 853 | 854 | 873 | 884 | 907 | 885 | 896 | 913 |
| 1052 | 722 | 742 | 745 | 750 | 753 | 757 | 760 | 795 | 801 | 819 | 831 | 851 |
| 1053 | 648 | 658 | 664 | 670 | 671 | 674 | 648 | 668 | 679 | 674 | 696 | 712 |
| 1054 | 873 | 894 | 907 | 930 | 927 | 941 | 913 | 955 | 975 | 987 | 1003 | 1003 |
| 1055 | 822 | 862 | 851 | 860 | 872 | 873 | 875 | 899 | 918 | 919 | 922 | 924 |
| 1056 | 763 | 770 | 787 | 797 | 810 | 821 | 842 | 847 | 847 | 853 | 863 | 869 |
| 1057 | 784 | 798 | 822 | 834 | 834 | 844 | 842 | 865 | 847 | 846 | 850 | 866 |
| 1058 | 708 | 728 | 737 | 740 | 748 | 751 | 761 | 777 | 778 | 776 | 785 | 797 |
| 1060 | 876 | 906 | 918 | 919 | 936 | 952 | 943 | 941 | 901 | 895 | 896 | 923 |
| 1061 | 818 | 825 | 839 | 864 | 866 | 879 | 888 | 905 | 916 | 919 | 921 | 934 |
| 1062 | 668 | 682 | 683 | 702 | 706 | 704 | 724 | 728 | 746 | 745 | 759 | 769 |
| 1063[r] | 808 | 816 | 830 | 836 | 854 | 866 | 869 | 875 | 872 | 877 | 873 | 882 |
| 1064 | 801 | 825 | 832 | 852 | 865 | 872 | 878 | 891 | 881 | 921 | 944 | 951 |
| 1065 | 674 | 681 | 694 | 696 | 709 | 706 | 713 | 724 | 733 | 724 | 736 | 750 |
| 1066 | 1036 | 1025 | 1062 | 1062 | 1062 | 1059 | 1054 | 1081 | 1021 | 1018 | 1047 | 978 |
| 1067 | 782 | 804 | 819 | 832 | 841 | 854 | 857 | 878 | 869 | 889 | 908 | 919 |
| 1068 | 707 | 718 | 723 | 727 | 738 | 748 | 748 | 759 | 751 | 754 | 772 | 784 |
| 1069 | 852 | 869 | 879 | 886 | 889 | 886 | 890 | 880 | 893 | 900 | 921 | 916 |
| 1070 | 888 | 907 | 923 | 934 | 934 | 945 | 962 | 969 | 982 | 952 | 974 | 924 |
| 1071 | 837 | 861 | 864 | 864 | 882 | 883 | 905 | 933 | 943 | 941 | 966 | 978 |
| 1072 | 833 | 854 | 864 | 884 | 893 | 913 | 916 | 934 | 949 | 939 | 961 | 960 |
| 1073 | 863 | 866 | 886 | 903 | 899 | 902 | 910 | 934 | 947 | 949 | 954 | 972 |
| 1074 | 910 | 936 | 954 | 962 | 949 | 967 | 975 | 978 | 956 | 908 | 766 | NDC |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1075 | 722 | 725 | 731 | 736 | 740 | 746 | 737 | 754 | 758 | 752 | 766 | 768 |
| 1076 | 694 | 701 | 708 | 721 | 725 | 735 | 753 | 764 | 771 | 762 | 772 | 783 |
| 1077 | 754 | 770 | 772 | 780 | 780 | 783 | 771 | 781 | 718 | 758 | 777 | 776 |
| 1078 | 685 | 699 | 708 | 724 | 730 | 734 | 748 | 757 | 749 | 748 | 765 | 766 |
| 1079 | 882 | 903 | 919 | 940 | 933 | 952 | 953 | 968 | 988 | 983 | 1009 | 1030 |
| 1080 | 829 | 846 | 864 | 879 | 898 | 901 | 903 | 920 | 924 | 916 | 935 | 932 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1081 | 674 | 692 | 708 | 718 | 713 | 720 | 724 | 713 | 746 | NDC | | |
| 1082 | 910 | 925 | 941 | 959 | 965 | 988 | 1007 | 1024 | 1038 | NDC | | |
| 1083 | 941 | 947 | 961 | 963 | 962 | 964 | 981 | 973 | 981 | NDC | | |
| 1084 | 799 | 804 | 811 | 817 | 820 | 836 | 848 | 841 | 848 | NDC | | |
| 1085 | 742 | 754 | 766 | 777 | 771 | 763 | 768 | 772 | 778 | NDC | | |
| 1086 | 737 | 753 | 758 | 770 | 769 | 782 | 804 | 813 | 825 | NDC | | |
| 1087 | 631 | 627 | 630 | 629 | 640 | 652 | 653 | 663 | 654 | NDC | | |
| 1088 | 640 | 643 | 656 | 663 | 669 | 672 | 687 | 706 | 697 | NDC | | |
| 1089 | 829 | 857 | 862 | 867 | 875 | 869 | 890 | 817 | 874 | NDC | | |
| 1090 | 711 | 724 | 734 | 747 | 743 | 758 | 751 | 707 | 716 | NDC | | |
| 1091 | 641 | 637 | 638 | 658 | 658 | 664 | 664 | 680 | 680 | 690 | 697 | 699 |
| 1092 | 798 | 810 | 829 | 843 | 853 | 855 | 874 | 880 | 888 | 891 | 894 | 895 |
| 1093 | 726 | 727 | 725 | 733 | 740 | 738 | 724 | 743 | 745 | 740 | 733 | 708 |
| 1094 | 743 | 747 | 745 | 754 | 751 | 761 | 770 | 769 | 753 | 726 | 742 | 760 |
| 1095 | 764 | 777 | 778 | 798 | 800 | 804 | 806 | 817 | 810 | 814 | 842 | 849 |
| 1096 | 843 | 851 | 872 | 896 | 900 | 909 | 927 | 938 | 954 | 943 | 975 | 1000 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1097 | 935 | 955 | 983 | 998 | 1010 | 961 | 972 | 1003 | 1032 | 1037 | 1074 | 1083 |
| 1098 | 780 | 797 | 811 | 827 | 824 | 826 | 855 | 855 | 864 | 855 | 858 | 864 |
| 1099 | 686 | 698 | 713 | 727 | 727 | 731 | 743 | 748 | 762 | 753 | 772 | 786 |
| 1100 | 731 | 748 | 755 | 773 | 783 | 794 | 803 | 811 | 820 | 822 | 844 | 860 |
| 1101 | 689 | 694 | 699 | 700 | 705 | 717 | 726 | 744 | 741 | 735 | 704 | NDC |
| 1102 | 719 | 725 | 738 | 754 | 749 | 757 | 762 | 770 | 777 | 792 | 803 | 827 |
| 1104 | 856 | 878 | 895 | 906 | 923 | 935 | 951 | 972 | 979 | 986 | 1005 | 1024 |
| 1105 | 804 | 791 | 808 | 829 | 833 | 837 | 838 | 855 | 858 | 867 | 881 | 888 |
| 1106 | 849 | 860 | 879 | 893 | NDC | | | | | | | |
| 1107 | 768 | 785 | 785 | 789 | 798 | 815 | 815 | 825 | 842 | 845 | 860 | 857 |
| 1108 | 672 | 688 | 704 | 718 | 721 | 733 | 749 | 746 | 754 | 753 | 777 | 784 |
| 1109 | 594 | 594 | 599 | 604 | 616 | 619 | 627 | 634 | 640 | 634 | 654 | 665 |
| 1110 | 889 | 909 | 915 | 920 | 934 | 951 | 956 | 965 | 984 | 994 | 1017 | 1029 |
| 1111 | 938 | 968 | 958 | 987 | 984 | 988 | NDC | | | | | |
| 1112 | 689 | 712 | 717 | 741 | 745 | 749 | 764 | 792 | 799 | 814 | 844 | 869 |
| 1113 | 772 | 782 | 792 | 800 | 810 | 810 | 818 | 843 | 829 | 838 | 855 | 854 |
| 1114 | 905 | 925 | 943 | 970 | 974 | 981 | 1004 | 1031 | 1051 | 1058 | 1082 | 1104 |
| 1115 | 826 | 849 | 860 | 878 | 880 | 887 | 903 | 918 | 919 | 926 | 946 | 956 |
| 1117 | 788 | 810 | 811 | 833 | 845 | 853 | 861 | 880 | 882 | 887 | 896 | 898 |
| 1118 | 849 | 853 | 869 | 868 | 887 | 888 | 886 | 896 | 902 | 910 | 935 | 931 |
| 1119 | 686 | 697 | 709 | 729 | 727 | 738 | 749 | 767 | NDC | | | |
| 1120 | 772 | 782 | 788 | 796 | 800 | 805 | 810 | 818 | 821 | 817 | 827 | 818 |
| 1121 | 788 | 799 | 806 | 821 | 835 | 842 | 847 | 871 | 871 | 879 | 899 | 906 |
| 1122 | 744 | 729 | 753 | 761 | 764 | 769 | 791 | 790 | 800 | 807 | 817 | 828 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1123 | 883 | 913 | 931 | 961 | 976 | 975 | 997 | 1017 | 1022 | 1022 | 1039 | 1052 |
| 1124 | 736 | 752 | 750 | 771 | 772 | 771 | 789 | 801 | 800 | 815 | 820 | 840 |
| 1125 | 818 | 834 | 843 | 860 | 861 | 863 | 890 | 897 | 906 | 920 | 925 | 906 |
| 1126 | 787 | 794 | 799 | 815 | 838 | 848 | 856 | 866 | 869 | 878 | 905 | 917 |
| 1127 | 761 | 746 | 784 | 787 | 802 | 811 | 838 | 848 | 854 | 858 | 832 | 833 |
| 1128 | 796 | 813 | 827 | 843 | 846 | 855 | 876 | 885 | 882 | 907 | 899 | 916 |
| 1129 | 858 | 869 | 878 | 872 | 904 | 876 | 921 | 933 | 940 | 939 | 947 | 959 |
| 1130 | 812 | 824 | 850 | 843 | 852 | 852 | 866 | 880 | 888 | 896 | 906 | 926 |
| 1131 | 681 | 706 | 716 | 734 | 729 | 740 | 744 | 749 | 748 | 755 | 760 | 775 |
| 1132 | 753 | 762 | 761 | 767 | 768 | 768 | 774 | 786 | 794 | 796 | 814 | 824 |
| 1133 | 706 | 714 | 739 | 739 | 751 | 757 | 785 | 798 | 803 | 814 | 833 | 815 |
| 1134 | 643 | 652 | 669 | 676 | 673 | 693 | 702 | 716 | 713 | 721 | 740 | 721 |
| 1135 | 867 | 878 | 875 | 904 | 911 | 916 | 941 | 962 | 981 | 983 | 1011 | 1013 |
| 1136 | 837 | 841 | 853 | 857 | 869 | 847 | 847 | 875 | 873 | 891 | 898 | 924 |
| 1137 | 682 | 716 | 724 | 707 | 722 | 737 | 756 | 760 | 765 | 766 | 778 | 793 |
| 1138 | 789 | 822 | 845 | 837 | 854 | 878 | 902 | 915 | 923 | 945 | 958 | 966 |
| 1140 | 676 | 680 | 680 | 699 | 717 | 725 | 737 | 740 | 730 | 758 | 749 | 772 |
| 1141 | 725 | 742 | 736 | 745 | 761 | 743 | 742 | 758 | 756 | 767 | 765 | 793 |
| 1142 | 639 | 658 | 662 | 689 | 697 | 709 | 735 | 773 | 762 | 797 | 806 | NDC |
| 1143 | 705 | 717 | 723 | 734 | 750 | 748 | 754 | 777 | 776 | 780 | 793 | 766 |
| 1144 | 869 | 888 | 913 | 923 | 930 | 911 | 905 | NDC | | | | |
| 1145 | 756 | 769 | 770 | 796 | 795 | 775 | 753 | NDC | | | | |
| 1146 | 816 | 788 | 788 | 811 | 830 | 834 | 852 | 889 | 897 | 900 | 926 | 927 |
| 1147 | 804 | 827 | 835 | 852 | 858 | 853 | 865 | 885 | 876 | 891 | 910 | 862 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1148 | 827 | 847 | 857 | 878 | 885 | 894 | 916 | 914 | 921 | 939 | 972 | 975 |
| 1149 | 691 | 684 | 711 | 723 | 728 | 731 | 735 | 752 | 741 | 750 | 769 | 771 |
| 1150 | 618 | 629 | 641 | 653 | 652 | 664 | 665 | 663 | 670 | 665 | 691 | 702 |
| 1151 | 729 | 731 | 739 | 750 | 748 | 747 | 754 | 761 | 761 | 751 | 769 | 781 |
| 1152 | 992 | 1012 | 1027 | 1063 | 1037 | 1044 | 1055 | 1078 | 1092 | 1111 | 1128 | 1138 |
| 1153 | 881 | 888 | 889 | 908 | 921 | 929 | 939 | 943 | 936 | 941 | 952 | 917 |
| 1154 | 823 | 818 | 817 | 851 | 856 | 860 | 888 | 903 | 907 | 914 | 925 | 938 |
| 1155 | 697 | NDC | | | | | | | | | | |
| 1156 | 786 | 791 | 804 | 830 | 826 | 841 | 843 | 863 | 852 | 850 | 859 | 851 |
| 1157 | 729 | 737 | 738 | 765 | 763 | 766 | 761 | 753 | 772 | 774 | 786 | 800 |
| 1158 | 961 | 977 | 997 | 996 | 1002 | 1005 | 982 | 926 | 944 | 971 | 988 | 1020 |
| 1159 | 768 | 790 | 797 | 808 | 823 | 828 | 836 | 845 | 836 | 847 | 855 | 860 |
| 1160 | 704 | 687 | 727 | 744 | 753 | 757 | 758 | 760 | 774 | 786 | 797 | 812 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1161 | 774 | 798 | 806 | 815 | 826 | 851 | 861 | 847 | 838 | NDC | | |
| 1162 | 737 | 746 | 758 | 779 | 772 | 786 | 790 | 788 | 804 | NDC | | |
| 1163 | 793 | 814 | 823 | 837 | 840 | 810 | 830 | 850 | 859 | NDC | | |
| 1164 | 711 | 732 | 742 | 754 | 753 | 725 | 719 | 718 | 724 | NDC | | |
| 1165 | 691 | 706 | 699 | 722 | 719 | 724 | 729 | 739 | 734 | NDC | | |
| 1166 | 808 | 818 | 838 | 855 | 867 | 877 | 879 | 898 | 898 | NDC | | |
| 1167 | 716 | 729 | 746 | 751 | 750 | 764 | 770 | 782 | 792 | NDC | | |
| 1168 | 757 | 776 | 782 | 794 | 811 | 801 | 806 | 822 | 816 | NDC | | |
| 1169 | 731 | 751 | 756 | 771 | 775 | 792 | 792 | 802 | 813 | NDC | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1170 | 680 | 692 | 694 | 707 | 723 | 729 | 733 | 744 | 743 | NDC | | |
| 1171 | 694 | 707 | 709 | 725 | 732 | 735 | 745 | 761 | 763 | 778 | 775 | 795 |
| 1172 | 913 | 936 | 942 | 957 | 955 | 966 | 983 | 976 | 972 | 988 | 982 | 984 |
| 1173 | 917 | 945 | 981 | 999 | 1016 | 1014 | 1026 | 1048 | 1064 | 1056 | 1046 | 1042 |
| 1174 | 797 | 762 | 789 | 809 | 801 | NDC | | | | | | |
| 1175 | 1023 | 1005 | 1022 | 1033 | 1042 | 1061 | 1075 | 1075 | 1083 | 1072 | 1095 | 1096 |
| 1176 | 787 | 810 | 828 | 826 | 842 | 860 | 873 | 881 | 898 | 894 | 907 | 917 |
| 1177 | 779 | 781 | 742 | 684 | 558 | NDC | | | | | | |
| 1178 | 749 | 767 | 774 | 786 | 800 | 815 | 817 | 832 | 857 | 857 | 864 | 890 |
| 1179 | 879 | 901 | 904 | 914 | 927 | 945 | 944 | 952 | 955 | 913 | 933 | 956 |
| 1180 | 760 | 784 | 786 | 798 | 803 | 822 | 834 | 845 | 840 | 843 | 868 | 883 |
| 1181 | 674 | 712 | 726 | 737 | 742 | 760 | 767 | 781 | 788 | 796 | 808 | 826 |
| 1182 | 626 | 655 | 670 | 675 | 689 | 700 | 704 | 713 | 726 | 733 | 736 | 764 |
| 1183 | 920 | 946 | 956 | 982 | 981 | 982 | 994 | 1011 | 1035 | 1050 | 1040 | 1067 |
| 1184 | 759 | 772 | 781 | 779 | 794 | 808 | 814 | 825 | 833 | 839 | 838 | 852 |
| 1185 | 769 | 795 | 800 | 816 | 821 | 831 | 843 | 858 | 869 | 879 | 892 | 908 |
| 1186 | 639 | 661 | 653 | 653 | 659 | 667 | 661 | 658 | 663 | 669 | 657 | 684 |
| 1187 | 950 | 968 | 972 | 989 | 992 | 1014 | 1024 | 1026 | 1037 | 1022 | 1052 | 1066 |
| 1188 | 841 | 867 | 859 | 882 | 871 | 884 | 894 | 899 | 901 | 913 | 909 | 919 |
| 1189 | 870 | 896 | 909 | 927 | 955 | 978 | 984 | 995 | 1010 | 1013 | 1028 | 1050 |
| 1190 | 754 | NDC | | | | | | | | | | |
| 1191 | 698 | 709 | 718 | 725 | 731 | 743 | 754 | 756 | 764 | NDC | | |
| 1192 | 644 | 649 | 654 | 664 | 665 | 674 | 682 | 696 | 714 | 717 | 734 | 744 |
| 1193 | 667 | 673 | 671 | 685 | 695 | 698 | 714 | 735 | 739 | 737 | 761 | 770 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1194 | 741 | 742 | 755 | 766 | 763 | 784 | 790 | 800 | 809 | 816 | 820 | 838 |
| 1195 | 911 | 933 | 932 | 899 | 913 | 931 | 932 | 935 | 929 | 928 | 944 | 951 |
| 1196 | 660 | 648 | 642 | 663 | 658 | 673 | 679 | 689 | 701 | 693 | 692 | 707 |
| 1197 | 722 | 741 | 755 | 768 | 778 | 792 | 791 | 811 | 817 | 820 | 830 | 844 |
| 1198 | 865 | 871 | 875 | 886 | 886 | 897 | 910 | 917 | 924 | 936 | 947 | 959 |
| 1199 | 639 | 674 | 664 | 665 | 669 | 679 | 680 | 668 | 687 | 682 | 701 | 723 |
| 1200 | 841 | 868 | 852 | 867 | 882 | 904 | 911 | 919 | 947 | 951 | 950 | 974 |
| 1201 | 772 | 785 | 782 | 800 | 805 | 821 | 825 | 852 | 855 | 866 | 880 | 885 |
| 1202 | 843 | 859 | 859 | 815 | 846 | 852 | 878 | 880 | 879 | 858 | 876 | 896 |
| 1203 | 710 | 726 | 737 | 742 | 742 | NDC | | | | | | |
| 1204 | 747 | 758 | 764 | 774 | 766 | 774 | 784 | 793 | 802 | 808 | 821 | 849 |
| 1205 | 896 | 926 | 949 | 966 | 966 | 980 | 993 | 991 | 1012 | 1028 | 1042 | 1058 |
| 1206 | 770 | 782 | 792 | 802 | 810 | 811 | 825 | 827 | 846 | 845 | 856 | 874 |
| 1208 | 696 | 706 | 717 | 719 | 739 | 752 | 756 | 774 | 781 | 790 | 802 | 824 |
| 1209 | 902 | 916 | 903 | 920 | 933 | 952 | 967 | 981 | 967 | 1007 | 1018 | 1045 |
| 1210 | 890 | 914 | 903 | 925 | 933 | 940 | 950 | 974 | 940 | 989 | 990 | 1004 |
| 1211 | 1073 | 1103 | 1110 | 1119 | 1139 | 1153 | 1163 | 1174 | 1183 | 1176 | 1179 | 1190 |
| 1212 | 610 | 624 | 623 | 622 | 617 | 636 | 637 | 648 | 636 | 617 | 621 | 651 |
| 1213 | 712 | 728 | 745 | 754 | 754 | 774 | 780 | 788 | 811 | 815 | 821 | 838 |
| 1214 | 790 | 804 | 825 | 841 | 858 | 873 | 882 | 895 | 898 | 851 | 879 | 899 |
| 1215 | 844 | 858 | 868 | 889 | 892 | 918 | 922 | 925 | 935 | 940 | 924 | 930 |
| 1216 | 873 | 900 | 901 | 914 | 924 | 921 | 920 | 931 | 918 | 881 | 851 | NDC |
| 1217 | 736 | 743 | 740 | 745 | 728 | 712 | 684 | 669 | 635 | 633 | 614 | 621 |
| 1218 | 885 | 904 | 929 | 923 | 932 | 944 | 955 | 957 | 955 | 963 | 972 | 973 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1219 | 823 | 856 | 864 | 853 | 871 | 884 | 894 | 907 | 921 | 924 | 942 | 971 |
| 1220 | 755 | 765 | 785 | 785 | 808 | 818 | 824 | 829 | 816 | 796 | 768 | 757 |
| 1221 | 673 | 697 | 696 | 699 | 712 | 725 | 737 | 733 | 737 | 748 | 742 | 766 |
| 1222 | 786 | 804 | 826 | 821 | 824 | 846 | 833 | 869 | 853 | 870 | 874 | 903 |
| 1223 | 671 | 679 | 692 | 693 | 699 | 705 | 702 | 714 | 723 | 727 | 736 | 750 |
| 1224 | 745 | 773 | 769 | 787 | 808 | 814 | 829 | 839 | 853 | 841 | 855 | 881 |
| 1225 | 736 | 754 | 743 | 748 | 752 | 755 | 764 | 754 | 775 | 795 | 815 | 812 |
| 1226 | 843 | 861 | 879 | 880 | 892 | 905 | 912 | 928 | 936 | 941 | 961 | 987 |
| 1227 | 677 | 690 | 687 | 697 | 696 | 713 | 719 | 722 | 723 | 734 | 740 | 738 |
| 1228 | 656 | 673 | 683 | 693 | 711 | 723 | 741 | 756 | 772 | 777 | 787 | 740 |
| 1229 | 650 | 678 | 722 | 675 | 724 | 752 | 772 | 792 | 798 | 807 | 820 | 853 |
| 1230 | 685 | 657 | NDC | | | | | | | | | |
| 1231 | 887 | 911 | 930 | 934 | 933 | 956 | 957 | 961 | 925 | 891 | 895 | 905 |
| 1232 | 764 | 778 | 791 | 790 | 800 | 820 | 836 | 856 | 861 | 876 | 896 | 920 |
| 1233 | 821 | 836 | 854 | 852 | 868 | 879 | 876 | 892 | 915 | 917 | 918 | 855 |
| 1234 | 795 | 812 | 833 | 843 | 860 | 870 | 878 | 889 | 894 | 896 | 910 | 922 |
| 1235 | 888 | 916 | 936 | 900 | 931 | 971 | 988 | 1010 | 1050 | 1060 | 1070 | 1093 |
| 1236 | 930 | 944 | 935 | 894 | 937 | 947 | 956 | 966 | 916 | 944 | 927 | 955 |
| 1237 | 639 | 654 | 655 | 650 | 639 | 615 | 532 | 495 | NDC | | | |
| 1238 | 807 | 830 | 843 | 859 | 862 | 873 | 885 | 894 | 898 | 923 | 938 | 942 |
| 1239 | 761 | 782 | 795 | 770 | 786 | 799 | 808 | 823 | 831 | 847 | 858 | 873 |
| 1240 | 780 | 791 | 796 | 756 | 778 | 808 | 812 | 829 | 805 | 837 | 850 | 859 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1241 | 736 | 755 | 763 | 768 | 793 | 797 | 820 | 837 | 843 | NDC | | |
| 1242 | 718 | 730 | 745 | 749 | 761 | 761 | 774 | 789 | 803 | NDC | | |
| 1243 | 724 | 737 | 751 | 737 | 756 | 767 | 777 | 788 | 794 | NDC | | |
| 1244 | 736 | 733 | 754 | 765 | 769 | 783 | 794 | 808 | 822 | NDC | | |
| 1245 | 747 | 760 | 779 | 771 | 792 | 790 | 792 | 823 | 819 | NDC | | |
| 1246 | 833 | 865 | 878 | 871 | 880 | 895 | 893 | 913 | 918 | NDC | | |
| 1247 | 789 | 792 | 807 | 810 | 798 | 819 | 818 | 832 | 851 | NDC | | |
| 1248 | 682 | 677 | 706 | 724 | 718 | 733 | 736 | 751 | 772 | NDC | | |
| 1249[r] | 927 | 963 | 987 | 920 | 965 | 994 | 983 | 1001 | 1014 | NDC | | |
| 1250 | 641 | 662 | 669 | 629 | 674 | 701 | 700 | 695 | 707 | NDC | | |
| 1251 | 726 | 739 | 748 | 752 | 758 | 760 | 767 | 780 | 784 | 794 | 778 | 796 |
| 1252 | 864 | 879 | 898 | 906 | 911 | 920 | 937 | 953 | 968 | 960 | 999 | 1012 |
| 1253 | 728 | 752 | 760 | 775 | 781 | 788 | 794 | 808 | 823 | 816 | 845 | 852 |
| 1254 | 666 | 657 | 679 | 677 | 680 | 688 | 687 | 696 | 699 | 705 | 713 | 736 |
| 1255 | 680 | 695 | 708 | 724 | 734 | 743 | 760 | 780 | 793 | 807 | 822 | 830 |
| 1256 | 756 | 747 | 772 | 785 | 784 | 803 | 811 | 827 | 843 | 842 | 845 | 847 |
| 1257 | 844 | 867 | 861 | 885 | 885 | 886 | 896 | 912 | 895 | 900 | 900 | 904 |
| 1258 | 810 | 821 | 841 | 857 | 875 | 876 | 893 | 909 | 920 | 930 | 950 | 967 |
| 1259 | 947 | 965 | 991 | 991 | 1000 | 1010 | 1033 | 1052 | 1074 | 1073 | 1078 | 1115 |
| 1260 | 718 | 723 | 750 | 741 | 754 | 760 | 773 | 778 | 794 | 787 | 803 | 809 |
| 1261 | 689 | 696 | 704 | 699 | 704 | 711 | 730 | 733 | 727 | 740 | 742 | 751 |
| 1262 | 701 | 710 | 731 | 730 | 740 | 757 | 780 | 794 | 812 | 811 | 829 | 836 |
| 1263 | 769 | 781 | 789 | 793 | 802 | 802 | 815 | 792 | 793 | 810 | 832 | 839 |
| 1264 | 679 | 679 | 677 | 696 | 702 | 699 | 698 | 684 | 686 | 674 | 646 | 629 |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1265 | 774 | 776 | 795 | 783 | 790 | 803 | 817 | 840 | 854 | 864 | 864 | 885 |
| 1266 | 723 | 744 | 756 | 746 | 763 | 777 | 795 | 808 | 805 | 826 | 850 | 860 |
| 1267 | 811 | 829 | 846 | 848 | 868 | 877 | 891 | 893 | 906 | 917 | 920 | 949 |
| 1268 | 760 | 766 | 778 | 781 | 787 | 803 | 824 | 832 | 847 | 853 | 844 | NDC |
| 1269 | 724 | 736 | 750 | 754 | 769 | 778 | 787 | 799 | 793 | 814 | 821 | 836 |
| 1270 | 762 | 785 | 800 | 802 | 810 | 817 | 831 | 834 | 852 | 853 | 859 | 869 |
| 1271 | 801 | 816 | 827 | 842 | 851 | 865 | 859 | 878 | 879 | 881 | 894 | 916 |
| 1272 | 720 | 729 | 737 | 732 | 740 | 745 | 735 | 579 | NDC | | | |
| 1273 | 766 | 775 | 791 | 796 | 803 | 801 | 793 | 787 | 694 | 612 | NDC | |
| 1274 | 678 | 685 | 703 | 717 | 741 | 757 | 757 | 771 | 778 | 802 | 822 | 845 |
| 1275 | 739 | 754 | 762 | 739 | 768 | 771 | 782 | 798 | 813 | 825 | 849 | 825 |
| 1276 | 556 | 568 | 570 | 582 | 587 | 589 | 589 | 587 | 589 | 598 | 599 | 594 |
| 1277 | 735 | 750 | 763 | 772 | 777 | 784 | 789 | 792 | 805 | 788 | 816 | 827 |
| 1278 | 795 | 800 | 805 | 802 | 824 | 814 | 825 | 830 | 837 | 836 | 843 | 846 |
| 1279 | 796 | 816 | 821 | 842 | 850 | 856 | 863 | 857 | 869 | 841 | 878 | 875 |
| 1280 | 696 | 698 | 717 | 721 | 731 | 743 | 757 | 772 | 793 | 765 | 797 | 812 |
| 1281 | 719 | 730 | 739 | 756 | 759 | 765 | 770 | 786 | 794 | 790 | 793 | 799 |
| 1282 | 676 | 697 | 700 | 721 | 731 | 742 | 746 | 773 | 781 | 762 | 790 | 796 |
| 1283 | 682 | 692 | 703 | 713 | 719 | 725 | 730 | 739 | 752 | 756 | 766 | 778 |
| 1284 | 812 | 775 | 757 | 730 | 722 | 700 | 687 | 669 | NDC | | | |
| 1285 | 663 | 675 | 667 | 647 | 668 | 657 | 656 | 652 | 661 | 662 | 690 | 694 |
| 1286 | 819 | 834 | 850 | 862 | 859 | 847 | 853 | 868 | 881 | 871 | 881 | 891 |
| 1287 | 671 | 682 | 695 | 700 | 710 | 721 | 732 | 754 | 766 | 759 | 776 | 780 |
| 1288 | 799 | 802 | 815 | 825 | 829 | 828 | 832 | 822 | 837 | 839 | 850 | 856 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1289 | 749 | 771 | 776 | 784 | 793 | 802 | 804 | 808 | 823 | 813 | 838 | 840 |
| 1290 | 782 | 787 | 795 | 798 | 814 | 823 | 840 | 836 | 846 | 821 | 854 | 856 |
| 1291 | 783 | 798 | 809 | 822 | 833 | 825 | 818 | 835 | 833 | 850 | 861 | 875 |
| 1292 | 750 | 754 | 771 | 772 | 783 | 779 | 788 | 784 | 791 | 804 | 780 | 790 |
| 1293 | 780 | 791 | 796 | 793 | 814 | 823 | 826 | 832 | 845 | 854 | 856 | 863 |
| 1294 | 651 | 649 | 678 | 679 | 690 | 698 | 701 | 705 | 717 | 719 | 726 | 735 |
| 1295 | 782 | 788 | 806 | 816 | 823 | 830 | 841 | 848 | 867 | 877 | 881 | 889 |
| 1296 | 733 | 757 | 760 | 769 | 766 | 771 | 795 | 815 | 820 | 884 | 906 | 945 |
| 1297 | 698 | 716 | 730 | 734 | 723 | 743 | 762 | 764 | 783 | 794 | 788 | 782 |
| 1298 | 761 | 773 | 793 | 789 | 800 | 806 | 778 | 779 | 775 | 743 | 779 | 778 |
| 1299 | 700 | 705 | 706 | 715 | 715 | 731 | 744 | 761 | 779 | 783 | 802 | 799 |
| 1300 | 741 | 758 | 763 | 773 | 771 | 791 | 796 | 807 | 807 | 815 | 812 | 682 |
| 1301 | 770 | 784 | 802 | 816 | 834 | 854 | 857 | 878 | 892 | 893 | 915 | 919 |
| 1302 | 822 | 839 | 835 | 863 | 874 | 889 | 887 | 907 | 932 | 934 | 948 | 958 |
| 1303 | 587 | 592 | 597 | 609 | 612 | 613 | 621 | 630 | 649 | 650 | 663 | 663 |
| 1304 | 722 | 735 | 753 | 765 | 773 | 791 | 794 | 809 | 827 | 837 | 849 | 862 |
| 1305 | 709 | 709 | 731 | 737 | 744 | 755 | 762 | 775 | 792 | 793 | 808 | 819 |
| 1306 | 728 | 732 | 746 | 753 | 759 | 773 | 783 | 794 | 804 | 811 | 817 | 830 |
| 1307 | 888 | 894 | 899 | 923 | 922 | 916 | 929 | 938 | 930 | 948 | 927 | 946 |
| 1308 | 691 | 710 | 713 | 725 | 743 | 747 | 747 | 748 | 749 | 762 | 773 | 764 |
| 1309 | 758 | 785 | 797 | 806 | 811 | 828 | 835 | 852 | 861 | 859 | 873 | 856 |
| 1310 | 751 | 760 | 759 | 771 | 763 | 748 | 725 | 696 | 662 | 658 | 638 | 622 |
| 1311 | 733 | 738 | 721 | 757 | 763 | 774 | 779 | 790 | 763 | 781 | 790 | 797 |
| 1312 | 809 | 825 | 808 | 857 | 865 | 866 | NDC | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1313 | 605 | 613 | 622 | 627 | 633 | 640 | 644 | 644 | 649 | 653 | 659 | 655 |
| 1314 | 614 | 626 | 636 | 648 | 636 | 650 | 661 | 668 | 680 | 686 | 693 | 688 |
| 1315 | 683 | 694 | 706 | 715 | 724 | 729 | 745 | 757 | 764 | 771 | 779 | 785 |
| 1316 | 661 | 672 | 695 | 702 | 724 | 741 | 765 | 787 | 796 | 812 | 825 | 840 |
| 1317 | 871 | 888 | 894 | 906 | 931 | 941 | 935 | 943 | 932 | 907 | 876 | NDC |
| 1318 | 961 | 943 | 921 | 910 | 906 | 939 | 943 | 937 | 933 | 923 | NDC | |
| 1319 | 659 | 674 | 688 | 685 | 698 | 705 | 702 | 722 | 730 | 736 | 757 | 764 |
| 1320 | 659 | 665 | 675 | 686 | 701 | 696 | 684 | 671 | 642 | 625 | 600 | 566 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1011 | 750 | 754 | 760 | 749 | 763 | 767 | 781 | 781 | 789 | 785 | 799 | 808 |
| 1012 | 965 | 979 | 993 | 976 | 980 | 922 | 965 | 969 | 954 | 908 | 904 | 899 |
| 1013 | 836 | 845 | 852 | 851 | 863 | 854 | 872 | 871 | 889 | 891 | 885 | 896 |
| 1014 | 830 | 840 | 864 | 870 | 885 | 895 | 909 | 915 | 917 | 906 | 929 | 909 |
| 1015 | 781 | 798 | 815 | 814 | 825 | 820 | 824 | 824 | 830 | 833 | 846 | 862 |
| 1016 | 920 | 933 | 941 | 945 | 965 | 986 | 1006 | 1033 | 1052 | 1041 | 1045 | 1001 |
| 1017 | 930 | 944 | 939 | 942 | 949 | 963 | NDC | | | | | |
| 1018 | 921 | 930 | 930 | 939 | 872 | 859 | 884 | 909 | 919 | 907 | 903 | 911 |
| 1019 | 866 | 865 | 862 | 864 | 877 | 890 | 902 | 877 | 660 | 537 | NDC | |
| 1020 | 680 | 688 | 698 | 704 | 713 | 738 | 747 | 752 | 698 | 660 | NDC | |
| 1021 | 985 | 993 | 983 | 972 | 1000 | 1001 | 1033 | 1033 | 1036 | 1029 | 1028 | 1037 |
| 1022 | 772 | 789 | 788 | 779 | 775 | 761 | 771 | 765 | 749 | 739 | 738 | 738 |
| 1023 | 693 | 705 | 719 | 717 | 720 | 746 | 746 | 754 | 760 | 759 | 766 | 777 |
| 1024 | 779 | 769 | 775 | 764 | 727 | 730 | 740 | 747 | 744 | 747 | 737 | 732 |
| 1025 | 886 | 899 | 906 | 913 | 920 | 934 | 927 | 947 | 962 | 983 | 975 | 1014 |
| 1026 | 724 | 736 | 743 | 748 | 750 | 746 | 754 | 757 | 758 | 758 | 753 | 753 |
| 1027 | 730 | 644 | NDC | | | | | | | | | |
| 1028 | 827 | 831 | 848 | 838 | 863 | 815 | 826 | 851 | 828 | 832 | 833 | 817 |
| 1029 | 953 | 952 | 1002 | 993 | 1019 | 1021 | 1040 | 1045 | 1042 | 1035 | 1051 | 1023 |
| 1030 | 925 | 912 | 946 | 942 | 954 | 942 | 962 | 970 | 966 | 964 | 965 | 965 |
| 1031 | 976 | 990 | 1004 | 1016 | 1022 | 1031 | 1061 | 1067 | 1077 | 1087 | 1083 | 1085 |
| 1032 | 917 | 889 | 831 | 698 | NDC | | | | | | | |
| 1034 | 660 | 584 | NDC | | | | | | | | | |
| 1035 | 918 | 927 | 945 | 951 | 965 | 966 | 984 | 974 | 990 | 992 | 990 | 1001 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1036 | 855 | 864 | 884 | 876 | 880 | 877 | 884 | 867 | 830 | 830 | 799 | 784 |
| 1037 | 971 | 961 | 913 | 872 | 812 | 771 | 762 | 696 | 716 | 693 | 676 | 704 |
| 1038 | 907 | 914 | 903 | 895 | 902 | NDC | | | | | | |
| 1039 | 790 | 799 | 808 | 816 | 806 | 802 | 812 | 827 | 819 | 814 | 824 | 832 |
| 1040 | 753 | 762 | 774 | 781 | 780 | 786 | 779 | 788 | 795 | 798 | 811 | 801 |
| 1041 | 862 | 858 | 875 | 877 | 872 | 873 | 888 | 902 | 881 | 905 | 909 | 920 |
| 1042 | 774 | 771 | 784 | 778 | 781 | 793 | 800 | 803 | 796 | 808 | 809 | 808 |
| 1043 | 865 | 877 | 895 | 903 | 902 | 900 | 919 | 927 | 927 | NDC | | |
| 1045 | 805 | 794 | 813 | 827 | 840 | 848 | 861 | 865 | 862 | 870 | 878 | 892 |
| 1047 | 967 | 926 | 885 | 881 | 793 | NDC | | | | | | |
| 1049 | 758 | 768 | 773 | 767 | 772 | 772 | 792 | 794 | 784 | 778 | 787 | 758 |
| 1050 | 783 | 797 | 801 | 813 | 808 | 824 | 844 | 870 | 861 | 871 | 866 | 889 |
| 1051 | 932 | 932 | 926 | 916 | 877 | 849 | 873 | 903 | 943 | 977 | 976 | 1008 |
| 1052 | 858 | 865 | 866 | 866 | 874 | 902 | 922 | 922 | 946 | 968 | 975 | 1006 |
| 1053 | 716 | 727 | 738 | NDC | | | | | | | | |
| 1054 | 999 | 1016 | 1032 | 1006 | 1007 | 1010 | 1022 | 1021 | 1018 | 1020 | 964 | 965 |
| 1055 | 916 | 917 | 910 | 916 | 880 | 885 | 879 | 875 | 847 | 857 | 838 | 845 |
| 1056 | NDC | | | | | | | | | | | |
| 1057 | 878 | 882 | 898 | 881 | 897 | 901 | 914 | 916 | 909 | 914 | 922 | 913 |
| 1058 | 808 | 814 | 814 | 828 | 829 | 828 | 842 | 848 | 829 | 788 | 736 | 622 |
| 1060 | 932 | 940 | 948 | 949 | 972 | 977 | 994 | 1014 | 1017 | 1025 | 989 | 979 |
| 1061 | 935 | 948 | 970 | 981 | 989 | 988 | 984 | NDC | | | | |
| 1062 | 787 | 787 | 802 | 812 | 815 | 823 | 817 | 823 | 825 | 834 | 837 | 839 |
| 1063[r] | 895 | 899 | 910 | 924 | 927 | 921 | 934 | 942 | 930 | 946 | 924 | 924 |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1064 | 982 | 987 | 978 | 982 | 949 | 909 | 807 | NDC | | | | |
| 1065 | 758 | 772 | 772 | 785 | 797 | 800 | 814 | 817 | 772 | 725 | 675 | 625 |
| 1066 | 834 | 907 | 921 | 803 | 810 | NDC | | | | | | |
| 1067 | 927 | 913 | 933 | 933 | 941 | 917 | 925 | 892 | 821 | 785 | 742 | 709 |
| 1068 | 791 | 801 | 810 | 817 | 819 | 822 | 829 | 830 | 829 | 815 | 846 | 854 |
| 1069 | 932 | 947 | 967 | 980 | 985 | 987 | 1005 | 988 | 984 | 991 | NDC | |
| 1070 | 978 | 994 | 1007 | 985 | 983 | 988 | 985 | 919 | NDC | | | |
| 1071 | 987 | 997 | 1001 | 1018 | 1034 | 1025 | 1041 | 1063 | 1063 | 1074 | 1061 | 1062 |
| 1072 | 971 | 984 | 995 | 1006 | 1016 | 1038 | 1032 | 1038 | 1049 | 1058 | 1068 | 1058 |
| 1073 | 966 | 961 | 972 | 966 | 959 | 969 | 908 | 937 | 955 | 961 | 927 | 931 |
| 1075 | 770 | 774 | 773 | 778 | 788 | 782 | 776 | 765 | 771 | 775 | 774 | 775 |
| 1076 | 793 | 795 | 808 | 807 | 819 | 819 | 820 | 827 | 839 | 856 | 858 | 870 |
| 1077 | 784 | 765 | 778 | 771 | 776 | 757 | 769 | 788 | 780 | 767 | 760 | 749 |
| 1078 | 781 | 780 | 785 | 780 | 772 | 781 | 802 | 837 | 863 | 903 | 959 | 1026 |
| 1079 | 1024 | 1019 | 1036 | 1050 | 1032 | 1022 | 1036 | 1046 | 1042 | 1053 | 1059 | 1065 |
| 1080 | 950 | 949 | 960 | 970 | 938 | 971 | 985 | 986 | 994 | 992 | 1002 | 1011 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1091 | 707 | 706 | 714 | 719 | 715 | 717 | 727 | 734 | 754 | 741 | 751 | 763 |
| 1092 | NDC | | | | | | | | | | | |
| 1093 | 728 | 728 | 727 | 731 | 723 | 710 | 718 | 720 | 709 | 735 | 737 | 726 |
| 1094 | 764 | 771 | 778 | 791 | 803 | 815 | 829 | 853 | 865 | 863 | 870 | 871 |
| 1095 | 860 | 866 | 877 | 868 | 813 | 846 | 882 | NDC | | | | |
| 1096 | 1003 | 1006 | 1029 | 1040 | 1004 | 1054 | 1062 | 1078 | 1093 | 1088 | 1084 | 1071 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1097 | 1085 | 1114 | 1129 | 1156 | 1166 | 1182 | 1193 | 1217 | 1109 | 1077 | 1120 | 1143 |
| 1098 | 879 | 874 | 895 | 891 | 890 | 902 | 888 | 894 | 899 | 906 | 885 | 887 |
| 1099 | 791 | 798 | 814 | 815 | 825 | 834 | 839 | 857 | 861 | 856 | 856 | 854 |
| 1100 | 854 | 858 | 865 | 871 | 885 | 891 | 895 | 899 | 918 | 917 | 927 | 916 |
| 1102 | 825 | 820 | 833 | 839 | 848 | 855 | 857 | 861 | 856 | 852 | 837 | 825 |
| 1104 | 1042 | 1046 | NDC | | | | | | | | | |
| 1105 | 889 | 897 | 920 | 927 | 921 | 940 | 950 | 945 | 949 | 953 | 968 | 976 |
| 1107 | 874 | 864 | 879 | 889 | 891 | 895 | 909 | 906 | 920 | 929 | 926 | 911 |
| 1108 | 794 | 808 | 827 | 828 | 825 | 850 | 858 | 875 | 887 | 871 | 888 | 856 |
| 1109 | 663 | 663 | 676 | 678 | 681 | 690 | 686 | 695 | 703 | 701 | 695 | 696 |
| 1110 | 1021 | 1016 | 1032 | 1050 | 1047 | 1056 | 1058 | 1057 | 1060 | 1061 | 1053 | 1043 |
| 1112 | 872 | 885 | 901 | 904 | 914 | 919 | 935 | 956 | 971 | 979 | 969 | 956 |
| 1113 | 858 | 858 | 853 | 834 | 796 | 797 | 777 | 763 | 755 | 751 | 722 | 691 |
| 1114 | 1120 | 1120 | 1122 | 1135 | 1150 | 1157 | 1158 | NDC | | | | |
| 1115 | 945 | 954 | 971 | 975 | 974 | 963 | 968 | 958 | 973 | 963 | 968 | 971 |
| 1117 | 907 | 893 | 866 | 823 | 770 | 747 | 716 | 682 | 671 | 626 | 629 | 628 |
| 1118 | 932 | 927 | 935 | 933 | 926 | 943 | 942 | 918 | 922 | 883 | 850 | 804 |
| 1120 | 826 | 834 | 829 | 829 | 825 | 838 | 834 | 844 | 857 | 853 | 856 | 857 |
| 1121 | 913 | 917 | 920 | 940 | 943 | 950 | 943 | 946 | 952 | 934 | 933 | 858 |
| 1122 | 828 | 825 | 835 | 831 | 845 | 838 | 840 | 845 | 845 | 845 | 833 | 838 |
| 1123 | 1065 | 1072 | 1091 | 1101 | 1116 | 1122 | 1126 | 1149 | 1178 | 1189 | 1198 | 1201 |
| 1124 | 845 | 842 | 854 | 857 | 850 | 859 | 867 | 880 | 885 | 886 | 878 | 880 |
| 1125 | 929 | 938 | 962 | 976 | 986 | 991 | 1013 | 1009 | 1041 | 1059 | 1044 | 1050 |
| 1126 | 926 | 931 | 930 | 939 | 937 | 953 | 935 | 948 | 956 | 946 | 965 | 970 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1127 | 858 | 874 | 877 | 894 | 893 | 914 | 920 | 920 | 938 | 941 | 936 | 939 |
| 1128 | 922 | 937 | 936 | 948 | 942 | 954 | 938 | 946 | 934 | 884 | NDC | |
| 1129 | 958 | 946 | 941 | 945 | 942 | 940 | 932 | 945 | 940 | 928 | 887 | 829 |
| 1130 | 910 | 921 | 940 | 946 | 958 | 959 | 968 | 989 | 994 | 998 | 989 | 1002 |
| 1131 | 743 | 730 | 747 | NDC | | | | | | | | |
| 1132 | 820 | 820 | 821 | 829 | 833 | 834 | 835 | 855 | 871 | 866 | 877 | 880 |
| 1133 | 831 | 837 | 853 | 867 | 867 | 867 | 868 | 881 | 896 | 902 | 898 | 889 |
| 1134 | 742 | 761 | 758 | 771 | 774 | 786 | 795 | 804 | 794 | 808 | 798 | 802 |
| 1135 | 1018 | 1041 | 1047 | 1060 | 1059 | 1070 | 1075 | 1064 | 1084 | 1073 | 1068 | 1070 |
| 1136 | 935 | 928 | 917 | 945 | 940 | 961 | 994 | 965 | 936 | 972 | 968 | 961 |
| 1137 | 788 | 783 | 791 | 797 | 793 | 807 | 806 | 814 | 829 | NDC | | |
| 1138 | 936 | 916 | 876 | 839 | 818 | 795 | 769 | 749 | 733 | 722 | 706 | 709 |
| 1140 | 762 | 791 | 797 | 816 | 823 | 839 | 861 | 869 | 876 | 889 | 895 | 897 |
| 1141 | NDC | | | | | | | | | | | |
| 1143 | 779 | 808 | 830 | 837 | 848 | 861 | 874 | 870 | 894 | 897 | 893 | 904 |
| 1146 | 943 | 965 | 992 | 992 | 1011 | 1053 | 1051 | 1067 | 1066 | NDC | | |
| 1147 | 873 | 888 | 890 | 894 | 901 | 916 | 929 | 941 | 950 | 959 | 949 | 951 |
| 1148 | 979 | 997 | 1012 | 1024 | 1017 | 1046 | 1041 | 1039 | 1044 | 1055 | 1051 | 1075 |
| 1149 | 775 | 785 | 791 | 798 | 817 | 824 | 831 | 847 | 869 | 895 | 902 | 922 |
| 1150 | 699 | 704 | 721 | 737 | 738 | 746 | 751 | 769 | 769 | 783 | 783 | 786 |
| 1151 | 772 | 771 | 782 | 780 | 783 | 778 | 764 | 739 | 696 | 648 | 598 | 549 |
| 1152 | 1152 | 1149 | 1124 | 1122 | 1087 | 1008 | 850 | 709 | NDC | | | |
| 1153 | 817 | 836 | 834 | 834 | 733 | 787 | 764 | 744 | 753 | 733 | 740 | 733 |
| 1154 | 922 | 930 | 943 | 952 | 936 | 960 | 952 | 958 | 955 | 963 | 962 | 979 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0.1 mg/kg/day | | | | | | | | | | | | |
| 1156 | 832 | 838 | 852 | 861 | 877 | 901 | 927 | 947 | 969 | 976 | 950 | 811 |
| 1157 | 806 | 809 | 809 | 821 | 799 | 833 | 830 | 838 | 832 | 833 | 834 | 842 |
| 1158 | 1031 | 1035 | 1049 | 1059 | 1054 | 1074 | 1078 | 1076 | 1078 | 1085 | 1091 | 1064 |
| 1159 | 858 | 845 | 868 | 864 | 868 | 866 | 885 | 887 | 877 | 836 | 852 | 870 |
| 1160 | 828 | 835 | 850 | 863 | 860 | 868 | 871 | 876 | 885 | 874 | 877 | 890 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1171 | 796 | 791 | 780 | 795 | 791 | 799 | 813 | 818 | 826 | 813 | 788 | 785 |
| 1172 | 987 | 992 | 1005 | 1004 | 1018 | 1014 | 1038 | 1008 | 990 | 961 | 870 | 763 |
| 1173 | 1051 | 1021 | 1028 | 1007 | 977 | 928 | 901 | 868 | 793 | 736 | NDC | |
| 1175 | 1090 | 1096 | 1115 | 1124 | 1133 | 1142 | 1141 | 1144 | 1135 | 1148 | 1151 | 1165 |
| 1176 | 916 | 933 | 947 | 941 | 932 | 951 | 970 | 936 | 956 | 969 | 959 | 970 |
| 1178 | 904 | 909 | 912 | 926 | 931 | 958 | 963 | 965 | 974 | 959 | 979 | 971 |
| 1179 | 935 | 937 | 958 | 966 | 954 | 969 | 987 | 974 | NDC | | | |
| 1180 | 884 | 904 | 911 | 904 | 905 | 929 | 945 | 932 | 964 | 958 | 942 | 908 |
| 1181 | NDC | | | | | | | | | | | |
| 1182 | 774 | 782 | 803 | NDC | | | | | | | | |
| 1183 | 1088 | 1027 | 986 | 1026 | 1052 | 1067 | 1086 | 1084 | 1083 | NDC | | |
| 1184 | 852 | 848 | 850 | 897 | 901 | 926 | 945 | 946 | 972 | 971 | 959 | 938 |
| 1185 | 900 | 918 | 939 | 934 | 948 | 949 | 945 | 948 | 977 | 969 | NDC | |
| 1186 | 639 | 660 | 691 | 679 | 658 | 676 | 678 | 684 | 696 | 696 | 680 | 672 |
| 1187 | 1069 | 1023 | 1041 | 1030 | 1002 | 1004 | 1005 | 993 | 989 | 957 | NDC | |
| 1188 | 928 | 915 | 931 | 934 | 916 | 933 | 952 | 960 | 990 | 988 | 1056 | 1065 |
| 1189 | 1064 | 1059 | 1062 | 1057 | NDC | | | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1192 | 749 | 753 | 769 | 765 | 783 | 800 | 813 | 822 | 841 | 837 | 843 | 832 |
| 1193 | 781 | 783 | 796 | 792 | 791 | 801 | 803 | 746 | 798 | 809 | 814 | 817 |
| 1194 | 828 | 834 | 834 | 810 | 814 | 821 | 802 | 797 | 819 | 813 | 797 | 798 |
| 1195 | 942 | 936 | 957 | 957 | 963 | 970 | 995 | 997 | 984 | 979 | 981 | 965 |
| 1196 | 707 | 713 | 723 | 724 | 717 | 721 | 729 | 734 | 737 | 715 | 718 | 725 |
| 1197 | 852 | 859 | 860 | 865 | NDC | | | | | | | |
| 1198 | 959 | 950 | 964 | 967 | 969 | 969 | 975 | 982 | 982 | 928 | 910 | 911 |
| 1199 | 730 | 728 | 717 | 728 | 738 | 741 | 757 | 742 | 759 | 760 | 752 | 761 |
| 1200 | 984 | 964 | 972 | 980 | 964 | 973 | 995 | 998 | 1012 | 1014 | 1032 | 1029 |
| 1201 | 893 | 906 | 918 | 917 | 910 | 929 | 935 | 924 | 907 | 840 | NDC | |
| 1202 | 857 | 891 | 897 | 906 | 910 | 907 | 920 | 926 | 938 | 946 | 938 | 910 |
| 1204 | 821 | 846 | 856 | 860 | 858 | 871 | 879 | 877 | 869 | 861 | 872 | 884 |
| 1205 | 1063 | 1063 | 1070 | 1067 | 1067 | 1077 | 1084 | 1070 | 1075 | NDC | | |
| 1206 | 886 | 886 | 896 | 897 | 898 | 924 | 941 | 910 | 832 | 760 | NDC | |
| 1208 | 819 | 799 | 808 | 820 | 816 | 809 | 827 | NDC | | | | |
| 1209 | 1057 | 1044 | 1067 | 1067 | 1059 | 1091 | 1089 | 1087 | 1105 | 1083 | 1041 | 1017 |
| 1210 | 1010 | 1016 | 1028 | 1027 | 1009 | 1029 | 1039 | 1035 | 1033 | 1051 | 1064 | 1054 |
| 1211 | 1181 | 1167 | 1213 | 1203 | 1199 | 1212 | 1232 | 1239 | 1256 | 1249 | 1227 | 1234 |
| 1212 | 652 | 660 | 652 | 645 | 656 | 656 | 663 | 667 | 673 | 675 | 676 | 677 |
| 1213 | 836 | 840 | 822 | 855 | 855 | 853 | 863 | 857 | 836 | 840 | 843 | 833 |
| 1214 | 926 | 936 | 944 | 958 | 968 | NDC | | | | | | |
| 1215 | 937 | 931 | 943 | 939 | 933 | 953 | NDC | | | | | |
| 1217 | 604 | 602 | 615 | 604 | 604 | 606 | 609 | 611 | 629 | 656 | 661 | 686 |
| 1218 | 990 | 990 | 997 | 998 | 987 | 1009 | 1023 | 1033 | 1041 | 1044 | 1057 | 1011 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1219 | 967 | 977 | 963 | 963 | 952 | 977 | 970 | 999 | 1012 | 993 | 812 | NDC |
| 1220 | 737 | 714 | 691 | 691 | 679 | 686 | 706 | 743 | 787 | 767 | 837 | 879 |
| 1221 | 774 | 766 | 778 | 774 | 775 | 774 | 799 | 781 | 769 | 769 | 743 | 728 |
| 1222 | 928 | 921 | 937 | 918 | 841 | NDC | | | | | | |
| 1223 | 753 | 742 | 765 | 767 | 770 | 784 | 799 | 801 | 824 | 821 | 790 | 799 |
| 1224 | 879 | 884 | 894 | 915 | 930 | NDC | | | | | | |
| 1225 | 827 | 787 | 814 | 810 | 818 | 821 | 834 | 842 | 853 | 873 | 878 | 895 |
| 1226 | 1013 | 1016 | 1031 | 1047 | 1065 | 1086 | 1089 | 1070 | 1051 | NDC | | |
| 1227 | 736 | 720 | 740 | 746 | 750 | 747 | 749 | 756 | 756 | 754 | 737 | 740 |
| 1228 | NDC | | | | | | | | | | | |
| 1229 | 840 | 837 | 849 | 859 | 860 | 858 | 876 | 880 | 891 | 895 | 900 | 896 |
| 1231 | 870 | NDC | | | | | | | | | | |
| 1232 | 939 | 927 | 934 | 936 | 925 | 909 | 889 | 902 | 896 | 846 | 841 | 851 |
| 1233 | 750 | NDC | | | | | | | | | | |
| 1234 | NDC | | | | | | | | | | | |
| 1235 | 1089 | 1073 | 1069 | NDC | | | | | | | | |
| 1236 | 974 | 959 | 1013 | 995 | 991 | 1009 | 1023 | 903 | 950 | 995 | 1004 | 1022 |
| 1238 | 951 | 933 | 947 | 904 | 793 | NDC | | | | | | |
| 1239 | 872 | 849 | 853 | 871 | 833 | 892 | 902 | 891 | 910 | 920 | 916 | 919 |
| 1240 | 858 | 849 | 861 | 812 | 809 | 821 | 829 | 845 | 844 | 848 | 857 | 854 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1251 | 799 | 806 | 818 | 810 | 814 | 825 | 820 | 826 | 853 | 845 | 856 | 853 |
| 1252 | 1033 | 1034 | 1058 | 1070 | 1078 | 1098 | 1115 | 1112 | 1120 | 1126 | 1129 | 1131 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1253 | 859 | 855 | 875 | 896 | 915 | 925 | 933 | 922 | 922 | 904 | 817 | 741 |
| 1254 | 748 | 748 | 733 | 753 | 754 | 760 | 771 | 787 | 815 | 819 | 783 | 810 |
| 1255 | 858 | 866 | 863 | 865 | 885 | 890 | 902 | 909 | 940 | 941 | 947 | 958 |
| 1256 | 830 | 852 | 862 | NDC | | | | | | | | |
| 1257 | 913 | 922 | 918 | 925 | 921 | 887 | 927 | 912 | 943 | 956 | 969 | 993 |
| 1258 | 984 | 971 | 990 | 1006 | 1014 | 1001 | 1018 | 1039 | 1045 | 1056 | 1054 | 1079 |
| 1259 | 1125 | 1133 | 1096 | 975 | NDC | | | | | | | |
| 1260 | 801 | 813 | 810 | 821 | 812 | 824 | 800 | 830 | 851 | 853 | 875 | 880 |
| 1261 | 766 | 771 | 783 | 784 | 800 | 812 | 819 | 829 | 832 | 813 | 823 | 826 |
| 1262 | 863 | 856 | 867 | 878 | 872 | 897 | 904 | 876 | 926 | 925 | 924 | 921 |
| 1263 | 849 | 850 | 866 | 867 | 874 | 882 | 901 | 903 | 904 | 899 | 892 | 864 |
| 1264 | 623 | 616 | 613 | 607 | 592 | 591 | 585 | 611 | 608 | 597 | NDC | |
| 1265 | 896 | 897 | 913 | 926 | 943 | 909 | 918 | NDC | | | | |
| 1266 | 873 | 883 | 900 | 920 | 937 | 928 | 965 | 981 | 988 | 973 | 962 | 916 |
| 1267 | 967 | 955 | 946 | 976 | 962 | 985 | 988 | 976 | 998 | 972 | 1005 | 986 |
| 1269 | 856 | 861 | 868 | 840 | 843 | 874 | 887 | 890 | 908 | 905 | 895 | 909 |
| 1270 | 883 | 883 | 896 | 888 | 885 | 903 | 858 | 860 | 896 | 892 | 887 | 895 |
| 1271 | 907 | 915 | 927 | 932 | 955 | 966 | 971 | 960 | 979 | 936 | 952 | 960 |
| 1274 | 878 | 888 | 916 | 933 | 956 | 957 | 948 | 920 | 904 | 847 | 761 | 674 |
| 1275 | 860 | 867 | 880 | 871 | 894 | 895 | 885 | 908 | 895 | 784 | NDC | |
| 1276 | 617 | 619 | 625 | 624 | 631 | 641 | 660 | 660 | 670 | 669 | 648 | 639 |
| 1277 | 842 | 818 | 852 | 855 | 862 | 872 | 864 | 861 | 875 | 884 | 887 | 877 |
| 1278 | 856 | 849 | 871 | 880 | 881 | 892 | 894 | 899 | 915 | 922 | 920 | 914 |
| 1279 | 879 | 879 | 883 | 901 | 906 | 916 | NDC | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1280 | 814 | 822 | 826 | 835 | 822 | 835 | 833 | 825 | 835 | 822 | 820 | 815 |
| 1281 | 812 | NDC | | | | | | | | | | |
| 1282 | 819 | 837 | 866 | 879 | 895 | 912 | 930 | 949 | 970 | 984 | 994 | 1004 |
| 1283 | 780 | 782 | 789 | 793 | 795 | 793 | 812 | 799 | 822 | 837 | 837 | 844 |
| 1285 | 705 | 655 | NDC | | | | | | | | | |
| 1286 | 896 | 889 | 901 | 876 | 869 | 900 | 905 | 914 | 922 | 930 | 930 | 935 |
| 1287 | 798 | 807 | 830 | 844 | 850 | 869 | 871 | 896 | 904 | 927 | 917 | 922 |
| 1288 | 868 | 875 | 894 | 866 | 878 | 897 | 906 | 905 | 926 | 985 | 1053 | 1036 |
| 1289 | 857 | 863 | 882 | 904 | 904 | 915 | 891 | 930 | 936 | 951 | 937 | 960 |
| 1290 | 885 | 868 | 875 | 872 | 860 | 840 | 766 | 772 | 738 | 713 | 656 | 572 |
| 1291 | 884 | 899 | 887 | 890 | 904 | 931 | 940 | 950 | 958 | 966 | 980 | 987 |
| 1292 | 795 | 788 | 753 | NDC | | | | | | | | |
| 1293 | 863 | 868 | 873 | 869 | 868 | 882 | 887 | 890 | 892 | 886 | 895 | 880 |
| 1294 | 739 | 744 | 755 | 751 | 738 | 758 | 765 | 770 | 770 | 774 | 758 | 771 |
| 1295 | 886 | 870 | 874 | 830 | 866 | 898 | 914 | 893 | 938 | 917 | 923 | 926 |
| 1296 | NDC | | | | | | | | | | | |
| 1297 | 760 | 717 | 694 | 673 | 650 | 648 | 644 | 639 | 610 | 618 | 609 | 581 |
| 1298 | 719 | 639 | 487 | NDC | | | | | | | | |
| 1299 | 812 | 827 | 825 | 834 | 842 | 844 | 856 | 873 | 894 | 913 | 901 | 890 |
| 1300 | NDC | | | | | | | | | | | |
| 1301 | 925 | 897 | 897 | 902 | 918 | 935 | 942 | 943 | 964 | 983 | 970 | 973 |
| 1302 | NDC | | | | | | | | | | | |
| 1303 | 681 | 692 | 701 | 708 | 708 | 724 | 722 | 736 | 748 | 754 | 750 | 775 |
| 1304 | 856 | 877 | 896 | 899 | 907 | 929 | 943 | 953 | 922 | 879 | NDC | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1305 | 826 | 832 | 839 | 846 | 846 | 865 | 856 | 883 | 872 | 784 | 717 | NDC |
| 1306 | 834 | NDC | | | | | | | | | | |
| 1307 | 957 | 966 | 971 | 977 | 978 | 977 | 970 | 991 | 1015 | 1026 | 1039 | 1051 |
| 1308 | 778 | 788 | 786 | 782 | 803 | 800 | 776 | 805 | 830 | 843 | 852 | 848 |
| 1309 | 889 | 877 | 868 | 886 | 880 | 869 | 883 | 898 | 910 | 899 | 928 | 935 |
| 1310 | 629 | 588 | 586 | 585 | 553 | 580 | 553 | 574 | 569 | 545 | 543 | 541 |
| 1311 | 800 | 811 | 819 | 815 | 821 | 829 | 823 | 837 | 834 | 841 | 846 | 854 |
| 1313 | 672 | 661 | 669 | 671 | 674 | 692 | 672 | 682 | 694 | 697 | 694 | 689 |
| 1314 | 694 | 698 | 712 | 727 | 726 | 737 | 731 | 748 | 754 | 766 | 761 | 765 |
| 1315 | 788 | 776 | 784 | 792 | 793 | 794 | 795 | 797 | 803 | 808 | 807 | 809 |
| 1316 | NDC | | | | | | | | | | | |
| 1319 | 778 | 782 | 799 | 804 | 828 | 840 | 845 | 826 | 812 | 825 | 833 | 855 |
| 1320 | 579 | 487 | NDC | | | | | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 0 mg/kg/day | | | | | | | | | | | |
| 1011 | 817 | 823 | 825 | 837 | 836 | 835 | 832 | 820 | 821 | 830 | 825 |
| 1012 | 876 | 835 | 800 | 774 | NDC | | | | | | |
| 1013 | 901 | 915 | 922 | 943 | 964 | 982 | NDC | | | | |
| 1014 | 907 | 912 | 913 | 912 | 941 | 937 | 953 | 935 | 866 | 868 | 867 |
| 1015 | 869 | 883 | 889 | 889 | 891 | 908 | 919 | 912 | 909 | 915 | 908 |
| 1016 | 884 | 738 | NDC | | | | | | | | |
| 1018 | 886 | 884 | 885 | 857 | 824 | 809 | NDC | | | | |
| 1021 | 1042 | 1048 | 1048 | 1033 | 1042 | 1050 | 1046 | 1018 | NDC | | |
| 1022 | 725 | 710 | 689 | 719 | 709 | 686 | 665 | 654 | 612 | NDC | |
| 1023 | 789 | 787 | 784 | NDC | | | | | | | |
| 1024 | 716 | 708 | 693 | 671 | 644 | NDC | | | | | |
| 1025 | 1012 | 1029 | 1044 | 1027 | 1045 | 1049 | 1041 | 1031 | 1032 | 1024 | 1003 |
| 1026 | 753 | 754 | 736 | 741 | 733 | 744 | 725 | 706 | 696 | 699 | 666 |
| 1028 | 845 | 851 | 845 | 828 | 824 | NDC | | | | | |
| 1029 | 1027 | 1037 | 1049 | 1053 | 1055 | 1030 | 1058 | 1044 | 1033 | 1011 | 985 |
| 1030 | 968 | 896 | NDC | | | | | | | | |
| 1031 | 1080 | 1077 | 1044 | 1017 | 998 | 978 | 952 | 904 | 862 | 823 | 693 |
| 1035 | 1003 | 1010 | 984 | 981 | 994 | 988 | 999 | 993 | 984 | 965 | 938 |
| 1036 | 763 | 753 | 738 | 726 | 708 | 668 | 665 | 650 | 650 | 634 | 615 |
| 1037 | 699 | 739 | 761 | 791 | NDC | | | | | | |
| 1039 | 844 | 851 | 852 | 856 | 862 | 836 | 784 | 701 | 658 | 612 | NDC |
| 1040 | 812 | 817 | 810 | 828 | 827 | 766 | NDC | | | | |
| 1041 | 928 | 943 | 925 | 934 | 932 | 932 | 936 | 914 | 906 | 894 | 906 |
| 1042 | 783 | 775 | 756 | NDC | | | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 0 mg/kg/day | | | | | | | | | | | |
| 1045 | 895 | 898 | 914 | 906 | 898 | 905 | 904 | 903 | 900 | 899 | 888 |
| 1049 | 689 | 601 | NDC | | | | | | | | |
| 1050 | 857 | NDC | | | | | | | | | |
| 1051 | 1010 | 995 | 947 | 833 | 701 | NDC | | | | | |
| 1052 | 1023 | 1068 | 1129 | NDC | | | | | | | |
| 1054 | 884 | 954 | 965 | 939 | 926 | 902 | 896 | 774 | NDC | | |
| 1055 | 827 | 693 | NDC | | | | | | | | |
| 1057 | 924 | 915 | 905 | 901 | 892 | 881 | 803 | NDC | | | |
| 1058 | NDC | | | | | | | | | | |
| 1060 | 999 | 994 | 981 | 981 | 977 | 973 | 954 | 923 | 886 | NDC | |
| 1062 | 850 | 859 | 869 | 874 | 877 | 868 | 853 | 868 | 869 | 885 | 892 |
| 1063[r] | 947 | 949 | 946 | 928 | 899 | 900 | 895 | 869 | NDC | | |
| 1065 | NDC | | | | | | | | | | |
| 1067 | 669 | 648 | 656 | 651 | 640 | 671 | 713 | 746 | 786 | 803 | 820 |
| 1068 | 860 | 858 | 847 | 846 | 859 | 855 | 862 | 861 | 843 | 855 | 820 |
| 1071 | 1065 | 1059 | 1060 | 1031 | 1015 | 1002 | 968 | 927 | 882 | 791 | NDC |
| 1072 | 1057 | 1075 | 1054 | 1055 | 1049 | 1039 | 1007 | 964 | NDC | | |
| 1073 | 915 | 899 | 877 | 838 | 794 | 713 | 599 | NDC | | | |
| 1075 | 771 | 782 | 762 | 760 | 760 | 753 | 745 | 737 | 726 | 714 | 700 |
| 1076 | 871 | 870 | 866 | 870 | 883 | 885 | 885 | 891 | 895 | 902 | 895 |
| 1077 | 756 | 749 | 750 | 720 | 708 | 656 | 627 | 567 | 514 | 472 | 398 |
| 1078 | 998 | 1090 | 1269 | NDC | | | | | | | |
| 1079 | 1063 | 1044 | 930 | NDC | | | | | | | |
| 1080 | 1026 | 1012 | 1016 | 1016 | 1010 | 990 | 945 | 856 | NDC | | |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 0.1 mg/kg/day | | | | | | | | | | | |
| 1091 | 771 | 780 | 768 | 769 | 780 | 783 | 788 | 789 | 780 | 771 | 758 |
| 1093 | 753 | 768 | 755 | 747 | 720 | 716 | 721 | 732 | 706 | 666 | 658 |
| 1094 | 880 | 895 | 903 | 905 | 910 | 916 | 914 | 922 | 913 | 908 | 897 |
| 1096 | 1060 | 1075 | 1095 | 1102 | 1109 | 1112 | 1100 | 1108 | 1098 | 1090 | 1062 |
| 1097 | 1162 | 1205 | 1194 | 1200 | 1215 | 1201 | 1137 | 1111 | 1049 | 1000 | 998 |
| 1098 | 895 | 895 | 884 | 837 | 759 | NDC | | | | | |
| 1099 | 870 | 866 | 870 | 865 | 871 | 873 | 878 | 883 | 878 | 890 | 880 |
| 1100 | 939 | 942 | 952 | 966 | 961 | 848 | NDC | | | | |
| 1102 | 822 | 842 | 832 | 875 | 879 | NDC | | | | | |
| 1105 | 968 | 935 | 945 | 925 | 786 | NDC | | | | | |
| 1107 | 931 | 934 | 934 | 939 | 936 | 938 | 927 | 912 | 921 | 922 | 911 |
| 1108 | 863 | 888 | 894 | NDC | | | | | | | |
| 1109 | 708 | 712 | 707 | 726 | 723 | 729 | 732 | 736 | 715 | 713 | 717 |
| 1110 | 1041 | 1035 | 1020 | 1030 | 1010 | 990 | 985 | 936 | NDC | | |
| 1112 | 979 | 982 | 1006 | 1026 | 1048 | 1059 | 1056 | 1065 | 1064 | 1051 | 1067 |
| 1113 | 693 | 686 | 688 | 794 | NDC | | | | | | |
| 1115 | 961 | 971 | 957 | 955 | 940 | NDC | | | | | |
| 1117 | 597 | 599 | 591 | 587 | NDC | | | | | | |
| 1118 | 657 | NDC | | | | | | | | | |
| 1120 | 869 | 842 | 850 | 812 | 848 | 855 | 855 | 863 | 865 | 859 | 861 |
| 1121 | 719 | NDC | | | | | | | | | |
| 1122 | 841 | 862 | 864 | 865 | 858 | 860 | 866 | 868 | 850 | 850 | 849 |
| 1123 | 1221 | 1224 | 1234 | 1255 | 1276 | 1302 | 1293 | 1299 | 1302 | 1286 | 1235 |
| 1124 | 883 | 901 | 905 | 863 | 841 | 836 | 789 | 776 | 744 | 731 | 676 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 0.1 mg/kg/day | | | | | | | | | | | |
| 1125 | 1054 | 1065 | 1068 | 1088 | 1101 | 1106 | 1117 | 1093 | 929 | NDC | |
| 1126 | 966 | 961 | 948 | 937 | 916 | 887 | 814 | 747 | NDC | | |
| 1127 | 934 | 931 | 928 | 922 | 915 | 903 | 865 | 859 | 835 | 750 | 688 |
| 1129 | 734 | 655 | NDC | | | | | | | | |
| 1130 | 1004 | 971 | 971 | 1002 | 944 | 934 | 899 | 846 | 767 | 675 | NDC |
| 1132 | 883 | 885 | 884 | 884 | 892 | 892 | 873 | 875 | 872 | 888 | 884 |
| 1133 | 866 | 874 | 885 | 893 | NDC | | | | | | |
| 1134 | 804 | 799 | 797 | 797 | 783 | 781 | 766 | 766 | 751 | 711 | NDC |
| 1135 | 1054 | 1060 | 1079 | 1067 | 1048 | 1042 | NDC | | | | |
| 1136 | 896 | 828 | 794 | 700 | 619 | NDC | | | | | |
| 1138 | 698 | 695 | 694 | 717 | 744 | 778 | 827 | 885 | 924 | NDC | |
| 1140 | 894 | 906 | 915 | 924 | 908 | 921 | 934 | 936 | 930 | 933 | 942 |
| 1143 | 901 | 908 | 901 | 906 | 887 | 859 | 813 | 756 | 663 | 562 | 566 |
| 1147 | 949 | 962 | 957 | 965 | 973 | 948 | 943 | 947 | 928 | 944 | 937 |
| 1148 | NDC | | | | | | | | | | |
| 1149 | 927 | 936 | 904 | NDC | | | | | | | |
| 1150 | 783 | 796 | 801 | 806 | 800 | 769 | 761 | 826 | 771 | 790 | 765 |
| 1151 | 488 | NDC | | | | | | | | | |
| 1153 | 731 | 745 | 742 | 740 | NDC | | | | | | |
| 1154 | 993 | 981 | 970 | 971 | 952 | 937 | 908 | 896 | 883 | 879 | 857 |
| 1156 | NDC | | | | | | | | | | |
| 1157 | 855 | 851 | 855 | 850 | 873 | 869 | 863 | 852 | 836 | 710 | NDC |
| 1158 | 1083 | 1099 | 1098 | 1100 | NDC | | | | | | |
| 1159 | 876 | 883 | 867 | 836 | 847 | 863 | 753 | 788 | 768 | 569 | NDC |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 0.1 mg/kg/day | | | | | | | | | | | |
| 1160 | 885 | 889 | 883 | 854 | 789 | NDC | | | | | |
| 1 mg/kg/day | | | | | | | | | | | |
| 1171 | 805 | 806 | 798 | 789 | 773 | 755 | 744 | 726 | 711 | 682 | 660 |
| 1172 | NDC | | | | | | | | | | |
| 1175 | 1175 | 1148 | 1144 | 1145 | NDC | | | | | | |
| 1176 | 983 | 965 | 952 | 960 | 956 | 935 | 912 | 890 | 861 | 838 | 792 |
| 1178 | 945 | 929 | 870 | 826 | 800 | 755 | 733 | 720 | 703 | 701 | 697 |
| 1180 | 925 | 924 | 922 | 918 | 910 | 901 | 901 | 894 | 890 | 885 | 875 |
| 1184 | 814 | NDC | | | | | | | | | |
| 1186 | 675 | 676 | 673 | 673 | 677 | 683 | 681 | 672 | 673 | 663 | 655 |
| 1188 | 1146 | 1177 | NDC | | | | | | | | |
| 1192 | 846 | 853 | 863 | 869 | 877 | 883 | 886 | 879 | 883 | 869 | 862 |
| 1193 | 802 | 808 | 802 | 816 | 803 | 812 | 792 | 803 | 777 | 778 | 742 |
| 1194 | 786 | 767 | 754 | 726 | 679 | 642 | 580 | 554 | 481 | 499 | 465 |
| 1195 | 967 | 986 | NDC | | | | | | | | |
| 1196 | 720 | 726 | 725 | 725 | 708 | 647 | NDC | | | | |
| 1198 | 937 | 945 | 946 | 785 | NDC | | | | | | |
| 1199 | 762 | 761 | 758 | 749 | 738 | 739 | 734 | 729 | 744 | 763 | 757 |
| 1200 | 1046 | 1029 | 1024 | 1036 | 1035 | 1037 | 1040 | NDC | | | |
| 1202 | 918 | 914 | 896 | 861 | 846 | 775 | 759 | 734 | 695 | 655 | 596 |
| 1204 | 886 | 914 | 890 | 901 | 917 | 919 | 919 | 908 | 885 | 850 | 793 |
| 1209 | 1005 | 953 | 866 | NDC | | | | | | | |
| 1210 | 1052 | 994 | 927 | 870 | 813 | 799 | 761 | 711 | NDC | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 1 mg/kg/day | | | | | | | | | | | |
| 1211 | 1244 | 1235 | 1218 | 1208 | 1208 | 1207 | 1195 | 1156 | 1098 | 1043 | 1014 |
| 1212 | 691 | 688 | 689 | 692 | 689 | 695 | 690 | 697 | 699 | 688 | 684 |
| 1213 | 817 | 777 | 715 | 576 | NDC | | | | | | |
| 1217 | 714 | 755 | 774 | 801 | 820 | 839 | 817 | 819 | 787 | NDC | |
| 1218 | 1009 | 1030 | 1041 | 1038 | 1029 | 1029 | 1015 | 1012 | 1004 | 970 | 926 |
| 1220 | 899 | 923 | 944 | 953 | 968 | 977 | 956 | 929 | NDC | | |
| 1221 | 726 | 726 | 724 | 741 | 745 | 791 | 803 | 828 | 835 | 808 | 740 |
| 1223 | 814 | 828 | 837 | 845 | 863 | 854 | 897 | 915 | 919 | 934 | 924 |
| 1225 | 874 | 901 | 893 | 918 | 929 | 941 | 940 | 941 | 959 | 976 | 994 |
| 1227 | 731 | 745 | 753 | 750 | 746 | 739 | 728 | 734 | 726 | 721 | 671 |
| 1229 | 883 | 873 | 843 | 784 | 669 | 603 | NDC | | | | |
| 1232 | NDC | | | | | | | | | | |
| 1236 | 1040 | 1044 | 1010 | 1007 | 966 | 944 | 908 | 834 | 729 | 630 | NDC |
| 1239 | 926 | 922 | 813 | NDC | | | | | | | |
| 1240 | 850 | 877 | 865 | 870 | 866 | 856 | 863 | 858 | 809 | 815 | 813 |
| 50 mg/kg/day | | | | | | | | | | | |
| 1251 | 870 | 871 | 866 | 868 | 849 | 818 | 821 | 822 | 815 | 792 | 753 |
| 1252 | 1133 | 1127 | 1096 | 1106 | 1110 | 1096 | 1098 | 1085 | 1093 | 1079 | 1049 |
| 1253 | 679 | 580 | 474 | NDC | | | | | | | |
| 1254 | 779 | 780 | 745 | 747 | 729 | 707 | 682 | 685 | 686 | 682 | 706 |
| 1255 | 979 | 980 | 959 | 950 | 953 | 988 | 983 | 980 | 977 | 918 | NDC |
| 1257 | 991 | 1000 | 975 | 975 | 982 | 996 | 993 | 989 | 964 | 952 | 898 |
| 1258 | 1087 | 1092 | 1062 | 1051 | 1033 | 1044 | 1055 | NDC | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 50 mg/kg/day | | | | | | | | | | | |
| 1260 | 898 | 895 | 929 | 921 | 943 | 949 | 914 | 867 | 793 | 716 | NDC |
| 1261 | 829 | 824 | 834 | 834 | 817 | 824 | 836 | 821 | 807 | 810 | 796 |
| 1262 | NDC | | | | | | | | | | |
| 1263 | 848 | 812 | NDC | | | | | | | | |
| 1266 | 807 | NDC | | | | | | | | | |
| 1267 | 996 | 939 | 882 | 864 | NDC | | | | | | |
| 1269 | 896 | 888 | 894 | 872 | 798 | NDC | | | | | |
| 1270 | 893 | 872 | 886 | 887 | 882 | 899 | 893 | 893 | 892 | 897 | 884 |
| 1271 | 970 | 975 | 970 | 955 | 962 | 949 | 934 | 933 | 928 | 912 | NDC |
| 1274 | 571 | NDC | | | | | | | | | |
| 1276 | 613 | 453 | NDC | | | | | | | | |
| 1277 | 883 | 874 | 887 | 890 | 889 | 900 | 907 | 919 | 920 | 927 | 930 |
| 1278 | 903 | 899 | 909 | NDC | | | | | | | |
| 1280 | 811 | 791 | 800 | 812 | 786 | 795 | 793 | 800 | 792 | 793 | NDC |
| 1282 | 1032 | 1061 | 1081 | 1071 | 1069 | 1104 | 1120 | NDC | | | |
| 1283 | 856 | 882 | 887 | 896 | 901 | 906 | 898 | 887 | 870 | 827 | 753 |
| 1286 | 921 | 930 | 896 | 896 | 925 | 923 | 945 | 933 | 951 | 940 | 922 |
| 1287 | 934 | 948 | 941 | 933 | 920 | 925 | 925 | 928 | 909 | 903 | 870 |
| 1288 | 1029 | 1003 | 913 | NDC | | | | | | | |
| 1289 | 976 | 978 | 975 | 983 | 983 | 974 | 964 | 965 | 974 | 977 | 984 |
| 1290 | NDC | | | | | | | | | | |
| 1291 | 1009 | 1022 | 1026 | 1020 | 1029 | 1040 | 1040 | 1049 | 1056 | 1059 | NDC |
| 1293 | 896 | 855 | 875 | NDC | | | | | | | |
| 1294 | 769 | 781 | 798 | 810 | 801 | 802 | 801 | 794 | 783 | 711 | 669 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 50 mg/kg/day | | | | | | | | | | | |
| 1295 | 933 | 941 | 927 | 941 | 951 | 904 | 912 | 907 | 882 | 884 | 864 |
| 1297 | 601 | 607 | 588 | 603 | 591 | 612 | 652 | 639 | 690 | 724 | 767 |
| 1299 | 820 | 648 | NDC | | | | | | | | |
| 1301 | 999 | 986 | 962 | 972 | NDC | | | | | | |
| 1303 | 796 | 809 | 820 | NDC | | | | | | | |
| 1307 | 1068 | 1080 | 1086 | 1089 | 1109 | NDC | | | | | |
| 1308 | 822 | 831 | 825 | 834 | 850 | 848 | 840 | 843 | 816 | 742 | NDC |
| 1309 | 968 | 960 | 951 | 967 | 986 | 974 | 969 | 969 | 952 | 946 | 950 |
| 1310 | NDC | | | | | | | | | | |
| 1311 | 864 | 880 | 882 | 883 | 886 | 873 | 868 | 873 | 873 | 887 | 864 |
| 1313 | 693 | 692 | 689 | 696 | 686 | 661 | 695 | 698 | 702 | 675 | NDC |
| 1314 | 774 | 783 | 783 | 799 | 813 | 824 | 866 | 960 | 1052 | NDC | |
| 1315 | 806 | 818 | 819 | 835 | 836 | 836 | 834 | 835 | 830 | 836 | 834 |
| 1319 | 873 | 893 | 894 | 900 | 909 | 912 | 920 | 919 | 917 | 913 | 917 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1321 | 156 | 185 | 207 | 231 | 249 | 261 | 270 | 278 | 283 | 287 | 287 | 300 |
| 1322 | 161 | 186 | 195 | 211 | 227 | 243 | 241 | 247 | 257 | 256 | 263 | 265 |
| 1323 | 174 | 187 | 205 | 227 | 236 | 244 | 263 | 280 | 289 | 278 | 291 | 301 |
| 1324 | 155 | 174 | 196 | 205 | 218 | 235 | 238 | 249 | 259 | 262 | 274 | 264 |
| 1325 | 163 | 184 | 206 | 229 | 249 | 254 | 260 | 272 | 280 | 277 | 287 | 293 |
| 1326 | 161 | 184 | 200 | 207 | 220 | 236 | 240 | 251 | 259 | 261 | 266 | 275 |
| 1327 | 168 | 191 | 215 | 241 | 258 | 269 | 277 | 287 | 290 | 291 | 300 | 304 |
| 1328 | 165 | 190 | 207 | 227 | 236 | 251 | 258 | 272 | 271 | 275 | 277 | 293 |
| 1329 | 170 | 197 | 215 | 241 | 253 | 269 | 270 | 282 | 280 | 290 | 288 | 301 |
| 1330 | 177 | 207 | 229 | 254 | 273 | 295 | 290 | 309 | 315 | 310 | 322 | 337 |
| 1331 | 200 | 230 | 260 | 306 | 312 | 333 | 348 | 351 | 347 | 357 | 363 | 377 |
| 1332 | 161 | 192 | 207 | 230 | 241 | 257 | 266 | 272 | 283 | 294 | 306 | 317 |
| 1333 | 156 | 176 | 186 | 207 | 217 | 231 | 229 | 247 | 253 | 258 | 254 | 263 |
| 1334 | 178 | 198 | 220 | 241 | 252 | 260 | 272 | 285 | 285 | 282 | 295 | 299 |
| 1335 | 160 | 193 | 209 | 225 | 225 | 239 | 245 | 246 | 243 | 254 | 266 | 271 |
| 1336 | 184 | 220 | 241 | 265 | 283 | 297 | 309 | 317 | 318 | 335 | 347 | 346 |
| 1337 | 170 | 196 | 228 | 260 | 279 | 302 | 309 | 322 | 339 | 338 | 354 | 367 |
| 1338 | 154 | 170 | 184 | 203 | 208 | 220 | 225 | 236 | 246 | 254 | 250 | 256 |
| 1339 | 172 | 188 | 211 | 231 | 244 | 261 | 271 | 280 | 281 | 281 | 290 | 297 |
| 1340 | 177 | 207 | 232 | 259 | 276 | 296 | 302 | 315 | 328 | 334 | 337 | 347 |
| 1341 | 164 | 196 | 224 | 245 | 251 | 261 | 265 | 274 | 279 | 280 | 290 | 293 |
| 1342 | 159 | 189 | 212 | 240 | 251 | 257 | 258 | 267 | 275 | 279 | 286 | 286 |
| 1343 | 171 | 194 | 210 | 235 | 254 | 267 | 279 | 297 | 304 | 299 | 311 | 319 |
| 1344 | 174 | 191 | 207 | 236 | 242 | 254 | 261 | 273 | 280 | 273 | 289 | 289 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1345 | 164 | 188 | 207 | 225 | 235 | 251 | 259 | 271 | 272 | 274 | 280 | 289 |
| 1346 | 162 | 189 | 197 | 212 | 222 | 235 | 242 | 252 | 250 | 256 | 261 | 265 |
| 1347 | 162 | 189 | 200 | 234 | 246 | 267 | 270 | 285 | 289 | 292 | 297 | 308 |
| 1348 | 189 | 221 | 249 | 269 | 290 | 304 | 308 | 323 | 320 | 324 | 329 | 341 |
| 1349 | 174 | 193 | 211 | 229 | 243 | 264 | 272 | 280 | 288 | 298 | 303 | 312 |
| 1350 | 185 | 201 | 223 | 249 | 264 | 283 | 281 | 292 | 301 | 303 | 318 | 319 |
| 1351 | 164 | 185 | 209 | 230 | 248 | 262 | 269 | 282 | 291 | 293 | 298 | 304 |
| 1352 | 170 | 196 | 205 | 228 | 242 | 255 | 257 | 271 | 279 | 275 | 282 | 285 |
| 1353 | 168 | 196 | 217 | 232 | 252 | 262 | 276 | 279 | 273 | 279 | 287 | 288 |
| 1354 | 170 | 201 | 234 | 265 | 284 | 306 | 317 | 329 | 327 | 335 | 351 | 360 |
| 1355 | 159 | 181 | 197 | 213 | 236 | 246 | 243 | 255 | 262 | 274 | 263 | 272 |
| 1356 | 151 | 175 | 187 | 205 | 218 | 227 | 238 | 245 | 252 | 254 | 264 | 274 |
| 1357 | 165 | 181 | 194 | 214 | 218 | 225 | 225 | 240 | 248 | 248 | 250 | 260 |
| 1358 | 178 | 198 | 219 | 238 | 248 | 260 | 263 | 268 | 276 | 281 | 286 | 285 |
| 1359 | 153 | 172 | 197 | 210 | 230 | 250 | 260 | 262 | 269 | 277 | 286 | 286 |
| 1360 | 180 | 201 | 213 | 233 | 245 | 259 | 267 | 280 | 271 | 272 | 281 | 286 |
| 1361 | 181 | 226 | 243 | 257 | 271 | 290 | 308 | 317 | 329 | 341 | 359 | 364 |
| 1362 | 157 | 190 | 213 | 233 | 252 | 268 | 277 | 275 | 296 | 289 | 315 | 318 |
| 1363 | 183 | 205 | 231 | 253 | 268 | 278 | 279 | 290 | 299 | 301 | 313 | 315 |
| 1364 | 171 | 199 | 229 | 248 | 256 | 267 | 273 | 282 | 296 | 296 | 309 | 320 |
| 1365 | 174 | 195 | 233 | 235 | 243 | 248 | 266 | 280 | 278 | 267 | 281 | 275 |
| 1366 | 170 | 194 | 222 | 246 | 262 | 270 | 289 | 298 | 302 | 290 | 292 | 301 |
| 1367 | 184 | 204 | 228 | 249 | 261 | 293 | 287 | 299 | 310 | 313 | 328 | 338 |
| 1368 | 169 | 178 | 195 | 216 | 224 | 237 | 240 | 249 | 258 | 257 | 260 | 267 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1369 | 160 | 180 | 202 | 219 | 227 | 230 | 240 | 250 | 258 | 263 | 266 | 276 |
| 1370 | 164 | 181 | 192 | 203 | 207 | 216 | 219 | 220 | 228 | 235 | 239 | 239 |
| 1371 | 189 | 215 | 236 | 266 | 280 | 295 | 295 | 301 | 299 | 314 | 326 | 331 |
| 1372 | 151 | 174 | 192 | 207 | 216 | 232 | 236 | 240 | 231 | 244 | 259 | 259 |
| 1373 | 152 | 164 | 194 | 201 | 205 | 228 | 234 | 242 | 242 | 241 | 253 | 260 |
| 1374 | 183 | 211 | 233 | 251 | 258 | 273 | 274 | 284 | 287 | 289 | 299 | 310 |
| 1375 | 163 | 192 | 207 | 231 | 238 | 252 | 249 | 249 | 244 | 252 | 261 | 270 |
| 1376 | 174 | 200 | 224 | 248 | 263 | 273 | 274 | 296 | 300 | 305 | 309 | 318 |
| 1377 | 189 | 218 | 247 | 270 | 296 | 304 | 327 | 345 | 362 | 368 | 390 | 399 |
| 1378 | 167 | 193 | 213 | 236 | 253 | 261 | 270 | 280 | 287 | 284 | 295 | 306 |
| 1379 | 175 | 196 | 220 | 243 | 256 | 270 | 289 | 292 | 293 | 295 | 304 | 310 |
| 1380 | 190 | 220 | 250 | 266 | 289 | 304 | 315 | 325 | 331 | 350 | 359 | 362 |
| 1381 | 157 | 164 | 198 | 217 | 227 | 237 | 238 | 243 | 245 | 242 | 253 | 266 |
| 1382 | 177 | 178 | 220 | 237 | 245 | 247 | 256 | 260 | 264 | 259 | 269 | 270 |
| 1383 | 155 | 180 | 203 | 219 | 232 | 248 | 246 | 255 | 264 | 262 | 275 | 280 |
| 1384 | 151 | 175 | 185 | 210 | 228 | 239 | 240 | 243 | 249 | 258 | 262 | 261 |
| 1385 | 162 | 191 | 218 | 218 | 251 | 267 | 272 | 282 | 285 | 293 | 296 | 299 |
| 1386 | 176 | 208 | 235 | 258 | 271 | 272 | 284 | 285 | 297 | 301 | 311 | 316 |
| 1387 | 169 | 202 | 230 | 253 | 277 | 288 | 285 | 284 | 291 | 302 | 310 | 307 |
| 1388 | 181 | 210 | 227 | 250 | 268 | 283 | 289 | 293 | 300 | 315 | 338 | 325 |
| 1389 | 161 | 186 | 201 | 217 | 226 | 246 | 243 | 249 | 253 | 255 | 265 | 267 |
| 1390 | 169 | 192 | 214 | 226 | 235 | 249 | 255 | 254 | 261 | 269 | 275 | 278 |
| 1391 | 174 | 191 | 213 | 232 | 246 | 259 | 256 | 269 | 275 | 280 | 276 | 285 |
| 1392 | 163 | 181 | 200 | 219 | 235 | 241 | 244 | 257 | 263 | 269 | 271 | 281 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1393 | 163 | 182 | 208 | 231 | 239 | 251 | 252 | 263 | 267 | 270 | 282 | 284 |
| 1394 | 165 | 184 | 210 | 233 | 248 | 256 | 252 | 267 | 261 | 272 | 277 | 283 |
| 1395 | 161 | 177 | 205 | 221 | 232 | 238 | 246 | 257 | 260 | 266 | 278 | 280 |
| 1396 | 156 | 173 | 199 | 216 | 224 | 234 | 243 | 257 | 259 | 258 | 271 | 280 |
| 1397 | 182 | 210 | 234 | 251 | 269 | 287 | 280 | 294 | 300 | 310 | 314 | 321 |
| 1398 | 166 | 191 | 206 | 218 | 234 | 243 | 243 | 252 | 260 | 270 | 268 | 272 |
| 1399 | 155 | 175 | 193 | 209 | 223 | 232 | 233 | 245 | 257 | 256 | 258 | 267 |
| 1400 | 174 | 198 | 213 | 225 | 241 | 256 | 254 | 268 | 265 | 268 | 277 | 280 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1401 | 157 | 178 | 196 | 209 | 213 | 243 | 248 | 250 | 261 | 263 | 273 | 274 |
| 1402 | 174 | 194 | 211 | 231 | 223 | 245 | 248 | 253 | 266 | 265 | 267 | 270 |
| 1403 | 161 | 180 | 195 | 208 | 181 | 214 | 233 | 236 | 243 | 254 | 251 | 252 |
| 1404 | 160 | 180 | 200 | 217 | 198 | 229 | 253 | 266 | 269 | 277 | 285 | 283 |
| 1405 | 157 | 181 | 197 | 209 | 199 | 225 | 231 | 238 | 239 | 250 | 255 | 258 |
| 1406 | 170 | 197 | 221 | 237 | 222 | 259 | 261 | 267 | 264 | 283 | 289 | 293 |
| 1407 | 169 | 187 | 207 | 236 | 221 | 253 | 254 | 272 | 273 | 288 | 283 | 294 |
| 1408 | 172 | 195 | 218 | 244 | 227 | 267 | 269 | 286 | 287 | 285 | 302 | 304 |
| 1409 | 186 | 209 | 221 | 230 | 241 | 251 | 249 | 267 | 273 | 272 | 287 | 297 |
| 1410 | 156 | 177 | 203 | 225 | 237 | 246 | 260 | 279 | 285 | 279 | 288 | 299 |
| 1411 | 165 | 183 | 204 | 229 | 223 | 258 | 264 | 276 | 272 | 280 | 296 | 308 |
| 1412 | 153 | 187 | 210 | 232 | 256 | 266 | 265 | 273 | 283 | 286 | 299 | 300 |
| 1413 | 162 | 184 | 204 | 221 | 236 | 251 | 251 | 258 | 265 | 266 | 265 | 276 |
| 1414 | 145 | 167 | 182 | 200 | 188 | 209 | 203 | 202 | 214 | 210 | 214 | 219 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1415 | 175 | 195 | 211 | 229 | 234 | 250 | 244 | 255 | 274 | 278 | 284 | 289 |
| 1416 | 173 | 192 | 213 | 239 | 248 | 252 | 261 | 278 | 274 | 273 | 287 | 300 |
| 1417 | 183 | 202 | 216 | 238 | 245 | 250 | 261 | 278 | 288 | 286 | 294 | 298 |
| 1418 | 173 | 200 | 223 | 246 | 253 | 266 | 268 | 286 | 294 | 292 | 297 | 298 |
| 1419 | 159 | 186 | 208 | 221 | 228 | 246 | 240 | 256 | 265 | 271 | 268 | 278 |
| 1420 | 169 | 197 | 232 | 257 | 265 | 302 | 307 | 311 | 327 | 339 | 349 | 352 |
| 1421 | 170 | 189 | 214 | 227 | 235 | 245 | 244 | 250 | 256 | 265 | 269 | 273 |
| 1422 | 162 | 180 | 209 | 221 | 231 | 239 | 249 | 257 | 266 | 266 | 280 | 289 |
| 1423 | 157 | 182 | 196 | 215 | 226 | 245 | 252 | 254 | 271 | 276 | 280 | 283 |
| 1424 | 164 | 172 | 195 | 216 | 215 | 232 | 228 | 237 | 240 | 249 | 255 | 257 |
| 1425 | 161 | 193 | 223 | 205 | 240 | 262 | 274 | 288 | 296 | 305 | 317 | 322 |
| 1426 | 169 | 188 | 206 | 186 | 221 | 231 | 247 | 252 | 255 | 262 | 269 | 273 |
| 1427 | 155 | 175 | 200 | 213 | 223 | 230 | 240 | 247 | 251 | 250 | 259 | 265 |
| 1428 | 159 | 175 | 199 | 207 | 214 | 223 | 226 | 237 | 246 | 256 | 262 | 265 |
| 1429 | 154 | 190 | 220 | 247 | 256 | 274 | 277 | 291 | 297 | 306 | 319 | 318 |
| 1430 | 169 | 188 | 213 | 244 | 250 | 261 | 262 | 280 | 289 | 288 | 287 | 297 |
| 1431 | 166 | 193 | 221 | 237 | 255 | 267 | 279 | 276 | 291 | 294 | 306 | 308 |
| 1432 | 159 | 179 | 194 | 211 | 222 | 229 | 236 | 250 | 254 | 255 | 267 | 275 |
| 1433 | 153 | 180 | 212 | 243 | 254 | 274 | 293 | 301 | 315 | 315 | 327 | 334 |
| 1434 | 163 | 177 | 202 | 226 | 236 | 249 | 256 | 264 | 271 | 276 | 286 | 282 |
| 1435 | 164 | 180 | 204 | 220 | 223 | 236 | 243 | 253 | 258 | 262 | 274 | 287 |
| 1436 | 159 | 180 | 213 | 234 | 244 | 258 | 265 | 272 | 283 | 287 | 290 | 300 |
| 1437 | 162 | 182 | 205 | 219 | 239 | 242 | 243 | 254 | 258 | 254 | 268 | 263 |
| 1438 | 158 | 184 | 211 | 234 | 249 | 272 | 282 | 296 | 307 | 315 | 311 | 328 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1439 | 156 | 178 | 205 | 227 | 233 | 261 | 249 | 268 | 264 | 277 | 277 | 291 |
| 1440 | 158 | 184 | 211 | 232 | 243 | 267 | 269 | 276 | 276 | 287 | 297 | 300 |
| 1441 | 154 | 168 | 190 | 205 | 211 | 215 | 228 | 237 | 236 | 238 | 248 | 255 |
| 1442 | 174 | 201 | 228 | 253 | 264 | 273 | 274 | 273 | 284 | 273 | 284 | 279 |
| 1443 | 163 | 184 | 197 | 209 | 220 | 238 | 233 | 244 | 244 | 252 | 259 | 259 |
| 1444 | 164 | 188 | 206 | 216 | 234 | 244 | 247 | 259 | 255 | 268 | 270 | 275 |
| 1445 | 180 | 200 | 227 | 245 | 261 | 280 | 287 | 296 | 303 | 311 | 298 | 308 |
| 1446 | 177 | 207 | 235 | 254 | 261 | 288 | 295 | 311 | 315 | 327 | 332 | 337 |
| 1447 | 178 | 215 | 239 | 207 | 266 | 285 | 297 | 308 | 312 | 317 | 332 | 337 |
| 1448 | 171 | 188 | 204 | 184 | 228 | 245 | 250 | 255 | 266 | 269 | 264 | 274 |
| 1449 | 169 | 194 | 218 | 240 | 253 | 265 | 268 | 280 | 288 | 283 | 290 | 302 |
| 1450 | 168 | 183 | 202 | 221 | 225 | 233 | 243 | 254 | 262 | 259 | 268 | 280 |
| 1451 | 149 | 172 | 193 | 216 | 233 | 246 | 249 | 254 | 265 | 271 | 270 | 273 |
| 1452 | 177 | 196 | 220 | 241 | 262 | 270 | 274 | 281 | 293 | 289 | 298 | 297 |
| 1453 | 165 | 185 | 205 | 221 | 227 | 229 | 244 | 256 | 258 | 264 | 268 | 279 |
| 1454 | 176 | 194 | 217 | 233 | 244 | 254 | 253 | 261 | 272 | 271 | 273 | 287 |
| 1455 | 166 | 192 | 216 | 233 | 245 | 262 | 260 | 274 | 291 | 287 | 295 | 295 |
| 1456 | 184 | 206 | 234 | 253 | 269 | 284 | 284 | 299 | 312 | 316 | 316 | 318 |
| 1457 | 177 | 210 | 229 | 255 | 270 | 285 | 283 | 292 | 301 | 308 | 307 | 314 |
| 1458 | 164 | 191 | 213 | 235 | 254 | 268 | 272 | 285 | 295 | 296 | 307 | 311 |
| 1459 | 173 | 196 | 216 | 229 | 238 | 251 | 259 | 268 | 270 | 284 | 286 | 302 |
| 1460 | 174 | 195 | 220 | 236 | 248 | 263 | 268 | 284 | 288 | 295 | 297 | 304 |
| 1461 | 180 | 203 | 223 | 237 | 250 | 267 | 269 | 273 | 276 | 288 | 287 | 290 |
| 1462 | 161 | 185 | 205 | 226 | 238 | 246 | 252 | 266 | 272 | 274 | 284 | 297 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1463 | 164 | 188 | 203 | 218 | 236 | 235 | 249 | 257 | 269 | 267 | 272 | 277 |
| 1464 | 142 | 163 | 182 | 201 | 208 | 222 | 231 | 242 | 253 | 252 | 259 | 259 |
| 1465 | 155 | 166 | 187 | 194 | 202 | 218 | 220 | 226 | 234 | 244 | 250 | 253 |
| 1466 | 156 | 184 | 204 | 217 | 232 | 251 | 253 | 255 | 267 | 270 | 281 | 282 |
| 1467 | 156 | 180 | 197 | 213 | 228 | 231 | 235 | 244 | 258 | 251 | 269 | 261 |
| 1468 | 181 | 207 | 228 | 254 | 263 | 271 | 279 | 284 | 296 | 294 | 305 | 309 |
| 1469 | 148 | 168 | 188 | 206 | 211 | 229 | 239 | 253 | 259 | 266 | 271 | 277 |
| 1470 | 164 | 194 | 207 | 227 | 240 | 254 | 252 | 261 | 271 | 274 | 272 | 274 |
| 1471 | 170 | 185 | 207 | 224 | 240 | 245 | 256 | 262 | 264 | 266 | 275 | 283 |
| 1472 | 156 | 184 | 202 | 222 | 236 | 246 | 257 | 257 | 267 | 279 | 283 | 284 |
| 1473 | 174 | 199 | 221 | 234 | 247 | 267 | 271 | 272 | 285 | 288 | 292 | 299 |
| 1474 | 180 | 212 | 239 | 266 | 280 | 299 | 303 | 314 | 319 | 321 | 330 | 336 |
| 1475 | 167 | 182 | 195 | 207 | 206 | 212 | 215 | 232 | 244 | 251 | 253 | 260 |
| 1476 | 164 | 193 | 208 | 226 | 241 | 249 | 251 | 258 | 266 | 268 | 271 | 281 |
| 1477 | 177 | 192 | 207 | 241 | 257 | 263 | 275 | 283 | 288 | 287 | 297 | 308 |
| 1478 | 170 | 189 | 206 | 224 | 238 | 244 | 242 | 255 | 262 | 256 | 265 | 265 |
| 1479 | 184 | 208 | 227 | 241 | 253 | 269 | 279 | 295 | 289 | 294 | 304 | 312 |
| 1480 | 160 | 181 | 195 | 218 | 228 | 237 | 234 | 254 | 257 | 256 | 264 | 266 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1481 | 154 | 185 | 210 | 233 | 244 | 255 | 260 | 270 | 279 | 286 | 298 | 308 |
| 1482 | 158 | 179 | 191 | 213 | 226 | 241 | 249 | 262 | 270 | 277 | 292 | 312 |
| 1483 | 165 | 193 | 212 | 237 | 249 | 264 | 258 | 275 | 286 | 279 | 279 | 299 |
| 1484 | 186 | 217 | 244 | 270 | 291 | 308 | 306 | 334 | 336 | 334 | 355 | 359 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1485 | 166 | 186 | 207 | 219 | 220 | 233 | 244 | 249 | 250 | 253 | 267 | 268 |
| 1486 | 177 | 204 | 226 | 241 | 250 | 270 | 279 | 286 | 296 | 306 | 325 | 332 |
| 1487 | 164 | 194 | 216 | 238 | 244 | 262 | 269 | 278 | 282 | 292 | 297 | 309 |
| 1488 | 155 | 173 | 195 | 215 | 212 | 227 | 228 | 240 | 245 | 254 | 250 | 264 |
| 1489 | 152 | 178 | 199 | 216 | 225 | 241 | 244 | 250 | 257 | 263 | 274 | 279 |
| 1490 | 167 | 195 | 210 | 238 | 248 | 267 | 267 | 286 | 298 | 300 | 304 | 310 |
| 1491 | 154 | 179 | 198 | 212 | 219 | 239 | 239 | 248 | 247 | 254 | 269 | 270 |
| 1492 | 167 | 200 | 221 | 239 | 246 | 265 | 270 | 282 | 278 | 288 | 297 | 304 |
| 1493 | 177 | 203 | 220 | 233 | 231 | 255 | 255 | 268 | 264 | 278 | 284 | 291 |
| 1494 | 165 | 188 | 214 | 229 | 234 | 252 | 245 | 269 | 278 | 280 | 290 | 299 |
| 1495 | 169 | 178 | 192 | 214 | 219 | 229 | 231 | 245 | 252 | 253 | 262 | 220 |
| 1496 | 196 | 215 | 240 | 252 | 261 | 276 | 283 | 287 | 297 | 299 | 298 | 269 |
| 1497 | 153 | 181 | 194 | 213 | 218 | 231 | 241 | 252 | 251 | 254 | 266 | 276 |
| 1498 | 162 | 176 | 199 | 207 | 222 | 228 | 237 | 235 | 245 | 259 | 268 | 263 |
| 1499 | 179 | 209 | 234 | 251 | 257 | 270 | 280 | 292 | 294 | 298 | 309 | 310 |
| 1500 | 181 | 218 | 250 | 279 | 289 | 306 | 314 | 326 | 326 | 327 | 340 | 347 |
| 1501 | 163 | 184 | 211 | 229 | 238 | 258 | 260 | 268 | 274 | 281 | 292 | 296 |
| 1502 | 157 | 182 | 209 | 234 | 239 | 254 | 258 | 272 | 271 | 279 | 298 | 295 |
| 1503 | 164 | 190 | 212 | 217 | 217 | 224 | 231 | 240 | 241 | 246 | 255 | 257 |
| 1504 | 159 | 183 | 182 | 236 | 250 | 265 | 267 | 289 | 290 | 299 | 306 | 314 |
| 1505 | 171 | 191 | 215 | 238 | 249 | 275 | 280 | 278 | 291 | 296 | 303 | 310 |
| 1506 | 173 | 191 | 216 | 226 | 239 | 254 | 256 | 258 | 264 | 271 | 271 | 278 |
| 1507 | 172 | 193 | 215 | 228 | 246 | 268 | 279 | 290 | 296 | 304 | 305 | 309 |
| 1508 | 173 | 196 | 214 | 231 | 237 | 238 | 251 | 261 | 264 | 257 | 267 | 278 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1509 | 170 | 197 | 221 | 242 | 256 | 266 | 281 | 281 | 290 | 302 | 305 | 306 |
| 1510 | 165 | 189 | 212 | 230 | 242 | 248 | 255 | 263 | 268 | 256 | 272 | 284 |
| 1511 | 148 | 176 | 199 | 214 | 227 | 246 | 252 | 259 | 263 | 273 | 279 | 276 |
| 1512 | 167 | 206 | 229 | 250 | 268 | 285 | 295 | 301 | 309 | 324 | 322 | 324 |
| 1513 | 161 | 191 | 218 | 235 | 251 | 265 | 275 | 283 | 284 | 291 | 301 | 302 |
| 1514 | 147 | 169 | 182 | 194 | 204 | 213 | 216 | 227 | 233 | 239 | 240 | 254 |
| 1515 | 146 | 168 | 198 | 220 | 229 | 239 | 248 | 254 | 260 | 266 | 283 | 297 |
| 1516 | 172 | 200 | 218 | 235 | 244 | 262 | 268 | 277 | 288 | 287 | 287 | 296 |
| 1517 | 171 | 188 | 213 | 228 | 236 | 242 | 253 | 261 | 262 | 266 | 272 | 278 |
| 1518 | 169 | 191 | 206 | 225 | 222 | 241 | 243 | 250 | 257 | 262 | 264 | 269 |
| 1519 | 153 | 173 | 207 | 214 | 215 | 233 | 242 | 246 | 245 | 257 | 254 | 267 |
| 1520 | 188 | 213 | 238 | 254 | 262 | 285 | 288 | 296 | 300 | 311 | 313 | 317 |
| 1521 | 176 | 206 | 231 | 255 | 269 | 291 | 297 | 308 | 311 | 326 | 324 | 334 |
| 1522 | 153 | 175 | 191 | 209 | 218 | 231 | 234 | 254 | 257 | 255 | 263 | 273 |
| 1523 | 159 | 185 | 200 | 219 | 235 | 245 | 255 | 262 | 266 | 269 | 273 | 278 |
| 1524 | 161 | 192 | 213 | 224 | 234 | 242 | 253 | 258 | 268 | 277 | 286 | 291 |
| 1525 | 168 | 196 | 214 | 232 | 252 | 259 | 269 | 276 | 287 | 298 | 300 | 309 |
| 1526 | 169 | 197 | 219 | 238 | 244 | 263 | 269 | 272 | 270 | 281 | 287 | 292 |
| 1527 | 174 | 199 | 227 | 241 | 265 | 271 | 284 | 297 | 301 | 298 | 313 | 329 |
| 1528 | 184 | 213 | 242 | 265 | 274 | 290 | 291 | 298 | 308 | 306 | 320 | 323 |
| 1529 | 169 | 203 | 225 | 241 | 253 | 270 | 280 | 292 | 296 | 288 | 308 | 309 |
| 1530 | 172 | 203 | 224 | 244 | 262 | 283 | 288 | 299 | 309 | 313 | 311 | 321 |
| 1531 | 168 | 184 | 211 | 234 | 243 | 252 | 263 | 270 | 275 | 273 | 278 | 293 |
| 1532 | 184 | 213 | 233 | 253 | 264 | 279 | 274 | 282 | 291 | 301 | 300 | 304 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1533 | 153 | 178 | 195 | 217 | 230 | 244 | 253 | 252 | 264 | 273 | 272 | 273 |
| 1534 | 166 | 187 | 211 | 223 | 231 | 248 | 253 | 259 | 263 | 275 | 278 | 288 |
| 1535 | 153 | 179 | 193 | 213 | 221 | 231 | 228 | 242 | 249 | 255 | 250 | 265 |
| 1536 | 149 | 171 | 198 | 211 | 215 | 228 | 236 | 243 | 244 | 253 | 267 | 269 |
| 1537 | 172 | 200 | 229 | 252 | 270 | 282 | 290 | 304 | 308 | 308 | 321 | 331 |
| 1538 | 168 | 199 | 221 | 247 | 259 | 277 | 286 | 291 | 301 | 307 | 309 | 321 |
| 1539 | 180 | 201 | 220 | 238 | 254 | 274 | 271 | 272 | 283 | 288 | 298 | 303 |
| 1540 | 169 | 186 | 206 | 220 | 223 | 242 | 251 | 256 | 265 | 266 | 280 | 292 |
| 1541 | 167 | 184 | 204 | 218 | 230 | 241 | 250 | 245 | 253 | 253 | 262 | 265 |
| 1542 | 156 | 200 | 228 | 251 | 263 | 281 | 293 | 293 | 298 | 306 | 318 | 322 |
| 1543 | 166 | 196 | 229 | 248 | 277 | 288 | 297 | 305 | 312 | 314 | 326 | 327 |
| 1544 | 186 | 215 | 235 | 250 | 262 | 283 | 283 | 296 | 305 | 305 | 316 | 311 |
| 1545 | 157 | 188 | 212 | 233 | 245 | 263 | 271 | 267 | 279 | 289 | 298 | 298 |
| 1546 | 157 | 185 | 205 | 224 | 234 | 251 | 247 | 257 | 270 | 266 | 271 | 274 |
| 1547 | 163 | 182 | 211 | 232 | 248 | 255 | 264 | 278 | 280 | 284 | 292 | 304 |
| 1548 | 168 | 190 | 210 | 229 | 223 | 252 | 254 | 265 | 266 | 270 | 279 | 289 |
| 1549 | 159 | 179 | 196 | 215 | 223 | 244 | 243 | 252 | 257 | 268 | 269 | 266 |
| 1550 | 168 | 193 | 216 | 243 | 262 | 276 | 275 | 287 | 296 | 298 | 300 | 305 |
| 1551 | 153 | 179 | 201 | 210 | 218 | 234 | 240 | 239 | 246 | 246 | 253 | 251 |
| 1552 | 164 | 183 | 207 | 222 | 233 | 243 | 257 | 265 | 269 | 268 | 281 | 296 |
| 1553 | 166 | 181 | 211 | 228 | 237 | 250 | 260 | 280 | 280 | 282 | 296 | 297 |
| 1554 | 205 | 225 | 260 | 287 | 307 | 330 | 338 | 339 | 354 | 367 | 370 | 373 |
| 1555 | 173 | 198 | 230 | 254 | 271 | 284 | 299 | 310 | 321 | 326 | 337 | 350 |
| 1556 | 148 | 172 | 191 | 213 | 223 | 240 | 245 | 251 | 251 | 258 | 265 | 274 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1557 | 160 | 180 | 212 | 231 | 241 | 255 | 263 | 273 | 276 | 275 | 284 | 288 |
| 1558 | 184 | 203 | 228 | 250 | 263 | 279 | 292 | 301 | 307 | 312 | 321 | 331 |
| 1559 | 171 | 196 | 217 | 237 | 251 | 252 | 269 | 279 | 283 | 286 | 290 | 304 |
| 1560 | 170 | 192 | 216 | 229 | 241 | 251 | 264 | 267 | 280 | 274 | 278 | 291 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1561 | 182 | 204 | 230 | 247 | 259 | 269 | 274 | 278 | 277 | 275 | 284 | 282 |
| 1562 | 152 | 170 | 185 | 205 | 221 | 237 | 253 | 262 | 268 | 262 | 277 | 284 |
| 1563 | 162 | 192 | 221 | 242 | 255 | 267 | 282 | 289 | 297 | 288 | 300 | 302 |
| 1564 | 171 | 196 | 223 | 238 | 249 | 256 | 264 | 272 | 272 | 278 | 282 | 280 |
| 1565 | 161 | 187 | 214 | 230 | 243 | 254 | 264 | 272 | 273 | 284 | 286 | 281 |
| 1566 | 169 | 197 | 218 | 233 | 246 | 270 | 278 | 284 | 300 | 311 | 311 | 319 |
| 1567 | 162 | 192 | 220 | 240 | 259 | 282 | 279 | 295 | 299 | 311 | 318 | 312 |
| 1568 | 175 | 203 | 225 | 237 | 247 | 267 | 265 | 266 | 275 | 282 | 286 | 289 |
| 1569 | 171 | 192 | 213 | 236 | 248 | 260 | 275 | 274 | 284 | 281 | 293 | 296 |
| 1570 | 161 | 193 | 221 | 241 | 253 | 262 | 269 | 280 | 291 | 290 | 294 | 291 |
| 1571 | 158 | 179 | 205 | 223 | 236 | 248 | 261 | 266 | 274 | 277 | 290 | 293 |
| 1572 | 178 | 212 | 234 | 256 | 275 | 288 | 299 | 303 | 312 | 313 | 318 | 324 |
| 1573 | 166 | 194 | 218 | 234 | 250 | 262 | 271 | 280 | 286 | 290 | 290 | 305 |
| 1574 | 159 | 187 | 205 | 230 | 241 | 251 | 258 | 268 | 276 | 278 | 277 | 286 |
| 1575 | 176 | 205 | 224 | 244 | 249 | 272 | 274 | 288 | 304 | 305 | 309 | 313 |
| 1576 | 175 | 208 | 228 | 252 | 269 | 279 | 287 | 298 | 312 | 307 | 313 | 323 |
| 1577 | 156 | 180 | 200 | 220 | 234 | 252 | 254 | 266 | 276 | 281 | 285 | 291 |
| 1578 | 155 | 175 | 196 | 215 | 223 | 237 | 244 | 264 | 271 | 275 | 285 | 297 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | |
| 1579 | 157 | 181 | 203 | 222 | 239 | 256 | 256 | 267 | 273 | 274 | 280 | 287 |
| 1580 | 171 | 194 | 225 | 239 | 252 | 275 | 277 | 289 | 286 | 286 | 300 | 305 |
| 1581 | 154 | 180 | 197 | 206 | 217 | 231 | 228 | 236 | 242 | 244 | 243 | 248 |
| 1582 | 167 | 191 | 214 | 227 | 232 | 251 | 262 | 264 | 269 | 274 | 281 | 289 |
| 1583[r] | 159 | 183 | 209 | 231 | 248 | 274 | 277 | 286 | 303 | 307 | 319 | 330 |
| 1584[r] | 182 | 199 | 219 | 236 | 252 | 267 | 271 | 278 | 290 | 306 | 308 | 310 |
| 1585 | 181 | 216 | 238 | 252 | 263 | 281 | 289 | 297 | 291 | 297 | 296 | 302 |
| 1586 | 162 | 197 | 225 | 248 | 261 | 269 | 284 | 289 | 302 | 308 | 315 | 325 |
| 1587 | 172 | 196 | 217 | 232 | 235 | 258 | 260 | 249 | 274 | 278 | 283 | 281 |
| 1588 | 178 | 197 | 214 | 238 | 254 | 279 | 278 | 294 | 305 | 302 | 310 | 322 |
| 1589 | 159 | 189 | 220 | 239 | 250 | 279 | 286 | 292 | 288 | 298 | 316 | 316 |
| 1590 | 161 | 194 | 223 | 244 | 256 | 278 | 290 | 296 | 302 | 311 | 322 | 328 |
| 1591 | 169 | 196 | 220 | 240 | 256 | 265 | 272 | 276 | 284 | 282 | 288 | 286 |
| 1592 | 179 | 204 | 229 | 247 | 240 | 273 | 277 | 280 | 287 | 290 | 293 | 295 |
| 1593 | 207 | 244 | 275 | 306 | 324 | 340 | 341 | 350 | 363 | 360 | 359 | 370 |
| 1594 | 161 | 194 | 210 | 227 | 245 | 252 | 260 | 261 | 271 | 273 | 268 | 280 |
| 1595 | 177 | 192 | 219 | 236 | 248 | 261 | 274 | 283 | 288 | 289 | 295 | 305 |
| 1596 | 160 | 183 | 203 | 219 | 234 | 244 | 244 | 251 | 259 | 256 | 258 | 259 |
| 1597 | 173 | 206 | 233 | 254 | 266 | 288 | 300 | 303 | 305 | 312 | 319 | 324 |
| 1598 | 180 | 206 | 233 | 257 | 273 | 289 | 293 | 303 | 320 | 323 | 329 | 341 |
| 1599 | 163 | 187 | 212 | 233 | 243 | 261 | 265 | 266 | 277 | 281 | 289 | 289 |
| 1600 | 158 | 178 | 204 | 231 | 246 | 267 | 277 | 287 | 297 | 310 | 318 | 328 |
| 1601 | 170 | 200 | 226 | 246 | 258 | 278 | 278 | 287 | 293 | 302 | 297 | 298 |
| 1602 | 172 | 198 | 217 | 236 | 253 | 268 | 260 | 268 | 280 | 279 | 278 | 285 |

[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | |
| 1603 | 163 | 190 | 237 | 229 | 248 | 263 | 265 | 270 | 283 | 287 | 291 | 293 |
| 1604 | 154 | 185 | 202 | 228 | 234 | 251 | 253 | 263 | 269 | 278 | 274 | 289 |
| 1605 | 168 | 198 | 226 | 245 | 261 | 275 | 273 | 286 | 293 | 296 | 300 | 307 |
| 1606 | 191 | 211 | 234 | 254 | 271 | 288 | 288 | 303 | 310 | 310 | 309 | 316 |
| 1607 | 199 | 224 | 240 | 270 | 281 | 301 | 311 | 321 | 323 | 328 | 340 | 343 |
| 1608 | 168 | 195 | 226 | 248 | 269 | 288 | 290 | 309 | 308 | 316 | 325 | 320 |
| 1609 | 201 | 230 | 262 | 283 | 294 | 314 | 317 | 324 | 330 | 337 | 339 | 340 |
| 1610 | 168 | 190 | 217 | 231 | 243 | 258 | 268 | 276 | 282 | 287 | 292 | 290 |
| 1611 | 181 | 209 | 234 | 252 | 267 | 290 | 297 | 295 | 312 | 317 | 317 | 320 |
| 1612 | 159 | 190 | 208 | 234 | 245 | 262 | 267 | 269 | 281 | 283 | 297 | 294 |
| 1613 | 154 | 173 | 199 | 217 | 237 | 252 | 260 | 275 | 274 | 283 | 295 | 300 |
| 1614 | 156 | 184 | 208 | 222 | 239 | 253 | 259 | 269 | 276 | 279 | 292 | 297 |
| 1615 | 184 | 215 | 231 | 261 | 271 | 283 | 292 | 304 | 311 | 323 | 333 | 340 |
| 1616 | 161 | 176 | 193 | 210 | 224 | 239 | 245 | 251 | 261 | 262 | 269 | 263 |
| 1617 | 170 | 200 | 227 | 242 | 261 | 283 | 293 | 297 | 307 | 316 | 324 | 327 |
| 1618 | 170 | 201 | 220 | 235 | 253 | 277 | 282 | 281 | 294 | 301 | 309 | 310 |
| 1619 | 158 | 184 | 212 | 226 | 240 | 256 | 263 | 274 | 277 | 282 | 288 | 298 |
| 1620 | 165 | 189 | 214 | 223 | 230 | 247 | 252 | 257 | 259 | 263 | 269 | 267 |
| 1621 | 174 | 199 | 225 | 241 | 258 | 269 | 272 | 280 | 276 | 286 | 296 | 297 |
| 1622 | 173 | 206 | 231 | 248 | 260 | 280 | 286 | 293 | 299 | 308 | 317 | 316 |
| 1623 | 164 | 188 | 206 | 221 | 238 | 254 | 255 | 268 | 283 | 288 | 295 | 302 |
| 1624 | 166 | 189 | 216 | 231 | 246 | 253 | 258 | 276 | 289 | 295 | 296 | 305 |
| 1625 | 158 | 192 | 220 | 239 | 253 | 275 | 280 | 286 | 298 | 306 | 304 | 307 |
| 1626 | 150 | 170 | 183 | 200 | 216 | 232 | 234 | 246 | 258 | 261 | 264 | 273 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | |
| 1627 | 184 | 211 | 228 | 255 | 267 | 260 | 284 | 292 | 300 | 308 | 305 | 311 |
| 1628 | 155 | 177 | 198 | 215 | 230 | 243 | 244 | 257 | 263 | 267 | 269 | 274 |
| 1629 | 157 | 177 | 195 | 211 | 221 | 237 | 247 | 253 | 254 | 264 | 272 | 276 |
| 1630 | 165 | 195 | 213 | 223 | 238 | 249 | 255 | 257 | 271 | 268 | 271 | 281 |
| 1631 | 144 | 162 | 180 | 199 | 213 | 223 | 230 | 234 | 245 | 252 | 251 | 253 |
| 1632 | 173 | 198 | 222 | 238 | 245 | 259 | 269 | 273 | 271 | 284 | 291 | 289 |
| 1633 | 167 | 195 | 219 | 229 | 241 | 247 | 261 | 269 | 274 | 276 | 281 | 288 |
| 1634 | 170 | 198 | 230 | 242 | 262 | 286 | 287 | 292 | 300 | 303 | 305 | 318 |
| 1635 | 152 | 180 | 202 | 223 | 235 | 258 | 261 | 269 | 274 | 282 | 292 | 287 |
| 1636 | 162 | 190 | 212 | 234 | 243 | 272 | 278 | 292 | 297 | 308 | 319 | 322 |
| 1637 | 166 | 200 | 225 | 239 | 250 | 264 | 270 | 275 | 274 | 287 | 294 | 296 |
| 1638 | 176 | 208 | 231 | 246 | 253 | 272 | 280 | 284 | 285 | 296 | 303 | 305 |
| 1639 | 181 | 213 | 241 | 268 | 286 | 298 | 313 | 324 | 337 | 341 | 352 | 363 |
| 1640 | 172 | 195 | 212 | 223 | 237 | 243 | 244 | 256 | 260 | 266 | 267 | 265 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1321 | 288 | 316 | 309 | 329 | 346 | 346 | 368 | 377 | 369 | 391 | 415 | 424 |
| 1322 | 261 | 287 | 289 | 296 | 308 | 316 | 309 | 318 | 314 | 333 | 347 | 361 |
| 1323 | 275 | 297 | 326 | 335 | 353 | 351 | 358 | 362 | 367 | 389 | 421 | 439 |
| 1324 | 266 | 271 | 298 | 295 | 303 | 307 | 303 | 316 | 310 | 324 | 347 | 369 |
| 1325 | 270 | 287 | 292 | 298 | 299 | 311 | 316 | 319 | 321 | 332 | 342 | 351 |
| 1326 | 270 | 285 | 279 | 298 | 306 | 320 | 333 | 337 | 349 | 355 | 351 | 377 |
| 1327 | 296 | 312 | 312 | 328 | 330 | 345 | 360 | 370 | 378 | 387 | 395 | 400 |
| 1328 | 280 | 285 | 311 | 308 | 321 | 318 | 322 | 336 | 333 | 346 | 352 | 371 |
| 1329 | 292 | 314 | 316 | 327 | 338 | 348 | 342 | 364 | 355 | 369 | 391 | 392 |
| 1330 | 326 | 352 | 367 | 370 | 371 | 376 | 387 | 414 | 423 | 456 | 490 | 504 |
| 1331 | 389 | 389 | 406 | 414 | 433 | 434 | 439 | 443 | 448 | 471 | 472 | 476 |
| 1332 | 325 | 334 | 349 | 362 | 383 | 397 | 408 | 423 | 443 | 450 | 464 | 471 |
| 1333 | 266 | 265 | 276 | 280 | 292 | 299 | 302 | 304 | 304 | 307 | 304 | 317 |
| 1334 | 307 | 308 | 316 | 326 | 335 | 351 | 351 | 353 | 362 | 359 | 369 | 375 |
| 1335 | 269 | 276 | 285 | 294 | 295 | 304 | 310 | 319 | 322 | 335 | 334 | 342 |
| 1336 | 351 | 355 | 361 | 371 | 379 | 380 | 376 | 391 | 399 | 409 | 428 | 432 |
| 1337 | 375 | 390 | 392 | 394 | 343 | 391 | 388 | 369 | 378 | 364 | 368 | 407 |
| 1338 | 267 | 273 | 276 | 286 | 289 | 292 | 286 | 305 | 311 | 322 | 335 | 345 |
| 1339 | 302 | 303 | 313 | 325 | 332 | 344 | 350 | 355 | 371 | 379 | 396 | 399 |
| 1340 | 363 | 366 | 378 | 389 | 396 | 400 | 412 | 418 | 426 | 424 | 447 | 448 |
| 1341 | 301 | 293 | 303 | 309 | 313 | 312 | 325 | 328 | 337 | 343 | 353 | 345 |
| 1342 | 297 | 293 | 295 | 306 | 314 | 326 | 325 | 334 | 350 | 356 | 364 | 368 |
| 1343 | 326 | 327 | 330 | 359 | 357 | 375 | 367 | 375 | 375 | 383 | 391 | 403 |
| 1344 | 304 | 296 | 306 | 308 | 318 | 329 | 328 | 335 | 335 | 341 | 350 | 356 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1345 | 290 | 292 | 302 | 303 | 310 | 323 | 331 | 347 | 352 | 352 | 360 | 370 |
| 1346 | 278 | 276 | 272 | 281 | 284 | 302 | 296 | 304 | 311 | 324 | 333 | 342 |
| 1347 | 316 | 322 | 331 | 337 | 342 | 351 | 360 | 357 | 376 | 391 | 376 | 381 |
| 1348 | 353 | 355 | 365 | 369 | 376 | 376 | 391 | 395 | 393 | 412 | 423 | 439 |
| 1349 | 317 | 321 | 334 | 333 | 344 | 357 | 354 | 349 | 372 | 376 | 391 | 404 |
| 1350 | 324 | 329 | 340 | 358 | 375 | 391 | 410 | 431 | 442 | 451 | 483 | 479 |
| 1351 | 313 | 317 | 318 | 332 | 336 | 335 | 343 | 348 | 353 | 365 | 379 | 376 |
| 1352 | 302 | 298 | 306 | 309 | 317 | 329 | 333 | 348 | 361 | 363 | 375 | 375 |
| 1353 | 291 | 295 | 301 | 313 | 303 | 323 | 315 | 322 | 328 | 328 | 327 | 343 |
| 1354 | 368 | 375 | 378 | 393 | 394 | 410 | 409 | 418 | 426 | 436 | 447 | 462 |
| 1355 | 288 | 295 | 297 | 295 | 310 | 312 | 327 | 315 | 333 | 338 | 355 | 355 |
| 1356 | 288 | 291 | 309 | 312 | 332 | 342 | 353 | 365 | 371 | 389 | 397 | 405 |
| 1357 | 271 | 273 | 274 | 283 | 282 | 286 | 298 | 308 | 316 | 332 | 338 | 342 |
| 1358 | 299 | 303 | 309 | 310 | 315 | 330 | 333 | 337 | 354 | 355 | 373 | 375 |
| 1359 | 292 | 300 | 303 | 306 | 310 | 320 | 333 | 346 | 366 | 380 | 389 | 404 |
| 1360 | 290 | 297 | 316 | 324 | 331 | 339 | 348 | 347 | 363 | 378 | 384 | 394 |
| 1361 | 367 | 373 | 389 | 409 | 406 | 417 | 435 | 452 | 469 | 479 | 506 | 523 |
| 1362 | 332 | 335 | 342 | 350 | 358 | 362 | 379 | 385 | 419 | 417 | 418 | 415 |
| 1363 | 319 | 325 | 345 | 350 | 354 | 354 | 376 | 385 | 403 | 407 | 433 | 434 |
| 1364 | 318 | 319 | 337 | 343 | 356 | 366 | 373 | 395 | 402 | 403 | 408 | 414 |
| 1365 | 294 | 304 | 312 | 308 | 304 | 313 | 327 | 337 | 344 | 350 | 366 | 363 |
| 1366 | 308 | 314 | 334 | 333 | 357 | 355 | 370 | 367 | 394 | 401 | 437 | 433 |
| 1367 | 349 | 351 | 367 | 370 | 366 | 383 | 401 | 390 | 396 | 419 | 434 | 444 |
| 1368 | 268 | 274 | 271 | 281 | 284 | 300 | 306 | 307 | 311 | 323 | 335 | 336 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1369 | 286 | 289 | 293 | 286 | 294 | 306 | 309 | 315 | 320 | 337 | 342 | 356 |
| 1370 | 243 | 247 | 245 | 257 | 253 | 256 | 257 | 264 | 267 | 267 | 274 | 266 |
| 1371 | 335 | 350 | 347 | 370 | 363 | 363 | 354 | 390 | 404 | 419 | 453 | 455 |
| 1372 | 264 | 276 | 279 | 298 | 299 | 306 | 312 | 327 | 330 | 352 | 369 | 374 |
| 1373 | 251 | 266 | 268 | 285 | 285 | 300 | 315 | 332 | 347 | 358 | 366 | 374 |
| 1374 | 305 | 310 | 317 | 337 | 328 | 345 | 342 | 354 | 364 | 386 | 408 | 419 |
| 1375 | 283 | 289 | 297 | 310 | 313 | 334 | 342 | 353 | 364 | 368 | 382 | 379 |
| 1376 | 325 | 323 | 328 | 349 | 366 | 390 | 409 | 425 | 441 | 450 | 461 | 471 |
| 1377 | 411 | 412 | 447 | 436 | 452 | 463 | 482 | 490 | 535 | 558 | 570 | 559 |
| 1378 | 305 | 312 | 320 | 315 | 319 | 326 | 330 | 334 | 342 | 336 | 339 | 345 |
| 1379 | 316 | 314 | 319 | 327 | 333 | 342 | 350 | 367 | 368 | 375 | 379 | 386 |
| 1380 | 382 | 389 | 386 | 412 | 417 | 430 | 455 | 466 | 491 | 517 | 543 | 562 |
| 1381 | 264 | 257 | 269 | 279 | 291 | 299 | 313 | 332 | 339 | 346 | 355 | 358 |
| 1382 | 281 | 275 | 275 | 290 | 296 | 302 | 310 | 329 | 322 | 337 | 346 | 353 |
| 1383 | 283 | 294 | 303 | 310 | 320 | 333 | 333 | 341 | 361 | 366 | 371 | 383 |
| 1384 | 276 | 285 | 282 | 295 | 302 | 307 | 314 | 317 | 325 | 331 | 337 | 347 |
| 1385 | 306 | 309 | 315 | 319 | 318 | 324 | 314 | 327 | 336 | 330 | 343 | 354 |
| 1386 | 324 | 328 | 333 | 337 | 353 | 361 | 357 | 382 | 395 | 391 | 404 | 426 |
| 1387 | 308 | 317 | 323 | 334 | 338 | 352 | 346 | 354 | 356 | 367 | 375 | 391 |
| 1388 | 331 | 337 | 338 | 350 | 391 | 395 | 387 | 413 | 429 | 431 | 460 | 457 |
| 1389 | 275 | 280 | 289 | 300 | 308 | 323 | 312 | 326 | 334 | 347 | 355 | 364 |
| 1390 | 283 | 286 | 293 | 301 | 297 | 312 | 311 | 323 | 337 | 345 | 349 | 356 |
| 1391 | 288 | 288 | 305 | 306 | 309 | 315 | 313 | 322 | 330 | 333 | 342 | 344 |
| 1392 | 286 | 283 | 304 | 308 | 316 | 320 | 318 | 332 | 363 | 361 | 365 | 369 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1393 | 297 | 298 | 292 | 300 | 313 | 314 | 313 | 328 | 342 | 336 | 352 | 354 |
| 1394 | 284 | 286 | 297 | 300 | 307 | 308 | 313 | 314 | 328 | 324 | 332 | 335 |
| 1395 | 285 | 283 | 291 | 294 | 305 | 318 | 314 | 320 | 332 | 333 | 342 | 347 |
| 1396 | 285 | 282 | 285 | 309 | 338 | 360 | 374 | 394 | 404 | 418 | 438 | 443 |
| 1397 | 329 | 334 | 353 | 362 | 370 | 380 | 382 | 390 | 395 | 400 | 412 | 429 |
| 1398 | 286 | 290 | 311 | 315 | 326 | 336 | 348 | 358 | 365 | 384 | 415 | 427 |
| 1399 | 273 | 282 | 291 | 300 | 315 | 316 | 330 | 343 | 353 | 362 | 366 | 374 |
| 1400 | 282 | 288 | 285 | 303 | 310 | 314 | 321 | 323 | 331 | 337 | 351 | 362 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1401 | 266 | 286 | 284 | 299 | 297 | 307 | 312 | 316 | 313 | 319 | 328 | 337 |
| 1402 | 262 | 278 | 282 | 298 | 290 | 303 | 301 | 316 | 304 | 319 | 332 | 341 |
| 1403 | 247 | 257 | 264 | 276 | 276 | 278 | 284 | 285 | 282 | 295 | 306 | 313 |
| 1404 | 276 | 294 | 296 | 310 | 314 | 336 | 340 | 326 | 317 | 330 | 342 | 344 |
| 1405 | 247 | 258 | 271 | 273 | 275 | 277 | 283 | 282 | 303 | 295 | 300 | 300 |
| 1406 | 287 | 313 | 318 | 332 | 342 | 364 | 365 | 385 | 386 | 395 | 420 | 409 |
| 1407 | 275 | 300 | 313 | 330 | 334 | 354 | 358 | 359 | 363 | 380 | 382 | 403 |
| 1408 | 298 | 314 | 322 | 331 | 333 | 350 | 388 | 362 | 371 | 380 | 394 | 424 |
| 1409 | 286 | 307 | 318 | 327 | 322 | 335 | 347 | 360 | 343 | 361 | 399 | 385 |
| 1410 | 289 | 308 | 310 | 321 | 341 | 349 | 356 | 365 | 367 | 392 | 415 | 421 |
| 1411 | 320 | 328 | 338 | 354 | 365 | 362 | 369 | 392 | 392 | 411 | 417 | 429 |
| 1412 | 305 | 311 | 319 | 340 | 350 | 373 | 361 | 379 | 393 | 421 | 429 | 432 |
| 1413 | 278 | 282 | 285 | 298 | 301 | 304 | 305 | 311 | 318 | 320 | 326 | 334 |
| 1414 | 220 | 225 | 227 | 229 | 231 | 234 | 224 | 230 | 237 | 238 | 244 | 252 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1415 | 291 | 299 | 306 | 313 | 319 | 315 | 323 | 330 | 345 | 342 | 351 | 351 |
| 1416 | 299 | 295 | 303 | 312 | 328 | 331 | 331 | 336 | 349 | 347 | 363 | 367 |
| 1417 | 307 | 309 | 325 | 329 | 335 | 342 | 366 | 386 | 391 | 408 | 449 | 470 |
| 1418 | 300 | 312 | 318 | 321 | 336 | 338 | 345 | 359 | 356 | 360 | 379 | 391 |
| 1419 | 280 | 286 | 295 | 296 | 303 | 325 | 311 | 323 | 334 | 352 | 353 | 374 |
| 1420 | 356 | 369 | 373 | 389 | 391 | 411 | 406 | 417 | 427 | 439 | 438 | 456 |
| 1421 | 270 | 275 | 285 | 291 | 293 | 297 | 295 | 305 | 306 | 306 | 312 | 321 |
| 1422 | 287 | 287 | 287 | 306 | 316 | 322 | 328 | 334 | 339 | 349 | 353 | 354 |
| 1423 | 281 | 295 | 299 | 309 | 309 | 313 | 298 | 298 | 304 | 300 | 302 | 314 |
| 1424 | 252 | 265 | 269 | 278 | 288 | 291 | 289 | 291 | 293 | 300 | 300 | 306 |
| 1425 | 318 | 328 | 335 | 342 | 349 | 352 | 356 | 366 | 370 | 377 | 378 | 385 |
| 1426 | 274 | 279 | 275 | 286 | 296 | 311 | 319 | 327 | 332 | 341 | 343 | 350 |
| 1427 | 265 | 273 | 270 | 278 | 287 | 294 | 296 | 300 | 311 | 308 | 314 | 322 |
| 1428 | 266 | 277 | 279 | 282 | 285 | 293 | 295 | 311 | 315 | 319 | 333 | 339 |
| 1429 | 325 | 335 | 345 | 349 | 358 | 361 | 372 | 371 | 374 | 388 | 400 | 407 |
| 1430 | 305 | 314 | 327 | 327 | 331 | 339 | 336 | 361 | 374 | 389 | 398 | 404 |
| 1431 | 314 | 324 | 324 | 330 | 341 | 343 | 345 | 358 | 371 | 382 | 391 | 395 |
| 1432 | 283 | 281 | 293 | 300 | 308 | 305 | 309 | 312 | 320 | 323 | 330 | 337 |
| 1433 | 338 | 348 | 364 | 368 | 383 | 383 | 398 | 392 | 407 | 411 | 430 | 431 |
| 1434 | 287 | 294 | 304 | 316 | 308 | 316 | 311 | 326 | 327 | 331 | 345 | 359 |
| 1435 | 294 | 291 | 312 | 330 | 354 | 374 | 358 | 375 | 389 | 406 | 424 | 437 |
| 1436 | 307 | 313 | 312 | 332 | 342 | 351 | 351 | 360 | 368 | 375 | 378 | 387 |
| 1437 | 274 | 283 | 287 | 290 | 282 | 296 | 293 | 306 | 315 | 326 | 333 | 345 |
| 1438 | 337 | 356 | 357 | 360 | 366 | 364 | 371 | 379 | 389 | 385 | 390 | 409 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1439 | 290 | 295 | 302 | 322 | 325 | 355 | 333 | 334 | 353 | 358 | 362 | 383 |
| 1440 | 302 | 320 | 320 | 327 | 333 | 333 | 333 | 357 | 360 | 365 | 379 | 394 |
| 1441 | 260 | 261 | 273 | 274 | 284 | 282 | 275 | 282 | 292 | 311 | 324 | 338 |
| 1442 | 281 | 294 | 300 | 313 | 319 | 329 | 331 | 341 | 359 | 362 | 381 | 388 |
| 1443 | 266 | 274 | 280 | 289 | 296 | 305 | 307 | 313 | 322 | 326 | 335 | 345 |
| 1444 | 279 | 286 | 290 | 299 | 310 | 319 | 315 | 321 | 335 | 340 | 348 | 360 |
| 1445 | 314 | 323 | 334 | 345 | 362 | 378 | 371 | 400 | 416 | 427 | 443 | 465 |
| 1446 | 339 | 350 | 364 | 371 | 379 | 391 | 391 | 409 | 434 | 455 | 467 | 484 |
| 1447 | 333 | 346 | 358 | 372 | 404 | 408 | 432 | 423 | 453 | 470 | 477 | 493 |
| 1448 | 275 | 279 | 288 | 290 | 291 | 303 | 292 | 301 | 315 | 328 | 331 | 339 |
| 1449 | 300 | 306 | 311 | 326 | 335 | 347 | 309 | 309 | 357 | 377 | 386 | 401 |
| 1450 | 277 | 275 | 284 | 297 | 295 | 314 | 273 | 295 | 334 | 329 | 340 | 347 |
| 1451 | 277 | 288 | 281 | 298 | 311 | 314 | 319 | 327 | 336 | 337 | 348 | 353 |
| 1452 | 307 | 315 | 312 | 324 | 329 | 322 | 333 | 346 | 344 | 347 | 361 | 355 |
| 1453 | 280 | 286 | 302 | 303 | 313 | 315 | 331 | 333 | 352 | 374 | 383 | 397 |
| 1454 | 291 | 293 | 300 | 304 | 311 | 316 | 317 | 323 | 337 | 341 | 342 | 351 |
| 1455 | 302 | 308 | 321 | 321 | 323 | 334 | 332 | 342 | 358 | 361 | 356 | 377 |
| 1456 | 330 | 338 | 347 | 367 | 368 | 378 | 366 | 392 | 417 | 423 | 430 | 434 |
| 1457 | 319 | 330 | 344 | 347 | 364 | 381 | 383 | 388 | 396 | 404 | 411 | 420 |
| 1458 | 315 | 330 | 351 | 371 | 381 | 393 | 407 | 417 | 439 | 453 | 463 | 479 |
| 1459 | 298 | 311 | 325 | 337 | 355 | 381 | 364 | 368 | 383 | 413 | 429 | 453 |
| 1460 | 305 | 312 | 325 | 331 | 344 | 352 | 361 | 371 | 378 | 385 | 385 | 399 |
| 1461 | 294 | 303 | 300 | 314 | 306 | 322 | 317 | 329 | 341 | 346 | 358 | 359 |
| 1462 | 299 | 298 | 308 | 320 | 324 | 337 | 345 | 365 | 368 | 374 | 391 | 395 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1463 | 278 | 284 | 289 | 296 | 292 | 304 | 306 | 315 | 326 | 332 | 338 | 336 |
| 1464 | 269 | 280 | 277 | 284 | 294 | 309 | 313 | 324 | 336 | 346 | 350 | 360 |
| 1465 | 255 | 263 | 267 | 279 | 273 | 288 | 285 | 298 | 304 | 315 | 307 | 320 |
| 1466 | 291 | 302 | 316 | 330 | 355 | 379 | 399 | 416 | 400 | 436 | NDC | |
| 1467 | 259 | 281 | 286 | 293 | 309 | 310 | 326 | 339 | 356 | 356 | 364 | 374 |
| 1468 | 315 | 322 | 331 | 334 | 342 | 345 | 348 | 350 | 360 | 367 | 376 | 376 |
| 1469 | 276 | 280 | 290 | 292 | 298 | 302 | 306 | 310 | 317 | 317 | 319 | 324 |
| 1470 | 279 | 287 | 296 | 292 | 294 | 309 | 316 | 327 | 335 | 330 | 342 | 355 |
| 1471 | 285 | 283 | 294 | 289 | 299 | 302 | 308 | 314 | 316 | 316 | 331 | 330 |
| 1472 | 293 | 298 | 301 | 314 | 327 | 344 | 351 | 360 | 366 | 375 | 384 | 385 |
| 1473 | 308 | 315 | 311 | 318 | 324 | 335 | 332 | 333 | 342 | 347 | 353 | 365 |
| 1474 | 346 | 351 | 363 | 370 | 379 | 396 | 401 | 416 | 422 | 430 | 440 | 452 |
| 1475 | 262 | 256 | 257 | 269 | 270 | 287 | 287 | 291 | 308 | 308 | 321 | 328 |
| 1476 | 285 | 286 | 288 | 299 | 305 | 308 | 315 | 321 | 330 | 336 | 346 | 345 |
| 1477 | 305 | 304 | 325 | 319 | 330 | 329 | 342 | 333 | 357 | 345 | 361 | 364 |
| 1478 | 268 | 268 | 284 | 290 | 302 | 306 | 308 | 316 | 323 | 328 | 331 | 334 |
| 1479 | 312 | 322 | 322 | 331 | 334 | 358 | 361 | 370 | 382 | 393 | 408 | 415 |
| 1480 | 272 | 280 | 289 | 288 | 303 | 301 | 307 | 311 | 318 | 326 | 334 | 344 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1481 | 295 | 311 | 309 | 321 | 334 | 346 | 346 | 353 | 349 | 359 | 373 | 377 |
| 1482 | 296 | 309 | 311 | 325 | 334 | 351 | 358 | 366 | 365 | 379 | 406 | 432 |
| 1483 | 287 | 306 | 321 | 332 | 343 | 352 | 361 | 367 | 356 | 376 | 393 | 393 |
| 1484 | 342 | 363 | 377 | 391 | 409 | 420 | 428 | 434 | 424 | 441 | 460 | 468 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1485 | 259 | 269 | 276 | 290 | 300 | 306 | 304 | 311 | 306 | 316 | 320 | 325 |
| 1486 | 325 | 340 | 348 | 371 | 386 | 385 | 391 | 419 | 428 | 463 | 481 | 488 |
| 1487 | 300 | 307 | 314 | 327 | 339 | 347 | 347 | 354 | 355 | 363 | 373 | 371 |
| 1488 | 255 | 258 | 261 | 272 | 285 | 299 | 321 | 341 | 339 | 356 | 369 | 373 |
| 1489 | 276 | 295 | 294 | 299 | 307 | 327 | 326 | 339 | 328 | 338 | 358 | 363 |
| 1490 | 303 | 323 | 334 | 332 | 331 | 375 | 378 | 394 | 389 | 405 | 423 | 423 |
| 1491 | 277 | 278 | 271 | 285 | 292 | 306 | 314 | 324 | 323 | 333 | 348 | 352 |
| 1492 | 306 | 311 | 314 | 325 | 343 | 341 | 336 | 354 | 358 | 364 | 377 | 384 |
| 1493 | 290 | 302 | 306 | 330 | 330 | 347 | 341 | 351 | 369 | 395 | 413 | 425 |
| 1494 | 307 | 306 | 323 | 327 | 348 | 342 | 356 | 371 | 374 | 392 | 399 | 411 |
| 1495 | 255 | 284 | 291 | 302 | 333 | 342 | 351 | 365 | 377 | 387 | 402 | 419 |
| 1496 | 318 | 325 | 328 | 329 | 335 | 343 | 342 | 357 | 357 | 365 | 361 | 369 |
| 1497 | 284 | 280 | 293 | 300 | 315 | 311 | 327 | 329 | 344 | 338 | 345 | 365 |
| 1498 | 275 | 274 | 276 | 289 | 298 | 305 | 304 | 301 | 322 | 329 | 347 | 356 |
| 1499 | 314 | 315 | 318 | 326 | 342 | 337 | 339 | 352 | 350 | 346 | 363 | 368 |
| 1500 | 354 | 369 | 368 | 386 | 389 | 381 | 388 | 393 | 413 | 400 | 413 | 428 |
| 1501 | 309 | 304 | 302 | 324 | 330 | 338 | 343 | 344 | 372 | 365 | 385 | 391 |
| 1502 | 300 | 297 | 308 | 321 | 322 | 330 | 330 | 336 | 358 | 358 | 360 | 362 |
| 1503 | 264 | 271 | 271 | 287 | 302 | 298 | 306 | 318 | 322 | 323 | 334 | 346 |
| 1504 | 314 | 324 | 326 | 334 | 359 | 384 | 405 | 413 | 428 | 441 | 456 | 476 |
| 1505 | 322 | 334 | 352 | 353 | 364 | 385 | 401 | 424 | 435 | 425 | 445 | 448 |
| 1506 | 282 | 272 | 289 | 296 | 310 | 311 | 317 | 323 | 326 | 352 | 353 | 353 |
| 1507 | 313 | 321 | 342 | 350 | 356 | 361 | 365 | 370 | 368 | 375 | 388 | 401 |
| 1508 | 282 | 280 | 280 | 297 | 317 | 328 | 331 | 335 | 344 | 345 | 359 | 363 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1509 | 315 | 318 | 326 | 335 | 341 | 345 | 351 | 360 | 355 | 358 | 376 | 376 |
| 1510 | 282 | 278 | 278 | 288 | 307 | 305 | 317 | 310 | 321 | 332 | 333 | 336 |
| 1511 | 284 | 286 | 296 | 310 | 304 | 329 | 334 | 346 | 364 | 382 | 395 | 407 |
| 1512 | 336 | 334 | 333 | 350 | 351 | 366 | 361 | 366 | 378 | 378 | 378 | 377 |
| 1513 | 300 | 304 | 307 | 319 | 325 | 329 | 337 | 345 | 332 | 338 | 346 | 353 |
| 1514 | 257 | 256 | 263 | 285 | 290 | 302 | 311 | 322 | 330 | 335 | 346 | 356 |
| 1515 | 305 | 309 | 326 | 339 | 348 | 361 | 371 | 383 | 396 | 407 | 415 | 426 |
| 1516 | 306 | 308 | 305 | 313 | 332 | 332 | 337 | 342 | 342 | 353 | 364 | 365 |
| 1517 | 285 | 279 | 288 | 298 | 302 | 308 | 307 | 309 | 310 | 326 | 329 | 331 |
| 1518 | 277 | 287 | 286 | 297 | 310 | 327 | 340 | NDC | | | | |
| 1519 | 270 | 280 | 280 | 288 | 301 | 308 | 310 | 310 | 316 | 318 | 333 | 332 |
| 1520 | 325 | 333 | 338 | 354 | 356 | 366 | 373 | 385 | 396 | 401 | 415 | 429 |
| 1521 | 341 | 351 | 348 | 362 | 366 | 382 | 395 | 404 | 409 | 408 | 424 | 437 |
| 1522 | 281 | 284 | 284 | 280 | 295 | 305 | 305 | 313 | 328 | 318 | 327 | 340 |
| 1523 | 281 | 285 | 289 | 295 | 300 | 310 | 323 | 326 | 329 | 333 | 344 | 343 |
| 1524 | 294 | 292 | 302 | 306 | 322 | 331 | 340 | 347 | 349 | 356 | 360 | 368 |
| 1525 | 319 | 327 | 348 | 365 | 379 | 390 | 409 | 429 | 430 | 446 | 463 | 481 |
| 1526 | 303 | 302 | 312 | 316 | 324 | 334 | 352 | 363 | 358 | 372 | 380 | 389 |
| 1527 | 340 | 332 | 350 | 356 | 375 | 372 | 387 | 399 | 417 | 428 | 450 | 470 |
| 1528 | 336 | 339 | 342 | 353 | 359 | 356 | 363 | 364 | 372 | 382 | 385 | 384 |
| 1529 | 320 | 317 | 351 | 375 | 382 | 371 | 389 | 397 | 409 | 420 | 454 | 462 |
| 1530 | 335 | 326 | 345 | 352 | 370 | 384 | 399 | 425 | 426 | 431 | 449 | 449 |
| 1531 | 305 | 304 | 317 | 327 | 343 | 344 | 360 | 366 | 382 | 387 | 396 | 409 |
| 1532 | 314 | 314 | 315 | 322 | 325 | 329 | 342 | 341 | 352 | 354 | 362 | 371 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1533 | 291 | 291 | 300 | 299 | 309 | 313 | 324 | 327 | 335 | 342 | 346 | 346 |
| 1534 | 288 | 297 | 298 | 312 | 317 | 325 | 328 | 338 | 346 | 350 | 361 | 370 |
| 1535 | 271 | 274 | 278 | 287 | 297 | 310 | 305 | 309 | 314 | 330 | 342 | 364 |
| 1536 | 275 | 278 | 288 | 295 | 314 | 315 | 329 | 327 | 338 | 354 | 380 | 397 |
| 1537 | 339 | 338 | 351 | 357 | 376 | 374 | 385 | 395 | 410 | 408 | 441 | 453 |
| 1538 | 328 | 330 | 340 | 349 | 355 | 362 | 374 | 370 | 382 | 386 | 403 | 396 |
| 1539 | 309 | 309 | 326 | 352 | 364 | 367 | 387 | 399 | 403 | 414 | 434 | 442 |
| 1540 | 295 | 294 | 306 | 316 | 341 | 351 | 370 | 376 | 391 | 400 | 413 | 418 |
| 1541 | 270 | 279 | 285 | 287 | 299 | 304 | 314 | 319 | 329 | 334 | 351 | 354 |
| 1542 | 330 | 336 | 346 | 364 | 369 | 376 | 373 | 383 | 401 | 416 | 436 | 442 |
| 1543 | 329 | 329 | 349 | 347 | 363 | 358 | 362 | 367 | 372 | 389 | 398 | 399 |
| 1544 | 316 | 322 | 325 | 332 | 344 | 351 | 345 | 363 | 361 | 371 | 380 | 392 |
| 1545 | 303 | 302 | 317 | 341 | 350 | 366 | 371 | 391 | 397 | 407 | 427 | 433 |
| 1546 | 287 | 286 | 289 | 304 | 303 | 312 | 318 | 325 | 330 | 339 | 340 | 347 |
| 1547 | 308 | 310 | 318 | 325 | 340 | 334 | 344 | 346 | 344 | 347 | 365 | 366 |
| 1548 | 291 | 303 | 313 | 322 | 338 | 345 | 356 | 371 | 380 | 388 | 407 | 412 |
| 1549 | 281 | 279 | 292 | 299 | 315 | 320 | 330 | 334 | 338 | 342 | 364 | 374 |
| 1550 | 308 | 309 | 324 | 330 | 338 | 350 | 357 | 366 | 367 | 373 | 391 | 391 |
| 1551 | 262 | 264 | 271 | 275 | 294 | 298 | 302 | 310 | 321 | 326 | 344 | 362 |
| 1552 | 309 | 305 | 322 | 327 | 360 | 397 | 408 | 423 | 433 | 448 | 463 | 463 |
| 1553 | 304 | 305 | 313 | 325 | 346 | 345 | 347 | 361 | 366 | 375 | 388 | 395 |
| 1554 | 388 | 386 | 401 | 435 | 434 | 439 | 443 | 450 | 466 | 478 | 501 | 505 |
| 1555 | 361 | 364 | 361 | 376 | 393 | 414 | 414 | 432 | 445 | 452 | 464 | 477 |
| 1556 | 281 | 286 | 287 | 295 | 304 | 307 | 317 | 326 | 328 | 337 | 352 | 352 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1557 | 289 | 291 | 303 | 311 | 320 | 321 | 327 | 332 | 336 | 338 | 349 | 348 |
| 1558 | 334 | 338 | 345 | 353 | 364 | 372 | 376 | 390 | 403 | 413 | 428 | 430 |
| 1559 | 311 | 304 | 316 | 319 | 329 | 338 | 337 | 336 | 338 | 343 | 352 | 353 |
| 1560 | 294 | 290 | 309 | 311 | 314 | 309 | 313 | 312 | 319 | 316 | 332 | 334 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1561 | 273 | 291 | 288 | 293 | 305 | 318 | 319 | 314 | 298 | 308 | 322 | 312 |
| 1562 | 275 | 292 | 295 | 319 | 338 | 344 | 339 | 344 | 335 | 342 | 349 | 362 |
| 1563 | 300 | 304 | 316 | 321 | 334 | 337 | 331 | 342 | 337 | 342 | 363 | 369 |
| 1564 | 281 | 284 | 288 | 299 | 297 | 302 | 295 | 303 | 296 | 303 | 314 | 320 |
| 1565 | 278 | 297 | 299 | 309 | 323 | 334 | 327 | 333 | 326 | 330 | 341 | 335 |
| 1566 | 314 | 335 | 331 | 356 | 367 | 380 | 378 | 397 | 393 | 397 | 413 | 425 |
| 1567 | 309 | 320 | 331 | 352 | 356 | 355 | 365 | 363 | 373 | 381 | 391 | 392 |
| 1568 | 281 | 297 | 303 | 307 | 311 | 320 | 318 | 332 | 318 | 336 | 357 | 360 |
| 1569 | 288 | 300 | 308 | 325 | 330 | 343 | 349 | 353 | 352 | 356 | 369 | 380 |
| 1570 | 300 | 300 | 318 | 327 | 327 | 331 | 339 | 335 | 311 | 332 | 341 | 342 |
| 1571 | 299 | 308 | 309 | 322 | 334 | 332 | 348 | 357 | 358 | 355 | 366 | 373 |
| 1572 | 335 | 337 | 343 | 353 | 360 | 362 | 362 | 374 | 375 | 376 | 382 | 384 |
| 1573 | 309 | 308 | 315 | 325 | 336 | 338 | 346 | 359 | 362 | 365 | 376 | 374 |
| 1574 | 306 | 306 | 314 | 329 | 339 | 338 | 348 | 354 | 366 | 369 | 383 | 382 |
| 1575 | 317 | 325 | 330 | 342 | 353 | 356 | 366 | 373 | 375 | 365 | 380 | 385 |
| 1576 | 331 | 323 | 330 | 341 | 359 | 358 | 357 | 365 | 362 | 361 | 369 | 372 |
| 1577 | 297 | 305 | 300 | 307 | 313 | 319 | 317 | 321 | 333 | 336 | 336 | 344 |
| 1578 | 301 | 295 | 305 | 309 | 320 | 317 | 318 | 323 | 319 | 326 | 333 | 332 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1579 | 289 | 291 | 298 | 314 | 313 | 323 | 327 | 322 | 335 | 348 | 350 | 350 |
| 1580 | 309 | 315 | 320 | 340 | 344 | 359 | 356 | 379 | 394 | 414 | 435 | 446 |
| 1581 | 255 | 255 | 256 | 265 | 263 | 267 | 266 | 267 | 269 | 279 | 274 | 282 |
| 1582 | 288 | 292 | 288 | 302 | 306 | 313 | 318 | 320 | 318 | 318 | 324 | 333 |
| 1583[r] | 335 | 337 | 337 | 348 | 358 | 365 | 369 | 370 | 367 | 384 | 386 | 395 |
| 1584[r] | 315 | 327 | 317 | 331 | 346 | 339 | 359 | 361 | 362 | 373 | 389 | 402 |
| 1585 | 306 | 319 | 321 | 336 | 345 | 358 | 348 | 356 | 362 | 364 | 349 | 360 |
| 1586 | 327 | 341 | 336 | 340 | 358 | 367 | 372 | 377 | 393 | 391 | 403 | 403 |
| 1587 | 292 | 304 | 303 | 306 | 321 | 324 | 334 | 347 | 348 | 361 | 358 | 377 |
| 1588 | 324 | 335 | 343 | 349 | 367 | 367 | 367 | 369 | 385 | 385 | 395 | 403 |
| 1589 | 318 | 330 | 334 | 341 | 359 | 380 | 383 | 404 | 414 | 431 | 439 | 455 |
| 1590 | 324 | 342 | 344 | 351 | 365 | 367 | 366 | 362 | 372 | 373 | 370 | 376 |
| 1591 | 287 | 288 | 291 | 299 | 302 | 313 | 305 | 308 | 306 | 312 | 319 | 336 |
| 1592 | 298 | 307 | 299 | 315 | 312 | 317 | 305 | 309 | 309 | 316 | 315 | 330 |
| 1593 | 377 | 383 | 398 | 405 | 408 | 393 | 399 | 413 | 419 | 418 | 432 | 430 |
| 1594 | 281 | 289 | 288 | 291 | 302 | 280 | 297 | 306 | 312 | 310 | 318 | 314 |
| 1595 | 303 | 308 | 298 | 312 | 314 | 316 | 325 | 329 | 326 | 339 | 339 | 341 |
| 1596 | 254 | 274 | 241 | 257 | 267 | 280 | 268 | 270 | 266 | 263 | 268 | 270 |
| 1597 | 321 | 329 | 341 | 341 | 350 | 360 | 350 | 357 | 369 | 370 | 374 | 370 |
| 1598 | 342 | 352 | 355 | 366 | 380 | 376 | 370 | 376 | 382 | 393 | 396 | 420 |
| 1599 | 294 | 314 | 309 | 326 | 342 | 357 | 355 | 356 | 358 | 374 | 387 | 407 |
| 1600 | 330 | 352 | 360 | 378 | 399 | 419 | 423 | 439 | 451 | 467 | 475 | 473 |
| 1601 | 295 | 308 | 306 | 316 | 324 | 330 | 332 | 338 | 329 | 328 | 335 | 334 |
| 1602 | 293 | 296 | 291 | 307 | 320 | 315 | 324 | 328 | 323 | 333 | 352 | 362 |

[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1603 | 303 | 308 | 310 | 321 | 325 | 335 | 316 | 330 | 340 | 343 | 352 | 363 |
| 1604 | 286 | 291 | 304 | 317 | 330 | 346 | 354 | 377 | 382 | 388 | 397 | 407 |
| 1605 | 322 | 319 | 336 | 352 | 351 | 365 | 355 | 371 | 380 | 386 | 395 | 401 |
| 1606 | 324 | 337 | 330 | 353 | 364 | 369 | 371 | 366 | 372 | 370 | 384 | 398 |
| 1607 | 347 | 357 | 361 | 377 | 391 | 402 | 411 | 420 | 432 | 441 | 446 | 464 |
| 1608 | 334 | 335 | 348 | 359 | 377 | 393 | 388 | 397 | 415 | 427 | 438 | 457 |
| 1609 | 345 | 355 | 352 | 357 | 366 | 371 | 382 | 389 | 399 | 399 | 402 | 411 |
| 1610 | 298 | 301 | 306 | 320 | 327 | 333 | 344 | 330 | 355 | 370 | 370 | 379 |
| 1611 | 328 | 339 | 341 | 348 | 357 | 368 | 372 | 373 | 373 | 381 | 388 | 391 |
| 1612 | 299 | 309 | 302 | 318 | 324 | 334 | 327 | 333 | 331 | 337 | 335 | 339 |
| 1613 | 298 | 313 | 319 | 323 | 339 | 348 | 350 | 356 | 343 | 357 | 368 | 381 |
| 1614 | 293 | 298 | 307 | 316 | 323 | 334 | 328 | 341 | 315 | 335 | 340 | 354 |
| 1615 | 345 | 358 | 342 | 346 | 373 | 401 | 402 | 412 | 436 | 443 | 463 | 475 |
| 1616 | 270 | 273 | 284 | 288 | 298 | 306 | 321 | 334 | 329 | 331 | 343 | 366 |
| 1617 | 343 | 362 | 378 | 394 | 422 | 436 | 450 | 471 | 483 | 510 | 529 | 537 |
| 1618 | 313 | 323 | 321 | 321 | 330 | 327 | 338 | 337 | 335 | 329 | 340 | 352 |
| 1619 | 298 | 304 | 312 | 328 | 336 | 334 | 341 | 351 | 347 | 348 | 358 | 368 |
| 1620 | 272 | 279 | 281 | 295 | 293 | 302 | 302 | 305 | 310 | 326 | 330 | 325 |
| 1621 | 294 | 298 | 304 | 305 | 319 | 319 | 319 | 319 | 328 | 342 | 336 | 352 |
| 1622 | 317 | 321 | 325 | 337 | 340 | 347 | 345 | 351 | 355 | 367 | 358 | 373 |
| 1623 | 307 | 315 | 321 | 335 | 345 | 345 | 349 | 369 | 353 | 367 | 373 | 400 |
| 1624 | 314 | 315 | 321 | 330 | 338 | 345 | 346 | 350 | 357 | 360 | 360 | 364 |
| 1625 | 305 | 317 | 313 | 331 | 337 | 347 | 335 | 344 | 342 | 339 | 344 | 343 |
| 1626 | 270 | 282 | 290 | 307 | 315 | 323 | 332 | 338 | 347 | 343 | 343 | 370 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 | 34 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1627 | 313 | 316 | 325 | 331 | 332 | 339 | 342 | 361 | 339 | 351 | 340 | 353 |
| 1628 | 279 | 283 | 285 | 296 | 301 | 304 | 308 | 301 | 316 | 316 | 323 | 321 |
| 1629 | 272 | 285 | 286 | 298 | 312 | 308 | 306 | 319 | 325 | 323 | 337 | 345 |
| 1630 | 284 | 284 | 286 | 293 | 294 | 292 | 294 | 304 | 300 | 303 | 310 | 319 |
| 1631 | 255 | 262 | 264 | 269 | 276 | 282 | 283 | 291 | 293 | 294 | 292 | 302 |
| 1632 | 292 | 297 | 300 | 303 | 314 | 315 | 315 | 315 | 321 | 320 | 321 | 333 |
| 1633 | 291 | 299 | 296 | 301 | 299 | 310 | 312 | 322 | 317 | 308 | 319 | 336 |
| 1634 | 321 | 326 | 329 | 336 | 346 | 345 | 363 | 378 | 374 | 380 | 363 | 378 |
| 1635 | 288 | 296 | 299 | 303 | 305 | 312 | 313 | 317 | 318 | 315 | 325 | 328 |
| 1636 | 316 | 335 | 333 | 341 | 359 | 368 | 371 | 385 | 382 | 386 | 384 | 404 |
| 1637 | 294 | 304 | 305 | 317 | 331 | 324 | 336 | 338 | 339 | 345 | 352 | 354 |
| 1638 | 305 | 318 | 310 | 333 | 338 | 342 | 346 | 356 | 358 | 358 | 370 | 375 |
| 1639 | 376 | 374 | 384 | 401 | 415 | 412 | 421 | 434 | 439 | NDC | | |
| 1640 | 272 | 273 | 275 | 298 | 293 | 297 | 296 | 307 | 299 | 315 | 313 | 328 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | |
| 1321 | 435 | 429 | 445 | 459 | 432 | 397 | 459 | 368 | NDC | | | |
| 1322 | 366 | 359 | 374 | 384 | 387 | 356 | 398 | 409 | 415 | NDC | | |
| 1323 | 436 | 479 | 479 | 480 | 487 | NDC | | | | | | |
| 1324 | 369 | 373 | 378 | 402 | 401 | 401 | 412 | 435 | 454 | NDC | | |
| 1325 | 353 | 366 | 369 | 370 | 371 | 374 | 382 | 370 | 388 | NDC | | |
| 1326 | 369 | 416 | 412 | 423 | 420 | 422 | 435 | 432 | 451 | NDC | | |
| 1327 | 408 | 417 | 434 | 436 | 442 | 450 | 457 | 469 | 480 | NDC | | |
| 1328 | 370 | 389 | 398 | 399 | 401 | 407 | 421 | 427 | 435 | NDC | | |
| 1329 | 404 | 409 | 420 | 421 | 431 | 427 | 441 | 446 | 455 | NDC | | |
| 1330 | 519 | 541 | 554 | 573 | 580 | 590 | 603 | 607 | 637 | NDC | | |
| 1331 | 497 | 504 | 505 | 500 | 490 | 489 | 503 | 512 | 524 | NDC | | |
| 1332 | 480 | 489 | 504 | 484 | 491 | 511 | 539 | 541 | 549 | NDC | | |
| 1333 | 326 | 330 | 343 | 338 | 334 | 334 | 341 | 348 | 354 | 345 | 351 | 358 |
| 1334 | 412 | 401 | 406 | 415 | 435 | 439 | 455 | 466 | 468 | 461 | 469 | 482 |
| 1335 | 352 | 370 | 381 | 394 | 394 | 404 | 418 | 427 | 451 | 432 | 454 | 452 |
| 1336 | 437 | 448 | 467 | 461 | 465 | 468 | 477 | 490 | 491 | 481 | 486 | 505 |
| 1337 | 372 | 403 | 425 | 417 | 424 | 429 | 439 | 441 | 432 | 404 | NDC | |
| 1338 | 341 | 360 | 369 | 372 | 375 | 379 | 399 | 411 | 428 | 422 | 442 | 459 |
| 1339 | 418 | 422 | 440 | 448 | 441 | 447 | 452 | 461 | 449 | 442 | 463 | 472 |
| 1340 | 466 | 473 | 471 | 476 | 489 | 496 | 514 | 536 | 531 | 533 | 549 | 570 |
| 1341 | 357 | NDC | | | | | | | | | | |
| 1342 | 363 | 365 | 367 | 379 | 384 | 383 | 399 | 412 | 422 | 427 | 435 | 443 |
| 1343 | 402 | 420 | 436 | 433 | 422 | 424 | 437 | 469 | 471 | 474 | 482 | 497 |
| 1344 | 359 | 363 | 370 | 375 | 370 | 370 | 375 | 392 | 395 | 397 | 427 | 422 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1345 | 378 | 389 | 391 | 396 | 401 | 409 | 415 | 417 | 424 | 413 | 420 | 428 |
| 1346 | 344 | 351 | 365 | 376 | 385 | 402 | 429 | 463 | 508 | 541 | 598 | 654 |
| 1347 | 379 | 388 | 397 | 404 | 405 | 400 | 407 | 415 | 406 | 356 | 372 | 386 |
| 1348 | 445 | 470 | 486 | 488 | 496 | 505 | 512 | 532 | 534 | 539 | 555 | 562 |
| 1349 | 404 | 410 | 430 | 435 | 436 | 460 | 459 | 481 | 483 | 485 | 508 | 506 |
| 1350 | 506 | 505 | 518 | 549 | 523 | 541 | 544 | 561 | 588 | 576 | 612 | 600 |
| 1351 | 386 | 394 | 389 | 395 | 384 | 392 | 402 | 413 | 411 | 414 | 420 | 420 |
| 1352 | 371 | 392 | 406 | 414 | 423 | 435 | 441 | 454 | 463 | 464 | 472 | 478 |
| 1353 | 360 | 370 | 376 | 373 | 380 | 379 | 384 | 395 | 407 | 404 | 413 | 413 |
| 1354 | 472 | 487 | 493 | 496 | 508 | 520 | 530 | 545 | 550 | 549 | 560 | 580 |
| 1355 | 362 | 375 | 387 | 392 | 398 | 405 | 403 | 409 | 411 | 421 | 439 | 452 |
| 1356 | 409 | 433 | 443 | 451 | 459 | 462 | 491 | 516 | 519 | 521 | 549 | 535 |
| 1357 | 343 | 353 | 361 | 362 | 365 | 373 | 386 | 387 | 398 | 387 | 402 | 411 |
| 1358 | 386 | 398 | 409 | 418 | 429 | 439 | 447 | 458 | 476 | 473 | 482 | 494 |
| 1359 | 420 | 430 | 454 | 465 | 471 | 478 | 508 | 523 | 541 | 535 | 555 | 565 |
| 1360 | 412 | 437 | 453 | 466 | 468 | 473 | 485 | 506 | 512 | 493 | 514 | 523 |
| 1361 | 536 | 545 | 551 | 562 | 571 | 572 | 582 | 600 | 609 | 617 | 636 | 638 |
| 1362 | 430 | 462 | 471 | 484 | 490 | 495 | 511 | 527 | 534 | 531 | 549 | 542 |
| 1363 | 465 | 460 | 492 | 498 | 509 | 529 | 529 | 556 | 565 | 565 | 570 | 596 |
| 1364 | 432 | 442 | 448 | 461 | 466 | 471 | 480 | 515 | 522 | 534 | 534 | 539 |
| 1365 | 360 | 376 | 389 | 390 | 388 | 393 | 414 | 416 | 423 | 423 | 431 | 429 |
| 1366 | 434 | 461 | 483 | 491 | 503 | 519 | 545 | 561 | 566 | 561 | 574 | 593 |
| 1367 | 436 | 468 | 460 | 467 | 469 | 486 | 501 | 513 | 524 | 524 | 522 | 530 |
| 1368 | 343 | 353 | 357 | 358 | 361 | 360 | 367 | 379 | 389 | 379 | 390 | 395 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1369 | 352 | 365 | 378 | 383 | 389 | 392 | 407 | 397 | 414 | 418 | 437 | 441 |
| 1370 | 270 | 277 | 274 | 282 | 274 | 279 | 277 | 287 | 299 | 290 | 295 | 302 |
| 1371 | 480 | 501 | 522 | 547 | 562 | 579 | 595 | NDC | | | | |
| 1372 | 378 | 391 | 387 | 380 | 401 | 398 | 405 | 406 | 408 | 417 | 421 | 441 |
| 1373 | 382 | 386 | 399 | 413 | 418 | 422 | 422 | 418 | NDC | | | |
| 1374 | 428 | 438 | 456 | 457 | 473 | 479 | 495 | 516 | 519 | 512 | 512 | 520 |
| 1375 | 375 | 410 | 421 | 416 | 435 | 443 | 445 | 431 | 471 | 478 | 490 | 477 |
| 1376 | 474 | 496 | 511 | 518 | 517 | 519 | 535 | 542 | 541 | 528 | 563 | 561 |
| 1377 | 590 | 589 | 620 | 625 | 622 | 642 | 662 | 675 | 681 | 688 | 708 | NDC |
| 1378 | 345 | 348 | 352 | 352 | 351 | 357 | 368 | 372 | 375 | 372 | 373 | 379 |
| 1379 | 384 | 389 | 397 | 406 | 404 | 397 | 405 | 414 | 421 | 416 | 429 | 429 |
| 1380 | 563 | 594 | 601 | 608 | 614 | 612 | 659 | 679 | 636 | NDC | | |
| 1381 | 368 | 375 | 385 | 383 | 398 | 404 | 409 | 424 | 441 | 435 | 449 | 454 |
| 1382 | 361 | 367 | 370 | 377 | 385 | 381 | 384 | 390 | 392 | 402 | 408 | 415 |
| 1383 | 390 | 404 | 414 | 418 | 436 | 439 | 451 | 446 | 469 | 444 | 476 | 496 |
| 1384 | 357 | 370 | 378 | 374 | 381 | 379 | 390 | 382 | 412 | 375 | 406 | 418 |
| 1385 | 364 | 371 | 378 | 385 | 374 | 397 | 398 | 414 | 413 | 408 | 425 | 423 |
| 1386 | 447 | 464 | 480 | 490 | 488 | 494 | 502 | 527 | 541 | 539 | 548 | 560 |
| 1387 | 409 | 405 | 430 | 415 | 434 | 438 | 450 | 456 | 457 | 453 | 472 | 478 |
| 1388 | 478 | 476 | 500 | 509 | 517 | 527 | 536 | 560 | 573 | 575 | 588 | 615 |
| 1389 | 363 | 384 | 395 | 404 | 411 | 419 | 429 | 439 | 453 | 446 | 458 | 466 |
| 1390 | 355 | 367 | 376 | 381 | 384 | 382 | 391 | 403 | 411 | 408 | 428 | 425 |
| 1391 | 349 | 361 | 364 | 356 | 361 | 390 | 398 | 387 | 381 | 367 | 386 | 398 |
| 1392 | 380 | 382 | 392 | 399 | 404 | 403 | 413 | 421 | 426 | 423 | 425 | 433 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1393 | 366 | 373 | 372 | 377 | 382 | 382 | 386 | 408 | 409 | 395 | 406 | 395 |
| 1394 | 340 | 341 | 353 | 357 | 359 | 365 | 373 | 386 | 395 | 386 | 391 | 400 |
| 1395 | 357 | 366 | 379 | 373 | 372 | 374 | 383 | 384 | 387 | 380 | 387 | 407 |
| 1396 | 458 | 482 | 493 | 506 | 513 | 535 | 533 | 555 | 572 | 568 | 589 | 620 |
| 1397 | 432 | 432 | 449 | 441 | 440 | 452 | 463 | 477 | 482 | 488 | 512 | 521 |
| 1398 | 435 | 452 | 461 | 479 | 476 | 481 | 485 | 509 | 517 | 515 | 535 | 539 |
| 1399 | 377 | 389 | 397 | 398 | 405 | 409 | 425 | 446 | NDC | | | |
| 1400 | 370 | 383 | 396 | 395 | 401 | 413 | 426 | 441 | 446 | 441 | 459 | 472 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1401 | 325 | 340 | 338 | 341 | 349 | 363 | 353 | 352 | 382 | NDC | | |
| 1402 | 342 | 350 | 362 | 367 | 377 | 380 | 394 | 401 | 400 | NDC | | |
| 1403 | 318 | 329 | 330 | 332 | 343 | 349 | 354 | 363 | 372 | NDC | | |
| 1404 | 351 | 354 | 368 | 355 | 360 | 369 | 379 | 384 | 384 | NDC | | |
| 1405 | 305 | 314 | 313 | 318 | 329 | 336 | 334 | 341 | 354 | NDC | | |
| 1406 | 427 | 447 | 451 | 460 | 462 | 465 | 468 | 471 | 473 | NDC | | |
| 1407 | 410 | 428 | 443 | 447 | 448 | 475 | 487 | 488 | 493 | NDC | | |
| 1408 | 410 | 420 | 446 | 437 | 465 | 442 | 476 | 487 | 492 | NDC | | |
| 1409 | 412 | 406 | 427 | 436 | 432 | 442 | 457 | 466 | 451 | NDC | | |
| 1410 | 426 | 448 | 462 | 460 | 483 | 489 | 491 | 503 | 495 | NDC | | |
| 1411 | 434 | 446 | 464 | 458 | 474 | 484 | 479 | 480 | 474 | 446 | 403 | 341 |
| 1412 | 440 | 460 | 471 | 483 | 497 | 505 | 508 | 521 | 528 | 536 | 541 | 558 |
| 1413 | 333 | 343 | 347 | 353 | 356 | 362 | 369 | 372 | 386 | 385 | 393 | 394 |
| 1414 | 247 | 261 | 265 | 257 | 272 | 284 | 291 | 295 | 304 | 300 | 308 | 319 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1415 | 353 | 361 | 372 | 367 | 376 | 383 | 390 | 412 | 410 | 395 | 410 | 414 |
| 1416 | 371 | 381 | 396 | 406 | 419 | 423 | 430 | 435 | 437 | 430 | 435 | 460 |
| 1417 | 486 | 510 | 519 | 528 | 540 | 553 | 553 | 563 | 573 | 570 | 574 | 575 |
| 1418 | 381 | 388 | 385 | 413 | 409 | 431 | 444 | 444 | 456 | 461 | 469 | 480 |
| 1419 | 377 | 393 | 388 | 387 | 412 | 429 | 445 | 447 | 454 | 458 | 478 | 491 |
| 1420 | 461 | 470 | 478 | 475 | 480 | 487 | 485 | 508 | 512 | 517 | 513 | 518 |
| 1421 | 329 | 337 | 340 | 343 | NDC | | | | | | | |
| 1422 | 355 | 363 | 363 | 369 | 368 | 362 | 368 | 377 | 380 | 384 | 389 | 400 |
| 1423 | 319 | 325 | 329 | 333 | 335 | 336 | 346 | 355 | 357 | 347 | 313 | 293 |
| 1424 | 309 | 311 | 309 | 319 | 322 | 322 | 326 | 330 | 339 | 346 | 349 | 354 |
| 1425 | 388 | 394 | 398 | 399 | 403 | 422 | 423 | 434 | 447 | 455 | 455 | 456 |
| 1426 | 351 | 362 | 371 | 375 | 384 | 390 | 394 | 395 | 405 | 401 | 412 | 418 |
| 1427 | 320 | 333 | 343 | 345 | 345 | 358 | 362 | 368 | 377 | 372 | 386 | 401 |
| 1428 | 337 | 352 | 356 | 358 | 363 | 375 | 387 | 395 | 411 | 408 | 418 | 434 |
| 1429 | 411 | 412 | 424 | 431 | 435 | 437 | 451 | 457 | 468 | 452 | 467 | 476 |
| 1430 | 410 | 428 | 441 | 449 | 452 | 459 | 465 | 496 | 505 | 489 | 513 | 519 |
| 1431 | 402 | 413 | 411 | 415 | 424 | 434 | 433 | 449 | 460 | 459 | 468 | 478 |
| 1432 | 345 | 355 | 359 | 365 | 372 | 373 | 377 | 384 | 390 | 395 | 403 | 414 |
| 1433 | 426 | 483 | 478 | 482 | 509 | 515 | 510 | 541 | 553 | 550 | 558 | 575 |
| 1434 | 374 | 382 | 366 | 373 | 380 | 385 | 390 | 397 | 394 | 397 | 410 | 414 |
| 1435 | 445 | 457 | 468 | 475 | 482 | 493 | 508 | 506 | 513 | 509 | 536 | 548 |
| 1436 | 401 | 408 | 417 | 423 | 439 | 448 | 450 | 462 | 467 | 462 | 474 | 475 |
| 1437 | 346 | 332 | 338 | 352 | 354 | 366 | 366 | 377 | 385 | 382 | 390 | 391 |
| 1438 | 409 | 409 | 421 | 430 | 437 | 438 | 447 | 467 | 473 | 472 | 485 | 488 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1439 | 381 | 388 | 391 | 395 | 414 | 415 | 411 | 426 | 430 | 431 | 440 | 449 |
| 1440 | 389 | 392 | 403 | 408 | 409 | 415 | 420 | 420 | 431 | 442 | 417 | 451 |
| 1441 | 345 | 351 | 368 | 371 | 368 | 376 | 383 | 407 | 407 | 410 | 431 | 444 |
| 1442 | 384 | 403 | 413 | 421 | 428 | 439 | 441 | 449 | 456 | 458 | 467 | 476 |
| 1443 | 343 | 360 | 357 | 368 | 377 | 383 | 376 | 387 | 393 | 398 | 402 | 416 |
| 1444 | 363 | 361 | 359 | 368 | 391 | 384 | 382 | 399 | 401 | 396 | 406 | 423 |
| 1445 | 459 | 478 | 480 | 486 | 494 | 504 | 514 | 531 | 532 | 491 | NDC | |
| 1446 | 486 | 507 | 505 | 500 | 521 | 524 | 535 | 538 | 552 | 545 | 553 | 565 |
| 1447 | 499 | 491 | 509 | 516 | 519 | 532 | 522 | 554 | 563 | 547 | 580 | 592 |
| 1448 | 343 | 349 | 344 | 363 | 360 | 375 | 381 | 385 | 385 | 369 | 400 | 408 |
| 1449 | 403 | 423 | 433 | 444 | 451 | 470 | 479 | 491 | 509 | 493 | 527 | 552 |
| 1450 | 336 | 374 | 374 | 364 | 391 | 379 | 381 | 417 | 419 | 405 | 419 | 455 |
| 1451 | 358 | 359 | 362 | 365 | 374 | 378 | 383 | 391 | 398 | 395 | 392 | 401 |
| 1452 | 360 | 380 | 385 | 393 | 398 | 405 | 414 | 425 | 429 | 433 | 440 | 444 |
| 1453 | 413 | 426 | 434 | 443 | 456 | 469 | 479 | 481 | 489 | 500 | 496 | 492 |
| 1454 | 360 | 371 | 374 | 381 | 384 | 390 | 404 | 406 | 411 | 414 | 421 | 430 |
| 1455 | 392 | 398 | 407 | 416 | 423 | 434 | 432 | 442 | 443 | 424 | 453 | 456 |
| 1456 | 459 | 475 | 489 | 507 | 523 | 537 | 541 | 554 | 576 | 557 | 606 | 628 |
| 1457 | 423 | 428 | 439 | 444 | 444 | 446 | 451 | 474 | 463 | 462 | 470 | 477 |
| 1458 | 409 | 362 | 326 | NDC | | | | | | | | |
| 1459 | 454 | 478 | 487 | 484 | 506 | 501 | 509 | 509 | 513 | 510 | 516 | 535 |
| 1460 | 403 | 421 | 424 | 435 | 458 | 455 | 464 | 462 | 481 | 479 | 483 | 501 |
| 1461 | 368 | 361 | 374 | 380 | 388 | 396 | 391 | 398 | 374 | 398 | 408 | 422 |
| 1462 | 396 | 399 | 426 | 433 | 445 | 442 | 444 | 446 | 416 | 429 | 383 | 364 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1463 | 348 | 353 | 361 | 375 | 383 | 397 | 406 | 411 | 386 | 404 | 415 | 442 |
| 1464 | 369 | 382 | 389 | 387 | 404 | 422 | 424 | 429 | 412 | 420 | 435 | 451 |
| 1465 | 320 | 335 | 342 | 363 | 367 | 381 | 387 | 389 | 394 | 396 | 410 | 419 |
| 1467 | 378 | 396 | 402 | 412 | 426 | 432 | 429 | 445 | 427 | 451 | 454 | 468 |
| 1468 | 380 | 387 | 390 | 395 | 397 | 403 | 400 | 394 | 404 | 411 | 412 | 426 |
| 1469 | 350 | 334 | 328 | 330 | 331 | 332 | 358 | 337 | 348 | 336 | 335 | 345 |
| 1470 | 359 | 364 | 376 | 386 | 392 | 408 | 404 | 421 | 440 | 437 | 450 | 469 |
| 1471 | 325 | 331 | 332 | 339 | 333 | 326 | 335 | 334 | 334 | 336 | 339 | 351 |
| 1472 | 392 | 399 | 411 | 420 | 424 | 429 | 429 | 441 | 449 | 453 | 459 | 464 |
| 1473 | 369 | 365 | 365 | 372 | 373 | 386 | 388 | 385 | 388 | 384 | 394 | 407 |
| 1474 | 458 | 478 | 488 | 493 | 485 | 467 | 449 | 436 | 409 | NDC | | |
| 1475 | 332 | 343 | 349 | 317 | 343 | 365 | 366 | 374 | 385 | 391 | 397 | 412 |
| 1476 | 357 | 361 | 370 | 339 | 367 | 382 | 388 | 400 | 400 | 407 | 414 | 424 |
| 1477 | 362 | 358 | 371 | 382 | 387 | 390 | 391 | 408 | 410 | 417 | 419 | 416 |
| 1478 | 338 | 352 | 363 | 366 | 384 | 395 | 395 | 405 | 411 | 419 | 432 | 437 |
| 1479 | 422 | 436 | 441 | 447 | 453 | 458 | 461 | 475 | 490 | 500 | 508 | 512 |
| 1480 | 334 | 365 | 368 | 368 | 379 | 386 | 390 | 388 | 401 | 401 | 407 | 420 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1481 | 379 | 394 | 397 | 399 | 405 | 412 | 416 | 425 | 432 | NDC | | |
| 1482 | 453 | 484 | 495 | 514 | 530 | 540 | 561 | 576 | 602 | NDC | | |
| 1483 | 403 | 407 | 409 | 412 | 417 | 413 | 425 | 444 | 451 | NDC | | |
| 1484 | 475 | 487 | 480 | 494 | 497 | 496 | 505 | 520 | 521 | NDC | | |
| 1485 | 331 | 337 | 334 | 335 | 341 | 346 | 350 | 357 | 365 | NDC | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1486 | 506 | 524 | 538 | 542 | 561 | 561 | 559 | 582 | 592 | NDC | | |
| 1487 | 366 | 389 | 390 | 409 | 426 | 439 | 442 | 457 | 468 | NDC | | |
| 1488 | 375 | 396 | 399 | 400 | 395 | 384 | 357 | 337 | 311 | NDC | | |
| 1489 | 365 | 381 | 378 | 384 | 388 | 403 | 411 | 422 | 440 | NDC | | |
| 1490 | 439 | 460 | 459 | 464 | 473 | 475 | 482 | 510 | 521 | NDC | | |
| 1491 | 370 | 367 | 371 | 378 | 386 | 391 | 392 | 406 | 421 | 414 | 422 | 433 |
| 1492 | 392 | 398 | 396 | 404 | 410 | 420 | 420 | 435 | 440 | 447 | 442 | 461 |
| 1493 | 434 | 449 | 457 | 473 | 483 | 499 | 511 | 528 | 557 | 549 | 565 | 559 |
| 1494 | 416 | 426 | 433 | 439 | 452 | 460 | 472 | 492 | 503 | 477 | 505 | 520 |
| 1495 | 423 | 445 | 445 | 461 | 463 | 470 | 483 | 494 | 506 | 493 | 498 | 507 |
| 1496 | 370 | 372 | 371 | 387 | 374 | 400 | 426 | 441 | 450 | 444 | 465 | 474 |
| 1497 | 372 | 384 | 393 | 394 | 401 | 428 | 417 | 416 | 412 | 355 | 333 | NDC |
| 1498 | 354 | 365 | 359 | 365 | 376 | 387 | 392 | 399 | 372 | 322 | NDC | |
| 1499 | 379 | 381 | 382 | 393 | 392 | 404 | 408 | 414 | 424 | 418 | 430 | 439 |
| 1500 | 422 | 425 | 431 | 426 | 432 | 443 | 444 | 447 | 459 | 471 | 484 | 491 |
| 1501 | 384 | 405 | 402 | 414 | 422 | 429 | 444 | 449 | 462 | 484 | 495 | 505 |
| 1502 | 363 | 377 | 384 | 392 | 393 | 405 | 420 | 430 | 433 | 424 | 434 | 442 |
| 1503 | 346 | 362 | 363 | 371 | 361 | 373 | 385 | 402 | 422 | 412 | 426 | 451 |
| 1504 | 479 | 504 | 517 | 521 | 519 | 546 | 553 | 555 | 588 | 592 | 614 | 623 |
| 1505 | 457 | 485 | 484 | 504 | 489 | 498 | 512 | 519 | 536 | 518 | 533 | 555 |
| 1506 | 351 | 369 | 372 | 373 | 399 | 387 | 386 | 399 | 410 | 406 | 412 | 421 |
| 1507 | 400 | 409 | 399 | 420 | 435 | 438 | 442 | 459 | 486 | 485 | 510 | 539 |
| 1508 | 373 | 383 | 387 | 399 | 406 | 401 | 420 | 426 | 431 | 430 | 451 | 449 |
| 1509 | 378 | 394 | 396 | 404 | 414 | 424 | 422 | 432 | 444 | 437 | 441 | 444 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1510 | 342 | 342 | 354 | 357 | 362 | 365 | 360 | 371 | 387 | 382 | 396 | 398 |
| 1511 | 416 | 441 | 451 | 465 | 459 | 468 | 478 | 493 | 509 | 513 | 529 | 543 |
| 1512 | 383 | 372 | NDC | | | | | | | | | |
| 1513 | 355 | 361 | 363 | NDC | | | | | | | | |
| 1514 | 373 | 382 | 386 | 387 | 398 | 408 | 419 | 406 | 365 | 284 | 260 | NDC |
| 1515 | 424 | 447 | 445 | 462 | 474 | 470 | 474 | 480 | 503 | 495 | 511 | 507 |
| 1516 | 370 | 379 | 374 | 381 | 386 | 390 | 400 | 409 | 420 | 418 | 431 | 443 |
| 1517 | 345 | 351 | 369 | 387 | 401 | 410 | 424 | 433 | 448 | 451 | 467 | 477 |
| 1519 | 340 | 350 | 348 | 366 | 372 | 378 | 384 | 393 | 418 | 409 | 417 | 430 |
| 1520 | 445 | 448 | 444 | 454 | 459 | 466 | 470 | 493 | 510 | 502 | 506 | 519 |
| 1521 | 448 | 449 | 467 | 469 | 488 | 503 | 507 | 523 | 534 | 544 | 555 | 561 |
| 1522 | 343 | 346 | 351 | 356 | 359 | 362 | 363 | 380 | 382 | 381 | 387 | 390 |
| 1523 | 350 | 357 | 360 | 363 | 371 | 372 | 380 | 390 | 399 | 381 | 401 | 405 |
| 1524 | 365 | 384 | 388 | 395 | 395 | 398 | 394 | 402 | 409 | 405 | 417 | 427 |
| 1525 | 492 | 489 | 507 | 514 | 514 | 533 | 538 | 545 | 572 | 574 | 583 | 580 |
| 1526 | 395 | 398 | 395 | 400 | 402 | 410 | 420 | 421 | 433 | 435 | 414 | 443 |
| 1527 | 483 | 488 | 515 | 502 | 524 | 539 | 558 | 578 | 597 | 604 | 614 | 630 |
| 1528 | 389 | 413 | 411 | 409 | 408 | 432 | 434 | 426 | 427 | 432 | 458 | 460 |
| 1529 | 475 | 493 | 493 | 506 | 504 | 507 | 511 | 531 | 546 | 546 | 566 | 571 |
| 1530 | 454 | 473 | 469 | 475 | 487 | 501 | 519 | 540 | 554 | 541 | 555 | 564 |
| 1531 | 416 | 428 | 431 | 432 | 435 | 433 | 445 | 458 | 462 | 468 | 482 | 494 |
| 1532 | 369 | 376 | 385 | 379 | 394 | 387 | 397 | 410 | 420 | 419 | 437 | 439 |
| 1533 | 351 | 371 | 384 | 378 | 379 | 387 | 387 | 387 | 425 | 412 | 409 | 440 |
| 1534 | 359 | 388 | 399 | 414 | 424 | 428 | 446 | 451 | 474 | 473 | 489 | 494 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1535 | 376 | 383 | 380 | 394 | 398 | 404 | 414 | 418 | 425 | 436 | 453 | 458 |
| 1536 | 408 | 422 | 433 | 445 | 448 | 456 | 462 | 450 | 410 | 352 | 303 | NDC |
| 1537 | 472 | 478 | 472 | 487 | 506 | 523 | 524 | 521 | 524 | 529 | 533 | 545 |
| 1538 | 410 | 412 | 413 | 426 | 443 | 446 | 450 | 454 | 462 | 464 | 483 | 489 |
| 1539 | 452 | 453 | 455 | 462 | 469 | 487 | 498 | 514 | 516 | 508 | 529 | 550 |
| 1540 | 420 | 432 | 438 | 454 | 464 | 465 | 483 | 480 | 501 | 489 | 503 | 517 |
| 1541 | 363 | 371 | 374 | 377 | 390 | 397 | 389 | 399 | 406 | 405 | 428 | 443 |
| 1542 | 457 | 476 | 487 | 503 | 509 | 515 | NDC | | | | | |
| 1543 | 387 | 402 | 410 | 411 | 409 | 416 | 421 | 431 | 452 | 457 | 467 | 476 |
| 1544 | 388 | 407 | 408 | 417 | 400 | 420 | 432 | 438 | 441 | 448 | 458 | 456 |
| 1545 | 444 | 457 | 457 | 467 | 477 | 482 | NDC | | | | | |
| 1546 | 358 | 356 | 370 | 378 | 385 | 391 | 399 | 404 | 411 | 424 | 426 | 442 |
| 1547 | 367 | 378 | 386 | 389 | 388 | 389 | 399 | 405 | 428 | 420 | 422 | 431 |
| 1548 | 423 | 450 | 446 | 465 | 468 | 483 | 489 | 495 | 512 | 511 | 519 | 537 |
| 1549 | 379 | 404 | 400 | 405 | 418 | 430 | 449 | 466 | 476 | 484 | 493 | 500 |
| 1550 | 402 | 405 | 407 | 423 | 426 | 428 | 437 | 428 | 443 | 449 | 450 | 464 |
| 1551 | 372 | 388 | 392 | 392 | 393 | 408 | 408 | 426 | 427 | 425 | 439 | 441 |
| 1552 | 484 | 495 | 498 | 511 | 513 | 538 | 542 | 506 | 428 | NDC | | |
| 1553 | 393 | 413 | 407 | 414 | 397 | 428 | 453 | 463 | 484 | 480 | 489 | 500 |
| 1554 | 505 | 519 | 530 | 536 | 524 | 548 | 564 | 589 | 605 | 609 | 630 | 640 |
| 1555 | 472 | 479 | 483 | 482 | 437 | 397 | NDC | | | | | |
| 1556 | 359 | 371 | 375 | 385 | 377 | 361 | 371 | 385 | NDC | | | |
| 1557 | 346 | 356 | 356 | 358 | 366 | 369 | 377 | 385 | 398 | 400 | 409 | 417 |
| 1558 | 439 | 446 | 448 | 458 | 470 | 471 | 492 | 503 | 517 | 516 | 528 | 543 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | |
| 1559 | 347 | 358 | 350 | 358 | 377 | 369 | 369 | 383 | 393 | 395 | 399 | 407 |
| 1560 | 333 | 335 | 336 | 344 | 342 | 342 | 344 | 356 | 361 | 361 | 363 | 369 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1561 | 310 | 322 | 313 | 323 | 322 | 320 | 323 | 348 | 350 | NDC | | |
| 1562 | 353 | 357 | 361 | 375 | 372 | 361 | 324 | 307 | 264 | NDC | | |
| 1563 | 367 | 374 | 384 | 387 | 390 | 398 | 409 | 413 | 415 | NDC | | |
| 1564 | 311 | 300 | 304 | 325 | 320 | 318 | 319 | 333 | 326 | NDC | | |
| 1565 | 339 | 338 | 337 | 338 | 344 | 343 | 338 | 337 | 336 | NDC | | |
| 1566 | 437 | 447 | 450 | 465 | 482 | 481 | 497 | 506 | NDC | | | |
| 1567 | 396 | 403 | 405 | 401 | 406 | 418 | 417 | 430 | NDC | | | |
| 1568 | 367 | 373 | 374 | 382 | 402 | 406 | 409 | 415 | 425 | NDC | | |
| 1569 | 386 | 404 | 415 | 425 | 428 | 431 | 442 | 460 | 461 | NDC | | |
| 1570 | 349 | 348 | 348 | 352 | 354 | 354 | 362 | 365 | 367 | NDC | | |
| 1571 | 371 | 385 | 386 | 394 | 404 | 410 | 409 | 427 | 421 | NDC | | |
| 1572 | 383 | 374 | 378 | 377 | 375 | 368 | 372 | 377 | 378 | NDC | | |
| 1573 | 381 | 386 | 388 | 401 | 403 | 397 | 402 | 405 | 400 | 407 | 410 | 411 |
| 1574 | 394 | 401 | 407 | 418 | 421 | 426 | 434 | 437 | 444 | 455 | 461 | 461 |
| 1575 | 392 | 400 | 405 | 408 | 432 | 432 | 449 | 455 | 461 | 459 | 472 | 473 |
| 1576 | 371 | 368 | 371 | 377 | 369 | 380 | 378 | 386 | 388 | 388 | 413 | 403 |
| 1577 | 347 | 346 | 348 | 356 | 364 | 361 | 366 | 371 | 368 | 370 | 370 | 375 |
| 1578 | 335 | 336 | 324 | 343 | 352 | 325 | 338 | 349 | 341 | 344 | 347 | 354 |
| 1579 | 356 | 353 | 366 | 371 | 384 | 391 | 389 | 392 | 399 | 408 | 422 | 414 |
| 1580 | 463 | 457 | 468 | 490 | 499 | 500 | 514 | 492 | NDC | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1581 | 281 | 281 | 286 | 287 | 298 | 305 | 303 | 316 | 318 | 323 | 331 | 329 |
| 1582 | 340 | 338 | 341 | 352 | 360 | 362 | 366 | 370 | 371 | 376 | 402 | 402 |
| 1583[r] | 389 | 389 | 397 | 396 | 404 | 401 | 385 | 389 | 396 | 396 | 398 | NDC |
| 1584[r] | 403 | 414 | 423 | 440 | 453 | 462 | 466 | 486 | 492 | 513 | 523 | 537 |
| 1585 | 362 | 362 | 376 | 360 | 363 | 370 | 387 | 386 | 384 | 391 | 397 | 392 |
| 1586 | 407 | 416 | 425 | 410 | 421 | 427 | 427 | 431 | 429 | 419 | 426 | 431 |
| 1587 | 379 | 387 | 395 | 397 | 409 | 414 | 407 | 427 | 431 | 442 | 451 | 465 |
| 1588 | 404 | 398 | 415 | 424 | 445 | 446 | 429 | 445 | 450 | 490 | 499 | 494 |
| 1589 | 454 | 475 | 486 | 481 | 492 | 491 | 504 | 513 | 521 | 537 | 544 | 558 |
| 1590 | 363 | 371 | 388 | 378 | 398 | 405 | 409 | 417 | 430 | 439 | 436 | 442 |
| 1591 | 337 | 335 | 344 | 345 | 353 | 355 | 354 | 363 | 374 | 373 | 387 | 393 |
| 1592 | 320 | 325 | 320 | 326 | 336 | 332 | 335 | 341 | 332 | 334 | 352 | 345 |
| 1593 | 421 | 417 | 410 | 409 | 408 | 408 | 413 | 413 | 403 | 398 | 401 | 402 |
| 1594 | 320 | 320 | 322 | 317 | 328 | 328 | 331 | 336 | 340 | 333 | 341 | 339 |
| 1595 | 336 | 341 | 346 | 344 | 354 | 351 | 348 | 355 | 359 | 360 | 357 | 354 |
| 1596 | 269 | 269 | 268 | 269 | 277 | 277 | 275 | 274 | 263 | 269 | 230 | NDC |
| 1597 | 375 | 391 | 391 | 403 | 413 | 410 | 400 | 421 | 422 | 427 | 430 | 435 |
| 1598 | 408 | 416 | 413 | 403 | 432 | 436 | 432 | 449 | 452 | 449 | 440 | 461 |
| 1599 | 409 | 420 | 421 | 428 | 447 | 447 | 440 | 466 | 477 | 474 | 498 | 486 |
| 1600 | 470 | 483 | 487 | 492 | 498 | 503 | 489 | 526 | 534 | 540 | 567 | 578 |
| 1601 | 335 | 334 | 340 | 347 | 354 | 357 | 367 | 372 | 375 | 378 | 397 | 398 |
| 1602 | 361 | 375 | 384 | 381 | 395 | 402 | 416 | 427 | 428 | 424 | 427 | 426 |
| 1603 | 370 | 376 | 379 | 390 | 405 | 414 | 417 | 440 | 455 | 454 | 468 | 483 |
| 1604 | 407 | 418 | 425 | 431 | 439 | 447 | 446 | 457 | 463 | 472 | 489 | 475 |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1605 | 392 | 392 | 390 | 392 | 403 | 402 | 404 | 409 | 411 | 416 | 423 | 426 |
| 1606 | 383 | 408 | 417 | 420 | 428 | 437 | 436 | 465 | 473 | 478 | 507 | 496 |
| 1607 | 467 | 485 | 485 | 478 | 467 | 506 | 514 | 516 | 535 | 554 | 554 | 567 |
| 1608 | 465 | 481 | 484 | 506 | 517 | 522 | 528 | 538 | 561 | 558 | 578 | 592 |
| 1609 | 424 | 421 | 426 | 445 | 434 | 442 | 429 | 466 | 463 | 473 | 494 | 501 |
| 1610 | 391 | 392 | 393 | 353 | 310 | 253 | NDC | | | | | |
| 1611 | 387 | 388 | 402 | 405 | 418 | 413 | 419 | 432 | 430 | 435 | 435 | 447 |
| 1612 | 344 | 351 | 350 | 358 | 359 | 367 | 380 | 386 | 394 | 394 | 404 | 416 |
| 1613 | 384 | 384 | 403 | 412 | 412 | 414 | 402 | 413 | 418 | 418 | 429 | 447 |
| 1614 | 336 | 343 | 348 | 354 | 355 | 360 | 359 | 364 | 366 | 378 | 367 | 372 |
| 1615 | 474 | 489 | 485 | 493 | 511 | 508 | 507 | 503 | 501 | 511 | 535 | 507 |
| 1616 | 362 | 370 | 385 | 395 | 405 | 417 | 415 | 420 | 429 | 434 | 458 | 468 |
| 1617 | 552 | 559 | 573 | 593 | 612 | 623 | 633 | 641 | 634 | 575 | 566 | 481 |
| 1618 | 354 | 352 | 362 | 371 | 377 | 367 | 377 | 386 | 395 | 385 | 403 | 400 |
| 1619 | 373 | 367 | 370 | 384 | 399 | 393 | 393 | 397 | 424 | 419 | 438 | 443 |
| 1620 | 328 | 330 | 336 | 350 | 362 | 357 | 365 | 372 | 372 | 371 | 382 | 386 |
| 1621 | 327 | 334 | 343 | 357 | 351 | 359 | 363 | 379 | 376 | 377 | 383 | 380 |
| 1622 | 374 | 370 | 374 | 379 | 381 | 374 | 393 | 391 | 385 | 400 | 400 | 392 |
| 1623 | 380 | 399 | 399 | 410 | 402 | 406 | 410 | 411 | 425 | 418 | 431 | 431 |
| 1624 | 365 | 365 | 358 | 369 | 371 | 366 | 368 | 377 | 384 | 385 | 396 | 391 |
| 1625 | 347 | 363 | 371 | 365 | 372 | 387 | 394 | 404 | 412 | 409 | 415 | 431 |
| 1626 | 371 | 386 | 402 | 411 | 433 | 449 | 450 | 457 | 474 | 467 | 478 | 476 |
| 1627 | 353 | 352 | 363 | 365 | 366 | 357 | 350 | 361 | 381 | 383 | 382 | NDC |
| 1628 | 323 | 327 | 334 | 329 | 333 | 336 | 337 | 347 | 349 | 360 | 360 | 353 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1629 | 343 | 350 | 362 | 368 | 365 | 370 | 362 | 368 | 389 | 388 | 378 | 393 |
| 1630 | 318 | 323 | 328 | 330 | 330 | 335 | 340 | 349 | 350 | 353 | 341 | 361 |
| 1631 | 300 | 299 | 302 | 300 | 320 | 322 | 326 | 319 | 331 | 342 | 349 | 349 |
| 1632 | 323 | 325 | 324 | 328 | 338 | 334 | 332 | 340 | 333 | 326 | 354 | 341 |
| 1633 | 332 | 335 | 345 | 348 | 349 | 348 | 347 | 342 | 340 | 344 | 350 | 347 |
| 1634 | 385 | 400 | 401 | 402 | 406 | 410 | 419 | 418 | 427 | 424 | 426 | 432 |
| 1635 | 326 | 337 | 342 | 348 | 358 | 363 | 367 | 379 | 380 | 392 | 398 | 405 |
| 1636 | 405 | 400 | 406 | 412 | 427 | 435 | 437 | 438 | 445 | 446 | 456 | 450 |
| 1637 | 357 | 353 | 350 | 353 | 358 | 355 | 349 | 348 | 361 | 357 | 355 | 368 |
| 1638 | 372 | 383 | 387 | 395 | 399 | 402 | 398 | 405 | 410 | 413 | 418 | 431 |
| 1640 | 319 | 323 | 335 | 275 | 335 | 339 | 352 | 361 | 363 | 366 | 369 | 377 |

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1333 | 362 | 359 | 362 | 374 | 369 | 377 | 382 | 376 | 391 | 390 | 388 | 384 |
| 1334 | 493 | 499 | 505 | 512 | 517 | 523 | 535 | 542 | 553 | 557 | 563 | 576 |
| 1335 | 479 | 463 | 485 | 497 | 499 | 491 | 495 | 498 | 488 | 482 | 468 | 475 |
| 1336 | 520 | 502 | 498 | 506 | 521 | 509 | 493 | 495 | 510 | 494 | 482 | 492 |
| 1338 | 477 | 497 | 507 | 527 | 519 | 533 | 549 | 553 | 566 | 557 | 528 | 550 |
| 1339 | 493 | 499 | 515 | 531 | 533 | 548 | 558 | 560 | 578 | 547 | 541 | 539 |
| 1340 | 580 | 587 | 588 | 595 | 600 | 600 | 612 | 603 | 612 | 597 | 575 | 582 |
| 1342 | 462 | 472 | 487 | 497 | 529 | NDC | | | | | | |
| 1343 | 499 | 481 | 414 | 373 | 349 | 343 | 340 | NDC | | | | |
| 1344 | NDC | | | | | | | | | | | |
| 1345 | 430 | 431 | 425 | 428 | 425 | 428 | 444 | 452 | 464 | 462 | 455 | 472 |
| 1346 | NDC | | | | | | | | | | | |
| 1347 | 397 | 392 | 400 | 407 | 403 | 413 | 417 | 423 | 440 | 435 | 426 | 445 |
| 1348 | 577 | 584 | 596 | 589 | 593 | 590 | 601 | 599 | 623 | 597 | 586 | 587 |
| 1349 | 521 | 502 | 454 | 412 | NDC | | | | | | | |
| 1350 | 607 | 630 | 655 | 668 | NDC | | | | | | | |
| 1351 | 434 | 441 | 444 | 453 | 451 | 440 | NDC | | | | | |
| 1352 | 495 | 484 | 495 | 518 | 500 | 503 | 520 | 526 | 517 | 517 | 507 | 515 |
| 1353 | 426 | 418 | 420 | 434 | 432 | 445 | 438 | 441 | 451 | 445 | 441 | 458 |
| 1354 | 584 | 584 | 592 | 604 | 618 | 628 | 636 | 643 | 665 | 660 | 648 | 650 |
| 1355 | 460 | 454 | 459 | 457 | 465 | 469 | 483 | 487 | 501 | 510 | 509 | 517 |
| 1356 | 516 | 494 | 470 | 423 | NDC | | | | | | | |
| 1357 | 410 | 412 | 425 | 438 | 425 | 432 | 442 | 443 | 443 | 457 | 446 | 453 |
| 1358 | 502 | 501 | 512 | 527 | 529 | 532 | 544 | 548 | 568 | 547 | 545 | 558 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1359 | 555 | 538 | 513 | 425 | 380 | 364 | 350 | NDC | | | | |
| 1360 | 542 | 549 | 540 | 549 | 554 | 567 | 579 | 577 | 582 | 563 | 541 | 546 |
| 1361 | 642 | 643 | 658 | 650 | 669 | 668 | 688 | 693 | 706 | 699 | 698 | 714 |
| 1362 | 566 | 558 | 566 | 583 | 579 | 593 | 600 | 623 | 634 | 619 | 613 | 625 |
| 1363 | 609 | 616 | 627 | 647 | 659 | 669 | 697 | 713 | 745 | 758 | 769 | 789 |
| 1364 | 535 | 523 | 535 | 554 | 503 | NDC | | | | | | |
| 1365 | 436 | 437 | 439 | 447 | 449 | 456 | 468 | 475 | 475 | 473 | 471 | 480 |
| 1366 | 592 | 584 | 603 | 603 | 611 | 628 | 634 | 641 | 661 | 636 | 623 | 621 |
| 1367 | 539 | 554 | 572 | 585 | 591 | 596 | 613 | 615 | 620 | 611 | 588 | 571 |
| 1368 | 396 | 392 | 404 | 413 | 414 | 428 | 430 | 430 | 440 | 438 | 423 | 427 |
| 1369 | 456 | 458 | 474 | 481 | 478 | 498 | 510 | 523 | 541 | 505 | 508 | 535 |
| 1370 | 309 | 307 | 315 | 308 | 310 | 320 | 330 | 328 | 329 | 326 | 331 | 338 |
| 1372 | 446 | 451 | 464 | 463 | 460 | 467 | 478 | 487 | 486 | 487 | 463 | 474 |
| 1374 | 546 | 549 | 539 | 545 | 536 | 536 | 558 | 544 | 544 | 552 | 545 | 561 |
| 1375 | 467 | 428 | 406 | 395 | NDC | | | | | | | |
| 1376 | 573 | 580 | 591 | 594 | 587 | 606 | 626 | 646 | 672 | 631 | 663 | 667 |
| 1378 | 381 | 384 | 387 | 392 | 384 | 375 | 390 | 384 | NDC | | | |
| 1379 | 396 | 365 | 335 | NDC | | | | | | | | |
| 1381 | 464 | 469 | 413 | 351 | NDC | | | | | | | |
| 1382 | 421 | 425 | 431 | 437 | 428 | 431 | 445 | 449 | 457 | 465 | 450 | NDC |
| 1383 | 510 | 522 | 534 | 555 | 583 | 610 | 626 | 659 | 682 | 657 | NDC | |
| 1384 | 416 | 420 | 421 | 413 | 417 | 418 | 411 | 422 | 415 | 391 | 373 | 376 |
| 1385 | 423 | 426 | 441 | 449 | 451 | 455 | 464 | 467 | 471 | 461 | 457 | 454 |
| 1386 | 558 | 563 | 565 | 581 | 579 | 592 | 600 | 607 | 591 | 581 | 561 | 553 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 0 mg/kg/day | | | | | | | | | | | | |
| 1387 | 491 | 485 | 493 | 496 | 506 | 503 | 488 | 428 | 390 | NDC | | |
| 1388 | 612 | 586 | 525 | NDC | | | | | | | | |
| 1389 | 467 | 469 | 484 | 495 | 503 | 505 | 514 | 533 | 539 | 536 | 540 | 558 |
| 1390 | 429 | 432 | 431 | 443 | 449 | 438 | 457 | 457 | 455 | 442 | 430 | 432 |
| 1391 | 400 | 401 | 410 | 372 | 393 | 413 | 422 | 437 | 440 | 436 | 428 | 427 |
| 1392 | 445 | 440 | 443 | 410 | 422 | 431 | 446 | 464 | 477 | 459 | 456 | 454 |
| 1393 | 404 | 401 | 409 | 415 | 416 | 429 | 417 | 428 | 443 | 433 | 431 | 440 |
| 1394 | 413 | 408 | 416 | 424 | 427 | 423 | 435 | 438 | 443 | 438 | 436 | 445 |
| 1395 | 399 | 350 | NDC | | | | | | | | | |
| 1396 | 612 | 617 | 613 | 609 | 521 | 410 | NDC | | | | | |
| 1397 | 536 | 532 | 539 | 549 | 556 | 567 | 600 | 603 | 612 | 605 | 590 | 591 |
| 1398 | 554 | 551 | 555 | 565 | 562 | 566 | 584 | 589 | 593 | 594 | 583 | 590 |
| 1400 | 477 | 451 | 482 | 481 | 487 | 495 | 501 | 500 | 487 | 490 | 469 | 479 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1411 | NDC | | | | | | | | | | | |
| 1412 | 562 | 552 | 573 | 556 | 560 | 581 | 592 | 594 | 608 | 582 | 557 | 548 |
| 1413 | 397 | 393 | 399 | 411 | 413 | 414 | 424 | 431 | 434 | 419 | 416 | 418 |
| 1414 | 326 | 323 | 342 | 353 | 351 | 365 | 382 | 382 | 372 | 379 | 371 | 383 |
| 1415 | 445 | 437 | 441 | 452 | 450 | 462 | 484 | 470 | 481 | 461 | 455 | 464 |
| 1416 | 470 | 448 | 448 | 450 | 461 | 477 | 489 | 495 | 494 | 469 | 459 | 482 |
| 1417 | 570 | 557 | 569 | 557 | 570 | 589 | 586 | 574 | 559 | 539 | 533 | 542 |
| 1418 | 488 | 497 | 506 | 520 | 523 | 533 | 554 | 557 | 566 | 557 | 552 | 563 |
| 1419 | 505 | 505 | 511 | 508 | 507 | 515 | 522 | 524 | 518 | 522 | 518 | 522 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1420 | 544 | 534 | NDC | | | | | | | | | |
| 1422 | 404 | 401 | 412 | 408 | 407 | 386 | 363 | 350 | 345 | 304 | NDC | |
| 1423 | 300 | 276 | 271 | NDC | | | | | | | | |
| 1424 | 352 | 368 | 364 | 354 | 361 | 366 | 376 | 390 | 399 | 385 | 394 | 396 |
| 1425 | 468 | 451 | 471 | 471 | 456 | 504 | 501 | 504 | 497 | 485 | 470 | 468 |
| 1426 | 428 | 421 | 430 | 431 | 429 | 428 | 407 | 409 | 370 | 345 | 393 | 390 |
| 1427 | 395 | 407 | 415 | 423 | 429 | 436 | 426 | NDC | | | | |
| 1428 | 444 | 450 | 460 | 463 | 477 | 479 | 486 | 481 | 478 | 420 | 388 | 348 |
| 1429 | 478 | 471 | 491 | 486 | 499 | 494 | 502 | 499 | 510 | 489 | 490 | 490 |
| 1430 | 522 | 527 | 547 | 544 | 556 | 585 | 595 | 585 | 587 | 584 | 585 | 601 |
| 1431 | 489 | 493 | 505 | 509 | 530 | 537 | 547 | 552 | 553 | 546 | 537 | 541 |
| 1432 | 422 | 422 | 433 | 439 | 451 | 457 | 466 | 469 | 461 | 453 | 448 | 440 |
| 1433 | 592 | 589 | 592 | 584 | 585 | 599 | 614 | 586 | 478 | 428 | NDC | |
| 1434 | 425 | 423 | 426 | 437 | 438 | 429 | 442 | 450 | 443 | 452 | 440 | 439 |
| 1435 | 533 | 521 | 533 | 517 | 530 | 547 | 554 | 562 | 561 | 567 | 575 | 597 |
| 1436 | 485 | 488 | 490 | 494 | 500 | 518 | 518 | 501 | 480 | 452 | 438 | 409 |
| 1437 | 403 | 399 | 409 | 415 | 422 | 423 | 436 | 422 | 441 | 440 | 430 | 439 |
| 1438 | 496 | 501 | 521 | 518 | 522 | 524 | 534 | 548 | 559 | 554 | 544 | 554 |
| 1439 | 453 | 447 | 449 | 473 | 461 | 481 | 491 | 488 | 482 | 481 | 468 | 467 |
| 1440 | 454 | 457 | 439 | 462 | 454 | 477 | 490 | 490 | 497 | 489 | 477 | 484 |
| 1441 | 450 | 452 | 469 | 478 | 468 | 505 | 471 | 410 | NDC | | | |
| 1442 | 476 | 490 | 500 | 521 | 522 | 545 | 567 | 585 | 608 | 622 | 642 | 670 |
| 1443 | 415 | 415 | 429 | 429 | 428 | 448 | 473 | 473 | 476 | 472 | 470 | 486 |
| 1444 | 439 | 434 | 436 | 422 | 397 | 443 | 440 | 433 | 423 | 410 | NDC | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | |
| 1446 | 577 | 560 | 577 | 578 | 589 | NDC | | | | | | |
| 1447 | 601 | 606 | 611 | 622 | 622 | 629 | 634 | 643 | 648 | 649 | 649 | 645 |
| 1448 | 429 | 436 | 427 | 440 | 440 | 447 | 457 | 468 | 463 | 454 | 451 | 463 |
| 1449 | 550 | 552 | 569 | 563 | 548 | 450 | 438 | 467 | NDC | | | |
| 1450 | 459 | 455 | 468 | 468 | 466 | 477 | 479 | 498 | 498 | 487 | 484 | 482 |
| 1451 | 404 | 380 | 403 | 396 | 408 | 411 | 426 | 413 | 420 | 412 | 397 | 416 |
| 1452 | 442 | 439 | 444 | 437 | 450 | 451 | 462 | 461 | 452 | 436 | 415 | NDC |
| 1453 | 420 | NDC | | | | | | | | | | |
| 1454 | 438 | 434 | 441 | 452 | 467 | 454 | 472 | 484 | 489 | 500 | 496 | 502 |
| 1455 | 471 | 462 | 460 | 475 | 471 | 504 | 501 | 500 | 503 | 491 | 475 | 481 |
| 1456 | 636 | 637 | 638 | 628 | 656 | 678 | 675 | 673 | 664 | 650 | 633 | 650 |
| 1457 | 493 | 488 | 496 | 501 | 487 | 483 | 479 | 496 | 487 | 443 | 424 | NDC |
| 1459 | 517 | 529 | 519 | 539 | 529 | 443 | 410 | 342 | NDC | | | |
| 1460 | 501 | 511 | 507 | 532 | 521 | 486 | 524 | 540 | 527 | 531 | 497 | 487 |
| 1461 | 423 | 403 | 422 | 418 | 426 | 439 | 454 | NDC | | | | |
| 1462 | NDC | | | | | | | | | | | |
| 1463 | 448 | 446 | 466 | 475 | 477 | 483 | 487 | 487 | 474 | 454 | 440 | 446 |
| 1464 | 461 | 462 | 475 | 482 | 485 | 494 | 500 | 505 | 495 | 430 | 323 | NDC |
| 1465 | 419 | 423 | 432 | 438 | 445 | 461 | 464 | 440 | 413 | 375 | NDC | |
| 1467 | 479 | 471 | 473 | 487 | 486 | 486 | 508 | 511 | 463 | 477 | 498 | 500 |
| 1468 | 425 | 418 | 429 | 429 | 418 | 393 | 378 | 352 | 269 | 294 | NDC | |
| 1469 | 341 | 338 | 339 | 339 | 335 | 333 | 336 | 343 | 339 | 338 | 338 | 345 |
| 1470 | 468 | 467 | NDC | | | | | | | | | |
| 1471 | 356 | 350 | 357 | 361 | 367 | 362 | 368 | 377 | 372 | 374 | 371 | 369 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 1 mg/kg/day | | | | | | | | | | | | |
| 1472 | 474 | 475 | 471 | 473 | 488 | 483 | 495 | 509 | 504 | 503 | 499 | 495 |
| 1473 | 413 | 415 | 416 | 414 | 412 | 422 | 434 | 422 | 425 | 434 | 416 | 413 |
| 1475 | 427 | 425 | 433 | 428 | 433 | 445 | 448 | 449 | 454 | 453 | 443 | 451 |
| 1476 | 428 | 425 | 440 | 448 | 448 | 448 | 448 | 453 | 453 | 452 | 448 | 448 |
| 1477 | 439 | 440 | 442 | 451 | 449 | 462 | 475 | 484 | 488 | 499 | 499 | 496 |
| 1478 | 455 | 461 | 466 | 485 | 478 | 497 | 494 | 495 | 497 | 460 | 443 | 401 |
| 1479 | 518 | 511 | 536 | 529 | 539 | 557 | 575 | 593 | 588 | 595 | 584 | 583 |
| 1480 | 439 | 429 | 442 | 446 | 451 | 460 | 467 | 418 | 368 | 303 | NDC | |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1491 | 447 | 450 | 458 | 462 | 488 | 498 | 518 | 523 | 524 | 532 | 535 | 508 |
| 1492 | 453 | 472 | 485 | 493 | 505 | 495 | 444 | 394 | NDC | | | |
| 1493 | 492 | 425 | 394 | 353 | NDC | | | | | | | |
| 1494 | 526 | 541 | 556 | 565 | 580 | 591 | 594 | 612 | 613 | 620 | 612 | 627 |
| 1495 | 517 | 499 | 524 | 527 | 522 | 532 | 487 | 516 | 520 | 520 | 511 | 509 |
| 1496 | 491 | 491 | 497 | 516 | 512 | 523 | 474 | 496 | 509 | 511 | 524 | 537 |
| 1499 | 443 | 451 | 452 | 458 | 470 | 479 | 489 | 501 | 520 | 539 | 566 | 591 |
| 1500 | 494 | 502 | 503 | 503 | 511 | 512 | 514 | 518 | 530 | 534 | 530 | 531 |
| 1501 | 513 | 425 | NDC | | | | | | | | | |
| 1502 | 458 | 461 | 466 | 465 | 489 | 492 | 491 | 502 | 507 | 497 | 497 | 502 |
| 1503 | 449 | 452 | 455 | 449 | 450 | 470 | 483 | 480 | 484 | 492 | 492 | 499 |
| 1504 | 539 | 433 | 355 | NDC | | | | | | | | |
| 1505 | 548 | 550 | 555 | 542 | 550 | 561 | 559 | 575 | 578 | 573 | 562 | 562 |
| 1506 | 435 | 436 | NDC | | | | | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1507 | 461 | NDC | | | | | | | | | | |
| 1508 | 456 | 463 | 466 | 468 | 483 | 494 | 504 | 520 | 541 | 535 | 539 | 569 |
| 1509 | 457 | 459 | 458 | 465 | 475 | 482 | 494 | 485 | 507 | 530 | 531 | 543 |
| 1510 | 405 | 402 | 405 | 402 | 406 | NDC | | | | | | |
| 1511 | 549 | 548 | 559 | 567 | 575 | 596 | 601 | 609 | 583 | 502 | NDC | |
| 1515 | 523 | 513 | 529 | 514 | 527 | 522 | 515 | 492 | 472 | NDC | | |
| 1516 | 440 | 441 | 442 | 451 | 453 | 466 | 465 | 465 | 482 | 480 | 460 | 451 |
| 1517 | 477 | 482 | 495 | 500 | 512 | 495 | 506 | 525 | 523 | 513 | NDC | |
| 1519 | 448 | 430 | 456 | 474 | 478 | 497 | 482 | 465 | 434 | 416 | 385 | NDC |
| 1520 | 528 | 504 | 541 | 562 | 558 | 568 | 577 | 583 | 582 | 603 | 596 | 599 |
| 1521 | 568 | 570 | 587 | 600 | 612 | 622 | 628 | 639 | 652 | 651 | 658 | 665 |
| 1522 | 390 | 389 | 384 | 392 | 406 | 400 | 403 | 406 | 409 | 394 | 374 | NDC |
| 1523 | 413 | 415 | 430 | 432 | 429 | 434 | 412 | 428 | 434 | 421 | 420 | 408 |
| 1524 | 431 | 409 | 425 | 430 | 426 | 430 | 413 | 433 | 437 | 411 | NDC | |
| 1525 | 608 | 610 | 630 | 640 | 641 | 649 | 641 | 595 | NDC | | | |
| 1526 | 461 | 474 | 485 | 489 | 484 | 495 | 497 | 516 | 515 | 524 | 516 | 513 |
| 1527 | 631 | 622 | 634 | 642 | 661 | 682 | 681 | 696 | 706 | 709 | 693 | 683 |
| 1528 | 463 | 451 | 447 | 466 | 454 | 462 | 453 | 469 | 458 | 463 | 445 | 452 |
| 1529 | 568 | 563 | 535 | NDC | | | | | | | | |
| 1530 | 572 | 571 | 603 | 604 | 562 | 511 | 569 | 599 | 623 | 549 | NDC | |
| 1531 | 506 | 498 | 509 | 524 | 515 | 512 | 517 | 532 | 522 | 523 | 520 | 500 |
| 1532 | 442 | 449 | 461 | 452 | 462 | 464 | 468 | 470 | 482 | 486 | 466 | 468 |
| 1533 | 438 | 433 | 448 | 461 | 478 | 489 | 493 | 509 | 515 | 516 | 516 | NDC |
| 1534 | 505 | 506 | 525 | 534 | 538 | 547 | 557 | 567 | 565 | 559 | 552 | 524 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 50 mg/kg/day | | | | | | | | | | | | |
| 1535 | 456 | 461 | 475 | 465 | 478 | 497 | 497 | 513 | NDC | | | |
| 1537 | 557 | 566 | 571 | 578 | 586 | 592 | 610 | 603 | 610 | 582 | 520 | 448 |
| 1538 | 486 | 485 | 495 | 491 | 506 | 524 | 531 | 509 | 521 | 527 | 532 | 535 |
| 1539 | 562 | 559 | 575 | 581 | 581 | 567 | 544 | 505 | NDC | | | |
| 1540 | 522 | 520 | 541 | 560 | 558 | 575 | 575 | 593 | 591 | 573 | 562 | 578 |
| 1541 | 449 | 448 | 469 | 489 | 493 | 501 | 502 | 509 | 493 | 498 | 495 | 495 |
| 1543 | 480 | 479 | 484 | 490 | 492 | 506 | 510 | 505 | 504 | 507 | 501 | 491 |
| 1544 | 459 | 468 | 477 | 487 | 487 | 492 | 462 | 412 | 355 | NDC | | |
| 1546 | 449 | 451 | 461 | 470 | 475 | 487 | 487 | 499 | 506 | 503 | 507 | 505 |
| 1547 | 430 | 429 | 435 | 443 | 459 | 470 | 476 | 484 | 471 | 465 | 462 | 474 |
| 1548 | 536 | 548 | 555 | 565 | 580 | 594 | 595 | 599 | 605 | 608 | 590 | 592 |
| 1549 | 521 | 514 | 533 | 539 | 539 | 552 | 560 | 552 | 553 | 555 | 549 | 560 |
| 1550 | 472 | 463 | 482 | 491 | 496 | 505 | 500 | 508 | 502 | 495 | 483 | 471 |
| 1551 | 445 | 426 | 396 | 354 | NDC | | | | | | | |
| 1553 | 506 | 504 | 522 | 523 | 527 | 539 | 535 | 536 | 552 | 556 | 539 | 548 |
| 1554 | 662 | 664 | 677 | 691 | 677 | 588 | NDC | | | | | |
| 1557 | 432 | 424 | 440 | 444 | 444 | 449 | 471 | 468 | 469 | 480 | 471 | 479 |
| 1558 | 546 | 544 | 553 | 567 | 566 | 562 | 581 | 603 | 602 | 607 | 619 | 618 |
| 1559 | 410 | 412 | 426 | 429 | 432 | 441 | 452 | 464 | 459 | 471 | 460 | 461 |
| 1560 | 368 | 366 | 365 | 371 | 362 | 370 | 378 | 372 | 358 | 349 | 378 | NDC |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1573 | 407 | 407 | 410 | 405 | 410 | 412 | 405 | 410 | 432 | 423 | 427 | 433 |
| 1574 | 457 | 465 | 463 | 478 | 485 | 481 | 444 | 348 | NDC | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1575 | 474 | 465 | 510 | 512 | 516 | 520 | 517 | 523 | NDC | | | |
| 1576 | 389 | 381 | 401 | 388 | 394 | 415 | 400 | 416 | 397 | 410 | 413 | 404 |
| 1577 | 358 | 357 | 356 | 348 | 347 | 349 | 350 | 353 | 368 | 361 | 363 | 361 |
| 1578 | 352 | 362 | 363 | 367 | 372 | 375 | 377 | 387 | 387 | 385 | 383 | 386 |
| 1579 | 433 | 443 | 464 | 473 | 480 | 503 | 499 | 512 | 521 | 510 | 529 | 526 |
| 1581 | 330 | 329 | 337 | 345 | 345 | 353 | 356 | 362 | 366 | 378 | 363 | 357 |
| 1582 | 405 | 403 | 415 | 424 | 418 | 426 | 429 | 420 | 435 | 429 | 424 | 423 |
| 1584[r] | 521 | 537 | 571 | 576 | 578 | 592 | 589 | 590 | 590 | NDC | | |
| 1585 | 392 | 401 | 394 | 395 | 397 | 407 | 408 | 419 | 422 | 420 | 418 | 424 |
| 1586 | 406 | 410 | 409 | 414 | 406 | 424 | 417 | 433 | 434 | 431 | 418 | 404 |
| 1587 | 470 | 476 | 470 | 485 | 477 | 504 | 505 | 528 | 535 | 527 | 547 | 539 |
| 1588 | 525 | 534 | 553 | 576 | 592 | 637 | 655 | 710 | 724 | 729 | 738 | NDC |
| 1589 | 554 | 563 | 572 | 585 | 562 | 560 | 542 | 529 | 440 | 373 | 290 | NDC |
| 1590 | 433 | 435 | 443 | 460 | 449 | 467 | 476 | 480 | 483 | 485 | 480 | 478 |
| 1591 | 388 | 392 | 395 | 395 | 401 | 412 | 408 | 409 | 421 | 410 | 412 | 399 |
| 1592 | 335 | 342 | 340 | 345 | 347 | 364 | 341 | 367 | 368 | 357 | 352 | 352 |
| 1593 | 353 | 391 | 409 | 398 | 383 | 405 | 397 | 408 | 418 | 407 | 420 | 417 |
| 1594 | 336 | 340 | 349 | 348 | 343 | 354 | 351 | 354 | 362 | 357 | 352 | 353 |
| 1595 | 351 | 343 | 354 | 367 | 348 | 354 | 356 | 362 | 373 | 367 | 371 | 364 |
| 1597 | 429 | 442 | 442 | 461 | 448 | 469 | 481 | 500 | 520 | 541 | 538 | 543 |
| 1598 | 448 | 450 | 456 | 463 | 458 | 474 | 471 | 474 | 455 | 420 | 357 | 338 |
| 1599 | 496 | 503 | 493 | 495 | 504 | 522 | 526 | 549 | 565 | 572 | 577 | 574 |
| 1600 | 570 | 579 | 587 | 581 | 575 | 615 | 609 | 625 | 638 | 660 | 664 | 673 |
| 1601 | 386 | 384 | 393 | 392 | 368 | NDC | | | | | | |

NDC- No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1602 | 419 | 436 | 460 | 462 | 462 | 477 | 475 | 472 | 478 | 478 | 473 | 454 |
| 1603 | 462 | 452 | 453 | 459 | 449 | 461 | 464 | 450 | 474 | 454 | 467 | 478 |
| 1604 | NDC | | | | | | | | | | | |
| 1605 | 426 | 417 | 413 | 413 | 397 | 387 | 356 | NDC | | | | |
| 1606 | 515 | 514 | 485 | 414 | 367 | NDC | | | | | | |
| 1607 | 568 | 572 | 593 | 586 | 573 | 586 | 599 | 618 | 609 | 622 | 622 | 623 |
| 1608 | 597 | 602 | 623 | 629 | 627 | 648 | 654 | 658 | NDC | | | |
| 1609 | 493 | 493 | 496 | 500 | 505 | 529 | 532 | 531 | 525 | 533 | 520 | 518 |
| 1611 | 447 | 453 | 463 | 466 | 477 | 490 | 490 | 507 | 517 | 537 | 539 | 548 |
| 1612 | 413 | 412 | 421 | 423 | 427 | 437 | 433 | 441 | 451 | 453 | 450 | 448 |
| 1613 | 446 | 449 | 458 | 463 | 469 | 493 | 489 | 504 | 507 | 520 | 511 | 521 |
| 1614 | NDC | | | | | | | | | | | |
| 1615 | 505 | 520 | 517 | 511 | 489 | 490 | 473 | 453 | 423 | 385 | NDC | |
| 1616 | 465 | 470 | 484 | 489 | 424 | 468 | 482 | 519 | 546 | 553 | 559 | 569 |
| 1617 | NDC | | | | | | | | | | | |
| 1618 | 406 | 406 | 420 | 419 | 413 | 425 | 421 | 431 | 442 | 457 | 462 | 449 |
| 1619 | 449 | 459 | 460 | 465 | 471 | 486 | 488 | 505 | 509 | 500 | 507 | 512 |
| 1620 | 383 | 393 | 405 | 410 | 409 | 424 | 432 | 431 | 424 | 429 | 441 | 444 |
| 1621 | 377 | 382 | 383 | 384 | 379 | 386 | 388 | 403 | 401 | 404 | 403 | 403 |
| 1622 | 406 | 425 | 418 | 426 | 421 | 439 | 443 | 448 | 458 | 467 | 454 | 461 |
| 1623 | 430 | 430 | 445 | 456 | 457 | 459 | 463 | 462 | 458 | 453 | 455 | 456 |
| 1624 | 395 | 389 | 398 | 398 | 392 | 394 | 398 | 402 | 400 | 388 | 382 | 378 |
| 1625 | 437 | 435 | 449 | 461 | 462 | 467 | 458 | 472 | 474 | 468 | 433 | 389 |
| 1626 | 478 | 480 | 488 | 492 | 493 | 494 | 503 | 507 | 511 | 513 | 518 | 522 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 |
| 500 mg/kg/day | | | | | | | | | | | | |
| 1628 | 361 | 364 | 359 | 378 | 365 | 376 | 376 | 374 | 385 | 373 | 386 | 386 |
| 1629 | 398 | 394 | 415 | 402 | 411 | 430 | 422 | 452 | 448 | 454 | 453 | 447 |
| 1630 | 356 | 366 | 378 | 378 | 383 | 391 | 390 | 397 | 396 | 405 | 397 | 410 |
| 1631 | 348 | 349 | 351 | 348 | 346 | 353 | 350 | 351 | 370 | 365 | 362 | 342 |
| 1632 | 336 | 345 | 368 | 372 | 361 | 365 | 355 | 361 | 379 | 382 | 377 | 363 |
| 1633 | 344 | 349 | 351 | 352 | 352 | 356 | 359 | 359 | 366 | 360 | 368 | 371 |
| 1634 | 434 | 427 | 442 | 434 | 427 | 440 | 437 | 446 | 448 | 447 | 429 | 442 |
| 1635 | 405 | 412 | 425 | 435 | NDC | | | | | | | |
| 1636 | 441 | 456 | 466 | 469 | 450 | 472 | 473 | 524 | 462 | NDC | | |
| 1637 | 359 | 356 | 371 | 380 | 376 | 393 | 388 | 418 | 416 | 423 | 410 | 423 |
| 1638 | 415 | 420 | 435 | 444 | 436 | 452 | 449 | 463 | 463 | 458 | 449 | 443 |
| 1640 | 369 | 370 | 380 | 397 | 385 | 393 | 397 | 402 | 410 | 407 | 407 | 405 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 0 mg/kg/day | | | | | | | | | |
| 1333 | 392 | 398 | 399 | 397 | 410 | 405 | 395 | 381 | 354 |
| 1334 | 572 | 578 | 570 | 509 | 482 | 420 | 376 | NDC | |
| 1335 | 478 | 475 | 472 | 454 | 474 | 484 | 483 | 480 | 451 |
| 1336 | 488 | 519 | 517 | 498 | 474 | 434 | NDC | | |
| 1338 | 521 | 486 | NDC | | | | | | |
| 1339 | 544 | 554 | 562 | 570 | 577 | 599 | 589 | 597 | 571 |
| 1340 | 584 | 588 | 578 | 586 | 573 | 567 | 510 | 395 | NDC |
| 1345 | 473 | 415 | NDC | | | | | | |
| 1347 | 438 | 436 | 440 | 434 | 430 | 433 | 430 | 447 | 459 |
| 1348 | 566 | 546 | 501 | NDC | | | | | |
| 1352 | 528 | 543 | 525 | 529 | 534 | 531 | 549 | 543 | 556 |
| 1353 | 461 | 452 | 448 | 443 | 448 | 461 | 452 | 455 | 455 |
| 1354 | 619 | 529 | 492 | 467 | NDC | | | | |
| 1355 | 518 | 521 | 533 | 518 | 524 | 524 | 518 | 493 | 421 |
| 1357 | 470 | 469 | 460 | 473 | 468 | 466 | 467 | 470 | 462 |
| 1358 | 561 | 570 | 584 | 593 | 584 | 591 | 596 | 593 | 592 |
| 1360 | 513 | 507 | 448 | 445 | 408 | NDC | | | |
| 1361 | 703 | 714 | 702 | 702 | 674 | 584 | NDC | | |
| 1362 | 611 | 614 | 581 | 582 | 598 | NDC | | | |
| 1363 | 814 | 856 | NDC | | | | | | |
| 1365 | 491 | 488 | 479 | 486 | 470 | 456 | 456 | 464 | 470 |
| 1366 | 619 | 597 | 583 | 591 | 567 | NDC | | | |
| 1367 | 578 | 575 | 566 | NDC | | | | | |
| 1368 | 437 | 436 | 441 | 429 | 427 | 428 | 429 | 439 | 447 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 0 mg/kg/day | | | | | | | | | |
| 1369 | 525 | 539 | NDC | | | | | | |
| 1370 | 337 | 343 | 342 | 342 | 349 | 354 | 360 | 359 | 365 |
| 1372 | 472 | 470 | 478 | 474 | 477 | 479 | 478 | 492 | 515 |
| 1374 | 543 | 545 | 551 | 560 | 556 | 563 | 563 | 559 | 567 |
| 1376 | 693 | 714 | NDC | | | | | | |
| 1384 | 374 | 372 | 390 | 387 | NDC | | | | |
| 1385 | 450 | 463 | 452 | 456 | 433 | 462 | NDC | | |
| 1386 | 538 | 492 | 450 | NDC | | | | | |
| 1389 | 555 | 559 | 556 | 565 | 565 | 564 | 562 | 540 | 528 |
| 1390 | 417 | 405 | NDC | | | | | | |
| 1391 | 423 | 439 | 438 | 424 | 433 | 409 | 358 | NDC | |
| 1392 | 462 | 456 | 473 | 470 | 478 | 479 | 485 | 488 | 497 |
| 1393 | 422 | 405 | 327 | NDC | | | | | |
| 1394 | 455 | 449 | 417 | 368 | 331 | 325 | 308 | NDC | |
| 1397 | 602 | 611 | 606 | 587 | 614 | 625 | 640 | 639 | 615 |
| 1398 | 587 | 599 | 579 | 473 | 381 | 296 | NDC | | |
| 1400 | 434 | 442 | 424 | NDC | | | | | |
| 1 mg/kg/day | | | | | | | | | |
| 1412 | 557 | 567 | 565 | 557 | 551 | 572 | 569 | NDC | |
| 1413 | 417 | 416 | NDC | | | | | | |
| 1414 | 397 | 407 | 412 | 414 | 415 | 408 | NDC | | |
| 1415 | 446 | 429 | 423 | 409 | 409 | 295 | 354 | 364 | NDC |
| 1416 | 488 | 488 | 490 | 495 | 495 | 515 | 518 | 518 | 529 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 1 mg/kg/day | | | | | | | | | |
| 1417 | 533 | 515 | 506 | 464 | NDC | | | | |
| 1418 | 570 | 567 | 572 | 570 | 567 | 572 | 578 | 587 | 586 |
| 1419 | 529 | 514 | 521 | 519 | 499 | 507 | 513 | 509 | 527 |
| 1424 | 404 | 414 | 406 | 422 | 422 | 437 | 450 | 442 | 447 |
| 1425 | 454 | 468 | 442 | 450 | 464 | 472 | 471 | 473 | 474 |
| 1426 | NDC | | | | | | | | |
| 1428 | NDC | | | | | | | | |
| 1429 | 484 | 492 | 481 | 478 | 477 | 484 | 478 | 477 | 466 |
| 1430 | 612 | 622 | 634 | 644 | 652 | 667 | 676 | 700 | 707 |
| 1431 | 541 | 528 | 528 | 530 | 524 | 532 | 525 | 531 | 531 |
| 1432 | 438 | 427 | 441 | 451 | 459 | 479 | 490 | 511 | 518 |
| 1434 | 445 | 445 | 448 | 459 | 442 | 459 | 462 | 441 | 437 |
| 1435 | 624 | 631 | 616 | 615 | 617 | 622 | 638 | 637 | 641 |
| 1436 | 386 | 383 | 374 | 362 | NDC | | | | |
| 1437 | 438 | 411 | 403 | 408 | 401 | 412 | 411 | 409 | 393 |
| 1438 | 564 | 559 | 559 | 558 | 559 | 573 | 579 | 585 | 594 |
| 1439 | 468 | 466 | 470 | 465 | 471 | 405 | 362 | 294 | NDC |
| 1440 | 489 | 498 | 506 | 507 | 520 | 514 | 537 | 535 | 538 |
| 1442 | 719 | 766 | NDC | | | | | | |
| 1443 | 503 | 514 | 523 | NDC | | | | | |
| 1447 | 639 | 642 | 647 | 649 | 645 | 625 | 635 | 627 | 577 |
| 1448 | 475 | 469 | NDC | | | | | | |
| 1450 | 509 | 491 | 517 | 524 | 533 | 533 | 533 | 538 | 549 |
| 1451 | 419 | 446 | 464 | 479 | 527 | NDC | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 1 mg/kg/day | | | | | | | | | |
| 1454 | 503 | 505 | 497 | 501 | 512 | 511 | 491 | 481 | 465 |
| 1455 | 475 | 442 | NDC | | | | | | |
| 1456 | 674 | NDC | | | | | | | |
| 1460 | 506 | 505 | 498 | 519 | 520 | 530 | 539 | 549 | 552 |
| 1463 | 464 | 438 | 485 | NDC | | | | | |
| 1467 | 506 | 499 | 500 | 508 | 516 | 517 | 513 | 507 | 515 |
| 1469 | 331 | 340 | 332 | 333 | 332 | 331 | 328 | 332 | 329 |
| 1471 | 377 | 385 | 376 | 385 | 380 | 381 | 367 | 361 | 343 |
| 1472 | 440 | 376 | NDC | | | | | | |
| 1473 | 422 | 423 | 431 | 436 | 442 | NDC | | | |
| 1475 | 453 | 455 | 455 | 461 | 472 | 479 | 462 | 435 | 364 |
| 1476 | 454 | 446 | 448 | NDC | | | | | |
| 1477 | 427 | 363 | NDC | | | | | | |
| 1478 | 421 | 393 | 402 | 389 | NDC | | | | |
| 1479 | 576 | 572 | 566 | 553 | NDC | | | | |
| 50 mg/kg/day | | | | | | | | | |
| 1491 | 537 | 565 | 571 | 591 | 593 | 604 | 603 | 618 | 635 |
| 1494 | 651 | 661 | 666 | 677 | 680 | 677 | 690 | 690 | 655 |
| 1495 | 521 | 531 | 519 | 510 | 466 | 386 | NDC | | |
| 1496 | 528 | 527 | 528 | 548 | 561 | 559 | 540 | 568 | 572 |
| 1499 | 612 | 654 | 675 | NDC | | | | | |
| 1500 | 546 | 537 | 533 | 531 | 516 | 525 | 516 | 499 | 485 |
| 1502 | 521 | 507 | 476 | 471 | 465 | 457 | 427 | 374 | 398 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 50 mg/kg/day | | | | | | | | | |
| 1503 | 491 | 491 | 466 | 433 | 375 | NDC | | | |
| 1505 | 548 | NDC | | | | | | | |
| 1508 | 571 | 594 | 608 | NDC | | | | | |
| 1509 | 577 | 590 | 604 | 600 | 607 | NDC | | | |
| 1516 | 460 | 454 | 464 | 484 | 489 | 481 | 488 | 499 | 506 |
| 1520 | 607 | 618 | 614 | 622 | 632 | 642 | 652 | 664 | 667 |
| 1521 | 666 | 707 | 744 | NDC | | | | | |
| 1523 | 411 | 379 | 434 | NDC | | | | | |
| 1526 | 531 | 526 | 533 | 538 | 529 | 514 | 459 | NDC | |
| 1527 | 696 | 690 | 684 | NDC | | | | | |
| 1528 | 463 | 463 | 458 | 457 | 455 | 442 | 469 | 471 | 501 |
| 1531 | 417 | 351 | NDC | | | | | | |
| 1532 | 475 | 480 | 480 | 471 | 494 | 497 | 500 | 508 | 497 |
| 1534 | 416 | NDC | | | | | | | |
| 1537 | NDC | | | | | | | | |
| 1538 | 540 | 549 | 547 | 545 | 554 | 545 | 539 | 533 | 558 |
| 1540 | 584 | 612 | 612 | 589 | NDC | | | | |
| 1541 | 496 | 509 | 506 | 512 | 511 | 501 | 514 | 532 | 533 |
| 1543 | 479 | 474 | 470 | 478 | 477 | 480 | 490 | 502 | 494 |
| 1546 | 510 | 521 | 525 | 530 | 533 | 536 | 543 | 553 | 562 |
| 1547 | 481 | 486 | 490 | 487 | 491 | 490 | 493 | 488 | 491 |
| 1548 | 596 | 591 | 603 | NDC | | | | | |
| 1549 | 562 | 570 | 572 | 581 | 577 | 575 | 597 | 596 | 592 |
| 1550 | 481 | 475 | 469 | 452 | NDC | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 50 mg/kg/day | | | | | | | | | |
| 1553 | 561 | 571 | 577 | 574 | 581 | 578 | 585 | 575 | 582 |
| 1557 | 501 | 508 | 506 | 519 | 514 | 415 | NDC | | |
| 1558 | 626 | 611 | 655 | NDC | | | | | |
| 1559 | 468 | 474 | 468 | 481 | 487 | 492 | 481 | 466 | 443 |
| 500 mg/kg/day | | | | | | | | | |
| 1573 | 444 | 450 | 454 | 450 | 446 | 437 | 435 | NDC | |
| 1576 | 426 | 428 | 421 | 427 | 430 | 443 | 458 | 454 | 467 |
| 1577 | 374 | 381 | NDC | | | | | | |
| 1578 | 391 | 390 | 382 | 392 | 391 | 394 | 404 | 397 | 399 |
| 1579 | 545 | 558 | NDC | | | | | | |
| 1581 | 370 | 378 | 371 | 380 | 385 | 375 | 402 | 410 | 414 |
| 1582 | 435 | 423 | 393 | 316 | NDC | | | | |
| 1585 | 436 | 437 | 427 | 428 | 423 | 428 | 433 | 440 | 434 |
| 1586 | 353 | NDC | | | | | | | |
| 1587 | 563 | 569 | 574 | 575 | 575 | 577 | 594 | 590 | 604 |
| 1590 | 498 | NDC | | | | | | | |
| 1591 | 396 | NDC | | | | | | | |
| 1592 | 359 | 355 | 351 | 361 | NDC | | | | |
| 1593 | 436 | 448 | 431 | 461 | 456 | 457 | 465 | 462 | 473 |
| 1594 | 356 | 366 | 361 | 368 | 366 | 363 | 377 | 377 | 375 |
| 1595 | 370 | 370 | 362 | 360 | 373 | 373 | 374 | 370 | 376 |
| 1597 | 582 | 574 | 565 | 549 | 515 | NDC | | | |
| 1598 | 288 | NDC | | | | | | | |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 500 mg/kg/day | | | | | | | | | |
| 1599 | NDC | | | | | | | | |
| 1600 | 699 | 712 | 703 | 707 | 691 | 698 | 696 | 674 | 649 |
| 1602 | 410 | NDC | | | | | | | |
| 1603 | 488 | 496 | 504 | NDC | | | | | |
| 1607 | 642 | 658 | 658 | 672 | 598 | 666 | 678 | 677 | 670 |
| 1609 | 526 | 535 | 528 | 549 | 552 | 551 | 552 | 567 | NDC |
| 1611 | 565 | 582 | 584 | NDC | | | | | |
| 1612 | 451 | 450 | 448 | 464 | 471 | 466 | 474 | 479 | 485 |
| 1613 | 532 | 535 | 530 | 530 | 542 | 553 | 545 | 571 | 563 |
| 1616 | NDC | | | | | | | | |
| 1618 | 473 | 471 | 486 | 502 | 506 | 513 | 526 | 514 | 499 |
| 1619 | 527 | 536 | 552 | 567 | 588 | 623 | 635 | NDC | |
| 1620 | 451 | 454 | 448 | 427 | NDC | | | | |
| 1621 | 413 | 419 | 417 | 413 | 427 | 418 | 410 | 429 | 432 |
| 1622 | 477 | 470 | 478 | 485 | 483 | 485 | 461 | NDC | |
| 1623 | 476 | 470 | 477 | 480 | 492 | 506 | 523 | 521 | 523 |
| 1624 | 369 | NDC | | | | | | | |
| 1625 | NDC | | | | | | | | |
| 1626 | 486 | NDC | | | | | | | |
| 1628 | 390 | 411 | 402 | 419 | 423 | 424 | 433 | 434 | 431 |
| 1629 | 464 | 463 | 469 | 480 | NDC | | | | |
| 1630 | 418 | 424 | 423 | 431 | NDC | | | | |
| 1631 | 345 | 361 | 352 | 387 | 385 | 390 | 409 | 412 | 419 |
| 1632 | 376 | 375 | 375 | 385 | 382 | 376 | 387 | 384 | 372 |

NDC- No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Body Weight Values, g - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 |
| 500 mg/kg/day | | | | | | | | | |
| 1633 | 371 | 375 | 373 | 370 | 373 | 379 | 387 | 394 | 397 |
| 1634 | 431 | 438 | 437 | 429 | NDC | | | | |
| 1637 | 430 | 418 | NDC | | | | | | |
| 1638 | 467 | 480 | 476 | 478 | 474 | 491 | 527 | NDC | |
| 1640 | 401 | 382 | 283 | NDC | | | | | |

NDC- No data collected refer to record of fate

# Appendix G
# Individual Food Consumption Values

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1001 | 22.8[6] | 26.9 | 29.0 | 28.6 | 29.2 | 29.8 | 29.9 | 29.6 | 29.5 | 31.0 | 29.6 | 31.0 | 27.9 |
| 1002 | 22.8[6] | 26.9 | 29.0 | 28.6 | 29.2 | 29.8 | 29.9 | 29.6 | 29.5 | 31.0 | 29.6 | 31.0 | 27.9 |
| 1003 | 23.2[6] | 28.2 | 29.8 | 28.6 | 29.4 | 28.7 | 29.6 | 28.4 | 29.9 | 30.5 | 30.1 | 28.9 | 29.1 |
| 1004 | 23.2[6] | 28.2 | 29.8 | 28.6 | 29.4 | 28.7 | 29.6 | 28.4 | 29.9 | 30.5 | 30.1 | 28.9 | 29.1 |
| 1005 | 24.8[6] | 29.1 | 32.0 | 33.6 | 34.5 | 33.9 | 33.4 | 31.9 | 33.1 | 33.4 | 33.5 | 29.6 | 29.6 |
| 1006 | 24.8[6] | 29.1 | 32.0 | 33.6 | 34.5 | 33.9 | 33.4 | 31.9 | 33.1 | 33.4 | 33.5 | 29.6 | 29.6 |
| 1007 | 21.7[6] | 28.0 | 29.9 | 29.8 | 30.6 | 30.7 | 31.6 | 29.8 | 27.9 | 29.9 | 29.1 | 29.5 | 27.7 |
| 1008 | 21.7[6] | 28.0 | 29.9 | 29.8 | 30.6 | 30.7 | 31.6 | 29.8 | 27.9 | 29.9 | 29.1 | 29.5 | 27.7 |
| 1009 | 24.7[6] | 28.6 | 29.2 | 29.3 | 29.8 | 29.1 | 29.6 | 28.9 | 30.1 | 28.7 | 28.2 | 29.6 | 28.4 |
| 1010 | 24.7[6] | 28.6 | 29.2 | 29.3 | 29.8 | 29.1 | 29.6 | 28.9 | 30.1 | 28.7 | 28.2 | 29.6 | 28.4 |
| 1011 | 22.7[6] | 28.1 | 28.9 | 29.5 | 32.3 | 31.3 | 31.1 | 30.9 | 33.3 | 32.1 | 30.9 | 31.7 | 30.5 |
| 1012 | 22.7[6] | 28.1 | 28.9 | 29.5 | 32.3 | 31.3 | 31.1 | 30.9 | 33.3 | 32.1 | 30.9 | 31.7 | 30.5 |
| 1013 | 22.3[6] | 27.1 | 28.0 | 28.9 | 29.2 | 28.1 | 28.7 | 28.4 | 28.7 | 29.2 | 28.5 | 28.9 | 28.9 |
| 1014 | 22.3[6] | 27.1 | 28.0 | 28.9 | 29.2 | 28.1 | 28.7 | 28.4 | 28.7 | 29.2 | 28.5 | 28.9 | 28.9 |
| 1015 | 23.0[6] | 28.3 | 30.0 | 29.8 | 30.2 | 28.6 | 29.5 | 28.4 | 28.6 | 29.5 | 28.2 | 29.3 | 29.1 |
| 1016 | 23.0[6] | 28.3 | 30.0 | 29.8 | 30.2 | 28.6 | 29.5 | 28.4 | 28.6 | 29.5 | 28.2 | 29.3 | 29.1 |
| 1017 | 24.2[6] | 29.2 | 28.9 | 30.3 | 30.6 | 30.2 | 31.9 | 30.3 | 31.1 | 30.3 | 30.6 | 31.8 | 32.8 |
| 1018 | 24.2[6] | 29.2 | 28.9 | 30.3 | 30.6 | 30.2 | 31.9 | 30.3 | 31.1 | 30.3 | 30.6 | 31.8 | 32.8 |
| 1019 | 22.1[6] | 25.9 | 27.6 | 25.6 | 27.6 | 27.0 | 27.7 | 26.8 | 27.8 | 27.3 | 28.5 | 28.9 | 29.1 |
| 1020 | 22.1[6] | 25.9 | 27.6 | 25.6 | 27.6 | 27.0 | 27.7 | 26.8 | 27.8 | 27.3 | 28.5 | 28.9 | 29.1 |
| 1021 | 24.1[6] | 29.2 | 29.6 | 29.4 | 30.4 | 30.1 | 31.1 | 30.0 | 30.6 | 30.6 | 30.4 | 31.6 | 31.6 |
| 1022 | 24.1[6] | 29.2 | 29.6 | 29.4 | 30.4 | 30.1 | 31.1 | 30.0 | 30.6 | 30.6 | 30.4 | 31.6 | 31.6 |
| 1023 | 22.8[6] | 26.9 | 28.1 | 27.6 | 27.7 | 27.6 | 27.7 | 28.2 | 27.5 | 27.4 | 27.4 | 27.5 | 29.3 |
| 1024 | 22.8[6] | 26.9 | 28.1 | 27.6 | 27.7 | 27.6 | 27.7 | 28.2 | 27.5 | 27.4 | 27.4 | 27.5 | 29.3 |
| 1025 | 22.6[6] | 26.7 | 28.2 | 28.1 | 29.0 | 29.8 | 26.7 | 26.9 | 31.8 | 27.4 | 28.0 | 29.5 | 28.9 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1026 | 22.6[6] | 26.7 | 28.2 | 28.1 | 29.0 | 29.8 | 26.7 | 26.9 | 31.8 | 27.4 | 28.0 | 29.5 | 28.9 |
| 1027 | 23.1[6] | 27.2 | 27.1 | 27.6 | 28.1 | 27.2 | 28.7 | 27.9 | 27.7 | 29.0 | 27.4 | 27.4 | 29.7 |
| 1028 | 23.1[6] | 27.2 | 27.1 | 27.6 | 28.1 | 27.2 | 28.7 | 27.9 | 27.7 | 29.0 | 27.4 | 27.4 | 29.7 |
| 1029 | 22.1[6] | 26.3 | 28.4 | 29.3 | 29.4 | 28.9 | 29.6 | 28.1 | 29.5 | 30.1 | 29.6 | 31.6 | 30.9 |
| 1030 | 22.1[6] | 26.3 | 28.4 | 29.3 | 29.4 | 28.9 | 29.6 | 28.1 | 29.5 | 30.1 | 29.6 | 31.6 | 30.9 |
| 1031 | 23.3[6] | 26.4 | 28.8 | 28.8 | 30.6 | 30.6 | 30.6 | 30.1 | 30.5 | 30.7 | 30.5 | 30.9 | 32.0 |
| 1032 | 23.3[6] | 26.4 | 28.8 | 28.8 | 30.6 | 30.6 | 30.6 | 30.1 | 30.5 | 30.7 | 30.5 | 30.9 | 32.0 |
| 1033 | 24.9[6] | 29.1 | 28.9 | 28.5 | 29.6 | 28.6 | 28.8 | 29.9 | 29.1 | 29.1 | 28.9 | 30.5 | 29.7 |
| 1034 | 24.9[6] | 29.1 | 28.9 | 28.5 | 29.6 | 28.6 | 28.8 | 29.9 | 29.1 | 29.1 | 28.9 | 30.5 | 29.7 |
| 1035 | 23.4[6] | 28.4 | 29.7 | 29.9 | 30.4 | 29.4 | 29.7 | 28.8 | 30.2 | 28.4 | 28.8 | 29.6 | 31.2 |
| 1036 | 23.4[6] | 28.4 | 29.7 | 29.9 | 30.4 | 29.4 | 29.7 | 28.8 | 30.2 | 28.4 | 28.8 | 29.6 | 31.2 |
| 1037 | 23.7[6] | 29.9 | 33.1 | 30.9 | 33.8 | 35.7 | 34.0 | 34.1 | 34.0 | 33.9 | 36.1 | 34.7 | 34.6 |
| 1038 | 23.7[6] | 29.9 | 33.1 | 30.9 | 33.8 | 35.7 | 34.0 | 34.1 | 34.0 | 33.9 | 36.1 | 34.7 | 34.6 |
| 1039 | 24.7[6] | 28.2 | 28.6 | 29.3 | 29.1 | 28.9 | 30.1 | 29.0 | 29.1 | 29.9 | 29.2 | 30.1 | 31.8 |
| 1040 | 24.7[6] | 28.2 | 28.6 | 29.3 | 29.1 | 28.9 | 30.1 | 29.0 | 29.1 | 29.9 | 29.2 | 30.1 | 31.8 |
| 1041 | 22.4[6] | 26.0 | 28.1 | 28.1 | 30.0 | 28.5 | 29.6 | 28.3 | 28.4 | 29.2 | 29.9 | 30.4 | 30.5 |
| 1042 | 22.4[6] | 26.0 | 28.1 | 28.1 | 30.0 | 28.5 | 29.6 | 28.3 | 28.4 | 29.2 | 29.9 | 30.4 | 30.5 |
| 1043 | 25.9[6] | 30.5 | 30.9 | 34.0 | 34.7 | 32.8 | 32.4 | 33.2 | 33.1 | 32.8 | 32.9 | 32.7 | 34.5 |
| 1044 | 25.9[6] | 30.5 | 30.9 | 34.0 | 34.7 | 32.8 | 32.4 | 33.2 | 33.1 | 32.8 | 32.9 | 32.7 | 34.5 |
| 1045 | 22.8[6] | 27.1 | 27.9 | 28.2 | 29.2 | 27.6 | 28.7 | 27.2 | 28.7 | 27.0 | 27.6 | 28.1 | 29.5 |
| 1046 | 22.8[6] | 27.1 | 27.9 | 28.2 | 29.2 | 27.6 | 28.7 | 27.2 | 28.7 | 27.0 | 27.6 | 28.1 | 29.5 |
| 1047 | 24.3[6] | 28.8 | 30.3 | 31.0 | 32.2 | 31.4 | 32.0 | 30.9 | 31.2 | 31.3 | 32.4 | 31.1 | 33.4 |
| 1048 | 24.3[6] | 28.8 | 30.3 | 31.0 | 32.2 | 31.4 | 32.0 | 30.9 | 31.2 | 31.3 | 32.4 | 31.1 | 33.4 |
| 1049 | 24.7[6] | 26.6 | 28.3 | 28.2 | 28.7 | 27.4 | 28.2 | 27.4 | 28.6 | 28.2 | 27.7 | 27.0 | 28.1 |
| 1050 | 24.7[6] | 26.6 | 28.3 | 28.2 | 28.7 | 27.4 | 28.2 | 27.4 | 28.6 | 28.2 | 27.7 | 27.0 | 28.1 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1051 | 22.9[6] | 27.6 | 30.0 | 29.9 | 29.9 | 29.8 | 30.6 | 28.7 | 30.6 | 30.4 | 31.1 | 32.1 | 32.1 |
| 1052 | 22.9[6] | 27.6 | 30.0 | 29.9 | 29.9 | 29.8 | 30.6 | 28.7 | 30.6 | 30.4 | 31.1 | 32.1 | 32.1 |
| 1053 | 23.5[6] | 27.9 | 28.6 | 28.2 | 29.9 | 28.5 | 30.0 | 28.6 | 29.2 | 28.4 | 28.8 | 29.1 | 29.8 |
| 1054 | 23.5[6] | 27.9 | 28.6 | 28.2 | 29.9 | 28.5 | 30.0 | 28.6 | 29.2 | 28.4 | 28.8 | 29.1 | 29.8 |
| 1055 | 24.7[6] | 28.2 | 29.3 | 29.5 | 30.5 | 30.0 | 30.6 | 30.3 | 30.5 | 31.3 | 30.3 | 32.1 | 33.4 |
| 1056 | 24.7[6] | 28.2 | 29.3 | 29.5 | 30.5 | 30.0 | 30.6 | 30.3 | 30.5 | 31.3 | 30.3 | 32.1 | 33.4 |
| 1057 | 22.0[6] | 25.6 | 27.3 | 28.3 | 28.9 | 28.3 | 28.4 | 27.4 | 28.1 | 25.6 | 29.1 | 28.8 | 28.9 |
| 1058 | 22.0[6] | 25.6 | 27.3 | 28.3 | 28.9 | 28.3 | 28.4 | 27.4 | 28.1 | 25.6 | 29.1 | 28.8 | 28.9 |
| 1059 | 24.8[6] | 28.5 | 30.2 | 31.3 | 31.6 | 31.4 | 32.1 | 31.1 | 31.9 | 31.7 | 33.3 | 32.8 | 33.2 |
| 1060 | 24.8[6] | 28.5 | 30.2 | 31.3 | 31.6 | 31.4 | 32.1 | 31.1 | 31.9 | 31.7 | 33.3 | 32.8 | 33.2 |
| 1061 | 23.3[6] | 26.6 | 29.4 | 28.0 | 29.0 | 28.2 | 27.7 | 25.9 | 29.1 | 28.4 | 29.9 | 29.7 | 28.4 |
| 1062 | 23.3[6] | 26.6 | 29.4 | 28.0 | 29.0 | 28.2 | 27.7 | 25.9 | 29.1 | 28.4 | 29.9 | 29.7 | 28.4 |
| 1063 | NA | NA | NA | 29.0[5] | 28.9 | 27.7 | 29.1 | 28.4 | 28.8 | 29.5 | 30.1 | 30.1 | 29.8 |
| 1064[r] | 23.8[6] | 27.7 | 28.8 | 33.0 | 28.9 | 27.7 | 29.1 | 28.4 | 28.8 | 29.5 | 30.1 | 30.1 | 29.8 |
| 1065 | 23.3[6] | 27.4 | 29.6 | 26.0 | 29.6 | 31.9 | 31.9 | 31.1 | 32.1 | 31.8 | 32.7 | 33.4 | 33.6 |
| 1066 | 23.3[6] | 27.4 | 29.6 | 26.0 | 29.6 | 31.9 | 31.9 | 31.1 | 32.1 | 31.8 | 32.7 | 33.4 | 33.6 |
| 1067 | 23.3[6] | 26.5 | 27.6 | 28.2 | 27.9 | 28.5 | 29.4 | 27.9 | 28.6 | 28.4 | 29.1 | 29.1 | 29.9 |
| 1068 | 23.3[6] | 26.5 | 27.6 | 28.2 | 27.9 | 28.5 | 29.4 | 27.9 | 28.6 | 28.4 | 29.1 | 29.1 | 29.9 |
| 1069 | 25.8[6] | 28.7 | 30.6 | 29.7 | 32.2 | 31.5 | 31.9 | 30.6 | 31.1 | 30.9 | 32.4 | 32.9 | 33.5 |
| 1070 | 25.8[6] | 28.7 | 30.6 | 29.7 | 32.2 | 31.5 | 31.9 | 30.6 | 31.1 | 30.9 | 32.4 | 32.9 | 33.5 |
| 1071 | 26.2[6] | 28.6 | 29.9 | 30.9 | 30.2 | 29.2 | 30.3 | 30.1 | 30.6 | 29.9 | 32.7 | 31.9 | 32.1 |
| 1072 | 26.2[6] | 28.6 | 29.9 | 30.9 | 30.2 | 29.2 | 30.3 | 30.1 | 30.6 | 29.9 | 32.7 | 31.9 | 32.1 |
| 1073 | 25.1[6] | 28.9 | 30.4 | 32.5 | 32.0 | 32.4 | 32.8 | 30.1 | 31.4 | 31.1 | 33.4 | 31.8 | 32.8 |
| 1074 | 25.1[6] | 28.9 | 30.4 | 32.5 | 32.0 | 32.4 | 32.8 | 30.1 | 31.4 | 31.1 | 33.4 | 31.8 | 32.8 |
| 1075 | 23.7[6] | 26.5 | 28.9 | 27.3 | 28.6 | 28.9 | 27.9 | 26.4 | 26.1 | 27.0 | 27.4 | 27.3 | 28.0 |

[#]Cage food consumption divided by number of animals per cage
NA - Not Applicable/Not Available
[5]Food consumption calculated using 5 days
[6]Food consumption calculated using 6 days
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1076 | 23.7[6] | 26.5 | 28.9 | 27.3 | 28.6 | 28.9 | 27.9 | 26.4 | 26.1 | 27.0 | 27.4 | 27.3 | 28.0 |
| 1077 | 23.4[6] | 27.1 | 28.6 | 29.7 | 29.6 | 28.9 | 29.8 | 29.2 | 30.0 | 29.6 | 29.4 | 29.6 | 29.4 |
| 1078 | 23.4[6] | 27.1 | 28.6 | 29.7 | 29.6 | 28.9 | 29.8 | 29.2 | 30.0 | 29.6 | 29.4 | 29.6 | 29.4 |
| 1079 | 25.3[6] | 28.8 | 29.1 | 29.7 | 29.9 | 29.5 | 28.9 | 29.2 | 30.1 | 31.8 | 32.3 | 30.7 | 31.6 |
| 1080 | 25.3[6] | 28.8 | 29.1 | 29.7 | 29.9 | 29.5 | 28.9 | 29.2 | 30.1 | 31.8 | 32.3 | 30.7 | 31.6 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1081 | 23.3[6] | 28.2 | 30.6 | 31.6 | 32.2 | 30.7 | 33.3 | 30.8 | 31.8 | 30.8 | 32.1 | 31.4 | 29.6 |
| 1082 | 23.3[6] | 28.2 | 30.6 | 31.6 | 32.2 | 30.7 | 33.3 | 30.8 | 31.8 | 30.8 | 32.1 | 31.4 | 29.6 |
| 1083 | 24.1[6] | 28.9 | 30.9 | 32.7 | 35.2 | 34.3 | 34.6 | 34.8 | 36.1 | 34.9 | 36.2 | 36.9 | 35.5 |
| 1084 | 24.1[6] | 28.9 | 30.9 | 32.7 | 35.2 | 34.3 | 34.6 | 34.8 | 36.1 | 34.9 | 36.2 | 36.9 | 35.5 |
| 1085 | 26.4[6] | 25.8 | 32.4 | 31.1 | 31.8 | 29.9 | 29.7 | 29.0 | 30.0 | 28.5 | 29.9 | 29.4 | 30.7 |
| 1086 | 26.4[6] | 25.8 | 32.4 | 31.1 | 31.8 | 29.9 | 29.7 | 29.0 | 30.0 | 28.5 | 29.9 | 29.4 | 30.7 |
| 1087 | 24.6[6] | 24.9 | 28.5 | 26.7 | 24.8 | 24.4 | 25.0 | 25.0 | 26.4 | 26.9 | 27.9 | 27.7 | 26.5 |
| 1088 | 24.6[6] | 24.9 | 28.5 | 26.7 | 24.8 | 24.4 | 25.0 | 25.0 | 26.4 | 26.9 | 27.9 | 27.7 | 26.5 |
| 1089 | 23.5[6] | 27.5 | 27.9 | 30.1 | 31.2 | 29.1 | 30.3 | 29.2 | 30.6 | 29.5 | 30.8 | 31.3 | 30.2 |
| 1090 | 23.5[6] | 27.5 | 27.9 | 30.1 | 31.2 | 29.1 | 30.3 | 29.2 | 30.6 | 29.5 | 30.8 | 31.3 | 30.2 |
| 1091 | 24.9[6] | 28.5 | 29.5 | 31.2 | 32.1 | 32.8 | 31.1 | 30.7 | 30.8 | 30.5 | 30.4 | 30.9 | 31.4 |
| 1092 | 24.9[6] | 28.5 | 29.5 | 31.2 | 32.1 | 32.8 | 31.1 | 30.7 | 30.8 | 30.5 | 30.4 | 30.9 | 31.4 |
| 1093 | 19.4[6] | 18.2 | 30.2 | 30.6 | 31.0 | 28.9 | 30.5 | 30.0 | 29.6 | 30.6 | 29.5 | 30.0 | 30.9 |
| 1094 | 19.4[6] | 18.2 | 30.2 | 30.6 | 31.0 | 28.9 | 30.5 | 30.0 | 29.6 | 30.6 | 29.5 | 30.0 | 30.9 |
| 1095 | 25.2[6] | 28.3 | 29.6 | 30.6 | 32.4 | 30.3 | 31.7 | 30.9 | 32.0 | 29.6 | 33.3 | 30.9 | 32.4 |
| 1096 | 25.2[6] | 28.3 | 29.6 | 30.6 | 32.4 | 30.3 | 31.7 | 30.9 | 32.0 | 29.6 | 33.3 | 30.9 | 32.4 |
| 1097 | 23.9[6] | 28.3 | 29.9 | 32.0 | 32.5 | 31.0 | 31.6 | 30.9 | 32.4 | 30.7 | 32.4 | 33.0 | 32.2 |
| 1098 | 23.9[6] | 28.3 | 29.9 | 32.0 | 32.5 | 31.0 | 31.6 | 30.9 | 32.4 | 30.7 | 32.4 | 33.0 | 32.2 |
| 1099 | 23.9[6] | 26.1 | 27.9 | 28.9 | 29.8 | 27.1 | 29.0 | 28.4 | 29.7 | 28.8 | 30.0 | 29.1 | 28.6 |
| 1100 | 23.9[6] | 26.1 | 27.9 | 28.9 | 29.8 | 27.1 | 29.0 | 28.4 | 29.7 | 28.8 | 30.0 | 29.1 | 28.6 |
| 1101 | 21.7[6] | 26.4 | 27.1 | 28.1 | 28.4 | 27.1 | 28.5 | 27.8 | 28.3 | 28.6 | 28.7 | 29.9 | 29.1 |
| 1102 | 21.7[6] | 26.4 | 27.1 | 28.1 | 28.4 | 27.1 | 28.5 | 27.8 | 28.3 | 28.6 | 28.7 | 29.9 | 29.1 |
| 1103 | 20.0[6] | 17.6 | 30.7 | 29.3 | 29.1 | 27.4 | 29.4 | 29.5 | 29.2 | 29.7 | 30.6 | 30.6 | 31.1 |
| 1104 | 20.0[6] | 17.6 | 30.7 | 29.3 | 29.1 | 27.4 | 29.4 | 29.5 | 29.2 | 29.7 | 30.6 | 30.6 | 31.1 |
| 1105 | 24.4[6] | 29.1 | 29.4 | 30.2 | 31.8 | 28.6 | 30.1 | 31.9 | 31.5 | 31.4 | 31.9 | 31.6 | 30.9 |

#Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1106 | 24.4[6] | 29.1 | 29.4 | 30.2 | 31.8 | 28.6 | 30.1 | 31.9 | 31.5 | 31.4 | 31.9 | 31.6 | 30.9 |
| 1107 | 22.6[6] | 26.0 | 28.6 | 29.6 | 30.3 | 28.6 | 29.0 | 27.8 | 29.1 | 26.8 | 31.7 | 26.3 | 28.8 |
| 1108 | 22.6[6] | 26.0 | 28.6 | 29.6 | 30.3 | 28.6 | 29.0 | 27.8 | 29.1 | 26.8 | 31.7 | 26.3 | 28.8 |
| 1109 | 23.3[6] | 27.7 | 27.1 | 30.6 | 31.6 | 29.4 | 30.2 | 29.1 | 30.3 | 30.1 | 29.8 | 30.2 | 32.0 |
| 1110 | 23.3[6] | 27.7 | 27.1 | 30.6 | 31.6 | 29.4 | 30.2 | 29.1 | 30.3 | 30.1 | 29.8 | 30.2 | 32.0 |
| 1111 | 24.1[6] | 27.6 | 30.9 | 31.1 | 33.6 | 30.4 | 32.6 | 31.1 | 31.4 | 31.7 | 33.1 | 30.6 | 32.8 |
| 1112 | 24.1[6] | 27.6 | 30.9 | 31.1 | 33.6 | 30.4 | 32.6 | 31.1 | 31.4 | 31.7 | 33.1 | 30.6 | 32.8 |
| 1113 | 21.6[6] | 23.4 | 32.3 | 29.9 | 31.8 | 29.5 | 30.4 | 28.6 | 29.5 | 32.8 | 33.1 | 31.5 | 31.4 |
| 1114 | 21.6[6] | 23.4 | 32.3 | 29.9 | 31.8 | 29.5 | 30.4 | 28.6 | 29.5 | 32.8 | 33.1 | 31.5 | 31.4 |
| 1115 | 25.4[6] | 27.6 | 29.1 | 28.0 | 35.0 | 31.0 | 32.6 | 31.3 | 32.7 | 33.7 | 32.9 | 32.9 | 32.4 |
| 1116 | 25.4[6] | 27.6 | 29.1 | 28.0[6] | NDC | | | | | | | | |
| 1117 | 25.1[6] | 29.9 | 32.3 | 31.9 | 33.4 | 31.7 | 32.5 | 34.0 | 33.9 | 33.4 | 34.2 | 35.2 | 34.6 |
| 1118 | 25.1[6] | 29.9 | 32.3 | 31.9 | 33.4 | 31.7 | 32.5 | 34.0 | 33.9 | 33.4 | 34.2 | 35.2 | 34.6 |
| 1119 | 22.7[6] | 26.6 | 29.3 | 28.9 | 29.4 | 28.1 | 29.8 | 27.8 | 29.9 | 29.1 | 29.1 | 29.4 | 29.4 |
| 1120 | 22.7[6] | 26.6 | 29.3 | 28.9 | 29.4 | 28.1 | 29.8 | 27.8 | 29.9 | 29.1 | 29.1 | 29.4 | 29.4 |
| 1121 | 24.3[6] | 27.6 | 29.4 | 29.5 | 29.9 | 28.6 | 28.7 | 28.5 | 29.6 | 29.6 | 30.6 | 30.8 | 31.1 |
| 1122 | 24.3[6] | 27.6 | 29.4 | 29.5 | 29.9 | 28.6 | 28.7 | 28.5 | 29.6 | 29.6 | 30.6 | 30.8 | 31.1 |
| 1123 | 23.0[6] | 25.3 | 25.6 | 27.5 | 28.5 | 28.5 | 28.6 | 24.1 | 29.5 | 28.8 | 30.0 | 29.1 | 28.9 |
| 1124 | 23.0[6] | 25.3 | 25.6 | 27.5 | 28.5 | 28.5 | 28.6 | 24.1 | 29.5 | 28.8 | 30.0 | 29.1 | 28.9 |
| 1125 | 24.3[6] | 28.7 | 30.9 | 31.5 | 32.6 | 32.3 | 31.2 | 31.6 | 33.2 | 28.4 | 33.9 | 31.4 | 33.6 |
| 1126 | 24.3[6] | 28.7 | 30.9 | 31.5 | 32.6 | 32.3 | 31.2 | 31.6 | 33.2 | 28.4 | 33.9 | 31.4 | 33.6 |
| 1127 | 24.5[6] | 28.1 | 28.6 | 29.2 | 29.8 | 28.9 | 30.8 | 29.6 | 29.6 | 27.9 | 30.8 | 30.0 | 30.5 |
| 1128 | 24.5[6] | 28.1 | 28.6 | 29.2 | 29.8 | 28.9 | 30.8 | 29.6 | 29.6 | 27.9 | 30.8 | 30.0 | 30.5 |
| 1129 | 26.8[6] | 30.3 | 32.1 | 32.2 | 33.0 | 28.7 | 32.3 | 32.4 | 33.9 | 33.1 | 35.9 | 33.4 | 34.9 |
| 1130 | 26.8[6] | 30.3 | 32.1 | 32.2 | 33.0 | 28.7 | 32.3 | 32.4 | 33.9 | 33.1 | 35.9 | 33.4 | 34.9 |

[#]Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1131 | 23.8[6] | 27.9 | 27.1 | 29.6 | 29.5 | 28.9 | 29.7 | 28.4 | 29.7 | 29.9 | 30.9 | 30.5 | 30.3 |
| 1132 | 23.8[6] | 27.9 | 27.1 | 29.6 | 29.5 | 28.9 | 29.7 | 28.4 | 29.7 | 29.9 | 30.9 | 30.5 | 30.3 |
| 1133 | 24.7[6] | 28.1 | 28.4 | 28.8 | 30.0 | 28.6 | 29.1 | 28.0 | 28.4 | 28.1 | 29.0 | 29.9 | 29.6 |
| 1134 | 24.7[6] | 28.1 | 28.4 | 28.8 | 30.0 | 28.6 | 29.1 | 28.0 | 28.4 | 28.1 | 29.0 | 29.9 | 29.6 |
| 1135 | 25.1[6] | 29.6 | 31.5 | 31.5 | 33.1 | 31.9 | 33.4 | 32.3 | 33.0 | 32.4 | 32.7 | 32.3 | 32.6 |
| 1136 | 25.1[6] | 29.6 | 31.5 | 31.5 | 33.1 | 31.9 | 33.4 | 32.3 | 33.0 | 32.4 | 32.7 | 32.3 | 32.6 |
| 1137 | 22.8[6] | 26.4 | 28.1 | 29.4 | 30.5 | 29.4 | 30.8 | 29.9 | 30.6 | 27.5 | 32.8 | 29.1 | 31.1 |
| 1138 | 22.8[6] | 26.4 | 28.1 | 29.4 | 30.5 | 29.4 | 30.8 | 29.9 | 30.6 | 27.5 | 32.8 | 29.1 | 31.1 |
| 1139 | 23.3[6] | 26.8 | 29.2 | 29.2 | 29.6 | 28.1 | 28.8 | 28.4 | 29.6 | 28.1 | 27.9 | 27.6 | 29.4 |
| 1140 | 23.3[6] | 26.8 | 29.2 | 29.2 | 29.6 | 28.1 | 28.8 | 28.4 | 29.6 | 28.1 | 27.9 | 27.6 | 29.4 |
| 1141 | 23.3[6] | 26.1 | 27.5 | 26.9 | 27.7 | 27.6 | 28.4 | 27.4 | 28.1 | 28.4 | 27.6[e] | 29.4 | 30.5 |
| 1142 | 23.3[6] | 26.1 | 27.5 | 26.9 | 27.7 | 27.6 | 28.4 | 27.4 | 28.1 | 28.4 | 27.6[e] | 29.4 | 30.5 |
| 1143 | 23.6[6] | 27.1 | 29.4 | 29.4 | 30.4 | 30.1 | 30.9 | 28.9 | 31.6 | 30.9 | 31.9 | 29.3 | 32.7 |
| 1144 | 23.6[6] | 27.1 | 29.4 | 29.4 | 30.4 | 30.1 | 30.9 | 28.9 | 31.6 | 30.9 | 31.9 | 29.3 | 32.7 |
| 1145 | 24.5[6] | 27.8 | 29.0 | 30.6 | 31.1 | 29.5 | 30.7 | 29.2 | 30.7 | 31.1 | 31.4 | 31.1 | 31.8 |
| 1146 | 24.5[6] | 27.8 | 29.0 | 30.6 | 31.1 | 29.5 | 30.7 | 29.2 | 30.7 | 31.1 | 31.4 | 31.1 | 31.8 |
| 1147 | 23.8[6] | 26.6 | 29.1 | 29.9 | 30.4 | 29.4 | 29.6 | 29.6 | 31.2 | 28.6 | 32.4 | 30.4 | 31.8 |
| 1148 | 23.8[6] | 26.6 | 29.1 | 29.9 | 30.4 | 29.4 | 29.6 | 29.6 | 31.2 | 28.6 | 32.4 | 30.4 | 31.8 |
| 1149 | 23.4[6] | 26.6 | 27.9 | 27.5 | 28.1 | 27.6 | 28.4 | 27.3 | 28.3 | 27.4 | 28.6 | 26.2 | 29.6 |
| 1150 | 23.4[6] | 26.6 | 27.9 | 27.5 | 28.1 | 27.6 | 28.4 | 27.3 | 28.3 | 27.4 | 28.6 | 26.2 | 29.6 |
| 1151 | 26.8[6] | 31.0 | 33.0 | 34.0 | 34.7 | 33.1 | 34.3 | 33.6 | 34.4 | 31.6 | 34.9 | 33.4 | 33.8 |
| 1152 | 26.8[6] | 31.0 | 33.0 | 34.0 | 34.7 | 33.1 | 34.3 | 33.6 | 34.4 | 31.6 | 34.9 | 33.4 | 33.8 |
| 1153 | 25.6[6] | 30.1 | 30.9 | 33.2 | 33.8 | 30.8 | 32.1 | 31.0 | 32.3 | 31.2 | 33.4 | 33.8 | 33.4 |
| 1154 | 25.6[6] | 30.1 | 30.9 | 33.2 | 33.8 | 30.8 | 32.1 | 31.0 | 32.3 | 31.2 | 33.4 | 33.8 | 33.4 |
| 1155 | 21.3[6] | 25.9 | 28.1 | 27.8 | 28.2 | 26.5 | 27.4 | 27.1 | 27.6 | 27.6 | 27.8 | 27.9 | 27.5 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1156 | 21.3[6] | 25.9 | 28.1 | 27.8 | 28.2 | 26.5 | 27.4 | 27.1 | 27.6 | 27.6 | 27.8 | 27.9 | 27.5 |
| 1157 | 26.5[6] | 29.5 | 31.4 | 33.1 | 30.9 | 29.9 | 35.3 | 30.4 | 33.2 | 32.5 | 32.9 | 32.5 | 32.5 |
| 1158 | 26.5[6] | 29.5 | 31.4 | 33.1 | 30.9 | 29.9 | 35.3 | 30.4 | 33.2 | 32.5 | 32.9 | 32.5 | 32.5 |
| 1159 | 23.1[6] | 26.6 | 29.1 | 29.6 | 30.1 | 28.9 | 30.9 | 30.1 | 30.2 | 31.2 | 29.9 | 31.1 | 30.7 |
| 1160 | 23.1[6] | 26.6 | 29.1 | 29.6 | 30.1 | 28.9 | 30.9 | 30.1 | 30.2 | 31.2 | 29.9 | 31.1 | 30.7 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1161 | 21.3[6] | 25.6 | 28.4 | 28.4 | 28.6 | 29.1 | 28.4 | 27.1 | 28.9 | 27.0 | 29.2 | 29.0 | 26.4 |
| 1162 | 21.3[6] | 25.6 | 28.4 | 28.4 | 28.6 | 29.1 | 28.4 | 27.1 | 28.9 | 27.0 | 29.2 | 29.0 | 26.4 |
| 1163 | 24.2[6] | 26.5 | 29.1 | 27.4 | 28.4 | 27.8 | 30.2 | 28.6 | 30.1 | 28.9 | 30.2 | 31.1 | 28.5 |
| 1164 | 24.2[6] | 26.5 | 29.1 | 27.4 | 28.4 | 27.8 | 30.2 | 28.6 | 30.1 | 28.9 | 30.2 | 31.1 | 28.5 |
| 1165 | 22.7[6] | 26.3 | 28.6 | 27.7 | 30.6 | 27.9 | 28.4 | 26.8 | 28.2 | 27.9 | 28.9 | 28.9 | 26.6 |
| 1166 | 22.7[6] | 26.3 | 28.6 | 27.7 | 30.6 | 27.9 | 28.4 | 26.8 | 28.2 | 27.9 | 28.9 | 28.9 | 26.6 |
| 1167 | 23.3[6] | 29.1 | 28.5 | 29.1 | 29.5 | 29.0 | 29.2 | 29.4 | 30.4 | 30.1 | 30.4 | 31.6 | 29.9 |
| 1168 | 23.3[6] | 29.1 | 28.5 | 29.1 | 29.5 | 29.0 | 29.2 | 29.4 | 30.4 | 30.1 | 30.4 | 31.6 | 29.9 |
| 1169 | 22.2[6] | 25.7 | 27.3 | 27.7 | 28.4 | 27.4 | 26.9 | 26.3 | 26.7 | 29.7 | 27.5 | 27.1 | 26.5 |
| 1170 | 22.2[6] | 25.7 | 27.3 | 27.7 | 28.4 | 27.4 | 26.9 | 26.3 | 26.7 | 29.7 | 27.5 | 27.1 | 26.5 |
| 1171 | 23.3[6] | 29.1 | 32.3 | 31.5 | 33.1 | 31.3 | 31.9 | 31.8 | 32.4 | 33.0 | 34.2 | 33.0 | 30.6 |
| 1172 | 23.3[6] | 29.1 | 32.3 | 31.5 | 33.1 | 31.3 | 31.9 | 31.8 | 32.4 | 33.0 | 34.2 | 33.0 | 30.6 |
| 1173 | 20.0[6] | 28.4 | 30.5 | 29.9 | 29.6 | 29.9 | 30.9 | 30.6 | 29.8 | 31.0 | 30.8 | 22.9 | 29.9 |
| 1174 | 20.0[6] | 28.4 | 30.5 | 29.9 | 29.6 | 29.9 | 30.9 | 30.6 | 29.8 | 31.0 | 30.8 | 22.9 | 29.9 |
| 1175 | 25.3[6] | 30.0 | 32.5 | 31.9 | 31.7 | 32.3 | 34.6 | 32.3 | 33.1 | 32.6 | 33.4 | 32.4 | 33.0 |
| 1176 | 25.3[6] | 30.0 | 32.5 | 31.9 | 31.7 | 32.3 | 34.6 | 32.3 | 33.1 | 32.6 | 33.4 | 32.4 | 33.0 |
| 1177 | 23.2[6] | 20.6 | 27.9 | 27.6 | 28.6 | 27.6 | 27.9 | 25.0 | 28.4 | 27.6 | 28.6 | 29.1 | 28.7 |
| 1178 | 23.2[6] | 20.6 | 27.9 | 27.6 | 28.6 | 27.6 | 27.9 | 25.0 | 28.4 | 27.6 | 28.6 | 29.1 | 28.7 |
| 1179 | 24.6[6] | 29.4 | 31.6 | 31.2 | 32.2 | 31.1 | 32.2 | 30.9 | 32.9 | 31.9 | 33.2 | 31.8 | 29.2 |
| 1180 | 24.6[6] | 29.4 | 31.6 | 31.2 | 32.2 | 31.1 | 32.2 | 30.9 | 32.9 | 31.9 | 33.2 | 31.8 | 29.2 |
| 1181 | 22.8[6] | 25.3 | 28.0 | 28.0 | 28.8 | 27.3 | 28.5 | 27.0 | 27.6 | 27.2 | 27.6 | 27.0 | 27.8 |
| 1182 | 22.8[6] | 25.3 | 28.0 | 28.0 | 28.8 | 27.3 | 28.5 | 27.0 | 27.6 | 27.2 | 27.6 | 27.0 | 27.8 |
| 1183 | 24.6[6] | 28.2 | 29.4 | 29.7 | 31.9 | 31.1 | 29.6 | 31.9 | 31.1 | 30.9 | 31.5 | 31.9 | 31.0 |
| 1184 | 24.6[6] | 28.2 | 29.4 | 29.7 | 31.9 | 31.1 | 29.6 | 31.9 | 31.1 | 30.9 | 31.5 | 31.9 | 31.0 |
| 1185 | 23.3[6] | 26.4 | 28.4 | 28.6 | 29.4 | 29.6 | 29.8 | 29.0 | 29.1 | 28.9 | 30.4 | 29.5 | 29.2 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1186 | 23.3[6] | 26.4 | 28.4 | 28.6 | 29.4 | 29.6 | 29.8 | 29.0 | 29.1 | 28.9 | 30.4 | 29.5 | 29.2 |
| 1187 | 24.3[6] | 28.3 | 30.6 | 30.6 | 32.0 | 31.2 | 32.2 | 30.6 | 31.4 | 31.2 | 32.3 | 32.2 | 33.1 |
| 1188 | 24.3[6] | 28.3 | 30.6 | 30.6 | 32.0 | 31.2 | 32.2 | 30.6 | 31.4 | 31.2 | 32.3 | 32.2 | 33.1 |
| 1189 | 24.8[6] | 28.7 | 33.3 | 32.2 | 33.1 | 32.2 | 32.6 | 31.3 | 32.4 | 32.5 | 34.2 | 32.6 | 34.8 |
| 1190 | 24.8[6] | 28.7 | 33.3 | 32.2 | 33.1 | 32.2 | 32.6 | 31.3 | 32.4 | 32.5 | 34.2 | 32.6 | 34.8 |
| 1191 | 23.2[6] | 25.9 | 27.7 | 27.6 | 27.2 | 26.6 | 26.9 | 27.1 | 25.0 | 26.7 | 28.0 | 23.4 | 25.2 |
| 1192 | 23.2[6] | 25.9 | 27.7 | 27.6 | 27.2 | 26.6 | 26.9 | 27.1 | 25.0 | 26.7 | 28.0 | 23.4 | 25.2 |
| 1193 | 23.0[6] | 25.1 | 26.0 | 26.2 | 26.6 | 26.8 | 27.2 | 26.0 | 26.6 | 27.3 | 28.1 | 28.9 | 25.5 |
| 1194 | 23.0[6] | 25.1 | 26.0 | 26.2 | 26.6 | 26.8 | 27.2 | 26.0 | 26.6 | 27.3 | 28.1 | 28.9 | 25.5 |
| 1195 | 23.3[6] | 26.6 | 29.4 | 30.3 | 31.4 | 28.2 | 30.2 | 29.5 | 29.5 | 29.9 | 30.9 | 30.5 | 31.4 |
| 1196 | 23.3[6] | 26.6 | 29.4 | 30.3 | 31.4 | 28.2 | 30.2 | 29.5 | 29.5 | 29.9 | 30.9 | 30.5 | 31.4 |
| 1197 | 23.9[6] | 28.7 | 31.9 | 31.6 | 32.6 | 30.1 | 30.9 | 29.6 | 28.4 | 30.2 | 30.7 | 30.8 | 30.6 |
| 1198 | 23.9[6] | 28.7 | 31.9 | 31.6 | 32.6 | 30.1 | 30.9 | 29.6 | 28.4 | 30.2 | 30.7 | 30.8 | 30.6 |
| 1199 | 24.2[6] | 27.7 | 29.1 | 33.6 | 54.4[e] | 35.9 | 61.7[e] | 26.1 | 34.1 | 27.8 | 60.2 | 46.9 | 43.7 |
| 1200 | 24.2[6] | 27.7 | 29.1 | 33.6 | 54.4[e] | 35.9 | 61.7[e] | 26.1 | 34.1 | 27.8 | 60.2 | 46.9 | 43.7 |
| 1201 | 24.3[6] | 29.1 | 32.1 | 32.3 | 33.6 | 31.4 | 32.6 | 30.6 | 28.6 | 31.9 | 32.9 | 31.6 | 31.4 |
| 1202 | 24.3[6] | 29.1 | 32.1 | 32.3 | 33.6 | 31.4 | 32.6 | 30.6 | 28.6 | 31.9 | 32.9 | 31.6 | 31.4 |
| 1203 | 24.4[6] | 28.4 | 29.7 | 29.1 | 30.2 | 28.6 | 28.7 | 27.6 | 28.3 | 28.9 | 30.1 | 28.8 | 29.4 |
| 1204 | 24.4[6] | 28.4 | 29.7 | 29.1 | 30.2 | 28.6 | 28.7 | 27.6 | 28.3 | 28.9 | 30.1 | 28.8 | 29.4 |
| 1205 | 23.0[6] | 26.6 | 29.6 | 29.6 | 31.0 | 30.4 | 30.1 | 30.0 | 29.7 | 29.7 | 31.9 | 30.9 | 33.9 |
| 1206 | 23.0[6] | 26.6 | 29.6 | 29.6 | 31.0 | 30.4 | 30.1 | 30.0 | 29.7 | 29.7 | 31.9 | 30.9 | 33.9 |
| 1207 | 23.8[6] | 28.1 | 29.6 | 29.5 | 30.4 | 37.8[6] | 46.9[e] | 28.8 | 29.6 | 29.1 | 30.5 | 29.9 | 30.2 |
| 1208 | 23.8[6] | 28.1 | 29.6 | 29.5 | 30.4 | 37.8[6] | 46.9[e] | 28.8 | 29.6 | 29.1 | 30.5 | 29.9 | 30.2 |
| 1209 | 24.6[6] | 30.9 | 33.1 | 34.1 | 33.2 | 33.4 | 36.1 | 34.1 | 30.7 | 31.1 | 36.4 | 38.7 | 35.1 |
| 1210 | 24.6[6] | 30.9 | 33.1 | 34.1 | 33.2 | 33.4 | 36.1 | 34.1 | 30.7 | 31.1 | 36.4 | 38.7 | 35.1 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1211 | 23.9[6] | 27.9 | 31.5 | 32.4 | 33.8 | 29.9 | 30.4 | 33.3 | 32.2 | 34.4 | 34.3 | 32.6 | 33.1 |
| 1212 | 23.9[6] | 27.9 | 31.5 | 32.4 | 33.8 | 29.9 | 30.4 | 33.3 | 32.2 | 34.4 | 34.3 | 32.6 | 33.1 |
| 1213 | 22.1[6] | 26.0 | 27.5 | 26.4 | 27.4 | 26.8 | 27.1 | 24.2 | 25.5 | 28.1 | 28.1 | 28.0 | 27.7 |
| 1214 | 22.1[6] | 26.0 | 27.5 | 26.4 | 27.4 | 26.8 | 27.1 | 24.2 | 25.5 | 28.1 | 28.1 | 28.0 | 27.7 |
| 1215 | 23.5[6] | 28.1 | 30.6 | 30.6 | 32.2 | 30.9 | 31.3 | 29.4 | 29.9 | 31.7 | 32.6 | 32.6 | 32.4 |
| 1216 | 23.5[6] | 28.1 | 30.6 | 30.6 | 32.2 | 30.9 | 31.3 | 29.4 | 29.9 | 31.7 | 32.6 | 32.6 | 32.4 |
| 1217 | 24.4[6] | 29.1 | 31.2 | 31.2 | 33.1 | 30.9 | 31.9 | 31.4 | 32.0 | 32.1 | 33.1 | 32.2 | 32.9 |
| 1218 | 24.4[6] | 29.1 | 31.2 | 31.2 | 33.1 | 30.9 | 31.9 | 31.4 | 32.0 | 32.1 | 33.1 | 32.2 | 32.9 |
| 1219 | 25.0[6] | 29.1 | 31.3 | 30.9 | 30.3 | 30.6 | 31.9 | 29.8 | 30.6 | 31.1 | 31.9 | 31.4 | 32.5 |
| 1220 | 25.0[6] | 29.1 | 31.3 | 30.9 | 30.3 | 30.6 | 31.9 | 29.8 | 30.6 | 31.1 | 31.9 | 31.4 | 32.5 |
| 1221 | 24.1[6] | 25.7 | 26.9 | 26.7 | 27.3 | 26.9 | 27.9 | 26.6 | 28.4 | 27.5 | 29.1 | 27.7 | 27.7 |
| 1222 | 24.1[6] | 25.7 | 26.9 | 26.7 | 27.3 | 26.9 | 27.9 | 26.6 | 28.4 | 27.5 | 29.1 | 27.7 | 27.7 |
| 1223 | 20.4[6] | 22.9 | 25.4 | 25.6 | 25.9 | 25.3 | 26.6 | 25.4 | 26.6 | 26.6 | 27.3 | 26.2 | 26.6 |
| 1224 | 20.4[6] | 22.9 | 25.4 | 25.6 | 25.9 | 25.3 | 26.6 | 25.4 | 26.6 | 26.6 | 27.3 | 26.2 | 26.6 |
| 1225 | 25.2[6] | 27.4 | 30.4 | 29.9 | 30.6 | 30.5 | 31.6 | 28.9 | 29.9 | 29.9 | 30.9 | 30.1 | 30.9 |
| 1226 | 25.2[6] | 27.4 | 30.4 | 29.9 | 30.6 | 30.5 | 31.6 | 28.9 | 29.9 | 29.9 | 30.9 | 30.1 | 30.9 |
| 1227 | 23.4[6] | 27.1 | 29.1 | 28.4 | 29.6 | 28.1 | 29.2 | 28.4 | 28.6 | 28.8 | 29.9 | 29.0 | 29.4 |
| 1228 | 23.4[6] | 27.1 | 29.1 | 28.4 | 29.6 | 28.1 | 29.2 | 28.4 | 28.6 | 28.8 | 29.9 | 29.0 | 29.4 |
| 1229 | 23.5[6] | 28.4 | 30.6 | 31.7 | 33.1 | 31.4 | 33.0 | 31.2 | 30.6 | 30.3 | 32.4 | 32.7 | 32.8 |
| 1230 | 23.5[6] | 28.4 | 30.6 | 31.7 | 33.1 | 31.4 | 33.0 | 31.2 | 30.6 | 30.3 | 32.4 | 32.7 | 32.8 |
| 1231 | 25.7[6] | 30.0 | 32.9 | 32.8 | 34.0 | 32.5 | 32.4 | 31.9 | 31.3 | 33.0 | 32.9 | 32.5 | 33.2 |
| 1232 | 25.7[6] | 30.0 | 32.9 | 32.8 | 34.0 | 32.5 | 32.4 | 31.9 | 31.3 | 33.0 | 32.9 | 32.5 | 33.2 |
| 1233 | 23.0[6] | 26.7 | 29.3 | 28.1 | 29.6 | 26.6 | 29.3 | 27.4 | 28.6 | 29.4 | 30.6 | 30.1 | 30.9 |
| 1234 | 23.0[6] | 26.7 | 29.3 | 28.1 | 29.6 | 26.6 | 29.3 | 27.4 | 28.6 | 29.4 | 30.6 | 30.1 | 30.9 |
| 1235 | 24.7[6] | 27.9 | 31.0 | 30.6 | 35.1 | 31.6 | 31.4 | 29.4 | 31.6 | 31.8 | 32.9 | 31.9 | 41.0 |

#Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1236 | 24.7[6] | 27.9 | 31.0 | 30.6 | 35.1 | 31.6 | 31.4 | 29.4 | 31.6 | 31.8 | 32.9 | 31.9 | 41.0 |
| 1237 | 24.9[6] | 27.6 | 29.9 | 28.2 | 31.6 | 27.1 | 30.4 | 28.6 | 27.8 | 27.1 | 33.4 | 31.0 | 30.5 |
| 1238 | 24.9[6] | 27.6 | 29.9 | 28.2 | 31.6 | 27.1 | 30.4 | 28.6 | 27.8 | 27.1 | 33.4 | 31.0 | 30.5 |
| 1239 | 23.9[6] | 28.0 | 29.8 | 28.9 | 32.1 | 29.1 | 31.0 | 29.4 | 29.9 | 29.4 | 29.8 | 31.1 | 31.2 |
| 1240 | 23.9[6] | 28.0 | 29.8 | 28.9 | 32.1 | 29.1 | 31.0 | 29.4 | 29.9 | 29.4 | 29.8 | 31.1 | 31.2 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1241 | 22.0[6] | 26.4 | 28.9 | 28.9 | 29.1 | 27.3 | 28.4 | 27.4 | 28.6 | 29.3 | 29.8 | 29.5 | 29.0 |
| 1242 | 22.0[6] | 26.4 | 28.9 | 28.9 | 29.1 | 27.3 | 28.4 | 27.4 | 28.6 | 29.3 | 29.8 | 29.5 | 29.0 |
| 1243 | 22.8[6] | 27.6 | 29.4 | 31.2 | 30.1 | 22.5 | 30.0 | 30.5 | 29.0 | 30.4 | 31.1 | 29.7 | 29.6 |
| 1244 | 22.8[6] | 27.6 | 29.4 | 31.2 | 30.1 | 22.5 | 30.0 | 30.5 | 29.0 | 30.4 | 31.1 | 29.7 | 29.6 |
| 1245 | 24.5[6] | 26.3 | 31.4 | 30.9 | 31.4 | 29.4 | 31.1 | 30.3 | 30.4 | 30.6 | 30.9 | 31.3 | 30.8 |
| 1246 | 24.5[6] | 26.3 | 31.4 | 30.9 | 31.4 | 29.4 | 31.1 | 30.3 | 30.4 | 30.6 | 30.9 | 31.3 | 30.8 |
| 1247 | 25.3[6] | 30.9 | 33.2 | 33.0 | 32.5 | 36.3 | 33.1 | 32.4 | 29.9 | 29.1 | 32.9 | 34.2 | 32.9 |
| 1248 | 25.3[6] | 30.9 | 33.2 | 33.0 | 32.5 | 36.3 | 33.1 | 32.4 | 29.9 | 29.1 | 32.9 | 34.2 | 32.9 |
| 1249 | NA | 36.0[e] | 31.1 | 32.4 | 31.8 | 31.1 | 31.1 | 31.7 | 32.6 | 33.1 | 33.2 | 32.4 | 30.9 |
| 1250[r] | 22.7[6] | 38.0 | 31.1 | 32.4 | 31.8 | 31.1 | 31.1 | 31.7 | 32.6 | 33.1 | 33.2 | 32.4 | 30.9 |
| 1251 | 24.2[6] | 30.0 | 30.9 | 34.4 | 33.1 | 32.4 | 37.1 | 32.9 | 32.3 | 32.4 | 34.4 | 32.6 | 32.7 |
| 1252 | 24.2[6] | 30.0 | 30.9 | 34.4 | 33.1 | 32.4 | 37.1 | 32.9 | 32.3 | 32.4 | 34.4 | 32.6 | 32.7 |
| 1253 | 24.0[6] | 29.2 | 31.6 | 31.2 | 31.7 | 25.2 | 22.7 | 32.6 | 30.9 | 29.5 | 30.3 | 30.0 | 31.1 |
| 1254 | 24.0[6] | 29.2 | 31.6 | 31.2 | 31.7 | 25.2 | 22.7 | 32.6 | 30.9 | 29.5 | 30.3 | 30.0 | 31.1 |
| 1255 | 23.6[6] | 27.3 | 29.8 | 29.1 | 29.8 | 28.3 | 29.7 | 29.6 | 28.9 | 29.5 | 30.4 | 30.7 | 30.6 |
| 1256 | 23.6[6] | 27.3 | 29.8 | 29.1 | 29.8 | 28.3 | 29.7 | 29.6 | 28.9 | 29.5 | 30.4 | 30.7 | 30.6 |
| 1257 | 25.6[6] | 31.1 | 31.1 | 31.7 | 31.7 | 32.4 | 33.1 | 30.9 | 32.4 | 33.4 | 33.9 | 33.4 | 34.2 |
| 1258 | 25.6[6] | 31.1 | 31.1 | 31.7 | 31.7 | 32.4 | 33.1 | 30.9 | 32.4 | 33.4 | 33.9 | 33.4 | 34.2 |
| 1259 | 25.0[6] | 30.1 | 32.3 | 32.6 | 31.9 | 31.9 | 32.9 | 25.9 | 29.0 | 31.1 | 31.3 | 32.4 | 32.6 |
| 1260 | 25.0[6] | 30.1 | 32.3 | 32.6 | 31.9 | 31.9 | 32.9 | 25.9 | 29.0 | 31.1 | 31.3 | 32.4 | 32.6 |
| 1261 | 25.3[6] | 27.5 | 29.6 | 29.9 | 30.2 | 29.4 | 29.2 | 28.6 | 29.7 | 29.8 | 29.9 | 29.0 | 29.4 |
| 1262 | 25.3[6] | 27.5 | 29.6 | 29.9 | 30.2 | 29.4 | 29.2 | 28.6 | 29.7 | 29.8 | 29.9 | 29.0 | 29.4 |
| 1263 | 25.3[6] | 27.6 | 34.7 | 31.4 | 32.1 | 30.4 | 32.1 | 30.5 | 30.6 | 28.9 | 32.2 | 31.4 | 32.6 |
| 1264 | 25.3[6] | 27.6 | 34.7 | 31.4 | 32.1 | 30.4 | 32.1 | 30.5 | 30.6 | 28.9 | 32.2 | 31.4 | 32.6 |
| 1265 | 22.9[6] | 26.5 | 29.5 | 30.4 | 31.1 | 30.6 | 30.6 | 30.0 | 29.9 | 29.8 | 30.9 | 31.5 | 31.0 |

[#]Cage food consumption divided by number of animals per cage
NA - Not Applicable/Not Available
[6]Food consumption calculated using 6 days
[r]Replacement animal
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1266 | 22.9[6] | 26.5 | 29.5 | 30.4 | 31.1 | 30.6 | 30.6 | 30.0 | 29.9 | 29.8 | 30.9 | 31.5 | 31.0 |
| 1267 | 25.8[6] | 30.4 | 32.1 | 33.1 | 31.8 | 32.9 | 32.8 | 34.4 | 32.8 | 32.9 | 35.6 | 33.0 | 34.9 |
| 1268 | 25.8[6] | 30.4 | 32.1 | 33.1 | 31.8 | 32.9 | 32.8 | 34.4 | 32.8 | 32.9 | 35.6 | 33.0 | 34.9 |
| 1269 | 24.1[6] | 30.0 | 31.6 | 31.6 | 31.4 | 29.6 | 30.9 | 30.2 | 30.1 | 29.5 | 32.1 | 31.4 | 32.4 |
| 1270 | 24.1[6] | 30.0 | 31.6 | 31.6 | 31.4 | 29.6 | 30.9 | 30.2 | 30.1 | 29.5 | 32.1 | 31.4 | 32.4 |
| 1271 | 22.4[6] | 26.4 | 29.6 | 29.4 | 29.7 | 28.7 | 27.6 | 27.3 | 28.0 | 29.1 | 29.9 | 29.0 | 29.7 |
| 1272 | 22.4[6] | 26.4 | 29.6 | 29.4 | 29.7 | 28.7 | 27.6 | 27.3 | 28.0 | 29.1 | 29.9 | 29.0 | 29.7 |
| 1273 | 26.3[6] | 31.0 | 32.6 | 31.6 | 35.1 | 31.4 | 31.9 | 31.1 | 30.5 | 30.4 | 31.6 | 30.9 | 31.2 |
| 1274 | 26.3[6] | 31.0 | 32.6 | 31.6 | 35.1 | 31.4 | 31.9 | 31.1 | 30.5 | 30.4 | 31.6 | 30.9 | 31.2 |
| 1275 | 22.4[6] | 27.4 | 28.3 | 28.0 | 28.9 | 26.9 | 26.6 | 26.9 | 27.1 | 27.3 | 27.8 | 28.2 | 27.7 |
| 1276 | 22.4[6] | 27.4 | 28.3 | 28.0 | 28.9 | 26.9 | 26.6 | 26.9 | 27.1 | 27.3 | 27.8 | 28.2 | 27.7 |
| 1277 | 25.5[6] | 24.6 | 31.0 | 30.8 | 31.1 | 30.5 | 31.5 | 30.6 | 30.4 | 31.0 | 30.4 | 33.1 | 33.4 |
| 1278 | 25.5[6] | 24.6 | 31.0 | 30.8 | 31.1 | 30.5 | 31.5 | 30.6 | 30.4 | 31.0 | 30.4 | 33.1 | 33.4 |
| 1279 | 25.0[6] | 29.8 | 32.4 | 33.6 | 33.3 | 31.1 | 33.0 | 30.5 | 31.2 | 30.6 | 32.0 | 31.6 | 33.0 |
| 1280 | 25.0[6] | 29.8 | 32.4 | 33.6 | 33.3 | 31.1 | 33.0 | 30.5 | 31.2 | 30.6 | 32.0 | 31.6 | 33.0 |
| 1281 | 20.8[6] | 24.9 | 27.2 | 29.3 | 29.8 | 28.0 | 28.9 | 27.7 | 27.3 | 27.7 | 29.6 | 27.7 | 28.4 |
| 1282 | 20.8[6] | 24.9 | 27.2 | 29.3 | 29.8 | 28.0 | 28.9 | 27.7 | 27.3 | 27.7 | 29.6 | 27.7 | 28.4 |
| 1283 | 25.6[6] | 28.6 | 29.0 | 29.1 | 30.1 | 29.4 | 30.2 | 29.5 | 29.6 | 31.3 | 31.1 | 29.4 | 30.6 |
| 1284 | 25.6[6] | 28.6 | 29.0 | 29.1 | 30.1 | 29.4 | 30.2 | 29.5 | 29.6 | 31.3 | 31.1 | 29.4 | 30.6 |
| 1285 | 24.2[6] | 27.3 | 29.4 | 29.9 | 31.1 | 29.1 | 30.4 | 29.1 | 29.9 | 30.9 | 31.6 | 30.9 | 32.0 |
| 1286 | 24.2[6] | 27.3 | 29.4 | 29.9 | 31.1 | 29.1 | 30.4 | 29.1 | 29.9 | 30.9 | 31.6 | 30.9 | 32.0 |
| 1287 | 23.6[6] | 28.1 | 30.7 | 30.1 | 31.0 | 28.5 | 30.9 | 28.6 | 29.6 | 29.7 | 31.6 | 30.9 | 31.5 |
| 1288 | 23.6[6] | 28.1 | 30.7 | 30.1 | 31.0 | 28.5 | 30.9 | 28.6 | 29.6 | 29.7 | 31.6 | 30.9 | 31.5 |
| 1289 | 24.7[6] | 28.4 | 30.9 | 31.7 | 33.4 | 32.0 | 30.6 | 30.7 | 31.3 | 31.3 | 31.7 | 32.0 | 32.8 |
| 1290 | 24.7[6] | 28.4 | 30.9 | 31.7 | 33.4 | 32.0 | 30.6 | 30.7 | 31.3 | 31.3 | 31.7 | 32.0 | 32.8 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1291 | 24.8[6] | 26.9 | 31.4 | 31.6 | 30.4 | 29.8 | 30.4 | 28.6 | 28.9 | 30.7 | 31.1 | 30.9 | 31.6 |
| 1292 | 24.8[6] | 26.9 | 31.4 | 31.6 | 30.4 | 29.8 | 30.4 | 28.6 | 28.9 | 30.7 | 31.1 | 30.9 | 31.6 |
| 1293 | 21.7[6] | 25.2 | 27.2 | 26.9 | 27.4 | 27.0 | 28.2 | 28.1 | 27.4 | 25.3 | 28.0 | 28.5 | 29.1 |
| 1294 | 21.7[6] | 25.2 | 27.2 | 26.9 | 27.4 | 27.0 | 28.2 | 28.1 | 27.4 | 25.3 | 28.0 | 28.5 | 29.1 |
| 1295 | 23.8[6] | 26.1 | 29.3 | 30.4 | 31.4 | 29.4 | 29.9 | 30.0 | 29.9 | 29.9 | 31.7 | 31.1 | 31.6 |
| 1296 | 23.8[6] | 26.1 | 29.3 | 30.4 | 31.4 | 29.4 | 29.9 | 30.0 | 29.9 | 29.9 | 31.7 | 31.1 | 31.6 |
| 1297 | 23.2[6] | 26.3 | 27.6 | 27.8 | 28.7 | 28.0 | 29.1 | 25.6 | 28.2 | 29.1 | 29.4 | 28.4 | 29.7 |
| 1298 | 23.2[6] | 26.3 | 27.6 | 27.8 | 28.7 | 28.0 | 29.1 | 25.6 | 28.2 | 29.1 | 29.4 | 28.4 | 29.7 |
| 1299 | 22.8[6] | 26.6 | 28.6 | 29.4 | 29.9 | 29.9 | 30.1 | 27.9 | 30.1 | 28.6 | 28.8 | 28.9 | 29.6 |
| 1300 | 22.8[6] | 26.6 | 28.6 | 29.4 | 29.9 | 29.9 | 30.1 | 27.9 | 30.1 | 28.6 | 28.8 | 28.9 | 29.6 |
| 1301 | 23.9[6] | 30.1 | 31.4 | 32.4 | 33.4 | 32.4 | 32.1 | 32.6 | 32.9 | 32.9 | 34.6 | 33.4 | 33.7 |
| 1302 | 23.9[6] | 30.1 | 31.4 | 32.4 | 33.4 | 32.4 | 32.1 | 32.6 | 32.9 | 32.9 | 34.6 | 33.4 | 33.7 |
| 1303 | 23.3[6] | 27.3 | 27.5 | 28.2 | 27.6 | 26.1 | 26.1 | 25.1 | 25.4 | 26.5 | 26.9 | 26.2 | 26.6 |
| 1304 | 23.3[6] | 27.3 | 27.5 | 28.2 | 27.6 | 26.1 | 26.1 | 25.1 | 25.4 | 26.5 | 26.9 | 26.2 | 26.6 |
| 1305 | 24.1[6] | 27.5 | 29.4 | 28.9 | 30.6 | 28.3 | 30.0 | 27.0 | 28.3 | 28.1 | 29.0 | 28.0 | 29.4 |
| 1306 | 24.1[6] | 27.5 | 29.4 | 28.9 | 30.6 | 28.3 | 30.0 | 27.0 | 28.3 | 28.1 | 29.0 | 28.0 | 29.4 |
| 1307 | 22.7[6] | 27.1 | 29.0 | 29.6 | 31.1 | 30.1 | 30.7 | 31.3 | 30.0 | 31.1 | 30.9 | 31.7 | 32.0 |
| 1308 | 22.7[6] | 27.1 | 29.0 | 29.6 | 31.1 | 30.1 | 30.7 | 31.3 | 30.0 | 31.1 | 30.9 | 31.7 | 32.0 |
| 1309 | 25.3[6] | 29.1 | 31.9 | 31.1 | 33.5 | 30.0 | 32.9 | 24.1 | 31.8 | 32.1 | 32.9 | 31.1 | 35.1 |
| 1310 | 25.3[6] | 29.1 | 31.9 | 31.1 | 33.5 | 30.0 | 32.9 | 24.1 | 31.8 | 32.1 | 32.9 | 31.1 | 35.1 |
| 1311 | 22.8[6] | 25.9 | 28.9 | 28.9 | 30.1 | 27.9 | 29.3 | 32.2 | 40.1 | 30.6 | 28.6 | 29.9 | 30.4 |
| 1312 | 22.8[6] | 25.9 | 28.9 | 28.9 | 30.1 | 27.9 | 29.3 | 32.2 | 40.1 | 30.6 | 28.6 | 29.9 | 30.4 |
| 1313 | 24.6[6] | 27.0 | 30.9 | 28.3 | 29.9 | 26.3 | 27.6 | 26.6 | 32.4 | 27.5 | 32.3 | 27.6 | 28.1 |
| 1314 | 24.6[6] | 27.0 | 30.9 | 28.3 | 29.9 | 26.3 | 27.6 | 26.6 | 32.4 | 27.5 | 32.3 | 27.6 | 28.1 |
| 1315 | 23.0[6] | 26.8 | 27.6 | 27.0 | 29.1 | 27.9 | 28.5 | 27.1 | 28.1 | 27.4 | 29.1 | 22.2 | 20.2 |

#Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1316 | 23.0[6] | 26.8 | 27.6 | 27.0 | 29.1 | 27.9 | 28.5 | 27.1 | 28.1 | 27.4 | 29.1 | 22.2 | 20.2 |
| 1317 | 23.3[6] | 21.1 | 32.7 | 33.6 | 33.4 | 33.6 | 34.6 | 33.6 | 34.7 | 34.2 | 32.4 | 32.7 | 37.1 |
| 1318 | 23.3[6] | 21.1 | 32.7 | 33.6 | 33.4 | 33.6 | 34.6 | 33.6 | 34.7 | 34.2 | 32.4 | 32.7 | 37.1 |
| 1319 | 24.0[6] | 28.9 | 32.4 | 30.1 | 31.1 | 29.4 | 30.9 | 29.8 | 29.6 | 30.5 | 29.4 | 26.6 | 31.9 |
| 1320 | 24.0[6] | 28.9 | 32.4 | 30.1 | 31.1 | 29.4 | 30.9 | 29.8 | 29.6 | 30.5 | 29.4 | 26.6 | 31.9 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1001 | 31.5 | 30.2 | 28.7 | 28.4 | 29.3 | 28.5 | 27.9 | 27.6 | 26.5 | 28.8 | 28.3 | 28.5 | 29.5 |
| 1002 | 31.5 | 30.2 | 28.7 | 28.4 | 29.3 | 28.5 | 27.9 | 27.6 | 26.5 | 28.8 | 28.3 | 28.5 | 29.5 |
| 1003 | 30.4 | 29.8 | 29.3 | 29.0 | 28.8 | 29.5 | 28.9 | 27.6 | 27.8 | 28.9 | 28.8 | 29.0 | 28.7 |
| 1004 | 30.4 | 29.8 | 29.3 | 29.0 | 28.8 | 29.5 | 28.9 | 27.6 | 27.8 | 28.9 | 28.8 | 29.0 | 28.7 |
| 1005 | 32.2 | 35.3 | 35.1 | 32.0 | 33.9 | 33.8 | 33.5 | 33.4 | 26.7 | 31.4 | 33.2 | 34.5 | 35.5 |
| 1006 | 32.2 | 35.3 | 35.1 | 32.0 | 33.9 | 33.8 | 33.5 | 33.4 | 26.7 | 31.4 | 33.2 | 34.5 | 35.5 |
| 1007 | 27.9 | 30.2 | 29.4 | 29.0 | 29.3 | 29.4 | 29.4 | 28.8 | 29.0 | 30.2 | 29.9 | 30.3 | 28.6 |
| 1008 | 27.9 | 30.2 | 29.4 | 29.0 | 29.3 | 29.4 | 29.4 | 28.8 | 29.0 | 30.2 | 29.9 | 30.3 | 28.6 |
| 1009 | 32.6 | 30.4 | 30.3 | 30.5 | 30.5 | 29.9 | 30.4 | 28.4 | 31.3 | 31.5 | 31.8 | 29.0 | 31.4 |
| 1010 | 32.6 | 30.4 | 30.3 | 30.5 | 30.5 | 29.9 | 30.4 | 28.4 | 31.3 | 31.5 | 31.8 | 29.0 | 31.4 |
| 1011 | 30.6 | 30.6 | 31.1 | 31.9 | 31.5 | 31.7 | 31.9 | 31.8 | 31.6 | 32.0 | 31.7 | 31.9 | 30.6 |
| 1012 | 30.6 | 30.6 | 31.1 | 31.9 | 31.5 | 31.7 | 31.9 | 31.8 | 31.6 | 32.0 | 31.7 | 31.9 | 30.6 |
| 1013 | 28.4 | 28.1 | 29.0 | 28.9 | 27.9 | 28.3 | 28.2 | 27.8 | 27.6 | 28.4 | 27.3 | 27.9 | 28.5 |
| 1014 | 28.4 | 28.1 | 29.0 | 28.9 | 27.9 | 28.3 | 28.2 | 27.8 | 27.6 | 28.4 | 27.3 | 27.9 | 28.5 |
| 1015 | 28.6 | 30.4 | 29.4 | 29.1 | 29.0 | 28.0 | 29.0 | 29.8 | 27.5 | 28.1 | 28.2 | 28.3 | 28.4 |
| 1016 | 28.6 | 30.4 | 29.4 | 29.1 | 29.0 | 28.0 | 29.0 | 29.8 | 27.5 | 28.1 | 28.2 | 28.3 | 28.4 |
| 1017 | 31.5 | 32.6 | 30.3 | 30.6 | 30.6 | 30.5 | 31.4 | 31.7 | 31.4 | 31.5 | 31.1 | 30.9 | 30.5 |
| 1018 | 31.5 | 32.6 | 30.3 | 30.6 | 30.6 | 30.5 | 31.4 | 31.7 | 31.4 | 31.5 | 31.1 | 30.9 | 30.5 |
| 1019 | 27.9 | 28.8 | 28.4 | 27.7 | 28.4 | 27.9 | 27.9 | 28.8 | 28.7 | 28.4 | 28.9 | 28.6 | 28.6 |
| 1020 | 27.9 | 28.8 | 28.4 | 27.7 | 28.4 | 27.9 | 27.9 | 28.8 | 28.7 | 28.4 | 28.9 | 28.6 | 28.6 |
| 1021 | 31.1 | 31.9 | 32.3 | 31.2 | 32.6 | 32.1 | 31.1 | 31.1 | 30.6 | 31.1 | 30.9 | 30.3 | 30.7 |
| 1022 | 31.1 | 31.9 | 32.3 | 31.2 | 32.6 | 32.1 | 31.1 | 31.1 | 30.6 | 31.1 | 30.9 | 30.3 | 30.7 |
| 1023 | 27.4 | 27.6 | 28.0 | 26.4 | 27.6 | 27.1 | 26.1 | 26.6 | 26.6 | 27.3 | 27.9 | 27.6 | 27.4 |
| 1024 | 27.4 | 27.6 | 28.0 | 26.4 | 27.6 | 27.1 | 26.1 | 26.6 | 26.6 | 27.3 | 27.9 | 27.6 | 27.4 |
| 1025 | 27.8 | 29.1 | 28.0 | 27.3 | 27.1 | 27.4 | 27.7 | 27.3 | 28.2 | 27.1 | 27.8 | 27.9 | 27.2 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1026 | 27.8 | 29.1 | 28.0 | 27.3 | 27.1 | 27.4 | 27.7 | 27.3 | 28.2 | 27.1 | 27.8 | 27.9 | 27.2 |
| 1027 | 27.1 | 27.8 | 27.7 | 29.0 | 29.1 | 29.7 | 29.5 | 29.2 | 28.6 | 29.9 | 30.1 | 30.8 | 30.2 |
| 1028 | 27.1 | 27.8 | 27.7 | 29.0 | 29.1 | 29.7 | 29.5 | 29.2 | 28.6 | 29.9 | 30.1 | 30.8 | 30.2 |
| 1029 | 29.2 | 29.7 | 29.0 | 29.3 | 30.1 | 30.3 | 30.4 | 29.5 | 30.1 | 30.4 | 29.4 | 31.0 | 30.9 |
| 1030 | 29.2 | 29.7 | 29.0 | 29.3 | 30.1 | 30.3 | 30.4 | 29.5 | 30.1 | 30.4 | 29.4 | 31.0 | 30.9 |
| 1031 | 31.4 | 31.6 | 30.9 | 31.4 | 31.7 | 31.4 | 31.5 | 32.0 | 31.6 | 32.5 | 31.4 | 32.0 | 31.3 |
| 1032 | 31.4 | 31.6 | 30.9 | 31.4 | 31.7 | 31.4 | 31.5 | 32.0 | 31.6 | 32.5 | 31.4 | 32.0 | 31.3 |
| 1033 | 28.5 | 29.4 | 27.8 | 28.7 | 28.9 | 29.1 | 28.3 | 27.3 | 28.2 | 28.6 | 27.1 | 28.1 | 27.6 |
| 1034 | 28.5 | 29.4 | 27.8 | 28.7 | 28.9 | 29.1 | 28.3 | 27.3 | 28.2 | 28.6 | 27.1 | 28.1 | 27.6 |
| 1035 | 30.5 | 29.4 | 29.1 | 30.4 | 29.3 | 27.6 | 29.5 | 28.4 | 28.3 | 26.9 | 27.0 | 30.8 | 29.7 |
| 1036 | 30.5 | 29.4 | 29.1 | 30.4 | 29.3 | 27.6 | 29.5 | 28.4 | 28.3 | 26.9 | 27.0 | 30.8 | 29.7 |
| 1037 | 35.1 | 35.7 | 35.3 | 34.9 | 33.9 | 34.6 | 34.9 | 34.1 | 34.4 | 35.8 | 34.0 | 35.7 | 36.4 |
| 1038 | 35.1 | 35.7 | 35.3 | 34.9 | 33.9 | 34.6 | 34.9 | 34.1 | 34.4 | 35.8 | 34.0 | 35.7 | 36.4 |
| 1039 | 28.6 | 30.1 | 29.3 | 28.8 | 28.8 | 29.5 | 28.6 | 28.8 | 28.3 | 28.3 | 27.6 | 29.8 | 28.4 |
| 1040 | 28.6 | 30.1 | 29.3 | 28.8 | 28.8 | 29.5 | 28.6 | 28.8 | 28.3 | 28.3 | 27.6 | 29.8 | 28.4 |
| 1041 | 30.5 | 29.9 | 29.4 | 28.8 | 29.4 | 28.6 | 27.4 | 27.9 | 27.6 | 28.8 | 26.9 | 28.4 | 28.1 |
| 1042 | 30.5 | 29.9 | 29.4 | 28.8 | 29.4 | 28.6 | 27.4 | 27.9 | 27.6 | 28.8 | 26.9 | 28.4 | 28.1 |
| 1043 | 32.6 | 33.4 | 32.4 | 33.0 | 33.1 | 34.1 | 32.8 | 33.0 | 32.6 | 33.5 | 32.9 | 34.4 | 31.0 |
| 1044 | 32.6 | 33.4 | 32.4 | 33.0 | 33.1 | 34.1 | 32.8 | 33.0 | 32.6 | 33.5 | 32.9 | 34.4 | 31.0 |
| 1045 | 28.6 | 29.8 | 28.4 | 28.4 | 28.9 | 29.3 | 28.7 | 28.5 | 26.8 | 28.7 | 30.8 | 30.6 | 27.2 |
| 1046 | 28.6 | 29.8 | 28.4 | 28.4 | 28.9 | 29.3 | 28.7 | 28.5 | 27.0 | NDC | | | |
| 1047 | 30.9 | 31.9 | 30.5 | 31.5 | 32.0 | 31.1 | 29.8 | 29.7 | 30.3 | 30.4 | 29.9 | 33.1 | 30.8 |
| 1048 | 30.9 | 31.9 | 30.5 | 31.5 | 32.0 | 31.1 | 29.8 | 29.7 | 30.3 | 30.4 | 29.9 | 33.1 | 30.8 |
| 1049 | 26.6 | 27.4 | 26.3 | 25.7 | 25.2 | 27.9 | 26.3 | 26.3 | 26.4 | 12.4[e] | 25.3 | 27.1 | 25.5 |
| 1050 | 26.6 | 27.4 | 26.3 | 25.7 | 25.2 | 27.9 | 26.3 | 26.3 | 26.4 | 12.4[e] | 25.3 | 27.1 | 25.5 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1051 | 30.7 | 31.0 | 29.6 | 30.6 | 30.8 | 30.8 | 29.3 | 30.4 | 29.8 | 27.6 | 28.2 | 31.8 | 31.1 |
| 1052 | 30.7 | 31.0 | 29.6 | 30.6 | 30.8 | 30.8 | 29.3 | 30.4 | 29.8 | 27.6 | 28.2 | 31.8 | 31.1 |
| 1053 | 29.2 | 28.9 | 29.4 | 29.4 | 28.6 | 29.4 | 28.9 | 29.0 | 29.5 | 30.3 | 28.6 | 30.0 | 27.4 |
| 1054 | 29.2 | 28.9 | 29.4 | 29.4 | 28.6 | 29.4 | 28.9 | 29.0 | 29.5 | 30.3 | 28.6 | 30.0 | 27.4 |
| 1055 | 30.4 | 30.9 | 30.9 | 31.7 | 30.5 | 32.9 | 30.2 | 30.5 | 30.6 | 33.1 | 32.1 | 32.0 | 32.7 |
| 1056 | 30.4 | 30.9 | 30.9 | 31.7 | 30.5 | 32.9 | 30.2 | 30.5 | 30.6 | 33.1 | 32.1 | 32.0 | 32.7 |
| 1057 | 27.9 | 28.5 | 27.6 | 27.6 | 28.5 | 29.0 | 28.0 | 28.1 | 27.5 | 28.5 | 27.3 | 29.2 | 26.7 |
| 1058 | 27.9 | 28.5 | 27.6 | 27.6 | 28.5 | 29.0 | 28.0 | 28.1 | 27.5 | 28.5 | 27.3 | 29.2 | 26.7 |
| 1059 | 31.2 | 33.0 | 31.7 | 32.1 | 31.9 | 32.3 | 32.2 | 32.6 | 28.8[e] | NDC | | | |
| 1060 | 31.2 | 33.0 | 31.7 | 32.1 | 31.9 | 32.3 | 32.2 | 32.6 | 31.3 | 37.2 | 34.7 | 37.3 | 37.2 |
| 1061 | 29.4 | 28.6 | 27.6 | 27.7 | 28.9 | 28.7 | 28.7 | 28.2 | 29.4 | 29.3 | 27.9 | 29.6 | 29.3 |
| 1062 | 29.4 | 28.6 | 27.6 | 27.7 | 28.9 | 28.7 | 28.7 | 28.2 | 29.4 | 29.3 | 27.9 | 29.6 | 29.3 |
| 1063 | 27.7 | 29.9 | 28.4 | 29.2 | 30.6 | 28.8 | 28.5 | 28.7 | 29.3 | 29.7 | 29.2 | 30.7 | 30.7 |
| 1064[r] | 27.7 | 29.9 | 28.4 | 29.2 | 30.6 | 28.8 | 28.5 | 28.7 | 29.3 | 29.7 | 29.2 | 30.7 | 30.7 |
| 1065 | 32.5 | 33.2 | 33.5 | 32.4 | 31.9 | 33.7 | 33.4 | 32.6 | 32.7 | 31.1 | 31.3 | 33.6 | 31.1 |
| 1066 | 32.5 | 33.2 | 33.5 | 32.4 | 31.9 | 33.7 | 33.4 | 32.6 | 32.7 | 31.1 | 31.3 | 33.6 | 31.1 |
| 1067 | 28.9 | 28.9 | 28.5 | 28.8 | 28.9 | 28.4 | 29.5 | 27.9[e] | 28.4 | 27.7 | 27.7 | 29.8 | 28.5 |
| 1068 | 28.9 | 28.9 | 28.5 | 28.8 | 28.9 | 28.4 | 29.5 | 27.9[e] | 28.4 | 27.7 | 27.7 | 29.8 | 28.5 |
| 1069 | 30.7 | 32.1 | 31.6 | 32.8 | 31.4 | 32.2 | 32.8 | 33.7 | 32.4 | 33.9 | 32.9 | 33.7 | 33.6 |
| 1070 | 30.7 | 32.1 | 31.6 | 32.8 | 31.4 | 32.2 | 32.8 | 33.7 | 32.4 | 33.9 | 32.9 | 33.7 | 33.6 |
| 1071 | 29.8 | 31.4 | 31.5 | 30.6 | 31.8 | 31.4 | 32.2 | 31.6 | 31.9 | 31.9 | 29.5 | 31.8 | 32.0 |
| 1072 | 29.8 | 31.4 | 31.5 | 30.6 | 31.8 | 31.4 | 32.2 | 31.6 | 31.9 | 31.9 | 29.5 | 31.8 | 32.0 |
| 1073 | 30.6 | 32.2 | 31.8 | 32.1 | 31.6 | 31.9 | 32.3 | 32.5 | 31.5 | 30.9 | 31.1 | 30.5 | 31.8 |
| 1074 | 30.6 | 32.2 | 31.8 | 32.1 | 31.6 | 31.9 | 32.3 | 32.5 | 31.5 | 30.9 | 31.1 | 30.5 | 31.8 |
| 1075 | 26.1 | 27.1 | 21.0 | 27.8 | 23.6 | 26.2 | 25.3 | 26.2 | 26.1 | 26.4 | 25.1 | 27.0 | 26.3 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1076 | 26.1 | 27.1 | 21.0 | 27.8 | 23.6 | 26.2 | 25.3 | 26.2 | 26.1 | 26.4 | 25.1 | 27.0 | 26.3 |
| 1077 | 28.5 | 29.1 | 29.0 | 29.0 | 29.4e | 28.4 | 27.8 | 29.1 | 28.1 | 28.3 | 26.2 | 29.1 | 28.4 |
| 1078 | 28.5 | 29.1 | 29.0 | 29.0 | 29.4e | 28.4 | 27.8 | 29.1 | 28.1 | 28.3 | 26.2 | 29.1 | 28.4 |
| 1079 | 30.6 | 31.1 | 30.3 | 30.3 | 31.6 | 30.2 | 30.4 | 31.7 | 30.6 | 31.3 | 30.6 | 31.7 | 32.5 |
| 1080 | 30.6 | 31.1 | 30.3 | 30.3 | 31.6 | 30.2 | 30.4 | 31.7 | 30.6 | 31.3 | 30.6 | 31.7 | 32.5 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1081 | 27.9 | 29.1 | 28.1 | 29.9 | 30.5 | 29.5 | 27.7 | 29.3 | 30.0 | 30.7 | 31.1 | 30.6 | 29.5 |
| 1082 | 27.9 | 29.1 | 28.1 | 29.9 | 30.5 | 29.5 | 27.7 | 29.3 | 30.0 | 30.7 | 31.1 | 30.6 | 29.5 |
| 1083 | 34.4 | 34.4 | 35.7 | 33.5 | 33.1 | 34.0 | 33.6 | 32.6 | 33.1 | 33.5 | 33.9 | 34.5 | 33.6 |
| 1084 | 34.4 | 34.4 | 35.7 | 33.5 | 33.1 | 34.0 | 33.6 | 32.6 | 33.1 | 33.5 | 33.9 | 34.5 | 33.6 |
| 1085 | 29.7 | 31.3 | 29.1 | 29.0 | 28.3 | 28.0 | 26.3 | 26.9 | 27.7 | 28.8 | 28.9 | 29.5 | 29.2 |
| 1086 | 29.7 | 31.3 | 29.1 | 29.0 | 28.3 | 28.0 | 26.3 | 26.9 | 27.7 | 28.8 | 28.9 | 29.5 | 29.2 |
| 1087 | 25.4 | 26.6 | 26.1 | 26.3 | 26.0 | 25.9 | 25.8 | 25.4 | 25.6 | 26.0 | 26.5 | 26.9 | 26.5 |
| 1088 | 25.4 | 26.6 | 26.1 | 26.3 | 26.0 | 25.9 | 25.8 | 25.4 | 25.6 | 26.0 | 26.5 | 26.9 | 26.5 |
| 1089 | 29.3 | 31.8 | 30.1 | 29.9 | 30.0 | 29.5 | 29.5 | 29.0 | 29.1 | 29.3 | 29.9 | 30.5 | 31.3 |
| 1090 | 29.3 | 31.8 | 30.1 | 29.9 | 30.0 | 29.5 | 29.5 | 29.0 | 29.1 | 29.3 | 29.9 | 30.5 | 31.3 |
| 1091 | 31.7 | 32.0 | 30.0 | 29.1 | 28.4 | 29.7 | 28.8 | 31.1 | 30.4 | 30.8 | 29.9 | 27.9 | 26.8 |
| 1092 | 31.7 | 32.0 | 30.0 | 29.1 | 28.4 | 29.7 | 28.8 | 31.1 | 30.4 | 30.8 | 29.9 | 27.9 | 26.8 |
| 1093 | 29.7 | 30.1 | 29.0 | 28.6 | 28.7[e] | 28.6 | 27.0 | 27.6 | 27.7 | 27.9 | 28.3 | 27.3 | 26.7 |
| 1094 | 29.7 | 30.1 | 29.0 | 28.6 | 28.7[e] | 28.6 | 27.0 | 27.6 | 27.7 | 27.9 | 28.3 | 27.3 | 26.7 |
| 1095 | 29.8 | 31.1 | 30.4 | 30.2 | 31.2[e] | 31.4 | 28.4 | 29.3 | 32.1 | 31.9 | 31.6 | 32.1 | 31.5 |
| 1096 | 29.8 | 31.1 | 30.4 | 30.2 | 31.2[e] | 31.4 | 28.4 | 29.3 | 32.1 | 31.9 | 31.6 | 32.1 | 31.5 |
| 1097 | 31.1 | 33.0 | 31.1 | 30.5 | 32.7[e] | 32.3 | 31.3 | 32.0 | 31.9 | 31.9 | 31.7 | 31.8 | 32.1 |
| 1098 | 31.1 | 33.0 | 31.1 | 30.5 | 32.7[e] | 32.3 | 31.3 | 32.0 | 31.9 | 31.9 | 31.7 | 31.8 | 32.1 |
| 1099 | 27.9 | 27.6 | 28.4 | 27.2 | 28.9[e] | 28.4 | 26.8 | 28.3 | 27.9 | 28.2 | 28.5 | 27.5 | 28.4 |
| 1100 | 27.9 | 27.6 | 28.4 | 27.2 | 28.9[e] | 28.4 | 26.8 | 28.3 | 27.9 | 28.2 | 28.5 | 27.5 | 28.4 |
| 1101 | 27.2 | 27.4 | 26.8 | 26.2 | 26.8 | 26.6 | 25.9 | 26.2 | 26.0 | 24.9 | 25.5 | 26.8 | 25.0 |
| 1102 | 27.2 | 27.4 | 26.8 | 26.2 | 26.8 | 26.6 | 25.9 | 26.2 | 26.0 | 24.9 | 25.5 | 26.8 | 25.0 |
| 1103 | 29.1 | 30.3 | 30.1 | 29.9 | 29.7 | NDC | | | | | | | |
| 1104 | 29.1 | 30.3 | 30.1 | 29.9 | 29.6 | 28.7 | 29.5 | 31.2 | 30.7 | 30.8 | 30.9 | 30.5 | 29.9 |
| 1105 | 30.4 | 31.3 | 30.9 | 30.8 | 30.3 | 30.9 | 30.6 | 31.4 | 30.9 | 31.1 | 32.0 | 32.6 | 31.9 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1106 | 30.4 | 31.3 | 30.9 | 30.8 | 30.3 | 30.9 | 30.6 | 31.4 | 30.9 | 31.1 | 32.0 | 32.6 | 31.9 |
| 1107 | 27.5 | 28.3 | 27.9 | 28.0 | 27.4 | 31.8 | 28.9 | 25.6 | 26.8 | 27.2 | 28.0 | 31.0 | 25.1 |
| 1108 | 27.5 | 28.3 | 27.9 | 28.0 | 27.4 | 31.8 | 28.9 | 25.6 | 26.8 | 27.2 | 28.0 | 31.0 | 25.1 |
| 1109 | 30.1 | 30.9 | 30.3 | 29.5 | 29.7[e] | 29.5 | 28.5 | 30.0 | 30.0 | 29.2 | 30.0 | 30.0 | 29.7 |
| 1110 | 30.1 | 30.9 | 30.3 | 29.5 | 29.7[e] | 29.5 | 28.5 | 30.0 | 30.0 | 29.2 | 30.0 | 30.0 | 29.7 |
| 1111 | 30.0 | 32.2 | 32.6 | 31.3 | 31.8 | 31.8 | 24.2 | 31.5 | 39.4 | 33.4 | 34.9[e] | 40.7 | 32.7 |
| 1112 | 30.0 | 32.2 | 32.6 | 31.3 | 31.8 | 31.8 | 24.2 | 31.5 | 39.4 | 33.4 | 34.9[e] | 40.7 | 32.7 |
| 1113 | 29.9 | 31.0 | 30.8 | 29.8 | 30.7[e] | 30.5 | 29.5 | 31.1 | 31.2 | 31.7 | 30.0 | 30.7 | 30.6 |
| 1114 | 29.9 | 31.0 | 30.8 | 29.8 | 30.7[e] | 30.5 | 29.5 | 31.1 | 31.2 | 31.7 | 30.0 | 30.7 | 30.6 |
| 1115 | 29.9 | 32.0 | 30.0 | 30.4 | 31.3 | 31.5 | 31.0 | 30.8 | 31.4 | 30.6 | 30.6 | 30.4 | 30.2 |
| 1117 | 33.4 | 33.7 | 33.4 | 33.1 | 32.6 | 31.8 | 30.9 | 32.1 | 32.4 | 32.9 | 33.1 | 33.3 | 34.0 |
| 1118 | 33.4 | 33.7 | 33.4 | 33.1 | 32.6 | 31.8 | 30.9 | 32.1 | 32.4 | 32.9 | 33.1 | 33.3 | 34.0 |
| 1119 | 27.4 | 27.4 | 28.1 | 26.9 | 28.8[e] | 28.5 | 28.1 | 28.6 | 28.6 | 28.9 | 29.1 | 29.1 | 28.7 |
| 1120 | 27.4 | 27.4 | 28.1 | 26.9 | 28.8[e] | 28.5 | 28.1 | 28.6 | 28.6 | 28.9 | 29.1 | 29.1 | 28.7 |
| 1121 | 30.0 | 30.2 | 30.4 | 29.7 | 31.0[e] | 29.5 | 29.3 | 31.6 | 31.5 | 31.5 | 31.6 | 31.5 | 32.0 |
| 1122 | 30.0 | 30.2 | 30.4 | 29.7 | 31.0[e] | 29.5 | 29.3 | 31.6 | 31.5 | 31.5 | 31.6 | 31.5 | 32.0 |
| 1123 | 28.6 | 28.6 | 28.4 | 28.4 | 30.5[e] | 29.8 | 29.3 | 29.9 | 30.0 | 30.3 | 29.6 | 30.5 | 31.1 |
| 1124 | 28.6 | 28.6 | 28.4 | 28.4 | 30.5[e] | 29.8 | 29.3 | 29.9 | 30.0 | 30.3 | 29.6 | 30.5 | 31.1 |
| 1125 | 32.4 | 31.6 | 31.1 | 30.7 | 32.8[e] | 30.3 | 30.1 | 30.8 | 31.0 | 31.1 | 32.8 | 31.9 | 31.5 |
| 1126 | 32.4 | 31.6 | 31.1 | 30.7 | 32.8[e] | 30.3 | 30.1 | 30.8 | 31.0 | 31.1 | 32.8 | 31.9 | 31.5 |
| 1127 | 28.6 | 28.1 | 28.5 | 28.9 | 29.0[e] | 29.4 | 29.4 | 29.3 | 28.4 | 28.4 | 28.6 | 28.7 | 29.3 |
| 1128 | 28.6 | 28.1 | 28.5 | 28.9 | 29.0[e] | 29.4 | 29.4 | 29.3 | 28.4 | 28.4 | 28.6 | 28.7 | 29.3 |
| 1129 | 31.8 | 33.2 | 32.3 | 31.7 | 32.6[e] | 33.1 | 32.5 | 32.4 | 24.8 | 31.4 | 35.9[e] | 33.5 | 32.6 |
| 1130 | 31.8 | 33.2 | 32.3 | 31.7 | 32.6[e] | 33.1 | 32.5 | 32.4 | 24.8 | 31.4 | 35.9[e] | 33.5 | 32.6 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1131 | 29.1 | 29.4 | 29.5 | 29.9 | 29.1 | 28.4 | 27.1 | 27.6 | 27.6 | 28.0 | 29.5e | 28.7 | 28.1 |
| 1132 | 29.1 | 29.4 | 29.5 | 29.9 | 29.1 | 28.4 | 27.1 | 27.6 | 27.6 | 28.0 | 29.5e | 28.7 | 28.1 |
| 1133 | 27.9 | 29.0 | 28.4 | 28.2 | 28.8 | 28.0 | 26.9 | 27.5 | 27.6 | 27.1 | 27.7 | 27.1 | 25.6 |
| 1134 | 27.9 | 29.0 | 28.4 | 28.2 | 28.8 | 28.0 | 26.9 | 27.5 | 27.6 | 27.1 | 27.7 | 27.1 | 25.6 |
| 1135 | 31.7 | 32.1 | 31.9 | 32.1 | 33.4e | 31.6 | 31.6 | 32.0 | 31.7 | 32.4 | 30.5 | 31.8 | 32.0 |
| 1136 | 31.7 | 32.1 | 31.9 | 32.1 | 33.4e | 31.6 | 31.6 | 32.0 | 31.7 | 32.4 | 30.5 | 31.8 | 32.0 |
| 1137 | 28.5 | 29.3 | 28.4 | 29.6 | 30.2 | 29.5 | 28.6 | 28.9 | 29.0 | 30.5 | 30.9 | 27.1 | 26.5 |
| 1138 | 28.5 | 29.3 | 28.4 | 29.6 | 30.2 | 29.5 | 28.6 | 28.9 | 29.0 | 30.5 | 30.9 | 27.1 | 26.5 |
| 1139 | 19.3e | NDC | | | | | | | | | | | |
| 1140 | 23.2 | 24.6 | 27.4 | 26.2 | 27.4 | 27.1 | 27.6 | 27.8 | 26.7 | 28.6 | 28.6 | 27.7 | 27.6 |
| 1141 | 28.3 | 28.6 | 27.3 | 25.6 | 26.1e | 26.9 | 26.1 | 26.8 | 25.9 | 24.5 | 23.9 | 26.9 | 26.2 |
| 1142 | 28.3 | 28.6 | 27.3 | 25.6 | 26.1e | 26.9 | 26.1 | 26.8 | 25.9 | 24.5 | 23.9 | 26.9 | 26.2 |
| 1143 | 31.6 | 32.6 | 31.2 | 30.9 | 32.0e | 30.6 | 30.2 | 31.8 | 30.4 | 30.5 | 30.9 | 30.7 | 31.1 |
| 1144 | 31.6 | 32.6 | 31.2 | 30.9 | 32.0e | 30.6 | 30.2 | 31.8 | 30.4 | 30.5 | 30.9 | 30.7 | 31.1 |
| 1145 | 30.9 | 31.3 | 29.8 | 30.4 | 30.7e | 29.6 | 29.0 | 29.6 | 29.6 | 30.4 | 30.0 | 31.6 | 29.5 |
| 1146 | 30.9 | 31.3 | 29.8 | 30.4 | 30.7e | 29.6 | 29.0 | 29.6 | 29.6 | 30.4 | 30.0 | 31.6 | 29.5 |
| 1147 | 29.8 | 30.6 | 30.2 | 29.2 | 30.1e | 30.6 | 28.0 | 28.8 | 29.4 | 30.1 | 30.5 | 30.6 | 31.0 |
| 1148 | 29.8 | 30.6 | 30.2 | 29.2 | 30.1e | 30.6 | 28.0 | 28.8 | 29.4 | 30.1 | 30.5 | 30.6 | 31.0 |
| 1149 | 28.4 | 28.3 | 24.7 | 28.1 | 29.3e | 27.8 | 26.2 | 27.4 | 27.0 | 26.9 | 27.3 | 26.9 | 26.8 |
| 1150 | 28.4 | 28.3 | 24.7 | 28.1 | 29.3e | 27.8 | 26.2 | 27.4 | 27.0 | 26.9 | 27.3 | 26.9 | 26.8 |
| 1151 | 33.0 | 33.9 | 33.6 | 32.7 | 33.9e | 33.2 | 33.0 | 33.3 | 34.1 | 33.4 | 33.6 | 33.1 | 34.3 |
| 1152 | 33.0 | 33.9 | 33.6 | 32.7 | 33.9e | 33.2 | 33.0 | 33.3 | 34.1 | 33.4 | 33.6 | 33.1 | 34.3 |
| 1153 | 33.5 | 33.9 | 32.7 | 31.9 | 32.9 | 32.5 | 31.9 | 32.7 | 31.8 | 32.2 | 31.3 | 31.8 | 31.0 |
| 1154 | 33.5 | 33.9 | 32.7 | 31.9 | 32.9 | 32.5 | 31.9 | 32.7 | 31.8 | 32.2 | 31.3 | 31.8 | 31.0 |
| 1155 | 26.9 | 26.9 | 27.1 | 26.8 | 26.9 | 27.3 | 27.0 | 26.6 | 26.6 | 27.0 | 28.1 | 28.0 | 27.9 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1156 | 26.9 | 26.9 | 27.1 | 26.8 | 26.9 | 27.3 | 27.0 | 26.6 | 26.6 | 27.0 | 28.1 | 28.0 | 28.3 |
| 1157 | 31.6 | 32.0 | 31.8 | 31.4 | 32.3e | 31.3 | 31.0 | 30.4 | 31.1 | 31.1 | 30.1 | 32.1 | 31.7 |
| 1158 | 31.6 | 32.0 | 31.8 | 31.4 | 32.3e | 31.3 | 31.0 | 30.4 | 31.1 | 31.1 | 30.1 | 32.1 | 31.7 |
| 1159 | 29.3 | 30.5 | 29.9 | 30.9 | 30.4 | 29.9 | 29.4 | 29.8 | 30.0 | 30.0 | 30.6 | 27.1 | 27.0 |
| 1160 | 29.3 | 30.5 | 29.9 | 30.9 | 30.4 | 29.9 | 29.4 | 29.8 | 30.0 | 30.0 | 30.6 | 27.1 | 27.0 |

#Cage food consumption divided by number of animals per cage

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1161 | 28.9 | 27.9 | 27.5 | 27.1 | 27.0 | 27.7 | 27.5 | 26.8 | 26.5 | 28.8 | 28.6 | 27.9 | 28.7 |
| 1162 | 28.9 | 27.9 | 27.5 | 27.1 | 27.0 | 27.7 | 27.5 | 26.8 | 26.5 | 28.8 | 28.6 | 27.9 | 28.7 |
| 1163 | 29.9 | 26.7 | 28.6 | 28.4 | 30.0 | 29.2 | 28.6 | 28.0 | 27.8 | 29.5 | 33.6 | 28.9 | 29.0 |
| 1164 | 29.9 | 26.7 | 28.6 | 28.4 | 30.0 | 29.2 | 28.6 | 28.0 | 27.8 | 29.5 | 33.6 | 28.9 | 29.0 |
| 1165 | 29.4 | 27.8 | 28.1 | 27.6 | 28.1 | 27.2 | 27.4 | 25.8 | 26.8 | 28.5 | 27.6 | 27.9 | 28.8 |
| 1166 | 29.4 | 27.8 | 28.1 | 27.6 | 28.1 | 27.2 | 27.4 | 25.8 | 26.8 | 28.5 | 27.6 | 27.9 | 28.8 |
| 1167 | 30.2 | 29.6 | 30.5 | 29.1 | 29.8 | 29.1 | 28.3 | 27.0 | 28.3 | 30.2 | 30.4 | 29.9 | 30.5 |
| 1168 | 30.2 | 29.6 | 30.5 | 29.1 | 29.8 | 29.1 | 28.3 | 27.0 | 28.3 | 30.2 | 30.4 | 29.9 | 30.5 |
| 1169 | 30.3 | 27.4 | 26.7 | 26.0 | 27.6 | 27.2 | 27.0 | 26.3 | 26.6 | 27.5 | 27.0 | 27.2 | 28.2 |
| 1170 | 30.3 | 27.4 | 26.7 | 26.0 | 27.6 | 27.2 | 27.0 | 26.3 | 26.6 | 27.5 | 27.0 | 27.2 | 28.2 |
| 1171 | 32.8 | 32.6 | 31.6 | 32.3 | 32.7 | 30.0 | 30.6 | 31.4 | 30.4 | 30.7 | 30.9 | 31.0 | 30.8 |
| 1172 | 32.8 | 32.6 | 31.6 | 32.3 | 32.7 | 30.0 | 30.6 | 31.4 | 30.4 | 30.7 | 30.9 | 31.0 | 30.8 |
| 1173 | 30.2 | 28.9 | 29.3 | 28.0 | 30.1 | 29.4 | 28.2 | 29.0 | 29.0 | 28.6 | 29.0 | 29.3 | 29.7 |
| 1174 | 30.2 | 28.9 | 29.3 | 28.0 | 30.1 | 29.4 | 28.2 | 29.0 | 29.0 | 28.6 | 29.0 | 29.3 | 29.7 |
| 1175 | 33.9 | 31.4 | 30.2 | 31.9 | 32.3 | 32.4 | 31.7 | 32.5 | 31.7 | 32.2 | 31.9 | 31.0 | 31.6 |
| 1176 | 33.9 | 31.4 | 30.2 | 31.9 | 32.3 | 32.4 | 31.7 | 32.5 | 31.7 | 32.2 | 31.9 | 31.0 | 31.6 |
| 1177 | 28.6 | 29.1 | 28.8 | 29.2 | 29.9 | 29.4 | 28.4 | 28.6 | 28.7 | 29.6 | 32.1 | 31.5 | 29.8 |
| 1178 | 28.6 | 29.1 | 28.8 | 29.2 | 29.9 | 29.4 | 28.4 | 28.6 | 28.7 | 29.6 | 32.1 | 31.5 | 29.8 |
| 1179 | 31.7 | 31.4 | 32.3 | 31.3 | 32.4 | 31.0 | 31.3 | 30.3 | 30.0 | 30.7 | 32.4 | 32.4 | 33.1 |
| 1180 | 31.7 | 31.4 | 32.3 | 31.3 | 32.4 | 31.0 | 31.3 | 30.3 | 30.0 | 30.7 | 32.4 | 32.4 | 33.1 |
| 1181 | 27.4 | 26.9 | 25.3 | 25.3 | 26.9 | 26.4 | 26.4 | 26.1 | 25.8 | 26.3 | 27.1 | 22.8 | 22.6 |
| 1182 | 27.4 | 26.9 | 25.3 | 25.3 | 26.9 | 26.4 | 26.4 | 26.1 | 25.8 | 26.3 | 27.1 | 22.8 | 22.6 |
| 1183 | 30.3 | 29.9 | 30.8 | 30.0 | 30.4 | 30.0 | 30.8 | 31.6 | 31.6 | 31.8 | 31.0 | 30.1 | 32.6 |
| 1184 | 30.3 | 29.9 | 30.8 | 30.0 | 30.4 | 30.0 | 30.8 | 31.6 | 31.6 | 31.8 | 31.0 | 30.1 | 32.6 |
| 1185 | 29.4 | 28.8 | 27.5 | 27.1 | 27.7 | 28.0 | 27.7 | 27.4 | 28.6 | 27.5 | 28.1 | 27.2 | 28.1 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1186 | 29.4 | 28.8 | 27.5 | 27.1 | 27.7 | 28.0 | 27.7 | 27.4 | 28.6 | 27.5 | 28.1 | 27.2 | 28.1 |
| 1187 | 32.3 | 32.0 | 31.7 | 31.7 | 32.0 | 33.1 | 33.4 | 35.0 | 33.5 | 34.1 | 35.0 | 33.4 | 34.8 |
| 1188 | 32.3 | 32.0 | 31.7 | 31.7 | 32.0 | 33.1 | 33.4 | 35.0 | 33.5 | 34.1 | 35.0 | 33.4 | 34.8 |
| 1189 | 33.4 | 33.0 | 32.0 | 32.8 | 31.3 | 32.4 | 30.5 | 34.3 | 33.2 | 31.9 | 29.8 | 32.0 | 31.6 |
| 1190 | 33.4 | 33.0 | 32.0 | 32.8 | 31.3 | 32.4 | 30.5 | 34.3 | 33.2 | 31.9 | 29.8 | 32.0 | 29.8[e] |
| 1191 | 25.4 | 25.0 | 25.4 | 24.5 | 25.2 | 24.8 | 25.1 | 25.0 | 24.8 | 25.5 | 25.8 | 25.5 | 23.9 |
| 1192 | 25.4 | 25.0 | 25.4 | 24.5 | 25.2 | 24.8 | 25.1 | 25.0 | 24.8 | 25.5 | 25.8 | 25.5 | 23.9 |
| 1193 | 27.6 | 26.9 | 27.4 | 26.9 | 26.8 | 27.1 | 27.3 | 27.4 | 27.5 | 26.9 | 28.6 | 26.7 | 27.5 |
| 1194 | 27.6 | 26.9 | 27.4 | 26.9 | 26.8 | 27.1 | 27.3 | 27.4 | 27.5 | 26.9 | 28.6 | 26.7 | 27.5 |
| 1195 | 30.6 | 30.4 | 31.1 | 29.3 | 30.1 | 29.1 | 29.5 | 30.9 | 30.5 | 30.5 | 32.0 | 30.2 | 30.0 |
| 1196 | 30.6 | 30.4 | 31.1 | 29.3 | 30.1 | 29.1 | 29.5 | 30.9 | 30.5 | 30.5 | 32.0 | 30.2 | 30.0 |
| 1197 | 29.3 | 29.2 | 29.8 | 29.9 | 30.2 | 30.8 | 29.5 | 31.0 | 30.5 | 30.9 | 30.9 | 30.1 | 31.5 |
| 1198 | 29.3 | 29.2 | 29.8 | 29.9 | 30.2 | 30.8 | 29.5 | 31.0 | 30.5 | 30.9 | 30.9 | 30.1 | 31.5 |
| 1199 | 30.7 | 48.4[e] | 25.7 | 27.3 | 28.3 | 29.8 | 30.9 | 34.3 | 40.4[e] | 25.5 | 28.1 | 30.1[e] | 30.4 |
| 1200 | 30.7 | 48.4[e] | 25.7 | 27.3 | 28.3 | 29.8 | 30.9 | 34.3 | 40.4[e] | 25.5 | 28.1 | 30.1[e] | 30.4 |
| 1201 | 32.4 | 32.4 | 31.1 | 30.5 | 31.0 | 31.5 | 30.5 | 30.8 | 31.5 | 30.9 | 31.6 | 31.1 | 33.0 |
| 1202 | 32.4 | 32.4 | 31.1 | 30.5 | 31.0 | 31.5 | 30.5 | 30.8 | 31.5 | 30.9 | 31.6 | 31.1 | 33.0 |
| 1203 | 29.5 | 28.4 | 28.5 | 28.5 | 28.8 | 27.5 | 26.8 | 28.8 | 28.8 | 28.1 | 30.0 | 27.5 | 28.8 |
| 1204 | 29.5 | 28.4 | 28.5 | 28.5 | 28.8 | 27.5 | 26.8 | 28.8 | 28.8 | 28.1 | 30.0 | 27.5 | 28.8 |
| 1205 | 30.1 | 30.6 | 30.6 | 29.6 | 31.4 | 31.2 | 30.5 | 31.4 | 31.2 | 30.7 | 32.6 | 31.8 | 31.5 |
| 1206 | 30.1 | 30.6 | 30.6 | 29.6 | 31.4 | 31.2 | 30.5 | 31.4 | 31.2 | 30.7 | 32.6 | 31.8 | 31.5 |
| 1207 | 29.2 | 28.9 | 30.0 | 28.6 | 29.1 | 34.0 | 34.2 | 33.6 | 33.7 | 31.4[e] | NDC | | |
| 1208 | 29.2 | 28.9 | 30.0 | 28.6 | 29.1 | 34.0 | 34.2 | 33.6 | 33.7 | 28.0 | 30.9 | 29.4 | 25.2 |
| 1209 | 36.3 | 34.6 | 34.3 | 34.6 | 34.3 | 34.6 | 33.4 | 34.2 | 28.4 | 33.8 | 33.6 | 35.2 | 34.9 |
| 1210 | 36.3 | 34.6 | 34.3 | 34.6 | 34.3 | 34.6 | 33.4 | 34.2 | 28.4 | 33.8 | 33.6 | 35.2 | 34.9 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1211 | 31.7 | 31.9 | 33.2 | 31.8 | 32.3 | 33.1 | 32.5 | 33.4 | 30.5 | 32.8 | 32.0e | 33.4 | 33.0 |
| 1212 | 31.7 | 31.9 | 33.2 | 31.8 | 32.3 | 33.1 | 32.5 | 33.4 | 30.5 | 32.8 | 32.0e | 33.4 | 33.0 |
| 1213 | 27.5 | 27.6 | 26.9 | 27.2 | 27.1 | 27.0 | 26.8 | 27.3 | 27.5 | 26.9 | 29.5 | 28.7 | 28.9 |
| 1214 | 27.5 | 27.6 | 26.9 | 27.2 | 27.1 | 27.0 | 26.8 | 27.3 | 27.5 | 26.9 | 29.5 | 28.7 | 28.9 |
| 1215 | 30.0 | 31.4 | 31.5 | 30.4 | 30.7 | 30.9 | 29.7 | 32.1 | 31.6 | 30.9 | 33.1 | 30.7 | 30.7 |
| 1216 | 30.0 | 31.4 | 31.5 | 30.4 | 30.7 | 30.9 | 29.7 | 32.1 | 31.6 | 30.9 | 33.1 | 30.7 | 30.7 |
| 1217 | 31.9 | 32.1 | 32.3 | 32.7 | 31.7 | 31.6 | 30.6 | 32.5 | 32.6 | 31.4 | 33.5 | 32.0 | 32.4 |
| 1218 | 31.9 | 32.1 | 32.3 | 32.7 | 31.7 | 31.6 | 30.6 | 32.5 | 32.6 | 31.4 | 33.5 | 32.0 | 32.4 |
| 1219 | 30.5 | 30.6 | 31.0 | 30.4 | 30.6 | 29.8 | 29.9 | 30.4 | 31.3 | 33.6 | 32.3 | 31.3 | 31.5 |
| 1220 | 30.5 | 30.6 | 31.0 | 30.4 | 30.6 | 29.8 | 29.9 | 30.4 | 31.3 | 33.6 | 32.3 | 31.3 | 31.5 |
| 1221 | 27.3 | 27.1 | 27.6 | 27.4 | 27.9 | 26.8 | 27.2 | 27.2 | 27.9 | 27.0 | 28.8 | 28.5 | 28.8 |
| 1222 | 27.3 | 27.1 | 27.6 | 27.4 | 27.9 | 26.8 | 27.2 | 27.2 | 27.9 | 27.0 | 28.8 | 28.5 | 28.8 |
| 1223 | 25.8 | 26.0 | 26.4 | 25.5 | 26.0 | 25.7 | 24.9 | 26.4 | 26.0 | 24.4 | 26.5 | 23.2 | 25.8 |
| 1224 | 25.8 | 26.0 | 26.4 | 25.5 | 26.0 | 25.7 | 24.9 | 26.4 | 26.0 | 24.4 | 26.5 | 23.2 | 25.8 |
| 1225 | 29.8 | 30.0 | 30.2 | 29.1 | 29.3 | 30.3 | 28.6 | 25.2 | 29.6 | 28.1 | 29.2 | 29.1 | 29.8 |
| 1226 | 29.8 | 30.0 | 30.2 | 29.1 | 29.3 | 30.3 | 28.6 | 25.2 | 29.6 | 28.1 | 29.2 | 29.1 | 29.8 |
| 1227 | 27.7 | 27.8 | 27.5 | 26.9 | 27.2 | 27.0 | 27.1 | 26.4 | 28.0 | 27.8 | 28.7 | 28.4 | 28.0 |
| 1228 | 27.7 | 27.8 | 27.5 | 26.9 | 27.2 | 27.0 | 27.1 | 26.4 | 28.0 | 27.8 | 28.7 | 28.4 | 28.0 |
| 1229 | 31.0 | 33.2 | 32.4 | 32.4 | 32.1 | 32.5 | 30.6 | 29.8 | 29.0 | 28.2 | 29.1 | 26.6 | 27.6 |
| 1230 | 31.0 | 33.2 | 32.4 | 32.4 | 32.1 | 32.5 | 30.6 | 29.8 | 29.0 | 28.2 | 29.1 | 26.6 | 27.6 |
| 1231 | 32.7 | 35.0 | 32.6 | 32.0 | 32.9 | 33.2 | 31.5 | 33.3 | 33.5 | 33.4 | 34.5 | 31.0 | 32.6 |
| 1232 | 32.7 | 35.0 | 32.6 | 32.0 | 32.9 | 33.2 | 31.5 | 33.3 | 33.5 | 33.4 | 34.5 | 31.0 | 32.6 |
| 1233 | 28.7 | 29.4 | 29.8 | 29.4 | 30.1 | 30.2 | 28.4 | 31.8 | 30.5 | 28.4 | 31.9 | 30.2 | 30.1 |
| 1234 | 28.7 | 29.4 | 29.8 | 29.4 | 30.1 | 30.2 | 28.4 | 31.8 | 30.5 | 28.4 | 31.9 | 30.2 | 30.1 |
| 1235 | 31.4 | 32.6 | 32.2 | 31.1 | 32.8 | 32.9 | 31.4 | 33.6 | 34.6 | 32.9 | 34.4 | 32.7 | 33.5 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1236 | 31.4 | 32.6 | 32.2 | 31.1 | 32.8 | 32.9 | 31.4 | 33.6 | 34.6 | 32.9 | 34.4 | 32.7 | 33.5 |
| 1237 | 29.3 | 29.1 | 28.9 | 28.8 | 28.8 | 29.2 | 28.3 | 29.4 | 29.5 | 27.8 | 28.6 | 28.2 | 29.4 |
| 1238 | 29.3 | 29.1 | 28.9 | 28.8 | 28.8 | 29.2 | 28.3 | 29.4 | 29.5 | 27.8 | 28.6 | 28.2 | 29.4 |
| 1239 | 29.4 | 30.4 | 31.0 | 30.5 | 31.4 | 29.9 | 29.5 | 30.9 | 30.5 | 29.5 | 31.1 | 29.6 | 30.8 |
| 1240 | 29.4 | 30.4 | 31.0 | 30.5 | 31.4 | 29.9 | 29.5 | 30.9 | 30.5 | 29.5 | 31.1 | 29.6 | 30.8 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1241 | 29.9 | 28.4 | 29.4 | 29.0 | 29.3 | 28.1 | 27.6 | 26.5 | 27.1 | 28.4 | 28.5 | 29.5 | 29.4 |
| 1242 | 29.9 | 28.4 | 29.4 | 29.0 | 29.3 | 28.1 | 27.6 | 26.5 | 27.1 | 28.4 | 28.5 | 29.5 | 29.4 |
| 1243 | 28.6 | 29.4 | 29.1 | 29.0 | 30.2 | 26.8 | 28.6 | 27.6 | 28.5 | 30.2 | 29.9 | 29.9 | 29.0 |
| 1244 | 28.6 | 29.4 | 29.1 | 29.0 | 30.2 | 26.8 | 28.6 | 27.6 | 28.5 | 30.2 | 29.9 | 29.9 | 29.0 |
| 1245 | 30.6 | 30.9 | 31.9 | 32.2 | 32.8 | 31.5 | 31.4 | 30.1 | 31.5 | 30.0 | 26.7 | 30.5 | 30.4 |
| 1246 | 30.6 | 30.9 | 31.9 | 32.2 | 32.8 | 31.5 | 31.4 | 30.1 | 31.5 | 30.0 | 26.7 | 30.5 | 30.4 |
| 1247 | 32.8 | 31.6 | 30.7 | 30.7 | 32.0 | 32.5 | 31.5 | 29.9 | 31.5 | 32.0 | 33.4 | 31.6 | 31.2 |
| 1248 | 32.8 | 31.6 | 30.7 | 30.7 | 32.0 | 32.5 | 31.5 | 29.9 | 31.5 | 32.0 | 33.4 | 31.6 | 31.2 |
| 1249 | 29.9 | 33.0 | 34.7 | 33.4 | 33.8 | 31.2 | 33.0 | 31.5 | 30.8 | 31.8 | 30.9 | 31.1 | 33.9 |
| 1250r | 29.9 | 33.0 | 34.7 | 33.4 | 33.8 | 31.2 | 33.0 | 31.5 | 30.8 | 31.8 | 30.9 | 31.1 | 33.9 |
| 1251 | 34.3 | 33.6 | 32.9 | 32.3 | 33.4 | 32.3 | 32.1 | 32.6 | 33.7 | 33.5 | 34.7 | 34.2 | 34.8 |
| 1252 | 34.3 | 33.6 | 32.9 | 32.3 | 33.4 | 32.3 | 32.1 | 32.6 | 33.7 | 33.5 | 34.7 | 34.2 | 34.8 |
| 1253 | 29.8 | 29.6 | 31.2 | 30.3 | 30.8 | 30.7 | 29.0 | 29.7 | 28.5 | 29.5 | 30.3 | 30.6 | 29.8 |
| 1254 | 29.8 | 29.6 | 31.2 | 30.3 | 30.8 | 30.7 | 29.0 | 29.7 | 28.5 | 29.5 | 30.3 | 30.6 | 29.8 |
| 1255 | 30.4 | 31.0 | 30.2 | 30.3 | 30.9 | 30.0 | 28.6 | 30.8 | 30.7 | 30.4 | 30.7 | 30.0 | 28.8 |
| 1256 | 30.4 | 31.0 | 30.2 | 30.3 | 30.9 | 30.0 | 28.6 | 30.8 | 30.7 | 30.4 | 30.7 | 30.0 | 28.8 |
| 1257 | 35.4 | 33.2 | 35.1 | 33.6 | 32.8 | 32.7 | 31.8 | 33.0 | 34.2 | 33.7 | 34.5 | 34.2 | 34.5 |
| 1258 | 35.4 | 33.2 | 35.1 | 33.6 | 32.8 | 32.7 | 31.8 | 33.0 | 34.2 | 33.7 | 34.5 | 34.2 | 34.5 |
| 1259 | 31.9 | 31.6 | 32.6 | 31.1 | 32.3 | 32.4 | 32.0 | 31.6 | 32.1 | 32.5 | 32.3 | 33.5 | 33.4 |
| 1260 | 31.9 | 31.6 | 32.6 | 31.1 | 32.3 | 32.4 | 32.0 | 31.6 | 32.1 | 32.5 | 32.3 | 33.5 | 33.4 |
| 1261 | 29.6 | 28.5 | 29.3 | 28.7 | 28.0 | 29.9 | 27.7 | 29.8 | 30.1 | 29.4 | 29.9 | 29.3 | 30.4 |
| 1262 | 29.6 | 28.5 | 29.3 | 28.7 | 28.0 | 29.9 | 27.7 | 29.8 | 30.1 | 29.4 | 29.9 | 29.3 | 30.4 |
| 1263 | 30.9 | 30.6 | 31.0 | 29.9 | 30.8 | 29.5 | 28.9 | 29.4 | 28.6 | 29.0 | 29.5 | 29.2 | 30.1 |
| 1264 | 30.9 | 30.6 | 31.0 | 29.9 | 30.8 | 29.5 | 28.9 | 29.4 | 28.6 | 29.0 | 29.5 | 29.2 | 30.1 |
| 1265 | 30.8 | 29.9 | 30.9 | 30.0 | 30.9 | 29.0 | 30.2 | 31.8 | 30.7 | 31.2 | 33.0 | 31.5 | 32.1 |

#Cage food consumption divided by number of animals per cage
rReplacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1266 | 30.8 | 29.9 | 30.9 | 30.0 | 30.9 | 29.0 | 30.2 | 31.8 | 30.7 | 31.2 | 33.0 | 31.5 | 32.1 |
| 1267 | 32.4 | 33.0 | 33.9 | 32.1 | 30.3 | 29.8 | 32.5 | 33.0 | 33.3 | 30.4 | 30.8 | 31.8 | 32.2 |
| 1268 | 32.4 | 33.0 | 33.9 | 32.1 | 30.3 | 29.8 | 32.5 | 33.0 | 33.3 | 30.4 | 30.8 | 31.8 | 32.2 |
| 1269 | 31.5 | 31.4 | 34.1 | 31.1 | 31.1 | 30.9 | 30.0 | 32.2 | 31.2 | 29.4 | 30.8 | 31.1 | 31.4 |
| 1270 | 31.5 | 31.4 | 34.1 | 31.1 | 31.1 | 30.9 | 30.0 | 32.2 | 31.2 | 29.4 | 30.8 | 31.1 | 31.4 |
| 1271 | 28.7 | 29.9 | 29.5 | 29.8 | 30.4 | 29.4 | 29.5 | 29.0 | 28.8 | 27.8 | 31.0 | 30.6 | 31.6 |
| 1272 | 28.7 | 29.9 | 29.5 | 29.8 | 30.4 | 29.4 | 29.5 | 29.0 | 28.8 | 27.8 | 31.0 | 30.6 | 31.6 |
| 1273 | 30.6 | 30.6 | 30.0 | 29.5 | 30.1 | 29.4 | 29.1 | 29.3 | 29.4 | 29.8 | 29.5 | 30.0 | 30.1 |
| 1274 | 30.6 | 30.6 | 30.0 | 29.5 | 30.1 | 29.4 | 29.1 | 29.3 | 29.4 | 29.8 | 29.5 | 30.0 | 30.1 |
| 1275 | 27.1 | 27.9 | 26.9 | 24.2 | 24.8 | 26.0 | 26.0 | 27.0 | 25.9 | 26.2 | 26.9 | 26.1 | 26.9 |
| 1276 | 27.1 | 27.9 | 26.9 | 24.2 | 24.8 | 26.0 | 26.0 | 27.0 | 25.9 | 26.2 | 26.9 | 26.1 | 26.9 |
| 1277 | 31.7 | 31.8 | 32.0 | 30.8 | 30.2 | 31.1 | 33.6 | 32.1 | 29.6 | 32.5 | 31.2 | 30.3 | 29.9 |
| 1278 | 31.7 | 31.8 | 32.0 | 30.8 | 30.2 | 31.1 | 33.6 | 32.1 | 29.6 | 32.5 | 31.2 | 30.3 | 29.9 |
| 1279 | 31.9 | 33.0 | 32.1 | 33.0 | 31.9 | 33.2 | 31.3 | 32.4 | 31.3 | 31.9 | 27.7 | 32.7 | 33.5 |
| 1280 | 31.9 | 33.0 | 32.1 | 33.0 | 31.9 | 33.2 | 31.3 | 32.4 | 31.3 | 31.9 | 27.7 | 32.7 | 33.5 |
| 1281 | 27.7 | 27.2 | 27.9 | 27.1 | 26.4 | 26.5 | 25.5 | 25.4 | 29.4 | 27.0 | 27.3 | 26.6 | 27.5 |
| 1282 | 27.7 | 27.2 | 27.9 | 27.1 | 26.4 | 26.5 | 25.5 | 25.4 | 29.4 | 27.0 | 27.3 | 26.6 | 27.5 |
| 1283 | 30.1 | 30.0 | 30.1 | 29.9 | 30.2 | 29.5 | 29.3 | 28.7 | 31.7 | 30.9 | 30.5 | 30.9 | 31.9 |
| 1284 | 30.1 | 30.0 | 30.1 | 29.9 | 30.2 | 29.5 | 29.3 | 28.7 | 31.7 | 30.9 | 30.5 | 30.9 | 31.9 |
| 1285 | 31.1 | 32.0 | 29.2 | 30.6 | 30.1 | 29.4 | 29.3 | 28.8 | 29.0 | 31.0 | 28.4 | 27.8 | 29.6 |
| 1286 | 31.1 | 32.0 | 29.2 | 30.6 | 30.1 | 29.4 | 29.3 | 28.8 | 29.0 | 31.0 | 28.4 | 27.8 | 29.6 |
| 1287 | 29.4 | 29.8 | 30.5 | 29.6 | 30.6 | 29.9 | 28.6 | 29.9 | 28.6 | 31.6 | 31.3 | 32.0 | 30.8 |
| 1288 | 29.4 | 29.8 | 30.5 | 29.6 | 30.6 | 29.9 | 28.6 | 29.9 | 28.6 | 31.6 | 31.3 | 32.0 | 30.8 |
| 1289 | 32.2 | 31.9 | 30.8 | 31.2 | 30.5 | 30.8 | 30.0 | 29.4 | 29.0 | 31.9 | 30.9 | 30.4 | 29.1 |
| 1290 | 32.2 | 31.9 | 30.8 | 31.2 | 30.5 | 30.8 | 30.0 | 29.4 | 29.0 | 31.9 | 30.9 | 30.4 | 29.1 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1291 | 30.9 | 30.2 | 29.7 | 29.2 | 30.1 | 30.3 | 30.0 | 31.1 | 29.5 | 31.4 | 29.7 | 29.5 | 31.3 |
| 1292 | 30.9 | 30.2 | 29.7 | 29.2 | 30.1 | 30.3 | 30.0 | 31.1 | 29.5 | 31.4 | 29.7 | 29.5 | 31.3 |
| 1293 | 28.8 | 28.5 | 29.4 | 28.5 | 28.7 | 28.8 | 28.0 | 29.6 | 28.1 | 28.9 | 28.0 | 28.0 | 29.1 |
| 1294 | 28.8 | 28.5 | 29.4 | 28.5 | 28.7 | 28.8 | 28.0 | 29.6 | 28.1 | 28.9 | 28.0 | 28.0 | 29.1 |
| 1295 | 30.9 | 31.2 | 30.1 | 30.0 | 31.5 | 31.3 | 30.2 | 30.5 | 26.4 | 31.8 | 31.6 | 30.5 | 30.5 |
| 1296 | 30.9 | 31.2 | 30.1 | 30.0 | 31.5 | 31.3 | 30.2 | 30.5 | 26.4 | 31.8 | 31.6 | 30.5 | 30.5 |
| 1297 | 28.9 | 28.5 | 29.6 | 28.7 | 29.1 | 26.5 | 29.3 | 29.7 | 28.3 | 30.4 | 29.9 | 30.4 | 29.5 |
| 1298 | 28.9 | 28.5 | 29.6 | 28.7 | 29.1 | 26.5 | 29.3 | 29.7 | 28.3 | 30.4 | 29.9 | 30.4 | 29.5 |
| 1299 | 29.1 | 28.4 | 29.0 | 27.8 | 28.8 | 29.9 | 29.1 | 29.9 | 28.1 | 28.8 | 28.2 | 28.1 | 28.5 |
| 1300 | 29.1 | 28.4 | 29.0 | 27.8 | 28.8 | 29.9 | 29.1 | 29.9 | 28.1 | 28.8 | 28.2 | 28.1 | 28.5 |
| 1301 | 32.6 | 33.4 | 31.2 | 32.3 | 33.6 | 30.8 | 32.7 | 34.0 | 34.1 | 34.8 | 33.4 | 33.9 | 35.9 |
| 1302 | 32.6 | 33.4 | 31.2 | 32.3 | 33.6 | 30.8 | 32.7 | 34.0 | 34.1 | 34.8 | 33.4 | 33.9 | 35.9 |
| 1303 | 26.1 | 25.0 | 25.3 | 24.9 | 25.4 | 25.4 | 25.1 | 25.5 | 25.8 | 25.5 | 24.5 | 25.1 | 25.8 |
| 1304 | 26.1 | 25.0 | 25.3 | 24.9 | 25.4 | 25.4 | 25.1 | 25.5 | 25.8 | 25.5 | 24.5 | 25.1 | 25.8 |
| 1305 | 28.0 | 27.9 | 28.1 | 27.8 | 27.6 | 27.1 | 28.5 | 28.2 | 27.3 | 28.3 | 27.2 | 28.4 | 28.1 |
| 1306 | 28.0 | 27.9 | 28.1 | 27.8 | 27.6 | 27.1 | 28.5 | 28.2 | 27.3 | 28.3 | 27.2 | 28.4 | 28.1 |
| 1307 | 30.6 | 30.6 | 30.6 | 30.5 | 31.1 | 29.7 | 31.7 | 30.8 | 29.1 | 31.8 | 30.1 | 28.8 | 31.1 |
| 1308 | 30.6 | 30.6 | 30.6 | 30.5 | 31.1 | 29.7 | 31.7 | 30.8 | 29.1 | 31.8 | 30.1 | 28.8 | 31.1 |
| 1309 | 32.4 | 32.1 | 31.9 | 32.1 | 31.0 | 32.2 | 31.6 | 31.1 | 29.4 | 32.9 | 32.0 | 29.8 | 32.9 |
| 1310 | 32.4 | 32.1 | 31.9 | 32.1 | 31.0 | 32.2 | 31.6 | 31.1 | 29.4 | 32.9 | 32.0 | 29.8 | 32.9 |
| 1311 | 29.7 | 29.8 | 31.4 | 28.8 | 29.1 | 29.6 | 31.1 | 37.1 | 22.7 | 24.4 | 33.1[e] | 27.8 | 31.2 |
| 1312 | 29.7 | 29.8 | 31.4 | 28.8 | 29.1 | 29.6 | 31.1 | 37.1 | 22.7 | 24.4 | 33.1[e] | 27.8 | 31.2 |
| 1313 | 27.5 | 27.6 | 27.8 | 27.3 | 27.0 | 27.6 | 26.3 | 28.5 | 27.4 | 26.8 | 25.7 | 26.4 | 27.3 |
| 1314 | 27.5 | 27.6 | 27.8 | 27.3 | 27.0 | 27.6 | 26.3 | 28.5 | 27.4 | 26.8 | 25.7 | 26.4 | 27.3 |
| 1315 | 34.1 | 29.6 | 28.0 | 27.7 | 27.5 | 27.1 | 25.8 | 27.6 | 26.2 | 28.1 | 27.6 | 27.4 | 27.8 |

#Cage food consumption divided by number of animals per cage

[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1316 | 34.1 | 29.6 | 28.0 | 27.7 | 27.5 | 27.1 | 25.8 | 27.6 | 26.2 | 28.1 | 27.6 | 27.4 | 27.8 |
| 1317 | 34.9 | 34.5 | 35.9 | 34.6 | 34.6 | 35.4 | 32.8 | 35.4 | 33.6 | 33.9 | 33.8 | 34.6 | 31.8 |
| 1318 | 34.9 | 34.5 | 35.9 | 34.6 | 34.6 | 35.4 | 32.8 | 35.4 | 33.6 | 33.9 | 33.8 | 34.6 | 31.8 |
| 1319 | 29.2 | 29.2 | 29.5 | 28.8 | 29.6 | 28.8 | 22.8 | 24.3 | 28.4 | 33.6 | 28.9 | 28.8 | 28.5 |
| 1320 | 29.2 | 29.2 | 29.5 | 28.8 | 29.6 | 28.8 | 22.8 | 24.3 | 28.4 | 33.6 | 28.9 | 28.8 | 28.5 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1001 | 28.4 | 28.1 | 15.5e | 27.1 | 27.4 | 28.5 | 33.5 | 27.8 | 28.5e | NDC | | | |
| 1002 | 28.4 | 28.1 | 15.5e | 27.1 | 27.4 | 28.5 | 33.5 | 27.8 | 28.5e | NDC | | | |
| 1003 | 29.8 | 28.6 | 27.7 | 27.7 | 29.3 | 30.0 | 28.4 | 28.2 | 28.7e | NDC | | | |
| 1004 | 29.8 | 28.6 | 27.7 | 27.7 | 29.3 | 30.0 | 28.4 | 28.2 | 28.7e | NDC | | | |
| 1005 | 36.4 | 35.9 | 36.1 | 31.9 | 32.0 | 35.3 | 27.3 | 32.4 | 32.7e | NDC | | | |
| 1006 | 36.4 | 35.9 | 36.1 | 31.9 | 32.0 | 35.3 | 27.3 | 32.4 | 32.3e | NDC | | | |
| 1007 | 29.5 | 29.3 | 29.6 | 28.4 | 28.8 | 28.6 | 28.3 | 25.8 | 24.6e | NDC | | | |
| 1008 | 29.5 | 29.3 | 29.6 | 28.4 | 28.8 | 28.6 | 28.3 | 25.8 | 24.6e | NDC | | | |
| 1009 | 32.3 | 33.5 | 32.3 | 28.2 | 29.7 | 31.8 | 30.2 | 30.2 | 26.4e | NDC | | | |
| 1010 | 32.3 | 33.5 | 32.3 | 28.2 | 29.7 | 31.8 | 30.2 | 30.2 | 26.4e | NDC | | | |
| 1011 | 30.2 | 29.1 | 27.9 | 30.5 | 29.1 | 31.3 | 29.4 | 30.4 | 30.2 | 28.9 | 31.9 | 15.3 | 33.1 |
| 1012 | 30.2 | 29.1 | 27.9 | 30.5 | 29.1 | 31.3 | 29.4 | 30.4 | 30.2 | 28.9 | 31.9 | 15.3 | 33.1 |
| 1013 | 28.3 | 28.5 | 28.4 | 26.0 | 24.8 | 27.5 | 26.3 | 26.8 | 27.6 | 28.9 | 28.4 | 27.7 | 28.0 |
| 1014 | 28.3 | 28.5 | 28.4 | 26.0 | 24.8 | 27.5 | 26.3 | 26.8 | 27.6 | 28.9 | 28.4 | 27.7 | 28.0 |
| 1015 | 27.6 | 28.7 | 27.7 | 27.9 | 28.3 | 29.3 | 25.8 | 24.9 | 29.4 | 31.2 | 31.8 | 31.7 | 31.3 |
| 1016 | 27.6 | 28.7 | 27.7 | 27.9 | 28.3 | 29.3 | 25.8 | 24.9 | 29.4 | 31.2 | 31.8 | 31.7 | 31.3 |
| 1017 | 32.6 | 30.8 | 31.6 | 30.2 | 30.2 | 31.0 | 30.9 | 30.4 | 27.0 | 29.6 | 31.4 | 32.5 | 29.9 |
| 1018 | 32.6 | 30.8 | 31.6 | 30.2 | 30.2 | 31.0 | 30.9 | 30.4 | 27.0 | 29.6 | 31.4 | 32.5 | 29.9 |
| 1019 | 31.5 | 29.8 | 28.7 | 29.1 | 27.9 | 29.0 | 25.9 | 20.4 | 30.2 | 30.1 | 28.4 | 30.1 | 29.3 |
| 1020 | 31.5 | 29.8 | 28.7 | 29.1 | 27.9 | 29.0 | 25.9 | 20.4 | 30.2 | 30.1 | 28.4 | 30.1 | 29.3 |
| 1021 | 30.7 | 30.7 | 30.7 | 30.0 | 26.5 | 27.0 | 30.6 | 31.7 | 30.8 | 31.1 | 31.8 | 31.7 | 28.9 |
| 1022 | 30.7 | 30.7 | 30.7 | 30.0 | 26.5 | 27.0 | 30.6 | 31.7 | 30.8 | 31.1 | 31.8 | 31.7 | 28.9 |
| 1023 | 26.7 | 27.9 | 27.3 | 26.9 | 26.0 | 27.0 | 26.9 | 26.6 | 26.3 | 27.6 | 27.4 | 27.9 | 28.1 |
| 1024 | 26.7 | 27.9 | 27.3 | 26.9 | 26.0 | 27.0 | 26.9 | 26.6 | 26.3 | 27.6 | 27.4 | 27.9 | 28.1 |
| 1025 | 27.4 | 28.8 | 27.7 | 27.4 | 23.2 | 23.8 | 29.7 | 28.2 | 29.2 | 29.5 | 29.3 | 29.3 | 29.1 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1026 | 27.4 | 28.8 | 27.7 | 27.4 | 23.2 | 23.8 | 29.7 | 28.2 | 29.2 | 29.5 | 29.3 | 29.3 | 29.1 |
| 1027 | 29.7 | 29.0 | 29.8 | 27.6 | 24.5 | 29.8 | 30.3 | 28.3 | 26.3 | 30.3 | 26.2 | 21.8 | 20.3 |
| 1028 | 29.7 | 29.0 | 29.8 | 27.6 | 24.5 | 29.8 | 30.3 | 28.3 | 26.3 | 30.3 | 26.2 | 21.8 | 20.3 |
| 1029 | 30.6 | 31.1 | 32.2 | 27.2 | 30.3 | 30.5 | 31.5 | 30.7 | 31.4 | 31.7 | 32.4 | 32.6 | 33.0 |
| 1030 | 30.6 | 31.1 | 32.2 | 27.2 | 30.3 | 30.5 | 31.5 | 30.7 | 31.4 | 31.7 | 32.4 | 32.6 | 33.0 |
| 1031 | 29.9 | 31.1 | 30.7 | 31.5 | 32.1 | 32.6 | 33.0 | 32.5 | 30.9 | 33.8 | 32.9 | 33.8 | 29.0 |
| 1032 | 29.9 | 31.1 | 30.7 | 31.5 | 32.1 | 32.6 | 33.0 | 32.5 | 30.9 | 33.8 | 32.9 | 33.8 | 29.0 |
| 1033 | 29.0 | 27.8 | 25.8 | 22.0[e] | NDC | | | | | | | | |
| 1034 | 29.0 | 27.8 | 25.8 | 22.9 | 25.1 | 23.1 | 24.3 | 20.8 | 22.4 | 28.8 | 20.9 | 16.6 | 6.3 |
| 1035 | 30.2 | 29.4 | 30.6 | 29.2 | 29.6 | 30.0 | 27.8 | 29.9 | 26.8 | 27.4 | 31.3 | 31.4 | 32.2 |
| 1036 | 30.2 | 29.4 | 30.6 | 29.2 | 29.6 | 30.0 | 27.8 | 29.9 | 26.8 | 27.4 | 31.3 | 31.4 | 32.2 |
| 1037 | 35.4 | 36.2 | 39.7[e] | 35.4 | 33.5 | 35.5 | 35.4 | 36.4 | 33.5 | 34.9 | 37.1 | 34.4 | 38.0 |
| 1038 | 35.4 | 36.2 | 39.7[e] | 35.4 | 33.5 | 35.5 | 35.4 | 36.4 | 33.5 | 34.9 | 37.1 | 34.4 | 38.0 |
| 1039 | 28.2 | 29.0 | 29.2 | 30.0 | 27.4 | 25.9 | 27.6 | 26.3 | 28.4 | 26.9 | 24.1 | 27.8 | 28.0 |
| 1040 | 28.2 | 29.0 | 29.2 | 30.0 | 27.4 | 25.9 | 27.6 | 26.3 | 28.4 | 26.9 | 24.1 | 27.8 | 28.0 |
| 1041 | 26.5 | 26.8 | 27.7 | 27.2 | 26.7 | 26.5 | 28.3 | 27.1 | 27.8 | 28.1 | 28.7 | 28.4 | 30.8 |
| 1042 | 26.5 | 26.8 | 27.7 | 27.2 | 26.7 | 26.5 | 28.3 | 27.1 | 27.8 | 28.1 | 28.7 | 28.4 | 30.8 |
| 1043 | 29.9 | 34.6 | 34.8 | 30.6 | 25.1 | 23.9 | 27.8 | 28.5 | 29.6 | 28.1 | 29.3 | 28.9 | 30.1 |
| 1044 | 29.9 | 34.6 | 34.8 | 30.4 | NDC | | | | | | | | |
| 1045 | 29.8 | 28.3 | 28.1 | 28.5 | 29.0 | 26.7 | 27.3 | 27.4 | 16.6 | 27.9 | 29.9 | 29.9 | 27.8 |
| 1047 | 30.4 | 29.3 | 29.7 | 30.6 | 30.0 | 22.9 | 25.5 | 24.8 | 20.5 | 31.7 | 34.7 | 31.4 | 33.1 |
| 1048 | 30.4 | 29.3 | 29.7 | 30.6 | 30.0 | 22.9 | 25.5 | 24.8 | 20.5 | 27.0[e] | NDC | | |
| 1049 | 26.1 | 26.7 | 26.0 | 23.6 | 25.3 | 24.9 | 23.5 | 25.0 | 25.7 | 27.0 | 26.2 | 27.6 | 27.9 |
| 1050 | 26.1 | 26.7 | 26.0 | 23.6 | 25.3 | 24.9 | 23.5 | 25.0 | 25.7 | 27.0 | 26.2 | 27.6 | 27.9 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1051 | 29.8 | 29.2 | 30.1 | 28.5 | 28.4 | 30.1 | 28.6 | 31.4 | 28.7 | 29.6 | 29.5 | 29.4 | 29.7 |
| 1052 | 29.8 | 29.2 | 30.1 | 28.5 | 28.4 | 30.1 | 28.6 | 31.4 | 28.7 | 29.6 | 29.5 | 29.4 | 29.7 |
| 1053 | 29.8 | 30.9 | 29.9 | 29.2 | 25.9 | 26.3 | 29.0 | 32.2 | 30.3 | 32.3 | 29.0 | 30.5 | 31.5 |
| 1054 | 29.8 | 30.9 | 29.9 | 29.2 | 25.9 | 26.3 | 29.0 | 32.2 | 30.3 | 32.3 | 29.0 | 30.5 | 31.5 |
| 1055 | 33.1 | 33.4 | 32.2 | 32.1 | 30.7 | 33.4 | 23.4 | 33.8 | 32.1 | 32.8 | 36.6 | 33.0 | 35.3 |
| 1056 | 33.1 | 33.4 | 32.2 | 32.1 | 30.7 | 33.4 | 23.4 | 33.8 | 32.1 | 32.8 | 30.9 | NDC | |
| 1057 | 28.7 | 30.1 | 28.6 | 29.3 | 28.5 | 28.0 | 26.6 | 25.7 | 28.0 | 28.6 | 28.9 | 28.8 | 28.9 |
| 1058 | 28.7 | 30.1 | 28.6 | 29.3 | 28.5 | 28.0 | 26.6 | 25.7 | 28.0 | 28.6 | 28.9 | 28.8 | 28.9 |
| 1060 | 38.9 | 35.8 | 36.6 | 40.1 | 38.4 | 33.8 | 32.1 | 29.3 | 32.9 | 34.1 | 36.4 | 34.0 | 35.2 |
| 1061 | 27.5 | 28.9 | 30.1 | 29.2 | 28.4 | 29.9 | 29.0 | 29.4 | 30.0 | 29.3 | 29.4 | 34.9 | 30.9 |
| 1062 | 27.5 | 28.9 | 30.1 | 29.2 | 28.4 | 29.9 | 29.0 | 29.4 | 30.0 | 29.3 | 29.4 | 34.9 | 30.9 |
| 1063 | 30.2 | 31.6 | 31.3 | 30.8 | 29.7 | 29.8 | 25.1 | 29.8 | 30.7 | 30.5 | 32.7 | 32.5 | 31.6 |
| 1064[r] | 30.2 | 31.6 | 31.3 | 30.8 | 29.7 | 29.8 | 25.1 | 29.8 | 30.7 | 30.5 | 32.7 | 32.5 | 31.6 |
| 1065 | 31.0 | 32.0 | 32.1 | 31.0 | 29.8 | 30.3 | 29.1 | 26.0 | 30.6 | 31.6 | 22.6 | 24.8 | 33.3 |
| 1066 | 31.0 | 32.0 | 32.1 | 31.0 | 29.8 | 30.3 | 29.1 | 26.0 | 30.6 | 31.6 | 22.6 | 24.8 | 33.3 |
| 1067 | 27.5 | 28.2 | 29.2 | 28.6 | 28.1 | 28.0 | 29.5 | 26.7 | 30.3 | 29.5 | 30.5 | 30.3 | 28.3 |
| 1068 | 27.5 | 28.2 | 29.2 | 28.6 | 28.1 | 28.0 | 29.5 | 26.7 | 30.3 | 29.5 | 30.5 | 30.3 | 28.3 |
| 1069 | 34.5 | 33.9 | 31.8 | 31.2 | 32.5 | 31.2 | 34.2 | 31.5 | 29.8 | 32.6 | 29.1 | 36.6 | 35.7 |
| 1070 | 34.5 | 33.9 | 31.8 | 31.2 | 32.5 | 31.2 | 34.2 | 31.5 | 29.8 | 32.6 | 29.1 | 36.6 | 35.7 |
| 1071 | 32.0 | 31.0 | 31.8 | 32.2 | 31.5 | 32.7 | 35.3 | 32.8 | 31.6 | 33.8 | 33.2 | 33.1 | 33.3 |
| 1072 | 32.0 | 31.0 | 31.8 | 32.2 | 31.5 | 32.7 | 35.3 | 32.8 | 31.6 | 33.8 | 33.2 | 33.1 | 33.3 |
| 1073 | 32.2 | 33.0 | 30.0 | 29.8 | 28.3 | 26.3 | 22.4 | 30.4 | 21.6 | 22.7 | 31.9 | 31.5 | 33.1 |
| 1074 | 32.2 | 33.0 | 30.0 | 29.8 | 28.3 | 26.3 | 22.4 | 30.4 | 21.6 | 15.6[e] | NDC | | |
| 1075 | 25.3 | 25.6 | 25.8 | 24.8 | 25.0 | 25.7 | 27.4 | 26.0 | 23.7 | 26.6 | 26.6 | 26.6 | 26.2 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
rReplacement animal
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1076 | 25.3 | 25.6 | 25.8 | 24.8 | 25.0 | 25.7 | 27.4 | 26.0 | 23.7 | 26.6 | 26.6 | 26.6 | 26.2 |
| 1077 | 27.5 | 28.2 | 28.1 | 27.7 | 26.2 | 27.6 | 27.6 | 23.6 | 27.1 | 29.0 | 28.0 | 28.2 | 27.6 |
| 1078 | 27.5 | 28.2 | 28.1 | 27.7 | 26.2 | 27.6 | 27.6 | 23.6 | 27.1 | 29.0 | 28.0 | 28.2 | 27.6 |
| 1079 | 33.2 | 34.0 | 33.0 | 31.5 | 30.6 | 30.8 | 31.5 | 33.4 | 31.1 | 31.1 | 32.6 | 32.1 | 32.9 |
| 1080 | 33.2 | 34.0 | 33.0 | 31.5 | 30.6 | 30.8 | 31.5 | 33.4 | 31.1 | 31.1 | 32.6 | 32.1 | 32.9 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1081 | 31.0 | 25.3 | 29.2 | 30.8 | 30.2 | 31.2 | 29.8 | 31.1 | 28.7e | NDC | | | |
| 1082 | 31.0 | 25.3 | 29.2 | 30.8 | 30.2 | 31.2 | 29.8 | 31.1 | 28.7e | NDC | | | |
| 1083 | 32.2 | 33.0 | 32.8 | 32.6 | 29.5 | 31.9 | 28.0 | 31.8 | 30.0e | NDC | | | |
| 1084 | 32.2 | 33.0 | 32.8 | 32.6 | 29.5 | 31.9 | 28.0 | 31.8 | 30.0e | NDC | | | |
| 1085 | 28.8 | 28.9 | 28.3 | 27.4 | 26.4 | 27.4 | 29.3 | 25.7 | 25.0e | NDC | | | |
| 1086 | 28.8 | 28.9 | 28.3 | 27.4 | 26.4 | 27.4 | 29.3 | 25.7 | 24.8e | NDC | | | |
| 1087 | 25.4 | 25.7 | 26.1 | 26.9 | 25.6 | 26.0 | 27.5 | 25.2 | 24.5e | NDC | | | |
| 1088 | 25.4 | 25.7 | 26.1 | 26.9 | 25.6 | 26.0 | 27.5 | 25.2 | 24.5e | NDC | | | |
| 1089 | 31.1 | 30.1 | 29.6 | 29.4 | 28.8 | 26.9 | 16.0 | 32.8 | 31.0e | NDC | | | |
| 1090 | 31.1 | 30.1 | 29.6 | 29.4 | 28.8 | 26.9 | 16.0 | 32.8 | 31.0e | NDC | | | |
| 1091 | 29.1 | 30.8 | 29.7 | 29.6 | 29.1 | 29.2 | 29.7 | 28.3 | 28.8 | 28.8 | 28.6 | 25.3 | 26.9 |
| 1092 | 29.1 | 30.8 | 29.7 | 29.6 | 29.1 | 29.2 | 29.7 | 28.3 | 28.8 | 28.8 | 28.6 | 11.5e | NDC |
| 1093 | 26.6 | 26.3 | 27.1 | 27.9 | 24.4 | 25.9 | 25.4 | 22.8 | 24.4 | 25.0 | 24.5 | 22.6 | 25.8 |
| 1094 | 26.6 | 26.3 | 27.1 | 27.9 | 24.4 | 25.9 | 25.4 | 22.8 | 24.4 | 25.0 | 24.5 | 22.6 | 25.8 |
| 1095 | 30.9 | 30.9 | 31.5 | 30.8 | 28.6 | 30.4 | 30.4 | 32.5e | 30.2 | 32.0 | 33.4 | 31.7 | 31.2 |
| 1096 | 30.9 | 30.9 | 31.5 | 30.8 | 28.6 | 30.4 | 30.4 | 32.5e | 30.2 | 32.0 | 33.4 | 31.7 | 31.2 |
| 1097 | 33.3 | 32.1 | 31.3 | 32.3 | 26.0 | 30.1 | 30.7 | 31.2 | 29.8 | 29.7 | 31.5 | 32.6 | 31.8 |
| 1098 | 33.3 | 32.1 | 31.3 | 32.3 | 26.0 | 30.1 | 30.7 | 31.2 | 29.8 | 29.7 | 31.5 | 32.6 | 31.8 |
| 1099 | 28.0 | 28.5 | 28.3 | 28.3 | 28.0 | 27.5 | 26.1 | 28.1 | 28.2 | 29.4 | 28.9 | 28.3 | 28.4 |
| 1100 | 28.0 | 28.5 | 28.3 | 28.3 | 28.0 | 27.5 | 26.1 | 28.1 | 28.2 | 29.4 | 28.9 | 28.3 | 28.4 |
| 1101 | 25.4 | 26.4 | 25.8 | 26.1 | 26.3 | 25.1 | 25.0 | 24.4 | 24.0 | 23.6e | NDC | | |
| 1102 | 25.4 | 26.4 | 25.8 | 26.1 | 26.3 | 25.1 | 25.0 | 24.4 | 24.0 | 25.4 | 30.3 | 28.1 | 27.7 |
| 1104 | 31.2 | 30.9 | 30.6 | 31.5 | 30.2 | 30.7 | 30.1 | 33.0 | 30.4 | 32.7 | 34.1 | 34.4 | 31.8 |
| 1105 | 32.0 | 31.8 | 30.7 | 31.4 | 32.5 | 31.0 | 30.6 | 33.9 | 35.3 | 34.1 | 34.8 | 34.6 | 36.6 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1106 | 32.0 | 31.8 | 30.2 | NDC | | | | | | | | | |
| 1107 | 30.1 | 27.5 | 28.4 | 27.6 | 27.5 | 27.3 | 29.5 | 27.5 | 26.6 | 28.3 | 30.2 | 28.5 | 28.1 |
| 1108 | 30.1 | 27.5 | 28.4 | 27.6 | 27.5 | 27.3 | 29.5 | 27.5 | 26.6 | 28.3 | 30.2 | 28.5 | 28.1 |
| 1109 | 28.4 | 27.9 | 29.3 | 30.5 | 32.3 | 29.6 | 28.7 | 29.4 | 29.6 | 27.8 | 28.9 | 29.3 | 27.8 |
| 1110 | 28.4 | 27.9 | 29.3 | 30.5 | 32.3 | 29.6 | 28.7 | 29.4 | 29.6 | 27.8 | 28.9 | 29.3 | 27.8 |
| 1111 | 34.1 | 35.4[e] | 36.6 | 29.1 | 29.5 | NDC | | | | | | | |
| 1112 | 34.1 | 35.4[e] | 36.6 | 29.1 | 28.9 | 26.5 | 24.4 | 29.1 | 27.9 | 29.3 | 27.6 | 29.1 | 29.3 |
| 1113 | 30.3 | 30.5 | 30.2 | 29.5 | 28.8 | 29.5 | 29.7 | 31.3 | 30.9 | 30.9 | 32.2 | 32.1[e] | 30.4 |
| 1114 | 30.3 | 30.5 | 30.2 | 29.5 | 28.8 | 29.5 | 29.7 | 31.3 | 30.9 | 30.9 | 32.2 | 32.1[e] | 30.4 |
| 1115 | 31.6 | 32.2 | 30.4 | 31.1 | 30.4 | 31.2 | 27.0 | 31.0 | 31.1 | 32.2 | 32.0 | 30.4 | 31.6 |
| 1117 | 34.1 | 33.8 | 31.2 | 33.1 | 31.7 | 31.7 | 29.9 | 32.1 | 32.5 | 32.7 | 31.6 | 31.5 | 32.4 |
| 1118 | 34.1 | 33.8 | 31.2 | 33.1 | 31.7 | 31.7 | 29.9 | 32.1 | 32.5 | 32.7 | 31.6 | 31.5 | 32.4 |
| 1119 | 28.4 | 28.0 | 28.1 | 28.3 | 27.3 | 27.9 | 26.4 | 23.3[e] | NDC | | | | |
| 1120 | 28.4 | 28.0 | 28.1 | 28.3 | 27.3 | 27.9 | 26.4 | 27.8 | 28.6 | 28.2 | 28.2 | 29.4 | 28.4 |
| 1121 | 32.5 | 33.2 | 31.8 | 32.0 | 29.4 | 30.4 | 29.3 | 30.8 | 33.0 | 33.3 | 31.9 | 33.7 | 31.6 |
| 1122 | 32.5 | 33.2 | 31.8 | 32.0 | 29.4 | 30.4 | 29.3 | 30.8 | 33.0 | 33.3 | 31.9 | 33.7 | 31.6 |
| 1123 | 30.8 | 31.5 | 30.9 | 29.9 | 29.9 | 29.5 | 28.9 | 31.0 | 29.1 | 30.6 | 30.7 | 30.6 | 29.5 |
| 1124 | 30.8 | 31.5 | 30.9 | 29.9 | 29.9 | 29.5 | 28.9 | 31.0 | 29.1 | 30.6 | 30.7 | 30.6 | 29.5 |
| 1125 | 31.5 | 31.6 | 31.1 | 31.4 | 29.8 | 29.6 | 29.4 | 30.4 | 31.0 | 30.3 | 28.7 | 31.1 | 31.5 |
| 1126 | 31.5 | 31.6 | 31.1 | 31.4 | 29.8 | 29.6 | 29.4 | 30.4 | 31.0 | 30.3 | 28.7 | 31.1 | 31.5 |
| 1127 | 28.1 | 31.0 | 30.1 | 30.8 | 29.1 | 29.4 | 26.9 | 29.9 | 28.3 | 25.1 | 29.9 | 30.2 | 30.6 |
| 1128 | 28.1 | 31.0 | 30.1 | 30.8 | 29.1 | 29.4 | 26.9 | 29.9 | 28.3 | 25.1 | 29.9 | 30.2 | 30.6 |
| 1129 | 33.6 | 33.9 | 31.6 | 32.8 | 29.9 | 30.6 | 28.4 | 34.2 | 30.8 | 33.1 | 32.6 | 31.3 | 30.9 |
| 1130 | 33.6 | 33.9 | 31.6 | 32.8 | 29.9 | 30.6 | 28.4 | 34.2 | 30.8 | 33.1 | 32.6 | 31.3 | 30.9 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1131 | 28.2 | 27.6 | 27.1 | 27.4 | 26.7 | 26.2 | 24.5 | 27.4 | 27.3 | 27.6 | 29.5 | 22.4 | 23.7 |
| 1132 | 28.2 | 27.6 | 27.1 | 27.4 | 26.7 | 26.2 | 24.5 | 27.4 | 27.3 | 27.6 | 29.5 | 22.4 | 23.7 |
| 1133 | 27.4 | 27.9 | 27.3 | 27.4 | 26.7 | 26.9 | 25.6 | 29.2 | 26.4 | 27.2 | 25.0 | 27.3 | 26.6 |
| 1134 | 27.4 | 27.9 | 27.3 | 27.4 | 26.7 | 26.9 | 25.6 | 29.2 | 26.4 | 27.2 | 25.0 | 27.3 | 26.6 |
| 1135 | 32.2 | 31.4 | 32.2 | 29.8 | 29.9 | 30.8 | 32.1 | 32.8 | 32.0 | 32.7 | 35.8 | 32.8 | 20.6 |
| 1136 | 32.2 | 31.4 | 32.2 | 29.8 | 29.9 | 30.8 | 32.1 | 32.8 | 32.0 | 32.7 | 35.8 | 32.8 | 20.6 |
| 1137 | 33.2 | 28.6 | 26.7 | 33.0 | 30.2 | 30.9 | 29.3 | 30.9 | 29.2 | 30.4 | 31.1 | 31.1 | 31.0 |
| 1138 | 33.2 | 28.6 | 26.7 | 33.0 | 30.2 | 30.9 | 29.3 | 30.9 | 29.2 | 30.4 | 31.1 | 31.1 | 31.0 |
| 1140 | 26.9 | 27.1 | 27.9 | 28.3 | 29.6 | 27.4 | 22.9 | 26.4 | 26.3 | 28.2 | 30.4 | 30.0 | 28.1 |
| 1141 | 27.0 | 27.3 | 27.2 | 27.3 | 26.1 | 26.1 | 28.1 | 27.4 | 28.1 | 28.7 | 31.3 | 2.0[e] | NDC |
| 1142 | 27.0 | 27.3 | 27.2 | 27.3 | 26.1 | 26.1 | 28.1 | 27.4 | 28.1 | 27.8 | NDC | | |
| 1143 | 31.6 | 31.8 | 31.6 | 30.7 | 29.4 | 27.0 | 28.5 | 31.4 | 27.7 | 30.3 | 21.6 | 31.9 | 31.3 |
| 1144 | 31.6 | 31.8 | 31.6 | 30.7 | 29.4 | 27.0 | NDC | | | | | | |
| 1145 | 28.4 | 28.6 | 31.1 | 30.8 | 28.3 | 26.0[e] | NDC | | | | | | |
| 1146 | 28.4 | 28.6 | 31.1 | 30.8 | 28.3 | 28.7 | 33.9 | 34.5 | 33.7 | 33.8 | 32.8 | 32.0 | 55.1 |
| 1147 | 30.3 | 30.8 | 30.7 | 31.1 | 28.8 | 30.3 | 29.0 | 29.7 | 31.7 | 29.0 | 29.1 | 29.5 | 30.9 |
| 1148 | 30.3 | 30.8 | 30.7 | 31.1 | 28.8 | 30.3 | 29.0 | 29.7 | 31.7 | 29.0 | 29.1 | 29.5 | 30.9 |
| 1149 | 26.3 | 27.9 | 27.0 | 27.1 | 26.4 | 24.8 | 26.8 | 25.6 | 26.5 | 27.6 | 27.9 | 26.4 | 27.2 |
| 1150 | 26.3 | 27.9 | 27.0 | 27.1 | 26.4 | 24.8 | 26.8 | 25.6 | 26.5 | 27.6 | 27.9 | 26.4 | 27.2 |
| 1151 | 33.4 | 33.7 | 33.9 | 28.8 | 30.1 | 29.8 | 31.2 | 33.4 | 32.7 | 34.0 | 34.0 | 33.4 | 31.9 |
| 1152 | 33.4 | 33.7 | 33.9 | 28.8 | 30.1 | 29.8 | 31.2 | 33.4 | 32.7 | 34.0 | 34.0 | 33.4 | 31.9 |
| 1153 | 31.5 | 31.0 | 32.6 | 31.8 | 31.3 | 32.0 | 31.5 | 31.0 | 33.8 | 32.5 | 35.2 | 22.5 | 30.5 |
| 1154 | 31.5 | 31.0 | 32.6 | 31.8 | 31.3 | 32.0 | 31.5 | 31.0 | 33.8 | 32.5 | 35.2 | 22.5 | 30.5 |
| 1155 | NDC | | | | | | | | | | | | |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1156 | 30.4 | 32.3 | 31.4 | 30.1 | 28.9 | 30.9 | 32.2 | 30.1 | 32.5 | 34.7 | 36.2 | 35.7 | 37.8 |
| 1157 | 31.1 | 30.5 | 30.6 | 30.1 | 29.2 | 20.0 | 25.6 | 30.3 | 31.9 | 30.6 | 32.7 | 31.7 | 29.5 |
| 1158 | 31.1 | 30.5 | 30.6 | 30.1 | 29.2 | 20.0 | 25.6 | 30.3 | 31.9 | 30.6 | 32.7 | 31.7 | 29.5 |
| 1159 | 29.7 | 31.1 | 30.6 | 29.3 | 28.5 | 28.5 | 28.1 | 30.1 | 29.5 | 30.3 | 30.8 | 30.3 | 29.5 |
| 1160 | 29.7 | 31.1 | 30.6 | 29.3 | 28.5 | 28.5 | 28.1 | 30.1 | 29.5 | 30.3 | 30.8 | 30.3 | 29.5 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1161 | 27.2 | 28.4 | 26.9 | 28.4 | 27.4 | 26.0 | 26.7 | 27.1 | 26.5e | NDC | | | |
| 1162 | 27.2 | 28.4 | 26.9 | 28.4 | 27.4 | 26.0 | 26.7 | 27.1 | 26.5e | NDC | | | |
| 1163 | 28.3 | 29.3 | 28.6 | 29.1 | 29.6 | 28.4 | 30.4 | 31.2 | 31.0e | NDC | | | |
| 1164 | 28.3 | 29.3 | 28.6 | 29.1 | 23.3e | 26.1 | 27.4 | 31.1e | 26.7e | NDC | | | |
| 1165 | 29.1 | 30.0 | 28.2 | 27.4 | 27.0 | 27.9 | 30.7 | 27.6 | 28.3e | NDC | | | |
| 1166 | 29.1 | 30.0 | 28.2 | 27.4 | 27.0 | 27.9 | 30.7 | 27.6 | 27.0e | NDC | | | |
| 1167 | 29.3 | 29.7 | 29.6 | 29.3 | 28.7 | 29.8 | 26.9 | 29.3 | 29.3e | NDC | | | |
| 1168 | 29.3 | 29.7 | 29.6 | 29.3 | 28.7 | 29.8 | 26.9 | 29.3 | 29.3e | NDC | | | |
| 1169 | 27.3 | 27.3 | 28.8 | 27.9 | 26.4 | 23.5 | 29.6 | 27.2 | 28.4e | NDC | | | |
| 1170 | 27.3 | 27.3 | 28.8 | 27.9 | 26.4 | 23.5 | 29.6 | 27.2 | 28.4e | NDC | | | |
| 1171 | 31.7 | 31.9 | 30.9 | 29.5 | 30.4 | 30.8 | 28.0 | 31.5 | 30.5 | 29.9 | 29.5 | 31.3 | 29.3 |
| 1172 | 31.7 | 31.9 | 30.9 | 29.5 | 30.4 | 30.8 | 28.0 | 31.5 | 30.5 | 29.9 | 29.5 | 31.3 | 29.3 |
| 1173 | 28.7 | 30.1 | 30.2 | 28.8 | 34.4 | 35.0 | 38.1 | 34.0 | 31.7 | 28.6 | 31.7 | 28.9 | 27.2 |
| 1174 | 28.7 | 30.1 | 30.2 | 28.6 | NDC | | | | | | | | |
| 1175 | 30.0 | 31.3 | 32.0 | 31.8 | 31.1 | 32.5 | 28.9 | 31.4 | 30.1 | 32.3 | 32.8 | 31.7 | 31.6 |
| 1176 | 30.0 | 31.3 | 32.0 | 31.8 | 31.1 | 32.5 | 28.9 | 31.4 | 30.1 | 32.3 | 32.8 | 31.7 | 31.6 |
| 1177 | 28.1 | 24.0 | 20.5 | 20.8 | NDC | | | | | | | | |
| 1178 | 28.1 | 24.0 | 20.5 | 29.4e | 28.1 | 28.4 | 31.6 | 29.4 | 28.4 | 29.9 | 31.4 | 31.9 | 30.1 |
| 1179 | 33.0 | 31.1 | 32.5 | 30.9 | 31.7 | 31.5 | 30.1 | 28.8 | 28.7 | 30.7 | 31.4 | 30.0 | 30.8 |
| 1180 | 33.0 | 31.1 | 32.5 | 30.9 | 31.7 | 31.5 | 30.1 | 28.8 | 28.7 | 30.7 | 31.4 | 30.0 | 30.8 |
| 1181 | 28.5 | 27.4 | 26.0 | 26.0 | 25.5 | 25.8 | 23.6 | 26.2 | 25.3 | 25.6 | 25.8e | NDC | |
| 1182 | 28.5 | 27.4 | 26.0 | 26.0 | 25.5 | 25.8 | 23.6 | 26.2 | 25.3 | 25.6 | 26.1 | 26.6 | 27.5 |
| 1183 | 31.9 | 32.4 | 30.0 | 31.4 | 31.9 | 31.2 | 32.3 | 32.2 | 31.6 | 30.5 | 32.2 | 31.3 | 23.7 |
| 1184 | 31.9 | 32.4 | 30.0 | 31.4 | 31.9 | 31.2 | 32.3 | 32.2 | 31.6 | 30.5 | 32.2 | 31.3 | 23.7 |
| 1185 | 28.8 | 27.8 | 26.8 | 27.8 | 26.6 | 26.7 | 26.0 | 26.9 | 27.2 | 27.1 | 27.8 | 26.9 | 27.8 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1186 | 28.8 | 27.8 | 26.8 | 27.8 | 26.6 | 26.7 | 26.0 | 26.9 | 27.2 | 27.1 | 27.8 | 26.9 | 27.8 |
| 1187 | 33.5 | 34.4 | 33.8 | 32.9 | 32.8 | 33.9 | 32.3 | 34.1 | 32.8 | 31.9 | 32.7 | 33.9 | 30.0 |
| 1188 | 33.5 | 34.4 | 33.8 | 32.9 | 32.8 | 33.9 | 32.3 | 34.1 | 32.8 | 31.9 | 32.7 | 33.9 | 30.0 |
| 1189 | 33.4 | 35.6 | 36.1 | 37.1 | 35.1 | 34.1 | 34.1 | 35.9 | 35.4 | 35.6 | 38.4 | 36.3 | 34.9 |
| 1190 | NDC | | | | | | | | | | | | |
| 1191 | 25.2 | 25.9 | 25.4 | 25.8 | 25.3 | 24.9 | 24.6 | 24.5 | NDC | | | | |
| 1192 | 25.2 | 25.9 | 25.4 | 25.8 | 25.3 | 24.9 | 24.6 | 24.2 | 24.6 | 27.1 | 26.4 | 26.1 | 27.7 |
| 1193 | 26.5 | 27.1 | 26.9 | 27.0 | 26.0 | 27.0 | 26.1 | 27.1 | 27.0 | 27.8 | 27.5 | 27.8 | 27.0 |
| 1194 | 26.5 | 27.1 | 26.9 | 27.0 | 26.0 | 27.0 | 26.1 | 27.1 | 27.0 | 27.8 | 27.5 | 27.8 | 27.0 |
| 1195 | 27.8 | 27.2 | 27.6 | 31.6 | 27.7 | 28.1 | 26.1 | 27.1 | 27.7 | 26.4 | 27.0 | 26.8 | 26.4 |
| 1196 | 27.8 | 27.2 | 27.6 | 31.6 | 27.7 | 28.1 | 26.1 | 27.1 | 27.7 | 26.4 | 27.0 | 26.8 | 26.4 |
| 1197 | 31.1 | 29.9 | 30.9 | 30.5 | 30.8 | 31.5 | 30.9 | 29.8 | 29.5 | 30.8 | 30.3 | 30.8 | 30.0 |
| 1198 | 31.1 | 29.9 | 30.9 | 30.5 | 30.8 | 31.5 | 30.9 | 29.8 | 29.5 | 30.8 | 30.3 | 30.8 | 30.0 |
| 1199 | 28.6 | 28.1 | 30.1 | 29.0 | 29.0 | 28.0 | 29.4 | 29.5 | 28.0 | 27.6 | 29.9 | 29.0 | 26.5 |
| 1200 | 28.6 | 28.1 | 30.1 | 29.0 | 29.0 | 28.0 | 29.4 | 29.5 | 28.0 | 27.6 | 29.9 | 29.0 | 26.5 |
| 1201 | 30.8 | 30.2 | 26.9 | 32.4 | 31.0 | 31.5 | 30.0 | 30.3 | 29.5 | 30.6 | 32.0 | 29.9 | 31.7 |
| 1202 | 30.8 | 30.2 | 26.9 | 32.4 | 31.0 | 31.5 | 30.0 | 30.3 | 29.5 | 30.6 | 32.0 | 29.9 | 31.7 |
| 1203 | 28.3 | 28.4 | 27.0 | 24.8[e] | NDC | | | | | | | | |
| 1204 | 28.3 | 28.4 | 27.0 | 24.9 | 27.2 | 27.9 | 26.7 | 28.3 | 27.5 | 28.4 | 29.9 | 25.7 | 28.6 |
| 1205 | 31.9 | 32.5 | 31.1 | 30.9 | 30.8 | 31.3 | 29.9 | 32.1 | 29.8 | 30.4 | 32.5 | 31.0 | 29.8 |
| 1206 | 31.9 | 32.5 | 31.1 | 30.9 | 30.8 | 31.3 | 29.9 | 32.1 | 29.8 | 30.4 | 32.5 | 31.0 | 29.8 |
| 1208 | 26.2 | 29.0 | 29.6 | 30.2 | 30.1 | 30.6 | 30.3 | 29.4 | 29.6 | 29.8 | 29.4 | 27.2 | 27.1 |
| 1209 | 34.1 | 30.6 | 33.4 | 33.3 | 33.1 | 34.5 | 33.9 | 33.4 | 34.5 | 34.4 | 32.8 | 33.9 | 32.4 |
| 1210 | 34.1 | 30.6 | 33.4 | 33.3 | 33.1 | 34.5 | 33.9 | 33.4 | 34.5 | 34.4 | 32.8 | 33.9 | 32.4 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1211 | 32.3 | 33.2 | 31.3 | 31.9 | 31.5 | 33.0 | 31.4 | 30.3 | 28.6 | 30.8 | 32.6 | 27.1 | 32.3 |
| 1212 | 32.3 | 33.2 | 31.3 | 31.9 | 31.5 | 33.0 | 31.4 | 30.3 | 28.6 | 30.8 | 32.6 | 27.1 | 32.3 |
| 1213 | 28.7 | 29.0 | 29.1 | 29.2 | 28.8 | 29.2 | 23.6 | 27.7 | 27.1 | 31.0 | 31.3 | 31.5 | 30.3 |
| 1214 | 28.7 | 29.0 | 29.1 | 29.2 | 28.8 | 29.2 | 23.6 | 27.7 | 27.1 | 31.0 | 31.3 | 31.5 | 30.3 |
| 1215 | 30.6 | 31.4 | 31.4 | 31.5 | 29.6 | 30.7 | 29.4 | 27.4 | 26.1 | 22.1 | 31.0 | 32.9 | 32.6 |
| 1216 | 30.6 | 31.4 | 31.4 | 31.5 | 29.6 | 30.7 | 29.4 | 27.4 | 26.1 | 22.1 | 30.0[e] | NDC | |
| 1217 | 31.6 | 33.4 | 32.0 | 35.0 | 35.6 | 35.7 | 36.7 | 38.4 | 36.8 | 36.8 | 38.0 | 42.2 | 40.3 |
| 1218 | 31.6 | 33.4 | 32.0 | 35.0 | 35.6 | 35.7 | 36.7 | 38.4 | 36.8 | 36.8 | 38.0 | 42.2 | 40.3 |
| 1219 | 32.4 | 32.1 | 29.9 | 32.5 | 31.1 | 31.8 | 32.1 | 33.3 | 30.6 | 36.7 | 39.3 | 38.5 | 35.8 |
| 1220 | 32.4 | 32.1 | 29.9 | 32.5 | 31.1 | 31.8 | 32.1 | 33.3 | 30.6 | 36.7 | 39.3 | 38.5 | 35.8 |
| 1221 | 28.3 | 28.5 | 27.9 | 27.4 | 28.0 | 27.2 | 27.4 | 28.0 | 27.3 | 28.3 | 29.7 | 29.9 | 31.0 |
| 1222 | 28.3 | 28.5 | 27.9 | 27.4 | 28.0 | 27.2 | 27.4 | 28.0 | 27.3 | 28.3 | 29.7 | 29.9 | 31.0 |
| 1223 | 26.1 | 25.6 | 25.8 | 26.3 | 25.4 | 26.0 | 25.7 | 26.4 | 25.4 | 26.1 | 26.5 | 26.4 | 21.5 |
| 1224 | 26.1 | 25.6 | 25.8 | 26.3 | 25.4 | 26.0 | 25.7 | 26.4 | 25.4 | 26.1 | 26.5 | 26.4 | 21.5 |
| 1225 | 28.0 | 30.1 | 27.3 | 28.5 | 28.5 | 29.2 | 28.6 | 29.8 | 29.7 | 31.5 | 32.9 | 31.0 | 28.9 |
| 1226 | 28.0 | 30.1 | 27.3 | 28.5 | 28.5 | 29.2 | 28.6 | 29.8 | 29.7 | 31.5 | 32.9 | 31.0 | 28.9 |
| 1227 | 27.6 | 27.9 | 28.3 | 28.3 | 28.4 | 28.6 | 27.9 | 29.1 | 28.6 | 27.4 | 20.5 | 25.3 | 28.5 |
| 1228 | 27.6 | 27.9 | 28.3 | 28.3 | 28.4 | 28.6 | 27.9 | 29.1 | 28.6 | 27.4 | 17.6 | NDC | |
| 1229 | 33.4 | 38.0 | 26.9 | 38.3 | 34.6 | 34.8 | 33.9 | 32.9 | 31.6 | 34.7 | 39.6 | 33.5 | 33.6 |
| 1230 | 28.6[e] | NDC | | | | | | | | | | | |
| 1231 | 32.8 | 33.4 | 31.8 | 32.1 | 32.7 | 32.8 | 32.9 | 32.4 | 27.4 | 33.3 | 32.9 | 33.4 | 36.7[e] |
| 1232 | 32.8 | 33.4 | 31.8 | 32.1 | 32.7 | 32.8 | 32.9 | 32.4 | 27.4 | 33.3 | 32.9 | 33.4 | 31.0 |
| 1233 | 30.6 | 31.8 | 30.9 | 29.5[e] | 30.9 | 30.7 | 31.3 | 31.3 | 31.0 | 29.1 | 21.9 | 14.2 | NDC |
| 1234 | 30.6 | 31.8 | 30.9 | 29.5[e] | 30.9 | 30.7 | 31.3 | 31.3 | 31.0 | 29.1 | 21.9 | 15.4[e] | NDC |
| 1235 | 32.7 | 32.6 | 22.9 | 35.7 | 33.7 | 34.6 | 30.2 | 31.2 | 32.0 | 32.4 | 35.0 | 32.3 | 33.3 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1236 | 32.7 | 32.6 | 22.9 | 35.7 | 33.7 | 34.6 | 30.2 | 31.2 | 32.0 | 32.4 | 35.0 | 32.3 | 33.3 |
| 1237 | 28.6 | 28.7 | 27.2 | 26.1 | 24.1 | 19.6 | 25.9 | 21.5e | NDC | | | | |
| 1238 | 28.6 | 28.7 | 27.2 | 26.1 | 24.1 | 19.6 | 25.9 | 32.6 | 35.4 | 33.9 | 35.0 | 35.4 | 27.6 |
| 1239 | 30.4 | 30.9 | 25.9 | 30.1 | 29.7 | 29.9 | 30.0 | 30.3 | 30.1 | 30.4 | 31.0 | 28.1 | 27.2 |
| 1240 | 30.4 | 30.9 | 25.9 | 30.1 | 29.7 | 29.9 | 30.0 | 30.3 | 30.1 | 30.4 | 31.0 | 28.1 | 27.2 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1241 | 29.9 | 29.9 | 28.2 | 29.4 | 28.9 | 28.9 | 28.4 | 31.1 | 27.7e | NDC | | | |
| 1242 | 29.9 | 29.9 | 28.2 | 29.4 | 28.9 | 28.9 | 28.4 | 31.1 | 27.7e | NDC | | | |
| 1243 | 28.4 | 29.1 | 28.8 | 29.2 | 29.0 | 28.6 | 28.6 | 28.5 | 27.2e | NDC | | | |
| 1244 | 28.4 | 29.1 | 28.8 | 29.2 | 29.0 | 28.6 | 28.6 | 28.5 | 27.2e | NDC | | | |
| 1245 | 33.0 | 31.6 | 28.6 | 31.6 | 29.6 | 29.9 | 31.0 | 28.5 | 30.2e | NDC | | | |
| 1246 | 33.0 | 31.6 | 28.6 | 31.6 | 29.6 | 29.9 | 31.0 | 28.5 | 31.6e | NDC | | | |
| 1247 | 30.5 | 32.5 | 30.8 | 30.1 | 30.8 | 29.5 | 29.6 | 16.6e | 32.3e | NDC | | | |
| 1248 | 30.5 | 32.5 | 30.8 | 30.1 | 30.8 | 29.5 | 29.6 | 16.6e | 32.3e | NDC | | | |
| 1249 | 33.2 | 32.7 | 23.3 | 36.4 | 33.7 | 31.0 | 31.2 | 31.0 | 33.5e | NDC | | | |
| 1250r | 33.2 | 32.7 | 23.3 | 36.4 | 33.7 | 31.0 | 31.2 | 31.0 | 33.5e | NDC | | | |
| 1251 | 32.5 | 31.6 | 32.0 | 31.4 | 31.1 | 32.1 | 30.9 | 32.5 | 32.4 | 32.7 | 32.5 | 32.0 | 32.9 |
| 1252 | 32.5 | 31.6 | 32.0 | 31.4 | 31.1 | 32.1 | 30.9 | 32.5 | 32.4 | 32.7 | 32.5 | 32.0 | 32.9 |
| 1253 | 29.9 | 30.5 | 28.7 | 28.3 | 28.0 | 28.6 | 27.9 | 29.6 | 29.6 | 30.7 | 29.8 | 29.7 | 27.7 |
| 1254 | 29.9 | 30.5 | 28.7 | 28.3 | 28.0 | 28.6 | 27.9 | 29.6 | 29.6 | 30.7 | 29.8 | 29.7 | 27.7 |
| 1255 | 29.5 | 31.4 | 30.0 | 30.2 | 30.6 | 31.0 | 30.5 | 30.6 | 32.1 | 29.6 | 31.3 | 29.9 | 29.9 |
| 1256 | 29.5 | 31.4 | 30.0 | 30.2 | 30.6 | 31.0 | 30.5 | 30.6 | 32.1 | 29.6 | 31.3 | 29.9 | 29.9 |
| 1257 | 33.5 | 33.8 | 33.5 | 33.5 | 32.4 | 33.9 | 32.6 | 33.4 | 33.4 | 32.5 | 33.0 | 33.6 | 31.5 |
| 1258 | 33.5 | 33.8 | 33.5 | 33.5 | 32.4 | 33.9 | 32.6 | 33.4 | 33.4 | 32.5 | 33.0 | 33.6 | 31.5 |
| 1259 | 32.7 | 31.1 | 31.3 | 32.9 | 33.4 | 33.0 | 32.4 | 32.9 | 31.6 | 33.4 | 34.2 | 34.1 | 30.6 |
| 1260 | 32.7 | 31.1 | 31.3 | 32.9 | 33.4 | 33.0 | 32.4 | 32.9 | 31.6 | 33.4 | 34.2 | 34.1 | 30.6 |
| 1261 | 29.9 | 28.1 | 28.1 | 28.5 | 28.1 | 28.7 | 27.8 | 28.1 | 27.9 | 28.8 | 29.0 | 29.4 | 28.9 |
| 1262 | 29.9 | 28.1 | 28.1 | 28.5 | 28.1 | 28.7 | 27.8 | 28.1 | 27.9 | 28.8 | 29.0 | 29.4 | 28.9 |
| 1263 | 29.3 | 28.4 | 29.5 | 27.3 | 27.1 | 27.4 | 22.5 | 26.9 | 28.0 | 28.2 | 28.7 | 29.0 | 31.1 |
| 1264 | 29.3 | 28.4 | 29.5 | 27.3 | 27.1 | 27.4 | 22.5 | 26.9 | 28.0 | 28.2 | 28.7 | 29.0 | 31.1 |
| 1265 | 32.5 | 29.9 | 29.2 | 31.0 | 30.7 | 32.8 | 32.1 | 32.5 | 31.9 | 31.6 | 33.8 | 33.1 | 33.0 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
rReplacement animal
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1266 | 32.5 | 29.9 | 29.2 | 31.0 | 30.7 | 32.8 | 32.1 | 32.5 | 31.9 | 31.6 | 33.8 | 33.1 | 33.0 |
| 1267 | 32.4 | 31.7 | 32.4 | 33.4 | 31.5 | 32.8 | 32.0 | 32.2 | 31.5 | 32.6 | 35.1 | 33.6 | 30.9 |
| 1268 | 32.4 | 31.7 | 32.4 | 33.4 | 31.5 | 32.8 | 32.0 | 32.2 | 31.5 | 32.6 | 35.8[e] | NDC | |
| 1269 | 32.3 | 30.5 | 31.2 | 30.6 | 29.7 | 32.0 | 30.6 | 30.6 | 30.1 | 30.9 | 31.2 | 31.0 | 30.7 |
| 1270 | 32.3 | 30.5 | 31.2 | 30.6 | 29.7 | 32.0 | 30.6 | 30.6 | 30.1 | 30.9 | 31.2 | 31.0 | 30.7 |
| 1271 | 30.8 | 29.4 | 28.5 | 29.2 | 28.3 | 25.2 | 19.4 | 33.1 | 31.3 | 33.5 | 34.4 | 32.4 | 34.3 |
| 1272 | 30.8 | 29.4 | 28.5 | 29.2 | 28.3 | 25.2 | 16.5 | NDC | | | | | |
| 1273 | 29.7 | 30.5 | 29.8 | 30.6 | 28.6 | 28.3 | 26.2 | 24.9 | 19.1 | 18.0[e] | NDC | | |
| 1274 | 29.7 | 30.5 | 29.8 | 30.6 | 28.6 | 28.3 | 26.2 | 24.9 | 19.1 | 31.0 | 35.3 | 35.3 | 34.7 |
| 1275 | 26.8 | 25.0 | 24.9 | 27.5 | 27.3 | 26.5 | 26.5 | 30.0 | 28.6 | 26.7 | 27.0 | 28.9 | 27.5 |
| 1276 | 26.8 | 25.0 | 24.9 | 27.5 | 27.3 | 26.5 | 26.5 | 30.0 | 28.6 | 26.7 | 27.0 | 28.9 | 27.5 |
| 1277 | 31.1 | 31.7 | 30.8 | 30.3 | 29.3 | 30.9 | 24.4 | 26.7 | 30.3 | 30.5 | 31.4 | 31.6 | 31.0 |
| 1278 | 31.1 | 31.7 | 30.8 | 30.3 | 29.3 | 30.9 | 24.4 | 26.7 | 30.3 | 30.5 | 31.4 | 31.6 | 31.0 |
| 1279 | 32.8 | 36.0 | 32.0 | 31.8 | 30.8 | 30.1 | 31.1 | 32.4 | 29.6 | 30.9 | 31.2 | 31.6 | 31.6 |
| 1280 | 32.8 | 36.0 | 32.0 | 31.8 | 30.8 | 30.1 | 31.1 | 32.4 | 29.6 | 30.9 | 31.2 | 31.6 | 31.6 |
| 1281 | 26.5 | 27.5 | 27.4 | 27.3 | 26.3 | 27.8 | 27.6 | 26.8 | 25.6 | 27.6 | 27.6 | 29.6 | NDC |
| 1282 | 26.5 | 27.5 | 27.4 | 27.3 | 26.3 | 27.8 | 27.6 | 26.8 | 25.6 | 27.6 | 27.6 | 29.6 | 31.3 |
| 1283 | 32.6 | 35.4 | 36.3 | 36.5 | 37.3 | 36.9 | 36.4 | 26.2 | 24.9 | 26.1 | 26.9 | 25.2 | 26.7 |
| 1284 | 32.6 | 35.4 | 36.3 | 36.5 | 37.3 | 36.9 | 36.4 | 28.5[e] | NDC | | | | |
| 1285 | 28.6 | 28.2 | 27.7 | 28.7 | 25.7 | 29.0 | 28.8 | 28.7 | 26.8 | 31.3 | 32.1 | 31.4 | 23.6 |
| 1286 | 28.6 | 28.2 | 27.7 | 28.7 | 25.7 | 29.0 | 28.8 | 28.7 | 26.8 | 31.3 | 32.1 | 31.4 | 25.5 |
| 1287 | 30.4 | 31.5 | 30.0 | 30.4 | 29.0 | 29.8 | 28.1 | 31.5 | 30.0 | 31.6 | 33.3 | 32.1 | 33.2 |
| 1288 | 30.4 | 31.5 | 30.0 | 30.4 | 29.0 | 29.8 | 28.1 | 31.5 | 30.0 | 31.6 | 33.3 | 32.1 | 33.2 |
| 1289 | 31.2 | 30.5 | 30.9 | 30.8 | 29.3 | 29.5 | 30.2 | 31.6 | 30.1 | 31.0 | 32.0 | 31.2 | 31.8 |
| 1290 | 31.2 | 30.5 | 30.9 | 30.8 | 29.3 | 29.5 | 30.2 | 31.6 | 30.1 | 31.0 | 32.0 | 31.2 | 31.8 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1291 | 29.8 | 30.4 | 30.7 | 30.1 | 29.1 | 28.9 | 28.6 | 30.4 | 30.0 | 28.6 | 29.3 | 28.7 | 26.6 |
| 1292 | 29.8 | 30.4 | 30.7 | 30.1 | 29.1 | 28.9 | 28.6 | 30.4 | 30.0 | 28.6 | 29.3 | 28.7 | 26.6 |
| 1293 | 28.1 | 28.1 | 29.6 | 30.1 | 28.5 | 29.1 | 27.5 | 28.6 | 27.8 | 28.5 | 27.1 | 27.6 | 28.5 |
| 1294 | 28.1 | 28.1 | 29.6 | 30.1 | 28.5 | 29.1 | 27.5 | 28.6 | 27.8 | 28.5 | 27.1 | 27.6 | 28.5 |
| 1295 | 30.0 | 31.0 | 32.0 | 28.8 | 30.1 | 31.4 | 32.2 | 33.3 | 34.7 | 33.0 | 32.7 | 30.0 | 29.1 |
| 1296 | 30.0 | 31.0 | 32.0 | 28.8 | 30.1 | 31.4 | 32.2 | 33.3 | 34.7 | 33.0 | 32.7 | 0.0[e] | NDC |
| 1297 | 30.2 | 30.2 | 28.5 | 28.2 | 28.5 | 27.7 | 27.1 | 26.5 | 25.8 | 28.9 | 28.8 | 29.3 | 26.7 |
| 1298 | 30.2 | 30.2 | 28.5 | 28.2 | 28.5 | 27.7 | 27.1 | 26.5 | 25.8 | 28.9 | 28.8 | 29.3 | 26.7 |
| 1299 | 25.2 | 28.4 | 27.8 | 28.1 | 28.1 | 27.5 | 27.8 | 27.3 | 27.3 | 22.0 | 22.2 | 28.2 | 28.5 |
| 1300 | 25.2 | 28.4 | 27.8 | 28.1 | 28.1 | 27.5 | 27.8 | 27.3 | 27.3 | 22.0 | 16.6[e] | NDC | |
| 1301 | 35.0 | 34.3 | 36.5 | 36.4 | 35.1 | 36.2 | 35.0 | 35.8 | 35.5 | 34.1 | 35.1 | 38.6 | 29.2 |
| 1302 | 35.0 | 34.3 | 36.5 | 36.4 | 35.1 | 36.2 | 35.0 | 35.8 | 35.5 | 34.1 | 35.1 | 37.0[e] | NDC |
| 1303 | 25.3 | 26.5 | 26.3 | 25.7 | 24.5 | 26.2 | 26.1 | 27.0 | 25.9 | 25.2 | 25.1 | 26.9 | 26.1 |
| 1304 | 25.3 | 26.5 | 26.3 | 25.7 | 24.5 | 26.2 | 26.1 | 27.0 | 25.9 | 25.2 | 25.1 | 26.9 | 26.1 |
| 1305 | 27.8 | 29.2 | 27.4 | 28.6 | 27.3 | 27.8 | 28.1 | 27.9 | 26.7 | 27.0 | 28.1 | 29.4 | 26.3 |
| 1306 | 27.8 | 29.2 | 27.4 | 28.6 | 27.3 | 27.8 | 28.1 | 27.9 | 26.7 | 27.0 | 28.1 | 29.4 | 20.0[e] |
| 1307 | 30.5 | 30.3 | 30.2 | 30.7 | 28.7 | 29.4 | 28.1 | 31.2 | 28.6 | 29.0 | 30.5 | 30.4 | 31.3 |
| 1308 | 30.5 | 30.3 | 30.2 | 30.7 | 28.7 | 29.4 | 28.1 | 31.2 | 28.6 | 29.0 | 30.5 | 30.4 | 31.3 |
| 1309 | 32.7 | 31.7 | 31.3 | 31.9 | 32.5 | 35.5 | 38.3 | 36.8 | 44.5 | 38.7 | 40.5 | 47.1 | 43.7 |
| 1310 | 32.7 | 31.7 | 31.3 | 31.9 | 32.5 | 35.5 | 38.3 | 36.8 | 44.5 | 38.7 | 40.5 | 47.1 | 43.7 |
| 1311 | 31.2 | 31.5 | 30.8 | 31.3 | 27.8 | 28.6 | 21.9 | 24.4 | 29.9 | 28.4 | 26.1 | 27.6 | 28.3 |
| 1312 | 31.2 | 31.5 | 30.8 | 31.3 | 28.3 | NDC | | | | | | | |
| 1313 | 26.3 | 26.9 | 27.0 | 27.9 | 25.7 | 26.5 | 25.4 | 26.6 | 25.7 | 26.2 | 26.5 | 26.6 | 27.1 |
| 1314 | 26.3 | 26.9 | 27.0 | 27.9 | 25.7 | 26.5 | 25.4 | 26.6 | 25.7 | 26.2 | 26.5 | 26.6 | 27.1 |
| 1315 | 27.6 | 28.0 | 28.2 | 28.9 | 26.7 | 28.0 | 27.5 | 28.2 | 25.9 | 26.9 | 27.4 | 25.9 | 27.1 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1316 | 27.6 | 28.0 | 28.2 | 28.9 | 26.7 | 28.0 | 27.5 | 28.2 | 25.9 | 26.9 | 27.4 | 19.8e | NDC |
| 1317 | 29.1 | 31.6 | 30.6 | 35.0 | 33.6 | 31.7 | 30.1 | 28.5 | 27.0 | 15.5 | NDC | | |
| 1318 | 29.1 | 31.6 | 30.6 | 35.0 | 33.6 | 31.7 | 30.1 | 28.5 | 27.3 | NDC | | | |
| 1319 | 28.4 | 28.1 | 28.5 | 29.1 | 26.0 | 26.0 | 24.8 | 24.4 | 26.7 | 22.8 | 26.9 | 25.3 | 16.8 |
| 1320 | 28.4 | 28.1 | 28.5 | 29.1 | 26.0 | 26.0 | 24.8 | 24.4 | 26.7 | 22.8 | 26.9 | 25.3 | 16.8 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1011 | 31.6 | 31.2 | 31.6 | 26.2 | 32.8 | 32.4 | 30.0 | 29.4 | 31.2 | 30.5 | 29.4 | 26.4 | 30.6 |
| 1012 | 31.6 | 31.2 | 31.6 | 26.2 | 32.8 | 32.4 | 30.0 | 29.4 | 31.2 | 30.5 | 29.4 | 26.4 | 30.6 |
| 1013 | 28.7 | 30.3 | 30.4 | 29.3 | 27.4 | 27.5 | 27.2 | 28.2 | 29.8 | 27.8 | 28.3 | 27.8 | 29.7 |
| 1014 | 28.7 | 30.3 | 30.4 | 29.3 | 27.4 | 27.5 | 27.2 | 28.2 | 29.8 | 27.8 | 28.3 | 27.8 | 29.7 |
| 1015 | 30.5 | 29.9 | 31.2 | 31.1 | 30.4 | 28.3 | 29.7 | 30.0 | 28.6 | 24.6 | 17.1 | 16.1 | 30.9 |
| 1016 | 30.5 | 29.9 | 31.2 | 31.1 | 30.4 | 28.3 | 29.7 | 30.0 | 28.6 | 24.6 | 17.1 | 15.2 | NDC |
| 1017 | 31.9 | 30.6 | 28.0 | 26.0[e] | NDC | | | | | | | | |
| 1018 | 31.9 | 30.6 | 28.0 | 27.4 | 35.1 | 34.9 | 33.8 | 34.4 | 32.5 | 32.4 | 30.8 | 31.3 | 29.8 |
| 1019 | 29.8 | 30.3 | 33.4 | 33.5 | 31.6 | 19.5 | 9.7 | 8.2 | 0.0[e] | NDC | | | |
| 1020 | 29.8 | 30.3 | 33.4 | 33.5 | 31.6 | 19.5 | 9.7 | 9.1 | NDC | | | | |
| 1021 | 28.8 | 29.7 | 32.6 | 29.9 | 30.2 | 28.3 | 28.9 | 29.1 | 28.0 | 29.0 | 25.2 | 27.5 | 29.1 |
| 1022 | 28.8 | 29.7 | 32.6 | 29.9 | 30.2 | 28.3 | 28.9 | 29.1 | 28.0 | 29.0 | 25.2 | 27.5 | 29.1 |
| 1023 | 27.7 | 28.0 | 27.1 | 27.4 | 27.7 | 29.0 | 29.2 | 31.0 | 29.2 | 29.4 | 29.3 | 27.7 | 26.4 |
| 1024 | 27.7 | 28.0 | 27.1 | 27.4 | 27.7 | 29.0 | 29.2 | 31.0 | 29.2 | 29.4 | 29.3 | 27.7 | 27.0 |
| 1025 | 29.8 | 28.4 | 29.8 | 28.1 | 29.2 | 29.9 | 29.1 | 32.3 | 30.3 | 31.1 | 29.6 | 30.6 | 28.7 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1026 | 29.8 | 28.4 | 29.8 | 28.1 | 29.2 | 29.9 | 29.1 | 32.3 | 30.3 | 31.1 | 29.6 | 30.6 | 28.7 |
| 1027 | 22.9e | NDC | | | | | | | | | | | |
| 1028 | 28.1 | 32.3 | 30.2 | 26.4 | 31.6 | 30.5 | 28.4 | 36.5 | 32.7 | 32.8 | 34.3 | 34.4 | 33.1 |
| 1029 | 33.6 | 33.2 | 38.1 | 33.6 | 32.7 | 32.6 | 31.7 | 34.1 | 31.9 | 30.4 | 30.8 | 27.9 | 35.9 |
| 1030 | 33.6 | 33.2 | 38.1 | 33.6 | 32.7 | 32.6 | 31.7 | 34.1 | 31.9 | 30.4 | 30.8 | 23.3e | NDC |
| 1031 | 23.6 | 23.0 | 39.3 | 33.2 | 33.7 | 33.9 | 35.1 | 39.4 | 32.9 | 38.1 | 31.4 | 29.4 | 26.6 |
| 1032 | 23.6 | 18.4e | NDC | | | | | | | | | | |
| 1034 | 0.0e | NDC | | | | | | | | | | | |
| 1035 | 33.6 | 28.6 | 31.8 | 32.2 | 30.8 | 29.5 | 28.9 | 49.4 | 31.6 | 34.4 | 33.6 | 34.0 | 35.0 |
| 1036 | 33.6 | 28.6 | 31.8 | 32.2 | 30.8 | 29.5 | 28.9 | 49.4 | 31.6 | 34.4 | 33.6 | 34.0 | 35.0 |
| 1037 | 35.5 | 37.4 | 46.4 | 66.6 | 68.1e | 65.9 | 73.6 | 35.4 | 66.8 | 62.5 | 55.2 | 50.8 | 49.2 |
| 1038 | 35.5 | 37.4 | 42.2 | NDC | | | | | | | | | |
| 1039 | 28.3 | 28.7 | 27.8 | 27.5 | 26.9 | 27.8 | 27.0 | 28.9 | 28.6 | 28.2 | 29.8 | 27.8 | 29.4 |
| 1040 | 28.3 | 28.7 | 27.8 | 27.5 | 26.9 | 27.8 | 27.0 | 28.9 | 28.6 | 28.2 | 29.8 | 27.8 | 29.4 |
| 1041 | 28.7 | 27.9 | 28.5 | 29.3 | 28.3 | 29.6 | 27.6 | 30.6 | 30.5 | 28.7 | 27.1 | 28.6 | 29.4 |
| 1042 | 28.7 | 27.9 | 28.5 | 29.3 | 28.3 | 29.6 | 27.6 | 30.6 | 30.5 | 28.7 | 27.1 | 28.6 | 29.4 |
| 1043 | 29.8 | 30.3 | 27.9 | 28.2 | 29.3 | 29.1 | 27.6 | 50.5e | NDC | | | | |
| 1045 | 29.4 | 30.7 | 30.5 | 29.9 | 27.9 | 36.6 | 28.1 | 30.5 | 30.9 | 31.2 | 28.4 | 28.6 | 29.8 |
| 1047 | 28.2 | 34.4 | 17.4 | 18.3e | NDC | | | | | | | | |
| 1049 | 27.1 | 26.9 | 26.9 | 27.8 | 29.2 | 27.0 | 27.0 | 28.5 | 26.4 | 25.1 | 18.5 | 7.3e | NDC |
| 1050 | 27.1 | 26.9 | 26.9 | 27.8 | 29.2 | 27.0 | 27.0 | 28.5 | 26.4 | 25.1 | 18.5 | 7.1e | NDC |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1051 | 28.8 | 29.2 | 32.0 | 34.5 | 33.4 | 33.4 | 32.2 | 33.9 | 31.4 | 31.9 | 30.6 | 27.8 | 24.0 |
| 1052 | 28.8 | 29.2 | 32.0 | 34.5 | 33.4 | 33.4 | 32.2 | 33.9 | 31.4 | 31.9 | 30.6 | 27.8 | 24.1 |
| 1053 | 31.5 | NDC | | | | | | | | | | | |
| 1054 | 32.4 | 28.7 | 31.4 | 32.6 | 30.9 | 32.1 | 31.6 | 35.4 | 24.1 | 31.2 | 20.1 | 39.4 | 36.7 |
| 1055 | 35.6 | 33.9 | 33.7 | 36.4 | 32.4 | 31.6 | 33.0 | 35.4 | 35.7 | 35.7 | 28.9 | 4.6 | NDC |
| 1057 | 28.3 | 29.6 | 29.3 | 29.3 | 29.3 | 28.1 | 26.7 | 27.3 | 25.9 | 21.8 | 29.7 | 29.5 | 30.4 |
| 1058 | 28.3 | 29.6 | 29.3 | 29.3 | 29.3 | 28.1 | 26.7 | 27.3 | 25.9 | 15.6[e] | NDC | | |
| 1060 | 33.4 | 33.4 | 38.4 | 35.7 | 35.1 | 37.4 | 33.9 | 33.2 | 31.1 | 33.6 | 33.1 | 32.4 | 32.0 |
| 1061 | 31.7 | 31.4 | 31.1 | 29.7 | 24.2 | NDC | | | | | | | |
| 1062 | 31.7 | 31.4 | 31.1 | 29.7 | 23.6 | 26.7 | 29.8 | 29.0 | 28.8 | 28.4 | 28.4 | 29.8 | 31.0 |
| 1063 | 31.3 | 30.6 | 29.2 | 27.4 | 24.0 | 33.3 | 29.1 | 34.4 | 33.1 | 34.5 | 34.5 | 33.6 | 34.0 |
| 1064[r] | 31.3 | 30.6 | 29.2 | 27.4 | 20.8[e] | NDC | | | | | | | |
| 1065 | 33.0 | 23.9 | 24.8 | 27.9 | 26.6 | 24.4 | 19.1 | 19.6 | 21.6 | 9.8 | 0.0[e] | NDC | |
| 1066 | 33.0 | 23.9 | 27.0[e] | NDC | | | | | | | | | |
| 1067 | 29.7 | 30.1 | 29.2 | 30.9 | 31.0 | 33.4 | 30.9 | 37.2 | 34.3 | 36.1 | 33.6 | 36.4 | 37.3 |
| 1068 | 29.7 | 30.1 | 29.2 | 30.9 | 31.0 | 33.4 | 30.9 | 37.2 | 34.3 | 36.1 | 33.6 | 36.4 | 37.3 |
| 1069 | 33.1 | 31.8 | 33.5 | 33.8 | 31.8 | 22.5 | 26.5 | 24.3 | NDC | | | | |
| 1070 | 33.1 | 31.8 | 33.5 | 33.8 | 31.8 | 22.5 | 17.5[e] | NDC | | | | | |
| 1071 | 33.9 | 34.1 | 34.1 | 35.1 | 30.5 | 37.6[e] | 32.0 | 34.7 | 32.6 | 33.1 | 32.4 | 30.9 | 30.4 |
| 1072 | 33.9 | 34.1 | 34.1 | 35.1 | 30.5 | 37.6[e] | 32.0 | 34.7 | 32.6 | 33.1 | 32.4 | 30.9 | 30.4 |
| 1073 | 31.5 | 32.7 | 33.6 | 33.7 | 22.6 | 36.6 | 36.0 | 31.1 | 30.9 | 31.7 | 23.8 | 26.9 | 25.8 |
| 1075 | 26.2 | 26.9 | 26.4 | 26.7 | 25.7 | 26.5 | 27.5 | 28.1 | 28.3 | 27.8 | 27.6 | 26.0 | 26.2 |

[#]Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
[r]Replacement animal
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1076 | 26.2 | 26.9 | 26.4 | 26.7 | 25.7 | 26.5 | 27.5 | 28.1 | 28.3 | 27.8 | 27.6 | 26.0 | 26.2 |
| 1077 | 26.9 | 26.4 | 27.3 | 28.1 | 26.6 | 27.3 | 27.6 | 27.3 | 27.0 | 24.6 | 24.9 | 30.7 | 25.0 |
| 1078 | 26.9 | 26.4 | 27.3 | 28.1 | 26.6 | 27.3 | 27.6 | 27.3 | 27.0 | 24.6 | 24.9 | 30.7 | 31.7[e] |
| 1079 | 33.0 | 33.9 | 31.3 | 32.3 | 31.1 | 33.6 | 30.8 | 34.1 | 35.4 | 33.3 | 32.9 | 28.1 | 18.4 |
| 1080 | 33.0 | 33.9 | 31.3 | 32.3 | 31.1 | 33.6 | 30.8 | 34.1 | 35.4 | 33.3 | 32.9 | 28.1 | 18.4 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1091 | 28.4 | 9.7e | 28.1 | 28.6 | 28.4 | 30.2 | 31.6 | 29.1 | 30.5 | 31.2 | 31.4 | 30.5 | 27.6 |
| 1093 | 26.3 | 27.7 | 26.2 | 27.0 | 27.0 | 27.5 | 28.6 | 28.7 | 30.8 | 25.8 | 28.5 | 28.5 | 27.4 |
| 1094 | 26.3 | 27.7 | 26.2 | 27.0 | 27.0 | 27.5 | 28.6 | 28.7 | 30.8 | 25.8 | 28.5 | 28.5 | 27.4 |
| 1095 | 30.0 | 29.3 | 25.1 | 34.8 | 34.1 | 36.0e | NDC | | | | | | |
| 1096 | 30.0 | 29.3 | 25.1 | 34.8 | 34.1 | 35.4 | 34.7 | 35.4 | 35.1 | 32.9 | 34.4 | 36.4 | 39.7 |
| 1097 | 32.4 | 28.2 | 31.6 | 31.9 | 31.8 | 29.8 | 20.5 | 29.6 | 32.8 | 32.9 | 33.9 | 32.5 | 29.0 |
| 1098 | 32.4 | 28.2 | 31.6 | 31.9 | 31.8 | 29.8 | 20.5 | 29.6 | 32.8 | 32.9 | 33.9 | 32.5 | 29.0 |
| 1099 | 29.8 | 30.3 | 29.6 | 30.5 | 29.8 | 30.3 | 30.2 | 30.6 | 31.3 | 30.4 | 30.6 | 32.1 | 30.4 |
| 1100 | 29.8 | 30.3 | 29.6 | 30.5 | 29.8 | 30.3 | 30.2 | 30.6 | 31.3 | 30.4 | 30.6 | 32.1 | 30.4 |
| 1102 | 32.9 | 29.9 | 29.1 | 31.8 | 30.9 | 30.9 | 31.0 | 29.7 | 31.3 | 32.9 | 32.5 | 31.1 | 35.9 |
| 1104 | 0.0e | NDC | | | | | | | | | | | |
| 1105 | 38.9 | 37.1 | 38.1 | 38.6 | 37.3 | 37.9 | 37.3 | 39.2 | 41.1 | 40.8 | 38.6 | 30.1 | 36.6 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1106 | | | | | | | | | | | | | |
| 1107 | 29.8 | 28.4 | 31.2 | 28.6 | 29.2 | 31.0 | 28.9 | 29.3 | 28.5 | 26.2 | 29.4 | 29.2 | 29.9 |
| 1108 | 29.8 | 28.4 | 31.2 | 28.6 | 29.2 | 31.0 | 28.9 | 29.3 | 28.5 | 26.2 | 29.4 | 29.2 | 29.9 |
| 1109 | 30.4 | 29.8 | 30.1 | 29.0 | 27.6 | 28.8 | 29.2 | 29.2 | 28.9 | 28.2 | 30.2 | 26.8 | 27.5 |
| 1110 | 30.4 | 29.8 | 30.1 | 29.0 | 27.6 | 28.8 | 29.2 | 29.2 | 28.9 | 28.2 | 30.2 | 26.8 | 27.5 |
| 1112 | 36.0 | 25.0 | 30.9 | 26.2 | 31.1 | 31.5 | 31.1 | 29.3 | 25.7 | 28.7 | 29.4 | 29.8 | 32.4 |
| 1113 | 29.0 | 28.9 | 30.1 | 31.8 | 26.1 | 29.1 | 30.9 | 36.1 | 34.4 | 32.9 | 33.6 | 27.7 | 24.8 |
| 1114 | 29.0 | 28.9 | 30.1 | 31.8 | 26.1 | 29.0[e] | NDC | | | | | | |
| 1115 | 33.5 | 32.9 | 31.9 | 27.3 | 31.4 | 30.7 | 33.1 | 32.7 | 33.7 | 32.9 | 33.2 | 31.9 | 32.6 |
| 1117 | 35.0 | 34.9 | 36.8 | 41.3 | 38.0 | 36.5 | 37.0 | 41.8 | 39.5 | 35.2 | 25.2 | 46.5 | 44.1 |
| 1118 | 35.0 | 34.9 | 36.8 | 41.3 | 38.0 | 36.5 | 37.0 | 41.8 | 39.5 | 35.2 | 25.2 | 28.5[e] | NDC |
| 1120 | 26.7 | 29.2 | 28.8 | 28.3 | 28.2 | 28.8 | 30.9 | 30.4 | 30.3 | 31.0 | 27.7 | 26.9 | 30.3 |
| 1121 | 33.3 | 32.3 | 31.9 | 32.4 | 32.3[e] | 34.2 | 32.6 | 31.5 | 33.1 | 25.2 | 18.4 | 17.5[e] | NDC |
| 1122 | 33.3 | 32.3 | 31.9 | 32.4 | 32.3[e] | 34.2 | 32.6 | 31.5 | 33.1 | 25.2 | 18.4 | 32.2 | 34.4 |
| 1123 | 31.1 | 30.6 | 30.6 | 31.4 | 31.1 | 32.6 | 32.4 | 32.8 | 32.3 | 27.9 | 33.3 | 32.0 | 29.2 |
| 1124 | 31.1 | 30.6 | 30.6 | 31.4 | 31.1 | 32.6 | 32.4 | 32.8 | 32.3 | 27.9 | 33.3 | 32.0 | 29.2 |
| 1125 | 31.9 | 31.1 | 31.1 | 32.4 | 31.9 | 31.6 | 32.8 | 32.5 | 32.2 | 31.4 | 32.1 | 30.1 | 30.0 |
| 1126 | 31.9 | 31.1 | 31.1 | 32.4 | 31.9 | 31.6 | 32.8 | 32.5 | 32.2 | 31.4 | 32.1 | 30.1 | 30.0 |
| 1127 | 30.8 | 31.8 | 30.1 | 33.9 | 27.0 | 28.8 | 27.7 | 22.5 | 24.2 | 25.9 | 29.8 | 26.8 | 27.1 |
| 1128 | 30.8 | 31.8 | 30.1 | 33.9 | 27.0 | 28.8 | 27.7 | 22.5 | 21.4[e] | NDC | | | |
| 1129 | 33.3 | 32.1 | 33.0 | 32.3 | 33.4 | 33.8 | 33.1 | 34.8 | 33.3 | 34.0 | 28.0 | 20.9[e] | NDC |
| 1130 | 33.3 | 32.1 | 33.0 | 32.3 | 33.4 | 33.8 | 33.1 | 34.8 | 33.3 | 34.0 | 28.0 | 24.8 | 32.9 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1131 | 22.4 | 14.0e | NDC | | | | | | | | | | |
| 1132 | 22.4 | 26.7 | 23.4 | 34.6 | 28.6 | 30.9 | 31.8 | 30.0 | 32.2 | 30.0 | 30.1 | 29.0 | 29.4 |
| 1133 | 27.9 | 28.0 | 27.2 | 27.2 | 27.3 | 28.2 | 27.3 | 27.8 | 26.8 | 25.4 | 25.5 | 25.4 | 26.5 |
| 1134 | 27.9 | 28.0 | 27.2 | 27.2 | 27.3 | 28.2 | 27.3 | 27.8 | 26.8 | 25.4 | 25.5 | 25.4 | 26.5 |
| 1135 | 33.9 | 33.2 | 32.3 | 35.1 | 29.4 | 25.5 | 37.0 | 35.6 | 34.8 | 31.5 | 23.3 | 22.4 | 23.8 |
| 1136 | 33.9 | 33.2 | 32.3 | 35.1 | 29.4 | 25.5 | 37.0 | 35.6 | 34.8 | 31.5 | 23.3 | 22.4 | 23.8 |
| 1137 | 34.3 | 31.9 | 35.0 | 37.7 | 37.7 | 36.9 | 36.6 | 0.0e | NDC | | | | |
| 1138 | 34.3 | 31.9 | 35.0 | 37.7 | 37.7 | 36.9 | 36.6 | 52.2 | 51.2 | 49.7 | 51.0 | 44.8 | 53.8 |
| 1140 | 32.2 | 32.7 | 31.1 | 31.7 | 30.3 | 29.9 | 31.6 | 29.9 | 32.7 | 30.5 | 31.3 | 28.4 | 31.5 |
| 1143 | 33.2 | 30.9 | 36.4 | 31.6 | 31.0 | 29.3 | 31.7 | 29.4 | 30.7 | 29.8 | 30.1 | 30.0 | 30.4 |
| 1146 | 37.3 | 35.4 | 40.1 | 39.2 | 34.8 | 33.1 | 35.8e | NDC | | | | | |
| 1147 | 31.0 | 31.3 | 32.0 | 32.0 | 31.4 | 31.0 | 31.9 | 32.3 | 30.4 | 30.9 | 30.4 | 29.9 | 31.5 |
| 1148 | 31.0 | 31.3 | 32.0 | 32.0 | 31.4 | 31.0 | 31.9 | 32.3 | 30.4 | 30.9 | NDC | | |
| 1149 | 28.0 | 29.0 | 28.3 | 28.7 | 28.8 | 29.5 | 30.3 | 29.9 | 30.1 | 29.5 | 29.3 | 27.4 | 24.9 |
| 1150 | 28.0 | 29.0 | 28.3 | 28.7 | 28.8 | 29.5 | 30.3 | 29.9 | 30.1 | 29.5 | 29.3 | 27.4 | 24.9 |
| 1151 | 31.6 | 31.9 | 29.8 | 19.3 | 12.4 | 15.5 | 18.6 | 17.9 | 17.3 | 17.1 | 15.2 | NDC | |
| 1152 | 31.6 | 31.9 | 29.8 | 19.3 | 12.4 | 10.4e | NDC | | | | | | |
| 1153 | 36.4 | 33.2 | 35.0 | 40.3 | 37.2 | 33.4 | 39.7 | 39.6 | 40.0 | 39.8 | 36.3 | 36.0 | 35.2 |
| 1154 | 36.4 | 33.2 | 35.0 | 40.3 | 37.2 | 33.4 | 39.7 | 39.6 | 40.0 | 39.8 | 36.3 | 36.0 | 35.2 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0.1 mg/kg/day | | | | | | | | | | | | | |
| 1156 | 41.1 | 37.9 | 37.1 | 37.9 | 38.2 | 35.4 | 35.9 | 30.6 | 24.6 | 3.4e | NDC | | |
| 1157 | 31.9 | 31.4 | 29.5 | 32.2 | 31.4 | 29.7 | 30.0 | 31.5 | 30.2 | 30.3 | 31.3 | 32.0 | 32.5 |
| 1158 | 31.9 | 31.4 | 29.5 | 32.2 | 31.4 | 29.7 | 30.0 | 31.5 | 30.2 | 30.3 | 31.3 | 32.0 | 32.5 |
| 1159 | 31.5 | 31.5 | 31.8 | 31.1 | 32.6 | 31.7 | 29.5 | 27.3 | 34.0 | 33.1 | 34.9 | 31.7 | 33.3 |
| 1160 | 31.5 | 31.5 | 31.8 | 31.1 | 32.6 | 31.7 | 29.5 | 27.3 | 34.0 | 33.1 | 34.9 | 31.7 | 33.3 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1171 | 29.6 | 29.6 | 24.6 | 31.9 | 29.8 | 29.4 | 27.4 | 26.0 | 18.0 | 22.6 | 28.7 | 27.6 | 27.0 |
| 1172 | 29.6 | 29.6 | 24.6 | 31.9 | 29.8 | 29.4 | 27.4 | 26.0 | 18.0 | 18.1[e] | NDC | | |
| 1173 | 26.1 | 25.1 | 25.0 | 23.0 | 20.5 | 20.9 | 21.0 | 17.3 | 14.7[e] | NDC | | | |
| 1175 | 31.5 | 32.0 | 33.0 | 32.3 | 32.0 | 29.2 | 33.3 | 33.0 | 33.2 | 33.6 | 30.4 | 30.3 | 29.1 |
| 1176 | 31.5 | 32.0 | 33.0 | 32.3 | 32.0 | 29.2 | 33.3 | 33.0 | 33.2 | 33.6 | 30.4 | 30.3 | 29.1 |
| 1178 | 27.9 | 31.9 | 28.0 | 31.1 | 31.5 | 29.9 | 32.4 | 29.5 | 31.9 | 27.7 | 29.1 | 34.2 | 33.7 |
| 1179 | 31.5 | 31.8 | 30.8 | 35.6 | 32.5 | 29.5 | NDC | | | | | | |
| 1180 | 31.5 | 31.8 | 30.8 | 35.6 | 32.5 | 29.6 | 32.2 | 29.5 | 27.7 | 25.4 | 30.1 | 27.6 | 29.0 |
| 1182 | 26.6 | 26.0[e] | NDC | | | | | | | | | | |
| 1183 | 29.5 | 33.9 | 35.0 | 35.5 | 33.3 | 33.3 | 32.8 | 34.9[e] | NDC | | | | |
| 1184 | 29.5 | 33.9 | 35.0 | 35.5 | 33.3 | 33.3 | 32.8 | 32.4 | 37.4 | 29.2 | 3.5 | 0.0[e] | NDC |
| 1185 | 27.4 | 27.2 | 27.9 | 28.9 | 28.0 | 28.5 | 29.3 | 26.8 | 14.7[e] | NDC | | | |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1186 | 27.4 | 27.2 | 27.9 | 28.9 | 28.0 | 28.5 | 29.3 | 26.8 | 21.3 | 24.4 | 24.4 | 23.3 | 24.1 |
| 1187 | 31.1 | 32.0 | 30.7 | 36.1 | 32.2 | 33.8 | 33.2 | 31.5 | 33.0[e] | NDC | | | |
| 1188 | 31.1 | 32.0 | 30.7 | 36.1 | 32.2 | 33.8 | 33.2 | 31.5 | 33.6 | 36.4 | 37.5 | 37.5 | NDC |
| 1189 | 32.2 | 32.8 | NDC | | | | | | | | | | |
| 1192 | 25.9 | 27.1 | 27.5 | 28.3 | 27.6 | 27.9 | 28.6 | 27.4 | 28.1 | 23.5 | 29.9 | 28.4 | 29.6 |
| 1193 | 26.7 | 25.5 | 26.7 | 28.1 | 26.0 | 25.7 | 28.5 | 29.9 | 27.4 | 27.1 | 25.5 | 26.6 | 28.5 |
| 1194 | 26.7 | 25.5 | 26.7 | 28.1 | 26.0 | 25.7 | 28.5 | 29.9 | 27.4 | 27.1 | 25.5 | 26.6 | 28.5 |
| 1195 | 27.6 | 29.1 | 27.9 | 28.7 | 28.9 | 26.6 | 27.8 | 27.0 | 26.4 | 27.6 | 27.4 | 24.5 | NDC |
| 1196 | 27.6 | 29.1 | 27.9 | 28.7 | 28.9 | 26.6 | 27.8 | 27.0 | 26.4 | 27.6 | 27.4 | 24.1 | 27.3 |
| 1197 | 29.1 | 30.6 | 35.9[e] | NDC | | | | | | | | | |
| 1198 | 29.1 | 30.6 | 33.5 | 31.9 | 33.2 | 33.8 | 31.6 | 23.0 | 28.0 | 34.6 | 36.1 | 35.4 | 25.8 |
| 1199 | 26.8 | 27.5 | 30.3 | 28.3 | 28.9 | 28.2 | 29.3 | 30.1 | 29.8 | 29.4 | 27.9 | 27.0 | 26.9 |
| 1200 | 26.8 | 27.5 | 30.3 | 28.3 | 28.9 | 28.2 | 29.3 | 30.1 | 29.8 | 29.4 | 27.9 | 27.0 | 26.9 |
| 1201 | 30.4 | 30.5 | 32.0 | 32.8 | 33.3 | 30.1 | 30.8 | 27.2 | NDC | | | | |
| 1202 | 30.4 | 30.5 | 32.0 | 32.8 | 33.3 | 30.1 | 30.8 | 27.3 | 30.6 | 28.8 | 31.4 | 30.0 | 24.5 |
| 1204 | 26.1 | 25.4 | 27.4 | 28.9 | 28.9 | 26.6 | 26.4 | 27.7 | 28.1 | 30.7 | 30.5 | 29.4 | 25.6 |
| 1205 | 29.3 | 29.6 | 31.0 | 33.0 | 31.6 | 25.0 | 13.4 | 17.3[e] | NDC | | | | |
| 1206 | 29.3 | 29.6 | 31.0 | 33.0 | 31.6 | 25.0 | 13.4 | 15.2 | 11.4[e] | NDC | | | |
| 1208 | 27.4 | 27.3 | 27.9 | 26.6 | 29.4 | NDC | | | | | | | |
| 1209 | 33.5 | 32.6 | 31.3 | 36.3 | 34.3 | 32.0 | 32.1 | 32.2 | 29.7 | 31.8 | 28.3 | 22.3 | 13.4 |
| 1210 | 33.5 | 32.6 | 31.3 | 36.3 | 34.3 | 32.0 | 32.1 | 32.2 | 29.7 | 31.8 | 28.3 | 22.3 | 13.4 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1211 | 33.3 | 30.3 | 29.7 | 32.0 | 32.8 | 31.4 | 31.8 | 31.5 | 30.4 | 31.5 | 31.5 | 30.5 | 30.3 |
| 1212 | 33.3 | 30.3 | 29.7 | 32.0 | 32.8 | 31.4 | 31.8 | 31.5 | 30.4 | 31.5 | 31.5 | 30.5 | 30.3 |
| 1213 | 29.8 | 30.4 | 30.8 | 28.9 | 28.2 | 26.8 | 27.4 | 29.2 | 30.1 | 30.1 | 29.5 | 26.9 | 12.7 |
| 1214 | 29.8 | 30.4 | 30.8 | 28.0[e] | NDC | | | | | | | | |
| 1215 | 32.6 | 32.6 | 33.6 | 33.6 | 0.0[e] | NDC | | | | | | | |
| 1217 | 41.6 | 41.1 | 44.5 | 44.3 | 43.4 | 42.2 | 40.5 | 34.6 | 30.1 | 31.8 | 33.5 | 33.8 | 33.6 |
| 1218 | 41.6 | 41.1 | 44.5 | 44.3 | 43.4 | 42.2 | 40.5 | 34.6 | 30.1 | 31.8 | 33.5 | 33.8 | 33.6 |
| 1219 | 34.4 | 38.4 | 41.6 | 40.1 | 41.1 | 41.1 | 40.1 | 25.6 | 19.5[e] | NDC | | | |
| 1220 | 34.4 | 38.4 | 41.6 | 40.1 | 41.1 | 41.1 | 40.1 | 25.6 | 30.3 | 40.3 | 36.4 | 35.2 | 35.5 |
| 1221 | 29.5 | 27.1 | 19.6 | 25.3 | 32.9 | 33.3 | 36.8 | 39.0 | 41.1 | 42.5 | 45.4 | 44.4 | 42.5 |
| 1222 | 29.5 | 27.1 | 19.6 | 13.1[e] | NDC | | | | | | | | |
| 1223 | 27.0 | 27.7 | 26.8 | 27.7 | 28.2 | 28.2 | 29.3 | 27.1 | 24.1 | 26.4 | 28.9 | 28.7 | 27.9 |
| 1224 | 27.0 | 27.7 | 27.6 | NDC | | | | | | | | | |
| 1225 | 31.7 | 30.2 | 33.5 | 32.3 | 30.2 | 30.1 | 26.1 | 25.5 | 30.0 | 31.7 | 25.0 | 28.4 | 28.0 |
| 1226 | 31.7 | 30.2 | 33.5 | 32.3 | 30.2 | 30.1 | 26.1 | 17.9[e] | NDC | | | | |
| 1227 | 27.9 | 28.1 | 28.8 | 28.3 | 28.5 | 27.3 | 27.6 | 28.1 | 22.1 | 30.8 | 28.1 | 29.7 | 30.9 |
| 1229 | 33.6 | 35.3 | 33.5 | 33.8 | 36.4 | 34.7 | 35.1 | 35.1 | 35.1 | 33.1 | 31.9 | 30.6 | 26.9 |
| 1231 | NDC | | | | | | | | | | | | |
| 1232 | 28.8 | 28.6 | 29.5 | 27.9 | 27.8 | 32.1 | 30.1 | 28.8 | 31.6 | 32.3[e] | NDC | | |
| 1235 | 34.1 | 0.0[e] | NDC | | | | | | | | | | |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1236 | 34.1 | 32.3 | 31.9 | 35.3 | 32.9 | 13.6 | 39.8 | 39.4 | 40.9 | 39.3 | 37.6 | 33.9 | 31.1 |
| 1238 | 31.6 | 23.9 | 8.8 | NDC | | | | | | | | | |
| 1239 | 31.1 | 26.5 | 28.9 | 30.4 | 30.2 | 29.6 | 30.9 | 28.6 | 29.3 | 29.2 | 30.3 | 27.9 | 17.5 |
| 1240 | 31.1 | 26.5 | 28.9 | 30.4 | 30.2 | 29.6 | 30.9 | 28.6 | 29.3 | 29.2 | 30.3 | 27.9 | 17.5 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1251 | 31.5 | 32.9 | 33.3 | 32.5 | 32.5 | 31.3 | 15.5e | 36.6 | 33.5 | 30.9 | 31.0 | 29.6 | 28.8 |
| 1252 | 31.5 | 32.9 | 33.3 | 32.5 | 32.5 | 31.3 | 15.5e | 36.6 | 33.5 | 30.9 | 31.0 | 29.6 | 28.8 |
| 1253 | 29.7 | 31.3 | 31.5 | 32.3 | 30.1 | 29.1 | 30.9 | 29.8 | 21.4 | 20.8 | 21.8 | 16.8 | 17.4e |
| 1254 | 29.7 | 31.3 | 31.5 | 32.3 | 30.1 | 29.1 | 30.9 | 29.8 | 21.4 | 20.8 | 21.8 | 16.8 | 25.1 |
| 1255 | 28.5 | 29.9 | 30.0 | 32.6 | 31.2 | 32.0 | 33.9 | 32.3 | 33.3 | 32.1 | 33.5 | 30.1 | 27.4 |
| 1256 | 28.5 | 28.9e | NDC | | | | | | | | | | |
| 1257 | 31.6 | 33.4 | 33.6 | 16.9 | 23.2 | 32.9 | 34.8 | 36.6 | 35.2 | 32.7 | 34.6 | 31.0 | 27.8 |
| 1258 | 31.6 | 33.4 | 33.6 | 16.9 | 23.2 | 32.9 | 34.8 | 36.6 | 35.2 | 32.7 | 34.6 | 31.0 | 27.8 |
| 1259 | 28.0 | 18.0 | NDC | | | | | | | | | | |
| 1260 | 28.0 | 19.1 | 29.9 | 29.6 | 28.4 | 31.4 | 33.2 | 33.4 | 34.6 | 88.9e | 33.6 | 33.0 | 32.5 |
| 1261 | 29.7 | 29.0 | 29.8 | 30.2 | 29.9 | 29.9 | 30.2 | 28.3 | 29.8 | 31.4 | 26.9 | 27.6 | 28.9 |
| 1262 | 29.7 | 29.0 | 29.8 | 30.2 | 29.9 | 29.9 | 30.2 | 28.3 | 29.8 | 31.5 | NDC | | |
| 1263 | 31.2 | 30.2 | 29.8 | 31.1 | 31.7 | 30.5 | 28.4 | 26.6 | 23.1 | 50.4e | 29.6 | 27.4 | 19.8e |
| 1264 | 31.2 | 30.2 | 29.8 | 31.1 | 31.7 | 30.5 | 28.4 | 26.6 | 19.3e | NDC | | | |
| 1265 | 33.8 | 34.3 | 33.8 | 26.9 | 26.8 | 23.5e | NDC | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1266 | 33.8 | 34.3 | 33.8 | 26.9 | 26.8 | 34.2 | 33.2 | 31.6 | 30.1 | 26.6 | 9.8 | NDC | |
| 1267 | 32.7 | 35.2 | 30.8 | 35.8 | 33.8 | 33.1 | 33.8 | 31.7 | 36.1 | 33.4 | 29.1 | 22.6 | 27.5 |
| 1269 | 26.6 | 28.3 | 30.4 | 32.1 | 28.5 | 31.8 | 32.0 | 31.5 | 29.0 | 30.3 | 29.0 | 29.8 | 30.0 |
| 1270 | 26.6 | 28.3 | 30.4 | 32.1 | 28.5 | 31.8 | 32.0 | 31.5 | 29.0 | 30.3 | 29.0 | 29.8 | 30.0 |
| 1271 | 33.9 | 33.9 | 35.7 | 34.4 | 34.7 | 34.7 | 33.9 | 26.9 | 34.6 | 38.1 | 35.1 | 34.7 | 33.2 |
| 1274 | 33.4 | 35.2 | 35.4 | 34.7 | 32.1 | 29.1 | 25.3 | 21.7 | 16.4 | 9.4 | 8.0[e] | NDC | |
| 1275 | 29.1 | 29.6 | 29.8 | 30.4 | 30.1 | 29.5 | 24.8 | 20.9 | NDC | | | | |
| 1276 | 29.1 | 29.6 | 29.8 | 30.4 | 30.1 | 29.5 | 24.8 | 22.3 | 30.8 | 32.8 | 30.5 | 3.6[e] | NDC |
| 1277 | 31.2 | 32.2 | 32.7 | 31.4 | 31.0 | 31.4 | 31.9 | 32.8 | 33.0 | 30.5 | 30.4 | 31.0 | 30.9 |
| 1278 | 31.2 | 32.2 | 32.7 | 31.4 | 31.0 | 31.4 | 31.9 | 32.8 | 33.0 | 30.5 | 30.4 | 31.0 | 30.3 |
| 1279 | 31.3 | 30.8 | 28.4 | 31.5 | 30.5[e] | NDC | | | | | | | |
| 1280 | 31.3 | 30.8 | 28.4 | 31.5 | 29.9 | 29.0 | 29.3 | 29.5 | 29.9 | 28.1 | 31.4 | 25.4 | 32.5 |
| 1282 | 31.4 | 30.4 | 29.6 | 31.5 | 30.2 | 30.2 | 31.3 | 30.7 | 31.6 | 31.8 | 31.2 | 32.0 | 29.1 |
| 1283 | 26.3 | 26.5 | 26.4 | 27.6 | 27.6 | 27.4 | 27.2 | 28.6 | 27.6 | 29.4 | 29.4 | 29.0 | 29.6 |
| 1285 | NDC | | | | | | | | | | | | |
| 1286 | 30.4 | 29.6 | 33.3 | 36.1 | 34.9 | 33.8 | 35.6 | 34.1 | 35.3 | 32.4 | 32.6 | 29.9 | 27.1 |
| 1287 | 32.9 | 30.9 | 33.6 | 33.3 | 34.7 | 33.6 | 34.0 | 30.1 | 26.8 | 27.6 | 28.4 | 25.8 | 26.0 |
| 1288 | 32.9 | 30.9 | 33.6 | 33.3 | 34.7 | 33.6 | 34.0 | 30.1 | 26.8 | 27.6 | 28.4 | 25.8 | 26.0 |
| 1289 | 32.3 | 32.0 | 29.7 | 29.1 | 28.5 | 29.5 | 27.6 | 28.8 | 22.3 | 25.0 | 33.2 | 30.7 | 31.6 |
| 1290 | 32.3 | 32.0 | 29.7 | 29.1 | 28.5 | 29.5 | 27.6 | 28.8 | 22.3 | 19.7[e] | NDC | | |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1291 | 26.1 | 30.3 | 32.3 | 32.3 | 31.6 | 29.9 | 32.6 | 30.4 | 33.4 | 32.6 | 33.3 | 32.6 | 28.5 |
| 1292 | 23.1[e] | NDC | | | | | | | | | | | |
| 1293 | 28.5 | 26.5 | 27.3 | 29.3 | 29.0 | 28.1 | 27.8 | 27.9 | 27.6 | 28.6 | 27.0 | 27.0 | 29.3 |
| 1294 | 28.5 | 26.5 | 27.3 | 29.3 | 29.0 | 28.1 | 27.8 | 27.9 | 27.6 | 28.6 | 27.0 | 27.0 | 29.3 |
| 1295 | 30.9 | 23.5 | 36.3 | 35.1 | 34.6 | 32.6 | 31.9 | 31.1 | 34.9 | 32.4 | 34.4 | 31.6 | 31.6 |
| 1297 | 35.4 | 49.1 | 57.2 | 60.2 | 61.4 | 64.3 | 60.6 | 68.9 | 67.0 | 67.8 | 65.4 | 62.1 | 61.2 |
| 1298 | 25.7[e] | NDC | | | | | | | | | | | |
| 1299 | 26.6 | 27.6 | 28.2 | 28.8 | 28.6 | 30.5 | 31.9 | 29.6 | 29.4 | 27.3 | 10.7 | 0.3[e] | NDC |
| 1301 | 30.6 | 34.1 | 36.1 | 36.8 | 35.3 | 34.7 | 35.4 | 34.9 | 34.4 | 38.1 | 36.8 | 32.9 | 28.6 |
| 1303 | 24.9 | 27.4 | 27.5 | 28.4 | 27.9 | 29.4 | 26.2 | 23.9 | 27.3 | 28.8 | 28.5 | 27.0 | 31.8[e] |
| 1304 | 24.9 | 27.4 | 27.5 | 28.4 | 27.9 | 29.4 | 26.2 | 23.6 | NDC | | | | |
| 1305 | 27.4 | 27.6 | 29.3 | 31.0 | 30.0 | 30.7 | 24.9 | 14.7 | 12.1 | NDC | | | |
| 1306 | NDC | | | | | | | | | | | | |
| 1307 | 29.3 | 31.1 | 31.0 | 31.3 | 31.4 | 31.3 | 31.7 | 33.8 | 32.5 | 30.8 | 30.8 | 30.7 | 29.2 |
| 1308 | 29.3 | 31.1 | 31.0 | 31.3 | 31.4 | 31.3 | 31.7 | 33.8 | 32.5 | 30.8 | 30.8 | 30.7 | 29.2 |
| 1309 | 42.6 | 44.3 | 46.3 | 45.9 | 47.5 | 48.0 | 47.2 | 42.5 | 46.1 | 42.4 | 35.9 | 28.1 | 32.9 |
| 1310 | 42.6 | 44.3 | 46.3 | 45.9 | 47.5 | 48.0 | 47.2 | 42.5 | 46.1 | 45.4 | NDC | | |
| 1311 | 26.3 | 26.2 | 26.3 | 26.5 | 26.9 | 26.5 | 26.5 | 27.3 | 27.6 | 29.3 | 28.4 | 28.4 | 27.7 |
| 1313 | 26.8 | 26.5 | 26.4 | 26.0 | 25.3 | 27.3 | 27.0 | 26.7 | 26.4 | 26.0 | 25.2 | 25.4 | 24.5 |
| 1314 | 26.8 | 26.5 | 26.4 | 26.0 | 25.3 | 27.3 | 27.0 | 26.7 | 26.4 | 26.0 | 25.2 | 25.4 | 24.5 |
| 1315 | 28.3 | 29.0 | 28.9 | 30.5 | 27.6 | 29.4 | 28.5 | 27.2 | 27.7 | 28.9 | 27.7 | 28.4 | 29.6 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1319 | 27.1 | 31.4 | 33.4 | 32.6 | 23.9 | 32.5 | 28.7 | 31.3 | 32.8 | 34.1 | 34.1 | 31.2 | 25.7 |
| 1320 | 18.0e | NDC | | | | | | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1011 | 28.8 | 26.9 | 27.9 | 26.7 | 34.6 | 27.2 | 26.9 | 26.6e |
| 1012 | 28.8 | 25.5e | NDC | | | | | |
| 1013 | 31.3 | 16.6e | 30.6 | 28.0e | NDC | | | |
| 1014 | 31.3 | 16.6e | 30.6 | 32.3 | 29.6 | 23.8 | 30.4 | 31.4e |
| 1015 | 31.4 | 31.1 | 33.8 | 32.6 | 31.4 | 32.2 | 31.8 | 31.4e |
| 1018 | 26.1 | 28.1 | 30.2e | NDC | | | | |
| 1021 | 21.2 | 30.1 | 29.3 | 27.2 | 23.5 | 29.5e | NDC | |
| 1022 | 21.2 | 30.1 | 29.3 | 27.2 | 23.5 | 23.6e | NDC | |
| 1023 | NDC | | | | | | | |
| 1024 | 27.8 | 36.6 | 17.0e | NDC | | | | |
| 1025 | 30.1 | 31.6 | 29.8 | 28.1 | 26.2 | 28.7 | 27.4 | 25.4e |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1026 | 30.1 | 31.6 | 29.8 | 28.1 | 26.2 | 28.7 | 27.4 | 25.4e |
| 1028 | 32.4 | 32.9 | NDC | | | | | |
| 1029 | 35.4 | 33.6 | 34.8 | 32.9 | 31.6 | 32.6 | 32.1 | 28.4e |
| 1031 | 26.6 | 24.6 | 27.1 | 25.0 | 21.7 | 21.5 | 20.1 | 10.0e |
| 1035 | 33.6 | 35.6 | 31.5 | 36.3 | 35.3 | 37.4 | 34.9 | 31.1e |
| 1036 | 33.6 | 35.6 | 31.5 | 36.3 | 35.3 | 37.4 | 34.9 | 31.1e |
| 1037 | 38.0 | NDC | | | | | | |
| 1039 | 29.6 | 28.1 | 19.0 | 17.8 | 12.4 | 20.3 | 16.5 | NDC |
| 1040 | 29.6 | 28.1 | 19.0 | 12.1e | NDC | | | |
| 1041 | 29.0 | 28.8 | 28.4 | 27.7 | 26.6 | 27.1 | 29.1 | 29.3e |
| 1042 | 30.9e | NDC | | | | | | |
| 1045 | 28.4 | 26.6 | 28.5 | 29.0 | 28.1 | 27.8 | 29.1 | 27.6e |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 0 mg/kg/day | | | | | | | | |
| 1051 | 8.2 | 3.4 | NDC | | | | | |
| 1052 | NDC | | | | | | | |
| 1054 | 25.5 | 28.6 | 25.6 | 28.0 | 28.6[e] | 0.0[e] | NDC | |
| 1057 | 29.7 | 28.7 | 27.6 | 19.0 | 17.0[e] | NDC | | |
| 1060 | 30.8 | 31.1 | 31.8 | 31.1 | 22.1 | 20.7 | NDC | |
| 1062 | 28.5 | 28.1 | 23.5 | 26.9 | 30.2 | 37.8[e] | 31.0 | 31.7[e] |
| 1063 | 32.6 | 30.5 | 31.0 | 32.1 | 27.2 | NDC | | |
| 1067 | 29.3 | 35.9 | 34.7 | 33.4 | 35.4 | 33.0 | 31.7 | 28.9[e] |
| 1068 | 29.3 | 35.9 | 34.7 | 33.4 | 35.4 | 33.0 | 31.7 | 28.9[e] |
| 1071 | 28.4 | 29.5 | 29.5 | 25.8 | 24.8 | 23.2 | 20.1[e] | NDC |
| 1072 | 28.4 | 29.5 | 29.5 | 25.8 | 24.8 | 22.3[e] | NDC | |
| 1073 | 22.5 | 18.5 | 14.2 | 4.4[e] | NDC | | | |
| 1075 | 34.0 | 27.6 | 27.6 | 26.2 | 26.9 | 29.6 | 26.5 | 25.4[e] |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 0 mg/kg/day | | | | | | | | |
| 1076 | 34.0 | 27.6 | 27.6 | 26.2 | 26.9 | 29.6 | 26.5 | 25.4[e] |
| 1077 | 28.8 | 26.9 | 23.6 | 23.9 | 22.0 | 21.9 | 18.5 | 20.6[e] |
| 1078 | NDC | | | | | | | |
| 1079 | 16.0[e] | NDC | | | | | | |
| 1080 | 28.0 | 21.3[e] | 31.1 | 26.9 | 21.3 | 12.5[e] | NDC | |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0.1 mg/kg/day | | | | | | | | |
| 1091 | 33.0 | 23.9 | 31.6 | 30.4 | 30.1e | 22.8 | 28.1 | 30.1e |
| 1093 | 27.3 | 25.4 | 26.8 | 27.3 | 26.4 | 26.9 | 23.9 | 27.3e |
| 1094 | 27.3 | 25.4 | 26.8 | 27.3 | 26.4 | 26.9 | 23.9 | 27.3e |
| 1096 | 37.4 | 37.8 | 37.4 | 34.6 | 35.8 | 35.8 | 33.3 | 32.1e |
| 1097 | 26.3 | 24.8 | 26.7 | 23.1 | 28.4 | 20.9 | 28.2 | 36.3e |
| 1098 | 26.3 | 23.0 | NDC | | | | | |
| 1099 | 31.6 | 27.4 | 16.3 | 24.9 | 28.7 | 28.7 | 26.4 | 26.3e |
| 1100 | 31.6 | 27.4 | 16.3 | 14.0e | NDC | | | |
| 1102 | 37.0 | 28.1 | NDC | | | | | |
| 1105 | 30.8 | 9.6 | 15.7e | NDC | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0.1 mg/kg/day | | | | | | | | |
| 1107 | 30.4 | 29.5 | 32.6 | 27.9 | 30.5 | 33.0 | 29.8 | 31.0e |
| 1108 | 31.7e | NDC | | | | | | |
| 1109 | 29.9 | 27.9 | 28.1 | 26.3 | 22.2 | 22.1 | 33.6 | 26.6e |
| 1110 | 29.9 | 27.9 | 28.1 | 26.3 | 22.2 | 0.0e | NDC | |
| 1112 | 32.2 | 31.6 | 31.1 | 30.1 | 30.5 | 26.9 | 27.1 | 33.7e |
| 1113 | 17.5 | NDC | | | | | | |
| 1115 | 32.1 | 31.3 | 24.0e | NDC | | | | |
| 1117 | 37.0 | NDC | | | | | | |
| 1120 | 23.1 | 31.4 | 31.1 | 29.8 | 29.9 | 26.5 | 26.5 | 29.0e |
| 1122 | 34.1 | 33.6 | 37.8 | 34.0 | 34.8 | 37.1 | 30.4 | 33.3e |
| 1123 | 29.0 | 32.6 | 29.4 | 25.0 | 27.8 | 21.5 | 31.7 | 20.0e |
| 1124 | 29.0 | 32.6 | 29.4 | 25.0 | 27.8 | 21.5 | 31.7 | 20.0e |
| 1125 | 28.4 | 24.7 | 25.5 | 24.0 | 17.2 | 1.0e | 19.0e | NDC |
| 1126 | 28.4 | 24.7 | 25.5 | 24.0 | 17.2 | 0.0e | NDC | |
| 1127 | 25.8 | 26.1 | 23.4 | 22.9 | 23.6 | 17.9 | 16.5 | 21.7e |
| 1130 | 34.7 | 30.0 | 34.5 | 28.6 | 22.8 | 16.7 | 12.7e | NDC |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 0.1 mg/kg/day | | | | | | | | |
| 1132 | 31.4 | 30.3 | 28.5 | 31.1 | 29.1 | 31.4 | 29.4 | 33.6[e] |
| 1133 | 27.4 | 27.7[e] | NDC | | | | | |
| 1134 | 27.4 | 24.1 | 26.9 | 24.6 | 24.1 | 21.3 | 18.2 | NDC |
| 1135 | 21.3 | 19.2 | 31.7 | NDC | | | | |
| 1136 | 21.3 | 19.2 | 0.0[e] | NDC | | | | |
| 1138 | 43.0 | 47.8 | 49.2 | 36.9 | 38.4 | 30.1[e] | NDC | |
| 1140 | 48.6 | 22.1 | 33.4 | 32.1 | 31.4 | 22.9 | 28.6 | 31.1[e] |
| 1143 | 28.9 | 25.4 | 26.7 | 22.9 | 23.4 | 16.6 | 34.7 | 53.6[e] |
| 1147 | 30.1 | 30.4 | 27.4 | 28.1 | 28.9 | 29.1 | 15.1 | 29.1[e] |
| 1149 | NDC | | | | | | | |
| 1150 | 28.9 | 27.2 | 30.9 | 29.1 | 21.1 | 24.4 | 12.2[e] | 23.4[e] |
| 1153 | 36.1[e] | NDC | | | | | | |
| 1154 | 31.5 | 26.4 | 27.9 | 26.8 | 26.9 | 27.6 | 33.2 | 30.6[e] |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0.1 mg/kg/day | | | | | | | | |
| 1157 | 33.0 | 31.7 | 32.6 | 31.3 | 30.2 | 16.7 | 8.3e | NDC |
| 1158 | 32.9 | NDC | | | | | | |
| 1159 | 28.4 | 28.9 | 34.3 | 18.4 | 32.3 | 21.9 | 1.9e | NDC |
| 1160 | 28.4 | 28.9 | 27.3e | NDC | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1171 | 25.8 | 23.8 | 22.8 | 22.0 | 20.3 | 21.2 | 21.3 | 19.7e |
| 1175 | 32.7 | 28.8e | NDC | | | | | |
| 1176 | 32.7 | 27.7 | 26.0 | 24.6 | 21.8 | 20.3 | 21.4 | 18.7e |
| 1178 | 33.2 | 38.8 | 35.2 | 42.1 | 42.6 | 41.7 | 41.7 | 40.7e |
| 1180 | 25.9 | 28.6 | 26.0 | 27.3 | 28.4 | 28.8 | 28.9 | 27.9e |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1186 | 27.1 | 27.8 | 26.3 | 25.4 | 26.1 | 24.1 | 25.2 | 24.3e |
| 1192 | 28.5 | 29.4 | 29.2 | 27.9 | 27.4 | 24.6 | 30.0 | 29.1e |
| 1193 | 26.0 | 28.7 | 31.0 | 33.1 | 34.6 | 25.1 | 31.0 | 28.5e |
| 1194 | 26.0 | 28.7 | 31.0 | 33.1 | 34.6 | 25.1 | 31.0 | 28.5e |
| 1196 | 25.7 | 22.8 | 15.3 | NDC | | | | |
| 1198 | 1.9 | NDC | | | | | | |
| 1199 | 26.7 | 26.5 | 26.9 | 27.6 | 25.5 | 27.0 | 28.6 | 26.7e |
| 1200 | 26.7 | 26.5 | 26.9 | 27.6 | 25.9e | NDC | | |
| 1202 | 26.5 | 28.9 | 22.2 | 24.4 | 24.6 | 24.1 | 22.8 | 21.4e |
| 1204 | 31.2 | 31.6 | 29.5 | 29.0 | 26.9 | 25.1 | 23.1 | 24.4e |
| 1209 | 13.3e | NDC | | | | | | |
| 1210 | 15.6 | 23.4 | 26.5 | 25.1 | 17.1 | NDC | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 1 mg/kg/day | | | | | | | | |
| 1211 | 31.2 | 31.1 | 30.3 | 29.4 | 27.6 | 28.0 | 27.0 | 40.1[e] |
| 1212 | 31.2 | 31.1 | 30.3 | 29.4 | 27.6 | 28.0 | 27.0 | 26.2[e] |
| 1213 | 1.0[e] | NDC | | | | | | |
| 1217 | 32.6 | 32.3 | 30.9 | 28.3 | 27.6 | 19.1 | 14.0[e] | NDC |
| 1218 | 32.6 | 32.3 | 30.9 | 28.3 | 27.6 | 19.1 | 23.8 | 22.1[e] |
| 1220 | 34.7 | 34.4 | 33.2 | 30.6 | 25.0[e] | NDC | | |
| 1221 | 41.6 | 34.9 | 36.9 | 35.1 | 33.6 | 31.8 | 27.1 | 22.0[e] |
| 1223 | 27.4 | 29.1 | 26.9 | 30.5 | 29.5 | 28.3 | 29.7 | 28.0[e] |
| 1225 | 29.3 | 29.9 | 26.7 | 28.1 | 29.9 | 28.8 | 28.9 | 27.6[e] |
| 1227 | 28.4 | 29.8 | 26.1 | 27.2 | 29.1 | 25.5 | 27.1 | 23.0[e] |
| 1229 | 15.8 | 8.3 | 10.2 | 9.0[e] | NDC | | | |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 1 mg/kg/day | | | | | | | | |
| 1236 | 33.8 | 10.5[e] | 33.2 | 28.7 | 20.2 | 13.1 | 10.1 | 1.0[e] |
| 1239 | 0.0[e] | NDC | | | | | | |
| 1240 | 28.9 | 27.2 | 29.4 | 29.2 | 25.5 | 23.9 | 28.5 | 28.4[e] |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1251 | 30.7 | 29.1 | 27.6 | 28.8 | 29.9 | 29.1 | 28.8 | 28.1e |
| 1252 | 30.7 | 29.1 | 27.6 | 28.8 | 29.9 | 29.1 | 28.8 | 28.1e |
| 1253 | NDC | | | | | | | |
| 1254 | 32.5 | 31.7 | 31.0 | 31.6 | 32.6 | 33.0 | 35.2 | 38.3e |
| 1255 | 30.1 | 31.3 | 36.8 | 27.6 | 30.3 | 26.5 | 26.1 | 31.8e |
| 1257 | 31.4 | 31.4 | 34.0 | 31.5 | 26.8 | 30.7 | 34.1 | 29.4e |
| 1258 | 31.4 | 31.4 | 34.0 | 31.5 | 0.0e | NDC | | |
| 1260 | 33.3 | 35.2 | 32.1 | -0.6e | 38.4 | 16.4 | 14.6 | 0.0e |
| 1261 | 27.6 | 26.1 | 29.1 | 28.1 | 23.9 | 25.2 | 26.8 | 25.7e |
| 1263 | NDC | | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1267 | 32.1 | NDC | | | | | | |
| 1269 | 24.6 | 20.0 | 21.5e | NDC | | | | |
| 1270 | 24.6 | 20.0 | 28.5 | 26.8 | 27.2 | 26.3 | 28.0 | 26.4e |
| 1271 | 32.7 | 32.7 | 33.5 | 31.1 | 34.4 | 31.3 | 30.9 | 31.0e |
| 1277 | 30.6 | 32.0 | 31.4 | 33.8 | 30.4 | 29.8 | 32.0 | 29.6e |
| 1278 | NDC | | | | | | | |
| 1280 | 29.3 | 28.5 | 30.6 | 28.4 | 30.6 | 27.9 | 25.5 | 28.8e |
| 1282 | 23.3 | 31.1 | 35.1 | 33.6 | NDC | | | |
| 1283 | 28.8 | 29.9 | 27.9 | 29.3 | 26.9 | 20.9 | 21.2 | 15.3e |
| 1286 | 35.2 | 36.9 | 34.2 | 32.7 | 31.4 | 33.7 | 34.5 | 33.0e |
| 1287 | 31.2 | 33.6 | 33.1 | 33.0 | 32.4 | 32.9 | 30.0 | 31.1e |
| 1288 | NDC | | | | | | | |
| 1289 | 32.4 | 32.9 | 32.5e | 34.1 | 32.0 | 33.6 | 32.6 | 33.4e |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - MALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90[#] | 92[#] | 94[#] | 96[#] | 98[#] | 100[#] | 102[#] | 104[#] |
| 50 mg/kg/day | | | | | | | | |
| 1291 | 29.6 | 32.0 | 31.4 | 33.5 | 32.2 | 35.3 | 33.5 | 11.6[e] |
| 1293 | 28.4[e] | NDC | | | | | | |
| 1294 | 29.5 | 29.1 | 29.4 | 29.8 | 30.7 | 25.6 | 19.4 | 18.1[e] |
| 1295 | 33.0 | 33.2 | 33.1 | 27.1 | 24.8 | 32.8 | 35.1 | 33.9[e] |
| 1297 | 54.4 | 54.4 | 46.1 | 35.6 | 39.1 | 39.9 | 38.3 | 35.6[e] |
| 1301 | 31.8 | 35.5[e] | NDC | | | | | |
| 1303 | NDC | | | | | | | |
| 1307 | 31.8 | 30.1[e] | NDC | | | | | |
| 1308 | 31.8 | 29.5 | 26.4 | 21.2 | 23.3 | 24.6 | 24.4[e] | NDC |
| 1309 | 35.4 | 33.6 | 29.0 | 33.2 | 28.1 | 29.7 | 30.3 | 32.0[e] |
| 1311 | 26.7 | 24.2 | 24.6 | 23.6 | 26.8 | 26.0 | 28.4 | 23.7[e] |
| 1313 | 26.9 | 25.7 | 24.1 | 26.9 | 21.0 | 24.4 | 24.5[e] | NDC |
| 1314 | 26.9 | 25.7 | 24.1 | 26.9 | 21.0 | 24.7 | NDC | |
| 1315 | 30.7 | 29.9 | 26.6 | 29.7 | 48.2 | 27.8 | 29.4 | 28.4[e] |
| 1319 | 31.3 | 32.4 | 31.6 | 30.9 | 31.6 | 30.5 | 33.3 | 32.9[e] |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1321 | 16.9[6] | 19.2 | 18.1 | 18.8 | 20.4 | 20.4 | 19.9 | 20.1 | 20.4 | 19.7 | 19.8 | 22.5 | 20.5 |
| 1322 | 16.9[6] | 19.2 | 18.1 | 18.8 | 20.4 | 20.4 | 19.9 | 20.1 | 20.4 | 19.7 | 19.8 | 22.5 | 20.5 |
| 1323 | 17.7[6] | 17.8 | 18.4 | 17.5 | 17.9 | 18.6 | 20.0 | 18.8 | 19.6 | 18.4 | 18.9 | 3.3 | 18.2 |
| 1324 | 17.7[6] | 17.8 | 18.4 | 17.5 | 17.9 | 18.6 | 20.0 | 18.8 | 19.6 | 18.4 | 18.9 | 3.3 | 18.2 |
| 1325 | 19.3[6] | 18.6 | 18.8 | 18.0 | 20.0 | 18.8 | 19.0 | 17.4 | 17.9 | 17.4 | 17.2 | 9.1 | 16.5 |
| 1326 | 19.3[6] | 18.6 | 18.8 | 18.0 | 20.0 | 18.8 | 19.0 | 17.4 | 17.9 | 17.4 | 17.2 | 9.1 | 16.5 |
| 1327 | 17.6[6] | 18.1 | 18.7 | 19.4 | 20.3 | 19.1 | 20.6 | 20.4 | 18.0 | 17.9 | 18.9 | 18.3 | 17.6 |
| 1328 | 17.6[6] | 18.1 | 18.7 | 19.4 | 20.3 | 19.1 | 20.6 | 20.4 | 18.0 | 17.9 | 18.9 | 18.3 | 17.6 |
| 1329 | 19.1[6] | 19.8 | 21.9 | 22.4 | 23.0 | 22.3 | 22.1 | 22.2 | 21.1 | 20.9 | 19.7 | 22.6 | 20.6 |
| 1330 | 19.1[6] | 19.8 | 21.9 | 22.4 | 23.0 | 22.3 | 22.1 | 22.2 | 21.1 | 20.9 | 19.7 | 22.6 | 20.6 |
| 1331 | 19.9[6] | 20.6 | 21.4 | 22.8 | 22.4 | 21.4 | 22.0 | 20.4 | 21.0 | 21.5 | 21.6 | 23.7 | 21.8 |
| 1332 | 19.9[6] | 20.6 | 21.4 | 22.8 | 22.4 | 21.4 | 22.0 | 20.4 | 21.0 | 21.5 | 21.6 | 23.7 | 21.8 |
| 1333 | 17.0[6] | 17.3 | 17.5 | 17.6 | 18.1 | 1.7[e] | 18.3 | 17.6 | 16.9 | 17.7 | 17.5 | 18.2 | 17.1 |
| 1334 | 17.0[6] | 17.3 | 17.5 | 17.6 | 18.1 | 1.7[e] | 18.3 | 17.6 | 16.9 | 17.7 | 17.5 | 18.2 | 17.1 |
| 1335 | 19.3[6] | 20.9 | 20.8 | 19.5 | 19.6 | 19.3 | 18.6 | 17.5 | 17.6 | 19.3 | 19.3 | 19.9 | 18.3 |
| 1336 | 19.3[6] | 20.9 | 20.8 | 19.5 | 19.6 | 19.3 | 18.6 | 17.5 | 17.6 | 19.3 | 19.3 | 19.9 | 18.3 |
| 1337 | 17.4[6] | 17.8 | 18.9 | 19.4 | 19.4 | 18.2 | 19.9 | 19.7 | 20.2 | 20.4 | 20.1 | 21.6 | 21.1 |
| 1338 | 17.4[6] | 17.8 | 18.9 | 19.4 | 19.4 | 18.2 | 19.9 | 19.7 | 20.2 | 20.4 | 20.1 | 21.6 | 21.1 |
| 1339 | 18.3[6] | 19.1 | 21.0 | 21.2 | 21.9 | 21.4 | 21.6 | 20.1 | 20.1 | 19.9 | 20.2 | 22.2 | 20.0 |
| 1340 | 18.3[6] | 19.1 | 21.0 | 21.2 | 21.9 | 21.4 | 21.6 | 20.1 | 20.1 | 19.9 | 20.2 | 22.2 | 20.0 |
| 1341 | 17.6[6] | 19.1 | 19.8 | 20.1 | 22.4 | 18.6 | 18.2 | 17.0 | 18.0 | 18.2 | 18.4 | 18.5 | 18.4 |
| 1342 | 17.6[6] | 19.1 | 19.8 | 20.1 | 22.4 | 18.6 | 18.2 | 17.0 | 18.0 | 18.2 | 18.4 | 18.5 | 18.4 |
| 1343 | 18.6[6] | 18.1 | 18.5 | 19.1 | 20.1 | 19.8 | 20.1 | 19.5 | 20.0 | 19.1 | 19.9 | 20.8 | 20.4 |
| 1344 | 18.6[6] | 18.1 | 18.5 | 19.1 | 20.1 | 19.8 | 20.1 | 19.5 | 20.0 | 19.1 | 19.9 | 20.8 | 20.4 |
| 1345 | 16.7[6] | 17.6 | 17.6 | 16.4 | 16.8 | 16.9 | 17.2 | 16.6 | 17.0 | 16.8 | 16.9 | 17.8 | 17.9 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1346 | 16.7[6] | 17.6 | 17.6 | 16.4 | 16.8 | 16.9 | 17.2 | 16.6 | 17.0 | 16.8 | 16.9 | 17.8 | 17.9 |
| 1347 | 19.8[6] | 20.9 | 21.5 | 21.3 | 21.7 | 22.1 | 20.7 | 20.7 | 19.7 | 20.1 | 20.1 | 22.3 | 22.3 |
| 1348 | 19.8[6] | 20.9 | 21.5 | 21.3 | 21.7 | 22.1 | 20.7 | 20.7 | 19.7 | 20.1 | 20.1 | 22.3 | 22.3 |
| 1349 | 20.4[6] | 19.4 | 19.6 | 21.2 | 20.1 | 20.6 | 21.4 | 20.1 | 21.9 | 21.0 | 21.9 | 22.1 | 20.5 |
| 1350 | 20.4[6] | 19.4 | 19.6 | 21.2 | 20.1 | 20.6 | 21.4 | 20.1 | 21.9 | 21.0 | 21.9 | 22.1 | 20.5 |
| 1351 | 16.8[6] | 18.1 | 18.9 | 19.3 | 19.4 | 19.6 | 19.2 | 19.4 | 19.4 | 18.9 | 19.0 | 18.9 | 19.9 |
| 1352 | 16.8[6] | 18.1 | 18.9 | 19.3 | 19.4 | 19.6 | 19.2 | 19.4 | 19.4 | 18.9 | 19.0 | 18.9 | 19.9 |
| 1353 | 19.2[6] | 20.7 | 21.1 | 20.4 | 21.1 | 21.9 | 20.6 | 19.9 | 18.8 | 20.3 | 19.8 | 21.5 | 20.6 |
| 1354 | 19.2[6] | 20.7 | 21.1 | 20.4 | 21.1 | 21.9 | 20.6 | 19.9 | 18.8 | 20.3 | 19.8 | 21.5 | 20.6 |
| 1355 | 17.2[6] | 18.3 | 18.3 | 18.5 | 19.3 | 18.1 | 18.6 | 18.3 | 18.8 | 18.4 | 18.6 | 19.9 | 20.4 |
| 1356 | 17.2[6] | 18.3 | 18.3 | 18.5 | 19.3 | 18.1 | 18.6 | 18.3 | 18.8 | 18.4 | 18.6 | 19.9 | 20.4 |
| 1357 | 19.3[6] | 18.7 | 19.7 | 18.6 | 19.3 | 18.4 | 17.7 | 18.1 | 17.7 | 18.1 | 17.9 | 19.9 | 19.4 |
| 1358 | 19.3[6] | 18.7 | 19.7 | 18.6 | 19.3 | 18.4 | 17.7 | 18.1 | 17.7 | 18.1 | 17.9 | 19.9 | 19.4 |
| 1359 | 18.3[6] | 19.6 | 19.2 | 19.1 | 19.4 | 19.4 | 19.7 | 19.1 | 18.4 | 18.1 | 18.1 | 19.6 | 18.3 |
| 1360 | 18.3[6] | 19.6 | 19.2 | 19.1 | 19.4 | 19.4 | 19.7 | 19.1 | 18.4 | 18.1 | 18.1 | 19.6 | 18.3 |
| 1361 | 19.2[6] | 21.5 | 21.9 | 20.3 | 23.2 | 21.5 | 22.5 | 19.9 | 21.5 | 21.7 | 23.6 | 24.4 | 22.0 |
| 1362 | 19.2[6] | 21.5 | 21.9 | 20.3 | 23.2 | 21.5 | 22.5 | 19.9 | 21.5 | 21.7 | 23.6 | 24.4 | 22.0 |
| 1363 | 19.3[6] | 20.6 | 21.9 | 20.6 | 20.9 | 2.6[e] | 20.2 | 19.7 | 19.8 | 19.0 | 20.3 | 21.2 | 19.5 |
| 1364 | 19.3[6] | 20.6 | 21.9 | 20.6 | 20.9 | 2.6[e] | 20.2 | 19.7 | 19.8 | 19.0 | 20.3 | 21.2 | 19.5 |
| 1365 | 17.6[6] | 18.9 | 20.4 | 18.6 | 19.1 | 19.3 | 20.5 | 19.1 | 18.6 | 17.6 | 17.6 | 18.3 | 18.8 |
| 1366 | 17.6[6] | 18.9 | 20.4 | 18.6 | 19.1 | 19.3 | 20.5 | 19.1 | 18.6 | 17.6 | 17.6 | 18.3 | 18.8 |
| 1367 | 19.3[6] | 19.7 | 19.4 | 19.8 | 20.2 | 20.1 | 21.1 | 19.4 | 19.2 | 19.1 | 20.9 | 21.2 | 20.9 |
| 1368 | 19.3[6] | 19.7 | 19.4 | 19.8 | 20.2 | 20.1 | 21.1 | 19.4 | 19.2 | 19.1 | 20.9 | 21.2 | 20.9 |
| 1369 | 16.8[6] | 16.0 | 16.9 | 16.1 | 16.3 | 14.9 | 16.1 | 15.0 | 15.2 | 15.7 | 16.1 | 16.9 | 15.5 |
| 1370 | 16.8[6] | 16.0 | 16.9 | 16.1 | 16.3 | 14.9 | 16.1 | 15.0 | 15.2 | 15.7 | 16.1 | 16.9 | 15.5 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1371 | 19.2[6] | 19.8 | 19.4 | 19.9 | 21.4 | 16.9 | 20.1 | 18.4 | 16.2 | 17.4 | 18.7 | 20.9 | 19.1 |
| 1372 | 19.2[6] | 19.8 | 19.4 | 19.9 | 21.4 | 16.9 | 20.1 | 18.4 | 16.2 | 17.4 | 18.7 | 20.9 | 19.1 |
| 1373 | 20.3[6] | 20.1 | 20.6 | 19.9 | 19.2 | 21.2 | 21.1 | 19.2 | 19.7 | 20.1 | 21.0 | 22.1 | 17.7 |
| 1374 | 20.3[6] | 20.1 | 20.6 | 19.9 | 19.2 | 21.2 | 21.1 | 19.2 | 19.7 | 20.1 | 21.0 | 22.1 | 17.7 |
| 1375 | 18.2[6] | 20.4 | 20.7 | 20.9 | 21.1 | 20.3 | 20.0 | 19.4 | 18.6 | 19.1 | 20.3 | 22.3 | 19.8 |
| 1376 | 18.2[6] | 20.4 | 20.7 | 20.9 | 21.1 | 20.3 | 20.0 | 19.4 | 18.6 | 19.1 | 20.3 | 22.3 | 19.8 |
| 1377 | 19.2[6] | 19.9 | 22.6 | 22.2 | 24.4 | 22.6 | 24.1 | 22.4 | 24.4 | 22.3 | 24.9 | 26.6 | 23.1 |
| 1378 | 19.2[6] | 19.9 | 22.6 | 22.2 | 24.4 | 22.6 | 24.1 | 22.4 | 24.4 | 22.3 | 24.9 | 26.6 | 23.1 |
| 1379 | 21.2[6] | 21.5 | 22.4 | 23.3 | 23.9 | 22.3 | 23.8 | 21.2 | 21.7 | 21.1 | 22.1 | 23.3 | 22.3 |
| 1380 | 21.2[6] | 21.5 | 22.4 | 23.3 | 23.9 | 22.3 | 23.8 | 21.2 | 21.7 | 21.1 | 22.1 | 23.3 | 22.3 |
| 1381 | 19.8[6] | 19.6 | 21.9 | 22.6 | 21.1 | 20.4 | 21.8 | 18.7 | 18.8 | 19.1 | 20.0 | 20.1 | 18.9 |
| 1382 | 19.8[6] | 19.6 | 21.9 | 22.6 | 21.1 | 20.4 | 21.8 | 18.7 | 18.8 | 19.1 | 20.0 | 20.1 | 18.9 |
| 1383 | 17.7[6] | 18.6 | 19.1 | 34.2 | 33.9[e] | 18.4 | 18.4 | 17.4 | 21.6 | 25.4 | 18.0 | 19.3 | 19.3 |
| 1384 | 17.7[6] | 18.6 | 19.1 | 34.2 | 33.9[e] | 18.4 | 18.4 | 17.4 | 21.6 | 25.4 | 18.0 | 19.3 | 19.3 |
| 1385 | 19.5[6] | 19.2 | 22.1 | 21.4 | 22.7 | 21.8 | 21.3 | 19.7 | 20.3 | 21.1 | 19.6 | 21.2 | 18.8 |
| 1386 | 19.5[6] | 19.2 | 22.1 | 21.4 | 22.7 | 21.8 | 21.3 | 19.7 | 20.3 | 21.1 | 19.6 | 21.2 | 18.8 |
| 1387 | 20.0[6] | 21.0 | 21.3 | 20.6 | 22.7 | 21.2 | 21.6 | 18.9 | 20.3 | 21.6 | 23.1 | 21.1 | 18.3 |
| 1388 | 20.0[6] | 21.0 | 21.3 | 20.6 | 22.7 | 21.2 | 21.6 | 18.9 | 20.3 | 21.6 | 23.1 | 21.1 | 18.3 |
| 1389 | 18.0[6] | 18.2 | 19.8 | 18.3 | 19.1 | 18.7 | 18.5 | 17.1 | 17.2 | 18.5 | 16.6 | 19.2 | 18.1 |
| 1390 | 18.0[6] | 18.2 | 19.8 | 18.3 | 19.1 | 18.7 | 18.5 | 17.1 | 17.2 | 18.5 | 16.6 | 19.2 | 18.1 |
| 1391 | 18.4[6] | 19.7 | 20.9 | 20.2 | 20.3 | 18.6 | 19.3 | 19.8 | 18.1 | 18.5 | 18.0 | 19.4 | 18.3 |
| 1392 | 18.4[6] | 19.7 | 20.9 | 20.2 | 20.3 | 18.6 | 19.3 | 19.8 | 18.1 | 18.5 | 18.0 | 19.4 | 18.3 |
| 1393 | 17.4[6] | 18.6 | 20.2 | 19.9 | 20.6 | 18.9 | 19.2 | 17.8 | 18.2 | 18.8 | 18.8 | 19.4 | 18.7 |
| 1394 | 17.4[6] | 18.6 | 20.2 | 19.9 | 20.6 | 18.9 | 19.2 | 17.8 | 18.2 | 18.8 | 18.8 | 19.4 | 18.7 |
| 1395 | 17.9[6] | 16.7 | 19.9 | 19.8 | 18.8 | 17.1 | 19.3 | 16.9 | 18.0 | 17.8 | 17.9 | 18.9 | 18.6 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1396 | 17.9[6] | 16.7 | 19.9 | 19.8 | 18.8 | 17.1 | 19.3 | 16.9 | 18.0 | 17.8 | 17.9 | 18.9 | 18.6 |
| 1397 | 19.8[6] | 20.2 | 21.5 | 22.1 | 21.8 | 20.1 | 19.4 | 19.8 | 19.4 | 19.1 | 18.9 | 20.5 | 20.1 |
| 1398 | 19.8[6] | 20.2 | 21.5 | 22.1 | 21.8 | 20.1 | 19.4 | 19.8 | 19.4 | 19.1 | 18.9 | 20.5 | 20.1 |
| 1399 | 18.5[6] | 18.1 | 17.9 | 15.7 | 19.0 | 16.8 | 17.6 | 18.0 | 18.0 | 16.4 | 16.9 | 18.5 | 18.3 |
| 1400 | 18.5[6] | 18.1 | 17.9 | 15.7 | 19.0 | 16.8 | 17.6 | 18.0 | 18.0 | 16.4 | 16.9 | 18.5 | 18.3 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1401 | 18.3[6] | 18.8 | 18.4 | 19.0 | 19.4 | 19.1 | 19.7 | 19.1 | 19.8 | 18.9 | 19.1 | 18.6 | 17.0 |
| 1402 | 18.3[6] | 18.8 | 18.4 | 19.0 | 19.4 | 19.1 | 19.7 | 19.1 | 19.8 | 18.9 | 19.1 | 18.6 | 17.0 |
| 1403 | 17.0[6] | 19.9 | 18.2 | 38.1 | 30.6[e] | 10.7 | 22.3 | 16.2 | 17.1 | 17.6 | 17.6 | 16.6 | 15.8 |
| 1404 | 17.0[6] | 19.9 | 18.2 | 38.1 | 30.6[e] | 10.7 | 22.3 | 16.2 | 17.1 | 17.6 | 17.6 | 16.6 | 15.8 |
| 1405 | 18.5[6] | 18.6 | 18.9 | 19.1 | 18.9 | 19.8 | 19.1 | 17.8 | 17.9 | 19.1 | 19.1 | 20.6 | 19.3 |
| 1406 | 18.5[6] | 18.6 | 18.9 | 19.1 | 18.9 | 19.8 | 19.1 | 17.8 | 17.9 | 19.1 | 19.1 | 20.6 | 19.3 |
| 1407 | 19.8[6] | 19.9 | 20.3 | 20.7 | 19.7 | 20.0 | 21.8 | 19.9 | 20.3 | 19.4 | 20.1 | 20.4 | 18.4 |
| 1408 | 19.8[6] | 19.9 | 20.3 | 20.7 | 19.7 | 20.0 | 21.8 | 19.9 | 20.3 | 19.4 | 20.1 | 20.4 | 18.4 |
| 1409 | 18.1[6] | 18.9 | 18.7 | 18.4 | 19.4 | 18.4 | 19.9 | 19.2 | 19.1 | 18.4 | 21.3 | 20.9 | 18.1 |
| 1410 | 18.1[6] | 18.9 | 18.7 | 18.4 | 19.4 | 18.4 | 19.9 | 19.2 | 19.1 | 18.4 | 21.3 | 20.9 | 18.1 |
| 1411 | 16.9[6] | 18.1 | 18.9 | 19.9 | 21.1 | 18.4 | 18.9 | 19.1 | 18.6 | 17.6 | 20.4 | 20.5 | 19.7 |
| 1412 | 16.9[6] | 18.1 | 18.9 | 19.9 | 21.1 | 18.4 | 18.9 | 19.1 | 18.6 | 17.6 | 20.4 | 20.5 | 19.7 |
| 1413 | 16.0[6] | 19.9 | 20.6 | 23.5 | 21.0 | 20.2 | 16.2 | 15.5 | 15.5 | 16.2 | 16.2 | 16.7 | 16.3 |
| 1414 | 16.0[6] | 19.9 | 20.6 | 23.5 | 21.0 | 20.2 | 16.2 | 15.5 | 15.5 | 16.2 | 16.2 | 16.7 | 16.3 |
| 1415 | 18.0[6] | 18.4 | 19.0 | 19.0 | 19.0 | 18.1 | 18.9 | 18.3 | 18.1 | 19.1 | 20.6 | 19.8 | 18.2 |
| 1416 | 18.0[6] | 18.4 | 19.0 | 19.0 | 19.0 | 18.1 | 18.9 | 18.3 | 18.1 | 19.1 | 20.6 | 19.8 | 18.2 |
| 1417 | 20.0[6] | 19.6 | 18.9 | 19.1 | 19.2 | 20.1 | 19.9 | 19.2 | 19.4 | 18.5 | 20.2 | 19.6 | 18.3 |
| 1418 | 20.0[6] | 19.6 | 18.9 | 19.1 | 19.2 | 20.1 | 19.9 | 19.2 | 19.4 | 18.5 | 20.2 | 19.6 | 18.3 |
| 1419 | 18.5[6] | 21.6 | 22.4 | 23.5 | 22.5 | 24.1 | 22.8 | 22.6 | 24.5 | 22.7 | 22.4 | 21.6 | 22.1 |
| 1420 | 18.5[6] | 21.6 | 22.4 | 23.5 | 22.5 | 24.1 | 22.8 | 22.6 | 24.5 | 22.7 | 22.4 | 21.6 | 22.1 |
| 1421 | 16.9[6] | 15.4 | 17.6 | 17.0 | 17.5 | 16.8 | 17.1 | 16.4 | 17.1 | 17.4 | 18.0 | 16.6 | 16.7 |
| 1422 | 16.9[6] | 15.4 | 17.6 | 17.0 | 17.5 | 16.8 | 17.1 | 16.4 | 17.1 | 17.4 | 18.0 | 16.6 | 16.7 |
| 1423 | 17.1[6] | 16.5 | 16.9 | 16.4 | 17.4 | 16.3 | 17.4 | 16.1 | 18.2 | 17.0 | 16.5 | 16.9 | 16.3 |
| 1424 | 17.1[6] | 16.5 | 16.9 | 16.4 | 17.4 | 16.3 | 17.4 | 16.1 | 18.2 | 17.0 | 16.5 | 16.9 | 16.3 |
| 1425 | 17.5[6] | 17.0 | 18.5 | 14.6 | 14.8 | 20.2 | 19.4 | 18.1 | 19.1 | 18.9 | 18.5 | 18.6 | 18.6 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1426 | 17.5[6] | 17.0 | 18.5 | 14.6 | 14.8 | 20.2 | 19.4 | 18.1 | 19.1 | 18.9 | 18.5 | 18.6 | 18.6 |
| 1427 | 16.8[6] | 15.9 | 18.4 | 16.9 | 17.9 | 16.6 | 18.5 | 16.1 | 17.3 | 16.6 | 18.6 | 17.7 | 17.5 |
| 1428 | 16.8[6] | 15.9 | 18.4 | 16.9 | 17.9 | 16.6 | 18.5 | 16.1 | 17.3 | 16.6 | 18.6 | 17.7 | 17.5 |
| 1429 | 18.1[6] | 22.3 | 19.4 | 21.1 | 20.1 | 20.2 | 20.4 | 20.1 | 20.2 | 20.0 | 20.3 | 20.9 | 19.5 |
| 1430 | 18.1[6] | 22.3 | 19.4 | 21.1 | 20.1 | 20.2 | 20.4 | 20.1 | 20.2 | 20.0 | 20.3 | 20.9 | 19.5 |
| 1431 | 17.7[6] | 21.2 | 19.5 | 19.4 | 19.5 | 18.8 | 19.5 | 18.1 | 19.9 | 18.0 | 19.6 | 19.3 | 19.1 |
| 1432 | 17.7[6] | 21.2 | 19.5 | 19.4 | 19.5 | 18.8 | 19.5 | 18.1 | 19.9 | 18.0 | 19.6 | 19.3 | 19.1 |
| 1433 | 16.6[6] | 19.4 | 19.4 | 19.4 | 20.4 | 20.1 | 20.8 | 18.4 | 19.6 | 18.9 | 20.0 | 18.5 | 18.1 |
| 1434 | 16.6[6] | 19.4 | 19.4 | 19.4 | 20.4 | 20.1 | 20.8 | 18.4 | 19.6 | 18.9 | 20.0 | 18.5 | 18.1 |
| 1435 | 17.8[6] | 17.6 | 18.8 | 18.1 | 17.6 | 17.1 | 20.0 | 17.1 | 19.6 | 16.7 | 18.5 | 28.9 | 20.5 |
| 1436 | 17.8[6] | 17.6 | 18.8 | 18.1 | 17.6 | 17.1 | 20.0 | 17.1 | 19.6 | 16.7 | 18.5 | 28.9 | 20.5 |
| 1437 | 17.5[6] | 21.1 | 19.2 | 18.6 | 20.6 | 20.2 | 20.1 | 19.9 | 20.9 | 18.9 | 19.2 | 19.8 | 19.4 |
| 1438 | 17.5[6] | 21.1 | 19.2 | 18.6 | 20.6 | 20.2 | 20.1 | 19.9 | 20.9 | 18.9 | 19.2 | 19.8 | 19.4 |
| 1439 | 17.4[6] | 16.5 | 20.2 | 20.5 | 20.7 | 20.9 | 20.2 | 19.5 | 21.3 | 20.7 | 21.1 | 20.7 | 21.2 |
| 1440 | 17.4[6] | 16.5 | 20.2 | 20.5 | 20.7 | 20.9 | 20.2 | 19.5 | 21.3 | 20.7 | 21.1 | 20.7 | 21.2 |
| 1441 | 18.3[6] | 19.1 | 21.2 | 21.1 | 20.7 | 18.5 | 20.0 | 17.7 | 17.1 | 17.8 | 18.9 | 18.2 | 17.9 |
| 1442 | 18.3[6] | 19.1 | 21.2 | 21.1 | 20.7 | 18.5 | 20.0 | 17.7 | 17.1 | 17.8 | 18.9 | 18.2 | 17.9 |
| 1443 | 17.7[6] | 18.1 | 18.2 | 17.6 | 18.9 | 18.0 | 17.2 | 18.3 | 16.7 | 18.6 | 18.4 | 18.1 | 18.7 |
| 1444 | 17.7[6] | 18.1 | 18.2 | 17.6 | 18.9 | 18.0 | 17.2 | 18.3 | 16.7 | 18.6 | 18.4 | 18.1 | 18.7 |
| 1445 | 19.9[6] | 20.3 | 21.3 | 21.1 | 21.9 | 21.7 | 21.9 | 19.3 | 21.1 | 19.9 | 18.6 | 18.9 | 20.3 |
| 1446 | 19.9[6] | 20.3 | 21.3 | 21.1 | 21.9 | 21.7 | 21.9 | 19.3 | 21.1 | 19.9 | 18.6 | 18.9 | 20.3 |
| 1447 | 19.6[6] | 21.4 | 21.7 | 15.6 | 22.6 | 21.9 | 22.2 | 20.7 | 22.1 | 21.7 | 21.2 | 22.1 | 20.8 |
| 1448 | 19.6[6] | 21.4 | 21.7 | 15.6 | 22.6 | 21.9 | 22.2 | 20.7 | 22.1 | 21.7 | 21.2 | 22.1 | 20.8 |
| 1449 | 19.0[6] | 20.6 | 20.8 | 20.6 | 20.6 | 20.3 | 21.9 | 19.4 | 20.2 | 19.4 | 21.2 | 21.6 | 20.3 |
| 1450 | 19.0[6] | 20.6 | 20.8 | 20.6 | 20.6 | 20.3 | 21.9 | 19.4 | 20.2 | 19.4 | 21.2 | 21.6 | 20.3 |

#Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1451 | 17.7[6] | 19.5 | 19.1 | 19.4 | 21.2 | 19.0 | 18.8 | 18.9 | 20.1 | 18.4 | 19.9 | 20.6 | 18.6 |
| 1452 | 17.7[6] | 19.5 | 19.1 | 19.4 | 21.2 | 19.0 | 18.8 | 18.9 | 20.1 | 18.4 | 19.9 | 20.6 | 18.6 |
| 1453 | 17.5[6] | 17.6 | 17.9 | 17.4 | 18.2 | 16.1 | 18.3 | 17.2 | 17.5 | 17.4 | 17.4 | 18.0 | 18.0 |
| 1454 | 17.5[6] | 17.6 | 17.9 | 17.4 | 18.2 | 16.1 | 18.3 | 17.2 | 17.5 | 17.4 | 17.4 | 18.0 | 18.0 |
| 1455 | 19.2[6] | 20.1 | 20.0 | 19.6 | 20.2 | 18.4 | 19.3 | 19.0 | 19.5 | 19.6 | 19.4 | 19.7 | 19.6 |
| 1456 | 19.2[6] | 20.1 | 20.0 | 19.6 | 20.2 | 18.4 | 19.3 | 19.0 | 19.5 | 19.6 | 19.4 | 19.7 | 19.6 |
| 1457 | 19.2[6] | 19.8 | 20.5 | 21.1 | 23.1 | 21.9 | 21.0 | 20.1 | 20.3 | 21.4 | 21.5 | 21.4 | 20.4 |
| 1458 | 19.2[6] | 19.8 | 20.5 | 21.1 | 23.1 | 21.9 | 21.0 | 20.1 | 20.3 | 21.4 | 21.5 | 21.4 | 20.4 |
| 1459 | 18.3[6] | 19.8 | 20.1 | 19.4 | 21.1 | 17.5 | 20.4 | 22.5 | 34.6 | 21.7 | 21.1 | 19.9 | 19.7 |
| 1460 | 18.3[6] | 19.8 | 20.1 | 19.4 | 21.1 | 17.5 | 20.4 | 22.5 | 34.6 | 21.7 | 21.1 | 19.9 | 19.7 |
| 1461 | 19.8[6] | 20.1 | 19.5 | 20.9 | 21.2 | 20.2 | 20.3 | 18.9 | 20.1 | 21.4 | 21.6 | 21.3 | 20.9 |
| 1462 | 19.8[6] | 20.1 | 19.5 | 20.9 | 21.2 | 20.2 | 20.3 | 18.9 | 20.1 | 21.4 | 21.6 | 21.3 | 20.9 |
| 1463 | 16.9[6] | 18.4 | 18.1 | 17.8 | 18.2 | 17.3 | 18.1 | 17.3 | 19.2 | 18.0 | 18.6 | 17.7 | 18.5 |
| 1464 | 16.9[6] | 18.4 | 18.1 | 17.8 | 18.2 | 17.3 | 18.1 | 17.3 | 19.2 | 18.0 | 18.6 | 17.7 | 18.5 |
| 1465 | 16.6[6] | 16.6 | 17.1 | 16.4 | 17.2 | 17.9 | 17.1 | 16.4 | 18.4 | 17.6 | 18.6 | 18.4 | 18.2 |
| 1466 | 16.6[6] | 16.6 | 17.1 | 16.4 | 17.2 | 17.9 | 17.1 | 16.4 | 18.4 | 17.6 | 18.6 | 18.4 | 18.2 |
| 1467 | 17.3[6] | 18.6 | 19.4 | 18.1 | 18.9 | 17.1 | 17.9 | 16.9 | 17.6 | 17.5 | 18.3 | 17.1 | 17.6 |
| 1468 | 17.3[6] | 18.6 | 19.4 | 18.1 | 18.9 | 17.1 | 17.9 | 16.9 | 17.6 | 17.5 | 18.3 | 17.1 | 17.6 |
| 1469 | 17.0[6] | 17.8 | 18.1 | 18.3 | 18.0 | 17.9 | 18.1 | 17.0 | 18.3 | 18.6 | 18.7 | 18.4 | 17.9 |
| 1470 | 17.0[6] | 17.8 | 18.1 | 18.3 | 18.0 | 17.9 | 18.1 | 17.0 | 18.3 | 18.6 | 18.7 | 18.4 | 17.9 |
| 1471 | 15.1[6] | 15.2 | 17.4 | 17.3 | 17.9 | 17.4 | 17.6 | 16.4 | 17.6 | 18.4 | 18.1 | 17.3 | 17.4 |
| 1472 | 15.1[6] | 15.2 | 17.4 | 17.3 | 17.9 | 17.4 | 17.6 | 16.4 | 17.6 | 18.4 | 18.1 | 17.3 | 17.4 |
| 1473 | 18.4[6] | 20.0 | 21.3 | 20.4 | 22.0 | 20.0 | 20.8 | 19.1 | 20.6 | 19.4 | 21.3 | 21.9 | 21.4 |
| 1474 | 18.4[6] | 20.0 | 21.3 | 20.4 | 22.0 | 20.0 | 20.8 | 19.1 | 20.6 | 19.4 | 21.3 | 21.9 | 21.4 |
| 1475 | 17.9[6] | 17.9 | 17.7 | 17.2 | 21.0 | 16.3 | 16.8 | 16.8 | 17.8 | 17.3 | 18.6 | 19.2 | 17.4 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1476 | 17.9[6] | 17.9 | 17.7 | 17.2 | 21.0 | 16.3 | 16.8 | 16.8 | 17.8 | 17.3 | 18.6 | 19.2 | 17.4 |
| 1477 | 16.8[6] | 17.1 | 18.0 | 18.6 | 19.8 | 16.9 | 17.7 | 17.2 | 18.8 | 18.2 | 18.5 | 17.7 | 17.6 |
| 1478 | 16.8[6] | 17.1 | 18.0 | 18.6 | 19.8 | 16.9 | 17.7 | 17.2 | 18.8 | 18.2 | 18.5 | 17.7 | 17.6 |
| 1479 | 17.2[6] | 18.3 | 18.1 | 18.4 | 18.4 | 19.0 | 18.4 | 17.9 | 18.2 | 17.9 | 18.2 | 18.7 | 18.4 |
| 1480 | 17.2[6] | 18.3 | 18.1 | 18.4 | 18.4 | 19.0 | 18.4 | 17.9 | 18.2 | 17.9 | 18.2 | 18.7 | 18.4 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1481 | 17.4[6] | 18.8 | 18.9 | 22.2 | 19.3 | 17.6 | 18.7 | 17.7 | 18.9 | 19.9 | 20.9 | 20.1 | 16.9 |
| 1482 | 17.4[6] | 18.8 | 18.9 | 22.2 | 19.3 | 17.6 | 18.7 | 17.7 | 18.9 | 19.9 | 20.9 | 20.1 | 16.9 |
| 1483 | 19.3[6] | 20.8 | 21.1 | 21.8 | 22.2 | 19.8 | 20.6 | 20.8 | 18.8 | 20.9 | 21.1 | 22.4 | 18.7 |
| 1484 | 19.3[6] | 20.8 | 21.1 | 21.8 | 22.2 | 19.8 | 20.6 | 20.8 | 18.8 | 20.9 | 21.1 | 22.4 | 18.7 |
| 1485 | 17.8[6] | 18.0 | 18.0 | 17.5 | 17.9 | 17.9 | 17.4 | 16.1 | 17.8 | 18.9 | 19.3 | 19.5 | 18.4 |
| 1486 | 17.8[6] | 18.0 | 18.0 | 17.5 | 17.9 | 17.9 | 17.4 | 16.1 | 17.8 | 18.9 | 19.3 | 19.5 | 18.4 |
| 1487 | 17.8[6] | 18.5 | 18.4 | 18.3 | 18.1 | 17.8 | 18.3 | 17.9 | 18.4 | 19.6 | 18.3 | 18.8 | 19.6 |
| 1488 | 17.8[6] | 18.5 | 18.4 | 18.3 | 18.1 | 17.8 | 18.3 | 17.9 | 18.4 | 19.6 | 18.3 | 18.8 | 19.6 |
| 1489 | 17.8[6] | 19.0 | 19.3 | 19.2 | 21.1 | 19.9 | 21.3 | 18.8 | 19.6 | 19.2 | 19.2 | 28.7 | 18.1 |
| 1490 | 17.8[6] | 19.0 | 19.3 | 19.2 | 21.1 | 19.9 | 21.3 | 18.8 | 19.6 | 19.2 | 19.2 | 28.7 | 18.1 |
| 1491 | 17.0[6] | 18.6 | 18.2 | 18.1 | 18.6 | 18.0 | 17.3 | 17.5 | 17.0 | 18.3 | 18.0 | 17.7 | 18.3 |
| 1492 | 17.0[6] | 18.6 | 18.2 | 18.1 | 18.6 | 18.0 | 17.3 | 17.5 | 17.0 | 18.3 | 18.0 | 17.7 | 18.3 |
| 1493 | 17.1[6] | 19.1 | 20.1 | 18.5 | 19.1 | 18.2 | 19.1 | 18.7 | 19.1 | 20.2 | 20.1 | 19.9 | 17.1 |
| 1494 | 17.1[6] | 19.1 | 20.1 | 18.5 | 19.1 | 18.2 | 19.1 | 18.7 | 19.1 | 20.2 | 20.1 | 19.9 | 17.1 |
| 1495 | 18.9[6] | 18.7 | 19.7 | 17.9 | 18.6 | 17.2 | 18.6 | 17.4 | 17.8 | 18.4 | 19.4 | 14.4 | 20.2 |
| 1496 | 18.9[6] | 18.7 | 19.7 | 17.9 | 18.6 | 17.2 | 18.6 | 17.4 | 17.8 | 18.4 | 19.4 | 14.4 | 20.2 |
| 1497 | 15.9[6] | 16.5 | 17.2 | 17.2 | 17.8 | 16.5 | 17.5 | 16.1 | 16.8 | 18.3 | 17.2 | 18.3 | 17.9 |
| 1498 | 15.9[6] | 16.5 | 17.2 | 17.2 | 17.8 | 16.5 | 17.5 | 16.1 | 16.8 | 18.3 | 17.2 | 18.3 | 17.9 |
| 1499 | 18.8[6] | 20.4 | 21.9 | 20.7 | 20.6 | 19.4 | 19.9 | 18.2 | 19.3 | 18.4 | 18.4 | 19.2 | 19.0 |
| 1500 | 18.8[6] | 20.4 | 21.9 | 20.7 | 20.6 | 19.4 | 19.9 | 18.2 | 19.3 | 18.4 | 18.4 | 19.2 | 19.0 |
| 1501 | 17.6[6] | 18.4 | 19.6 | 20.0 | 18.7 | 17.6 | 18.4 | 18.0 | 17.4 | 19.4 | 19.2 | 19.6 | 17.9 |
| 1502 | 17.6[6] | 18.4 | 19.6 | 20.0 | 18.7 | 17.6 | 18.4 | 18.0 | 17.4 | 19.4 | 19.2 | 19.6 | 17.9 |
| 1503 | 17.8[6] | 19.4 | 20.0 | 19.8 | 20.1 | 18.3 | 19.3 | 19.1 | 18.6 | 18.9 | 18.4 | 19.1 | 17.9 |
| 1504 | 17.8[6] | 19.4 | 20.0 | 19.8 | 20.1 | 18.3 | 19.3 | 19.1 | 18.6 | 18.9 | 18.4 | 19.1 | 17.9 |
| 1505 | 16.8[6] | 18.7 | 19.6 | 19.1 | 20.2 | 20.4 | 19.8 | 18.5 | 19.0 | 19.6 | 18.4 | 20.1 | 19.2 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1506 | 16.8[6] | 18.7 | 19.6 | 19.1 | 20.2 | 20.4 | 19.8 | 18.5 | 19.0 | 19.6 | 18.4 | 20.1 | 19.2 |
| 1507 | 17.2[6] | 18.9 | 19.1 | 18.4 | 19.8 | 18.9 | 20.4 | 19.0 | 18.7 | 19.6 | 18.6 | 19.1 | 18.8 |
| 1508 | 17.2[6] | 18.9 | 19.1 | 18.4 | 19.8 | 18.9 | 20.4 | 19.0 | 18.7 | 19.6 | 18.6 | 19.1 | 18.8 |
| 1509 | 16.8[6] | 18.4 | 19.1 | 18.7 | 19.1 | 17.7 | 19.1 | 17.6 | 18.1 | 17.9 | 19.1 | 18.1 | 18.4 |
| 1510 | 16.8[6] | 18.4 | 19.1 | 18.7 | 19.1 | 17.7 | 19.1 | 17.6 | 18.1 | 17.9 | 19.1 | 18.1 | 18.4 |
| 1511 | 16.0[6] | 18.8 | 20.9 | 19.7 | 21.1 | 20.4 | 20.0 | 18.8 | 19.1 | 19.8 | 18.2 | 18.9 | 18.2 |
| 1512 | 16.0[6] | 18.8 | 20.9 | 19.7 | 21.1 | 20.4 | 20.0 | 18.8 | 19.1 | 19.8 | 18.2 | 18.9 | 18.2 |
| 1513 | 15.3[6] | 17.9 | 21.1 | 17.0 | 17.7 | 17.4 | 21.7 | 16.4 | 16.9 | 22.9 | 16.4 | 16.6 | 16.3 |
| 1514 | 15.3[6] | 17.9 | 21.1 | 17.0 | 17.7 | 17.4 | 21.7 | 16.4 | 16.9 | 22.9 | 16.4 | 16.6 | 16.3 |
| 1515 | 16.3[6] | 18.9 | 19.5 | 20.0 | 20.6 | 18.4 | 19.4 | 16.8 | 18.4 | 18.4 | 19.1 | 19.5 | 19.6 |
| 1516 | 16.3[6] | 18.9 | 19.5 | 20.0 | 20.6 | 18.4 | 19.4 | 16.8 | 18.4 | 18.4 | 19.1 | 19.5 | 19.6 |
| 1517 | 17.8[6] | 18.6 | 18.9 | 18.3 | 18.6 | 18.0 | 18.9 | 17.1 | 18.3 | 16.8 | 18.3 | 16.5 | 18.8 |
| 1518 | 17.8[6] | 18.6 | 18.9 | 18.3 | 18.6 | 18.0 | 18.9 | 17.1 | 18.3 | 16.8 | 18.3 | 16.5 | 18.8 |
| 1519 | 18.7[6] | 19.8 | 25.9 | 35.1 | 19.8 | 21.3 | 28.5 | 22.9 | 17.3 | 20.3 | 18.3 | 18.6 | 20.6 |
| 1520 | 18.7[6] | 19.8 | 25.9 | 35.1 | 19.8 | 21.3 | 28.5 | 22.9 | 17.3 | 20.3 | 18.3 | 18.6 | 20.6 |
| 1521 | 16.7[6] | 18.6 | 17.8 | 18.1 | 19.1 | 17.9 | 18.7 | 18.2 | 17.6 | 18.6 | 18.4 | 19.4 | 20.0 |
| 1522 | 16.7[6] | 18.6 | 17.8 | 18.1 | 19.1 | 17.9 | 18.7 | 18.2 | 17.6 | 18.6 | 18.4 | 19.4 | 20.0 |
| 1523 | 16.3[6] | 18.4 | 18.0 | 17.5 | 18.0 | 17.2 | 18.8 | 16.9 | 17.6 | 18.5 | 17.5 | 18.2 | 17.6 |
| 1524 | 16.3[6] | 18.4 | 18.0 | 17.5 | 18.0 | 17.2 | 18.8 | 16.9 | 17.6 | 18.5 | 17.5 | 18.2 | 17.6 |
| 1525 | 17.9[6] | 17.6 | 19.1 | 19.4 | 18.8 | 18.4 | 19.2 | 17.9 | 18.7 | 19.1 | 17.5 | 17.9 | 19.0 |
| 1526 | 17.9[6] | 17.6 | 19.1 | 19.4 | 18.8 | 18.4 | 19.2 | 17.9 | 18.7 | 19.1 | 17.5 | 17.9 | 19.0 |
| 1527 | 18.0[6] | 20.0 | 20.9 | 21.3 | 21.5 | 19.3 | 20.6 | 19.4 | 20.6 | 20.0 | 20.9 | 20.6 | 20.8 |
| 1528 | 18.0[6] | 20.0 | 20.9 | 21.3 | 21.5 | 19.3 | 20.6 | 19.4 | 20.6 | 20.0 | 20.9 | 20.6 | 20.8 |
| 1529 | 17.9[6] | 20.1 | 19.8 | 19.9 | 20.2 | 19.0 | 19.5 | 18.2 | 18.9 | 17.7 | 18.4 | 18.6 | 18.9 |
| 1530 | 17.9[6] | 20.1 | 19.8 | 19.9 | 20.2 | 19.0 | 19.5 | 18.2 | 18.9 | 17.7 | 18.4 | 18.6 | 18.9 |

#Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1531 | 17.4[6] | 17.8 | 19.6 | 20.8 | 19.5 | 18.9 | 19.2 | 18.1 | 18.2 | 18.1 | 19.2 | 20.1 | 19.1 |
| 1532 | 17.4[6] | 17.8 | 19.6 | 20.8 | 19.5 | 18.9 | 19.2 | 18.1 | 18.2 | 18.1 | 19.2 | 20.1 | 19.1 |
| 1533 | 17.3[6] | 17.6 | 19.5 | 18.9 | 18.1 | 18.3 | 18.6 | 17.1 | 17.9 | 19.3 | 18.9 | 18.5 | 19.4 |
| 1534 | 17.3[6] | 17.6 | 19.5 | 18.9 | 18.1 | 18.3 | 18.6 | 17.1 | 17.9 | 19.3 | 18.9 | 18.5 | 19.4 |
| 1535 | 15.7[6] | 16.6 | 18.5 | 17.6 | 17.0 | 16.5 | 16.9 | 16.0 | 16.4 | 16.3 | 16.9 | 17.7 | 16.8 |
| 1536 | 15.7[6] | 16.6 | 18.5 | 17.6 | 17.0 | 16.5 | 16.9 | 16.0 | 16.4 | 16.3 | 16.9 | 17.7 | 16.8 |
| 1537 | 17.0[6] | 34.2 | 20.8 | 21.1 | 20.1 | 19.9 | 20.1 | 19.5 | 19.5 | 19.6 | 20.7 | 20.5 | 19.4 |
| 1538 | 17.0[6] | 34.2 | 20.8 | 21.1 | 20.1 | 19.9 | 20.1 | 19.5 | 19.5 | 19.6 | 20.7 | 20.5 | 19.4 |
| 1539 | 17.9[6] | 19.8 | 23.3 | 31.1 | 24.9 | 22.7 | 22.6 | 18.2 | 22.6 | 23.2 | 23.1 | 23.1 | 19.5 |
| 1540 | 17.9[6] | 19.8 | 23.3 | 31.1 | 24.9 | 22.7 | 22.6 | 18.2 | 22.6 | 23.2 | 23.1 | 23.1 | 19.5 |
| 1541 | 19.1[6] | 21.3 | 20.6 | 20.9 | 21.2 | 20.5 | 21.1 | 19.4 | 21.1 | 20.1 | 20.8 | 20.7 | 21.4 |
| 1542 | 19.1[6] | 21.3 | 20.6 | 20.9 | 21.2 | 20.5 | 21.1 | 19.4 | 21.1 | 20.1 | 20.8 | 20.7 | 21.4 |
| 1543 | 17.8[6] | 19.1 | 19.8 | 19.5 | 20.1 | 18.9 | 19.9 | 18.5 | 19.8 | 19.1 | 19.4 | 18.4 | 18.4 |
| 1544 | 17.8[6] | 19.1 | 19.8 | 19.5 | 20.1 | 18.9 | 19.9 | 18.5 | 19.8 | 19.1 | 19.4 | 18.4 | 18.4 |
| 1545 | 17.0[6] | 18.2 | 19.6 | 19.8 | 20.1 | 19.1 | 19.0 | 18.6 | 19.6 | 17.6 | 19.6 | 20.6 | 20.1 |
| 1546 | 17.0[6] | 18.2 | 19.6 | 19.8 | 20.1 | 19.1 | 19.0 | 18.6 | 19.6 | 17.6 | 19.6 | 20.6 | 20.1 |
| 1547 | 16.7[6] | 18.1 | 18.9 | 19.3 | 19.4 | 18.6 | 19.2 | 18.6 | 17.4 | 19.1 | 19.2 | 20.4 | 19.1 |
| 1548 | 16.7[6] | 18.1 | 18.9 | 19.3 | 19.4 | 18.6 | 19.2 | 18.6 | 17.4 | 19.1 | 19.2 | 20.4 | 19.1 |
| 1549 | 17.6[6] | 19.0 | 19.2 | 19.6 | 20.4 | 19.2 | 18.6 | 18.4 | 19.2 | 18.4 | 17.6 | 19.0 | 18.2 |
| 1550 | 17.6[6] | 19.0 | 19.2 | 19.6 | 20.4 | 19.2 | 18.6 | 18.4 | 19.2 | 18.4 | 17.6 | 19.0 | 18.2 |
| 1551 | 16.8[6] | 18.6 | 20.1 | 18.1 | 17.9 | 18.0 | 19.4 | 19.0 | 19.4 | 19.3 | 19.7 | 20.2 | 20.8 |
| 1552 | 16.8[6] | 18.6 | 20.1 | 18.1 | 17.9 | 18.0 | 19.4 | 19.0 | 19.4 | 19.3 | 19.7 | 20.2 | 20.8 |
| 1553 | 19.3[6] | 19.2 | 22.3 | 21.2 | 21.6 | 22.0 | 23.5 | 19.9 | 22.0 | 21.6 | 21.1 | 20.4 | 20.5 |
| 1554 | 19.3[6] | 19.2 | 22.3 | 21.2 | 21.6 | 22.0 | 23.5 | 19.9 | 22.0 | 21.6 | 21.1 | 20.4 | 20.5 |
| 1555 | 17.4[6] | 18.6 | 18.9 | 20.1 | 20.1 | 20.5 | 25.6 | 22.3 | 24.0 | 21.4 | 24.2 | 20.9 | 20.1 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1556 | 17.4[6] | 18.6 | 18.9 | 20.1 | 20.1 | 20.5 | 25.6 | 22.3 | 24.0 | 21.4 | 24.2 | 20.9 | 20.1 |
| 1557 | 17.4[6] | 17.6 | 19.6 | 18.6 | 18.4 | 18.4 | 19.4 | 17.8 | 17.7 | 17.8 | 19.4 | 18.1 | 17.3 |
| 1558 | 17.4[6] | 17.6 | 19.6 | 18.6 | 18.4 | 18.4 | 19.4 | 17.8 | 17.7 | 17.8 | 19.4 | 18.1 | 17.3 |
| 1559 | 16.9[6] | 18.1 | 18.7 | 18.8 | 18.7 | 18.3 | 19.3 | 18.0 | 19.5 | 18.3 | 18.9 | 18.1 | 18.5 |
| 1560 | 16.9[6] | 18.1 | 18.7 | 18.8 | 18.7 | 18.3 | 19.3 | 18.0 | 19.5 | 18.3 | 18.9 | 18.1 | 18.5 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1561 | 17.6[6] | 18.4 | 18.8 | 22.4 | 19.1 | 18.6 | 19.9 | 18.9 | 18.1 | 18.7 | 19.9 | 16.1 | 18.2 |
| 1562 | 17.6[6] | 18.4 | 18.8 | 22.4 | 19.1 | 18.6 | 19.9 | 18.9 | 18.1 | 18.7 | 19.9 | 16.1 | 18.2 |
| 1563 | 17.5[6] | 18.4 | 20.6 | 19.9 | 20.3 | 19.7 | 21.3 | 20.1 | 20.1 | 19.7 | 20.1 | 20.0 | 18.2 |
| 1564 | 17.5[6] | 18.4 | 20.6 | 19.9 | 20.3 | 19.7 | 21.3 | 20.1 | 20.1 | 19.7 | 20.1 | 20.0 | 18.2 |
| 1565 | 18.8[6] | 18.6 | 20.1 | 19.3 | 20.1 | 19.5 | 20.6 | 20.1 | 19.4 | 20.5 | 20.0 | 21.4 | 18.1 |
| 1566 | 18.8[6] | 18.6 | 20.1 | 19.3 | 20.1 | 19.5 | 20.6 | 20.1 | 19.4 | 20.5 | 20.0 | 21.4 | 18.1 |
| 1567 | 17.0[6] | 19.0 | 20.4 | 20.2 | 19.9 | 20.2 | 20.6 | 19.9 | 20.3 | 20.3 | 21.4 | 20.9 | 19.7 |
| 1568 | 17.0[6] | 19.0 | 20.4 | 20.2 | 19.9 | 20.2 | 20.6 | 19.9 | 20.3 | 20.3 | 21.4 | 20.9 | 19.7 |
| 1569 | 18.6[6] | 18.6 | 20.4 | 23.3 | 20.3 | 19.4 | 21.1 | 18.1 | 19.2 | 18.3 | 19.4 | 20.2 | 17.9 |
| 1570 | 18.6[6] | 18.6 | 20.4 | 23.3 | 20.3 | 19.4 | 21.1 | 18.1 | 19.2 | 18.3 | 19.4 | 20.2 | 17.9 |
| 1571 | 17.7[6] | 19.3 | 20.1 | 20.1 | 20.7 | 20.1 | 20.5 | 19.4 | 20.0 | 19.1 | 19.8 | 20.7 | 19.4 |
| 1572 | 17.7[6] | 19.3 | 20.1 | 20.1 | 20.7 | 20.1 | 20.5 | 19.4 | 20.0 | 19.1 | 19.8 | 20.7 | 19.4 |
| 1573 | 19.2[6] | 20.3 | 20.1 | 20.9 | 20.5 | 19.5 | 21.3 | 19.4 | 20.7 | 21.3 | 20.2 | 21.9 | 21.6 |
| 1574 | 19.2[6] | 20.3 | 20.1 | 20.9 | 20.5 | 19.5 | 21.3 | 19.4 | 20.7 | 21.3 | 20.2 | 21.9 | 21.6 |
| 1575 | 18.6[6] | 20.8 | 20.6 | 20.9 | 20.9 | 19.7 | 21.1 | 19.6 | 20.6 | 20.4 | 22.4 | 22.1 | 20.4 |
| 1576 | 18.6[6] | 20.8 | 20.6 | 20.9 | 20.9 | 19.7 | 21.1 | 19.6 | 20.6 | 20.4 | 22.4 | 22.1 | 20.4 |
| 1577 | 17.4[6] | 19.8 | 20.9 | 20.4 | 21.1 | 20.6 | 21.9 | 20.3 | 21.1 | 21.6 | 23.0 | 23.9 | 22.1 |
| 1578 | 17.4[6] | 19.8 | 20.9 | 20.4 | 21.1 | 20.6 | 21.9 | 20.3 | 21.1 | 21.6 | 23.0 | 23.9 | 22.1 |
| 1579 | 17.3[6] | 26.6 | 20.9 | 28.7 | 23.9 | 23.4 | 20.9 | 20.4 | 21.5 | 27.7 | 23.3 | 22.3 | 20.4 |
| 1580 | 17.3[6] | 26.6 | 20.9 | 28.7 | 23.9 | 23.4 | 20.9 | 20.4 | 21.5 | 27.7 | 23.3 | 22.3 | 20.4 |
| 1581 | 16.7[6] | 16.0 | 17.8 | 17.1 | 17.5 | 17.4 | 18.4 | 17.0 | 17.7 | 17.5 | 18.0 | 18.4 | 17.2 |
| 1582 | 16.7[6] | 16.0 | 17.8 | 17.1 | 17.5 | 17.4 | 18.4 | 17.0 | 17.7 | 17.5 | 18.0 | 18.4 | 17.2 |
| 1583[r] | NA | 17.4[5] | 20.4 | 19.5 | 21.2 | 20.6 | 21.2 | 20.4 | 22.6 | 22.7 | 22.2 | 22.9 | 22.1 |
| 1584[r] | NA | 17.4[5] | 20.4 | 19.5 | 21.2 | 20.6 | 21.2 | 20.4 | 22.6 | 22.7 | 22.2 | 22.9 | 22.1 |
| 1585 | 18.8[6] | 20.5 | 21.7 | 21.9 | 22.6 | 21.4 | 21.6 | 20.7 | 20.9 | 21.5 | 21.3 | 21.9 | 22.1 |

#Cage food consumption divided by number of animals per cage
NA - Not Applicable/Not Availalble
[6]Food consumption calculated using 6 days
[r]Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1586 | 18.8[6] | 20.5 | 21.7 | 21.9 | 22.6 | 21.4 | 21.6 | 20.7 | 20.9 | 21.5 | 21.3 | 21.9 | 22.1 |
| 1587 | 18.3[6] | 20.0 | 19.6 | 20.1 | 20.4 | 20.2 | 20.4 | 17.7 | 20.1 | 20.8 | 21.3 | 21.7 | 21.1 |
| 1588 | 18.3[6] | 20.0 | 19.6 | 20.1 | 20.4 | 20.2 | 20.4 | 17.7 | 20.1 | 20.8 | 21.3 | 21.7 | 21.1 |
| 1589 | 17.3[6] | 18.4 | 21.3 | 21.5 | 22.1 | 21.1 | 21.7 | 20.8 | 20.0 | 21.5 | 21.8 | 22.0 | 20.1 |
| 1590 | 17.3[6] | 18.4 | 21.3 | 21.5 | 22.1 | 21.1 | 21.7 | 20.8 | 20.0 | 21.5 | 21.8 | 22.0 | 20.1 |
| 1591 | 18.3[6] | 18.6 | 20.4 | 21.9 | 19.9 | 19.6 | 20.7 | 18.5 | 19.2 | 18.6 | 19.5 | 18.2 | 18.1 |
| 1592 | 18.3[6] | 18.6 | 20.4 | 21.9 | 19.9 | 19.6 | 20.7 | 18.5 | 19.2 | 18.6 | 19.5 | 18.2 | 18.1 |
| 1593 | 19.9[6] | 20.6 | 21.7 | 22.0 | 22.9 | 20.9 | 22.4 | 19.8 | 20.5 | 20.8 | 20.3 | 20.9 | 21.0 |
| 1594 | 19.9[6] | 20.6 | 21.7 | 22.0 | 22.9 | 20.9 | 22.4 | 19.8 | 20.5 | 20.8 | 20.3 | 20.9 | 21.0 |
| 1595 | 18.0[6] | 18.0 | 19.0 | 18.6 | 19.5 | 18.6 | 19.1 | 18.9 | 18.0 | 17.9 | 18.8 | 19.1 | 16.9 |
| 1596 | 18.0[6] | 18.0 | 19.0 | 18.6 | 19.5 | 18.6 | 19.1 | 18.9 | 18.0 | 17.9 | 18.8 | 19.1 | 16.9 |
| 1597 | 19.2[6] | 19.7 | 21.0 | 20.8 | 22.0 | 21.1 | 21.9 | 20.4 | 20.6 | 20.9 | 22.1 | 22.5 | 21.6 |
| 1598 | 19.2[6] | 19.7 | 21.0 | 20.8 | 22.0 | 21.1 | 21.9 | 20.4 | 20.6 | 20.9 | 22.1 | 22.5 | 21.6 |
| 1599 | 16.6[6] | 18.6 | 19.1 | 20.4 | 21.6 | 19.5 | 20.4 | 19.3 | 20.4 | 20.3 | 20.7 | 22.2 | 21.1 |
| 1600 | 16.6[6] | 18.6 | 19.1 | 20.4 | 21.6 | 19.5 | 20.4 | 19.3 | 20.4 | 20.3 | 20.7 | 22.2 | 21.1 |
| 1601 | 18.0[6] | 18.3 | 19.9 | 20.4 | 20.9 | 21.4 | 20.7 | 19.7 | 21.4 | 20.0 | 21.0 | 21.3 | 20.1 |
| 1602 | 18.0[6] | 18.3 | 19.9 | 20.4 | 20.9 | 21.4 | 20.7 | 19.7 | 21.4 | 20.0 | 21.0 | 21.3 | 20.1 |
| 1603 | 17.5[6] | 18.4 | 19.3 | 20.1 | 20.1 | 19.1 | 20.1 | 19.1 | 19.9 | 20.1 | 20.4 | 21.7 | 21.1 |
| 1604 | 17.5[6] | 18.4 | 19.3 | 20.1 | 20.1 | 19.1 | 20.1 | 19.1 | 19.9 | 20.1 | 20.4 | 21.7 | 21.1 |
| 1605 | 19.6[6] | 18.4 | 20.5 | 21.0 | 20.6 | 19.4 | 21.0 | 20.9 | 18.9 | 20.1 | 22.9 | 22.1 | 21.4 |
| 1606 | 19.6[6] | 18.4 | 20.5 | 21.0 | 20.6 | 19.4 | 21.0 | 20.9 | 18.9 | 20.1 | 22.9 | 22.1 | 21.4 |
| 1607 | 20.0[6] | 20.6 | 22.2 | 23.6 | 23.6 | 23.7 | 24.3 | 22.9 | 22.1 | 21.9 | 22.8 | 22.8 | 22.5 |
| 1608 | 20.0[6] | 20.6 | 22.2 | 23.6 | 23.6 | 23.7 | 24.3 | 22.9 | 22.1 | 21.9 | 22.8 | 22.8 | 22.5 |
| 1609 | 19.3[6] | 20.4 | 21.9 | 25.1 | 21.2 | 20.1 | 21.6 | 20.4 | 19.7 | 19.9 | 19.9 | 20.0 | 19.6 |
| 1610 | 19.3[6] | 20.4 | 21.9 | 25.1 | 21.2 | 20.1 | 21.6 | 20.4 | 19.7 | 19.9 | 19.9 | 20.0 | 19.6 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) -1# | 1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# | 9# | 10# | 11# | 12# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1611 | 17.4[6] | 18.9 | 20.5 | 20.4 | 20.8 | 20.4 | 20.9 | 20.0 | 20.6 | 20.8 | 20.7 | 20.9 | 20.8 |
| 1612 | 17.4[6] | 18.9 | 20.5 | 20.4 | 20.8 | 20.4 | 20.9 | 20.0 | 20.6 | 20.8 | 20.7 | 20.9 | 20.8 |
| 1613 | 16.6[6] | 17.2 | 20.7 | 19.3 | 21.4 | 19.6 | 21.1 | 20.1 | 20.6 | 20.4 | 21.6 | 21.9 | 20.5 |
| 1614 | 16.6[6] | 17.2 | 20.7 | 19.3 | 21.4 | 19.6 | 21.1 | 20.1 | 20.6 | 20.4 | 21.6 | 21.9 | 20.5 |
| 1615 | 19.0[6] | 18.8 | 20.4 | 19.3 | 20.6 | 19.6 | 20.4 | 21.4 | 21.5 | 21.1 | 22.8 | 21.6 | 22.2 |
| 1616 | 19.0[6] | 18.8 | 20.4 | 19.3 | 20.6 | 19.6 | 20.4 | 21.4 | 21.5 | 21.1 | 22.8 | 21.6 | 22.2 |
| 1617 | 19.9[6] | 19.9 | 22.4 | 21.0 | 23.2 | 22.4 | 22.5 | 21.8 | 20.9 | 21.4 | 22.5 | 23.4 | 22.8 |
| 1618 | 19.9[6] | 19.9 | 22.4 | 21.0 | 23.2 | 22.4 | 22.5 | 21.8 | 20.9 | 21.4 | 22.5 | 23.4 | 22.8 |
| 1619 | 18.3[6] | 20.9 | 20.9 | 18.4 | 19.5 | 19.2 | 19.6 | 18.6 | 18.2 | 16.4 | 19.9 | 19.5 | 19.4 |
| 1620 | 18.3[6] | 20.9 | 20.9 | 18.4 | 19.5 | 19.2 | 19.6 | 18.6 | 18.2 | 16.4 | 19.9 | 19.5 | 19.4 |
| 1621 | 18.2[6] | 18.1 | 21.9 | 19.4 | 21.1 | 18.9 | 20.2 | 18.7 | 19.4 | 18.3 | 20.1 | 20.2 | 19.9 |
| 1622 | 18.2[6] | 18.1 | 21.9 | 19.4 | 21.1 | 18.9 | 20.2 | 18.7 | 19.4 | 18.3 | 20.1 | 20.2 | 19.9 |
| 1623 | 17.4[6] | 18.6 | 19.0 | 19.2 | 20.1 | 19.0 | 19.5 | 20.8 | 21.1 | 20.1 | 21.1 | 21.6 | 20.5 |
| 1624 | 17.4[6] | 18.6 | 19.0 | 19.2 | 20.1 | 19.0 | 19.5 | 20.8 | 21.1 | 20.1 | 21.1 | 21.6 | 20.5 |
| 1625 | 16.4[6] | 18.1 | 19.1 | 18.0 | 20.9 | 19.3 | 19.7 | 20.4 | 19.5 | 20.6 | 20.4 | 20.5 | 21.3 |
| 1626 | 16.4[6] | 18.1 | 19.1 | 18.0 | 20.9 | 19.3 | 19.7 | 20.4 | 19.5 | 20.6 | 20.4 | 20.5 | 21.3 |
| 1627 | 17.7[6] | 17.6 | 18.7 | 19.2 | 19.6 | 18.0 | 20.2 | 19.6 | 18.9 | 19.4 | 19.8 | 19.5 | 19.1 |
| 1628 | 17.7[6] | 17.6 | 18.7 | 19.2 | 19.6 | 18.0 | 20.2 | 19.6 | 18.9 | 19.4 | 19.8 | 19.5 | 19.1 |
| 1629 | 17.2[6] | 18.1 | 18.1 | 17.9 | 18.8 | 18.3 | 18.9 | 18.2 | 18.9 | 17.9 | 19.6 | 20.0 | 20.1 |
| 1630 | 17.2[6] | 18.1 | 18.1 | 17.9 | 18.8 | 18.3 | 18.9 | 18.2 | 18.9 | 17.9 | 19.6 | 20.0 | 20.1 |
| 1631 | 17.3[6] | 18.1 | 19.3 | 18.5 | 18.7 | 18.3 | 18.8 | 17.4 | 17.7 | 17.9 | 17.1 | 17.9 | 18.4 |
| 1632 | 17.3[6] | 18.1 | 19.3 | 18.5 | 18.7 | 18.3 | 18.8 | 17.4 | 17.7 | 17.9 | 17.1 | 17.9 | 18.4 |
| 1633 | 17.5[6] | 17.9 | 18.6 | 18.9 | 19.6 | 18.6 | 19.1 | 19.0 | 18.6 | 19.3 | 19.6 | 20.1 | 19.6 |
| 1634 | 17.5[6] | 17.9 | 18.6 | 18.9 | 19.6 | 18.6 | 19.1 | 19.0 | 18.6 | 19.3 | 19.6 | 20.1 | 19.6 |
| 1635 | 17.4[6] | 17.8 | 18.8 | 19.7 | 19.9 | 19.9 | 20.8 | 19.6 | 20.7 | 20.6 | 20.9 | 20.6 | 20.1 |

[#]Cage food consumption divided by number of animals per cage
[6]Food consumption calculated using 6 days

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | -1[#] | 1[#] | 2[#] | 3[#] | 4[#] | 5[#] | 6[#] | 7[#] | 8[#] | 9[#] | 10[#] | 11[#] | 12[#] |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1636 | 17.4[6] | 17.8 | 18.8 | 19.7 | 19.9 | 19.9 | 20.8 | 19.6 | 20.7 | 20.6 | 20.9 | 20.6 | 20.1 |
| 1637 | 18.6[6] | 20.6 | 20.9 | 19.7 | 20.4 | 20.3 | 20.3 | 18.3 | 18.9 | 20.9 | 18.3 | 21.4 | 19.7 |
| 1638 | 18.6[6] | 20.6 | 20.9 | 19.7 | 20.4 | 20.3 | 20.3 | 18.3 | 18.9 | 20.9 | 18.3 | 21.4 | 19.7 |
| 1639 | 19.0[6] | 21.9 | 22.5 | 22.6 | 23.6 | 17.9 | 24.6 | 21.6 | 22.1 | 22.1 | 23.5 | 22.0 | 21.6 |
| 1640 | 19.0[6] | 21.9 | 22.5 | 22.6 | 23.6 | 17.9 | 24.6 | 21.6 | 22.1 | 22.1 | 23.5 | 22.0 | 21.6 |

[#]Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1321 | 22.2 | 22.6 | 20.2 | 20.5 | 20.9 | 19.3 | 20.4 | 21.4 | 20.2 | 22.5 | 21.3 | 23.8 | 18.3 |
| 1322 | 22.2 | 22.6 | 20.2 | 20.5 | 20.9 | 19.3 | 20.4 | 21.4 | 20.2 | 22.5 | 21.3 | 23.8 | 18.3 |
| 1323 | 19.9 | 21.1 | 19.3 | 19.7 | 19.4 | 18.4 | 18.1 | 19.1 | 19.8 | 19.6 | 22.5 | 21.8 | 21.3 |
| 1324 | 19.9 | 21.1 | 19.3 | 19.7 | 19.4 | 18.4 | 18.1 | 19.1 | 19.8 | 19.6 | 22.5 | 21.8 | 21.3 |
| 1325 | 18.3 | 18.2 | 16.2 | 17.3 | 17.6 | 18.6 | 17.8 | 17.7 | 18.9 | 19.2 | 18.4 | 20.4 | 18.8 |
| 1326 | 18.3 | 18.2 | 16.2 | 17.3 | 17.6 | 18.6 | 17.8 | 17.7 | 18.9 | 19.2 | 18.4 | 20.4 | 18.8 |
| 1327 | 18.8 | 18.6 | 17.6 | 17.6 | 18.2 | 18.2 | 18.8 | 18.0 | 17.7 | 18.8 | 17.0 | 19.8 | 18.9 |
| 1328 | 18.8 | 18.6 | 17.6 | 17.6 | 18.2 | 18.2 | 18.8 | 18.0 | 17.7 | 18.8 | 17.0 | 19.8 | 18.9 |
| 1329 | 22.1 | 22.6 | 20.9 | 21.2 | 21.9 | 21.7 | 21.4 | 23.1 | 22.3 | 25.8 | 23.9 | 26.8 | 25.4 |
| 1330 | 22.1 | 22.6 | 20.9 | 21.2 | 21.9 | 21.7 | 21.4 | 23.1 | 22.3 | 25.8 | 23.9 | 26.8 | 25.4 |
| 1331 | 20.6 | 21.3 | 20.3 | 20.9 | 21.9 | 20.3 | 20.3 | 20.3 | 19.9 | 21.8 | 18.3 | 20.6 | 20.6 |
| 1332 | 20.6 | 21.3 | 20.3 | 20.9 | 21.9 | 20.3 | 20.3 | 20.3 | 19.9 | 21.8 | 18.3 | 20.6 | 20.6 |
| 1333 | 16.9 | 17.6 | 16.4 | 17.3 | 17.4 | 18.0 | 16.6 | 16.5 | 15.8 | 16.5 | 15.7 | 18.3 | 17.6 |
| 1334 | 16.9 | 17.6 | 16.4 | 17.3 | 17.4 | 18.0 | 16.6 | 16.5 | 15.8 | 16.5 | 15.7 | 18.3 | 17.6 |
| 1335 | 18.7 | 17.9 | 18.3 | 17.9 | 17.6 | 17.1 | 16.6 | 18.1 | 17.6 | 18.1 | 16.4 | 19.1 | 19.3 |
| 1336 | 18.7 | 17.9 | 18.3 | 17.9 | 17.6 | 17.1 | 16.6 | 18.1 | 17.6 | 18.1 | 16.4 | 19.1 | 19.3 |
| 1337 | 20.6 | 19.1 | 18.7 | 17.3 | 15.5 | 21.5 | 20.1 | 19.1 | 19.7 | 20.3 | 18.5 | 21.6 | 18.9 |
| 1338 | 20.6 | 19.1 | 18.7 | 17.3 | 15.5 | 21.5 | 20.1 | 19.1 | 19.7 | 20.3 | 18.5 | 21.6 | 18.9 |
| 1339 | 19.3 | 20.8 | 19.9 | 19.7 | 19.8 | 19.0 | 19.1 | 19.1 | 19.7 | 19.0 | 18.4 | 20.8 | 22.4 |
| 1340 | 19.3 | 20.8 | 19.9 | 19.7 | 19.8 | 19.0 | 19.1 | 19.1 | 19.7 | 19.0 | 18.4 | 20.8 | 22.4 |
| 1341 | 16.9 | 18.4 | 16.6 | 16.6 | 17.1 | 18.3 | 17.3 | 17.4 | 18.2 | 18.3 | 17.1 | 17.5 | 33.9 |
| 1342 | 16.9 | 18.4 | 16.6 | 16.6 | 17.1 | 18.3 | 17.3 | 17.4 | 18.2 | 18.3 | 17.1 | 17.5 | 16.3 |
| 1343 | 20.1 | 20.9 | 19.9 | 20.2 | 20.6 | 19.3 | 18.5 | 18.0 | 18.7 | 19.5 | 18.8 | 20.9 | 20.5 |
| 1344 | 20.1 | 20.9 | 19.9 | 20.2 | 20.6 | 19.3 | 18.5 | 18.0 | 18.7 | 19.5 | 18.8 | 20.9 | 20.5 |
| 1345 | 16.8 | 17.7 | 16.6 | 16.0 | 16.7 | 17.5 | 17.3 | 17.1 | 17.4 | 17.4 | 16.8 | 18.8 | 17.8 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1346 | 16.8 | 17.7 | 16.6 | 16.0 | 16.7 | 17.5 | 17.3 | 17.1 | 17.4 | 17.4 | 16.8 | 18.8 | 17.8 |
| 1347 | 21.7 | 22.4 | 20.9 | 19.4 | 20.6 | 20.3 | 20.1 | 19.9 | 20.3 | 22.4 | 18.6 | 21.3 | 24.5 |
| 1348 | 21.7 | 22.4 | 20.9 | 19.4 | 20.6 | 20.3 | 20.1 | 19.9 | 20.3 | 22.4 | 18.6 | 21.3 | 24.5 |
| 1349 | 20.9 | 22.1 | 20.0 | 21.7 | 21.0 | 22.0 | 20.4 | 19.8 | 22.6 | 20.6 | 20.7 | 23.9 | 20.5 |
| 1350 | 20.9 | 22.1 | 20.0 | 21.7 | 21.0 | 22.0 | 20.4 | 19.8 | 22.6 | 20.6 | 20.7 | 23.9 | 20.5 |
| 1351 | 19.4 | 19.4 | 18.9 | 19.1 | 19.1 | 18.3 | 18.5 | 18.9 | 18.9 | 19.8 | 18.1 | 20.5 | 19.8 |
| 1352 | 19.4 | 19.4 | 18.9 | 19.1 | 19.1 | 18.3 | 18.5 | 18.9 | 18.9 | 19.8 | 18.1 | 20.5 | 19.8 |
| 1353 | 20.9 | 20.2 | 19.8 | 18.6 | 19.1 | 18.6 | 18.2 | 19.3 | 18.3 | 18.6 | 18.0 | 21.7 | 21.0 |
| 1354 | 20.9 | 20.2 | 19.8 | 18.6 | 19.1 | 18.6 | 18.2 | 19.3 | 18.3 | 18.6 | 18.0 | 21.7 | 21.0 |
| 1355 | 20.5 | 20.6 | 19.3 | 18.9 | 21.0 | 19.0 | 18.3 | 18.2 | 18.6 | 20.8 | 17.0 | 21.0 | 19.7 |
| 1356 | 20.5 | 20.6 | 19.3 | 18.9 | 21.0 | 19.0 | 18.3 | 18.2 | 18.6 | 20.8 | 17.0 | 21.0 | 19.7 |
| 1357 | 18.9 | 18.1 | 17.8 | 17.6 | 18.1 | 17.9 | 17.4 | 18.5 | 18.7 | 18.8 | 17.3 | 19.9 | 19.3 |
| 1358 | 18.9 | 18.1 | 17.8 | 17.6 | 18.1 | 17.9 | 17.4 | 18.5 | 18.7 | 18.8 | 17.3 | 19.9 | 19.3 |
| 1359 | 19.6 | 19.5 | 18.9 | 18.8 | 18.4 | 18.5 | 18.9 | 19.0 | 20.0 | 20.0 | 19.6 | 22.3 | 23.5 |
| 1360 | 19.6 | 19.5 | 18.9 | 18.8 | 18.4 | 18.5 | 18.9 | 19.0 | 20.0 | 20.0 | 19.6 | 22.3 | 23.5 |
| 1361 | 20.9 | 20.8 | 21.6 | 21.5 | 20.1 | 19.6 | 21.7 | 20.9 | 24.1 | 19.7 | 19.6 | 21.6 | 22.2 |
| 1362 | 20.9 | 20.8 | 21.6 | 21.5 | 20.1 | 19.6 | 21.7 | 20.9 | 24.1 | 19.7 | 19.6 | 21.6 | 22.2 |
| 1363 | 19.6 | 19.3 | 19.3 | 19.4 | 19.5 | 18.4 | 18.6 | 20.0 | 19.3 | 18.9 | 18.0 | 20.4 | 20.6 |
| 1364 | 19.6 | 19.3 | 19.3 | 19.4 | 19.5 | 18.4 | 18.6 | 20.0 | 19.3 | 18.9 | 18.0 | 20.4 | 20.6 |
| 1365 | 20.4 | 20.2 | 18.9 | 18.0 | 18.6 | 18.0 | 17.8 | 18.3 | 19.6 | 18.8 | 18.5 | 19.4 | 18.8 |
| 1366 | 20.4 | 20.2 | 18.9 | 18.0 | 18.6 | 18.0 | 17.8 | 18.3 | 19.6 | 18.8 | 18.5 | 19.4 | 18.8 |
| 1367 | 20.4 | 20.7 | 20.4 | 19.0 | 19.6 | 20.2 | 20.4 | 17.8 | 18.0 | 20.9 | 19.4 | 20.6 | 20.6 |
| 1368 | 20.4 | 20.7 | 20.4 | 19.0 | 19.6 | 20.2 | 20.4 | 17.8 | 18.0 | 20.9 | 19.4 | 20.6 | 20.6 |
| 1369 | 15.1 | 15.6 | 15.1 | 14.5 | 15.0 | 14.4 | 14.8 | 14.9 | 14.5 | 15.4 | 13.0 | 16.7 | 15.4 |
| 1370 | 15.1 | 15.6 | 15.1 | 14.5 | 15.0 | 14.4 | 14.8 | 14.9 | 14.5 | 15.4 | 13.0 | 16.7 | 15.4 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1371 | 20.6 | 19.5 | 19.1 | 17.5 | 17.9 | 15.6 | 18.8 | 21.3 | 20.9 | 19.9 | 18.5 | 23.2 | 20.8 |
| 1372 | 20.6 | 19.5 | 19.1 | 17.5 | 17.9 | 15.6 | 18.8 | 21.3 | 20.9 | 19.9 | 18.5 | 23.2 | 20.8 |
| 1373 | 21.4 | 21.7 | 20.4 | 21.0 | 20.0 | 20.5 | 21.0 | 21.6 | 22.1 | 22.2 | 22.1 | 24.0 | 23.5 |
| 1374 | 21.4 | 21.7 | 20.4 | 21.0 | 20.0 | 20.5 | 21.0 | 21.6 | 22.1 | 22.2 | 22.1 | 24.0 | 23.5 |
| 1375 | 20.9 | 21.2 | 20.1 | 22.4 | 21.5 | 22.9 | 23.1 | 23.2 | 21.8 | 21.8 | 20.9 | 24.5 | 23.9 |
| 1376 | 20.9 | 21.2 | 20.1 | 22.4 | 21.5 | 22.9 | 23.1 | 23.2 | 21.8 | 21.8 | 20.9 | 24.5 | 23.9 |
| 1377 | 22.9 | 22.8 | 23.1 | 19.6 | 20.8 | 20.5 | 21.0 | 20.3 | 25.0 | 21.4 | 19.4 | 22.6 | 23.1 |
| 1378 | 22.9 | 22.8 | 23.1 | 19.6 | 20.8 | 20.5 | 21.0 | 20.3 | 25.0 | 21.4 | 19.4 | 22.6 | 23.1 |
| 1379 | 20.6 | 21.2 | 20.4 | 19.9 | 20.3 | 21.4 | 21.4 | 22.9 | 23.0 | 23.1 | 15.8 | 24.4 | 19.3 |
| 1380 | 20.6 | 21.2 | 20.4 | 19.9 | 20.3 | 21.4 | 21.4 | 22.9 | 23.0 | 23.1 | 15.8 | 24.4 | 19.3 |
| 1381 | 19.4 | 21.0 | 18.2 | 19.4 | 18.7 | 19.4 | 20.5 | 21.2 | 20.3 | 20.4 | 19.3 | 22.3 | 22.0 |
| 1382 | 19.4 | 21.0 | 18.2 | 19.4 | 18.7 | 19.4 | 20.5 | 21.2 | 20.3 | 20.4 | 19.3 | 22.3 | 22.0 |
| 1383 | 18.8 | 19.2 | 17.6 | 19.8 | 36.0 | 30.9 | 32.4 | 33.5[e] | 21.3 | 22.8 | 18.3 | 24.6 | 26.7 |
| 1384 | 18.8 | 19.2 | 17.6 | 19.8 | 36.0 | 30.9 | 32.4 | 33.5[e] | 21.3 | 22.8 | 18.3 | 24.6 | 26.7 |
| 1385 | 20.1 | 19.2 | 18.3 | 18.4 | 18.1 | 18.3 | 18.3 | 21.0 | 18.8 | 18.2 | 18.9 | 22.0 | 21.2 |
| 1386 | 20.1 | 19.2 | 18.3 | 18.4 | 18.1 | 18.3 | 18.3 | 21.0 | 18.8 | 18.2 | 18.9 | 22.0 | 21.2 |
| 1387 | 20.6 | 19.7 | 19.9 | 20.6 | 23.0 | 20.0 | 18.5 | 22.8 | 20.8 | 19.8 | 22.3 | 22.5 | 23.6 |
| 1388 | 20.6 | 19.7 | 19.9 | 20.6 | 23.0 | 20.0 | 18.5 | 22.8 | 20.8 | 19.8 | 22.3 | 22.5 | 23.6 |
| 1389 | 18.4 | 18.1 | 18.0 | 18.2 | 18.8 | 18.4 | 19.2 | 20.2 | 19.2 | 19.5 | 17.9 | 20.9 | 19.8 |
| 1390 | 18.4 | 18.1 | 18.0 | 18.2 | 18.8 | 18.4 | 19.2 | 20.2 | 19.2 | 19.5 | 17.9 | 20.9 | 19.8 |
| 1391 | 18.6 | 19.5 | 18.4 | 17.6 | 17.7 | 18.0 | 18.1 | 19.4 | 19.1 | 18.8 | 17.2 | 21.1 | 20.0 |
| 1392 | 18.6 | 19.5 | 18.4 | 17.6 | 17.7 | 18.0 | 18.1 | 19.4 | 19.1 | 18.8 | 17.2 | 21.1 | 20.0 |
| 1393 | 18.6 | 18.9 | 17.8 | 18.2 | 17.3 | 18.7 | 17.3 | 18.5 | 17.9 | 17.5 | 16.6 | 19.8 | 18.4 |
| 1394 | 18.6 | 18.9 | 17.8 | 18.2 | 17.3 | 18.7 | 17.3 | 18.5 | 17.9 | 17.5 | 16.6 | 19.8 | 18.4 |
| 1395 | 17.8 | 17.8 | 17.1 | 18.8 | 19.5 | 19.2 | 18.5 | 20.4 | 19.7 | 20.1 | 18.6 | 22.0 | 21.5 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1396 | 17.8 | 17.8 | 17.1 | 18.8 | 19.5 | 19.2 | 18.5 | 20.4 | 19.7 | 20.1 | 18.6 | 22.0 | 21.5 |
| 1397 | 20.1 | 21.0 | 19.2 | 19.7 | 19.8 | 19.4 | 19.5 | 18.7 | 19.2 | 20.8 | 19.9 | 23.0 | 21.4 |
| 1398 | 20.1 | 21.0 | 19.2 | 19.7 | 19.8 | 19.4 | 19.5 | 18.7 | 19.2 | 20.8 | 19.9 | 23.0 | 21.4 |
| 1399 | 18.6 | 18.1 | 18.0 | 17.6 | 17.9 | 18.6 | 19.0 | 18.9 | 18.2 | 18.5 | 17.6 | 21.0 | 19.4 |
| 1400 | 18.6 | 18.1 | 18.0 | 17.6 | 17.9 | 18.6 | 19.0 | 18.9 | 18.2 | 18.5 | 17.6 | 21.0 | 19.4 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1401 | 17.9 | 17.6 | 17.9 | 16.9 | 16.4 | 18.0 | 18.0 | 19.3 | 17.7 | 17.7 | 21.3 | 18.4 | 19.1 |
| 1402 | 17.9 | 17.6 | 17.9 | 16.9 | 16.4 | 18.0 | 18.0 | 19.3 | 17.7 | 17.7 | 21.3 | 18.4 | 19.1 |
| 1403 | 16.6 | 17.5 | 16.3 | 16.1 | 16.6 | 17.4 | 16.1 | 17.0 | 15.5 | 16.0 | 18.4 | 17.5 | 17.5 |
| 1404 | 16.6 | 17.5 | 16.3 | 16.1 | 16.6 | 17.4 | 16.1 | 17.0 | 15.5 | 16.0 | 18.4 | 17.5 | 17.5 |
| 1405 | 19.6 | 19.4 | 19.2 | 17.6 | 18.0 | 19.8 | 17.9 | 18.6 | 18.5 | 17.0 | 20.8 | 18.4 | 20.0 |
| 1406 | 19.6 | 19.4 | 19.2 | 17.6 | 18.0 | 19.8 | 17.9 | 18.6 | 18.5 | 17.0 | 20.8 | 18.4 | 20.0 |
| 1407 | 19.6 | 19.4 | 19.3 | 19.5 | 19.4 | 20.8 | 20.4 | 19.1 | 19.6 | 19.0 | 20.8 | 21.0 | 19.5 |
| 1408 | 19.6 | 19.4 | 19.3 | 19.5 | 19.4 | 20.8 | 20.4 | 19.1 | 19.6 | 19.0 | 20.8 | 21.0 | 19.5 |
| 1409 | 19.3 | 20.6 | 18.3 | 18.9 | 18.3 | 18.2 | 20.1 | 17.9 | 18.0 | 19.3 | 21.8 | 17.4 | 22.1 |
| 1410 | 19.3 | 20.6 | 18.3 | 18.9 | 18.3 | 18.2 | 20.1 | 17.9 | 18.0 | 19.3 | 21.8 | 17.4 | 22.1 |
| 1411 | 19.5 | 19.0 | 19.3 | 19.9 | 19.9 | 18.5 | 18.3 | 20.8 | 19.3 | 18.9 | 21.4 | 19.1 | 19.9 |
| 1412 | 19.5 | 19.0 | 19.3 | 19.9 | 19.9 | 18.5 | 18.3 | 20.8 | 19.3 | 18.9 | 21.4 | 19.1 | 19.9 |
| 1413 | 15.9 | 15.9 | 15.4 | 15.0 | 14.9 | 14.4 | 14.0 | 15.6 | 15.0 | 13.2 | 13.0 | 15.5 | 16.0 |
| 1414 | 15.9 | 15.9 | 15.4 | 15.0 | 14.9 | 14.4 | 14.0 | 15.6 | 15.0 | 13.2 | 13.0 | 15.5 | 16.0 |
| 1415 | 18.7 | 19.0 | 18.0 | 18.6 | 18.6 | 17.9 | 17.9 | 20.4 | 18.4 | 18.3 | 20.5 | 18.5 | 19.0 |
| 1416 | 18.7 | 19.0 | 18.0 | 18.6 | 18.6 | 17.9 | 17.9 | 20.4 | 18.4 | 18.3 | 20.5 | 18.5 | 19.0 |
| 1417 | 17.6 | 18.9 | 18.4 | 18.3 | 17.7 | 19.3 | 19.2 | 20.1 | 18.8 | 20.5 | 22.8 | 21.3 | 20.9 |
| 1418 | 17.6 | 18.9 | 18.4 | 18.3 | 17.7 | 19.3 | 19.2 | 20.1 | 18.8 | 20.5 | 22.8 | 21.3 | 20.9 |
| 1419 | 22.2 | 21.9 | 21.3 | 20.6 | 22.1 | 21.9 | 19.9 | 21.9 | 22.8 | 21.0 | 22.0 | 21.7 | 22.3 |
| 1420 | 22.2 | 21.9 | 21.3 | 20.6 | 22.1 | 21.9 | 19.9 | 21.9 | 22.8 | 21.0 | 22.0 | 21.7 | 22.3 |
| 1421 | 17.1 | 17.1 | 15.7 | 16.8 | 16.8 | 16.7 | 16.2 | 17.3 | 15.9 | 16.2 | 21.5 | 15.8 | 16.9 |
| 1422 | 17.1 | 17.1 | 15.7 | 16.8 | 16.8 | 16.7 | 16.2 | 17.3 | 15.9 | 16.2 | 21.5 | 15.8 | 16.9 |
| 1423 | 16.6 | 17.2 | 16.4 | 16.1 | 16.8 | 16.0 | 13.2 | 16.0 | 16.4 | 14.8 | 15.9 | 15.8 | 16.0 |
| 1424 | 16.6 | 17.2 | 16.4 | 16.1 | 16.8 | 16.0 | 13.2 | 16.0 | 16.4 | 14.8 | 15.9 | 15.8 | 16.0 |
| 1425 | 18.5 | 18.1 | 16.6 | 17.4 | 18.2 | 18.0 | 17.6 | 18.7 | 18.2 | 18.1 | 18.2 | 18.4 | 18.8 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1426 | 18.5 | 18.1 | 16.6 | 17.4 | 18.2 | 18.0 | 17.6 | 18.7 | 18.2 | 18.1 | 18.2 | 18.4 | 18.8 |
| 1427 | 18.0 | 17.1 | 16.7 | 15.8 | 17.3 | 17.5 | 17.4 | 18.6 | 18.1 | 18.0 | 18.5 | 17.4 | 18.3 |
| 1428 | 18.0 | 17.1 | 16.7 | 15.8 | 17.3 | 17.5 | 17.4 | 18.6 | 18.1 | 18.0 | 18.5 | 17.4 | 18.3 |
| 1429 | 20.3 | 20.2 | 19.4 | 18.4 | 19.0 | 18.1 | 18.2 | 20.6 | 19.9 | 19.8 | 21.7 | 19.4 | 20.6 |
| 1430 | 20.3 | 20.2 | 19.4 | 18.4 | 19.0 | 18.1 | 18.2 | 20.6 | 19.9 | 19.8 | 21.7 | 19.4 | 20.6 |
| 1431 | 18.5 | 17.9 | 17.5 | 18.3 | 18.3 | 16.7 | 17.3 | 18.7 | 17.6 | 17.8 | 19.0 | 18.2 | 18.4 |
| 1432 | 18.5 | 17.9 | 17.5 | 18.3 | 18.3 | 16.7 | 17.3 | 18.7 | 17.6 | 17.8 | 19.0 | 18.2 | 18.4 |
| 1433 | 19.1 | 19.4 | 18.2 | 18.1 | 17.4 | 17.5 | 16.6 | 17.1 | 16.8 | 16.9 | 19.3 | 18.7 | 18.6 |
| 1434 | 19.1 | 19.4 | 18.2 | 18.1 | 17.4 | 17.5 | 16.6 | 17.1 | 16.8 | 16.9 | 19.3 | 18.7 | 18.6 |
| 1435 | 11.2 | 17.9 | 18.3 | 19.5 | 19.1 | 20.5 | 16.8 | 19.5 | 19.6 | 19.1 | 19.8 | 19.2 | 20.4 |
| 1436 | 11.2 | 17.9 | 18.3 | 19.5 | 19.1 | 20.5 | 16.8 | 19.5 | 19.6 | 19.1 | 19.8 | 19.2 | 20.4 |
| 1437 | 21.0 | 20.3 | 17.7 | 18.5 | 19.1 | 18.8 | 19.0 | 20.0 | 19.3 | 18.8 | 19.8 | 18.5 | 18.5 |
| 1438 | 21.0 | 20.3 | 17.7 | 18.5 | 19.1 | 18.8 | 19.0 | 20.0 | 19.3 | 18.8 | 19.8 | 18.5 | 18.5 |
| 1439 | 21.6 | 23.3 | 21.0 | 20.6 | 21.0 | 19.8 | 20.1 | 22.5 | 20.8 | 20.8 | 19.3 | 20.8 | 21.3 |
| 1440 | 21.6 | 23.3 | 21.0 | 20.6 | 21.0 | 19.8 | 20.1 | 22.5 | 20.8 | 20.8 | 19.3 | 20.8 | 21.3 |
| 1441 | 18.9 | 19.3 | 18.1 | 18.9 | 18.4 | 17.5 | 16.8 | 18.9 | 19.1 | 19.2 | 21.8 | 18.8 | 19.0 |
| 1442 | 18.9 | 19.3 | 18.1 | 18.9 | 18.4 | 17.5 | 16.8 | 18.9 | 19.1 | 19.2 | 21.8 | 18.8 | 19.0 |
| 1443 | 17.8 | 18.6 | 17.2 | 17.6 | 17.5 | 17.4 | 17.3 | 17.7 | 17.1 | 15.5 | 19.3 | 17.6 | 17.4 |
| 1444 | 17.8 | 18.6 | 17.2 | 17.6 | 17.5 | 17.4 | 17.3 | 17.7 | 17.1 | 15.5 | 19.3 | 17.6 | 17.4 |
| 1445 | 19.8 | 20.0 | 19.6 | 19.3 | 19.8 | 19.1 | 18.3 | 22.8 | 22.5 | 20.8 | 23.1 | 21.0 | 22.1 |
| 1446 | 19.8 | 20.0 | 19.6 | 19.3 | 19.8 | 19.1 | 18.3 | 22.8 | 22.5 | 20.8 | 23.1 | 21.0 | 22.1 |
| 1447 | 20.4 | 21.4 | 19.7 | 21.3 | 22.7 | 21.2 | 21.3 | 20.7 | 21.9 | 20.9 | 22.5 | 21.5 | 22.5 |
| 1448 | 20.4 | 21.4 | 19.7 | 21.3 | 22.7 | 21.2 | 21.3 | 20.7 | 21.9 | 20.9 | 22.5 | 21.5 | 22.5 |
| 1449 | 20.5 | 21.3 | 19.3 | 19.8 | 21.5 | 21.4 | 20.4 | 24.8 | 22.6 | 20.8 | 23.9 | 20.8 | 21.3 |
| 1450 | 20.5 | 21.3 | 19.3 | 19.8 | 21.5 | 21.4 | 20.4 | 24.8 | 22.6 | 20.8 | 23.9 | 20.8 | 21.3 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1451 | 19.6 | 19.6 | 18.2 | 19.2 | 19.1 | 18.4 | 18.8 | 19.3 | 18.5 | 17.5 | 21.2 | 18.3 | 19.5 |
| 1452 | 19.6 | 19.6 | 18.2 | 19.2 | 19.1 | 18.4 | 18.8 | 19.3 | 18.5 | 17.5 | 21.2 | 18.3 | 19.5 |
| 1453 | 17.9 | 18.9 | 16.0 | 16.3 | 16.8 | 17.0 | 15.9 | 16.6 | 17.9 | 16.3 | 20.3 | 18.2 | 19.4 |
| 1454 | 17.9 | 18.9 | 16.0 | 16.3 | 16.8 | 17.0 | 15.9 | 16.6 | 17.9 | 16.3 | 20.3 | 18.2 | 19.4 |
| 1455 | 20.2 | 19.7 | 19.2 | 18.3 | 18.2 | 19.0 | 18.3 | 19.1 | 19.7 | 16.7 | 21.3 | 20.6 | 20.1 |
| 1456 | 20.2 | 19.7 | 19.2 | 18.3 | 18.2 | 19.0 | 18.3 | 19.1 | 19.7 | 16.7 | 21.3 | 20.6 | 20.1 |
| 1457 | 20.2 | 21.3 | 20.6 | 21.2 | 21.5 | 22.4 | 23.9[e] | 22.1 | 22.7 | 20.5 | 23.8 | 21.7 | 14.2 |
| 1458 | 20.2 | 21.3 | 20.6 | 21.2 | 21.5 | 22.4 | 23.9[e] | 22.1 | 22.7 | 20.5 | 23.8 | 21.7 | 14.2 |
| 1459 | 20.4 | 20.8 | 18.7 | 19.8 | 21.4 | 21.4 | 19.0 | 20.4 | 21.0 | 20.4 | 21.8 | 21.7 | 23.0 |
| 1460 | 20.4 | 20.8 | 18.7 | 19.8 | 21.4 | 21.4 | 19.0 | 20.4 | 21.0 | 20.4 | 21.8 | 21.7 | 23.0 |
| 1461 | 20.1 | 19.6 | 19.3 | 19.4 | 20.6 | 19.1 | 19.6 | 20.0 | 19.8 | 18.1 | 21.4 | 19.6 | 20.0 |
| 1462 | 20.1 | 19.6 | 19.3 | 19.4 | 20.6 | 19.1 | 19.6 | 20.0 | 19.8 | 18.1 | 21.4 | 19.6 | 20.0 |
| 1463 | 18.6 | 18.4 | 16.7 | 16.8 | 17.6 | 17.6 | 17.9 | 18.3 | 8.6[e] | 16.7 | 21.0 | 18.2 | 19.9 |
| 1464 | 18.6 | 18.4 | 16.7 | 16.8 | 17.6 | 17.6 | 17.9 | 18.3 | 8.6[e] | 16.7 | 21.0 | 18.2 | 19.9 |
| 1465 | 18.1 | 18.1 | 17.5 | 18.2 | 19.3 | 18.8 | 18.9 | 19.0 | 18.8 | 16.9 | 18.8 | 17.3 | 18.4 |
| 1466 | 18.1 | 18.1 | 17.5 | 18.2 | 19.3 | 18.8 | 18.9 | 19.0 | 18.8 | 16.9 | 29.5[e] | NDC | |
| 1467 | 17.8 | 17.4 | 16.9 | 17.0 | 17.7 | 17.2 | 17.1 | 17.6 | 16.4 | 15.6 | 19.6 | 17.8 | 18.8 |
| 1468 | 17.8 | 17.4 | 16.9 | 17.0 | 17.7 | 17.2 | 17.1 | 17.6 | 16.4 | 15.6 | 19.6 | 17.8 | 18.8 |
| 1469 | 17.4 | 16.8 | 16.7 | 16.1 | 17.6 | 18.4 | 17.4 | 17.9 | 16.9 | 15.2 | 19.4 | 18.8 | 18.8 |
| 1470 | 17.4 | 16.8 | 16.7 | 16.1 | 17.6 | 18.4 | 17.4 | 17.9 | 16.9 | 15.2 | 19.4 | 18.8 | 18.8 |
| 1471 | 16.4 | 16.4 | 15.9 | 17.0 | 17.5 | 17.6 | 17.0 | 17.8 | 16.8 | 14.6 | 18.7 | 15.7 | 16.7 |
| 1472 | 16.4 | 16.4 | 15.9 | 17.0 | 17.5 | 17.6 | 17.0 | 17.8 | 16.8 | 14.6 | 18.7 | 15.7 | 16.7 |
| 1473 | 21.1 | 19.7 | 19.1 | 19.8 | 20.3 | 20.3 | 20.0 | 20.5 | 20.1 | 18.1 | 22.4 | 20.6 | 21.4 |
| 1474 | 21.1 | 19.7 | 19.1 | 19.8 | 20.3 | 20.3 | 20.0 | 20.5 | 20.1 | 18.1 | 22.4 | 20.6 | 21.4 |
| 1475 | 16.4 | 16.8 | 15.5 | 16.6 | 15.9 | 16.2 | 15.9 | 16.9 | 16.7 | 15.1 | 18.4 | 16.3 | 16.6 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1476 | 16.4 | 16.8 | 15.5 | 16.6 | 15.9 | 16.2 | 15.9 | 16.9 | 16.7 | 15.1 | 18.4 | 16.3 | 16.6 |
| 1477 | 18.0 | 19.1 | 17.6 | 17.6 | 18.3 | 17.9 | 17.4 | 18.0 | 17.5 | 15.7 | 19.4 | 17.8 | 17.7 |
| 1478 | 18.0 | 19.1 | 17.6 | 17.6 | 18.3 | 17.9 | 17.4 | 18.0 | 17.5 | 15.7 | 19.4 | 17.8 | 17.7 |
| 1479 | 19.5 | 19.0 | 18.0 | 17.3 | 18.6 | 18.1 | 18.7 | 18.6 | 18.6 | 17.5 | 21.5 | 19.4 | 19.5 |
| 1480 | 19.5 | 19.0 | 18.0 | 17.3 | 18.6 | 18.1 | 18.7 | 18.6 | 18.6 | 17.5 | 21.5 | 19.4 | 19.5 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1481 | 18.4 | 17.3 | 16.8 | 16.6 | 18.0 | 19.0 | 18.9 | 18.6 | 17.2 | 19.2 | 20.6 | 20.8 | 21.4 |
| 1482 | 18.4 | 17.3 | 16.8 | 16.6 | 18.0 | 19.0 | 18.9 | 18.6 | 17.2 | 19.2 | 20.6 | 20.8 | 21.4 |
| 1483 | 21.1 | 22.4 | 20.9 | 21.2 | 22.5 | 21.5 | 20.5 | 19.2 | 19.0 | 20.0 | 20.9 | 20.9 | 20.4 |
| 1484 | 21.1 | 22.4 | 20.9 | 21.2 | 22.5 | 21.5 | 20.5 | 19.2 | 19.0 | 20.0 | 20.9 | 20.9 | 20.4 |
| 1485 | 18.8 | 19.0 | 17.4 | 18.5 | 18.5 | 16.7 | 17.6 | 18.8 | 19.0 | 19.6 | 19.0 | 19.3 | 19.3 |
| 1486 | 18.8 | 19.0 | 17.4 | 18.5 | 18.5 | 16.7 | 17.6 | 18.8 | 19.0 | 19.6 | 19.0 | 19.3 | 19.3 |
| 1487 | 17.1 | 17.4 | 16.8 | 17.6 | 18.2 | 19.0 | 19.6 | 18.7 | 18.0 | 18.2 | 18.1 | 18.1 | 19.2 |
| 1488 | 17.1 | 17.4 | 16.8 | 17.6 | 18.2 | 19.0 | 19.6 | 18.7 | 18.0 | 18.2 | 18.1 | 18.1 | 19.2 |
| 1489 | 20.8 | 21.1 | 18.3 | 20.1 | 20.5 | 20.9 | 19.2 | 19.1 | 18.1 | 19.3 | 20.6 | 19.6 | 20.8 |
| 1490 | 20.8 | 21.1 | 18.3 | 20.1 | 20.5 | 20.9 | 19.2 | 19.1 | 18.1 | 19.3 | 20.6 | 19.6 | 20.8 |
| 1491 | 17.7 | 17.6 | 17.1 | 16.9 | 18.3 | 17.2 | 17.1 | 17.8 | 17.9 | 17.7 | 18.2 | 18.4 | 18.6 |
| 1492 | 17.7 | 17.6 | 17.1 | 16.9 | 18.3 | 17.2 | 17.1 | 17.8 | 17.9 | 17.7 | 18.2 | 18.4 | 18.6 |
| 1493 | 19.9 | 20.6 | 19.8 | 19.6 | 19.8 | 18.3 | 20.2 | 20.1 | 20.6 | 20.9 | 20.5 | 19.8 | 20.5 |
| 1494 | 19.9 | 20.6 | 19.8 | 19.6 | 19.8 | 18.3 | 20.2 | 20.1 | 20.6 | 20.9 | 20.5 | 19.8 | 20.5 |
| 1495 | 23.1 | 19.1 | 18.5 | 18.4 | 20.0 | 19.7 | 19.7 | 19.9 | 20.2 | 19.6 | 20.3 | 20.1 | 19.6 |
| 1496 | 23.1 | 19.1 | 18.5 | 18.4 | 20.0 | 19.7 | 19.7 | 19.9 | 20.2 | 19.6 | 20.3 | 20.1 | 19.6 |
| 1497 | 17.1 | 17.9 | 16.8 | 17.0 | 17.2 | 17.0 | 16.8 | 17.3 | 17.8 | 17.6 | 18.0 | 18.8 | 18.2 |
| 1498 | 17.1 | 17.9 | 16.8 | 17.0 | 17.2 | 17.0 | 16.8 | 17.3 | 17.8 | 17.6 | 18.0 | 18.8 | 18.2 |
| 1499 | 19.6 | 18.6 | 18.4 | 17.9 | 18.2 | 17.1 | 17.5 | 17.3 | 17.2 | 16.7 | 17.3 | 17.5 | 17.7 |
| 1500 | 19.6 | 18.6 | 18.4 | 17.9 | 18.2 | 17.1 | 17.5 | 17.3 | 17.2 | 16.7 | 17.3 | 17.5 | 17.7 |
| 1501 | 17.1 | 18.9 | 17.5 | 18.1 | 18.7 | 17.5 | 17.3 | 18.1 | 19.3 | 16.5 | 19.3 | 16.2 | 19.2 |
| 1502 | 17.1 | 18.9 | 17.5 | 18.1 | 18.7 | 17.5 | 17.3 | 18.1 | 19.3 | 16.5 | 19.3 | 16.2 | 19.2 |
| 1503 | 17.9 | 19.4 | 17.4 | 18.4 | 21.0 | 20.5 | 20.0 | 20.4 | 20.4 | 20.4 | 20.8 | 21.3 | 21.0 |
| 1504 | 17.9 | 19.4 | 17.4 | 18.4 | 21.0 | 20.5 | 20.0 | 20.4 | 20.4 | 20.4 | 20.8 | 21.3 | 21.0 |
| 1505 | 19.2 | 21.4 | 18.6 | 17.8 | 18.9 | 18.8 | 19.2 | 20.0 | 19.0 | 18.1 | 17.6 | 18.0 | 19.1 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1506 | 19.2 | 21.4 | 18.6 | 17.8 | 18.9 | 18.8 | 19.2 | 20.0 | 19.0 | 18.1 | 17.6 | 18.0 | 19.1 |
| 1507 | 18.5 | 20.3 | 18.9 | 18.2 | 19.4 | 19.5 | 17.2 | 17.4 | 17.8 | 18.2 | 17.7 | 18.3 | 18.4 |
| 1508 | 18.5 | 20.3 | 18.9 | 18.2 | 19.4 | 19.5 | 17.2 | 17.4 | 17.8 | 18.2 | 17.7 | 18.3 | 18.4 |
| 1509 | 18.3 | 19.0 | 17.6 | 17.5 | 19.0 | 18.8 | 17.9 | 18.2 | 17.9 | 17.5 | 18.1 | 18.8 | 18.0 |
| 1510 | 18.3 | 19.0 | 17.6 | 17.5 | 19.0 | 18.8 | 17.9 | 18.2 | 17.9 | 17.5 | 18.1 | 18.8 | 18.0 |
| 1511 | 17.4 | 18.1 | 16.9 | 17.1 | 17.4 | 17.8 | 17.1 | 17.7 | 19.3 | 19.3 | 17.0 | 17.9 | 18.3 |
| 1512 | 17.4 | 18.1 | 16.9 | 17.1 | 17.4 | 17.8 | 17.1 | 17.7 | 19.3 | 19.3 | 17.0 | 17.9 | 18.3 |
| 1513 | 16.4 | 16.5 | 15.8 | 16.5 | 18.1 | 15.0 | 15.6 | 16.7 | 11.7 | 16.9 | 16.8 | 16.0 | 16.9 |
| 1514 | 16.4 | 16.5 | 15.8 | 16.5 | 18.1 | 15.0 | 15.6 | 16.7 | 11.7 | 16.9 | 16.8 | 16.0 | 16.9 |
| 1515 | 18.4 | 19.6 | 17.9 | 17.2 | 17.9 | 17.8 | 16.8 | 17.8 | 16.6 | 17.3 | 17.7 | 17.2 | 17.1 |
| 1516 | 18.4 | 19.6 | 17.9 | 17.2 | 17.9 | 17.8 | 16.8 | 17.8 | 16.6 | 17.3 | 17.7 | 17.2 | 17.1 |
| 1517 | 17.6 | 18.5 | 16.9 | 17.6 | 18.1 | 19.0 | 18.8 | 18.9 | 18.9 | 18.2 | 17.9 | 18.3 | 17.9 |
| 1518 | 17.6 | 18.5 | 16.9 | 17.6 | 18.1 | 19.0 | 18.8 | 20.8[e] | NDC | | | | |
| 1519 | 18.6 | 19.5 | 18.0 | 17.6 | 18.3 | 18.0 | 18.1 | 19.0 | 17.1 | 18.2 | 19.3 | 18.5 | 20.5 |
| 1520 | 18.6 | 19.5 | 18.0 | 17.6 | 18.3 | 18.0 | 18.1 | 19.0 | 17.1 | 18.2 | 19.3 | 18.5 | 20.5 |
| 1521 | 19.4 | 19.9 | 17.5 | 16.1 | 18.2 | 18.2 | 17.5 | 18.8 | 17.3 | 16.6 | 18.0 | 18.0 | 18.5 |
| 1522 | 19.4 | 19.9 | 17.5 | 16.1 | 18.2 | 18.2 | 17.5 | 18.8 | 17.3 | 16.6 | 18.0 | 18.0 | 18.5 |
| 1523 | 18.1 | 17.6 | 16.6 | 16.1 | 17.7 | 18.6 | 18.4 | 18.1 | 17.2 | 17.6 | 17.7 | 17.4 | 17.2 |
| 1524 | 18.1 | 17.6 | 16.6 | 16.1 | 17.7 | 18.6 | 18.4 | 18.1 | 17.2 | 17.6 | 17.7 | 17.4 | 17.2 |
| 1525 | 18.7 | 20.2 | 18.2 | 17.8 | 19.3 | 18.9 | 21.8 | 18.9 | 18.9 | 18.5 | 19.3 | 18.4 | 18.8 |
| 1526 | 18.7 | 20.2 | 18.2 | 17.8 | 19.3 | 18.9 | 21.8 | 18.9 | 18.9 | 18.5 | 19.3 | 18.4 | 18.8 |
| 1527 | 19.9 | 20.1 | 19.2 | 19.3 | 18.8 | 18.8 | 19.8 | 19.1 | 19.3 | 19.3 | 19.0 | 19.3 | 20.6 |
| 1528 | 19.9 | 20.1 | 19.2 | 19.3 | 18.8 | 18.8 | 19.8 | 19.1 | 19.3 | 19.3 | 19.0 | 19.3 | 20.6 |
| 1529 | 17.2 | 18.1 | 19.2 | 19.6 | 19.0 | 19.1 | 18.9 | 20.1 | 18.9 | 19.3 | 19.4 | 18.9 | 20.1 |
| 1530 | 17.2 | 18.1 | 19.2 | 19.6 | 19.0 | 19.1 | 18.9 | 20.1 | 18.9 | 19.3 | 19.4 | 18.9 | 20.1 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1531 | 18.4 | 18.4 | 17.8 | 17.6 | 18.3 | 17.8 | 18.5 | 18.1 | 18.2 | 17.1 | 18.5 | 17.7 | 18.4 |
| 1532 | 18.4 | 18.4 | 17.8 | 17.6 | 18.3 | 17.8 | 18.5 | 18.1 | 18.2 | 17.1 | 18.5 | 17.7 | 18.4 |
| 1533 | 18.6 | 17.4 | 16.9 | 17.1 | 17.0 | 17.3 | 18.5 | 17.5 | 17.7 | 17.7 | 17.5 | 18.1 | 17.8 |
| 1534 | 18.6 | 17.4 | 16.9 | 17.1 | 17.0 | 17.3 | 18.5 | 17.5 | 17.7 | 17.7 | 17.5 | 18.1 | 17.8 |
| 1535 | 16.4 | 16.8 | 16.0 | 16.9 | 16.9 | 17.1 | 17.1 | 17.0 | 17.1 | 18.6 | 19.7 | 20.8 | 19.4 |
| 1536 | 16.4 | 16.8 | 16.0 | 16.9 | 16.9 | 17.1 | 17.1 | 17.0 | 17.1 | 18.6 | 19.7 | 20.8 | 19.4 |
| 1537 | 18.9 | 19.9 | 19.3 | 19.4 | 19.3 | 19.3 | 19.1 | 19.5 | 18.9 | 19.0 | 19.8 | 19.4 | 21.0 |
| 1538 | 18.9 | 19.9 | 19.3 | 19.4 | 19.3 | 19.3 | 19.1 | 19.5 | 18.9 | 19.0 | 19.8 | 19.4 | 21.0 |
| 1539 | 20.1 | 20.9 | 20.8 | 21.2 | 22.6 | 21.9 | 21.3 | 21.6 | 20.5 | 20.8 | 21.2 | 20.1 | 21.0 |
| 1540 | 20.1 | 20.9 | 20.8 | 21.2 | 22.6 | 21.9 | 21.3 | 21.6 | 20.5 | 20.8 | 21.2 | 20.1 | 21.0 |
| 1541 | 21.1 | 21.4 | 20.6 | 19.5 | 20.3 | 19.4 | 20.9 | 21.1 | 20.5 | 21.8 | 22.8 | 22.9 | 23.1 |
| 1542 | 21.1 | 21.4 | 20.6 | 19.5 | 20.3 | 19.4 | 20.9 | 21.1 | 20.5 | 21.8 | 22.8 | 22.9 | 23.1 |
| 1543 | 18.1 | 19.1 | 18.4 | 17.3 | 17.3 | 17.9 | 17.4 | 18.4 | 17.8 | 19.0 | 17.9 | 17.4 | 17.1 |
| 1544 | 18.1 | 19.1 | 18.4 | 17.3 | 17.3 | 17.9 | 17.4 | 18.4 | 17.8 | 19.0 | 17.9 | 17.4 | 17.1 |
| 1545 | 18.4 | 19.7 | 19.3 | 19.1 | 18.9 | 19.4 | 20.3 | 21.0 | 20.1 | 19.8 | 19.5 | 19.1 | 20.0 |
| 1546 | 18.4 | 19.7 | 19.3 | 19.1 | 18.9 | 19.4 | 20.3 | 21.0 | 20.1 | 19.8 | 19.5 | 19.1 | 20.0 |
| 1547 | 19.9 | 19.8 | 18.2 | 19.0 | 19.2 | 19.1 | 19.0 | 19.1 | 18.3 | 18.9 | 18.7 | 18.8 | 19.7 |
| 1548 | 19.9 | 19.8 | 18.2 | 19.0 | 19.2 | 19.1 | 19.0 | 19.1 | 18.3 | 18.9 | 18.7 | 18.8 | 19.7 |
| 1549 | 18.6 | 19.4 | 17.9 | 18.1 | 19.1 | 18.4 | 18.2 | 18.3 | 17.9 | 17.6 | 19.4 | 18.3 | 18.3 |
| 1550 | 18.6 | 19.4 | 17.9 | 18.1 | 19.1 | 18.4 | 18.2 | 18.3 | 17.9 | 17.6 | 19.4 | 18.3 | 18.3 |
| 1551 | 20.1 | 21.1 | 19.4 | 19.4 | 21.8 | 21.3 | 20.8 | 20.4 | 20.4 | 19.7 | 20.8 | 22.1 | 21.0 |
| 1552 | 20.1 | 21.1 | 19.4 | 19.4 | 21.8 | 21.3 | 20.8 | 20.4 | 20.4 | 19.7 | 20.8 | 22.1 | 21.0 |
| 1553 | 19.6 | 21.3 | 20.0 | 20.2 | 19.4 | 18.4 | 19.4 | 19.7 | 19.8 | 19.4 | 19.8 | 18.8 | 19.1 |
| 1554 | 19.6 | 21.3 | 20.0 | 20.2 | 19.4 | 18.4 | 19.4 | 19.7 | 19.8 | 19.4 | 19.8 | 18.8 | 19.1 |
| 1555 | 20.0 | 17.9 | 18.1 | 18.3 | 19.5 | 19.0 | 18.2 | 20.9 | 18.9 | 18.0 | 19.3 | 19.3 | 15.7 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1556 | 20.0 | 17.9 | 18.1 | 18.3 | 19.5 | 19.0 | 18.2 | 20.9 | 18.9 | 18.0 | 19.3 | 19.3 | 15.7 |
| 1557 | 17.9 | 18.3 | 16.4 | 17.6 | 16.9 | 17.1 | 17.0 | 17.6 | 17.9 | 17.0 | 16.8 | 16.8 | 17.9 |
| 1558 | 17.9 | 18.3 | 16.4 | 17.6 | 16.9 | 17.1 | 17.0 | 17.6 | 17.9 | 17.0 | 16.8 | 16.8 | 17.9 |
| 1559 | 17.9 | 18.1 | 17.3 | 16.5 | 17.4 | 16.9 | 16.6 | 15.6 | 16.3 | 16.1 | 16.5 | 16.4 | 16.6 |
| 1560 | 17.9 | 18.1 | 17.3 | 16.5 | 17.4 | 16.9 | 16.6 | 15.6 | 16.3 | 16.1 | 16.5 | 16.4 | 16.6 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1561 | 19.2 | 19.8 | 18.4 | 19.2 | 20.7 | 18.3 | 17.7 | 17.3 | 15.6 | 18.5 | 18.2 | 17.3 | 18.8 |
| 1562 | 19.2 | 19.8 | 18.4 | 19.2 | 20.7 | 18.3 | 17.7 | 17.3 | 15.6 | 18.5 | 18.2 | 17.3 | 18.8 |
| 1563 | 18.3 | 20.3 | 18.0 | 18.6 | 18.5 | 17.9 | 17.0 | 18.0 | 17.8 | 18.8 | 19.5 | 19.0 | 19.7 |
| 1564 | 18.3 | 20.3 | 18.0 | 18.6 | 18.5 | 17.9 | 17.0 | 18.0 | 17.8 | 18.8 | 19.5 | 19.0 | 19.7 |
| 1565 | 20.6 | 21.0 | 19.4 | 20.1 | 19.9 | 20.7 | 18.8 | 19.0 | 18.1 | 19.7 | 20.4 | 19.5 | 18.9 |
| 1566 | 20.6 | 21.0 | 19.4 | 20.1 | 19.9 | 20.7 | 18.8 | 19.0 | 18.1 | 19.7 | 20.4 | 19.5 | 18.9 |
| 1567 | 21.1 | 21.0 | 20.3 | 20.4 | 20.1 | 21.1 | 19.4 | 20.5 | 20.0 | 21.7 | 22.8 | 22.0 | 22.6 |
| 1568 | 21.1 | 21.0 | 20.3 | 20.4 | 20.1 | 21.1 | 19.4 | 20.5 | 20.0 | 21.7 | 22.8 | 22.0 | 22.6 |
| 1569 | 18.6 | 20.1 | 19.7 | 19.2 | 18.9 | 18.9 | 19.0 | 17.8 | 17.6 | 18.5 | 18.3 | 18.8 | 19.5 |
| 1570 | 18.6 | 20.1 | 19.7 | 19.2 | 18.9 | 18.9 | 19.0 | 17.8 | 17.6 | 18.5 | 18.3 | 18.8 | 19.5 |
| 1571 | 20.0 | 20.4 | 19.5 | 19.9 | 19.1 | 19.4 | 19.1 | 20.0 | 20.4 | 17.8 | 17.9 | 18.1 | 18.0 |
| 1572 | 20.0 | 20.4 | 19.5 | 19.9 | 19.1 | 19.4 | 19.1 | 20.0 | 20.4 | 17.8 | 17.9 | 18.1 | 18.0 |
| 1573 | 21.0 | 21.3 | 20.4 | 21.4 | 20.3 | 19.9 | 21.0 | 19.7 | 19.3 | 20.3 | 18.0 | 20.2 | 20.7 |
| 1574 | 21.0 | 21.3 | 20.4 | 21.4 | 20.3 | 19.9 | 21.0 | 19.7 | 19.3 | 20.3 | 18.0 | 20.2 | 20.7 |
| 1575 | 20.6 | 21.5 | 20.4 | 20.0 | 21.5 | 20.8 | 20.9 | 20.0 | 19.0 | 19.4 | 20.1 | 20.2 | 20.9 |
| 1576 | 20.6 | 21.5 | 20.4 | 20.0 | 21.5 | 20.8 | 20.9 | 20.0 | 19.0 | 19.4 | 20.1 | 20.2 | 20.9 |
| 1577 | 22.4 | 22.4 | 20.4 | 21.7 | 21.1 | 20.9 | 20.9 | 20.0 | 19.5 | 19.7 | 19.9 | 19.7 | 20.6 |
| 1578 | 22.4 | 22.4 | 20.4 | 21.7 | 21.1 | 20.9 | 20.9 | 20.0 | 19.5 | 19.7 | 19.9 | 19.7 | 20.6 |
| 1579 | 21.1 | 23.6 | 21.1 | 24.2 | 23.3 | 23.3 | 25.3 | 25.2 | 23.6 | 23.4 | 23.1 | 23.6 | 25.5 |
| 1580 | 21.1 | 23.6 | 21.1 | 24.2 | 23.3 | 23.3 | 25.3 | 25.2 | 23.6 | 23.4 | 23.1 | 23.6 | 25.5 |
| 1581 | 17.3 | 16.9 | 16.9 | 17.6 | 16.5 | 17.2 | 15.7 | 17.5 | 17.4 | 17.8 | 18.3 | 18.0 | 17.9 |
| 1582 | 17.3 | 16.9 | 16.9 | 17.6 | 16.5 | 17.2 | 15.7 | 17.5 | 17.4 | 17.8 | 18.3 | 18.0 | 17.9 |
| 1583r | 22.1 | 20.4 | 20.4 | 20.6 | 20.1 | 20.8 | 20.6 | 20.5 | 20.5 | 21.9 | 22.3 | 21.9 | 21.8 |
| 1584r | 22.1 | 20.4 | 20.4 | 20.6 | 20.1 | 20.8 | 20.6 | 20.5 | 20.5 | 21.9 | 22.3 | 21.9 | 21.8 |
| 1585 | 22.6 | 21.9 | 20.0 | 20.6 | 21.5 | 21.6 | 20.0 | 19.8 | 19.0 | 19.3 | 18.6 | 19.0 | 19.9 |

#Cage food consumption divided by number of animals per cage
rReplacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1586 | 22.6 | 21.9 | 20.0 | 20.6 | 21.5 | 21.6 | 20.0 | 19.8 | 19.0 | 19.3 | 18.6 | 19.0 | 19.9 |
| 1587 | 21.1 | 21.8 | 20.3 | 20.4 | 20.5 | 20.6 | 20.8 | 21.1 | 20.5 | 20.6 | 20.0 | 20.9 | 21.6 |
| 1588 | 21.1 | 21.8 | 20.3 | 20.4 | 20.5 | 20.6 | 20.8 | 21.1 | 20.5 | 20.6 | 20.0 | 20.9 | 21.6 |
| 1589 | 20.6 | 20.6 | 19.9 | 19.4 | 21.3 | 21.5 | 21.4 | 21.8 | 21.0 | 21.3 | 20.6 | 21.9 | 22.5 |
| 1590 | 20.6 | 20.6 | 19.9 | 19.4 | 21.3 | 21.5 | 21.4 | 21.8 | 21.0 | 21.3 | 20.6 | 21.9 | 22.5 |
| 1591 | 18.8 | 18.0 | 17.9 | 17.8 | 18.0 | 17.6 | 17.8 | 17.3 | 17.3 | 17.6 | 18.0 | 18.0 | 17.7 |
| 1592 | 18.8 | 18.0 | 17.9 | 17.8 | 18.0 | 17.6 | 17.8 | 17.3 | 17.3 | 17.6 | 18.0 | 18.0 | 17.7 |
| 1593 | 20.7 | 21.1 | 19.5 | 18.8 | 19.6 | 18.9 | 18.5 | 18.9 | 17.8 | 17.2 | 18.2 | 16.6 | 17.0 |
| 1594 | 20.7 | 21.1 | 19.5 | 18.8 | 19.6 | 18.9 | 18.5 | 18.9 | 17.8 | 17.2 | 18.2 | 16.6 | 17.0 |
| 1595 | 18.1 | 16.6 | 16.5 | 17.8 | 18.8 | 18.1 | 17.4 | 17.6 | 16.7 | 18.2 | 17.4 | 17.8 | 17.6 |
| 1596 | 18.1 | 16.6 | 16.5 | 17.8 | 18.8 | 18.1 | 17.4 | 17.6 | 16.7 | 18.2 | 17.4 | 17.8 | 17.6 |
| 1597 | 21.2 | 20.6 | 20.7 | 19.9 | 21.2 | 20.3 | 19.7 | 20.5 | 19.3 | 20.8 | 20.9 | 21.1 | 21.8 |
| 1598 | 21.2 | 20.6 | 20.7 | 19.9 | 21.2 | 20.3 | 19.7 | 20.5 | 19.3 | 20.8 | 20.9 | 21.1 | 21.8 |
| 1599 | 21.4 | 22.3 | 20.8 | 20.1 | 21.5 | 22.7 | 20.1 | 20.6 | 19.9 | 21.0 | 20.5 | 21.6 | 21.0 |
| 1600 | 21.4 | 22.3 | 20.8 | 20.1 | 21.5 | 22.7 | 20.1 | 20.6 | 19.9 | 21.0 | 20.5 | 21.6 | 21.0 |
| 1601 | 20.4 | 19.8 | 19.4 | 20.1 | 21.0 | 20.2 | 20.3 | 19.6 | 19.8 | 20.0 | 20.9 | 20.4 | 20.3 |
| 1602 | 20.4 | 19.8 | 19.4 | 20.1 | 21.0 | 20.2 | 20.3 | 19.6 | 19.8 | 20.0 | 20.9 | 20.4 | 20.3 |
| 1603 | 19.9 | 19.5 | 19.6 | 20.4 | 21.7 | 21.5 | 20.8 | 22.2 | 21.7 | 21.6 | 22.2 | 21.5 | 23.1 |
| 1604 | 19.9 | 19.5 | 19.6 | 20.4 | 21.7 | 21.5 | 20.8 | 22.2 | 21.7 | 21.6 | 22.2 | 21.5 | 23.1 |
| 1605 | 20.1 | 21.3 | 21.3 | 20.9 | 21.7 | 17.6 | 20.4 | 21.1 | 20.9 | 22.4 | 22.0 | 21.1 | 22.3 |
| 1606 | 20.1 | 21.3 | 21.3 | 20.9 | 21.7 | 17.6 | 20.4 | 21.1 | 20.9 | 22.4 | 22.0 | 21.1 | 22.3 |
| 1607 | 22.1 | 22.9 | 22.4 | 22.2 | 21.8 | 22.6 | 22.8 | 23.9 | 27.4 | 23.4 | 23.6 | 24.8 | 25.5 |
| 1608 | 22.1 | 22.9 | 22.4 | 22.2 | 21.8 | 22.6 | 22.8 | 23.9 | 27.4 | 23.4 | 23.6 | 24.8 | 25.5 |
| 1609 | 20.1 | 19.5 | 19.7 | 18.8 | 20.3 | 19.6 | 20.6 | 21.1 | 20.6 | 20.6 | 19.6 | 20.7 | 20.5 |
| 1610 | 20.1 | 19.5 | 19.7 | 18.8 | 20.3 | 19.6 | 20.6 | 21.1 | 20.6 | 20.6 | 19.6 | 20.7 | 20.5 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1611 | 20.1 | 19.4 | 19.1 | 19.1 | 20.2 | 20.0 | 21.3 | 20.0 | 19.8 | 19.7 | 20.1 | 20.0 | 19.4 |
| 1612 | 20.1 | 19.4 | 19.1 | 19.1 | 20.2 | 20.0 | 21.3 | 20.0 | 19.8 | 19.7 | 20.1 | 20.0 | 19.4 |
| 1613 | 21.6 | 20.6 | 20.9 | 20.4 | 21.2 | 21.3 | 21.0 | 20.6 | 19.7 | 20.8 | 20.6 | 21.2 | 20.6 |
| 1614 | 21.6 | 20.6 | 20.9 | 20.4 | 21.2 | 21.3 | 21.0 | 20.6 | 19.7 | 20.8 | 20.6 | 21.2 | 20.6 |
| 1615 | 20.7 | 20.0 | 19.7 | 21.4 | 24.0 | 24.7 | 24.6 | 23.7 | 24.0 | 24.0 | 25.0 | 25.8 | 26.0 |
| 1616 | 20.7 | 20.0 | 19.7 | 21.4 | 24.0 | 24.7 | 24.6 | 23.7 | 24.0 | 24.0 | 25.0 | 25.8 | 26.0 |
| 1617 | 22.5 | 20.9 | 21.5 | 21.5 | 22.1 | 22.7 | 21.9 | 22.5 | 21.3 | 22.2 | 23.0 | 23.5 | 23.9 |
| 1618 | 22.5 | 20.9 | 21.5 | 21.5 | 22.1 | 22.7 | 21.9 | 22.5 | 21.3 | 22.2 | 23.0 | 23.5 | 23.9 |
| 1619 | 21.6 | 18.9 | 18.4 | 19.1 | 19.0 | 18.4 | 18.4 | 19.4 | 18.6 | 18.2 | 18.5 | 19.0 | 19.0 |
| 1620 | 21.6 | 18.9 | 18.4 | 19.1 | 19.0 | 18.4 | 18.4 | 19.4 | 18.6 | 18.2 | 18.5 | 19.0 | 19.0 |
| 1621 | 19.6 | 25.0 | 20.9 | 18.5 | 18.4 | 18.2 | 18.3 | 18.3 | 18.7 | 19.1 | 19.1 | 19.4 | 17.9 |
| 1622 | 19.6 | 25.0 | 20.9 | 18.5 | 18.4 | 18.2 | 18.3 | 18.3 | 18.7 | 19.1 | 19.1 | 19.4 | 17.9 |
| 1623 | 20.3 | 20.1 | 19.8 | 19.4 | 19.9 | 19.8 | 20.3 | 19.9 | 21.0 | 19.2 | 20.1 | 20.8 | 20.2 |
| 1624 | 20.3 | 20.1 | 19.8 | 19.4 | 19.9 | 19.8 | 20.3 | 19.9 | 21.0 | 19.2 | 20.1 | 20.8 | 20.2 |
| 1625 | 20.3 | 19.6 | 20.1 | 20.1 | 19.9 | 19.8 | 21.4 | 21.0 | 19.8 | 18.8 | 19.9 | 21.5 | 21.3 |
| 1626 | 20.3 | 19.6 | 20.1 | 20.1 | 19.9 | 19.8 | 21.4 | 21.0 | 19.8 | 18.8 | 19.9 | 21.5 | 21.3 |
| 1627 | 18.9 | 18.4 | 18.3 | 18.0 | 18.8 | 18.7 | 18.5 | 19.8 | 18.6 | 19.3 | 17.4 | 18.4 | 18.8 |
| 1628 | 18.9 | 18.4 | 18.3 | 18.0 | 18.8 | 18.7 | 18.5 | 19.8 | 18.6 | 19.3 | 17.4 | 18.4 | 18.8 |
| 1629 | 20.2 | 19.0 | 18.6 | 19.7 | 19.2 | 18.4 | 18.3 | 18.9 | 19.0 | 18.9 | 19.4 | 20.1 | 20.0 |
| 1630 | 20.2 | 19.0 | 18.6 | 19.7 | 19.2 | 18.4 | 18.3 | 18.9 | 19.0 | 18.9 | 19.4 | 20.1 | 20.0 |
| 1631 | 17.8 | 17.5 | 17.1 | 17.5 | 18.9 | 16.6 | 16.6 | 16.7 | 16.6 | 16.3 | 17.2 | 17.4 | 17.3 |
| 1632 | 17.8 | 17.5 | 17.1 | 17.5 | 18.9 | 16.6 | 16.6 | 16.7 | 16.6 | 16.3 | 17.2 | 17.4 | 17.3 |
| 1633 | 19.2 | 19.5 | 17.9 | 17.5 | 18.8 | 18.6 | 18.8 | 18.1 | 16.8 | 16.5 | 17.8 | 19.0 | 18.6 |
| 1634 | 19.2 | 19.5 | 17.9 | 17.5 | 18.8 | 18.6 | 18.8 | 18.1 | 16.8 | 16.5 | 17.8 | 19.0 | 18.6 |
| 1635 | 21.4 | 18.8 | 19.9 | 20.0 | 20.3 | 21.3 | 21.0 | 20.2 | 18.9 | 20.0 | 20.5 | 21.4 | 20.2 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 13# | 14# | 16# | 18# | 20# | 22# | 24# | 26# | 28# | 30# | 32# | 34# | 36# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1636 | 21.4 | 18.8 | 19.9 | 20.0 | 20.3 | 21.3 | 21.0 | 20.2 | 18.9 | 20.0 | 20.5 | 21.4 | 20.2 |
| 1637 | 20.5 | 18.9 | 19.1 | 19.1 | 20.1 | 18.9 | 19.1 | 18.6 | 19.0 | 18.5 | 19.1 | 18.8 | 19.2 |
| 1638 | 20.5 | 18.9 | 19.1 | 19.1 | 20.1 | 18.9 | 19.1 | 18.6 | 19.0 | 18.5 | 19.1 | 18.8 | 19.2 |
| 1639 | 22.2 | 21.1 | 20.4 | 22.5 | 22.9 | 21.2 | 21.9 | 21.5 | 21.4 | 21.9[e] | NDC | | |
| 1640 | 22.2 | 21.1 | 20.4 | 22.5 | 22.9 | 21.2 | 21.9 | 21.5 | 21.4 | 20.3 | 19.3 | 19.7 | 19.5 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1321 | 22.3 | 21.4 | 19.9 | 19.1 | 18.5 | 22.1 | 12.1 | NDC | | | | | |
| 1322 | 22.3 | 21.4 | 19.9 | 19.1 | 18.5 | 22.1 | 13.6 | 20.1 | 21.7e | NDC | | | |
| 1323 | 21.0 | 21.4 | 21.3 | 20.9 | 17.3e | NDC | | | | | | | |
| 1324 | 21.0 | 21.4 | 21.3 | 20.9 | 18.5 | 21.1 | 28.5 | 20.7 | 19.7e | NDC | | | |
| 1325 | 20.9 | 17.7 | 19.6 | 17.6 | 18.0 | 17.8 | 17.7 | 17.7 | 16.2e | NDC | | | |
| 1326 | 20.9 | 17.7 | 19.6 | 17.6 | 18.0 | 17.8 | 17.7 | 17.7 | 16.2e | NDC | | | |
| 1327 | 19.0 | 18.4 | 18.0 | 18.3 | 18.4 | 18.5 | 18.1 | 17.5 | 17.2e | NDC | | | |
| 1328 | 19.0 | 18.4 | 18.0 | 18.3 | 18.4 | 18.5 | 18.1 | 17.5 | 16.6e | NDC | | | |
| 1329 | 25.0 | 24.6 | 25.4 | 24.6 | 23.5 | 23.3 | 22.3 | 23.7 | 23.3e | NDC | | | |
| 1330 | 25.0 | 24.6 | 25.4 | 24.6 | 23.5 | 23.3 | 22.3 | 23.7 | 23.3e | NDC | | | |
| 1331 | 19.4 | 17.6 | 16.5 | 19.4 | 19.3 | 19.4 | 19.9 | 19.3 | 17.1e | NDC | | | |
| 1332 | 19.4 | 17.6 | 16.5 | 19.4 | 19.3 | 19.4 | 19.9 | 19.3 | 17.1e | NDC | | | |
| 1333 | 16.0 | 15.5 | 17.3 | 17.6 | 17.5 | 17.0 | 16.5 | 16.6 | 15.3 | 17.2 | 17.9 | 17.6 | 17.3 |
| 1334 | 16.0 | 15.5 | 17.3 | 17.6 | 17.5 | 17.0 | 16.5 | 16.6 | 15.3 | 17.2 | 17.9 | 17.6 | 17.3 |
| 1335 | 18.1 | 18.3 | 18.9 | 18.5 | 18.8 | 18.3 | 17.3 | 17.4 | 17.3 | 19.2 | 17.5 | 18.1 | 17.9 |
| 1336 | 18.1 | 18.3 | 18.9 | 18.5 | 18.8 | 18.3 | 17.3 | 17.4 | 17.3 | 19.2 | 17.5 | 18.1 | 17.9 |
| 1337 | 20.3 | 19.8 | 18.1 | 19.4 | 18.9 | 13.4 | 17.9 | 17.0 | 12.6 | NDC | | | |
| 1338 | 20.3 | 19.8 | 18.1 | 19.4 | 18.9 | 13.4 | 17.9 | 17.0 | 13.1 | 17.1 | 19.3 | 21.0 | 18.7 |
| 1339 | 18.7 | 19.2 | 19.1 | 18.3 | 19.1 | 20.2 | 18.9 | 19.1 | 18.3 | 20.4 | 20.9 | 20.9 | 21.0 |
| 1340 | 18.7 | 19.2 | 19.1 | 18.3 | 19.1 | 20.2 | 18.9 | 19.1 | 18.3 | 20.4 | 20.9 | 20.9 | 21.0 |
| 1341 | NDC | | | | | | | | | | | | |
| 1342 | 17.4e | 17.7 | 17.9 | 17.8 | 18.7 | 18.6 | 19.0 | 18.0 | 17.3 | 17.9 | 19.4 | 18.8 | 19.1 |
| 1343 | 20.6 | 20.3 | 19.9 | 19.0 | 18.6 | 19.6 | 21.0 | 18.6 | 18.0 | 18.9 | 15.0 | 17.0 | 15.5 |
| 1344 | 20.6 | 20.3 | 19.9 | 19.0 | 18.6 | 19.6 | 21.0 | 18.6 | 18.0 | 18.9 | 15.0 | 11.5e | NDC |
| 1345 | 17.3 | 17.3 | 17.5 | 17.6 | 17.6 | 16.8 | 18.1 | 18.1 | 17.1 | 18.7 | 19.8 | 15.1 | 15.6 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1346 | 17.3 | 17.3 | 17.5 | 17.6 | 17.6 | 16.8 | 18.1 | 18.1 | 17.1 | 18.7 | 19.8 | 0.0e | NDC |
| 1347 | 22.0 | 20.6 | 20.7 | 20.9 | 19.6 | 19.3 | 20.0 | 17.1 | 17.1 | 20.4 | 20.3 | 20.7 | 19.4 |
| 1348 | 22.0 | 20.6 | 20.7 | 20.9 | 19.6 | 19.3 | 20.0 | 17.1 | 17.1 | 20.4 | 20.3 | 20.7 | 19.4 |
| 1349 | 22.6 | 21.4 | 19.4 | 22.4 | 20.1 | 21.3 | 21.1 | 21.7 | 22.2 | 21.5 | 21.8 | 22.9 | 18.3 |
| 1350 | 22.6 | 21.4 | 19.4 | 22.4 | 20.1 | 21.3 | 21.1 | 21.7 | 22.2 | 21.5 | 21.8 | 22.9 | 18.3 |
| 1351 | 20.1 | 19.5 | 20.1 | 20.3 | 20.5 | 19.9 | 19.3 | 20.6 | 18.6 | 20.6 | 21.2 | 16.3 | 20.5 |
| 1352 | 20.1 | 19.5 | 20.1 | 20.3 | 20.5 | 19.9 | 19.3 | 20.6 | 18.6 | 20.6 | 21.2 | 16.3 | 20.5 |
| 1353 | 20.8 | 19.2 | 18.9 | 20.3 | 19.1 | 19.4 | 20.1 | 19.3 | 18.2 | 19.8 | 19.5 | 20.0 | 19.3 |
| 1354 | 20.8 | 19.2 | 18.9 | 20.3 | 19.1 | 19.4 | 20.1 | 19.3 | 18.2 | 19.8 | 19.5 | 20.0 | 19.3 |
| 1355 | 20.4 | 19.7 | 19.6 | 19.4 | 20.6 | 20.9 | 20.0 | 20.7 | 18.8 | 19.9 | 19.4 | 17.8 | 17.3 |
| 1356 | 20.4 | 19.7 | 19.6 | 19.4 | 20.6 | 20.9 | 20.0 | 20.7 | 18.8 | 19.9 | 19.4 | 17.8 | 17.3 |
| 1357 | 18.5 | 19.3 | 18.7 | 19.1 | 18.5 | 18.6 | 12.3 | 18.9 | 18.0 | 18.4 | 19.0 | 17.0 | 19.2 |
| 1358 | 18.5 | 19.3 | 18.7 | 19.1 | 18.5 | 18.6 | 12.3 | 18.9 | 18.0 | 18.4 | 19.0 | 17.0 | 19.2 |
| 1359 | 23.5 | 22.3 | 22.1 | 21.5 | 21.5 | 22.0 | 19.0 | 21.3 | 19.3 | 21.1 | 20.4 | 19.3 | 19.6 |
| 1360 | 23.5 | 22.3 | 22.1 | 21.5 | 21.5 | 22.0 | 19.0 | 21.3 | 19.3 | 21.1 | 20.4 | 19.3 | 19.6 |
| 1361 | 22.5 | 21.1 | 21.0 | 22.6 | 20.6 | 20.5 | 20.8 | 22.4 | 20.7 | 21.7 | 20.5 | 22.3 | 20.0 |
| 1362 | 22.5 | 21.1 | 21.0 | 22.6 | 20.6 | 20.5 | 20.8 | 22.4 | 20.7 | 21.7 | 20.5 | 22.3 | 20.0 |
| 1363 | 18.6 | 20.7 | 19.9 | 19.6 | 20.5 | 20.0 | 20.9 | 20.7 | 19.3 | 19.9 | 20.6 | 21.4 | 20.1 |
| 1364 | 18.6 | 20.7 | 19.9 | 19.6 | 20.5 | 20.0 | 20.9 | 20.7 | 19.3 | 19.9 | 20.6 | 21.4 | 20.1 |
| 1365 | 19.0 | 19.9 | 19.0 | 19.5 | 18.9 | 18.5 | 18.1 | 19.0 | 17.1 | 19.3 | 19.0 | 18.3 | 18.5 |
| 1366 | 19.0 | 19.9 | 19.0 | 19.5 | 18.9 | 18.5 | 18.1 | 19.0 | 17.1 | 19.3 | 19.0 | 18.3 | 18.5 |
| 1367 | 21.1 | 19.2 | 18.9 | 19.6 | 20.2 | 19.5 | 18.8 | 19.3 | 18.8 | 19.5 | 20.1 | 20.8 | 21.1 |
| 1368 | 21.1 | 19.2 | 18.9 | 19.6 | 20.2 | 19.5 | 18.8 | 19.3 | 18.8 | 19.5 | 20.1 | 20.8 | 21.1 |
| 1369 | 14.9 | 15.0 | 15.3 | 14.5 | 14.9 | 12.8 | 13.5 | 17.1 | 15.0 | 14.6 | 15.1 | 12.5 | 15.6 |
| 1370 | 14.9 | 15.0 | 15.3 | 14.5 | 14.9 | 12.8 | 13.5 | 17.1 | 15.0 | 14.6 | 15.1 | 12.5 | 15.6 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1371 | 20.8 | 19.8 | 19.3 | 21.1 | 19.2 | 18.1 | NDC | | | | | | |
| 1372 | 20.8 | 19.8 | 19.3 | 21.1 | 19.2 | 17.8 | 15.1 | 16.8 | 18.6 | 18.1 | 18.6 | 18.9 | 18.4 |
| 1373 | 22.2 | 22.0 | 22.0 | 21.8 | 21.4 | 19.9 | 19.5 | 21.4[e] | NDC | | | | |
| 1374 | 22.2 | 22.0 | 22.0 | 21.8 | 21.4 | 19.9 | 19.5 | 23.1 | 19.6 | 20.1 | 21.5 | 22.2 | 20.0 |
| 1375 | 23.8 | 23.8 | 20.3 | 23.3 | 22.5 | 21.3 | 20.3 | 22.9 | 21.8 | 21.8 | 22.4 | 20.4 | 20.1 |
| 1376 | 23.8 | 23.8 | 20.3 | 23.3 | 22.5 | 21.3 | 20.3 | 22.9 | 21.8 | 21.8 | 22.4 | 20.4 | 20.1 |
| 1377 | 21.7 | 22.5 | 20.5 | 18.9 | 21.3 | 20.5 | 20.4 | 20.7 | 20.3 | 21.8 | 18.7[e] | NDC | |
| 1378 | 21.7 | 22.5 | 20.5 | 18.9 | 21.3 | 20.5 | 20.4 | 20.7 | 20.3 | 21.8 | 18.5 | 18.3 | 18.1 |
| 1379 | 22.5 | 22.4 | 22.4 | 23.0 | 22.1 | 21.3 | 21.2 | 16.0 | 16.6 | 18.0 | 16.1 | 7.4 | 10.2 |
| 1380 | 22.5 | 22.4 | 22.4 | 23.0 | 22.1 | 21.3 | 21.2 | 15.8 | NDC | | | | |
| 1381 | 20.7 | 20.2 | 20.9 | 20.6 | 18.5 | 19.3 | 18.6 | 20.8 | 18.8 | 20.9 | 21.5 | 22.0 | 19.4 |
| 1382 | 20.7 | 20.2 | 20.9 | 20.6 | 18.5 | 19.3 | 18.6 | 20.8 | 18.8 | 20.9 | 21.5 | 22.0 | 19.4 |
| 1383 | 27.3 | 21.5 | 20.9 | 21.1 | 20.9 | 20.9 | 16.8 | 24.0 | 18.9 | 20.4 | 22.3 | 20.9 | 22.1 |
| 1384 | 27.3 | 21.5 | 20.9 | 21.1 | 20.9 | 20.9 | 16.8 | 24.0 | 18.9 | 20.4 | 22.3 | 20.9 | 22.1 |
| 1385 | 21.0 | 20.5 | 20.0 | 19.1 | 19.7 | 20.0 | 18.4 | 19.2 | 18.0 | 19.5 | 19.8 | 18.2 | 18.8 |
| 1386 | 21.0 | 20.5 | 20.0 | 19.1 | 19.7 | 20.0 | 18.4 | 19.2 | 18.0 | 19.5 | 19.8 | 18.2 | 18.8 |
| 1387 | 20.9 | 22.2 | 20.5 | 22.8 | 21.3 | 25.9 | 19.2 | 21.3 | 20.8 | 22.9 | 23.6 | 20.7 | 19.8 |
| 1388 | 20.9 | 22.2 | 20.5 | 22.8 | 21.3 | 25.9 | 19.2 | 21.3 | 20.8 | 22.9 | 23.6 | 20.7 | 19.8 |
| 1389 | 20.1 | 20.0 | 19.0 | 20.3 | 19.7 | 19.8 | 10.5[e] | 20.5 | 17.5 | 19.6 | 20.4 | 19.0 | 19.6 |
| 1390 | 20.1 | 20.0 | 19.0 | 20.3 | 19.7 | 19.8 | 10.5[e] | 20.5 | 17.5 | 19.6 | 20.4 | 19.0 | 19.6 |
| 1391 | 19.0 | 17.9 | 18.3 | 19.0 | 18.6 | 18.7 | 14.9 | 17.9 | 17.4 | 19.5 | 20.3 | 19.0 | 20.5 |
| 1392 | 19.0 | 17.9 | 18.3 | 19.0 | 18.6 | 18.7 | 14.9 | 17.9 | 17.4 | 19.5 | 20.3 | 19.0 | 20.5 |
| 1393 | 17.5 | 17.7 | 19.8 | 17.7 | 17.6 | 17.0 | 16.4 | 17.6 | 15.5 | 16.8 | 16.9 | 17.8 | 18.0 |
| 1394 | 17.5 | 17.7 | 19.8 | 17.7 | 17.6 | 17.0 | 16.4 | 17.6 | 15.5 | 16.8 | 16.9 | 17.8 | 18.0 |
| 1395 | 20.4 | 21.0 | 20.9 | 21.0 | 20.8 | 19.9 | 19.3 | 20.7 | 18.2 | 21.2 | 21.7 | 17.3 | 13.6[e] |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1396 | 20.4 | 21.0 | 20.9 | 21.0 | 20.8 | 19.9 | 19.3 | 20.7 | 18.2 | 21.2 | 21.7 | 17.3 | 17.9 |
| 1397 | 20.4 | 20.0 | 20.8 | 20.5 | 20.5 | 20.7 | 20.4 | 22.1 | 20.7 | 21.9 | 22.8 | 20.3 | 20.6 |
| 1398 | 20.4 | 20.0 | 20.8 | 20.5 | 20.5 | 20.7 | 20.4 | 22.1 | 20.7 | 21.9 | 22.8 | 20.3 | 20.6 |
| 1399 | 19.2 | 19.4 | 19.0 | 19.3 | 19.5 | 20.1 | 17.4 | 16.5[e] | NDC | | | | |
| 1400 | 19.2 | 19.4 | 19.0 | 19.3 | 19.5 | 20.1 | 17.4 | 19.3 | 20.6 | 21.4 | 22.9 | 22.1 | 20.3 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1401 | 19.6 | 19.3 | 19.7 | 20.2 | 18.5 | 18.3 | 19.6 | 19.7 | 15.0e | NDC | | | |
| 1402 | 19.6 | 19.3 | 19.7 | 20.2 | 18.5 | 18.3 | 19.6 | 19.7 | 15.0e | NDC | | | |
| 1403 | 17.0 | 16.9 | 16.3 | 17.5 | 17.1 | 17.6 | 17.6 | 17.0 | 14.8e | NDC | | | |
| 1404 | 17.0 | 16.9 | 16.3 | 17.5 | 17.1 | 17.6 | 17.6 | 17.0 | 14.8e | NDC | | | |
| 1405 | 19.0 | 19.5 | 19.5 | 18.8 | 18.2 | 19.6 | 19.5 | 19.3 | 19.8e | NDC | | | |
| 1406 | 19.0 | 19.5 | 19.5 | 18.8 | 18.2 | 19.6 | 19.5 | 19.3 | 19.9e | NDC | | | |
| 1407 | 19.7 | 21.6 | 20.3 | 21.1 | 19.5 | 19.5 | 20.5 | 18.4 | 19.0e | NDC | | | |
| 1408 | 19.7 | 21.6 | 20.3 | 21.1 | 19.5 | 19.5 | 20.5 | 18.4 | 19.0e | NDC | | | |
| 1409 | 19.5 | 21.4 | 20.8 | 19.8 | 19.6 | 19.0 | 19.9 | 17.1 | 16.3e | NDC | | | |
| 1410 | 19.5 | 21.4 | 20.8 | 19.8 | 19.6 | 19.0 | 19.9 | 17.1 | 16.3e | NDC | | | |
| 1411 | 20.4 | 20.8 | 20.0 | 19.6 | 19.7 | 18.0 | 17.8 | 17.9 | 15.1 | 13.8 | 13.1e | NDC | |
| 1412 | 20.4 | 20.8 | 20.0 | 19.6 | 19.7 | 18.0 | 17.8 | 17.9 | 15.1 | 13.8 | 14.9 | 20.5 | 20.5 |
| 1413 | 16.0 | 16.6 | 15.1 | 16.8 | 16.1 | 15.8 | 16.5 | 16.5 | 15.4 | 15.6 | 16.5 | 16.2 | 15.6 |
| 1414 | 16.0 | 16.6 | 15.1 | 16.8 | 16.1 | 15.8 | 16.5 | 16.5 | 15.4 | 15.6 | 16.5 | 16.2 | 15.6 |
| 1415 | 19.0 | 20.3 | 19.8 | 19.7 | 19.0 | 18.6 | 18.6 | 18.2 | 16.0 | 19.2 | 18.3 | 18.9 | 18.1 |
| 1416 | 19.0 | 20.3 | 19.8 | 19.7 | 19.0 | 18.6 | 18.6 | 18.2 | 16.0 | 19.2 | 18.3 | 18.9 | 18.1 |
| 1417 | 20.7 | 20.9 | 21.6 | 20.6 | 21.2 | 20.7 | 19.4 | 19.3 | 18.5 | 19.1 | 20.0 | 20.2 | 18.7 |
| 1418 | 20.7 | 20.9 | 21.6 | 20.6 | 21.2 | 20.7 | 19.4 | 19.3 | 18.5 | 19.1 | 20.0 | 20.2 | 18.7 |
| 1419 | 20.6 | 21.0 | 19.7 | 21.4 | 20.4 | 20.9 | 20.4 | 20.4 | 18.8 | 21.1 | 21.3 | 22.1 | 18.6 |
| 1420 | 20.6 | 21.0 | 19.7 | 21.4 | 20.4 | 20.9 | 20.4 | 20.4 | 18.8 | 21.1 | 21.3 | 22.1 | 18.6 |
| 1421 | 16.5 | 17.5 | 16.4 | 17.2e | NDC | | | | | | | | |
| 1422 | 16.5 | 17.5 | 16.4 | 16.6 | 15.2 | 16.9 | 17.1 | 17.6 | 15.9 | 17.7 | 17.2 | 18.1 | 17.8 |
| 1423 | 15.7 | 15.6 | 15.2 | 15.6 | 15.0 | 15.0 | 15.4 | 15.9 | 13.6 | 11.0 | 11.3 | 13.1 | 12.3 |
| 1424 | 15.7 | 15.6 | 15.2 | 15.6 | 15.0 | 15.0 | 15.4 | 15.9 | 13.6 | 11.0 | 11.3 | 13.1 | 12.3 |
| 1425 | 18.6 | 19.5 | 18.1 | 18.9 | 18.8 | 17.8 | 18.4 | 20.0 | 17.9 | 17.3 | 18.0 | 18.3 | 17.7 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1426 | 18.6 | 19.5 | 18.1 | 18.9 | 18.8 | 17.8 | 18.4 | 20.0 | 17.9 | 17.3 | 18.0 | 18.3 | 17.7 |
| 1427 | 17.8 | 18.2 | 17.4 | 17.7 | 17.8 | 17.1 | 16.9 | 18.4 | 16.7 | 17.0 | 17.5 | 18.1 | 17.9 |
| 1428 | 17.8 | 18.2 | 17.4 | 17.7 | 17.8 | 17.1 | 16.9 | 18.4 | 16.7 | 17.0 | 17.5 | 18.1 | 17.9 |
| 1429 | 19.4 | 20.4 | 18.7 | 19.9 | 19.1 | 20.2 | 19.1 | 19.5 | 17.7 | 19.5 | 20.1 | 21.4 | 18.3 |
| 1430 | 19.4 | 20.4 | 18.7 | 19.9 | 19.1 | 20.2 | 19.1 | 19.5 | 17.7 | 19.5 | 20.1 | 21.4 | 18.3 |
| 1431 | 18.9 | 18.8 | 18.1 | 17.6 | 17.6 | 17.6 | 18.4 | 18.1 | 17.3 | 18.5 | 18.8 | 18.9 | 18.8 |
| 1432 | 18.9 | 18.8 | 18.1 | 17.6 | 17.6 | 17.6 | 18.4 | 18.1 | 17.3 | 18.5 | 18.8 | 18.9 | 18.8 |
| 1433 | 21.0 | 15.6 | 17.4 | 21.6 | 15.8 | 18.5 | 20.5 | 17.8 | 17.5 | 17.8 | 18.8 | 19.6 | 18.9 |
| 1434 | 21.0 | 15.6 | 17.4 | 21.6 | 15.8 | 18.5 | 20.5 | 17.8 | 17.5 | 17.8 | 18.8 | 19.6 | 18.9 |
| 1435 | 19.3 | 19.7 | 20.3 | 19.8 | 18.6 | 19.3 | 18.7 | 18.9 | 19.1 | 19.2 | 18.5 | 19.5 | 18.0 |
| 1436 | 19.3 | 19.7 | 20.3 | 19.8 | 18.6 | 19.3 | 18.7 | 18.9 | 19.1 | 19.2 | 18.5 | 19.5 | 18.0 |
| 1437 | 17.8 | 19.9 | 19.2 | 19.1 | 18.5 | 18.3 | 19.1 | 18.4 | 16.6 | 18.8 | 17.2 | 18.8 | 17.5 |
| 1438 | 17.8 | 19.9 | 19.2 | 19.1 | 18.5 | 18.3 | 19.1 | 18.4 | 16.6 | 18.8 | 17.2 | 18.8 | 17.5 |
| 1439 | 20.3 | 20.6 | 19.3 | 19.8 | 19.8 | 19.5 | 18.7 | 19.4 | 17.3 | 18.6 | 19.7 | 19.1 | 17.8 |
| 1440 | 20.3 | 20.6 | 19.3 | 19.8 | 19.8 | 19.5 | 18.7 | 19.4 | 17.3 | 18.6 | 19.7 | 19.1 | 17.8 |
| 1441 | 19.8 | 19.3 | 19.7 | 19.3 | 18.6 | 18.0 | 18.8 | 19.6 | 17.8 | 18.2 | 18.1 | 20.6 | 20.1 |
| 1442 | 19.8 | 19.3 | 19.7 | 19.3 | 18.6 | 18.0 | 18.8 | 19.6 | 17.8 | 18.2 | 18.1 | 20.6 | 20.1 |
| 1443 | 17.0 | 17.4 | 17.2 | 18.4 | 17.2 | 16.3 | 17.0 | 16.4 | 16.0 | 17.4 | 17.7 | 18.1 | 16.7 |
| 1444 | 17.0 | 17.4 | 17.2 | 18.4 | 17.2 | 16.3 | 17.0 | 16.4 | 16.0 | 17.4 | 17.7 | 18.1 | 16.7 |
| 1445 | 21.0 | 20.1 | 21.0 | 21.3 | 20.1 | 20.6 | 20.5 | 19.9 | 12.7 | 12.5[e] | NDC | | |
| 1446 | 21.0 | 20.1 | 21.0 | 21.3 | 20.1 | 20.6 | 20.5 | 19.9 | 12.7 | 17.1 | 22.4 | 23.5 | 21.4 |
| 1447 | 20.1 | 20.9 | 21.4 | 21.2 | 22.4 | 20.1 | 21.6 | 21.5 | 19.5 | 21.1 | 21.2 | 20.4 | 21.6 |
| 1448 | 20.1 | 20.9 | 21.4 | 21.2 | 22.4 | 20.1 | 21.6 | 21.5 | 19.5 | 21.1 | 21.2 | 20.4 | 21.6 |
| 1449 | 23.3 | 21.8 | 21.3 | 22.5 | 22.0 | 21.4 | 23.1 | 22.5 | 20.5 | 22.8 | 22.7 | 22.8 | 22.5 |
| 1450 | 23.3 | 21.8 | 21.3 | 22.5 | 22.0 | 21.4 | 23.1 | 22.5 | 20.5 | 22.8 | 22.7 | 22.8 | 22.5 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1451 | 18.9 | 19.8 | 19.0 | 19.7 | 19.3 | 19.8 | 19.0 | 18.7 | 18.9 | 17.3 | 18.3 | 17.4 | 16.6 |
| 1452 | 18.9 | 19.8 | 19.0 | 19.7 | 19.3 | 19.8 | 19.0 | 18.7 | 18.9 | 17.3 | 18.3 | 17.4 | 16.6 |
| 1453 | 18.3 | 18.4 | 16.6 | 18.9 | 18.6 | 18.5 | 17.3 | 18.0 | 17.4 | 17.4 | 15.8 | 10.9 | NDC |
| 1454 | 18.3 | 18.4 | 16.6 | 18.9 | 18.6 | 18.5 | 17.3 | 18.0 | 17.4 | 17.4 | 15.8 | 10.9 | 15.5 |
| 1455 | 20.6 | 20.7 | 20.8 | 20.8 | 19.9 | 19.6 | 20.4 | 20.3 | 18.1 | 20.4 | 21.3 | 19.8 | 18.3 |
| 1456 | 20.6 | 20.7 | 20.8 | 20.8 | 19.9 | 19.6 | 20.4 | 20.3 | 18.1 | 20.4 | 21.3 | 19.8 | 18.3 |
| 1457 | 13.5 | 17.6 | 20.3 | 20.8 | 21.2 | 22.8 | 22.0 | 20.4 | 20.4 | 21.4 | 23.4 | 21.4 | 21.9 |
| 1458 | 13.5 | 15.9[e] | NDC | | | | | | | | | | |
| 1459 | 22.8 | 21.8 | 22.3 | 21.5 | 21.8 | 19.8 | 21.6 | 20.1 | 19.9 | 21.4 | 21.4 | 20.9 | 17.3 |
| 1460 | 22.8 | 21.8 | 22.3 | 21.5 | 21.8 | 19.8 | 21.6 | 20.1 | 19.9 | 21.4 | 21.4 | 20.9 | 17.3 |
| 1461 | 19.2 | 20.3 | 19.3 | 19.3 | 19.6 | 19.0 | 17.2 | 16.6 | 16.8 | 15.3 | 15.7 | 17.5 | 18.9 |
| 1462 | 19.2 | 20.3 | 19.3 | 19.3 | 19.6 | 19.0 | 17.2 | 16.6 | 16.8 | 15.3 | 15.7 | 14.2[e] | NDC |
| 1463 | 19.1 | 19.0 | 19.2 | 19.3 | 19.4 | 18.3 | 17.1 | 16.0 | 17.7 | 18.6 | 19.7 | 19.2 | 17.8 |
| 1464 | 19.1 | 19.0 | 19.2 | 19.3 | 19.4 | 18.3 | 17.1 | 16.0 | 17.7 | 18.6 | 19.7 | 19.2 | 17.8 |
| 1465 | 16.7 | 19.2 | 18.6 | 16.9 | 17.3 | 17.0 | 17.9 | 18.0 | 15.7 | 16.5 | 16.6 | 17.2 | 22.4 |
| 1467 | 17.7 | 17.4 | 17.6 | 17.8 | 15.9 | 17.0 | 17.0 | 17.9 | 17.4 | 18.2 | 17.5 | 17.7 | 17.6 |
| 1468 | 17.7 | 17.4 | 17.6 | 17.8 | 15.9 | 17.0 | 17.0 | 17.9 | 17.4 | 18.2 | 17.5 | 17.7 | 17.6 |
| 1469 | 17.6 | 18.1 | 17.4 | 19.1 | 17.8 | 18.3 | 17.1 | 18.5 | 17.8 | 18.1 | 18.6 | 17.5 | 17.4 |
| 1470 | 17.6 | 18.1 | 17.4 | 19.1 | 17.8 | 18.3 | 17.1 | 18.5 | 17.8 | 18.1 | 18.6 | 17.5 | 17.4 |
| 1471 | 16.5 | 17.4 | 16.9 | 15.8 | 15.2 | 16.4 | 15.2 | 15.8 | 16.0 | 16.8 | 17.2 | 16.7 | 17.0 |
| 1472 | 16.5 | 17.4 | 16.9 | 15.8 | 15.2 | 16.4 | 15.2 | 15.8 | 16.0 | 16.8 | 17.2 | 16.7 | 17.0 |
| 1473 | 19.8 | 20.4 | 12.7[e] | 17.3 | 17.0 | 16.3 | 13.9 | 14.9 | 17.4 | 19.0 | 19.7 | 18.0 | 17.9 |
| 1474 | 19.8 | 20.4 | 12.7[e] | 17.3 | 17.0 | 16.3 | 13.9 | 14.8 | NDC | | | | |
| 1475 | 16.2 | 16.8 | 10.7 | 18.3 | 17.8 | 16.9 | 16.4 | 16.9 | 15.8 | 17.1 | 17.6 | 15.6 | 16.5 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1476 | 16.2 | 16.8 | 10.7 | 18.3 | 17.8 | 16.9 | 16.4 | 16.9 | 15.8 | 17.1 | 17.6 | 15.6 | 16.5 |
| 1477 | 18.0 | 18.1 | 18.7 | 20.7 | 17.2 | 17.6 | 16.9 | 18.3 | 17.5 | 18.9 | 17.5 | 19.5 | 18.8 |
| 1478 | 18.0 | 18.1 | 18.7 | 20.7 | 17.2 | 17.6 | 16.9 | 18.3 | 17.5 | 18.9 | 17.5 | 19.5 | 18.8 |
| 1479 | 19.3 | 19.9 | 19.4 | 18.9 | 19.0 | 17.9 | 19.0 | 18.7 | 18.1 | 18.2 | 18.3 | 19.8 | 17.7 |
| 1480 | 19.3 | 19.9 | 19.4 | 18.9 | 19.0 | 17.9 | 19.0 | 18.7 | 18.1 | 18.2 | 18.3 | 19.8 | 17.7 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1481 | 21.9 | 20.9 | 20.8 | 20.5 | 20.4 | 21.3 | 21.9 | 13.5[e] | 21.5[e] | NDC | | | |
| 1482 | 21.9 | 20.9 | 20.8 | 20.5 | 20.4 | 21.3 | 21.9 | 13.5[e] | 21.5[e] | NDC | | | |
| 1483 | 19.6 | 19.9 | 18.9 | 20.0 | 18.3 | 20.1 | 20.0 | 19.7 | 15.0[e] | NDC | | | |
| 1484 | 19.6 | 19.9 | 18.9 | 20.0 | 18.3 | 20.1 | 20.0 | 19.7 | 15.0[e] | NDC | | | |
| 1485 | 18.6 | 19.4 | 19.3 | 18.6 | 18.4 | 17.7 | 18.3 | 17.6 | 20.0[e] | NDC | | | |
| 1486 | 18.6 | 19.4 | 19.3 | 18.6 | 18.4 | 17.7 | 18.3 | 17.6 | 21.0[e] | NDC | | | |
| 1487 | 19.5 | 19.4 | 19.3 | 18.6 | 16.7 | 16.1 | 17.5 | 16.3 | 18.9[e] | NDC | | | |
| 1488 | 19.5 | 19.4 | 19.3 | 18.6 | 16.7 | 16.1 | 17.5 | 16.3 | 18.9[e] | NDC | | | |
| 1489 | 19.4 | 19.2 | 18.8 | 20.8 | 19.0 | 21.2 | 20.4 | 20.3 | 18.9[e] | NDC | | | |
| 1490 | 19.4 | 19.2 | 18.8 | 20.8 | 19.0 | 21.2 | 20.4 | 20.3 | 18.9[e] | NDC | | | |
| 1491 | 18.4 | 20.6 | 17.8 | 18.0 | 17.8 | 17.6 | 17.3 | 18.0 | 16.8 | 17.2 | 19.3 | 19.2 | 18.5 |
| 1492 | 18.4 | 20.6 | 17.8 | 18.0 | 17.8 | 17.6 | 17.3 | 18.0 | 16.8 | 17.2 | 19.3 | 19.2 | 18.5 |
| 1493 | 20.9 | 21.5 | 21.0 | 21.0 | 20.7 | 22.0 | 20.3 | 20.6 | 18.9 | 20.1 | 17.9 | 14.7 | 8.6 |
| 1494 | 20.9 | 21.5 | 21.0 | 21.0 | 20.7 | 22.0 | 20.3 | 20.6 | 18.9 | 20.1 | 17.9 | 14.7 | 8.6 |
| 1495 | 19.4 | 20.5 | 20.0 | 20.3 | 21.6 | 21.9 | 20.6 | 21.3 | 18.0 | 20.0 | 21.4 | 20.4 | 19.8 |
| 1496 | 19.4 | 20.5 | 20.0 | 20.3 | 21.6 | 21.9 | 20.6 | 21.3 | 18.0 | 20.0 | 21.4 | 20.4 | 19.8 |
| 1497 | 18.0 | 17.8 | 18.5 | 19.1 | 18.5 | 18.8 | 16.7 | 12.5 | 9.5 | 13.6 | 23.3[e] | NDC | |
| 1498 | 18.0 | 17.8 | 18.5 | 19.1 | 18.5 | 18.8 | 16.7 | 12.5 | 9.5 | 11.5[e] | NDC | | |
| 1499 | 17.0 | 17.3 | 16.5 | 17.8 | 17.4 | 16.8 | 16.5 | 16.8 | 16.9 | 18.4 | 18.4 | 18.5 | 17.4 |
| 1500 | 17.0 | 17.3 | 16.5 | 17.8 | 17.4 | 16.8 | 16.5 | 16.8 | 16.9 | 18.4 | 18.4 | 18.5 | 17.4 |
| 1501 | 17.8 | 19.3 | 18.2 | 19.4 | 17.5 | 19.7 | 18.1 | 17.9 | 17.5 | 20.0 | 19.8 | 18.9 | 24.3[e] |
| 1502 | 17.8 | 19.3 | 18.2 | 19.4 | 17.5 | 19.7 | 18.1 | 17.9 | 17.5 | 20.0 | 19.8 | 18.9 | -1.0[e] |
| 1503 | 21.0 | 21.2 | 20.5 | 18.2 | 19.9 | 21.3 | 21.9 | 20.9 | 20.3 | 21.8 | 20.4 | 11.4 | 8.8 |
| 1504 | 21.0 | 21.2 | 20.5 | 18.2 | 19.9 | 21.3 | 21.9 | 20.9 | 20.3 | 21.8 | 20.4 | 11.4 | 8.8 |
| 1505 | 20.5 | 19.0 | 17.7 | 19.0 | 16.4 | 19.3 | 18.3 | 18.0 | 17.3 | 18.6 | 19.8 | 19.5 | 18.0 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1506 | 20.5 | 19.0 | 17.7 | 19.0 | 16.4 | 19.3 | 18.3 | 18.0 | 17.3 | 18.6 | 19.8 | 19.5 | 18.0 |
| 1507 | 17.8 | 18.1 | 18.6 | 18.7 | 17.1 | 17.6 | 17.4 | 17.9 | 17.0 | 19.8 | 19.6 | 10.4 | 8.5e |
| 1508 | 17.8 | 18.1 | 18.6 | 18.7 | 17.1 | 17.6 | 17.4 | 17.9 | 17.0 | 19.8 | 19.6 | 10.4 | 14.7 |
| 1509 | 18.6 | 18.5 | 18.3 | 18.6 | 17.1 | 19.3 | 19.5 | 18.0 | 18.4 | 18.6 | 19.3 | 18.8 | 18.0 |
| 1510 | 18.6 | 18.5 | 18.3 | 18.6 | 17.1 | 19.3 | 19.5 | 18.0 | 18.4 | 18.6 | 19.3 | 18.8 | 18.0 |
| 1511 | 18.2 | 21.4 | 21.2 | 18.7 | 18.9 | 21.1 | 21.4 | 20.9 | 19.4 | 20.3 | 21.6 | 19.5 | 20.9 |
| 1512 | 16.6e | NDC | | | | | | | | | | | |
| 1513 | 16.4 | 17.5 | 20.5e | NDC | | | | | | | | | |
| 1514 | 16.4 | 17.5 | 17.0 | 18.2 | 18.5 | 16.4 | 24.0 | 6.5 | 5.1 | 11.5 | NDC | | |
| 1515 | 17.4 | 17.8 | 18.4 | 17.9 | 16.6 | 17.0 | 11.4 | 17.8 | 17.1 | 15.3 | 18.2 | 17.5 | 17.0 |
| 1516 | 17.4 | 17.8 | 18.4 | 17.9 | 16.6 | 17.0 | 11.4 | 17.8 | 17.1 | 15.3 | 18.2 | 17.5 | 17.0 |
| 1517 | 18.6 | 21.6 | 21.3 | 21.6 | 20.4 | 19.5 | 20.3 | 20.5 | 18.9 | 21.1 | 19.9 | 20.9 | 20.9 |
| 1519 | 18.9 | 18.3 | 19.0 | 18.6 | 18.3 | 17.9 | 19.8 | 18.5 | 18.5 | 18.2 | 18.9 | 19.8 | 19.0 |
| 1520 | 18.9 | 18.3 | 19.0 | 18.6 | 18.3 | 17.9 | 19.8 | 18.5 | 18.5 | 18.2 | 18.9 | 19.8 | 19.0 |
| 1521 | 18.3 | 18.1 | 18.7 | 18.6 | 18.7 | 19.5 | 20.1 | 18.6 | 17.4 | 18.2 | 17.7 | 17.8 | 18.3 |
| 1522 | 18.3 | 18.1 | 18.7 | 18.6 | 18.7 | 19.5 | 20.1 | 18.6 | 17.4 | 18.2 | 17.7 | 17.8 | 18.3 |
| 1523 | 17.5 | 17.5 | 18.2 | 17.8 | 16.5 | 17.2 | 18.1 | 16.8 | 16.3 | 18.0 | 17.4 | 16.0 | 16.4 |
| 1524 | 17.5 | 17.5 | 18.2 | 17.8 | 16.5 | 17.2 | 18.1 | 16.8 | 16.3 | 18.0 | 17.4 | 16.0 | 16.4 |
| 1525 | 18.5 | 17.3 | 19.0 | 19.3 | 18.8 | 18.4 | 18.8 | 19.4 | 17.9 | 16.5 | 20.4 | 19.3 | 21.7 |
| 1526 | 18.5 | 17.3 | 19.0 | 19.3 | 18.8 | 18.4 | 18.8 | 19.4 | 17.9 | 16.5 | 20.4 | 19.3 | 21.7 |
| 1527 | 20.5 | 20.8 | 19.6 | 21.1 | 21.3 | 21.3 | 21.0 | 21.2 | 20.2 | 20.3 | 21.5 | 20.0 | 19.4 |
| 1528 | 20.5 | 20.8 | 19.6 | 21.1 | 21.3 | 21.3 | 21.0 | 21.2 | 20.2 | 20.3 | 21.5 | 20.0 | 19.4 |
| 1529 | 20.4 | 19.0 | 19.8 | 19.9 | 19.7 | 20.1 | 21.1 | 20.2 | 18.2 | 19.5 | 19.9 | 19.3 | 18.2 |
| 1530 | 20.4 | 19.0 | 19.8 | 19.9 | 19.7 | 20.1 | 21.1 | 20.2 | 18.2 | 19.5 | 19.9 | 19.3 | 18.2 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1531 | 18.3 | 16.6 | 16.7 | 17.9 | 16.4 | 17.9 | 17.4 | 18.0 | 17.3 | 18.4 | 17.8 | 17.5 | 17.9 |
| 1532 | 18.3 | 16.6 | 16.7 | 17.9 | 16.4 | 17.9 | 17.4 | 18.0 | 17.3 | 18.4 | 17.8 | 17.5 | 17.9 |
| 1533 | 20.0 | 19.7 | 17.5 | 17.3 | 18.9 | 18.8 | 18.6 | 19.9 | 17.1 | 18.9 | 19.3 | 19.5 | 18.5 |
| 1534 | 20.0 | 19.7 | 17.5 | 17.3 | 18.9 | 18.8 | 18.6 | 19.9 | 17.1 | 18.9 | 19.3 | 19.5 | 18.5 |
| 1535 | 19.1 | 19.5 | 18.1 | 18.7 | 18.8 | 18.5 | 17.7 | 11.6 | 12.3 | 15.9 | 21.8 | 19.4 | 19.6 |
| 1536 | 19.1 | 19.5 | 18.1 | 18.7 | 18.8 | 18.5 | 17.7 | 11.6 | 12.3 | 14.3[e] | NDC | | |
| 1537 | 18.7 | 19.2 | 20.4 | 20.0 | 20.6 | 19.7 | 19.9 | 19.0 | 20.0 | 20.3 | 20.5 | 21.0 | 20.0 |
| 1538 | 18.7 | 19.2 | 20.4 | 20.0 | 20.6 | 19.7 | 19.9 | 19.0 | 20.0 | 20.3 | 20.5 | 21.0 | 20.0 |
| 1539 | 19.7 | 20.4 | 20.4 | 20.9 | 20.5 | 19.8 | 22.2 | 18.8 | 18.0 | 22.8 | 23.2 | 21.1 | 20.9 |
| 1540 | 19.7 | 20.4 | 20.4 | 20.9 | 20.5 | 19.8 | 22.2 | 18.8 | 18.0 | 22.8 | 23.2 | 21.1 | 20.9 |
| 1541 | 22.2 | 23.2 | 22.6 | 22.4 | 19.4 | 19.6 | 20.1 | 20.3 | 19.4 | 22.9 | 22.8 | 22.4 | 23.2 |
| 1542 | 22.2 | 23.2 | 22.6 | 22.4 | 21.0[e] | NDC | | | | | | | |
| 1543 | 18.4 | 17.6 | 16.0 | 15.9 | 17.8 | 18.3 | 17.2 | 17.9 | 17.6 | 18.1 | 19.0 | 18.1 | 17.9 |
| 1544 | 18.4 | 17.6 | 16.0 | 15.9 | 17.8 | 18.3 | 17.2 | 17.9 | 17.6 | 18.1 | 19.0 | 18.1 | 17.9 |
| 1545 | 19.4 | 19.1 | 19.8 | 19.4 | 18.9 | 18.2[e] | NDC | | | | | | |
| 1546 | 19.4 | 19.1 | 19.8 | 19.4 | 18.9 | 18.3 | 18.4 | 18.6 | 18.0 | 18.7 | 19.6 | 19.9 | 19.6 |
| 1547 | 19.2 | 19.6 | 18.7 | 19.5 | 18.3 | 20.0 | 19.6 | 19.0 | 18.3 | 20.0 | 18.8 | 19.5 | 18.5 |
| 1548 | 19.2 | 19.6 | 18.7 | 19.5 | 18.3 | 20.0 | 19.6 | 19.0 | 18.3 | 20.0 | 18.8 | 19.5 | 18.5 |
| 1549 | 18.8 | 17.6 | 18.4 | 18.8 | 18.5 | 18.9 | 17.4 | 19.0 | 18.2 | 18.6 | 19.5 | 18.9 | 18.9 |
| 1550 | 18.8 | 17.6 | 18.4 | 18.8 | 18.5 | 18.9 | 17.4 | 19.0 | 18.2 | 18.6 | 19.5 | 18.9 | 18.9 |
| 1551 | 20.9 | 21.0 | 19.2 | 20.3 | 20.3 | 18.2 | 13.3 | 23.5 | 17.1 | 16.9 | 17.5 | 16.1 | 12.9 |
| 1552 | 20.9 | 21.0 | 19.2 | 20.3 | 20.3 | 18.2 | 13.3 | 2.1[e] | NDC | | | | |
| 1553 | 18.5 | 18.8 | 16.6 | 17.6 | 22.4 | 22.0 | 21.5 | 20.0 | 21.0 | 21.2 | 21.0 | 22.0 | 21.0 |
| 1554 | 18.5 | 18.8 | 16.6 | 17.6 | 22.4 | 22.0 | 21.5 | 20.0 | 21.0 | 21.2 | 21.0 | 22.0 | 21.0 |
| 1555 | 18.9 | 19.0 | 16.1 | 14.6 | 12.5 | 13.3[e] | NDC | | | | | | |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1556 | 18.9 | 19.0 | 16.1 | 14.6 | 12.5 | 28.2 | 19.1 | NDC | | | | | |
| 1557 | 17.3 | 17.3 | 17.2 | 18.1 | 17.5 | 18.9 | 18.3 | 17.8 | 18.0 | 18.1 | 18.5 | 18.0 | 18.4 |
| 1558 | 17.3 | 17.3 | 17.2 | 18.1 | 17.5 | 18.9 | 18.3 | 17.8 | 18.0 | 18.1 | 18.5 | 18.0 | 18.4 |
| 1559 | 15.8 | 16.3 | 16.3 | 15.9 | 15.5 | 15.8 | 16.4 | 16.4 | 15.9 | 15.5 | 16.4 | 16.1 | 15.4 |
| 1560 | 15.8 | 16.3 | 16.3 | 15.9 | 15.5 | 15.8 | 16.4 | 16.4 | 15.9 | 15.5 | 16.4 | 16.1 | 15.4 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1561 | 18.2 | 19.1 | 18.5 | 16.6 | 14.5 | 15.6 | 14.5 | 13.7 | 15.2e | NDC | | | |
| 1562 | 18.2 | 19.1 | 18.5 | 16.6 | 14.5 | 15.6 | 14.5 | 13.7 | 15.2e | NDC | | | |
| 1563 | 18.8 | 18.8 | 20.1 | 18.9 | 19.4 | 17.9 | 18.1 | 18.5 | 18.5e | NDC | | | |
| 1564 | 18.8 | 18.8 | 20.1 | 18.9 | 19.4 | 17.9 | 18.1 | 18.5 | 18.5e | NDC | | | |
| 1565 | 20.5 | 19.9 | 21.0 | 21.4 | 19.8 | 22.1 | 21.3 | 17.5 | 17.3e | NDC | | | |
| 1566 | 20.5 | 19.9 | 21.0 | 21.4 | 19.8 | 22.1 | 22.4 | NDC | | | | | |
| 1567 | 22.6 | 22.6 | 23.8 | 24.1 | 23.2 | 23.1 | 23.7 | NDC | | | | | |
| 1568 | 22.6 | 22.6 | 23.8 | 24.1 | 23.2 | 23.1 | 23.3 | 21.4 | 21.8e | NDC | | | |
| 1569 | 19.7 | 18.9 | 19.2 | 19.3 | 18.5 | 19.2 | 18.9 | 18.0 | 17.4e | NDC | | | |
| 1570 | 19.7 | 18.9 | 19.2 | 19.3 | 18.5 | 19.2 | 18.9 | 18.0 | 17.4e | NDC | | | |
| 1571 | 17.8 | 18.1 | 17.6 | 17.8 | 17.3 | 17.6 | 17.8 | 17.7 | 17.3e | NDC | | | |
| 1572 | 17.8 | 18.1 | 17.6 | 17.8 | 17.3 | 17.6 | 17.8 | 17.7 | 17.3e | NDC | | | |
| 1573 | 20.9 | 18.8 | 19.8 | 20.4 | 19.8 | 19.5 | 18.9 | 19.0 | 20.2 | 19.6 | 19.5 | 18.8 | 18.0 |
| 1574 | 20.9 | 18.8 | 19.8 | 20.4 | 19.8 | 19.5 | 18.9 | 19.0 | 20.2 | 19.6 | 19.5 | 18.8 | 18.0 |
| 1575 | 20.4 | 20.4 | 20.5 | 20.8 | 20.9 | 20.6 | 20.7 | 19.8 | 20.5 | 21.9 | 19.4 | 19.6 | 30.7 |
| 1576 | 20.4 | 20.4 | 20.5 | 20.8 | 20.9 | 20.6 | 20.7 | 19.8 | 20.5 | 21.9 | 19.4 | 19.6 | 30.7 |
| 1577 | 19.9 | 20.5 | 20.0 | 21.0 | 19.6 | 21.0 | 20.5 | 19.4 | 19.5 | 19.5 | 18.9 | 19.2 | 19.3 |
| 1578 | 19.9 | 20.5 | 20.0 | 21.0 | 19.6 | 21.0 | 20.5 | 19.4 | 19.5 | 19.5 | 18.9 | 19.2 | 19.3 |
| 1579 | 23.3 | 24.2 | 24.9 | 24.0 | 23.1 | 21.9 | 18.0 | 22.2 | 22.4 | 21.4 | 18.9 | 22.1 | 23.4 |
| 1580 | 23.3 | 24.2 | 24.9 | 24.0 | 23.1 | 21.9 | 18.0 | 10.5e | NDC | | | | |
| 1581 | 19.4 | 18.4 | 19.3 | 19.4 | 19.2 | 19.2 | 20.3 | 22.0 | 26.5 | 23.4 | 20.0 | 18.8 | 17.8 |
| 1582 | 19.4 | 18.4 | 19.3 | 19.4 | 19.2 | 19.2 | 20.3 | 22.0 | 26.5 | 23.4 | 20.0 | 18.8 | 17.8 |
| 1583r | 20.6 | 22.0 | 21.9 | 21.6 | 19.5 | 20.2 | 21.5 | 23.9 | 22.9 | 21.4 | 29.0e | NDC | |
| 1584r | 20.6 | 22.0 | 21.9 | 21.6 | 19.5 | 20.2 | 21.5 | 23.9 | 22.9 | 21.4 | 22.9 | 22.6 | 26.5 |
| 1585 | 18.3 | 18.9 | 18.5 | 19.5 | 18.7 | 19.1 | 17.8 | 18.1 | 17.9 | 19.0 | 17.5 | 18.6 | 18.8 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
rReplacement animal
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1586 | 18.3 | 18.9 | 18.5 | 19.5 | 18.7 | 19.1 | 17.8 | 18.1 | 17.9 | 19.0 | 17.5 | 18.6 | 18.8 |
| 1587 | 21.1 | 20.5 | 21.9 | 23.7 | 21.3 | 20.0 | 21.7 | 22.2 | 21.7 | 23.2 | 22.5 | 24.2 | 24.7 |
| 1588 | 21.1 | 20.5 | 21.9 | 23.7 | 21.3 | 20.0 | 21.7 | 22.2 | 21.7 | 23.2 | 22.5 | 24.2 | 24.7 |
| 1589 | 23.0 | 22.1 | 21.7 | 23.4 | 22.8 | 22.4 | 23.3 | 23.9 | 21.1 | 23.5 | 21.8 | 24.1 | 22.1 |
| 1590 | 23.0 | 22.1 | 21.7 | 23.4 | 22.8 | 22.4 | 23.3 | 23.9 | 21.1 | 23.5 | 21.8 | 24.1 | 22.1 |
| 1591 | 17.9 | 17.5 | 17.7 | 18.2 | 17.7 | 17.3 | 17.2 | 17.0 | 17.9 | 18.1 | 18.2 | 17.3 | 17.4 |
| 1592 | 17.9 | 17.5 | 17.7 | 18.2 | 17.7 | 17.3 | 17.2 | 17.0 | 17.9 | 18.1 | 18.2 | 17.3 | 17.4 |
| 1593 | 16.8 | 16.4 | 16.9 | 17.2 | 16.5 | 16.8 | 16.2 | 16.2 | 14.7 | 19.3 | 17.6 | 16.6 | 18.5 |
| 1594 | 16.8 | 16.4 | 16.9 | 17.2 | 16.5 | 16.8 | 16.2 | 16.2 | 14.7 | 19.3 | 17.6 | 16.6 | 18.5 |
| 1595 | 17.4 | 17.1 | 17.8 | 17.6 | 16.4 | 16.8 | 16.3 | 16.1 | 14.1 | 12.1 | 14.6 | 15.0 | 15.1 |
| 1596 | 17.4 | 17.1 | 17.8 | 17.6 | 16.4 | 16.8 | 16.3 | 16.1 | 14.1 | 12.1 | NDC | | |
| 1597 | 22.5 | 21.9 | 22.9 | 22.6 | 21.1 | 20.3 | 21.4 | 21.5 | 20.5 | 20.6 | 20.5 | 22.2 | 21.3 |
| 1598 | 22.5 | 21.9 | 22.9 | 22.6 | 21.1 | 20.3 | 21.4 | 21.5 | 20.5 | 20.6 | 20.5 | 22.2 | 21.3 |
| 1599 | 20.9 | 20.4 | 22.1 | 22.2 | 18.5 | 21.4 | 22.6 | 22.4 | 21.8 | 21.9 | 22.2 | 22.0 | 25.3 |
| 1600 | 20.9 | 20.4 | 22.1 | 22.2 | 18.5 | 21.4 | 22.6 | 22.4 | 21.8 | 21.9 | 22.2 | 22.0 | 25.3 |
| 1601 | 21.1 | 20.8 | 21.1 | 21.5 | 22.0 | 21.4 | 20.6 | 20.9 | 20.0 | 20.4 | 19.4 | 20.5 | 20.0 |
| 1602 | 21.1 | 20.8 | 21.1 | 21.5 | 22.0 | 21.4 | 20.6 | 20.9 | 20.0 | 20.4 | 19.4 | 20.5 | 20.0 |
| 1603 | 21.1 | 23.5 | 23.4 | 22.6 | 21.5 | 22.1 | 22.8 | 22.3 | 21.6 | 22.1 | 20.0 | 19.6 | 20.5 |
| 1604 | 21.1 | 23.5 | 23.4 | 22.6 | 21.5 | 22.1 | 22.8 | 22.3 | 21.6 | 22.1 | 19.5 | NDC | |
| 1605 | 22.8 | 23.8 | 24.9 | 22.9 | 22.9 | 23.5 | 23.4 | 24.0 | 22.4 | 23.3 | 22.9 | 24.1 | 22.0 |
| 1606 | 22.8 | 23.8 | 24.9 | 22.9 | 22.9 | 23.5 | 23.4 | 24.0 | 22.4 | 23.3 | 22.9 | 24.1 | 22.0 |
| 1607 | 25.0 | 24.2 | 25.6 | 25.6 | 24.1 | 23.8 | 26.3 | 25.3 | 25.1 | 25.6 | 26.3 | 25.3 | 25.6 |
| 1608 | 25.0 | 24.2 | 25.6 | 25.6 | 24.1 | 23.8 | 26.3 | 25.3 | 25.1 | 25.6 | 26.3 | 25.3 | 25.6 |
| 1609 | 20.1 | 19.6 | 17.4 | 16.7 | 25.9 | 20.8 | 22.3 | 21.6 | 32.4 | 23.0 | 21.8 | 21.2 | 21.5 |
| 1610 | 20.1 | 19.6 | 17.4 | 16.7 | 25.7[e] | NDC | | | | | | | |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1611 | 19.5 | 19.5 | 20.6 | 19.7 | 10.4 | 19.2 | 19.0 | 19.4 | 18.9 | 19.1 | 19.7 | 19.5 | 19.5 |
| 1612 | 19.5 | 19.5 | 20.6 | 19.7 | 10.4 | 19.2 | 19.0 | 19.4 | 18.9 | 19.1 | 19.7 | 19.5 | 19.5 |
| 1613 | 21.7 | 21.8 | 22.4 | 21.5 | 9.1[e] | 19.7 | 18.1 | 21.3 | 19.4 | 20.4 | 21.0 | 22.5 | 21.6 |
| 1614 | 21.7 | 21.8 | 22.4 | 21.5 | 9.1[e] | 19.7 | 18.1 | 21.3 | 19.4 | 20.4 | 21.0 | 23.6[e] | NDC |
| 1615 | 25.3 | 26.0 | 25.3 | 25.8 | 23.8 | 22.5 | 22.6 | 24.6 | 24.5 | 26.0 | 25.1 | 27.9 | 25.0 |
| 1616 | 25.3 | 26.0 | 25.3 | 25.8 | 23.8 | 22.5 | 22.6 | 24.6 | 24.5 | 26.0 | 25.1 | 27.9 | 25.0 |
| 1617 | 23.5 | 24.2 | 23.6 | 24.1 | 22.9 | 24.3 | 20.9 | 20.5 | 13.2 | 20.4 | 16.4[e] | NDC | |
| 1618 | 23.5 | 24.2 | 23.6 | 24.1 | 22.9 | 24.3 | 20.9 | 20.5 | 13.2 | 20.4 | 17.3 | 19.7 | 20.7 |
| 1619 | 19.1 | 19.0 | 20.3 | 19.8 | 18.0 | 19.3 | 17.9 | 22.9 | 18.1 | 19.8 | 20.5 | 21.4 | 20.9 |
| 1620 | 19.1 | 19.0 | 20.3 | 19.8 | 18.0 | 19.3 | 17.9 | 22.9 | 18.1 | 19.8 | 20.5 | 21.4 | 20.9 |
| 1621 | 19.4 | 21.1 | 19.5 | 17.8 | 17.2 | 17.3 | 17.2 | 23.9 | 20.2 | 19.5 | 17.8 | 19.2 | 19.6 |
| 1622 | 19.4 | 21.1 | 19.5 | 17.8 | 17.2 | 17.3 | 17.2 | 23.9 | 20.2 | 19.5 | 17.8 | 19.2 | 19.6 |
| 1623 | 21.4 | 19.6 | 20.9 | 20.1 | 20.4 | 21.1 | 19.5 | 21.9 | 20.9 | 21.2 | 21.0 | 22.0 | 22.1 |
| 1624 | 21.4 | 19.6 | 20.9 | 20.1 | 20.4 | 21.1 | 19.5 | 21.9 | 20.9 | 21.2 | 21.0 | 22.0 | 22.1 |
| 1625 | 22.0 | 21.9 | 21.5 | 23.1 | 22.5 | 22.2 | 21.7 | 20.8 | 20.1 | 21.4 | 21.8 | 21.8 | 21.8 |
| 1626 | 22.0 | 21.9 | 21.5 | 23.1 | 22.5 | 22.2 | 21.7 | 20.8 | 20.1 | 21.4 | 21.8 | 21.8 | 21.8 |
| 1627 | 18.8 | 18.5 | 18.7 | 18.4 | 18.0 | 18.5 | 18.3 | 19.3 | 19.2 | 19.7 | 17.5[e] | NDC | |
| 1628 | 18.8 | 18.5 | 18.7 | 18.4 | 18.0 | 18.5 | 18.3 | 19.3 | 19.2 | 19.7 | 19.2 | 19.1 | 10.7 |
| 1629 | 20.4 | 20.5 | 20.6 | 20.3 | 19.3 | 18.3 | 17.7 | 20.9 | 16.1 | 19.9 | 20.4 | 19.5 | 20.5 |
| 1630 | 20.4 | 20.5 | 20.6 | 20.3 | 19.3 | 18.3 | 17.7 | 20.9 | 16.1 | 19.9 | 20.4 | 19.5 | 20.5 |
| 1631 | 20.2 | 16.6 | 17.3 | 18.6 | 16.4 | 16.2 | 14.4 | 17.4 | 16.1 | 17.6 | 16.6 | 18.4 | 17.0 |
| 1632 | 20.2 | 16.6 | 17.3 | 18.6 | 16.4 | 16.2 | 14.4 | 17.4 | 16.1 | 17.6 | 16.6 | 18.4 | 17.0 |
| 1633 | 18.7 | 18.5 | 18.2 | 17.9 | 18.4 | 17.9 | 16.5 | 17.6 | 17.5 | 17.7 | 18.3 | 18.3 | 18.4 |
| 1634 | 18.7 | 18.5 | 18.2 | 17.9 | 18.4 | 17.9 | 16.5 | 17.6 | 17.5 | 17.7 | 18.3 | 18.3 | 18.4 |
| 1635 | 20.7 | 20.3 | 21.5 | 21.3 | 20.1 | 21.1 | 17.7 | 20.0 | 18.8 | 19.9 | 20.6 | 21.0 | 21.1 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 38# | 40# | 42# | 44# | 46# | 48# | 50# | 52# | 54# | 56# | 58# | 60# | 62# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1636 | 20.7 | 20.3 | 21.5 | 21.3 | 20.1 | 21.1 | 17.7 | 20.0 | 18.8 | 19.9 | 20.6 | 21.0 | 21.1 |
| 1637 | 19.0 | 18.6 | 18.6 | 18.7 | 16.7 | 17.3 | 16.1 | 18.2 | 17.3 | 17.5 | 17.3 | 17.0 | 16.9 |
| 1638 | 19.0 | 18.6 | 18.6 | 18.7 | 16.7 | 17.3 | 16.1 | 18.2 | 17.3 | 17.5 | 17.3 | 17.0 | 16.9 |
| 1640 | 18.9 | 19.6 | 14.6 | 22.8 | 19.7 | 19.7 | 15.7 | 18.4 | 18.7 | 19.7 | 19.9 | 17.4 | 18.1 |

#Cage food consumption divided by number of animals per cage

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1333 | 17.0 | 17.5 | 17.1 | 17.5 | 17.1 | 19.2 | 18.6 | 19.0 | 18.5 | 19.3 | 17.9 | 17.8 | 14.4 |
| 1334 | 17.0 | 17.5 | 17.1 | 17.5 | 17.1 | 19.2 | 18.6 | 19.0 | 18.5 | 19.3 | 17.9 | 17.8 | 14.4 |
| 1335 | 18.7 | 18.9 | 17.0 | 18.8 | 16.4 | 17.8 | 17.4 | 17.0 | 18.1 | 18.4 | 18.5 | 19.1 | 18.6 |
| 1336 | 18.7 | 18.9 | 17.0 | 18.8 | 16.4 | 17.8 | 17.4 | 17.0 | 18.1 | 18.4 | 18.5 | 19.1 | 18.6 |
| 1338 | 20.4 | 19.6 | 18.1 | 21.1 | 18.4 | 20.3 | 18.6 | 18.2 | 17.0 | 19.2 | 12.6 | 10.0 | 8.3[e] |
| 1339 | 20.3 | 20.3 | 20.6 | 21.2 | 19.6 | 19.1 | 17.2 | 16.1 | 16.9 | 19.3 | 18.8 | 19.2 | 19.5 |
| 1340 | 20.3 | 20.3 | 20.6 | 21.2 | 19.6 | 19.1 | 17.2 | 16.1 | 16.9 | 19.3 | 18.8 | 19.2 | 19.5 |
| 1342 | 19.6 | 21.6 | 22.2 | NDC | | | | | | | | | |
| 1343 | 8.1 | 11.6 | 14.0 | 18.3 | 16.6 | 0.0[e] | NDC | | | | | | |
| 1345 | 14.1 | 14.8 | 15.5 | 16.9 | 17.0 | 17.5 | 20.4 | 21.7 | 16.6 | 19.1 | 16.4 | 5.6[e] | NDC |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1346 | | | | | | | | | | | | | |
| 1347 | 20.8 | 19.2 | 20.0 | 20.6 | 19.9 | 20.7 | 7.5[e] | 17.3 | 19.5 | 18.7 | 17.3 | 14.3 | 13.6 |
| 1348 | 20.8 | 19.2 | 20.0 | 20.6 | 19.9 | 20.7 | 7.5[e] | 17.3 | 19.5 | 18.7 | 17.3 | 14.3 | 14.0 |
| 1349 | 17.3 | 15.0 | 3.5[e] | NDC | | | | | | | | | |
| 1350 | 17.3 | 15.0 | 0.0[e] | NDC | | | | | | | | | |
| 1351 | 21.0 | 20.0 | 20.9 | 20.2 | 13.9[e] | NDC | | | | | | | |
| 1352 | 21.0 | 20.0 | 20.9 | 20.2 | 19.0 | 20.9 | 21.8 | 23.1 | 21.2 | 23.5 | 21.3 | 20.6 | 21.4 |
| 1353 | 19.8 | 20.5 | 20.6 | 21.6 | 20.3 | 20.8 | 21.7 | 17.9 | 20.3 | 20.4 | 16.1 | 10.2 | 12.9 |
| 1354 | 19.8 | 20.5 | 20.6 | 21.6 | 20.3 | 20.8 | 21.7 | 17.9 | 20.3 | 20.4 | 16.1 | 10.2 | 12.9 |
| 1355 | 15.9 | 16.7 | 19.6 | 22.4 | 20.1 | 19.5 | 20.9 | 21.4 | 19.1 | 22.4 | 20.0 | 24.8 | 21.0 |
| 1356 | 15.9 | 16.7 | 22.7[e] | NDC | | | | | | | | | |
| 1357 | 19.0 | 19.0 | 19.9 | 19.1 | 19.3 | 20.4 | 19.8 | 18.7 | 19.8 | 21.3 | 19.0 | 19.9 | 21.0 |
| 1358 | 19.0 | 19.0 | 19.9 | 19.1 | 19.3 | 20.4 | 19.8 | 18.7 | 19.8 | 21.3 | 19.0 | 19.9 | 21.0 |
| 1359 | 16.5 | 12.4 | 14.4 | 16.8 | 17.0 | 0.0[e] | NDC | | | | | | |
| 1360 | 16.5 | 12.4 | 14.4 | 16.8 | 17.0 | 20.0 | 21.0 | 19.3 | 16.0 | 19.6 | 14.3 | 13.1 | 8.8 |
| 1361 | 22.8 | 22.1 | 21.5 | 22.9 | 23.4 | 23.4 | 21.8 | 19.9 | 22.3 | 21.8 | 19.5 | 19.4 | 21.3 |
| 1362 | 22.8 | 22.1 | 21.5 | 22.9 | 23.4 | 23.4 | 21.8 | 19.9 | 22.3 | 21.8 | 19.5 | 19.4 | 21.3 |
| 1363 | 17.0 | 25.0 | 21.6 | 22.6 | 23.3 | 23.1 | 23.9 | 23.1 | 21.9 | 24.6 | 23.5 | 23.0 | 27.3[e] |
| 1364 | 17.0 | 25.0 | 21.6 | 22.8[e] | NDC | | | | | | | | |
| 1365 | 18.6 | 18.9 | 18.9 | 20.5 | 20.6 | 20.2 | 20.3 | 17.3 | 18.0 | 18.4 | 18.9 | 17.7 | 16.7 |
| 1366 | 18.6 | 18.9 | 18.9 | 20.5 | 20.6 | 20.2 | 20.3 | 17.3 | 18.0 | 18.4 | 18.9 | 17.7 | 16.7 |
| 1367 | 22.2 | 20.5 | 21.4 | 21.8 | 20.3 | 20.4 | 20.7 | 18.6 | 18.6 | 20.1 | 19.6 | 21.1 | 20.3 |
| 1368 | 22.2 | 20.5 | 21.4 | 21.8 | 20.3 | 20.4 | 20.7 | 18.6 | 18.6 | 20.1 | 19.6 | 21.1 | 20.4 |
| 1369 | 16.3 | 14.8 | 15.7 | 15.9 | 16.2 | 16.5 | 14.9 | 13.5 | 16.6 | 17.3 | 15.0 | 15.1 | 12.1[e] |
| 1370 | 16.3 | 14.8 | 15.7 | 15.9 | 16.2 | 16.5 | 14.9 | 13.5 | 16.6 | 17.3 | 15.0 | 15.1 | 12.5 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1372 | 19.1 | 17.0 | 17.9 | 18.9 | 19.5 | 20.9 | 18.2 | 19.5 | 16.1 | 19.3 | 17.3 | 18.1 | 17.7 |
| 1374 | 20.3 | 20.3 | 20.4 | 19.9 | 20.2 | 19.5 | 21.1 | 21.3 | 20.1 | 20.6 | 20.6 | 19.3 | 20.0 |
| 1375 | 20.6 | 19.7 | NDC | | | | | | | | | | |
| 1376 | 20.6 | 20.1 | 23.6 | 23.4 | 24.4 | 24.8 | 24.9 | 20.4 | 31.7 | 29.0 | 29.3 | 29.2 | 34.0[e] |
| 1378 | 18.7 | 18.5 | 16.6 | 19.2 | 19.9 | 18.8[e] | NDC | | | | | | |
| 1379 | 15.4 | 22.2[e] | NDC | | | | | | | | | | |
| 1381 | 15.1 | 14.5 | 12.0[e] | NDC | | | | | | | | | |
| 1382 | 15.1 | 14.5 | 19.7 | 21.4 | 21.3 | 21.5 | 22.7 | 21.9 | 20.4[e] | NDC | | | |
| 1383 | 20.6 | 21.6 | 25.2 | 19.9 | 19.2 | 18.7 | 21.1 | 18.5 | 18.2[e] | NDC | | | |
| 1384 | 20.6 | 21.6 | 25.2 | 19.9 | 19.2 | 18.7 | 21.1 | 18.5 | 15.4 | 19.2 | 19.7 | 18.6 | 22.4 |
| 1385 | 18.9 | 21.9 | 19.4 | 20.5 | 19.6 | 19.8 | 17.0 | 16.1 | 17.7 | 16.1 | 15.5 | 13.8 | 12.0 |
| 1386 | 18.9 | 21.9 | 19.4 | 20.5 | 19.6 | 19.8 | 17.0 | 16.1 | 17.7 | 16.1 | 15.5 | 13.8 | 11.7 |
| 1387 | 11.4 | 16.7 | 23.7 | 20.1 | 14.6 | 8.4 | 8.6 | NDC | | | | | |
| 1388 | 11.4 | 11.1[e] | NDC | | | | | | | | | | |
| 1389 | 19.0 | 19.4 | 20.1 | 20.5 | 20.1 | 18.9 | 19.3 | 19.0 | 20.0 | 19.8 | 18.1 | 19.1 | 20.1 |
| 1390 | 19.0 | 19.4 | 20.1 | 20.5 | 20.1 | 18.9 | 19.3 | 19.0 | 20.0 | 19.8 | 18.1 | 19.1 | 19.5[e] |
| 1391 | 20.7 | 12.4 | 21.2 | 21.8 | 21.3 | 21.1 | 20.5 | 16.9 | 20.4 | 20.0 | 20.0 | 19.3 | 17.4 |
| 1392 | 20.7 | 12.4 | 21.2 | 21.8 | 21.3 | 21.1 | 20.5 | 16.9 | 20.4 | 20.0 | 20.0 | 19.3 | 17.4 |
| 1393 | 17.8 | 16.9 | 17.5 | 16.5 | 16.5 | 17.6 | 17.5 | 16.0 | 17.9 | 16.8 | 16.2 | 14.5 | 8.4[e] |
| 1394 | 17.8 | 16.9 | 17.5 | 16.5 | 16.5 | 17.6 | 17.5 | 16.0 | 17.9 | 16.8 | 16.2 | 14.5 | 8.1 |
| 1395 | NDC | | | | | | | | | | | | |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 0 mg/kg/day | | | | | | | | | | | | | |
| 1396 | 21.1 | 20.6 | 4.0 | 4.3e | NDC | | | | | | | | |
| 1397 | 21.8 | 21.8 | 21.5 | 24.1 | 21.9 | 23.0 | 22.5 | 18.4 | 21.5 | 21.6 | 20.4 | 21.9 | 15.7 |
| 1398 | 21.8 | 21.8 | 21.5 | 24.1 | 21.9 | 23.0 | 22.5 | 18.4 | 21.5 | 21.6 | 20.4 | 21.9 | 15.7 |
| 1400 | 21.4 | 20.6 | 21.4 | 21.4 | 20.7 | 20.4 | 19.6 | 17.9 | 19.5 | 19.6 | 13.6 | 18.2 | 16.1 |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1412 | 20.9 | 18.4 | 21.2 | 23.1 | 22.6 | 22.6 | 21.0 | 17.5 | 16.2 | 18.8 | 20.9 | 21.4 | 19.4 |
| 1413 | 15.6 | 16.5 | 16.0 | 17.2 | 17.4 | 17.6 | 16.6 | 16.5 | 16.7 | 17.7 | 18.0 | 17.0 | 11.0[e] |
| 1414 | 15.6 | 16.5 | 16.0 | 17.2 | 17.4 | 17.6 | 16.6 | 16.5 | 16.7 | 17.7 | 18.0 | 17.0 | 17.1 |
| 1415 | 19.1 | 19.0 | 20.1 | 19.1 | 19.0 | 19.0 | 17.7 | 15.4 | 26.9[e] | 18.2 | 17.7 | 18.6 | 17.1 |
| 1416 | 19.1 | 19.0 | 20.1 | 19.1 | 19.0 | 19.0 | 17.7 | 15.4 | 26.9[e] | 18.2 | 17.7 | 18.6 | 17.1 |
| 1417 | 18.5 | 19.3 | 19.4 | 20.7 | 20.0 | 20.1 | 18.9 | 18.1 | 20.2 | 20.9 | 19.3 | 17.1 | 15.8 |
| 1418 | 18.5 | 19.3 | 19.4 | 20.7 | 20.0 | 20.1 | 18.9 | 18.1 | 20.2 | 20.9 | 19.3 | 17.1 | 15.8 |
| 1419 | 20.0 | 20.2 | 20.0 | 20.6 | 23.3 | 22.7 | 20.3 | 20.3 | 19.7 | 22.2 | 22.6 | 18.8 | 19.9 |
| 1420 | 20.1[e] | NDC | | | | | | | | | | | |
| 1422 | 16.1 | 16.7 | 15.9 | 12.3 | 11.8 | 13.6 | 14.5 | 15.3[e] | NDC | | | | |
| 1423 | 13.4[e] | NDC | | | | | | | | | | | |
| 1424 | 12.5 | 16.3 | 15.1 | 15.3 | 15.4 | 16.3 | 16.4 | 14.6 | 15.9 | 15.6 | 15.1 | 15.6 | 16.1 |
| 1425 | 16.9 | 18.4 | 17.6 | 18.4 | 16.5 | 17.0 | 17.1 | 18.6 | 16.6 | 19.7 | 15.5 | 16.7 | 16.8 |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1426 | 16.9 | 18.4 | 17.6 | 18.4 | 16.5 | 17.0 | 17.1 | 18.6 | 16.6 | 19.7 | 12.9e | NDC | |
| 1427 | 17.6 | 17.6 | 18.3 | 17.7 | 14.5 | 10.8e | NDC | | | | | | |
| 1428 | 17.6 | 17.6 | 18.3 | 17.7 | 14.5 | 15.3 | 15.9 | 11.0 | 6.5 | 11.8e | NDC | | |
| 1429 | 19.1 | 20.6 | 20.8 | 19.8 | 19.0 | 20.7 | 18.2 | 16.5 | 19.7 | 20.2 | 20.2 | 19.3 | 19.3 |
| 1430 | 19.1 | 20.6 | 20.8 | 19.8 | 19.0 | 20.7 | 18.2 | 16.5 | 19.7 | 20.2 | 20.2 | 19.3 | 19.3 |
| 1431 | 19.0 | 19.6 | 19.8 | 19.0 | 20.0 | 19.0 | 18.7 | 16.3 | 17.2 | 18.0 | 17.8 | 17.3 | 18.2 |
| 1432 | 19.0 | 19.6 | 19.8 | 19.0 | 20.0 | 19.0 | 18.7 | 16.3 | 17.2 | 18.0 | 17.8 | 17.3 | 18.2 |
| 1433 | 18.4 | 17.5 | 19.3 | 19.0 | 19.3 | 14.5 | 11.4 | 13.0 | NDC | | | | |
| 1434 | 18.4 | 17.5 | 19.3 | 19.0 | 19.3 | 14.5 | 11.4 | 12.4 | 14.4 | 17.6 | 16.8 | 17.1 | 17.1 |
| 1435 | 17.4 | 18.4 | 19.0 | 18.4 | 18.9 | 17.4 | 16.7 | 16.0 | 18.1 | 18.8 | 19.5 | 19.0 | 19.1 |
| 1436 | 17.4 | 18.4 | 19.0 | 18.4 | 18.9 | 17.4 | 16.7 | 16.0 | 18.1 | 18.8 | 19.5 | 19.0 | 19.1 |
| 1437 | 18.7 | 18.5 | 18.3 | 18.4 | 19.6 | 18.5 | 23.0 | 17.9 | 14.1 | 19.7 | 18.2 | 16.0 | 17.9 |
| 1438 | 18.7 | 18.5 | 18.3 | 18.4 | 19.6 | 18.5 | 23.0 | 17.9 | 14.1 | 19.7 | 18.2 | 16.0 | 17.9 |
| 1439 | 18.0 | 20.4 | 19.4 | 20.6 | 19.8 | 18.6 | 19.3 | 17.1 | 18.2 | 18.8 | 19.2 | 18.5 | 19.1 |
| 1440 | 18.0 | 20.4 | 19.4 | 20.6 | 19.8 | 18.6 | 19.3 | 17.1 | 18.2 | 18.8 | 19.2 | 18.5 | 19.1 |
| 1441 | 18.5 | 18.6 | 20.3 | 19.7 | 15.0 | 17.3 | 18.1e | NDC | | | | | |
| 1442 | 18.5 | 18.6 | 20.3 | 19.7 | 15.0 | 17.3 | 21.6 | 25.4 | 26.3 | 21.2 | 28.8 | 25.4e | NDC |
| 1443 | 16.4 | 16.8 | 17.5 | 19.5 | 17.9 | 17.6 | 16.6 | 17.5 | 17.1 | 18.1 | 19.5 | 19.7 | 19.9 |
| 1444 | 16.4 | 16.8 | 17.5 | 19.5 | 17.9 | 17.6 | 16.6 | 17.6e | NDC | | | | |
| 1446 | 31.1 | 24.3 | 23.9 | 58.0e | NDC | | | | | | | | |
| 1447 | 20.6 | 20.8 | 21.7 | 20.9 | 21.3 | 20.6 | 19.9 | 18.9 | 19.8 | 22.0 | 21.7 | 17.9 | 22.9 |
| 1448 | 20.6 | 20.8 | 21.7 | 20.9 | 21.3 | 20.6 | 19.9 | 18.9 | 19.8 | 22.0 | 21.7 | 17.9 | 17.0e |
| 1449 | 22.6 | 22.5 | 16.3 | 17.1 | 20.1 | 19.9 | NDC | | | | | | |
| 1450 | 22.6 | 22.5 | 16.3 | 17.1 | 20.1 | 18.9 | 19.6 | 17.4 | 18.6 | 20.6 | 19.7 | 20.0 | 20.2 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1451 | 18.2 | 18.3 | 19.6 | 18.9 | 19.4 | 17.6 | 16.4 | 13.4 | 17.5 | 19.1 | 17.6 | 19.0 | 21.7 |
| 1452 | 18.2 | 18.3 | 19.6 | 18.9 | 19.4 | 17.6 | 16.4 | 13.4 | 17.5 | 23.0[e] | NDC | | |
| 1454 | 16.9 | 18.9 | 17.6 | 16.4 | 18.6 | 18.9 | 19.4 | 17.5 | 19.1 | 18.9 | 18.3 | 18.5 | 18.1 |
| 1455 | 19.9 | 20.2 | 20.9 | 20.0 | 19.4 | 20.3 | 18.8 | 17.3 | 16.6 | 20.6 | 17.8 | 11.8 | 0.0[e] |
| 1456 | 19.9 | 20.2 | 20.9 | 20.0 | 19.4 | 20.3 | 18.8 | 17.3 | 16.6 | 20.6 | 17.8 | 0.0[e] | NDC |
| 1457 | 19.6 | 20.3 | 19.8 | 17.0 | 20.1 | 21.7 | 18.7 | 14.2 | 15.0 | 12.6[e] | NDC | | |
| 1459 | 22.2 | 21.9 | 20.4 | 8.8 | 14.5 | 13.4 | 16.8[e] | NDC | | | | | |
| 1460 | 22.2 | 21.9 | 20.4 | 8.8 | 14.5 | 13.4 | 18.8 | 18.9 | 18.5 | 18.9 | 20.9 | 20.0 | 20.5 |
| 1461 | 20.6 | 18.1 | 20.7 | 21.1 | 20.5 | 22.8[e] | NDC | | | | | | |
| 1463 | 18.4 | 18.5 | 18.5 | 18.2 | 18.3 | 17.4 | 15.0 | 9.3 | 13.3 | 19.9 | 19.9 | 14.7 | 18.1 |
| 1464 | 18.4 | 18.5 | 18.5 | 18.2 | 18.3 | 17.4 | 15.0 | 9.3 | 8.2[e] | NDC | | | |
| 1465 | 17.3 | 15.9 | 18.7 | 18.3 | 14.9 | 11.6 | 7.8 | 14.6 | 3.8[e] | NDC | | | |
| 1467 | 16.6 | 18.3 | 18.6 | 15.3 | 16.5 | 16.6 | 13.5 | 20.6 | 17.9 | 18.9 | 16.4 | 15.8 | 17.6 |
| 1468 | 16.6 | 18.3 | 18.6 | 15.3 | 16.5 | 16.6 | 13.5 | 20.6 | 13.4[e] | NDC | | | |
| 1469 | 13.1 | 17.2 | 15.6 | 16.9 | 17.7 | 17.9 | 17.6 | 15.6 | 16.9 | 17.1 | 15.4 | 16.0 | 16.5 |
| 1470 | 15.8[e] | NDC | | | | | | | | | | | |
| 1471 | 16.6 | 16.7 | 16.5 | 17.0 | 17.8 | 18.5 | 16.1 | 15.3 | 16.0 | 16.2 | 11.4 | 14.3 | 18.6 |
| 1472 | 16.6 | 16.7 | 16.5 | 17.0 | 17.8 | 18.5 | 16.1 | 15.3 | 16.0 | 16.2 | 11.4 | 10.6[e] | NDC |
| 1473 | 17.2 | 16.2 | 18.4 | 17.9 | 17.6 | 18.6 | 18.8 | 18.9 | 15.7 | 18.0 | 20.5 | 18.4 | 20.7 |
| 1475 | 16.3 | 17.4 | 16.8 | 17.1 | 16.3 | 18.1 | 17.1 | 15.8 | 16.9 | 17.7 | 17.5 | 16.1 | 14.3 |

[#]Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 1 mg/kg/day | | | | | | | | | | | | | |
| 1476 | 16.3 | 17.4 | 16.8 | 17.1 | 16.3 | 18.1 | 17.1 | 15.8 | 16.9 | 17.7 | 17.5 | 16.1 | 14.1 |
| 1477 | 18.8 | 18.5 | 19.3 | 18.5 | 19.0 | 19.3 | 19.3 | 15.8 | 16.5 | 15.1 | 13.0 | 10.5 | 8.1[e] |
| 1478 | 18.8 | 18.5 | 19.3 | 18.5 | 19.0 | 19.3 | 19.3 | 15.8 | 16.5 | 15.1 | 13.0 | 10.5 | 14.5 |
| 1479 | 18.8 | 18.9 | 21.0 | 21.6 | 19.8 | 16.6 | 13.4 | 12.5 | 15.4 | 20.1 | 18.1 | 19.8 | 19.6 |
| 1480 | 18.8 | 18.9 | 21.0 | 21.6 | 19.8 | 16.6 | 13.4 | 11.9 | NDC | | | | |

[#]Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1491 | 19.6 | 19.6 | 20.6 | 18.9 | 13.4 | 14.4 | 21.9 | 23.6 | 20.5 | 18.8 | 25.5 | 24.0 | 24.1 |
| 1492 | 19.6 | 19.6 | 20.6 | 18.9 | 13.4 | 13.8 | NDC | | | | | | |
| 1493 | 13.7 | 17.2 | 16.9[e] | NDC | | | | | | | | | |
| 1494 | 13.7 | 17.2 | 19.3 | 22.5 | 22.9 | 23.2 | 19.4 | 21.3 | 23.4 | 23.0 | 22.8 | 21.7 | 23.4 |
| 1495 | 20.8 | 22.1 | 21.4 | 21.0 | 13.2 | 22.1 | 21.7 | 20.3 | 21.5 | 20.4 | 19.8 | 20.2 | 19.5 |
| 1496 | 20.8 | 22.1 | 21.4 | 21.0 | 13.2 | 22.1 | 21.7 | 20.3 | 21.5 | 20.4 | 19.8 | 20.2 | 19.5 |
| 1499 | 17.3 | 18.3 | 17.8 | 18.6 | 19.1 | 18.7 | 21.0 | 21.2 | 22.1 | 21.4 | 23.5 | 23.4 | 23.5 |
| 1500 | 17.3 | 18.3 | 17.8 | 18.6 | 19.1 | 18.7 | 21.0 | 21.2 | 22.1 | 21.4 | 23.5 | 23.4 | 25.3 |
| 1501 | NDC | | | | | | | | | | | | |
| 1502 | NA | 18.7 | 21.1 | 20.3 | 22.0 | 21.6 | 20.1 | 18.4 | 20.1 | 20.6 | 21.1 | 18.4 | 21.8 |
| 1503 | 21.9 | 19.5 | 21.1 | 21.7 | 21.5 | 20.2 | 20.9 | 20.2 | 21.5 | 22.5 | 20.4 | 17.8 | 14.4 |
| 1504 | 23.5 | NDC | | | | | | | | | | | |
| 1505 | 15.8 | 20.0 | 21.6 | 22.8 | 22.0 | 23.0 | 22.3 | 21.4 | 22.2 | 24.6 | 17.1 | 4.3[e] | NDC |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NA - Not Applicable/Not Available

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1506 | 12.0e | NDC | | | | | | | | | | | |
| 1507 | NDC | | | | | | | | | | | | |
| 1508 | 12.9 | 19.3 | 18.4 | 18.5 | 20.3 | 20.1 | 19.5 | 19.2 | 20.1 | 20.7 | 21.3 | 21.6 | 21.9 |
| 1509 | 16.8 | 18.7 | 18.1 | 18.6 | 20.5 | 19.9 | 19.4 | 20.0 | 22.3 | 23.0 | 21.6 | 19.6 | 19.6 |
| 1510 | 16.8 | 18.7 | 19.0 | NDC | | | | | | | | | |
| 1511 | 17.3 | 21.3 | 23.0 | 23.1 | 23.8 | 20.2 | 11.1 | 6.6e | NDC | | | | |
| 1515 | 17.4 | 17.3 | 17.7 | 17.6 | 16.6 | 16.4 | 12.3 | NDC | | | | | |
| 1516 | 17.4 | 17.3 | 17.7 | 17.6 | 16.6 | 16.4 | 12.7 | 17.8 | 18.3 | 19.9 | 19.9 | 16.9 | 19.6 |
| 1517 | 20.0 | 20.9 | 18.6 | 18.5 | 21.9 | 20.6 | 16.3 | 15.8 | NDC | | | | |
| 1519 | 18.6 | 19.2 | 18.9 | 19.0 | 17.3 | 15.7 | 15.9 | 15.6 | 15.3e | NDC | | | |
| 1520 | 18.6 | 19.2 | 18.9 | 19.0 | 17.3 | 15.7 | 15.9 | 15.6 | 19.1 | 21.7 | 21.2 | 22.6 | 21.9 |
| 1521 | 17.8 | 19.5 | 19.5 | 18.6 | 18.9 | 19.4 | 18.9 | 15.6 | 15.6 | 12.9 | 13.4 | 17.5 | 8.3e |
| 1522 | 17.8 | 19.5 | 19.5 | 18.6 | 18.9 | 19.4 | 18.9 | 15.6 | 15.6 | 9.0e | NDC | | |
| 1523 | 17.3 | 16.9 | 17.7 | 17.5 | 14.0 | 18.0 | 16.4 | 15.4 | 16.4 | 16.7 | 14.4 | 14.3 | 22.0 |
| 1524 | 17.3 | 16.9 | 17.7 | 17.5 | 14.0 | 18.0 | 16.4 | 15.4e | NDC | | | | |
| 1525 | 20.7 | 19.0 | 18.9 | 19.5 | 17.9 | 14.8 | 8.0e | NDC | | | | | |
| 1526 | 20.7 | 19.0 | 18.9 | 19.5 | 17.9 | 14.8 | 15.0 | 17.3 | 19.6 | 20.6 | 19.4 | 17.4 | 22.0 |
| 1527 | 19.9 | 21.1 | 21.4 | 22.3 | 33.3 | 20.8 | 20.1 | 19.6 | 19.6 | 21.7 | 21.8 | 21.5 | 24.5 |
| 1528 | 19.9 | 21.1 | 21.4 | 22.3 | 33.3 | 20.8 | 20.1 | 19.6 | 19.6 | 21.7 | 21.8 | 21.5 | 24.4 |
| 1529 | 17.2e | NDC | | | | | | | | | | | |
| 1530 | 17.4 | 18.3 | 12.3 | 11.1 | 24.5 | 22.9 | 20.1 | 12.0e | NDC | | | | |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1531 | 16.9 | 16.7 | 17.1 | 16.8 | 17.0 | 16.3 | 16.8 | 16.4 | 17.1 | 15.0 | 10.1 | 9.4e | NDC |
| 1532 | 16.9 | 16.7 | 17.1 | 16.8 | 17.0 | 16.3 | 16.8 | 16.4 | 17.1 | 15.0 | 10.1 | 13.0 | 21.3 |
| 1533 | 20.1 | 20.8 | 19.3 | 21.5 | 20.1 | 19.4 | 17.3 | 17.2 | 19.1 | 0.0e | NDC | | |
| 1534 | 20.1 | 20.8 | 19.3 | 21.5 | 20.1 | 19.4 | 17.3 | 17.2 | 19.1 | 12.1 | 2.9 | NDC | |
| 1535 | 21.7 | 21.7 | 23.0 | 24.6 | 21.9 | 24.3 | 21.0e | NDC | | | | | |
| 1537 | 20.5 | 21.1 | 21.3 | 20.6 | 20.9 | 20.1 | 19.3 | 15.7 | 13.4 | 14.1 | NDC | | |
| 1538 | 20.5 | 21.1 | 21.3 | 20.6 | 20.9 | 20.1 | 19.3 | 15.7 | 13.4 | 14.6 | 21.2 | 23.2 | 24.4 |
| 1539 | 22.4 | 21.0 | 20.5 | 18.3 | 18.0 | 14.7 | 13.0e | NDC | | | | | |
| 1540 | 22.4 | 21.0 | 20.5 | 18.3 | 18.0 | 14.7 | 16.0 | 19.5 | 21.1 | 23.6 | 21.7 | 22.4 | 14.0 |
| 1541 | 22.8 | 23.1 | 21.0 | 22.0 | 22.8 | 20.3 | 20.4 | 21.1 | 22.6 | 22.4 | 22.5 | 21.3 | 19.7 |
| 1543 | 18.5 | 18.7 | 19.3 | 18.1 | 15.4 | 11.8 | 13.8 | 16.7 | 18.7 | 16.1 | 14.9 | 15.0 | 15.9 |
| 1544 | 18.5 | 18.7 | 19.3 | 18.1 | 15.4 | 11.8 | 11.4e | NDC | | | | | |
| 1546 | 20.6 | 20.9 | 21.9 | 21.1 | 22.6 | 21.2 | 21.5 | 19.4 | 21.7 | 21.4 | 22.1 | 22.0 | 21.6 |
| 1547 | 19.6 | 21.2 | 20.0 | 20.7 | 20.4 | 19.9 | 18.3 | 18.5 | 18.9 | 21.0 | 19.4 | 19.4 | 22.8 |
| 1548 | 19.6 | 21.2 | 20.0 | 20.7 | 20.4 | 19.9 | 18.3 | 18.5 | 18.9 | 21.0 | 19.4 | 19.4 | 20.7 |
| 1549 | 19.4 | 18.7 | 20.2 | 19.1 | 19.4 | 17.5 | 16.9 | 17.0 | 18.5 | 18.6 | 19.3 | 18.6 | 17.1 |
| 1550 | 19.4 | 18.7 | 20.2 | 19.1 | 19.4 | 17.5 | 16.9 | 17.0 | 18.5 | 18.6 | 19.3 | 18.6 | 17.1 |
| 1551 | 8.0 | 7.1 | 6.7e | NDC | | | | | | | | | |
| 1553 | 21.0 | 22.3 | 18.8 | 14.3 | 20.9 | 21.4 | 20.6 | 20.3 | 22.1 | 21.6 | 21.3 | 21.8 | 23.3 |
| 1554 | 21.0 | 22.3 | 18.8 | 12.0e | NDC | | | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 50 mg/kg/day | | | | | | | | | | | | | |
| 1556 | | | | | | | | | | | | | |
| 1557 | 18.6 | 19.3 | 19.6 | 18.8 | 19.8 | 19.5 | 19.8 | 17.9 | 19.3 | 20.3 | 19.1 | 16.3 | 17.9 |
| 1558 | 18.6 | 19.3 | 19.6 | 18.8 | 19.8 | 19.5 | 19.8 | 17.9 | 19.3 | 20.3 | 19.1 | 16.3 | 17.8 |
| 1559 | 15.7 | 16.9 | 16.6 | 17.2 | 18.4 | 14.9 | 19.0 | 18.3 | 17.6 | 18.1 | 18.9 | 17.9 | 19.1 |
| 1560 | 15.7 | 16.9 | 16.6 | 17.2 | 18.4 | 14.9 | 19.0 | 18.3 | 17.6 | NDC | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64[#] | 66[#] | 68[#] | 70[#] | 72[#] | 74[#] | 76[#] | 78[#] | 80[#] | 82[#] | 84[#] | 86[#] | 88[#] |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1573 | 18.8 | 19.7 | 20.2 | 19.4 | 18.7 | 14.8 | 19.7 | 20.0 | 19.6 | 20.5 | 19.4 | 18.4 | 19.9 |
| 1574 | 18.8 | 19.7 | 20.2 | 19.4 | 18.7 | 10.0[e] | NDC | | | | | | |
| 1575 | 22.5 | 21.4 | 22.3 | 21.0 | 24.8 | 21.8 | NDC | | | | | | |
| 1576 | 22.5 | 21.4 | 22.3 | 21.0 | 24.8 | 21.3 | 22.0 | 22.2 | 21.2 | 21.9 | 20.7 | 20.6 | 20.6 |
| 1577 | 18.1 | 18.4 | 18.4 | 18.3 | 18.6 | 18.8 | 19.8 | 19.9 | 18.7 | 19.3 | 19.0 | 19.4 | 14.6[e] |
| 1578 | 18.1 | 18.4 | 18.4 | 18.3 | 18.6 | 18.8 | 19.8 | 19.9 | 18.7 | 19.3 | 19.0 | 19.4 | 17.8 |
| 1579 | 23.0 | 24.9 | 24.1 | 24.2 | 22.5 | 23.8 | 24.2 | 23.3 | 24.6 | 23.6 | 25.0 | 23.6 | 22.8[e] |
| 1581 | 18.2 | 18.7 | 19.6 | 18.1 | 18.1 | 18.1 | 19.4 | 18.8 | 18.1 | 18.6 | 19.9 | 17.9 | 15.1 |
| 1582 | 18.2 | 18.7 | 19.6 | 18.1 | 18.1 | 18.1 | 19.4 | 18.8 | 18.1 | 18.6 | 19.9 | 17.9 | 15.1 |
| 1584[r] | 26.7 | 26.1 | 25.1 | 25.9 | 24.4 | 21.1 | 33.4 | 23.4[e] | NDC | | | | |
| 1585 | 17.6 | 19.6 | 19.4 | 20.1 | 20.1 | 19.9 | 20.5 | 19.6 | 20.4 | 19.6 | 16.6 | 18.7 | 16.0 |

[#]Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
[r]Replacement animal
[e]Excluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1586 | 17.6 | 19.6 | 19.4 | 20.1 | 20.1 | 19.9 | 20.5 | 19.6 | 20.4 | 19.6 | 16.6 | 31.3e | NDC |
| 1587 | 24.5 | 22.8 | 23.9 | 26.3 | 26.1 | 25.5 | 27.4 | 26.9 | 25.8 | 26.6 | 26.9 | 26.6 | 27.1 |
| 1588 | 24.5 | 22.8 | 23.9 | 26.3 | 26.1 | 25.5 | 27.4 | 26.9 | 25.8 | 28.0e | NDC | | |
| 1589 | 23.6 | 22.1 | 23.0 | 22.3 | 22.4 | 20.0 | 14.4 | 16.4 | 19.2 | 0.0e | NDC | | |
| 1590 | 23.6 | 22.1 | 23.0 | 22.3 | 22.4 | 20.0 | 14.4 | 16.4 | 19.2 | 21.1 | 22.1 | 18.6e | NDC |
| 1591 | 17.0 | 17.9 | 18.1 | 18.6 | 17.1 | 18.6 | 18.6 | 17.5 | 17.7 | 17.7 | 16.4 | 11.9e | NDC |
| 1592 | 17.0 | 17.9 | 18.1 | 18.6 | 17.1 | 18.6 | 18.6 | 17.5 | 17.7 | 17.7 | 16.4 | 15.0 | 18.0 |
| 1593 | 16.7 | 16.6 | 17.6 | 17.9 | 17.8 | 18.1 | 17.7 | 17.9 | 18.4 | 18.2 | 19.1 | 19.7 | 19.9 |
| 1594 | 16.7 | 16.6 | 17.6 | 17.9 | 17.8 | 18.1 | 17.7 | 17.9 | 18.4 | 18.2 | 19.1 | 19.7 | 19.9 |
| 1595 | 16.1 | 19.9 | 14.4 | 15.8 | 15.9 | 15.4 | 16.6 | 15.9 | 16.2 | 16.4 | 16.7 | 15.7 | 15.6 |
| 1597 | 21.5 | 21.1 | 21.6 | 23.0 | 22.9 | 22.6 | 26.0 | 23.0 | 23.9 | 24.9 | 24.2 | 23.7 | 22.5 |
| 1598 | 21.5 | 21.1 | 21.6 | 23.0 | 22.9 | 22.6 | 26.0 | 23.0 | 23.9 | 24.9 | 24.2 | 28.5e | NDC |
| 1599 | 19.1 | 22.0 | 24.5 | 23.9 | 27.3 | 28.1 | 27.5 | 27.3 | 28.3 | 28.2 | 31.1e | NDC | |
| 1600 | 19.1 | 22.0 | 24.5 | 23.9 | 27.3 | 28.1 | 27.5 | 27.3 | 28.3 | 28.2 | 30.1 | 32.2 | 29.1 |
| 1601 | 22.0 | 19.3 | 20.2 | 18.7e | NDC | | | | | | | | |
| 1602 | 22.0 | 19.3 | 20.2 | 19.5 | 21.6 | 19.9 | 20.7 | 21.7 | 20.9 | 17.6 | 8.3 | 0.5e | NDC |
| 1603 | 20.1 | 19.4 | 21.3 | 21.4 | 21.9 | 19.1 | 20.0 | 17.1 | 21.6 | 21.5 | 20.6 | 19.6 | 21.1 |
| 1605 | 18.3 | 14.5 | 15.5 | 13.6 | 11.3 | NDC | | | | | | | |
| 1606 | 18.3 | 14.5 | 15.3 | NDC | | | | | | | | | |
| 1607 | 26.9 | 24.9 | 25.5 | 28.4 | 26.0 | 26.0 | 24.9 | 27.2 | 26.3 | 27.1 | 28.6 | 25.1 | 26.5 |
| 1608 | 26.9 | 24.9 | 25.5 | 28.4 | 26.0 | 26.0 | 22.3e | NDC | | | | | |
| 1609 | 21.4 | 22.1 | 23.6 | 24.7 | 25.4 | 28.6 | 20.4 | 22.7 | 19.9 | 22.7 | 22.1 | 20.7 | 22.7 |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1611 | 22.9 | 20.6 | 21.6 | 21.0 | 20.8 | 21.6 | 21.8 | 21.3 | 21.4 | 21.8 | 20.8 | 20.4 | 21.7 |
| 1612 | 22.9 | 20.6 | 21.6 | 21.0 | 20.8 | 21.6 | 21.8 | 21.3 | 21.4 | 21.8 | 20.8 | 20.4 | 21.7 |
| 1613 | 23.4 | 20.9 | 22.4 | 24.2 | 23.4 | 24.6 | 22.1 | 23.3 | 23.4 | 23.5 | 23.5 | 20.7 | 21.4 |
| 1615 | 26.6 | 25.6 | 21.0 | 26.9 | 26.1 | 25.7 | 24.8 | 23.7 | NDC | | | | |
| 1616 | 26.6 | 25.6 | 21.0 | 26.9 | 26.1 | 25.7 | 24.8 | 23.6 | 26.7 | 23.1 | 7.7[e] | NDC | |
| 1618 | 15.1 | 19.9 | 19.0 | 21.0 | 20.9 | 19.6 | 21.4 | 23.2 | 21.6 | 22.3 | 21.9 | 22.1 | 22.9 |
| 1619 | 21.2 | 20.4 | 20.8 | 21.5 | 21.4 | 23.6 | 21.0 | 19.6 | 20.6 | 21.4 | 21.2 | 21.0 | 19.9 |
| 1620 | 21.2 | 20.4 | 20.8 | 21.5 | 21.4 | 23.6 | 21.0 | 19.6 | 20.6 | 21.4 | 21.2 | 21.0 | 19.9 |
| 1621 | 16.3 | 18.3 | 17.3 | 19.1 | 19.0 | 18.9 | 18.8 | 18.4 | 18.3 | 18.7 | 18.6 | 18.5 | 19.3 |
| 1622 | 16.3 | 18.3 | 17.3 | 19.1 | 19.0 | 18.9 | 18.8 | 18.4 | 18.3 | 18.7 | 18.6 | 18.5 | 19.3 |
| 1623 | 20.6 | 21.4 | 23.3 | 21.6 | 21.0 | 22.8 | 21.4 | 21.4 | 22.5 | 20.6 | 20.7 | 24.0 | 22.7 |
| 1624 | 20.6 | 21.4 | 23.3 | 21.6 | 21.0 | 22.8 | 21.4 | 21.4 | 22.5 | 20.6 | 20.7 | 0.0[e] | NDC |
| 1625 | 21.8 | 21.6 | 22.2 | 21.6 | 22.1 | 22.2 | 22.0 | 22.0 | 20.5 | 18.6 | 17.8[e] | NDC | |
| 1626 | 21.8 | 21.6 | 22.2 | 21.6 | 22.1 | 22.2 | 22.0 | 22.0 | 20.5 | 18.6 | 15.9 | NDC | |
| 1628 | 17.6 | 28.2 | 18.1 | 19.2 | 19.2 | 15.6 | 18.4 | 17.5 | 21.0 | 20.1 | 20.1 | 19.2 | 19.7 |
| 1629 | 20.4 | 20.0 | 21.3 | 20.8 | 20.2 | 20.6 | 20.2 | 21.2 | 21.6 | 22.2 | 21.9 | 21.7 | 21.9 |
| 1630 | 20.4 | 20.0 | 21.3 | 20.8 | 20.2 | 20.6 | 20.2 | 21.2 | 21.6 | 22.2 | 21.9 | 21.7 | 21.9 |
| 1631 | 16.4 | 17.0 | 17.5 | 22.5 | 16.0 | 16.0 | 18.4 | 18.0 | 17.6 | 16.2 | 16.1 | 17.5 | 17.0 |
| 1632 | 16.4 | 17.0 | 17.5 | 22.5 | 16.0 | 16.0 | 18.4 | 18.0 | 17.6 | 16.2 | 16.1 | 17.5 | 17.0 |
| 1633 | 17.7 | 17.2 | 19.1 | 18.8 | 17.6 | 18.0 | 18.6 | 17.5 | 19.4 | 19.1 | 18.6 | 19.1 | 16.3 |
| 1634 | 17.7 | 17.2 | 19.1 | 18.8 | 17.6 | 18.0 | 18.6 | 17.5 | 19.4 | 19.1 | 18.6 | 19.1 | 16.3 |
| 1635 | 19.8 | 15.7 | NDC | | | | | | | | | | |

#Cage food consumption divided by number of animals per cage
[e]Excluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 64# | 66# | 68# | 70# | 72# | 74# | 76# | 78# | 80# | 82# | 84# | 86# | 88# |
| 500 mg/kg/day | | | | | | | | | | | | | |
| 1636 | 19.8 | 15.6 | 19.1 | 20.2 | 20.4 | 19.5 | 17.5 | 11.0e | NDC | | | | |
| 1637 | 19.2 | 18.5 | 18.6 | 19.1 | 19.3 | 19.3 | 18.3 | 12.3 | 19.1 | 18.1 | 19.7 | 19.9 | 14.9e |
| 1638 | 19.2 | 18.5 | 18.6 | 19.1 | 19.3 | 19.3 | 18.3 | 12.3 | 19.1 | 18.1 | 19.7 | 19.9 | 17.4 |
| 1640 | 20.9 | 20.1 | 19.3 | 19.7 | 20.0 | 19.9 | 19.6 | 18.9 | 19.3 | 18.9 | 17.9 | 12.9 | 6.0e |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1333 | 11.6 | 11.3 | 10.0 | 14.7 | 11.1 | 11.4 | 15.0e | NDC |
| 1334 | 11.6 | 11.3 | 10.0 | 13.3e | NDC | | | |
| 1335 | 19.2 | 20.2 | 17.8 | 19.3 | 19.9 | 21.2 | 22.3e | NDC |
| 1336 | 19.2 | 20.2 | 17.9e | NDC | | | | |
| 1338 | NDC | | | | | | | |
| 1339 | 19.9 | 20.4 | 18.5 | 15.3 | 9.1 | 15.4 | 13.8e | NDC |
| 1340 | 19.9 | 20.4 | 18.5 | 15.3 | 9.1 | 8.0e | NDC | |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1347 | 16.1 | 18.6 | 19.6 | 19.7 | 24.9 | 18.5 | 22.3e | NDC |
| 1348 | NDC | | | | | | | |
| 1352 | 20.4 | 20.6 | 23.4 | 24.6 | 23.9 | 26.7 | 24.3e | NDC |
| 1353 | 13.5 | 17.1 | 20.8 | 19.6 | 20.6 | 20.6 | 15.0e | NDC |
| 1354 | 13.5 | 18.3e | NDC | | | | | |
| 1355 | 17.4 | 20.5 | 22.6 | 19.1 | 13.1 | 10.7 | 0.8e | NDC |
| 1357 | 19.5 | 20.5 | 19.3 | 20.9 | 20.3 | 17.7 | 21.0e | NDC |
| 1358 | 19.5 | 20.5 | 19.3 | 20.9 | 20.3 | 17.7 | 20.8e | NDC |
| 1360 | 14.0 | 11.1 | NDC | | | | | |
| 1361 | 19.8 | 15.7 | 4.9e | NDC | | | | |
| 1362 | 19.8 | 19.7e | NDC | | | | | |
| 1363 | NDC | | | | | | | |
| 1365 | 19.3 | 16.5 | 16.2 | 20.5 | 21.8 | 22.4 | 20.6e | NDC |
| 1366 | 19.3 | 18.3e | NDC | | | | | |
| 1367 | NDC | | | | | | | |
| 1368 | 16.9 | 17.6 | 17.8 | 19.6 | 20.5 | 21.2 | 21.0e | NDC |
| 1369 | NDC | | | | | | | |
| 1370 | 14.1 | 13.6 | 14.5 | 14.0 | 13.4 | 14.4 | 13.8e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1372 | 19.0 | 19.7 | 17.6 | 20.8 | 21.8 | 21.4 | 21.6e | NDC |
| 1374 | 19.9 | 19.6 | 21.3 | 19.2 | 13.8 | 23.1 | 20.4e | NDC |
| 1376 | NDC | | | | | | | |
| 1384 | 22.5 | 14.0e | NDC | | | | | |
| 1385 | 16.4 | 12.9 | 19.0 | 3.0e | NDC | | | |
| 1386 | NDC | | | | | | | |
| 1389 | 21.6 | 22.9 | 21.8 | 20.3 | 15.7 | 20.4 | 18.8e | NDC |
| 1390 | NDC | | | | | | | |
| 1391 | 19.9 | 19.4 | 16.8 | 16.1 | 11.8e | NDC | | |
| 1392 | 19.9 | 19.4 | 16.8 | 16.1 | 14.4 | 19.9 | 19.6e | NDC |
| 1393 | NDC | | | | | | | |
| 1394 | 6.0 | 10.9 | 11.8 | 14.6 | 13.3e | NDC | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 0 mg/kg/day | | | | | | | | |
| 1397 | 10.6 | 7.2 | 12.4 | 25.8 | 22.8 | 20.6 | 4.0e | NDC |
| 1398 | 10.6 | 7.2 | 12.4 | 0.0e | NDC | | | |
| 1400 | 4.2e | NDC | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1412 | 17.8 | 17.1 | 20.4 | 16.6 | 17.7e | NDC | | |
| 1413 | NDC | | | | | | | |
| 1414 | 16.9 | 16.0 | 13.9 | 8.0e | NDC | | | |
| 1415 | 16.1 | 16.5 | 15.5 | 21.5 | 17.6 | NDC | | |
| 1416 | 16.1 | 16.5 | 15.5 | 21.5 | 17.6 | 20.5 | 20.5e | NDC |
| 1417 | 16.2e | NDC | | | | | | |
| 1418 | 15.8 | 17.9 | 18.9 | 20.3 | 18.8 | 20.1 | 20.8e | NDC |
| 1419 | 14.9 | 16.9 | 19.9 | 17.8 | 15.9 | 23.9 | 23.3e | NDC |
| 1424 | 14.6 | 14.1 | 17.7 | 17.4 | 16.6 | 13.4 | 7.0e | NDC |
| 1425 | 19.6 | 20.3 | 20.9 | 18.9 | 17.7 | 21.8 | 19.5e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1429 | 19.5 | 20.8 | 20.7 | 20.5 | 19.2 | 18.5 | 18.6e | NDC |
| 1430 | 19.5 | 20.8 | 20.7 | 20.5 | 19.2 | 18.5 | 18.6e | NDC |
| 1431 | 18.2 | 18.5 | 20.3 | 19.1 | 24.7 | 20.3 | 16.9e | NDC |
| 1432 | 18.2 | 18.5 | 20.3 | 19.1 | 24.7 | 20.3 | 16.9e | NDC |
| 1434 | 17.1 | 17.0 | 17.0 | 15.6 | 14.6 | 14.8 | 13.0e | NDC |
| 1435 | 25.0 | 27.1 | 29.3 | 30.5 | 26.9 | 27.7 | 29.5e | NDC |
| 1436 | 24.9 | NDC | | | | | | |
| 1437 | 17.9 | 18.6 | 18.8 | 19.4 | 17.9 | 18.0 | 19.9e | NDC |
| 1438 | 17.9 | 18.6 | 18.8 | 19.4 | 17.9 | 18.0 | 19.9e | NDC |
| 1439 | 17.9 | 18.1 | 14.0 | 15.4 | 11.3e | NDC | | |
| 1440 | 17.9 | 18.1 | 14.0 | 15.4 | 14.1 | 19.4 | 22.2e | NDC |
| 1443 | NDC | | | | | | | |
| 1447 | 23.0 | 20.5 | 22.5 | 24.0 | 18.9 | 8.5 | 1.8e | NDC |
| 1448 | NDC | | | | | | | |
| 1450 | 19.9 | 19.9 | 18.8 | 18.0 | 18.5 | 20.6 | 18.4e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1451 | 22.0 | 23.3 | NDC | | | | | |
| 1454 | 18.4 | 19.2 | 19.0 | 14.1 | 13.7 | 16.6 | 15.4e | NDC |
| 1455 | NDC | | | | | | | |
| 1460 | 20.4 | 20.9 | 22.4 | 22.9 | 19.4 | 20.7 | 23.4e | NDC |
| 1463 | NDC | | | | | | | |
| 1467 | 18.0 | 17.9 | 17.7 | 16.9 | 16.7 | 17.8 | 15.8e | NDC |
| 1469 | 17.0 | 15.9 | 16.6 | 16.9 | 16.7 | 17.1 | 17.4e | NDC |
| 1471 | 19.1 | 18.4 | 17.5 | 16.4 | 15.3 | 16.0 | 19.0e | NDC |
| 1473 | 20.9 | 20.4 | NDC | | | | | |
| 1475 | 17.1 | 17.9 | 17.4 | 13.4 | 10.4 | 10.8 | 21.4e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 1 mg/kg/day | | | | | | | | |
| 1476 | NDC | | | | | | | |
| 1477 | NDC | | | | | | | |
| 1478 | 18.8 | NDC | | | | | | |
| 1479 | 17.1 | NDC | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1491 | 22.9 | 21.6 | 22.1 | 23.5 | 22.9 | 24.6 | 23.3e | NDC |
| 1494 | 22.0 | 22.3 | 21.6 | 21.8 | 19.7 | 9.3 | 2.5e | NDC |
| 1495 | 19.2 | 15.7 | 13.0 | NDC | | | | |
| 1496 | 19.2 | 15.7 | 15.1 | 21.5 | 21.4 | 20.2 | 22.0e | NDC |
| 1499 | NDC | | | | | | | |
| 1500 | 16.8 | 16.0 | 16.0 | 15.5 | 14.4 | 14.9 | 18.8e | NDC |
| 1502 | 16.4 | 15.6 | 15.4 | 12.9 | 14.4 | 19.0 | NDC | |
| 1503 | 10.4 | 7.7e | NDC | | | | | |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1508 | NDC | | | | | | | |
| 1509 | 22.2 | 21.4 | 13.0e | NDC | | | | |
| 1516 | 21.4 | 20.9 | 19.4 | 19.4 | 18.4 | 16.5 | 4.0e | NDC |
| 1520 | 23.9 | 23.2 | 24.3 | 21.3 | 22.3 | 21.0 | 20.8e | NDC |
| 1521 | NDC | | | | | | | |
| 1523 | NDC | | | | | | | |
| 1526 | 16.7 | 17.1 | 13.9 | 7.9 | NDC | | | |
| 1527 | NDC | | | | | | | |
| 1528 | 20.2 | 19.1 | 19.6 | 18.2 | 22.9 | 25.4 | 31.5e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1532 | 18.2 | 18.7 | 20.4 | 19.7 | 18.2 | 16.1 | 8.0e | NDC |
| 1538 | 24.1 | 21.9 | 22.9 | 23.7 | 21.4 | 23.1 | 26.0e | NDC |
| 1540 | 12.5 | NDC | | | | | | |
| 1541 | 23.3 | 23.3 | 22.9 | 22.3 | 21.6 | 21.5 | 20.4e | NDC |
| 1543 | 17.7 | 19.3 | 18.7 | 17.6 | 17.4 | 17.6 | 18.0e | NDC |
| 1546 | 22.1 | 21.3 | 23.1 | 22.6 | 26.4 | 24.9 | 24.6e | NDC |
| 1547 | 19.0 | 19.5 | 18.9 | 18.9 | 19.9 | 19.6 | 21.0e | NDC |
| 1548 | NDC | | | | | | | |
| 1549 | 18.1 | 21.1 | 20.6 | 21.1 | 21.1 | 21.3 | 21.0e | NDC |
| 1550 | 18.1 | 44.5e | NDC | | | | | |
| 1553 | 20.3 | 21.1 | 22.4 | 21.5 | 23.1 | 18.0 | 4.2e | NDC |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 50 mg/kg/day | | | | | | | | |
| 1557 | 19.3 | 13.4 | 1.6 | 0.0e | NDC | | | |
| 1558 | NDC | | | | | | | |
| 1559 | 19.4 | 21.6 | 17.5 | 17.0 | 14.8 | 12.8 | 7.8e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 500 mg/kg/day | | | | | | | | |
| 1573 | 19.1 | 18.3 | 17.0 | 16.6 | 12.6e | NDC | | |
| 1576 | 20.1 | 21.6 | 22.8 | 21.1 | 22.9 | 23.1 | 19.5e | NDC |
| 1577 | NDC | | | | | | | |
| 1578 | 19.3 | 19.3 | 19.9 | 19.6 | 18.8 | 18.4 | 18.5e | NDC |
| 1579 | NDC | | | | | | | |
| 1581 | 14.3 | 16.8 | 17.1 | 19.3 | 18.2 | 18.4 | 16.8e | NDC |
| 1582 | 11.9e | NDC | | | | | | |
| 1585 | 18.6 | 17.6 | 18.8 | 18.1 | 17.7 | 17.7 | 20.0e | NDC |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 500 mg/kg/day | | | | | | | | |
| 1587 | 25.5 | 27.0 | 26.9 | 26.7 | 27.0 | 27.4 | 30.0e | NDC |
| 1592 | 18.5 | NDC | | | | | | |
| 1593 | 18.6 | 18.4 | 18.5 | 18.5 | 18.9 | 18.8 | 20.8e | NDC |
| 1594 | 18.6 | 18.4 | 18.5 | 18.5 | 18.9 | 18.8 | 20.8e | NDC |
| 1595 | 15.6 | 17.2 | 16.4 | 15.8 | 17.4 | 17.6 | 17.5e | NDC |
| 1597 | 22.1 | 14.6 | 0.0e | NDC | | | | |
| 1600 | 32.4 | 31.6 | 31.2 | 29.1 | 29.4 | 29.6e | NDC | |
| 1603 | NDC | | | | | | | |
| 1607 | 26.4 | 24.7 | 25.7 | 25.8 | 23.6 | 24.0 | 27.0e | NDC |
| 1609 | 22.5 | 22.3 | 20.9 | 22.1 | 23.1 | 6.0e | NDC | |

#Cage food consumption divided by number of animals per cage
eExcluded from the mean
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 500 mg/kg/day | | | | | | | | |
| 1611 | NDC | | | | | | | |
| 1612 | 20.6 | 20.3 | 19.0 | 19.4 | 19.6 | 20.5 | 20.8e | NDC |
| 1613 | 20.3 | 19.7 | 22.6 | 21.6 | 21.0 | 22.6 | 28.4e | NDC |
| 1618 | 25.3 | 24.1 | 23.6 | 24.1 | 21.9 | 21.7 | 21.0e | NDC |
| 1619 | 20.4 | 26.3 | 27.0 | 28.2 | NDC | | | |
| 1620 | 20.2 | NDC | | | | | | |
| 1621 | 18.5 | 18.6 | 18.6 | 16.3 | 26.8 | 18.4 | 20.0e | NDC |
| 1622 | 18.5 | 18.6 | 18.6 | 16.4 | NDC | | | |
| 1623 | 26.2 | 24.3 | 26.6 | 30.1 | 23.3 | 26.8 | 26.0e | NDC |
| 1628 | 18.7 | 20.0 | 20.3 | 21.0 | 25.2 | 18.9 | 18.2e | NDC |
| 1629 | 18.5 | 0.0e | NDC | | | | | |
| 1630 | 18.5 | 1.0e | NDC | | | | | |
| 1631 | 18.9 | 17.4 | 18.7 | 20.6 | 18.9 | 17.0 | 18.3e | NDC |
| 1632 | 18.9 | 17.4 | 18.7 | 20.6 | 18.9 | 17.0 | 18.3e | NDC |
| 1633 | 19.5 | 19.9 | 19.0 | 20.4 | 20.1 | 22.2 | 22.2e | NDC |
| 1634 | 19.6 | NDC | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate
eExcluded from the mean

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Food Consumption Values, g/animal/day - FEMALE**

| Group, Animal Number | Study Interval (Week) | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 90# | 92# | 94# | 96# | 98# | 100# | 102# | 104# |
| 500 mg/kg/day | | | | | | | | |
| 1637 | NDC | | | | | | | |
| 1638 | 20.4 | 20.1 | 20.4 | 19.5 | NDC | | | |
| 1640 | NDC | | | | | | | |

#Cage food consumption divided by number of animals per cage
NDC - No data collected refer to record of fate

# Appendix H
# Individual Ophthalmoscopic Examination Findings

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | Pretest |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | 11425 / 021170 |
| Expiration Date: | 2/12 |
| Technician(s) administering mydriatic: (Initials/ Date) | KMF 7/16/10 MCR 7-16-10 [illegible] 7-16-10 |

Summary of Ophthalmological Findings: (please check all that apply)

☒ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☐ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments: _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian.*** The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

| | |
|---|---|
| Name of examiner: | J. BARTOE |
| Date: | 7-16-10 |

| | |
|---|---|
| Recording technician: | KMF |
| Date: | 7/16/10 |

I was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to the Standard Operating Procedures of the test site and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [illegible] Date: 7-16-10

FORM-TOX-50-5

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | Pretest |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | 11425 / 021170 |
| Expiration Date: | 2/12 |
| Technician(s) administering mydriatic: (Initials/ Date) | MCR DM KMF<br>7-19-10 7/19/10 7/19/10 |

Summary of Ophthalmological Findings: (please check all that apply)

☒ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☐ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments: _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian.*** The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

| | |
|---|---|
| Name of examiner: | J. BARTOE |
| Date: | 7-19-10 |

| | |
|---|---|
| Recording technician: | KMF |
| Date: | 7/19/10 |

I was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to the Standard Operating Procedures of the test site and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [signature] Date: 7-19-10

FORM-TOX-50-5

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | Pretest |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | 11425 / 021170 |
| Expiration Date: | 2/12 |
| Technician(s) administering mydriatic: (Initials/ Date) | KAS 7-20-10 MCR<br>MJK 7-20-10 7-20-10 |

Summary of Ophthalmological Findings: (please check all that apply)

☒ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☐ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments: _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian.*** The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

| | |
|---|---|
| Name of examiner: | J. BARTOE |
| Date: | 7.20-10 |

| | |
|---|---|
| Recording technician: | MCR |
| Date: | 7-20-10 |

I was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to the Standard Operating Procedures of the test site and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [signature] Date: 7.20-10

FORM-TOX-50-5

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | 12 Month |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | L5015969 / 031271 |
| Expiration Date: | 3/13 |
| Technician(s) administering mydriatic: (Initials/ Date) | [illegible] 7/25/11<br>[illegible] 7/25/11<br>BMM 7-25-11 |

Summary of Ophthalmological Findings: (please check all that apply)

☐ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☒ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments (if applicable): _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian***. The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

I, (print name) JOSHUA BARTOK was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to **SOP-TOX-61** or **SOP-TOX-63** and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [signature] Date: 7-25-11

FORM-TOX-50-7

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | 12 Month |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | ~~L51281-1~~ L50185381 / 051281<br>9 L50153671 / 031271 |
| Expiration Date: | 3/13<br>5/13 |
| Technician(s) administering mydriatic: (Initials/ Date) | CMW 7/26/11<br>[illegible] 7/26/11<br>[illegible] 7-26-11 |

Summary of Ophthalmological Findings: (please check all that apply)

☐ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☒ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments (if applicable): _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian***. The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

I, (print name) JOSHUA BARTOS was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to **SOP-TOX-61** or **SOP-TOX-63** and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [illegible] Date: 7-26-11

FORM-TOX-50-7 ID correction of number CMW 7/26/11

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | Terminal |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | L5043366 / 121051 |
| Expiration Date: | 12/13 |
| Technician(s) administering mydriatic: (Initials/ Date) | DW 7-3-12 |

Summary of Ophthalmological Findings: (please check all that apply)

☐ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☒ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments (if applicable): _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian***. The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

I, (print name) JOSHUA BARTOS was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to **SOP-TOX-61** or **SOP-TOX-63** and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [signature] Date: 7-3-12

FORM-TOX-50-7

# Ophthalmological Examination

| | |
|---|---|
| Study Number: | 125-141 |
| Study Interval: | Terminal |
| Photographs of abnormalities required by protocol? | ☐ Yes<br>☒ No |

| | |
|---|---|
| Mydriatic Used: | 1% Tropicamide |
| CMP Number/Lot Number: | 031612 |
| Expiration Date: | 3/14 |
| Technician(s) administering mydriatic: (Initials/ Date) | DKM 7-11-12 HFT 7-11-12 MWO 7-11-12 |

Summary of Ophthalmological Findings: (please check all that apply)

☐ Pre-Study observations noted were within limits of variation commonly encountered in animals of this sex, age, and strain.

☒ The observations noted were representative of pathology that would be expected for this group of animals considering age, sex, and strain; no obvious trends in pathology would suggest that test material-related reactions had occurred.

☐ Other Comments (if applicable): _____

☐ Photographs taken.

Equipment Used:

- ☐ Keeler Indirect Ophthalmoscope
- ☐ Kowa SL2 Slit Lamp Ophthalmoscope
- ☐ Kowa SL15 Slit Lamp Ophthalmoscope
- ☐ Heine Omege 180 Indirect Ophthalmoscope
- ☒ Heine Omege 500 Indirect Ophthalmoscope
- ☐ Heine Sigma 150 Indirect Ophthalmoscope
- ☐ Welch Allyn 12500 Indirect Ophthalmoscope
- ☐ Other: _____

☒ Each animal scheduled for an ophthalmological examination was examined by a ***certified Veterinary Ophthalmologist***. The ophthalmological findings were dictated by the Ophthalmologist to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Ophthalmologist reviewed the findings for accuracy and completeness.

☐ Each animal scheduled for an ophthalmological examination was examined by a ***Staff Veterinarian***. The ophthalmological findings were dictated by the Staff Veterinarian to the recording technician who recorded the results on the appropriate data collection system. Following the examination, the Staff Veterinarian reviewed the findings for accuracy and completeness.

I, (print name) JOSHUA BARTOS was acting as the Ophthalmologist/Staff Veterinarian for the above referenced study. I have reviewed the relevant sections of the study protocol and approve the details concerning myself as the examiner and the details associated with this responsibility described in the study protocol. The delegated phase was conducted according to **SOP-TOX-61** or **SOP-TOX-63** and in accordance with the regulatory requirements described in the Good Laboratory Practice Section of the study protocol.

Summary Completed by: [signature] Date: 7-11-12

FORM-TOX-50-7

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1001 | NAD | NAD | NDC |
| 1002 | NAD | NAD | NDC |
| 1003 | NAD | NAD | NDC |
| 1004 | NAD | NAD | NDC |
| 1005 | NAD | NAD | NDC |
| 1006 | NAD | NAD | NDC |
| 1007 | NAD | NAD | NDC |
| 1008 | NAD | NAD | NDC |
| 1009 | NAD | NAD | NDC |
| 1010 | NAD | NAD | NDC |
| 1011 | NAD | NAD | NAD |
| 1012 | NAD | NAD | NDC |
| 1013 | NAD | NAD | NDC |
| 1014 | NAD | NAD | NAD |
| 1015 | NAD | NAD | NAD |
| 1016 | NAD | NAD | NDC |
| 1017 | NAD | NAD | NDC |
| 1018 | NAD | NAD | NDC |
| 1019 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1020 | NAD | NAD | NDC |
| 1021 | NAD | NAD | NDC |
| 1022 | NAD | NAD | NDC |
| 1023 | NAD | NAD | NDC |
| 1024 | NAD | NAD | NDC |
| 1025 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1026 | NAD | NAD | NAD |
| 1027 | NAD | NAD | NDC |
| 1028 | NAD | NAD | NDC |
| 1029 | NAD | NAD | Left Eye - keratitis - superficial |
| 1030 | NAD | NAD | NDC |
| 1031 | NAD | NAD | NAD |
| 1032 | NAD | NAD | NDC |
| 1033 | NAD | NDC | |
| 1034 | NAD | NAD | NDC |
| 1035 | NAD | NAD | NAD |
| 1036 | NAD | NAD | Left Eye - cataract - mature; Right Eye - cataract - mature |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1037 | NAD | NAD | NDC |
| 1038 | NAD | NAD | NDC |
| 1039 | NAD | NAD | Left Eye - conjunctivitis (red) |
| 1040 | NAD | NAD | NDC |
| 1041 | NAD | NAD | NAD |
| 1042 | NAD | NAD | NDC |
| 1043 | NAD | NAD | NDC |
| 1044 | NAD | NDC | |
| 1045 | NAD | NAD | Left Eye - keratitis - superficial |
| 1046 | NAD | NDC | |
| 1047 | NAD | NAD | NDC |
| 1048 | NAD | NAD | NDC |
| 1049 | NAD | NAD | NDC |
| 1050 | NAD | NAD | NDC |
| 1051 | NAD | NAD | NDC |
| 1052 | NAD | NAD | NDC |
| 1053 | NAD | NAD | NDC |
| 1054 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1055 | NAD | NAD | NDC |
| 1056 | NAD | NAD | NDC |
| 1057 | NAD | NAD | NDC |
| 1058 | NAD | NAD | NDC |
| 1059 | NAD | NDC | |
| 1060 | NAD | NAD | NDC |
| 1061 | NAD | NAD | NDC |
| 1062 | NAD | NAD | NAD |
| 1063[r] | NAD | NAD | NDC |
| 1064 | NAD | NAD | NDC |
| 1065 | NAD | NAD | NDC |
| 1066 | NAD | NAD | NDC |
| 1067 | NAD | NAD | Left Eye - cataract - cortical axial posterior; Right Eye - cataract - mature |
| 1068 | NAD | NAD | NAD |
| 1069 | NAD | NAD | NDC |
| 1070 | NAD | NAD | NDC |
| 1071 | NAD | | NDC |
| 1072 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate
[r] Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1073 | NAD | NAD | NDC |
| 1074 | NAD | NAD | NDC |
| 1075 | NAD | NAD | NAD |
| 1076 | NAD | NAD | NAD |
| 1077 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1078 | NAD | NAD | NDC |
| 1079 | NAD | NAD | NDC |
| 1080 | NAD | NAD | NDC |
| 0.1 mg/kg/day | | | |
| 1081 | NAD | NAD | NDC |
| 1082 | NAD | Left Eye - microphthalmia | NDC |
| 1083 | NAD | NAD | NDC |
| 1084 | NAD | NAD | NDC |
| 1085 | NAD | NAD | NDC |
| 1086 | NAD | Left Eye - chorioretinal hypoplasia | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0.1 mg/kg/day | | | |
| 1087 | NAD | NAD | NDC |
| 1088 | NAD | NAD | NDC |
| 1089 | NAD | NAD | NDC |
| 1090 | NAD | NAD | NDC |
| 1091 | NAD | NAD | NAD |
| 1092 | NAD | NAD | NDC |
| 1093 | NAD | NAD | NAD |
| 1094 | NAD | NAD | NAD |
| 1095 | NAD | NAD | NDC |
| 1096 | NAD | NAD | NAD |
| 1097 | NAD | NAD | NAD |
| 1098 | NAD | NAD | NDC |
| 1099 | NAD | NAD | NAD |
| 1100 | NAD | NAD | NDC |
| 1101 | NAD | NAD | NDC |
| 1102 | NAD | NAD | NDC |
| 1103 | NAD | NDC | |
| 1104 | NAD | NAD | NDC |
| 1105 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0.1 mg/kg/day | | | |
| 1106 | NAD | NDC | |
| 1107 | NAD | NAD | NAD |
| 1108 | NAD | NAD | NDC |
| 1109 | NAD | NAD | NAD |
| 1110 | NAD | NAD | NDC |
| 1111 | NAD | NDC | |
| 1112 | NAD | NAD | NAD |
| 1113 | NAD | NAD | NDC |
| 1114 | NAD | NAD | NDC |
| 1115 | NAD | NAD | NDC |
| 1116 | NAD | NDC | |
| 1117 | NAD | NAD | NDC |
| 1118 | NAD | Left Eye - keratitis - superficial | NDC |
| 1119 | NAD | NDC | |
| 1120 | NAD | NAD | NAD |
| 1121 | NAD | NAD | NDC |
| 1122 | NAD | NAD | NAD |
| 1123 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0.1 mg/kg/day | | | |
| 1124 | NAD | NAD | NAD |
| 1125 | NAD | NAD | NDC |
| 1126 | NAD | NAD | NDC |
| 1127 | NAD | NAD | NAD |
| 1128 | NAD | NAD | NDC |
| 1129 | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial | NDC |
| 1130 | NAD | NAD | NDC |
| 1131 | NAD | NAD | NDC |
| 1132 | NAD | NAD | NAD |
| 1133 | NAD | NAD | NDC |
| 1134 | NAD | NAD | NDC |
| 1135 | NAD | NAD | NDC |
| 1136 | NAD | NAD | NDC |
| 1137 | NAD | NAD | NDC |
| 1138 | NAD | NAD | NDC |
| 1139 | NAD | NDC | |
| 1140 | NAD | NAD | Left Eye - retinal atrophy |
| 1141 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0.1 mg/kg/day | | | |
| 1142 | NAD | NAD | NDC |
| 1143 | NAD | NAD | NAD |
| 1144 | NAD | NDC | |
| 1145 | NAD | NDC | |
| 1146 | NAD | NAD | NDC |
| 1147 | NAD | NAD | NAD |
| 1148 | NAD | NAD | NDC |
| 1149 | NAD | NAD | NDC |
| 1150 | NAD | NAD | NAD |
| 1151 | NAD | NAD | NDC |
| 1152 | NAD | NAD | NDC |
| 1153 | NAD | NAD | NDC |
| 1154 | NAD | NAD | NAD |
| 1155 | NAD | NDC | |
| 1156 | NAD | NAD | NDC |
| 1157 | NAD | NAD | NDC |
| 1158 | NAD | NAD | NDC |
| 1159 | NAD | NAD | NDC |
| 1160 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1161 | NAD | NAD | NDC |
| 1162 | NAD | NAD | NDC |
| 1163 | NAD | NAD | NDC |
| 1164 | NAD | NAD | NDC |
| 1165 | NAD | NAD | NDC |
| 1166 | NAD | NAD | NDC |
| 1167 | NAD | NAD | NDC |
| 1168 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1169 | NAD | NAD | NDC |
| 1170 | NAD | NAD | NDC |
| 1171 | NAD | NAD | NAD |
| 1172 | NAD | NAD | NDC |
| 1173 | NAD | NAD | NDC |
| 1174 | NAD | NDC | |
| 1175 | NAD | NAD | NDC |
| 1176 | NAD | NAD | NAD |
| 1177 | NAD | NDC | |
| 1178 | NAD | NAD | NAD |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1179 | NAD | NAD | NDC |
| 1180 | NAD | NAD | NAD |
| 1181 | NAD | NAD | NDC |
| 1182 | NAD | NAD | NDC |
| 1183 | NAD | NAD | NDC |
| 1184 | NAD | NAD | NDC |
| 1185 | NAD | NAD | NDC |
| 1186 | NAD | NAD | NAD |
| 1187 | NAD | NAD | NDC |
| 1188 | NAD | NAD | NDC |
| 1189 | NAD | NAD | NDC |
| 1190 | NAD | NDC | |
| 1191 | NAD | NAD | NDC |
| 1192 | NAD | NAD | NAD |
| 1193 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1194 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1195 | NAD | NAD | NDC |
| 1196 | NAD | NAD | NDC |
| 1197 | NAD | NAD | NDC |
| 1198 | NAD | NAD | NDC |
| 1199 | NAD | NAD | NAD |
| 1200 | NAD | NAD | NDC |
| 1201 | NAD | NAD | NDC |
| 1202 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1203 | NAD | NDC | |
| 1204 | NAD | NAD | NAD |
| 1205 | NAD | NAD | NDC |
| 1206 | NAD | NAD | NDC |
| 1207 | NAD | NDC | |
| 1208 | NAD | NAD | NDC |
| 1209 | NAD | NAD | NDC |
| 1210 | NAD | NAD | NDC |
| 1211 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1212 | NAD | NAD | NAD |
| 1213 | NAD | NAD | NDC |
| 1214 | NAD | NAD | NDC |
| 1215 | NAD | NAD | NDC |
| 1216 | NAD | NAD | NDC |
| 1217 | NAD | NAD | NDC |
| 1218 | NAD | NAD | NAD |
| 1219 | NAD | NAD | NDC |
| 1220 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1221 | NAD | NAD | NAD |
| 1222 | NAD | NAD | NDC |
| 1223 | NAD | NAD | NAD |
| 1224 | NAD | NAD | NDC |
| 1225 | NAD | NAD | NAD |
| 1226 | NAD | NAD | NDC |
| 1227 | NAD | NAD | NAD |
| 1228 | NAD | NAD | NDC |
| 1229 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1230 | NAD | NDC | |
| 1231 | NAD | NAD | NDC |
| 1232 | NAD | NAD | NDC |
| 1233 | NAD | NAD | NDC |
| 1234 | NAD | NAD | NDC |
| 1235 | NAD | NAD | NDC |
| 1236 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1237 | NAD | NDC | |
| 1238 | NAD | NAD | NDC |
| 1239 | NAD | NAD | NDC |
| 1240 | NAD | NAD | NAD |
| 50 mg/kg/day | | | |
| 1241 | NAD | NAD | NDC |
| 1242 | NAD | NAD | NDC |
| 1243 | NAD | NAD | NDC |
| 1244 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1245 | NAD | NAD | NDC |
| 1246 | NAD | NAD | NDC |
| 1247 | NAD | NAD | NDC |
| 1248 | NAD | NAD | NDC |
| 1249[r] | NAD | NAD | NDC |
| 1250 | NAD | NAD | NDC |
| 1251 | NAD | NAD | NAD |
| 1252 | NAD | NAD | NAD |
| 1253 | NAD | NAD | NDC |
| 1254 | NAD | NAD | NAD |
| 1255 | NAD | NAD | NAD |
| 1256 | NAD | NAD | NDC |
| 1257 | NAD | NAD | NAD |
| 1258 | NAD | NAD | NDC |
| 1259 | NAD | NAD | NDC |
| 1260 | NAD | NAD | NAD |
| 1261 | NAD | NAD | NAD |
| 1262 | NAD | NAD | NDC |
| 1263 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate
[r] Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1264 | NAD | NAD | NDC |
| 1265 | NAD | NAD | NDC |
| 1266 | NAD | NAD | NDC |
| 1267 | NAD | NAD | NDC |
| 1268 | NAD | NAD | NDC |
| 1269 | NAD | NAD | NDC |
| 1270 | NAD | NAD | NAD |
| 1271 | NAD | NAD | NAD |
| 1272 | NAD | NDC | |
| 1273 | NAD | NAD | NDC |
| 1274 | NAD | NAD | NDC |
| 1275 | NAD | NAD | NDC |
| 1276 | NAD | NAD | NDC |
| 1277 | NAD | NAD | NAD |
| 1278 | NAD | NAD | NDC |
| 1279 | NAD | NAD | NDC |
| 1280 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1281 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1282 | NAD | NAD | NDC |
| 1283 | NAD | NAD | NAD |
| 1284 | NAD | NDC | |
| 1285 | NAD | NAD | NDC |
| 1286 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1287 | NAD | NAD | NAD |
| 1288 | NAD | NAD | NDC |
| 1289 | NAD | NAD | NAD |
| 1290 | NAD | NAD | NDC |
| 1291 | NAD | NAD | NAD |
| 1292 | NAD | NAD | NDC |
| 1293 | NAD | NAD | NDC |
| 1294 | NAD | NAD | Left Eye - keratitis - superficial |
| 1295 | NAD | NAD | NAD |
| 1296 | NAD | NAD | NDC |
| 1297 | NAD | NAD | Left Eye - cataract - mature; Right Eye - cataract - mature |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1298 | NAD | NAD | NDC |
| 1299 | NAD | NAD | NDC |
| 1300 | NAD | NAD | NDC |
| 1301 | NAD | NAD | NDC |
| 1302 | NAD | NAD | NDC |
| 1303 | NAD | NAD | NDC |
| 1304 | NAD | NAD | NDC |
| 1305 | NAD | NAD | NDC |
| 1306 | NAD | NAD | NDC |
| 1307 | NAD | NAD | NDC |
| 1308 | NAD | NAD | NDC |
| 1309 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1310 | NAD | NAD | NDC |
| 1311 | NAD | NAD | NAD |
| 1312 | NAD | NDC | |
| 1313 | NAD | NAD | NDC |
| 1314 | NAD | Right Eye - chorioretinal hypoplasia | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - MALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1315 | NAD | NAD | NAD |
| 1316 | NAD | NAD | NDC |
| 1317 | NAD | NAD | NDC |
| 1318 | NAD | NAD | NDC |
| 1319 | NAD | NAD | Left Eye - keratitis - superficial; Right Eye - keratitis - superficial |
| 1320 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1321 | NAD | NDC | |
| 1322 | NAD | NAD | NDC |
| 1323 | NAD | NDC | |
| 1324 | NAD | NAD | NDC |
| 1325 | NAD | NAD | NDC |
| 1326 | NAD | NAD | NDC |
| 1327 | NAD | NAD | NDC |
| 1328 | NAD | NAD | NDC |
| 1329 | NAD | NAD | NDC |
| 1330 | NAD | NAD | NDC |
| 1331 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1332 | NAD | NAD | NDC |
| 1333 | NAD | NAD | NDC |
| 1334 | NAD | NAD | NDC |
| 1335 | NAD | NAD | NDC |
| 1336 | NAD | NAD | NDC |
| 1337 | NAD | NAD | NDC |
| 1338 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1339 | NAD | NAD | NDC |
| 1340 | NAD | NAD | NDC |
| 1341 | NAD | NDC | |
| 1342 | NAD | NAD | NDC |
| 1343 | NAD | NAD | NDC |
| 1344 | NAD | NAD | NDC |
| 1345 | NAD | NAD | NDC |
| 1346 | NAD | NAD | NDC |
| 1347 | NAD | NAD | NDC |
| 1348 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1349 | NAD | NAD | NDC |
| 1350 | NAD | NAD | NDC |
| 1351 | NAD | NAD | NDC |
| 1352 | NAD | NAD | NDC |
| 1353 | NAD | NAD | NDC |
| 1354 | NAD | NAD | NDC |
| 1355 | NAD | NAD | NDC |
| 1356 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1357 | NAD | NAD | NDC |
| 1358 | NAD | NAD | NAD |
| 1359 | NAD | NAD | NDC |
| 1360 | NAD | NAD | NDC |
| 1361 | NAD | NAD | NDC |
| 1362 | NAD | NAD | NDC |
| 1363 | NAD | NAD | NDC |
| 1364 | NAD | NAD | NDC |
| 1365 | NAD | NAD | NAD |
| 1366 | NAD | NAD | NDC |
| 1367 | NAD | NAD | NDC |
| 1368 | NAD | NAD | NAD |
| 1369 | NAD | NAD | NDC |
| 1370 | NAD | NAD | NAD |
| 1371 | NAD | NDC | |
| 1372 | NAD | NAD | Right Eye - conjunctivitis (red) |
| 1373 | NAD | NDC | |
| 1374 | NAD | NAD | NAD |
| 1375 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1376 | NAD | NAD | NDC |
| 1377 | NAD | NAD | NDC |
| 1378 | NAD | NAD | NDC |
| 1379 | NAD | NAD | NDC |
| 1380 | NAD | NAD | NDC |
| 1381 | NAD | Left Eye - conjunctivitis (red) | NDC |
| 1382 | NAD | NAD | NDC |
| 1383 | NAD | NAD | NDC |
| 1384 | NAD | NAD | NDC |
| 1385 | NAD | NAD | NDC |
| 1386 | NAD | NAD | NDC |
| 1387 | NAD | NAD | NDC |
| 1388 | NAD | NAD | NDC |
| 1389 | NAD | NAD | NAD |
| 1390 | NAD | NAD | NDC |
| 1391 | NAD | NAD | NDC |
| 1392 | NAD | NAD | NAD |
| 1393 | NAD | NAD | NDC |
| 1394 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 0 mg/kg/day | | | |
| 1395 | NAD | NAD | NDC |
| 1396 | NAD | NAD | NDC |
| 1397 | NAD | NAD | NDC |
| 1398 | NAD | NAD | NDC |
| 1399 | NAD | NDC | |
| 1400 | NAD | NAD | NDC |
| 1 mg/kg/day | | | |
| 1401 | NAD | NAD | NDC |
| 1402 | NAD | NAD | NDC |
| 1403 | NAD | NAD | NDC |
| 1404 | NAD | NAD | NDC |
| 1405 | NAD | NAD | NDC |
| 1406 | NAD | NAD | NDC |
| 1407 | NAD | NAD | NDC |
| 1408 | NAD | NAD | NDC |
| 1409 | NAD | NAD | NDC |
| 1410 | NAD | NAD | NDC |
| 1411 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1412 | NAD | NAD | NDC |
| 1413 | NAD | NAD | NDC |
| 1414 | NAD | NAD | NDC |
| 1415 | NAD | NAD | NDC |
| 1416 | NAD | NAD | NDC |
| 1417 | NAD | NAD | NDC |
| 1418 | NAD | NAD | NDC |
| 1419 | NAD | NAD | NDC |
| 1420 | NAD | NAD | NDC |
| 1421 | NAD | NDC | |
| 1422 | NAD | NAD | NDC |
| 1423 | NAD | NAD | NDC |
| 1424 | NAD | NAD | NDC |
| 1425 | NAD | NAD | NDC |
| 1426 | NAD | NAD | NDC |
| 1427 | NAD | NAD | NDC |
| 1428 | NAD | Left Eye - chorioretinal hypoplasia | NDC |
| 1429 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1430 | NAD | NAD | NDC |
| 1431 | NAD | NAD | NDC |
| 1432 | NAD | NAD | NDC |
| 1433 | NAD | NAD | NDC |
| 1434 | NAD | NAD | NDC |
| 1435 | NAD | NAD | NDC |
| 1436 | NAD | NAD | NDC |
| 1437 | NAD | NAD | NAD |
| 1438 | NAD | NAD | NAD |
| 1439 | NAD | NAD | NDC |
| 1440 | NAD | NAD | NAD |
| 1441 | NAD | NAD | NDC |
| 1442 | NAD | NAD | NDC |
| 1443 | NAD | NAD | NDC |
| 1444 | NAD | NAD | NDC |
| 1445 | NAD | NAD | NDC |
| 1446 | NAD | NAD | NDC |
| 1447 | NAD | NAD | NAD |
| 1448 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1449 | NAD | NAD | NDC |
| 1450 | NAD | NAD | NAD |
| 1451 | NAD | NAD | NDC |
| 1452 | NAD | NAD | NDC |
| 1453 | NAD | NAD | NDC |
| 1454 | NAD | NAD | NAD |
| 1455 | NAD | NAD | NDC |
| 1456 | NAD | NAD | NDC |
| 1457 | NAD | NAD | NDC |
| 1458 | NAD | NDC | |
| 1459 | NAD | NAD | NDC |
| 1460 | NAD | NAD | NAD |
| 1461 | NAD | NAD | NDC |
| 1462 | NAD | NAD | NDC |
| 1463 | NAD | NAD | NDC |
| 1464 | NAD | NAD | NDC |
| 1465 | NAD | NAD | NDC |
| 1466 | NAD | NDC | |
| 1467 | NAD | NAD | NAD |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 1 mg/kg/day | | | |
| 1468 | NAD | NAD | NDC |
| 1469 | NAD | NAD | NAD |
| 1470 | NAD | NAD | NDC |
| 1471 | NAD | NAD | NAD |
| 1472 | NAD | NAD | NDC |
| 1473 | NAD | NAD | NDC |
| 1474 | NAD | Left Eye - conjunctivitis (red) | NDC |
| 1475 | NAD | NAD | Left Eye - conjunctivitis (red); Right Eye - conjunctivitis (red) |
| 1476 | NAD | NAD | NDC |
| 1477 | NAD | NAD | NDC |
| 1478 | NAD | NAD | NDC |
| 1479 | NAD | NAD | NDC |
| 1480 | NAD | NAD | NDC |
| 50 mg/kg/day | | | |
| 1481 | NAD | NAD | NDC |
| 1482 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1483 | NAD | NAD | NDC |
| 1484 | NAD | NAD | NDC |
| 1485 | NAD | NAD | NDC |
| 1486 | NAD | NAD | NDC |
| 1487 | NAD | NAD | NDC |
| 1488 | NAD | NAD | NDC |
| 1489 | NAD | NAD | NDC |
| 1490 | NAD | NAD | NDC |
| 1491 | NAD | NAD | NDC |
| 1492 | NAD | NAD | NDC |
| 1493 | NAD | NAD | NDC |
| 1494 | NAD | NAD | NDC |
| 1495 | NAD | NAD | NDC |
| 1496 | NAD | NAD | NDC |
| 1497 | NAD | NAD | NDC |
| 1498 | NAD | NAD | NDC |
| 1499 | NAD | NAD | NDC |
| 1500 | NAD | NAD | NDC |
| 1501 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1502 | NAD | NAD | NDC |
| 1503 | NAD | NAD | NDC |
| 1504 | NAD | NAD | NDC |
| 1505 | NAD | NAD | NDC |
| 1506 | NAD | NAD | NDC |
| 1507 | NAD | NAD | NDC |
| 1508 | NAD | NAD | NDC |
| 1509 | NAD | NAD | NDC |
| 1510 | NAD | NAD | NDC |
| 1511 | NAD | NAD | NDC |
| 1512 | NAD | NDC | |
| 1513 | NAD | NDC | |
| 1514 | NAD | NAD | NDC |
| 1515 | NAD | NAD | NDC |
| 1516 | NAD | NAD | NDC |
| 1517 | NAD | NAD | NDC |
| 1518 | NAD | NDC | |
| 1519 | NAD | NAD | NDC |
| 1520 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1521 | NAD | NAD | NDC |
| 1522 | NAD | NAD | NDC |
| 1523 | NAD | NAD | NDC |
| 1524 | NAD | NAD | NDC |
| 1525 | NAD | NAD | NDC |
| 1526 | NAD | NAD | NDC |
| 1527 | NAD | NAD | NDC |
| 1528 | NAD | NAD | NDC |
| 1529 | NAD | NAD | NDC |
| 1530 | NAD | NAD | NDC |
| 1531 | NAD | NAD | NDC |
| 1532 | NAD | NAD | NDC |
| 1533 | NAD | NAD | NDC |
| 1534 | NAD | NAD | NDC |
| 1535 | NAD | NAD | NDC |
| 1536 | NAD | NAD | NDC |
| 1537 | NAD | NAD | NDC |
| 1538 | NAD | NAD | NDC |
| 1539 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1540 | NAD | NAD | NDC |
| 1541 | NAD | NAD | NAD |
| 1542 | NAD | NDC | |
| 1543 | NAD | NAD | NAD |
| 1544 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1545 | NAD | NDC | |
| 1546 | NAD | NAD | NAD |
| 1547 | NAD | NAD | NAD |
| 1548 | NAD | NAD | NDC |
| 1549 | NAD | NAD | NAD |
| 1550 | NAD | NAD | NDC |
| 1551 | NAD | NAD | NDC |
| 1552 | NAD | NDC | |
| 1553 | NAD | NAD | NAD |
| 1554 | NAD | NAD | NDC |
| 1555 | NAD | NDC | |
| 1556 | NAD | NDC | |
| 1557 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 50 mg/kg/day | | | |
| 1558 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1559 | NAD | NAD | NAD |
| 1560 | NAD | NAD | NDC |
| 500 mg/kg/day | | | |
| 1561 | NAD | NAD | NDC |
| 1562 | NAD | NAD | NDC |
| 1563 | NAD | NAD | NDC |
| 1564 | NAD | NAD | NDC |
| 1565 | NAD | NAD | NDC |
| 1566 | NAD | NDC | |
| 1567 | NAD | NDC | |
| 1568 | NAD | NAD | NDC |
| 1569 | NAD | NAD | NDC |
| 1570 | NAD | NAD | NDC |
| 1571 | NAD | NAD | NDC |
| 1572 | NAD | NAD | NDC |
| 1573 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 500 mg/kg/day | | | |
| 1574 | NAD | NAD | NDC |
| 1575 | NAD | NAD | NDC |
| 1576 | NAD | NAD | NDC |
| 1577 | NAD | NAD | NDC |
| 1578 | NAD | NAD | NDC |
| 1579 | NAD | NAD | NDC |
| 1580 | NAD | NDC | |
| 1581 | NAD | NAD | NDC |
| 1582 | NAD | NAD | NDC |
| 1583[r] | NAD | NAD | NDC |
| 1584[r] | NAD | NAD | NDC |
| 1585 | NAD | NAD | NDC |
| 1586 | NAD | NAD | NDC |
| 1587 | NAD | NAD | NDC |
| 1588 | NAD | NAD | NDC |
| 1589 | NAD | NAD | NDC |
| 1590 | NAD | NAD | NDC |
| 1591 | NAD | NAD | NDC |
| 1592 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate
[r] Replacement animal

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 500 mg/kg/day | | | |
| 1593 | NAD | NAD | NDC |
| 1594 | NAD | NAD | NDC |
| 1595 | NAD | NAD | NDC |
| 1596 | NAD | NAD | NDC |
| 1597 | NAD | NAD | NDC |
| 1598 | NAD | NAD | NDC |
| 1599 | NAD | NAD | NDC |
| 1600 | NAD | NAD | NDC |
| 1601 | NAD | NAD | NDC |
| 1602 | NAD | NAD | NDC |
| 1603 | NAD | NAD | NDC |
| 1604 | NAD | NAD | NDC |
| 1605 | NAD | NAD | NDC |
| 1606 | NAD | NAD | NDC |
| 1607 | NAD | NAD | NDC |
| 1608 | NAD | Right Eye - chorioretinal hypoplasia | NDC |
| 1609 | NAD | NAD | NDC |
| 1610 | NAD | NDC | |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 500 mg/kg/day | | | |
| 1611 | NAD | NAD | NDC |
| 1612 | NAD | NAD | NAD |
| 1613 | NAD | NAD | NAD |
| 1614 | NAD | NAD | NDC |
| 1615 | NAD | NAD | NDC |
| 1616 | NAD | NAD | NDC |
| 1617 | NAD | NAD | NDC |
| 1618 | NAD | NAD | NAD |
| 1619 | NAD | NAD | NDC |
| 1620 | NAD | NAD | NDC |
| 1621 | NAD | NAD | NAD |
| 1622 | NAD | NAD | NDC |
| 1623 | NAD | NAD | NAD |
| 1624 | NAD | NAD | NDC |
| 1625 | NAD | NAD | NDC |
| 1626 | NAD | NAD | NDC |
| 1627 | NAD | NAD | NDC |
| 1628 | NAD | NAD | NAD |
| 1629 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

MPI Research Study Number 125-141
DuPont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

**Individual Ophthalmoscopic Examination Findings - FEMALE**

| Group, Animal Number | Study Interval | | |
|---|---|---|---|
| | Pretest | Interim | Terminal |
| 500 mg/kg/day | | | |
| 1630 | NAD | NAD | NDC |
| 1631 | NAD | NAD | NAD |
| 1632 | NAD | NAD | NAD |
| 1633 | NAD | NAD | NAD |
| 1634 | NAD | NAD | NDC |
| 1635 | NAD | NAD | NDC |
| 1636 | NAD | NAD | NDC |
| 1637 | NAD | NAD | NDC |
| 1638 | NAD | NAD | NDC |
| 1639 | NAD | NDC | |
| 1640 | NAD | NAD | NDC |

NAD - No Abnormalities Detected
NDC - No data collected refer to record of fate

# Appendix I
# Individual Serological Health Screen Results

MPI Research Study Number 125-141
Dupont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

Individual Serological Health Screen Results – 18 month

| Animal Number | Sex | RPV | KRV | SEN | RCV/SDA | MYP | H1 |
|---|---|---|---|---|---|---|---|
| 9001 | M | N | N | N | N | N | N |
| 9010 | M | N | N | N | N | N | N |
| 9018 | M | N | N | N | N | N | N |
| 9025 | M | N | N | N | N | N | N |
| 9028 | F | N | N | N | N | N | N |
| 9029 | F | N | N | N | N | N | N |
| 9035 | F | N | N | N | N | N | N |

RPV - Rat Parvovirus
KRV - Kilham rat virus
H1 - Toolan's H-1 virus
N - Negative
M - Male
SEN - Sendai virus
RCV/SDA - Rat coronavirus/sialodacryoadenitis virus
MYP - *Mycoplasma pulmonis*
F - Female

MPI Research Study Number 125-141
Dupont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

Individual Serological Health Screen Results – 6 month

| Animal Number | Sex | RPV | KRV | SEN | RCV/SDA | MYP | H1 |
|---|---|---|---|---|---|---|---|
| 9007 | M | N | N | N | N | N | N |
| 9008 | M | N | N | N | N | N | N |
| 9016 | M | N | N | N | N | N | N |
| 9017 | M | N | N | N | N | N | N |
| 9020 | M | N | N | N | N | N | N |
| 9024 | F | N | N | N | N | N | N |
| 9031 | F | N | N | N | N | N | N |
| 9033 | F | N | N | N | N | N | N |
| 9036 | F | N | N | N | N | N | N |
| 9039 | F | N | N | N | N | N | N |

RPV - Rat Parvovirus
KRV - Kilham rat virus
H1 - Toolan's H-1 virus
N - Negative
M - Male
SEN - Sendai virus
RCV/SDA - Rat coronavirus/sialodacryoadenitis virus
MYP - *Mycoplasma pulmonis*
F - Female

MPI Research Study Number 125-141
Dupont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

Individual Serological Health Screen Results – 12 month

| Animal Number | Sex | RPV | REO3 | EMV | KRV | SEN | LCM | RCV/SDA | MYP | H1 | PVM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9011 | M | N | N | N | N | N | N | N | N | N | N |
| 9012 | M | N | N | N | N | N | N | N | N | N | N |
| 9014 | M | N | N | N | N | N | N | N | N | N | N |
| 9015 | M | N | N | N | N | N | N | N | N | N | N |
| 9019 | M | N | N | N | N | N | N | N | N | N | N |
| 9021 | F | N | N | N | N | N | N | N | N | N | N |
| 9022 | F | N | N | N | N | N | N | N | N | N | N |
| 9026 | F | N | N | N | N | N | N | N | N | N | N |
| 9027 | F | N | N | N | N | N | N | N | N | N | N |
| 9034 | F | N | N | N | N | N | N | N | N | N | N |

RPV - Rat Parvovirus
PVM - Pneumonia virus of mice
REO3 - Reovirus type 3
EMV - Encephalomyelitis virus (GD-7)
KRV - Kilham rat virus
N - Negative
M - Male

SEN - Sendai virus
LCM - Lymphocytic choriomeningitis virus
RCV/SDA - Rat coronavirus/sialodacryoadenitis virus
MYP - *Mycoplasma pulmonis*
H1 - Toolan's H-1 virus
F - Female

MPI Research Study Number 125-141
Dupont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

Individual Serological Health Screen Results - Pretest

| Animal Number | Sex | RPV | REO3 | EMV | KRV | SEN | LCM | RCV/SDA | MYP | H1 | PVM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 164 | M | N | N | N | N | N | N | N | N | N | N |
| 219 | M | N | N | N | N | N | N | N | N | N | N |
| 29 | M | N | N | N | N | N | N | N | N | N | N |
| 366 | M | N | N | N | N | N | N | N | N | N | N |
| 66 | M | N | N | N | N | N | N | N | N | N | N |
| 498 | F | N | N | N | N | N | N | N | N | N | N |
| 518 | F | N | N | N | N | N | N | N | N | N | N |
| 534 | F | N | N | N | N | N | N | N | N | N | N |
| 654 | F | N | N | N | N | N | N | N | N | N | N |
| 754 | F | N | N | N | N | N | N | N | N | N | N |

RPV - Rat Parvovirus
PVM - Pneumonia virus of mice
REO3 - Reovirus type 3
EMV - Encephalomyelitis virus (GD-7)
KRV - Kilham rat virus
N - Negative
M - Male

SEN - Sendai virus
LCM - Lymphocytic choriomeningitis virus
RCV/SDA - Rat coronavirus/sialodacryoadenitis virus
MYP - *Mycoplasma pulmonis*
H1 - Toolan's H-1 virus
F - Female

MPI Research Study Number 125-141
Dupont-18405-1238
H-28548: Combined Chronic Toxicity/Oncogenicity Study 2-Year Oral Gavage Study in Rats

Individual Serological Health Screen Results – 24 month

| Animal Number | Sex | RPV | REO3 | EMV | KRV | SEN | LCM | RCV/SDA | MYP | H1 | PVM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9030 | F | N | N | N | N | N | N | N | N | N | N |
| 9037 | F | N | N | N | N | N | N | N | N | N | N |
| 9038 | F | N | N | N | N | N | N | N | N | N | N |

RPV - Rat Parvovirus
PVM - Pneumonia virus of mice
REO3 - Reovirus type 3
EMV - Encephalomyelitis virus (GD-7)
KRV - Kilham rat virus
N - Negative
M - Male
SEN - Sendai virus
LCM - Lymphocytic choriomeningitis virus
RCV/SDA - Rat coronavirus/sialodacryoadenitis virus
MYP - *Mycoplasma pulmonis*
H1 - Toolan's H-1 virus
F - Female