From:	Weigel, Greg
To:	Vilpas, Sirkku
Subject:	Lepic FOIA - FW: Shoshone-Bannock Tribes" comments on Pond 15S and Pond 16S Readily Implementable Work Plans
Date:	Tuesday, September 16, 2014 6:41:07 AM

From: Weigel, Greg
Sent: Tuesday, September 16, 2014 7:40 AM
To: Meyer, Linda; Kelly Wright
Cc: susanh@ida.net; brian.english@deq.idaho.gov
Subject: RE: Shoshone-Bannock Tribes' comments on Pond 15S and Pond 16S Readily Implementable Work Plans

I can meet with you and Kelly before and/or after site visit on Friday.

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell

From: Meyer, Linda
Sent: Monday, September 15, 2014 5:00 PM
To: Kelly Wright; Weigel, Greg
Cc: susanh@ida.net; brian.english@deq.idaho.gov
Subject: RE: Shoshone-Bannock Tribes' comments on Pond 15S and Pond 16S Readily Implementable Work Plans

Kelly - it will be good to discuss this. I understand the site visit should not last later than noon. Did you want to meet after that on Friday or before the site tour?How is your schedule on Friday Greg?

Linda Meyer | RCRA Project Manager
U.S. Environmental Protection Agency | Region 10
1200 Sixth Ave, Suite 900 (AWT-121)
Seattle, WA 98103

(206) 553-6636
meyer.linda@epa.gov

From: Kelly Wright <kwright@sbtribes.com>
Sent: Monday, September 15, 2014 2:04 PM
To: Weigel, Greg
Cc: susanh@ida.net; brian.english@deq.idaho.gov; Meyer, Linda
Subject: RE: Shoshone-Bannock Tribes' comments on Pond 15S and Pond 16S Readily

Implementable Work Plans

Greg, Tribes disagree with the idea of starting it later rather than sooner on the monitoring. This will be something that we will need to develop with you Linda so that phosphine releases are adequately monitored and documented.
We can talk about it next week.
Thanks
Kelly

From: Weigel, Greg [mailto:Weigel.Greg@epa.gov]
Sent: Monday, September 15, 2014 1:04 PM
To: Kelly Wright
Cc: susanh@ida.net; brian.english@deq.idaho.gov; Meyer, Linda
Subject: Shoshone-Bannock Tribes' comments on Pond 15S and Pond 16S Readily Implementable Work Plans

Kelly,

I have reviewed the comments that you submitted on July 8, 2014 on the Pond 15S Readily Implementable Work Plan (RIWP) and 16S RIWP, and the additional comments that I received from Susan Hanson on July 15, 2014. I have also reviewed the responses from FMC to the Tribes' comments, submitted on August 18. 2014. I note that FMC revised the Pond 16S RIWP (August 15, 2014) in response to one of the Tribes' comments, to clarify the point of generation of maintenance debris.

With that change, I find the Pond 15S RIWP (submitted June 10, 2014) and the Pond 16S RIWP (revised August 15, 2014) to be acceptable per the requirements of the RCRA Ponds UAO and to be consistent with previously approved work at the site under the UAO. I intend to approve these RIWPs and continue gas extraction and treatment at Ponds 15S and 16S per the RIWPs without further change.

I believe that the Tribes' concerns regarding enhanced monitoring at the site are best addressed through the process to revise RCRA post-closure plan(s). Please let me know if you have any questions, and I look forward to seeing you at the site on September 26.

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell