From:	Greutert, Ed [USA]
To:	Williams, Jonathan
Cc:	Richard Poeton; McDonnell, Kimberlee
Subject:	RE: [External] FW: Comments on your draft response to the FMC gamma cap work plan
Date:	Tuesday, January 13, 2015 6:06:16 AM

Thanks Jonathan. We received the revised PWs today and we will get that turned around ASAP.

Tx,

Ed Greutert, P.E.
Sr. Associate
Booz | Allen | Hamilton

Office: 206 652 3014
Mobile: 206 794 7526
greutert_ed@bah.com

From: Williams, Jonathan [mailto:Williams.Jonathan@epa.gov]
Sent: Monday, January 12, 2015 5:57 PM
To: Greutert, Ed [USA]
Cc: Richard Poeton; McDonnell, Kimberlee
Subject: [External] FW: Comments on your draft response to the FMC gamma cap work plan

For your review once BAH is again under EPA contract for FMC OU work.

Jonathan Williams, LHG
Remedial Project Manager
U.S. Environmental Protection Agency
1200 Sixth Avenue, Suite 900, ECL-111
Seattle, WA 98101

Telephone: (206) 553-1369
E-mail: williams.jonathan@epa.gov

From: Paul.Ritter@deq.idaho.gov [mailto:Paul.Ritter@deq.idaho.gov]
Sent: Monday, January 12, 2015 9:03 AM
To: Williams, Jonathan
Cc: Scott.Miller@deq.idaho.gov; Douglas.Tanner@deq.idaho.gov
Subject: Comments on your draft response to the FMC gamma cap work plan

I've attached my comments. I'd like to get a better understanding of how the penetrating radiation RAO was derived from the Ra-226 concentration RAO, and whether the 2.8 microR/h allowable increment above the background applies only to radiation produced by Ra-226 and its decay products, or to radiation from all natural radioactivity. Scott Miller, Douglas Tanner, and I would like to discuss this with you. Would you be available for a conference call on the 13nth between 8 and 1 (MST), or the 14nth between 11 and 2 (MST)?

If you need to get your comments out before we can hold a conference call, please call me directly if you have any questions.

Paul Ritter
State of Idaho DEQ
900 North Skyline Drive, Suite B
Idaho Falls, ID 83402
(208) 528-2619 (office)
(208) 520-5326 (cell)