To: CN=Tom Hagler/OU=R9/O=USEPA/C=US@EPA;CN=Tim Vendlinski/OU=R9/O=USEPA/C=US@EPA;CN=Sam Ziegler/OU=R9/O=USEPA/C=US@EPA;CN=Erin Foresman/OU=R9/O=USEPA/C=US@EPA;CN=Bruce Herbold/OU=R9/O=USEPA/C=US@EPA;CN=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Tim Vendlinski/OU=R9/O=USEPA/C=US@EPA;CN=Sam Ziegler/OU=R9/O=USEPA/C=US@EPA;CN=Erin Foresman/OU=R9/O=USEPA/C=US@EPA;CN=Bruce Herbold/OU=R9/O=USEPA/C=US@EPA;CN=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Sam Ziegler/OU=R9/O=USEPA/C=US@EPA;CN=Erin Foresman/OU=R9/O=USEPA/C=US@EPA;CN=Bruce Herbold/OU=R9/O=USEPA/C=US@EPA;CN=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Erin Foresman/OU=R9/O=USEPA/C=US@EPA;CN=Bruce Herbold/OU=R9/O=USEPA/C=US@EPA;CN=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Bruce Herbold/OU=R9/O=USEPA/C=US@EPA;CN=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Kerry Drake/OU=R9/O=USEPA/C=US@EPA;CN=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Eugenia McNaughton/OU=R9/O=USEPA/C=US@EPA;CN=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]; N=Diane Fleck/OU=R9/O=USEPA/C=US@EPA[]
Cc: []
From: CN=Karen Schwinn/OU=R9/O=USEPA/C=US
Sent: Wed 8/29/2012 12:16:41 AM
Subject: Westlands tour

Westlands Water District is anxious to give us a tour. We're looking at September 10. So far, Tim, Kerry and myself are planning to go. Others interested? I've said that we are interested in their selenium management and their water efficiency innovations. We'll also discuss BDCP no doubt.

~~~~~~~~~~~~~~~~~~~~~~~~~

KAREN SCHWINN
Associate Director
Water Division
U.S. EPA Region 9
75 Hawthorne Street (Wtr-1)
San Francisco, CA 94105
415/972-3472
415/297-5509 (mobile)
415/947-3537 (fax)

ED_000733_DD_NSF_00014901-00001
~~~~~~~~~~~~~~~~~~~~~~~~~

~~~~~~~~~~~~~~~~~~~~~~~~
~~~~~~~~~~~~~~~~~~~~~~~~