Potentially Relevant Technical References

Aasen, G. A. 2011. 2010 Fish salvage at the Tracy Fish Collection Facility. In. California Department of Fish and Game, Bay Delta Region. Stockton, CA

Baker, P.F. and J.E. Morhardt. 2001. Survival of Chinook salmon smolts in the Sacramento-San Joaquin Delta and Pacific Ocean. *In* R.L. Brown, editor, Contributions to the Biology of Central Valley Salmonids, Volume 2, pages 163-182. California Department of Fish and Game, Fish Bulletin 179.

Baker, P.F., T.P. Speed, and F.K. Ligon. 1995. Estimating the influence of temperature on the survival of Chinook salmon smolts (*Oncorhynchus tshawytscha*) migrating through the Sacramento-San Joaquin River Delta of California. Canadian Journal of Fisheries and Aquatic Sciences 52:855-863.

Barnhart, R.A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest), steelhead. U.S. Fish and Wildlife Service, Biological Report 82 (11.60). 21 pages.

Bartholow, J.M. 2003. Modeling chinook salmon with SALMOD on the Sacramento River, California. Fort Collins, Colorado: Colorado State University, Office of Conference Services. 1-24 pages.

Baskerville-Bridges, B., J. Lindberg, and S. Doroshov. 2002. The effect of light intensity, alga concentration, and prey density on the feeding behavior of delta smelt larvae. Pages 219–228 in F. Freyer, L. Brown, R. Brown, and J. Orsi editors. Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society, Bethesda, Maryland, USA.

Bauer, M. 2010. An ecosystem model of the Sacramento-San Joaquin Delta and Suisun Bay, California, USA. MS Masters, California State University, Chico, Chico, CA

Baxter, R., R. Breuer, L. Brown, L. Conroy, F. Feyrer, S. Fong, K. Gehrts, L. Grimaldo, B. Herbold, P. Hrodey, A. Mueller-Solger, T. Sommer, and K. Souza. 2010. 2010 Pelagic organism decline work plan and synthesis of results. Interagency Ecological Program for the San Francisco Estuary.

Baxter, R.D. 1999a. Osmeridae. Pages 179-216 *in* J. Orsi, editor. Report on the 1980-1995 fish, shrimp and crab sampling in the San Francisco Estuary. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Technical Report 63. http://www.estuaryarchive.org/archive/orsi_1999/

ED_000733_DD_NSF_00019282-00001

Baxter, R.D. 1999b. Cottidae. Pages 249-278 *in* J. Orsi, editor. Report on the 1980-1995 fish, shrimp and crab sampling in the San Francisco Estuary. I nteragency Ecological Program for the Sacramento-San Joaquin Estuary Technical Report 63. http://www.estuaryarchive.org/archive/orsi_1999/

Baxter, R.D. 1999c. Pleuronectiformes. Pages 369-442 *in* J. Orsi, editor. Report on the 1980-1995 fish, shrimp and crab sampling in the San Francisco Estuary. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Technical Report 63. http://www.estuaryarchive.org/archive/orsi_1999/Bennett, W. A., W. J.

BAY INST. OF SAN FRANCISCO, FROM THE SIERRA TO THE SEA: AN ECOLOGICAL HISTORY OF THE SAN FRANCISCO BAY DELTA ESTUARY 175 (1998), *available at* http://www.bay.org/publications/from-the-sierra-to-the-sea-the-ecological-history-of-the-san-francisco-bay-delta-waters

W.A. BENNETT, J.A. HOBBS & S.J. TEH, INTERPLAY OF ENVIRONMENTAL FORCING AND GROWTH-SELECTIVE MORTALITY IN THE POOR YEAR-CLASS SUCCESS OF DELTA SMELT IN 2005 (2008), *available at* http://www.science.calwater.ca.gov/pdf/workshops/POD/2008_final/Bennett_PODDeltaSmelt2005Report_2008 .pdf.

Bennett WA, Kimmerer WJ, Burau JR. 2002. Plasticity in vertical migration by native and exotic estuarine fishes in a dynamic low-salinity zone. Limnology and Oceanography 47: 1496-1507. W.A. Bennett & Peter Moyle, *Where Have All the Fishes Gone? Interactive Factors Producing Fish Declines in the Sacramento-San Joaquin Estuary, in* SAN FRANCISCO BAY: THE ECOSYSTEM 519, 519-42 (J.T. Hollibaugh ed., 1996);

Bisson, P. A., J. B. Dunham, and G. H. Reeves. 2009. Freshwater ecosystems and resilience of Pacific salmon: habitat management based on natural variability. Ecology and Society 14(1): 45. [online] URL: http://www.ecologyandsociety.org/vol14/iss1/art45/

Bjornn, T.C. and Reiser, D.W. 1991. Habitat Requirements of salmonids in streams. Special Publication 19: 83-138. American Fisheries Society.

Blumberg, A., P. Goodwin, E. Houde, S. Monismith, T. M. Powell, and C. Simenstad. 2010. Review of IEP and other Bay-Delta modeling focused on hydrodynamics and fish

Boles, G. 1988. Water temperature effects on chinook salmon (Oncorhynchus tshawytscha) with emphasis on the Sacramento River: a literature review. Report to the California Department of Water Resources. Northern District. 43 pp.

Botsford, L. W., and C. A. Lawrence. 2002. Patterns of co-variability among California Current Chinook salmon, coho salmon, Dungeness crab, and physical oceanographic conditions.

Progress In Oceanography 53(2-4): 283-305.

Botsford, L.W. and J.G. Brittnacher. 1998. Viability of Sacramento River Winter-Run Chinook Salmon. Conservation Biology 12: 65-79.

Bouley, P., and W. J. Kimmerer. 2006. Ecology of a highly abundant, introduced cyclopoid copepod in a temperate estuary. Marine Ecology Progress Series 324: 219-228

Brandes, P.L., R. Burmester, and J. Speegle. 2006. Estimating relative abundance and survival of juvenile Chinook salmon in the Sacramento-San Joaquin estuary. Interagency Ecological Program Newsletter. 19(2): 41–46. http://iep.water.ca.gov/report/newsletter/

Brooks M.L., Fleishman E, Brown L.R., Lehman P.W., Werner I., Scholz N., Mitchelmore C., Lovvorn J.R., Johnson ML, Schlenk D., Van Drunick S., Drever J.I., Stoms D.M., Parker A.E., Dugdale R., In press. Life histories, salinity zones, and sublethal contributions of contaminants to pelagic fish declines illustrated with a case study of San Francisco Estuary, California, USA. DOI 10.1007/s12237-011-9459-6.

Brown, L.R., and P.B. Moyle. 2005. Native fish communities of the Sacramento-San Joaquin watershed, California: a history of decline. American Fisheries Society Symposium 45: 75–98.

Burau, J., A. Blake, and R. Perry. 2007. Sacramento/San Joaquin River Delta regional salmon outmigration study plan: Developing understanding for management and restoration. 72 pages plus appendices. Available at: http://www.science.calwater.ca.gov/pdf/workshops/workshop_outmigration_reg_study_plan_011608.pdf

California Department of Fish and Game (DFG). 2010. Report to the California Fish and Game Commission on Stressors Impacting Delta Related Organisms.

California Department of Fish and Game. 2010. Written summary, exhibits, and witness list. Entered by CDFG for the State Water Resources Control Board 2010 informational proceeding to develop flow criteria for the Delta ecosystem necessary to protect public trust resources. February 2010. http://www.swrcb.ca.gov/waterrights/water_issues/programs/bay_delta/deltaflow/dfg.shtml

CAL. DEPT. OF FISH & GAME, QUANTIFIABLE BIOLOGICAL OBJECTIVES AND FLOW CRITERIA FOR AQUATIC AND TERRESTRIAL SPECIES OF CONCERN DEPENDENT ON THE DELTA (Nov. 23, 2010), *available at* http://www.dfg.ca.gov/water/water_rights_docs.html.

California Department of Fish and Game (DFG). 2009a. Report to the Fish and Game Commission: A status review of the longfin smelt (*Spirinchus thaleichthys*) in California.

ED_000733_DD_NSF_00019282-00003

46 pp. http://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=10263

California Department of Fish and Game (DFG). 2009b. Effects Analysis -- State Water Project Effects on longfin smelt. California Department of Fish and Game. 58 pp. + appendices. http://www.dfg.ca.gov/delta/data/longfinsmelt/documents/ITP-Longfin-2a.pdf

California Department of Fish and Game (CDFG). 2004. Sacramento River winter-run Chinook salmon biennial report 2002 – 2003. Prepared for the Fish and Game Commission by California Department of Fish and Game. June 2004.

California Department of Fish and Game (CDFG). 1996. Steelhead Restoration and Management Plan for California. Prepared by D. McEwan and T.A. Jackson. California Department of Fish and Game.

CAL. DEPT. OF WATER RESOURCES, MANAGING AN UNCERTAIN FUTURE: CLIMATE CHANGE ADAPTATION STRATEGIES FOR CALIFORNIA'S WATER (Oct. 2008), *available at* http://www.water.ca.gov/climatechange/docs/ClimateChangeWhitePaper.pdf.

Cavallo, B., P. Gaskill and J. Melgo., Investigating the influence of tides, inflows, and exports on sub-daily flows at junctions in the Sacramento-San Joaquin Delta. In Preparation.

Cavallo, B., Merz J., Setka J., 2012. Effects of predator and flow manipulation on Chinook salmon (Oncorhynchus tshawytscha) survival in an imperiled estuary. Environmental Biology of Fishes. *Environ. Biol. Fish.,* DOI 10.1007/s10641-012-9993-5.

CH2MHill, Technical Memorandum, Effect of South Delta Exports on the Transport of Zooplankton in Eastern and Central Delta. 2011. Prepared for Paul Hutton (Metropolitan Water District of Southern California) and Terry Erlewine (State Water Contractors).

Central Valley Recovery Plan. 2009. Public Draft Recovery Plan for the Evolutionarily Significant Units of Sacramento River Winter-run Chinook Salmon and Central Valley Spring-run Chinook Salmon and the Distinct Population Segment of the Central Valley Steelhead. National Marine Fisheries Service, Southwest Regional Office, Sacramento, CA

Cloern, J. E., A. D. Jassby, J. Carstensen, W. A. Bennett, W. Kimmerer, R. Mac Nally, D.H. Schoellhamer, and M. Winder. in press. Perils of correlating CUSUM-transformed variables to infer ecological relationships (Breton et al. 2006, Glibert 2010). Limnology and Oceanography (in press).

Cloern, J. E., K. A. Hieb, T. Jacobson, B. Sanso, E. Di Lorenzo, M. Stacey, J. L. Largier, W. Meiring, W. T. Peterson, T. M. Powell, M. Winder, and A. D. Jassby. 2010. Biological communities in San Francisco Bay track large-scale climate forcing over the North

ED_000733_DD_NSF_00019282-00004

Pacific, Geophysical Research Letters 37. L21602. doi:10.1029/2010GL044774.

James Cloern et al., *Biological Communities in San Francisco Bay Track a North Pacific Climate Shift,* 37 GEOPHYSICAL RES. LETTERS 1, 1-6 (2010).

Cloern, J. E. 2007. Habitat connectivity and ecosystem productivity: Implications from a simple model. American Naturalist 169(1): E21-E33.

Cloern, J. E., and R. Dufford. 2005. Phytoplankton community ecology: Principles applied in San Francisco Bay. Marine Ecology Progress Series 285: 1-28.

COMM. ON SUSTAINABLE WATER & ENVTL. MGMT. IN THE CAL. BAY DELTA, A SCIENTIFIC ASSESSMENT OF ALTERNATIVES FOR REDUCING WATER MANAGEMENT EFFECTS ON THREATENED AND ENDANGERED FISHES IN CALIFORNIA'S BAY DELTA (2010), *available at* http://www.nap.edu/catalog.php?record_id=12881#toc.

Cramer, S. P., and D. B. Demko. 1997. The Status of Late - Fall and Spring Chinook Salmon in the Sacramento River Basin Regarding the Endangered Species Act. Special Report submitted to National Marine Fisheries Service on behalf of Association of California Water Agencies and California Urban Water Agencies. Sacramento CA.

Davis J., Sim L., Chambers J., 2010. Multiple stressors and regime shifts in shallow aquatic ecosystems in antipodean landscapes. Freshwater Biology 55(Suppl. 1):5-18.

Delta Smelt Consolidated Cases, No. 1:09-cv-00407 OWW DLB (E.D. Cal. Dec. 14, 2010) (The Memorandum Decision found that, while X2 is a valid surrogate for delta smelt habitat, the particular requirements for the location of X2 set forth in the 2008 Delta Smelt Biological Opinion are not legally valid and must be reconsidered by USFWS).

Enright C, Culberson SD. 2009. Salinity trends, variability, and control in the northern reach of the San Francisco Estuary. San Francisco Estuary and Watershed Science, 7(2): 3.

Erkkila LF, Moffett JW, Cope OB, Smith BR, Nelson RS. 1950. Sacramento-San Joaquin Delta fishery resources: effects of Tracy pumping plant and delta cross channels. Special Scientific Report. Fisheries 56. US Fish and Wildlife Service. 109 p.

Feyrer F, Newman K, Nobriga M, Sommer T. 2011. Modeling the effects of future outflow on the abiotic habitat of an imperiled estuarine fish. Estuaries and Coasts 34: 120-128. *available at* http://www.springerlink.com/content/d22u618x244n7j46/fulltext.pdf.

Feyrer F., Hobbs J., Sommer T., 2010. Salinity inhabited by age-0 splittail (Pogonichthys

macrolepidotus) as determined by direct observation and retrospective analyses with otolith chemistry. San Francisco Estuary and Watershed Science 8(2).

Frederick Feyrer, T. Sommer & S.B. Slater, *Old School vs. New School: Status of Threadfin Shad (Dorosomapetenense) Five Decades After its Introduction to the Sacramento-San Joaquin Delta*, 7 SAN FRANCISCO ESTUARY & WATERSHED SCI. 1, 1-17 (2009), *available at* http://repositories.cdlib.org/jmie/sfews/vol7/iss1/art3.

Fisch. K.M. 2011. Conservation genetics of the endangered delta smelt (*Hypomesus transpacificus*) in the San Francisco Estuary. PhD Dissertation. University of California, Davis.

Fisher, F.W. 1994. Past and present status of Central Valley Chinook salmon. Conservation Biology. 8: 870-873.

Forbes V.E., Calow P., 2010. Applying weight-of-evidence in retrospective ecological risk assessment when quantitative data are limited. Human and Ecological Risk Assessment: An International Journal 8(7):1625-1639.

Grimaldo, L.F., R.E. Miller, C.M. Peregrin, and Z.P. Hymanson. 2004. Spatial and temporal distribution of native and alien ichthyoplankton in three habitat types of the Sacramento–San Joaquin Delta. American Fisheries Society Symposium 39: 81–96. http://www.iep.ca.gov/AES/Grimaldo_et_al_2004.pdf

Grimaldo, L. F., A. R. Stewart, and W. Kimmerer. 2009. Dietary segregation of pelagic and littoral fish assemblages in a highly modified tidal freshwater estuary. Marine and Coastal Fisheries: Dynamics, Management and Ecosystem Science 1:200-217.

Gross, E. S., M. L. MacWilliams,C. D. Holleman, and T. A. Hervier. 2010 POD 3D Particle Tracking Modeling Study Testing and Applications Report. Report to Interagency Ecological Program, 109 pp.

Gross, E. S., M. L. MacWilliams, and W. J. Kimmerer. 2009. Threedimensional modeling of tidal hydrodynamics in the San Francisco Estuary. San Francisco Estuary and Watershed Science 7(2). Available online at *http://escholarship.org/uc/item/9rv243mg*. Last accessed March 15, 2010.

Gross, E. S., J. R. Koseff, and S. G. Monismith. 1999. Three-dimensional salinity simulations in South San Francisco Bay. Journal of the Hydraulics Division ASCE 125(11): 1199-1209.

Richard J. Hallock et al., *Migrations of Adult King Salmon Oncorhynchus tshawytscha in the San*

Joaquin Delta as Demonstrated by the use of Sonic Tags, 151 FISH BULLETIN (1970), ***available at*** http://content.cdlib.org/ark:/13030/kt1p3001mh/.

Hennessy, A. 2009. Zooplankton monitoring 2008. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Newsletter 22(2): 10-16. http://www.water.ca.gov/iep/products/newsletterPrevious.cfm

Herbold, B., A.D. Jassby, and P.B. Moyle. 1992. Status and trends report on aquatic resources in the San Francisco Estuary. Report to the EPA San Francisco Estuary Project. 257 pp.

Herren, J. R., and S. S. Kawasaki. 2001. Inventory of water diversions in four geographic areas in California's Central Valley. Pp. 343-355. In: Contributions to the Biology of Central Valley Salmonids, R.L. Brown (editor). Volume 2. California Fish and Game. Fish Bulletin 179.

Heublein J. C., J. T. Kelly, C. E. Croker, A. P. Klimley, and S. T. Lindley. 2009. Migration of green sturgeon, Acipenser medirostris in the Sacramento River. Environmental Biology of Fishes 84:245-258

Hobbs JA, Bennett WA, Burton JE. 2006. Assessing nursery habitat quality for native smelts (*Osmeridae*) in the low-salinity zone of the San Francisco Estuary. Journal of Fish Biology 69: 907-922.

Hoekstra, J. M., K. K. Bartz, M. H. Ruckelshaus, J. M. Moslemi, and T. K. Harms. 2007. Quantitative threat analysis for management of an imperiled species—Chinook salmon (*Oncorhynchus tchawytscha*). Ecological Applications 17:2061-2073.

Israel J.A., Fisch K.M., Turner T.F., Waples R.S., 2011. Conservation of native fishes of the San Francisco Estuary: Considerations for artificial propagation of Chinook salmon, delta smelt, and green sturgeon. San Francisco Estuary and Watershed Science 9(1).

Jassby, A. D., and T. M. Powell. 1994. Hydrodynamic influences on interannual chlorophyll variability in an estuary: upper San Francisco Bay-Delta (California, U.S.A.). Estuarine, Coastal, and Shelf Science 39:595-618.

Johnson M., I. Werner, S. Teh, and F. Loge. 2010. Evaluation of chemical, toxicological and histopathological data to determine their role in the pelagic organism decline. Report for the Interagency Ecological Program.

Kimmerer WJ. 2006. Response of anchovies dampens effects of the invasive bivalve Corbula amurensis on the San Francisco Estuary foodweb. Marine Ecology Progress Series 324: 207-218.

ED_000733_DD_NSF_00019282-00007

Kimmerer WJ. 2005. Long-term changes in apparent uptake of silica in the San Francisco estuary. Limnology and Oceanography 50: 793-798.

Kimmerer WJ, Bennett, WA, Burau JR. 2002. Persistence of tidally-oriented vertical migration by zooplankton in a temperate estuary. Estuaries 25: 359-371.

Kimmerer, and J. R. Burau. 2002. Plasticity in vertical migration by native and exotic estuarine fishes in a dynamic low-salinity zone. Limnology and Oceanography 47(5):1496-1507. http://www.aslo.org/lo/toc/vol_47/issue_5/1496.pdf

Knowles N., 2010. Potential inundation due to rising sea levels in the San Francisco Bay region. San Francisco Estuary and Watershed Science 8(1).

Knowles, N., and D. Cayan. 2004. Elevational dependence of projected hydrologic changes in the San Francisco estuary and watershed. Climatic Change 62:319-336.

Lessard, R. B., N. Hendrix, and R. Hilborn. 2010. Environmental factors inuencing the population viability of Sacramento River Winter Run Chinook salmon (Oncorhynchus tshawytscha).

Lindley, S. T., D. L. Erickson, M. L. Moser, G. Williams, O. P. Langness, B. W. McCovey, M. Belchik, D. Vogel, W. Pinnix, J. T. Kelly, J. C. Heublein, and A. P. Klimley. 2011. Electronic Tagging of Green Sturgeon Reveals Population Structure and Movement among Estuaries. Transactions of the American Fisheries Society 140:108-122

S.T. LINDLEY ET AL., WHAT CAUSED THE SACRAMENTO RIVER FALL CHINOOK STOCK COLLAPSE? (2009), *available at* http://swr.nmfs.noaa.gov/media/SalmonDeclineReport.pdf.

Lindley, S. T., M. L. Moser, D. L. Erickson, M. Belchik, D. W. Welch, E. L. Rechisky, J. T. Kelly, J. Heublein, and A. P. Klimley. 2008. Marine migration of North American green sturgeon. Transactions of the American Fisheries Society 137:182-194

Lindley S.T., R.S. Schick, E. Mora, P.B. Adams, J.J. Anderson, S. Greene, C. Hanson, B.P. May, D.R. McEwan, R.B. MacFarlane, C. Swanson, and J.G. Williams. 2007. Framework for assessing viability of threatened and endangered salmon and steelhead in the Sacramento- San Joaquin Basin. *San Francisco Estuary and Watershed Science* Volume 5, Issue 1 [February 2007], article 4. http://repositories.cdlib.org/jmie/sfews/vol5/iss1/art4

Lindley, S. T., R. Schick, A. Agrawal, M. Goslin, T. Pearson, E. Mora, J. J. Anderson, B. May, S. Greene, C. Hanson, A. Low, D. McEwan, R. B. MacFarlane, C. Swanson, and J. G.

ED_000733_DD_NSF_00019282-00008

Williams. 2006. Historical population structure of Central Valley steelhead and its alteration by dams. San Francisco Estuary and Watershed Science 4(1)(3):1-19. Available online at: http://repositories.cdlib.org/jmie/sfews/vol4/iss1/art3

Lindley, S. T., R. Schick, B. P. May, J. J. Anderson, S. Greene, C. Hanson, A. Low, D. McEwan, R. B. MacFarlane, C. Swanson, and J. G. Williams. 2004. Population structure of threatened and endangered Chinook salmon ESU in California's Central Valley basin. NMFS Southwest Science Center NOAA-TM-NMFS-SWFSC-360. Santa Cruz, CA.

Lucas, L. 2009. Implications of estuarine transport for water quality. Pp. 273-307 In: Contemporary Issues in Estuarine Physics. Ed. A Velle-Levinson. Cambridge Univ. Press.

Mac Nally R, Thomson JR, Kimmerer WJ, Feyrer F, Newman KB, Sih A, Bennett WA, Brown L, Fleishman E, Culberson SD, Castillo G. 2010. An analysis of pelagic species decline in the upper San Francisco Estuary using multivariate autoregressive modeling. Ecological Applications 20(5): 1417-1430.

Mager, R. C., S. I. Doroshov, J. P. Van Eenennaam, and R. L. Brown. 2004. Early life stages of delta smelt. Pages 169-180 *in* F. Feyrer, L. R. Brown, R. L. Brown, and J. J. Orsi, editors. Early life history of fishes in the San Francisco Estuary and watershed, 39 edition. American Fisheries Society, Bethesda, Maryland

Marston, D. 2007. San Joaquin River Fall-run Chinook Salmon and Steelhead Rainbow Trout Historical Population Trend Summary. California Department of Fish and Game Report to the Central Valley Regional Water Quality Control Board in Support of Petition to List San Joaquin River Basin Waters as Water Temperature Impaired.

Maunder, M. N., and R. B. Deriso. 2011. A state-space multi-stage lifecycle model to evaluate population impacts in the presence of density dependence: illustrated with application to delta smelt. Canadian Journal of Fisheries and Aquatic Sciences 68: 1285-1306

McClain J, Castillo G., 2010. Nearshore areas used by fry Chinook salmon, Oncorhynchus tshawytscha, in the northwestern Sacramento-San Joaquin Delta, California. San Francisco Estuary and Watershed Science 7(2).

McWilliams, M. L., Salcedo, F. G., and E. S. Gross, 2008. San Francisco Bay-Delta UnTRIM Model Calibration Report, POD 3-D Particle Tracking Modeling Study, Prepared for California Department of Water Resources, December 19, 2008, 344 p.

Merz, J.E., Hamilton, S., Bergman, P.S., and Cavallo, B. 2011. Spatial perspective for delta smelt: a summary of contemporary survey data. *California Fish and Game*, 97(4):164-189.

ED_000733_DD_NSF_00019282-00009

CARL MESICK ET AL., ANADROMOUS FISH RESTORATION PROGRAM, U.S. FISH & WILDLIFE SERV., OFFICE OF THE NAT'L MARINE FISHERIES SERV., LIMITING FACTOR ANALYSES & RECOMMENDED STUDIES FOR FALL-RUN CHINOOK SALMON AND RAINBOW TROUT IN THE TUOLUMNE RIVER (2008).

Mesick, C.F. 2001. The effects of San Joaquin River flows and delta export rates during October on the number of adult San Joaquin Chinook salmon that stray. Pages 139-161 in R.L. Brown, editor. Fish Bulletin 179. Contributions to the biology of Central Valley salmonids. Volume 2. California Department of Fish and Game, Sacramento, California. http://www.delta.dfg.ca.gov/srfg/docs/Straying_Analysis_Fish_Bulletin.pdf

Mesick, C. 2001. Studies of spawning habitat for fall-run Chinook salmon in the Stanislaus River between Goodwin Dam and Riverbank from 1994 to 1997. Department of Fish and Game Fish Bulletin 179: Contributions to the Biology of Central Valley Salmonids Volume 2. http://www.delta.dfg.ca.gov/srfg/docs/Spawning_Surveys_1994-1997_Fish_Bulletin.pdf

Mesick, C., J. McLain, D. Marston and T. Heyne. 2007. Draft limiting factor analysis and recommended studies for fall-run Chinook salmon and rainbow trout in the Tuolumne River. 14 pp. http://www.tuolumnerivertac.com/Correspondences/LimitingFactorRecommended%20Studies%20for%20Tuolumne%20River%203-1-07.pdf

Michel, C. F., 2010. Losses of Sacramento River Chinook Salmon and Delta Smelt to Entrainment in Water Diversions in the Sacramento-San Joaquin Delta. Master's Thesis, Univ. California, Santa Cruz. 130 pages.

Miller, W. J., B. F. J. Manly, D. D. Murphy, D. Fullerton, and R. R. Ramey. 2012. An investigation of factors affecting the decline of delta smelt (*Hypomesus transpacificus*) in the Sacramento-San Joaquin Estuary. Reviews in Fisheries Science 20: 1-19.

Monsen, N. E., J. E. Cloern, and J. R. Burau. 2007. Effects of flow diversions on water and habitat quality: examples from California's highly manipulated Sacramento-San Joaquin Delta San Francisco Estuary and Watershed Science 5(3): Article 2. 1-13. Available online at http://repositories.cdlib.org/jmie/sfews/vol5/iss3/art2/.

Monismith SG, Kimmerer WJ, Burau JR, Stacey MT. 2002. Structure and flow-induced variability of the subtidal salinity field in northern San Francisco Bay. Journal of Physical Oceanography 32: 3003-3019.

PETER MOYLE ET AL., DELTA SOLUTIONS CTR. FOR WATERSHED SCI., UNIV. OF CAL., DAVIS, HABITAT VARIABILITY AND COMPLEXITY IN THE UPPER SAN FRANCISCO ESTUARY (2010), *available at*

http://deltasolutions.ucdavis.edu/pdf/WorkingPapers/HabitatVariabilityandComplexity-2010Draft.pdf;

PETER MOYLE ET AL., 2010 CHANGING ECOSYSTEMS: A BRIEF ECOLOGICAL HISTORY OF THE DELTA (Feb. 2010), *available at* http://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/deltaflow/docs/intro_delta_history_14feb2010.pdf.

Moyle, P.B., B. Herbold, D.E. Stevens, and L.W. Miller. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society 121: 67-77. http://afsjournals.org/doi/pdf/10.1577/1548-8659(1992)121%3C0067%3ALHASOD%3E2.3.CO%3B2

Monismith, S.G., W.J. Kimmerer, J.R. Burau, and M.T. Stacey. 2002. Structure and flow-induced variability of the subtidal salinity field in northern San Francisco Bay. Journal of Physical Oceanography 32: 3003–3019. http://sfbay.wr.usgs.gov/publications/pdf/monismith_2002_subtidal.pdf

Myrick, C. A., and J. J. Cech, Jr. 2004. Temperature effects on juvenile salmonids in California's central valley: what don't we know? Reviews in Fish Biology and Fisheries 14:113-123.

National Academy of Sciences. 2010. A scientific assessment of alternatives for reducing water management effects on threatened and endangered fishes in the California's Bay Delta. Committee on Sustainable Water and Environmental Management in the California Bay-Delta. The National Academies Press; National Research Council, Washington, D.C. http://www.nap.edu/catalog/12881.html

NRC (National Research Council). 2012. Sustainable water and environmental management in the California Bay-Delta. National Research Council. The National Academies Press, Washington, DC.

Newman K.B, Brandeis P.L., 2010. Hierarchical modeling of juvenile Chinook salmon survival as a function of Sacramento-San Joaquin Delta water exports. North American Journal of Fisheries Management 30:157-169.

Newman, K.B and J. Rice. 2002. Modeling the survival of Chinook salmon smolts outmigrating through the lower Sacramento River system. Journ. App. Stat. App. http://www.stat.berkeley.edu/tech-reports/536.pdf

Newman, K.B. 2008. An evaluation of four Sacramento-San Joaquin River Delta

ED_000733_DD_NSF_00019282-00011

juvenile salmon survival studies. Report to the CALFED Bay-Delta Program. http://www.deltacouncil.ca.gov/delta_science_program/pdf/review_vamp_support_PSP_FWS_salmon_studies_033108.pdf

M.L. Nobriga & B. Herbold, *The Little Fish in California's Water Supply: a Literature Review and Life-History Conceptual Model for Delta Smelt (Hypomesus transpacificus) for the Delta Regional Ecosystem Restoration and Implementation Plan (DRERIP)* (2010) (in review)(on file with authors);

Nobriga M., 2009. Bioenergetic modeling evidence for a context-dependent role of food limitation in California's Sacramento-San Joaquin Delta. California Department of Fish and Game 95(3):111-121.

Nobriga, M.L. and F. Feyrer. 2008. Diet composition in San Francisco Estuary striped bass: Does trophic adaptability have its limits? Environmental Biology of Fishes 83: 495-503. http://www.calsport.org/di5-26-08.pdf

Ostrach D., Groff J. Weber P., Ginn T., Loge F., 2009. The role of contaminants, within the context of multiple stressors, in the collapse of the striped bass population in the San Francisco estuary and its watershed. Year 2 final report for DWR agreement no. 4600004664.

Adam Paganini et al., *Metabolic Responses to Environmental Salinity in the Invasive Clam Corbula amurensis*, AQUATIC BIOLOGY (forthcoming 2011).

Perry, R. W., J. R. Skalski, P. L. Brandes, P. T. Sandstrom, A. P. Klimley, A. Ammann, and B. MacFarlane. 2010. Estimating survival and migration route probabilities of juvenile chinook salmon in the Sacramento–San Joaquin River Delta. North American Journal of Fisheries Management 30(1): 142-156.

Radke LD. 1966. Distribution of smelt, juvenile sturgeon and starry flounder in the Sacramento-San Joaquin Delta. Fish Bulletin 136. Sacramento (CA): California Department of Fish and Game. p 115-129.

Rose, K. A. 2000. Why are quantitative relationships between environmental quality and fish populations so elusive? Ecological Applications 10: 367-385.

Ruhl CA, Schoellhamer DH. 2004. Spatial and temporal variability of suspended-sediment concentrations in a shallow estuarine environment. San Francisco Estuary and Watershed Science 2(2): 1

ED_000733_DD_NSF_00019282-00012

SAN FRANCISCO ESTUARY PROJECT, MANAGING FRESHWATER DISCHARGE TO THE SAN FRANCISCO BAY/SACRAMENTO SAN JOAQUIN DELTA ESTUARY: THE SCIENTIFIC BASIS FOR AN ESTUARINE STANDARD, 127 (1993);

Schoellhamer, D.H., Wright, S.A., and Drexler, J.Z., in press, Conceptual Model of Sedimentation in the Sacramento – San Joaquin River Delta: San Francisco Estuary and Watershed Science.

Schoellhamer, DH. 2011. Sudden clearing of estuarine waters upon crossing the threshold from transport to supply regulation of sediment transport as an erodible sediment pool is depleted: San Francisco Bay, 1999. Estuaries and Coasts 35: DOI 10.1007/s12237-011-9382-x.

Schoellhamer, DH. 2001. Influence of salinity, bottom topography, and tides on locations of estuarine turbidity maxima in northern San Francisco Bay. Coastal and Estuarine Fine Sediment Processes. Elsevier, p. 343-357. URL: http:// ca.water.usgs.gov/abstract/sfbay/elsevier0102.pdf

Schoellhamer DH. 2011. Sudden clearing of estuarine waters upon crossing the threshold from transport to supply regulation of sediment transport as an erodible sediment pool is depleted: San Francisco Bay, 1999. Estuaries and Coasts 34: 885-899

Schoellhamer, D.H., and Burau, J.R., 1998, Summary of findings about circulation and the estuarine turbidity maximum in Suisun Bay, California, U.S. Geological Survey Fact Sheet FS-047-98, 6 p. http://sfbay.wr.usgs.gov/sediment/circulation/

JOHN E. SKINNER, AN HISTORICAL REVIEW OF THE FISH AND WILDLIFE RESOURCES OF THE SAN FRANCISCO BAY AREA 226 (Cal. Dept. of Fish and Game, Water Projects Branch Rep. No. 1, 1962), *available at* http://www.estuaryarchive.org/archive/skinner_1962/;

Snider, B., and R. Titus. 1998. Evaluation of juvenile anadromous salmonid emigration in the Sacramento River near Knights Landing, November 1995–July 1996. Calif. Dept. Fish Game, Environmental Services Division, Stream Evaluation Program Report. 26 pp + 36 figs, app. http://www.fws.gov/stockton/afrp/documents/96klmgrt.pdf

Snider, B., and R.G. Titus. 2000a. Timing, composition and abundance of juvenile anadromous salmonid emigration in the Sacramento River near Knights Landing,

October 1996–September 1997. Calif. Dept. Fish Game, Habitat Conservation Division, Stream Evaluation Program Technical Report No. 00-04. 30 pp.+ 32 figs, app. http://www.fws.gov/stockton/afrp/documents/97klmgrt.pdf

Snider, B., and R.G. Titus. 2000b. Timing, composition and abundance of juvenile anadromous salmonid emigration in the Sacramento River near Knights Landing, October 1997–September 1998. Calif. Dept. Fish Game, Habitat Conservation Division, Stream Evaluation Program Technical Report No. 00-05. 27 pp.+ 29 figs, app. http://www.fws.gov/stockton/afrp/documents/98klmgrt.pdf

Snider, B., and R.G. Titus. 2000c. Timing, composition and abundance of juvenile anadromous salmonid emigration in the Sacramento River near Knights Landing, October 1998–September 1999. Calif. Dept. Fish Game, Habitat Conservation Division, Stream Evaluation Program Technical Report No. 00-06. 28 pp.+ 30 figs, app.

Sommer T., Mejia F., Hieb K., Baxter R., Loboschevsky E., Loge F., 2011. Long-term shifts in the lateral distribution of age-0 striped bass in the San Francisco estuary. Transactions of the American Fisheries Society 140:1451-1459.

Sommer T., Mejia F.H., Nobriga M.L., Feyrer F., Grimaldo L., 2011. The spawning migration of delta smelt in the upper San Francisco Estuary. San Francisco Estuary and Watershed Science 9(2).

Sommer T, Reece K, Mejia F., 2009. Delta smelt life-history contingents: A possible upstream rearing strategy? Interagency Ecological Program Newsletter 22(1):11-13.

Ted Sommer, et al., *The Collapse of Pelagic Fishes in the Upper San Francisco Estuary*, 32 FISHERIES, n.6, 270, 270-77 (2007) (Graphs originally prepared for Ted Sommer, et al., updated for 2008 and 2009 with data from Cal.

Spromberg J.A., Scholz N.L., 2011. Estimating the future decline of wild Coho salmon populations resulting from early spawner die-offs in urbanizing watersheds of the Pacific Northwest, USA. Integrated Environmental Assessment and Management DOI: 10.1002/ieam.219.

Stacey, M.T., Brennan, M.L., Burau, J.R., and Monismith, S.G., 2010, The tidally averaged momentum balance in a partially and periodically stratified estuary: Journal of Physical Oceanography, v. 40, no. 11, p. 2418-2434.

Stahle D.W., Griffin R.D., Cleaveland M.K., Edmondson J.R., Fye F.K., Burnette D.J., Abatzoglou J.T., Redmond K.T., Meko D.M., Dettinger M.D., Cayan D.R., Therrel M.D., 2011. A treering

reconstruction of the salinity gradient in the northern estuary of San Francisco Bay. San Francisco Estuary and Watershed Science 9(1).

Stevens DE. 1977. Striped bass (*Morone saxatilis*) year class strength in relation to river flow in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society 106:34-42.

Swanson, C, Reid, T, Young, PS, Cech, JJ, Jr. 2000. Comparative environmental tolerances of threatened delta smelt (*Hypomesus transpacificus*) and introduced wakasagi (*H. nipponensis*) in an altered California estuary. Oecologia 123:384-390.

Teh, S. 2012. Fall X2 fish health study: contrasts in health indices, growth and reproductive fitness of delta smelt and other pelagic fishes rearing in the low salinity zone and Cache Slough regions. Progress Report to Environmental Restoration Program, California Department of Fish and Game, Sacramento, CA.

Thompson, J., K. Gehrts, F. Parchaso, and H. Fuller. 2012. Going with the flow: the distribution, biomass and grazing rate of *Potamocorbula* and *Corbicula* with varying freshwater flow (May and October 2009-2011). Progress Report to U.S. Bureau of Reclamation, Sacramento, CA.

Thomson JR, Kimmerer WJ, Brown LR, Newman KB, Mac Nally R, Bennett WA, Feyrer F, Fleishman E. 2010. Bayesian change point analysis of abundance trends for pelagic fishes in the upper San Francisco Estuary. Ecological Applications 20(5): 1431-1448.

Wagner R., M. T. Stacey, L. Brown, M. Dettinger. 2011. Statistical models of temperature in the Sacramento-San Joaquin Delta under climate-change scenarios and ecological implications. Estuaries and Coasts 34: 544–556.

Williams, J. G.. In press . Juvenile Chinook salmon (*Oncorhynchus tshawytscha*) in and around the San Francisco Estuary. San Francisco Estuary and Watershed Science

ED_000733_DD_NSF_00019282-00015

Winder, M., and A. D. Jassby. 2011. Shifts in zooplankton community structure: implications for food web processes in the upper San Francisco Estuary. Estuaries and Coasts 34: 675-690.

Winder, M., A. D. Jassby, and R. Mac Nally. 2011. Synergies between climate anomalies and hydrological modifications facilitate estuarine biotic invasions. Ecology Letters.
Winder M, Jassby AD. 2011. Shifts in zooplankton community structure: implications for food web processes in the upper San Francisco Estuary. Estuaries and Coasts 34: 675-690.

Vogel D., 2011. Evaluation of acoustic-tagged juvenile Chinook salmon and predatory fish movements in the Sacramento-San Joaquin Delta during the 2010 Vernalis Adaptive Management Program. Natural Resource Scientists, Inc. October 2011.

York J, Costas B, McManus G. 2010. Microzooplankton grazing in green water—results from two contrasting estuaries. Estuaries and Coasts 34: 373-385.

Zeug, S., Bergman P., Cavallo B., Jones K., 2012. Application of a life cycle simulation model to evaluate impacts of water management and conservation actions on an endangered population of Chinook salmon. Environmental Modeling and Assessment. In Press.

ED_000733_DD_NSF_00019282-00016