To: Lee, Barbara[Lee.Barbara@epa.gov]
From: MUSANTE, JASON
Sent: Fri 9/23/2016 4:20:01 PM
Subject: RE: ERRS TO extensions needed?

Hi Barbara –

Apologies for the delay; it's been an extremely busy week. Finished up the AM and it's waiting for updates to enforcement confidential that will come from a call with ORC/PRP today.

Will work on the TO/IGCE today.

Thank you for your help with this!

Jason Musante
Federal On-Scene Coordinator
U.S. EPA Region IX - Los Angeles
213.479.2120
musante.jason@epa.gov

Report oil or chemical spills
National Response Center: 800.424.8802
Region IX Duty Officer: 800.300.2193

From: Lee, Barbara
Sent: Friday, September 23, 2016 9:16 AM
To: MUSANTE, JASON <Musante.Jason@epa.gov>
Cc: Guria, Peter <Guria.Peter@epa.gov>
Subject: Fwd: ERRS TO extensions needed?

Hey Jason,

My understanding is you're working on the AM? Can you let me know when that might get signed? Also, need the TO form and IGCE review. I will be out of the office starting next Thursday so would like to get this taken care of before then.

Barbara Lee
US EPA, Region IX
Emergency Response, Planning, and Prevention
Office (415) 972-3195

Fax (415) 947-3518

Begin forwarded message:

From: "Raikar, Amitkumar" <raikar.amitkumar@epa.gov>
Date: September 23, 2016 at 9:12:08 AM PDT
To: "Lee, Barbara" <Lee.Barbara@epa.gov>
Cc: "Albizu, Ramon" <Albizu.Ramon@epa.gov>
Subject: RE: ERRS TO extensions needed?

Any updates on the AM and funding for 9059? Thanks Barbara.

Best regards,

Amit Raikar

Contracting Officer

U.S. EPA Region 9, EMD-6-2
75 Hawthorne Street
San Francisco, CA 94105

Ph: 415-972-3713

raikar.amitkumar@epa.gov

From: Lee, Barbara
Sent: Friday, September 16, 2016 9:48 AM
To: Raikar, Amitkumar <raikar.amitkumar@epa.gov>
Cc: Albizu, Ramon <Albizu.Ramon@epa.gov>
Subject: RE: ERRS TO extensions needed?

Hi Amit,

Only 9057 and 9059 will need extensions. TO form already submitted for 9057. Waiting for TO form from OSC for 9059. 9059 will be extension and increase funding as well as possibly a SOW change. Will send those through as soon as I get them.

Please let me know if you have any questions. Thanks.

Barbara Lee
US EPA, Region IX
Emergency Response, Planning, and Prevention

Lee.barbara@epa.gov
Office (415) 972-3195

Fax (415) 947-3518

On Sep 14, 2016, at 5:54 PM, Raikar, Amitkumar <raikar.amitkumar@epa.gov> wrote:

Hi Barbara,

The following TOs will be expiring. Do they need any extensions? Excuse me if you already have updated me on them.

9050	Agana Springs PCB site	09/16/16	(I am assuming not, but inform ASAP if so) No extension needed.
9057	Typhoon Soudelor Transformer site	09/30/16	Request received to extend to 1-31-17

9058	3M Lane Wildland Fire	09/30/16	No extension needed.
9059	Fruitland Magnesium Fire Incident	09/30/16	Extension needed. Will be

Best regards,

Amit Raikar

Contracting Officer

U.S. EPA Region 9, EMD-6-2
75 Hawthorne Street
San Francisco, CA 94105

Ph: 415-972-3713

raikar.amitkumar@epa.gov