To: Hague, Mark[Hague.Mark@epa.gov]; Carey, Curtis[Carey.Curtis@epa.gov]; Chu, Ed[Chu.Ed@epa.gov]; Cozad, David[Cozad.David@epa.gov]; Peterson, Mary[Peterson.Mary@epa.gov]; Juett, Lynn[Juett.Lynn@epa.gov]
From: Stoy, Alyse
Sent: Tue 11/22/2016 5:24:49 PM
Subject: FW: Response to Lewis and DeFeo 11.17.16 [WARNING: DKIM validation failed]
Response to Lewis and DeFeo 11_17_16.pdf

Alyse Stoy

Office of Regional Counsel

U.S. EPA Region 7

(913) 551-7826 office

(816) 807-3271 cell

From: Richard S. Lewis [mailto:rlewis@hausfeld.com]
Sent: Tuesday, November 22, 2016 11:22 AM
To: Stoy, Alyse <Stoy.Alyse@epa.gov>
Cc: Daniel DeFeo <ddefeo@defeokolker.com>
Subject: FW: Response to Lewis and DeFeo 11.17.16 [WARNING: DKIM validation failed]

Ms. Stoy :

Thank you for your letter regarding EPA's interest in our data and EPA's interest in doing sampling in the Bridgeton neighborhood. Please suggest a time tomorrow or next week when you and Mr. Hague can talk to us by phone to address these issues .

Thank you , Rich Lewis

From: Stoy, Alyse [mailto:Stoy.Alyse@epa.gov]
Sent: Thursday, November 17, 2016 1:00 PM
To: Richard S. Lewis <rlewis@hausfeld.com>
Subject: Response to Lewis and DeFeo 11.17.16

Good Morning Mr. Lewis:

Please see the attached correspondence from the U.S. Environmental Protection Agency. I do not have an email address for Mr. DeFeo, but will be sending this letter to both of you via overnight mail as well. If you have any questions, please don't hesitate to contact me at any time.

Regards,

Alyse

Alyse Stoy

Office of Regional Counsel

U.S. EPA Region 7

(913) 551-7826 office

(816) 807-3271 cell