To: Palachek, Randy M[Randy.M.Palachek@parsons.com]; Berkoff, Michael[berkoff.michael@epa.gov]; Sathya.V.Yalvigi@chemours.com[Sathya.V.Yalvigi@chemours.com]; Sebastian.P.Harrison@chemours.com[Sebastian.P.Harrison@chemours.com]; 'Douglas Petroff'[dpetroff@idem.in.gov]; 'Greco, Chris'[chris.greco@bp.com]
Cc: de las Fuentes, Sandra[Sandra.delasFuentes@parsons.com]; Nick Centola[ncentola@scst.com]; Alex Kuszmaul[akuszmaul@scst.com]; JD Campbell[jdcampbell@scst.com]; John Kirschbaum[jkirschbaum@scst.com]; 'Gould, Mindy'[Mindy.Gould@tetratech.com]; Pope, Janet[Pope.Janet@epa.gov]; Arthur Lichorobiec[alichorobiec@scst.com]; Christopher Lichorobiec[clichorobiec@scst.com]; Vaccarello, Cheryl[Cheryl.Vaccarello@tetratech.com]; jim.wescott@tetratech.com[jim.wescott@tetratech.com]; Patrick Bradley[pbradley@scst.com]; Andy Suminski[asuminski@scst.com]; Jessie Compeau[jcompeau@scst.com]; Tanner Hess[thess@scst.com]; Carlos Menor Salazar[CMenorSalazar@scst.com]
From: Rik Lantz
Sent: Mon 5/9/2016 6:59:44 PM
Subject: RE: XRF vs TCLP data
removed.txt
Copy of USS Lead XRF vs TCLP Lead.xlsx

.....
,,,,,,,,
Info for our call

Thanks,
Rik

Rik Lantz, P.G., LEED-AP

Director of Environmental Services

SDVOSB . DVBE
Geotechnical Engineering I Special Inspection & Materials Testing

Environmental Science & Engineering I Facilities Consulting

www.scst.com[scst.com]

SCST Inc.

125 S Wacker Drive, Suite 220

Chicago, IL 60606

P: 312.658.1141 X 16 **C:** 312.636.2614

Notice To Recipient: This e-mail is meant for the intended recipient of the transmission only, and may be a

communication privileged by law. If you received this e-mail in error, please notify the sender immediately by return e-mail and please delete this message and any and all duplicates of this message from your system. Any review, use, dissemination, distribution, or copying of this e-mail is strictly prohibited. Thank you in advance for your cooperation.