To: LaPoma, Jennifer[LaPoma.Jennifer@epa.gov]
Cc: Manu Sharma[MSHARMA@gradientcorp.com]; Mannino, Pietro[Mannino.Pietro@epa.gov]
From: Andy Bittner
Sent: Tue 4/19/2016 9:51:14 PM
Subject: Re: Discussion about PDI for OU1 at New Cassel Hicksville GW Contamination Site

Is 11am tomorrow morning (Wednesday) ok?

Thanks,
Again

On Apr 19, 2016, at 5:23 PM, LaPoma, Jennifer
<LaPoma.Jennifer@epa.gov<mailto:LaPoma.Jennifer@epa.gov>> wrote:

Andy,

I can be available tomorrow morning anywhere from 9 am to noon, but am unavailable tomorrow afternoon, Thursday and Friday.

Thanks,
Jennifer LaPoma

From: Andy Bittner [mailto:abittner@gradientcorp.com]
Sent: Tuesday, April 19, 2016 1:42 PM
To: LaPoma, Jennifer <LaPoma.Jennifer@epa.gov<mailto:LaPoma.Jennifer@epa.gov>>
Cc: Manu Sharma <MSHARMA@gradientcorp.com<mailto:MSHARMA@gradientcorp.com>>; Mannino, Pietro <Mannino.Pietro@epa.gov<mailto:Mannino.Pietro@epa.gov>>
Subject: Discussion about PDI for OU1 at New Cassel Hicksville GW Contamination Site

Jennifer,
Is there any chance that you and Pete have a few minutes available to discuss the proposed Pre-Design Investigation for OU1 at the New Cassel Hicksville Groundwater Contamination Site? We have a few questions about data gaps and the investigation approach. Obviously, we just want to focus on technical issues. Anytime after 10:30 AM on Thursday (April 21) would work well for us. We have a deadline of May 2 to submit our comments on the PDI, so I think we would prefer to get call scheduled earlier rather than later.

Thanks,
-Andy

Andrew Bittner, M.Eng., P.E. | Principal Scientist
617-395-5574 | abittner@gradientcorp.com<mailto:abittner@gradientcorp.com>

Gradient | 20 University Road | Cambridge, MA 02138 | 617-395-5000 |
www.gradientcorp.com<http://www.gradientcorp.com>

This message contains information that may be confidential or privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy, or disclose to anyone this message or any information contained in the message. If you have received this message in error, please advise the sender by reply e-mail, and delete all copies of this message and its attachment(s).