Date	Time	Title	Source	Item Type
Apr 15 2016	11:30 PM CT	The Rachel Maddow Show	MSNBC	Television
Apr 15 2016	11:15 PM UTC	Robert De Niro denounces r	galacticconnection.com	Web
Apr 15 2016	11:08 PM UTC	New Ohio Bill Proposes Cha	lexology.com	Web
Apr 15 2016	11:00 PM ET	WOOD Late Evening News	WOOD	Television
Apr 15 2016	11:00 PM ET	WDIV 11PM	WDIV	Television
Apr 15 2016	9:50 PM UTC	Clintons new environmental	environmentguru.com	Web
Apr 15 2016	9:39 PM UTC	Reporting the reporters: Get	voicenews.com	Web
Apr 15 2016	9:35 PM ET	Snyders office releases 127	The Detroit News	Web
Apr 15 2016	9:34 PM ET	Why Our Kids Should Hate I	The Huffington Post	Web
Apr 15 2016	9:26 PM ET	Merrimack makes Top 10 lis	The Salem News	Web
Apr 15 2016	9:00 PM CT	KSMO 9 pm	KSMO	Television
Apr 15 2016	8:30 PM CT	The Rachel Maddow Show	MSNBC	Television
Apr 15 2016	8:13 PM UTC	America 2016: Death Spiral	opednews.com	Web
Apr 15 2016	8:11 PM PT	Amid Flint crisis, plans to tou	SF Gate: San Francisco Chronicle	Web
Apr 15 2016	8:05 PM ET	Howell releases updated lea	Livingston Daily	Web
Apr 15 2016	7:52 PM UTC	Democrats Introduce Legisla	napolitano.house.gov	Web
Apr 15 2016	7:20 PM UTC	Streak of 2,479 Days Is Fina	opisnet.com	Web
Apr 15 2016	7:15 PM ET	Rich Zeoli	WPHT-AM	Radio
Apr 15 2016	7:15 PM ET	Rich Zeoli	WPHT-AM	Radio
Apr 15 2016	6:53 PM UTC	Clintons new environmental	grist.org	Web
Apr 15 2016	6:49 PM ET	I'm an environmental reporte	Delaware State News	Web
Apr 15 2016	6:30 PM CT	KSMO 6:30 pm	KSMO	Television
Apr 15 2016	6:30 PM AZ	Metro Week	KUAT	Television
Apr 15 2016	6:30 PM AZ	Metro Week	KUAT	Television
Apr 15 2016	6:29 PM UTC	The Coming Week: Energy I	themorningconsult.com	Web
Apr 15 2016	6:21 PM ET	Rick Snyder: Michigan has p	The Morning Sun	Web
Apr 15 2016	6:20 PM CT	Topeka upcoming meetings	The Topeka Capital Journal	Web
Apr 15 2016	6:16 PM UTC	Video Highlights of Hearing	georgetown.edu	Web
Apr 15 2016	6:15 PM ET	PolitiFact: Clinton says deba	WEWS-TV [ABC 5]	Web
Apr 15 2016	6:09 PM UTC	Elevated Lead, Copper Leve	medicaldaily.com	Web
Apr 15 2016	6:00 PM ET	Mitch Albom Show	WJR-AM	Radio
Apr 15 2016	6:00 PM ET	Evening Drive	WESA-FM	Radio
Apr 15 2016	6:00 PM ET	WOOD 6pm News	WOOD	Television
Apr 15 2016	6:00 PM CT	5pm	KRDO-AM	Radio
Apr 15 2016	6:00 PM ET	6PM	WWJ-AM	Radio
Apr 15 2016	6:00 PM ET	6PM	WWJ-AM	Radio
Apr 15 2016	6:00 PM CT	5pm	KRDO-AM	Radio
Apr 15 2016	5:56 PM ET	Rick Snyder: Michigan has p	Oakland Press	Web
Apr 15 2016	5:56 PM ET	Rick Snyder: Michigan has p	The Daily Tribune	Web
Apr 15 2016	5:56 PM ET	Rick Snyder: Michigan has p	The Macomb Daily	Web
Apr 15 2016	5:34 PM UTC	Can We Rid Our Drinking W	wcponline.com	Web
Apr 15 2016	5:28 PM CT	Michigan proposes adopting	Northside Sun	Web
Apr 15 2016	5:24 PM ET	At the Vatican, Sanders Call	Wired Magazine / Wired.com	Web
Apr 15 2016	5:23 PM UTC	Massive Herd Of Cattle Link	talkingpointsmemo.com	Web
Apr 15 2016	5:18 PM ET	Will Michigan's tough lead p	WAMR [107.5 FM] Amor	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Hartland Patch	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Royal Oak Patch	Web
Apr 15 2016	5:18 PM UTC	Nation's Toughest Lead Wa	bloomfield-mi.patch.com	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Grosse Pointe Patch	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Oakland Township Patch	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Fenton Patch	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Rochester-Rochester Hills Patch	Web
Apr 15 2016	5:18 PM ET	Nation's Toughest Lead Wa	Clawson Patch	Web

Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Wyandotte Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Farmington Hills Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Shelby-Utica Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Merrimack Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Brighton Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Huntington Woods-Berkley Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Dexter Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Birmingham Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Dearborn Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Ferndale Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	New Baltimore-Chesterfield Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	Northville Patch	Web
Apr 15 2016 5:18 PM ET	Nation's Toughest Lead Wa	White Lake Patch	Web
Apr 15 2016 5:10 PM ET	Threat of environmental inju	Michigan Live	Web
Apr 15 2016 5:00 PM ET	WZZM 5:30pm News	WZZM	Television
Apr 15 2016 4:53 PM ET	Calls for Candidates to Addr	Gotham Gazette	Web
Apr 15 2016 4:47 PM UTC	TGIF! Weekly Water News S	waterwired.org	Web
Apr 15 2016 4:41 PM ET	Gov. Snyder, Mayor Weave	WJRT-TV [ABC 12]	Web
Apr 15 2016 4:39 PM UTC	Michigan Water Crisis: Elev	medicaldaily.com	Web
Apr 15 2016 4:35 PM ET	Water in 19 Detroit Schools	Insurance Journal	Web
Apr 15 2016 4:29 PM ET	Michigan governor propose	The Hill	Web
Apr 15 2016 4:25 PM ET	Michigan urges toughest lea	Education Week	Web
Apr 15 2016 4:03 PM ET	Why Are Kids Should Hate L	The Huffington Post	Web
Apr 15 2016 4:00 PM ET	WJRT News at 4pm	WJRT	Television
Apr 15 2016 4:00 PM ET	The Now Indy	WRTV	Television
Apr 15 2016 4:00 PM CT	KCTV 4 pm	KCTV	Television
Apr 15 2016 3:59 PM UTC	1/3 of Detroit elementary sc	rt.com	Web
Apr 15 2016 3:51 PM UTC	Michigan residents will be b	foreignaffairs.co.nz	Web
Apr 15 2016 3:48 PM UTC	Michigan proposes adopting	latestnigeriannews.com	Web
Apr 15 2016 3:27 PM UTC	Why I missed the Flint story	nmpolitics.net	Web
Apr 15 2016 3:23 PM UTC	Lennars history in San Fran	contracostabee.com	Web
Apr 15 2016 3:22 PM ET	Snyder pushes for toughest	Detroit Free Press	Web
Apr 15 2016 3:15 PM ET	Michigan urges toughest lea	580 CFRA	Web
Apr 15 2016 3:12 PM UTC	Michigan urges toughest lea	www.star96.ca	Web
Apr 15 2016 3:12 PM ET	Michigan urges toughest lea	WYXB-FM [105.7 FM] B105.7 Sof	Web
Apr 15 2016 3:10 PM ET	Michigan urges toughest lea	Newstalk 1290 CJBK	Web
Apr 15 2016 3:08 PM ET	Michigan urges toughest lea	610 CKTB	Web
Apr 15 2016 3:08 PM UTC	Michigan urges toughest lea	winnipegfreepress.com	Web
Apr 15 2016 3:07 PM ET	Michigan proposes adopting	Business Insider	Web
Apr 15 2016 3:07 PM CT	Michigan proposes adopting	WTAQ-AM [1360 AM]	Web
Apr 15 2016 3:07 PM UTC	Michigan proposes adopting	theworld247.com	Web
Apr 15 2016 3:07 PM CT	Michigan proposes adopting	KFGO-AM [790 AM] 740 The Fan	Web
Apr 15 2016 3:07 PM ET	Michigan proposes adopting	Yahoo News	Web
Apr 15 2016 3:07 PM UTC	Michigan proposes adopting	Reuters	Web
Apr 15 2016 3:07 PM UTC	Michigan proposes adopting	Yahoo! Singapore	Web
Apr 15 2016 3:07 PM ET	Michigan proposes adopting	WHTC AM [1450 AM] Holland	Web
Apr 15 2016 3:07 PM ET	Michigan proposes adopting	WKZO-AM [590 AM] News	Web
Apr 15 2016 3:07 PM CT	Michigan proposes adopting	WSAU-AM [550 AM]	Web
Apr 15 2016 3:07 PM CT	Michigan proposes adopting	WHBL-AM [1330 AM]	Web
Apr 15 2016 3:07 PM ET	Michigan proposes adopting	WLMI-FM [92.9 FM] Lansing's Gr	Web
Apr 15 2016 3:05 PM ET	Michigan urges toughest lea	Greenfield Daily Reporter	Web
Apr 15 2016 3:01 PM ET	Michigan proposes adopting	Philadelphia Inquirer	Web
Apr 15 2016 2:50 PM ET	Proposed state reforms on l	White Lake Beacon	Web
Apr 15 2016 2:34 PM UTC	Flint Residents Fear Showe	bcnn2.com	Web

Apr 15 2016 2:27 PM UTC	Intermountain Healthcare Br	asianhhm.com	Web
Apr 15 2016 2:14 PM UTC	Best Radio Public Service--	apr.org	Web
Apr 15 2016 2:07 PM UTC	Michigan proposes adopting	srnnews.com	Web
Apr 15 2016 2:06 PM ET	Water in FPS tested for lead	Hometown Life	Web
Apr 15 2016 2:00 PM CT	High copper or lead levels s	KFXV-TV [FOX 2]	Web
Apr 15 2016 1:43 PM ET	Michigan To Urge Toughest	WWJ-AM.com	Web
Apr 15 2016 1:36 PM ET	Michigan will urge toughest	Michigan Live	Web
Apr 15 2016 1:25 PM MT	Intermountain Healthcare br	KSL-AM [1160 AM]	Web
Apr 15 2016 1:21 PM UTC	Hillary Clinton And Bernie S	dimemag.com	Web
Apr 15 2016 1:02 PM UTC	Michigan urges toughest lea	mail.com	Web
Apr 15 2016 12:21 PM UTC	Capps Highlights Long-Term	realestaterama.com	Web
Apr 15 2016 12:21 PM UTC	Chicagos Lead Pipes: What	usafiltration.com	Web
Apr 15 2016 12:04 PM UTC	Upton Committee Holds For	realestaterama.com	Web
Apr 15 2016 12:00 PM UTC	Media in pugilistic overdrive	poynter.org	Web
Apr 15 2016 12:00 PM ET	Amidst Fracking Pollution, A	thinkprogress.org	Web
Apr 15 2016 12:00 PM ET	As Fracking Chemicals Rea	thinkprogress.org	Web
Apr 15 2016 12:00 PM ET	WJRT News at Noon	WJRT	Television
Apr 15 2016 12:00 PM CT	NTV News at Noon	KHGI	Television
Apr 15 2016 12:00 PM ET	WOOD 12pm News	WOOD	Television
Apr 15 2016 12:00 PM ET	WJRT News at Noon	WJRT	Television
Apr 15 2016 12:00 PM CT	KTIV 12pm MF	KTIV	Television
Apr 15 2016 11:45 AM CT	Flint will 'press on' after U.S.	NET Radio	Web
Apr 15 2016 10:30 AM ET	Fred Dicker Live from the St	WGDJ-AM	Radio
Apr 15 2016 10:30 AM ET	Fred Dicker Live from the St	WGDJ-AM	Radio
Apr 15 2016 10:30 AM CT	Central Standard with Jabul	KCUR-FM	Radio
Apr 15 2016 10:22 AM ET	Belgian transport minister re	Hometown Life	Web
Apr 15 2016 10:17 AM ET	Belgian transport minister re	Hometown Life	Web
Apr 15 2016 10:00 AM PT	Radio Programming	KCBS-AM	Radio
Apr 15 2016 10:00 AM PT	Radio Programming	KCBS-AM	Radio
Apr 15 2016 9:40 AM ET	Michigan to urge toughest le	The Journal Gazette	Web
Apr 15 2016 9:15 AM ET	Im an environmental reporte	Washington Post	Web
Apr 15 2016 9:00 AM UTC	Hillary Clinton Gets Real Ab	triplepundit.com	Web
Apr 15 2016 9:00 AM UTC	Commentary: Why I missed	feedburner.com	Web
Apr 15 2016 8:15 AM UTC	CH2M and IBM have a fix fo	greenbiz.com	Web
Apr 15 2016 8:03 AM AK	High copper or lead levels s	Juneau Empire	Web
Apr 15 2016 8:01 AM UTC	Redstone Won't Testify at T	MorningStar.com	Web
Apr 15 2016 8:00 AM AZ	Morning Edition	KJZZ-FM	Radio
Apr 15 2016 8:00 AM PT	Morning Drive News Update	KOPB-FM	Radio
Apr 15 2016 7:51 AM UTC	High copper, lead levels see	timesargus.com	Web
Apr 15 2016 7:33 AM UTC	CH2M and IBM have a fix fo	greenbiz.com	Web
Apr 15 2016 7:17 AM PT	Vanderbilt house burns to gr	Record Searchlight	Web
Apr 15 2016 7:06 AM UTC	Redstone Won't Testify at T	in.advfn.com	Web
Apr 15 2016 7:05 AM UTC	Redstone Won't Testify at T	uk.advfn.com	Web
Apr 15 2016 7:01 AM PT	High copper or lead levels s	Daily Republic	Web
Apr 15 2016 6:00 AM CT	Good Morning Nebraska	KHGI	Television
Apr 15 2016 6:00 AM ET	WJRT News at 6am	WJRT	Television
Apr 15 2016 6:00 AM CT	WEEK Morning News	WEEK	Television
Apr 15 2016 6:00 AM ET	WJRT News at 6am	WJRT	Television
Apr 15 2016 5:30 AM CT	NEWS 2 DAYBREAK 1ST A	KPRC	Television
Apr 15 2016 5:30 AM CT	Good Morning Heartland	KTVO	Television
Apr 15 2016 5:26 AM CT	Metal levels in water concer	Leader-Telegram	Web
Apr 15 2016 5:00 AM CT	WEEK Morning News	WEEK	Television
Apr 15 2016 5:00 AM ET	WJRT News at 5am	WJRT	Television
Apr 15 2016 5:00 AM CT	WDAF 5 am	WDAF	Television

Apr 15 2016 5:00 AM ET	WJRT News at 5am	WJRT	Television
Apr 15 2016 5:00 AM ET	WJRT News at 5am	WJRT	Television
Apr 15 2016 5:00 AM CT	Good Morning Nebraska Su	KHGI	Television
Apr 15 2016 5:00 AM CT	Radio Programming	WHO-AM	Radio
Apr 15 2016 5:00 AM CT	Good Day Tulsa 5 AM	KTUL	Television
Apr 15 2016 4:31 AM ET	Officials: Vienna's C8 levels	Parkersburg News	Web
Apr 15 2016 4:30 AM UTC	Hillary Clinton can't quite de	vox.com	Web
Apr 15 2016 4:30 AM ET	FOX 2 News Morning 430A	WJBK	Television
Apr 15 2016 4:00 AM UTC	McCarthy: We're Nearing 'S	bna.com	Web
Apr 15 2016 4:00 AM ET	High lead, copper levels fou	Toledo Blade	Web
Apr 15 2016 3:56 AM ET	*Horse Race LiveWire* Dem	Breitbart.com	Web
Apr 15 2016 3:33 AM UTC	TGiF! Weekly Water News S	waterwired.org	Web
Apr 15 2016 2:56 AM UTC	Elevated lead, copper levels	themalaysiantimes.com.my	Web
Apr 15 2016 2:48 AM UTC	Elevated lead, copper levels	healthmedicinet.com	Web
Apr 15 2016 2:46 AM UTC	Hillary Clinton Gets Real Ab	triplepundit.com	Web
Apr 15 2016 2:46 AM ET	Concerns after lead found in	CNN [CABLE]	Web
Apr 15 2016 2:28 AM ET	High copper or lead levels s	Akron Beacon Journal	Web
Apr 15 2016 2:20 AM UTC	Regulatory requirements for	lexology.com	Web
Apr 15 2016 1:35 AM CT	Elevated lead, copper levels	Northside Sun	Web
Apr 15 2016 1:31 AM ET	Dangerous lead levels detai	The Detroit News	Web
Apr 15 2016 1:10 AM CT	Is soot in the air from fires b	Wichita Eagle	Web
Apr 15 2016 12:48 AM UTC	Elevated lead, copper levels	rocketnews.com	Web
Apr 15 2016 12:39 AM PT	Lead: It's not just in Flint, Mi	Desert Sun	Web
Apr 15 2016 12:15 AM ET	Drops of crisis found in the c	Collegiate Times	Web
Apr 15 2016 12:14 AM UTC	Redstone Can't Be Deposec	MorningStar.com	Web
Apr 15 2016 12:05 AM UTC	Elevated lead, copper levels	thefiscaltimes.com	Web
Apr 15 2016 12:00 AM UTC	Elevated lead, copper levels	investing.com	Web
Apr 15 2016 12:00 AM UTC	Printing Inks Market Growth	newsmaker.com.au	Web

Text	Word Count	Page Views	URL
The governor of Michigan lives here in ar			Preview
What've learned in over a decade of beir	2938		Preview
After the crisis in FLINT, Michigan spa	986		Preview
News eight at 11:00 starts right now. Liv			Preview
You know, I don't know why things have			Preview
Clintons plan which is the most detailed	963		Preview
Less than a generation ago, those media	3752		Preview
Rick Snyder (Photo: Detroit News file phc	377	283352	Preview
We all witnessed the BP disaster in the G	1223	546005355	Preview
I know that sounds a little too fairy tale bu	1051	478687	Preview
Thanks Chris. Right now an air quality ad			Preview
The governor of Michigan lives here in ar			Preview
Another powerful sign of this painful but r	1785		Preview
Rick Snyder and a team of water experts	415	148155283	Preview
however, the the district is continuing its	580	492053	Preview
Washington, D.C. Today, Ranking Mem	719		Preview
Last year, the protest was led by Castletc	3249		Preview
That is critical of the three weeks we hav			Preview
I hear go bush's office eight years and sti			Preview
includes eight major points to combat en	958		Preview
Talia Buford is a reporter in the environm	1297	18678	Preview
Thanks Chris. Right now an air quality ad			Preview
Compare that to what's happening in FL			Preview
Sources decline, the renewable resource			Preview
There are still some voices out there sayi	1585		Preview
In Michigan, we tackle problems head-on	479	368945	Preview
Information: 273-9514, capitalcitychorusa	3731	6424681	Preview
On Wednesday, April 13, Joan Alker testi	271		Preview
"And I want to say something about this s	817	4335277	Preview
DETROIT (Reuters) - Detroit public scho	416		Preview
But many said they still do not trust the w			Preview
Michigan would have the toughest lead te			Preview
I am Brian sterling. Susan: I'm Susan sh			Preview
Radical three into the Obama administrat			Preview
A long time a music sounded like this anc			Preview
Latest documents include memos from th			Preview
Oh here we go bush's office ears and still			Preview
In Michigan, we tackle problems head-on	481	3312657	Preview
In Michigan, we tackle problems head-on	481	78932	Preview
In Michigan, we tackle problems head-on	481	1168929	Preview
By Kelly A. Reynolds, MSPH, PhD As ev	1264		Preview
The top of a water tower is seen at the F	432	15622	Preview
Issie LapowskyBusinessDate of Publicati	10355	42552235	Preview
The animals have roamed public lands fo	357		Preview
Rick Snyder unveiled a plan on Friday th	761		Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739		Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview

Michigan Gov. Rick Snyder: Federal rules	797	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
Michigan Gov. Rick Snyder: Federal rules	797	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
LANSING, MI As his administration conti	739	28558005	Preview
Now it is a fear she lives with each day. "	2843	63019975	Preview
In holland Alex shabad wzzm 13 news. G			Preview
As the race heats up in this delegate-rich	2492	81107	Preview
Previous weekly summaries are archived	2410		Preview
FLINT (WJRT) - (04/15/16) - Governor F	330	799218	Preview
DETROIT (Reuters) - Detroit public scho	416		Preview
Article Comments Elevated lead or coppe	719	731642	Preview
Michigan Gov. Rick Snyder is proposing s	222	42529064	Preview
Published Online: April 15, 2016 Michigan	879	2205952	Preview
We all witnessed the BP disaster in the G	1223	546005355	Preview
Governor Rick snyder would like to see M			Preview
For starters, plants scrub the air clean. A			Preview
The victim has since recovered from the a			Preview
Almost a third of elementary schools in D	869		Preview
LANSING, Mich. US State of Michigan	811		Preview
DETROIT (Reuters) - Michigan officials a	414		Preview
COMMENTARY: I shouldnt have missed	1275		Preview
the Lennar Corp. leveled at the disadvant	3780		Preview
Buy Photo FLINT resident Michael Anc	1056	199159	Preview
EDT. FILE-In this March 21, 2016 file ph	930	10076	Preview
EDT. FILE-In this March 21, 2016 file ph	930		Preview
EDT. FILE-In this March 21, 2016 file ph	930	57486	Preview
EDT. FILE-In this March 21, 2016 file ph	930	2246	Preview
EDT. FILE-In this March 21, 2016 file phc	904	17850	Preview
LANSING, Mich. Michigan would have th	923		Preview
The top of a water tower is seen at the F	432	142710678	Preview
10:07 a.m. CDT DETROIT (Reuters) - M	417	52742	Preview
The top of a water tower is seen at the F	439		Preview
10:07 a.m. CDT DETROIT (Reuters) - M	417	88306	Preview
The top of a water tower is seen at the F			Preview
The top of a water tower is seen at the F	433	55133930	Preview
DETROIT (Reuters) - Michigan officials a			Preview
11:07 a.m. EDT DETROIT (Reuters) - M	417	36994	Preview
11:07 a.m. EDT DETROIT (Reuters) - M	417	14146	Preview
10:07 a.m. CDT DETROIT (Reuters) - M	417	196103	Preview
DETROIT (Reuters) - Michigan officials a	414	128486	Preview
11:07 a.m. EDT DETROIT (Reuters) - M	417	2068	Preview
In this Feb. 18, 2016 file photo, Gov. Rick	892	450460	Preview
DETROIT, April 15 (Reuters) - Michigan c	416	32727635	Preview
LANSING, Mich. Better protecting people	771	1142	Preview
A shower at the home of Tracey McCloud	716		Preview

Studies had shown that 60 percent of pat	407		Preview
You have a garden, she used to have a li	4868		Preview
Enlarge DETROIT (Reuters) Michigan o	414		Preview
(Photo: Aileen Wingblad) Tests to deter	306	628082	Preview
Nine of every 10 schools and day care ce	907	28196	Preview
By David Eggert,Associated Press LANS	770	1363334	Preview
LANSING, MI Michigan would have the t	748	63019975	Preview
Studies had shown that 60 percent of pat	428	145213285	Preview
Sanders called Clinton out on many issue	997		Preview
Gov. Rick Snyder addresses the media ir	930		Preview
WASHINGTON, D.C. (RealEstateRama)	503		Preview
Following the disaster in FLINT, Michig	135		Preview
WASHINGTON, D.C. (RealEstateRama)	339		Preview
Was their motive to make a lot of enemie	1714		Preview
Locals worry about confirmed fracking ch	1794	17926729	Preview
Locals worry about confirmed fracking ch	1736	17926729	Preview
Abc12's Randy conat is live at the scene			Preview
Baylee Cunningham/Wichita air quality sp			Preview
We'll show you how warm it'll get. Good a			Preview
Governor Rick snyder and mayor Karen v			Preview
As we've been reporting, the haze we've			Preview
The U.S. Senates rejection of a quarter b	134	894159	Preview
Issue breaking up the banks when asked			Preview
Here we should be doing the jointly awar			Preview
Our secretary of state Hillary Clinton. Mi			Preview
A link has been posted to your Facebook	1083	628082	Preview
A link has been posted to your Facebook	1083	628082	Preview
GM says it found the problem by analyzir			Preview
Most common causes are really searche			Preview
Under U.S. ENVIRONMENTAL PROTE	554	495115	Preview
I shouldnt have missed the story of lead-	1262	310861832	Preview
Just a few weeks later, Clinton outlined a	846		Preview
I shouldnt have missed the story of lead-	1096		Preview
This article was first published on Ensia.	2092		Preview
Nine of every 10 schools and day care ce	897	382239	Preview
Judge Cowan had previously said a depo	479	77512941	Preview
Secretary of state Hillary Clinton. Michig			Preview
Our secretary of state Hillary Clinton. Mi			Preview
April 15,2016 DETROIT Elevated lead	684		Preview
CH2M and IBM have a fix for our water s	2296		Preview
David Hanna, son of Hanna-Barbera's W	982	2632881	Preview
CBS (NYSE:CBS) Intraday Stock Chart	517		Preview
15/04/2016 7:03am Dow Jones News	522		Preview
Nine of every 10 schools and day care ce	885	443124	Preview
Sasse says quote "HHS must stop che			Preview
Congressman is calling out Paul Ryan to			Preview
Now city administrators and parents are s			Preview
FLINT mayor says that they owe it to the			Preview
Officials say the lead levels do not compa			Preview
They say not enough people are willing to			Preview
Nine of every 10 schools and day care ce	888	1406600	Preview
Now city administrators and parents are s			Preview
Changes for the Saginaw school board a			Preview
That research will help k-dot figure out wh			Preview

Kabbani lives in fenton and is considered			Preview
Tomorrow and Sunday will both be aroun			Preview
Baylee Cunningham/Wichita air quality sp			Preview
In an interview with the Miami Harold carı			Preview
Police say the suspect is in custody. Kar			Preview
VIENNA - After concerns about the prese	907	167734	Preview
That is a message on which Clinton coulc	1345		Preview
Robin murdoch joins us with what the city			Preview
ENVIRONMENTAL PROTECTION AGEN	3495		Preview
Nine of every 10 schools and day care ce	752	3363428	Preview
10:35: Clinton says she agrees with the d	6574	73452607	Preview
Previous weekly summaries are archived	2124		Preview
DETROIT, Apr 15: Detroit public school c	417		Preview
DETROIT (Reuters) Detroit public schoo	415		Preview
Just a few weeks later, Clinton outlined a	846		Preview
Coffey, a father of four and an elementar	426	1461	Preview
Nine of every 10 schools and day care ce	325	1536366	Preview
This article comes from our Winter 2016	1902		Preview
Detroit public school children have been	413	15622	Preview
We want to give every child the best oppo	1922	283352	Preview
Is it national vape day in Wichita or is it ju	803	2539773	Preview
Article Attribution and Read More at: Artic	421		Preview
Buy Photo Assemblyman Eduardo Garci	557	60934	Preview
Weiss and her husband Andy Greene ha	949	95615	Preview
Judge Cowan had previously said a depo	479	77512941	Preview
The results of water sample tests, releas	366		Preview
third of those tested, officials said on Thu	426		Preview
Factors such as the extensive application	540		Preview

our away in FLINT. When governor Rick snyder says, as he's been saying, that the water is okay for most pe
f the vaccine establishment is that these people will stop at nothing to maintain their scientific dictatorship. Vacc
vents in Sebring, Ohio raised questions locally, the Ohio General Assembly introduced a multifaceted piece of l
ading home for people in west Michigan. Governor snyder was in Kalamazoo. The water crisis put front and ce
lling it irresponsible and reckless. More than 100,000 emails and documents released today from the governor'
nt race includes eight major points to combat environmental racism. Top on the agenda is eliminating lead. A l
ts. Today, the journalists telling the stories of the victims of environmental contamination are nearly as likely to c
pages of emails from state departments related to Flints water contamination crisis in a massive late afternoon
has been described as BP on land, the release of nearly 100,000 metric tons of methane from a leaking natura
ocated that the U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA) help create a bi-state partnership b
LINT Hills area of eastern Kansas. Ranchers and farmers are setting their pastures on fire, on purpose. We b
our away in FLINT. When governor Rick snyder says, as he's been saying, that the water is okay for most pe
all of its many manifestations. Suddenly it would appear there is a new generation of young black activists who
de requiring utilities to test all schools, day care centers, nursing homes and similar facilities not just some peo
g it very seriously for the safety of our kids, teachers and staff,"said Superintendent Erin MacGregor. After the w
r DeFazio (D-OR) and Ranking Member of the Subcommittee on Water Resources and Environment Grace Na
everal companies have also filed protests, and they are York River Fuels, the New Shipper Group, Davinscroft,
cy by the radical three to go around us. Ration and the EPA to shut out on the street out on all that and urge
a. All right thank you all every day you know FLINT Michigan is salt water. And literally looked like you or w
l, but one that people in FLINT, Mich., a mostly black city, have been raising for a while. Elevating the conve
vided) I shouldn't have missed the story of lead-contaminated water in FLINT, Mich. Not because I'm an en
g in the FLINT Hills area of eastern Kansas. Right now ranchers and farmers are setting their pastures on fi

e city made with the county and FEDERAL GOVERNMENT means Tucson has the legal right to waste wate
ittee will hold an oversight hearing on the Securities and Exchange Commissions division governing capital ma
uccess. The "Lost Decade" and Great Recession significantly impacted Michigan, marked by economic decline
e Optimist Club, 6:15 a.m. Tuesday, April 19, Optimist Club Activity Building, 720 N.W. 50th. Speaker: Bill Pers
n lessons emerging from the FLINT water crisis. Here are the highlights of the hearing. Joan Alker explains t
e had eight debates before, this is our ninth," Clinton said. "We've not had one question about a woman's right t
vels of lead and copper were found at 19 Detroit public schools, or nearly a third of those tested, officials said o
o take a drink first. The governor made his remarks after recent tests show declining lead levels in FLINT tap
ay. There is a radio Steve comedy reports from FLINT Michigan to drinking water flow is still contaminated w
nd water experts are proposing they adopt the states' toughest lead testing rule. That includes replacing water
inia is a coal producing state. She urged all shut out on.
m an idea how to bring a really great HEALTH CARE coverage to people all over Michigan. Doctors hospita
rtment of treasury. In earlier emails the department of environmental quality knowledge. And failed to require a
you know FLINT Michigan is on the water. Is literally looked like you or was so god awful. And that led in th
uccess. The Lost Decade and Great Recession significantly impacted Michigan, marked by economic decline,
uccess. The Lost Decade and Great Recession significantly impacted Michigan, marked by economic decline,
uccess. The Lost Decade and Great Recession significantly impacted Michigan, marked by economic decline,
n hall meetings, concern over lead contamination in the US continues to rise. Since the lead drinking water exp
/Rebecca Cook Michigan officials and water experts on Friday proposed the state adopt what would be the n
f FLINT Praises Clinton for Response to Water Crisis The 2016 Democratic presidential candidates at the De
tween Bundy and the FEDERAL GOVERNMENT. The dispute escalated to an armed standoff in 2014 that c
s replacing all pipes within a decade, and requires water testing in schools. Michigan Gov. Rick Snyder talks to
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w

han Third World countries. LANSING, MI As his administration continues to deal with fallout from the FLINT w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
han Third World countries. LANSING, MI As his administration continues to deal with fallout from the FLINT w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
he, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in drinking w
g episode, but one familiar to thousands of low-income minority families in Michigan. And it might be one more r
NMENT anymore. Today, he announced new reforms, "he says" will better protect people from lead and copp
rs and former Secretary of State and New York Senator Hillary Clinton, have ramped up their outreach, particu
RM Videos: @TAMU_Water & @TAMULawSchool http://bit.ly/1V2BGfd My EAA Distinguished Lecture Series P
morning at a FLINT water meeting. Both say they are disappointed in recent developments in Washington t
vels of lead and copper were found at 19 Detroit public schools, or nearly a third of those tested, officials said o
ing that is also going on at schools around the country in response to the lead-tainted water crisis in nearby F
der is setting new lead and copper testing standards he says will ensure clean water for the state's residents. T
Email Article Reprints Comments Tweet LANSING, Mich. (AP) Michigan would have the toughest lead-testing
has been described as BP on land, the release of nearly 100,000 metric tons of methane from a leaking natura
opper rules. Hear the recommendations presented today, during a water meeting in FLINT. Dawn)plus - a m
illion in u. HEALTH CARE costs in 2010. A study of more than 100,000 women in the u. Found those who l
. It's primarily due to range burning in the FLINT Hills of eastern Kansas. Right now ranchers and farmers ar
oth in their water, prompting the citys health chief to suggest that every child in the district get screened for exp
t going to wait for the FEDERAL GOVERNMENT to fix it anymore Friday, April 15, 2016 LANSING, Mich. B
e nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled widespread
nvironmental reporter, but because my mom told me what was happening in my hometown, and I didnt listen. C
long before redevelopment on either base began. After the recent horrible revelation of lead contamination in F
lity analyst Anne Tavalire on Wednesday March 2, 2016 as Tavalire and FLINT ambassadors go collecting w
f Eagle Excavation Inc., Goyette Mechanical Co., and Mechanical Contractors Johnson & Wood work together t
f Eagle Excavation Inc., Goyette Mechanical Co., and Mechanical Contractors Johnson & Wood work together t
f Eagle Excavation Inc., Goyette Mechanical Co., and Mechanical Contractors Johnson & Wood work together t
f Eagle Excavation Inc., Goyette Mechanical Co., and Mechanical Contractors Johnson & Wood work together t
Eagle Excavation Inc., Goyette Mechanical Co., and Mechanical Contractors Johnson & Wood work together t
t of all underground lead service pipes in the state under a sweeping plan that Gov. Rick Snyder and a team of
gan officials and water experts on Friday proposed the state adopt what would be the nation's strictest lead-tes
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
/Rebecca Cook Michigan officials and water experts on Friday proposed the state adopt what would be the
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
S/Rebecca Cook More DETROIT (Reuters) - Michigan officials and water experts on Friday proposed the state
/Rebecca Cook DETROIT Michigan officials and water experts on Friday proposed the state adopt what wou
e nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled widespread
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
e nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled widespread
what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has f
the toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes
uld be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled wid
ed today at a meeting of the FLINT Water Interagency Coordinating Committee, Gov. Rick Snyder said. A F
sing boiled bottled water. (PHOTO CREDIT: Brittany Greeson for The New York Times) Near the top of the dai

uding about 35 percent for childbirth. The nearest Intermountain hospital to Layton is McKay-Dee Hospital in O
ns are finally catching up. Just last month, the EPA imposed strict limits on the amount of toxic chemicals tha
uld be the nations strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled wid
ngton Public Schools buildings this Saturday, April 16. Jon Riebe, the districts director of facilities managemen
federal law, since their water is already tested by municipal suppliers. But like most other school districts natio
nation and require the replacement of all underground lead service pipes in the state under a sweeping plan G
f all underground lead service pipes in the state under a sweeping plan Gov. Rick Snyder and a team of water e
uding about 35 percent for childbirth. The nearest Intermountain hospital to Layton is McKay-Dee Hospital in O
nton persisted in refusing to release the transcripts from her Wall Street speeches (this prompted a related has
in the nation and require the replacement of all underground lead service pipes in the state under a sweeping p
ommittee hearing titled: FLINT Water Crisis: Impacts and Lessons Learned. The Hearing was jointly held by t
the safety of the water flowing through aging infrastructure. Chicago is no exception. Like many Midwestern a
earing on the FLINT Water Crisis, and how we can move forward. The hearing, FLINT Water Crisis: Impac
b countries who are averse to the U.S.(Fusion) And, he noted, as have many others, that much of what's been d
r, the state renewed Danny E. Webb Constructions permit to continue disposing fracking waste in underground
r, the state renewed Danny E. Webb Constructions permit to continue disposing fracking waste in underground
et? Ad-libs ()congressman Dan kildee is calling on republican speaker of the house Paul Ryan to pass emergen
levels in the Wichita area, whiou iact air quality. Last Monday, theitoficta recorded ozone lehier than EPA sta
LINT water crisis that will impact all of us. Governor Rick snyder is proposing a new plan that would put in pla
ting. Good afternoon, I'm Larry elliott (dawn)and I'm dawn Jones both say they are disappointed in recent deve
ortheast Kansas and Southeast Nebraska. Range burning in the FLINT Hills area near Wichita. But what ex
or help. FLINT backers in Washington were unable to convince a Republican senator from Utah to end his o
le over several issues including gun control HEALTH CARE and the influence of big oil. Let us connect a ma
f in a column by all to see you. Ought to deal which will show up at the east the EPA will show that there's go
for lent. The move comes as the state and officials in the city of FLINT continued to deal with lead contamin
rt Minister Jacqueline Galant at a hearing by the Belgian Parliament in Brussels, Belgium. (Photo: LAURENT D
rt Minister Jacqueline Galant at a hearing by the Belgian Parliament in Brussels, Belgium. (Photo: LAURENT D
xperts in governor snyder unveiled new rules for land testing that if approved would give Michigan a tougher sta
f the good people but if that. And be in for that and how well are directly related to their social that people could
steps to control corrosion if lead concentrations exceed 15 parts per billion in more than 10 percent of custome
ntal reporter, but because my mom told me what was happening there and I didnt listen. I tell peoples stories f
e new plan has a much better chance of achieving what should be the ultimate goal: protecting people from the
orter, but because my mom told me what was happening in my hometown, and I didnt listen. I tell peoples stor
flows, a dramatic health benefit they tend to take for granted. That complacency dramatically was disrupted las
federal law, since their water is already tested by municipal suppliers. But like most other school districts natio
owever, in late March, Mr. Redstone's lawyers put him on a list of potential witnesses for the May 6 trial. That p
t. The move comes as the state and officials in the city of FLINT continued to deal with lead contaminated wa
for lent. The move comes as the state and officials in the city of FLINT continued to deal with lead contamin
mid testing that is also going on at schools around the country in response to the lead-tainted water crisis in ne
ckGreenBiz/lucky bimatari We need better data collection for effective solutions. This article was first published
ame area. William Randolph Hearst's mother built her own home, the castle dubbed Wyntoon, in the McCloud
dia mogul Sumner Redstone won't give a deposition nor testify in a Los Angeles trial next month regarding his m
y Joe FLINT and Keach Hagey Media mogul Sumner Redstone won't give a deposition nor testify in a Los A
federal law, since their water is already tested by municipal suppliers. But like most other school districts natio
ton's cronyismfali are suffering obamaca consequences but whington bureaucrats are sending billions of dollar
ater emergency. He said that the FEDERAL GOVERNMENT has a moral responsibility to make sure that al
an there is no real solution in sight. As news 25 s beau ebenezer reports -one parent is horrified to learn all his
ou wonder if the FEDERAL GOVERNMENT is looking to the state because the the funds are available. Cou
s 15 parts per billion. Detroit schools tested between 16 and 27. The standard for copper is 1,300 parts per bi
o dollars above minimum wage. Ks: air quality new this morning, Kansas health officials issued an air quality ad
federal law, because their water is already tested by municipal suppliers. But like most other school districts n
an there is no real solution in sight. As news 25 s beau ebenezer reports -one parent is horrified to learn all his
nt. Also new. One mid-Michigan congressman is looking to the speaker of the house to pass emergency aid fo
lity in parts of Kansas is a concern, mainly because of burning grass in the FLINT Hills. It's an annual event f

ssman Dan kildee is calling on us speaker of the house Paul Ryan to pass emergency aid for FLINT'S water
ives Monday. Kristen is watching our morning drive, FLINT'S mayor says the state and FEDERAL GOVER
smoke levels in the Wichita area, whichou iact air quality. Last Monday, the city of Wichita recorded ozone leve
policies of discrimination against Americans. Microsoft is suing the FEDERAL GOVERNMENT over privacy
the city of Wichita has recorded ozone levels higher than EPA standards. It's primarily due to range burning
e levels are dropping well below the federal safety guideline. During Thursday's meeting of the Vienna City Co
ns, not because he's in the pocket of the NRA but because it's an issue that can't be easily assimilated into his c
ot about in FLINT but we're learning it's not just in FLINT. No. It's happening here unfortunately. They be
ding the majority of actions taken by her agency over the last four years, but she remains unwaveringly energe
r federal law, because their water is tested by municipal suppliers. But like most other school districts nationwi
hether the numbers add up and the plans will work. Clinton says most of the people who have analyzed Sande
IWRM Videos: @TAMU_Water & @TAMULawSchool http://bit.ly/1V2BGfd My EAA Distinguished Lecture Ser
ls of lead and copper were found at 19 Detroit public schools, or nearly a third of those tested, officials said on T
vels of lead and copper were found at 19 Detroit public schools, or nearly a third of those tested, officials said o
e new plan has a much better chance of achieving what should be the ultimate goal: protecting people from the
pposed to do to keep his littles ones safe. You need water to survive, it's the key ingredient to life, and sometim
federal law because their water is already tested by municipal suppliers. But like most other school districts na
he recent drinking water crisis in FLINT, Michigan, and the hardship facing the Village of Sebring in Mahonin
er were found at 19 Detroit public schools, or nearly a third of those tested, officials said on Thursday. The resu
he wake of lead contamination in Flints water after that city switched its supply to the FLINT River in April 20
very different kinds of smoke when it comes to your health, according to Baylee Cunningham, air quality speci
bottled water after elevated levels of lead and copper were found at 19 Detroit public schools, or nearly a third
water fountain and water bottle filling stations, like this one at Toro Canyon Middle School in Thermal, in other n
consistent results from testing their private well-fed tap water. Sometimes lead levels soared, sometimes not so
owever, in late March, Mr. Redstone's lawyers put him on a list of potential witnesses for the May 6 trial. That p
cash-strapped school district, already grappling with severely deteriorated buildings and charges of corruption.
, raise fears of widespread contamination in the cash-strapped school district, already grappling with severely d
ges like longer plate life, image quality, lower costs, lower ink consumption, and printing flexibility will aid in the s

ople to drink in FLINT if they have the right kind of filters on their faucet. He's describing water that he doesn
ine pushers, after all, are quite literally maiming and murdering unknown numbers of children every year throug
egislation that includes new requirements for Ohio public water systems to respond to lead in drinking water. O
nter again. What heieters tells us had to say. Martin: governor snyder told a friendly crowd about his plan to te
s office all FLINT related and as we comb through the massive pile, the governor is proposing to change the
ofty goal, but one that people in FLINT, Mich., a mostly black city, have been raising for a while. Elevating th
ome from the ranks of non-profit organizations as they are from the profit-based newspaper industry. In a pane
email dump. The FLINT water-related records come from the email accounts of employees in the state dep
l gas storage well. Yet we merrily proceed to push forward with government-subsidized fossil fuel production po
etween federal, state, local and nonprofit entities in Massachusetts and New Hampshire to work together and c
urn the pastures to get rid of for weed control and brush control, get trees and shrubs out, and also gets rid of o
ople to drink in FLINT if they have the right kind of filters on their faucet. He's describing water that he doesn
won't take it anymore, who are standing up and calling out everything racist from police murders to very subtle
ples houses and the mandatory disclosure of lead plumbing in home sales and rental contracts.The plan. was p
ater crisis in FLINT came to light,Howell decided to test the water across the district for lead to ensure thatst
politano (D-CA) introduced legislation that will help communities finance critical clean water infrastructure proje
NIC Holding Corp., Sunoco, Trafigura and Costco Wholesale. Some others have filed a motion to intervene, in
nt. Urgent and take coal producing state. There all it's all on.
as so god awful. And I have led and that I guess what the government knew about it I didn't tell anybody but oth
rsation about environmental and climate justice to a federal level may sound good at first, and the plan does su
vironmental reporter, but because my mom told me what was happening there and I didn't listen. I tell people's
re, on purpose. We burn the pastures to get rid of for weed control and brush control, get trees and shrubs out,

r. The city is making plans to use it not just in irrigation, but portable water, that means drinking water, from the
rkets and government sponsored enterprises. Ryan Rainey ENERGY After it finishes the FAA bill, the Senate i
, job loss and business closings. This current water crisis in FLINT has made us all take a step back and ree
inger, CEO Valeo Behavioral HEALTH CARE. Guests welcome. Information: Gary Slimmer, 246-1291. Sup
he vital role of Medicaid in ameliorating harm in times of crisis and how Medicaid can help meet the health nee
o make her own decisions about reproductive HEALTH CARE, not one question." The line got a big applaus
n Thursday. The results of water sample tests, released late on Wednesday, raise fears of widespread contam
water. General motors is recalling about a million pickups that fixes the bill problem the recall covers twenty fo
ith less than residents remain dependent on bottled water to nations. To make sure other Michigan cities do no
pipes across the state. We will take you to Grand Rapids with how much that will cost. We want to turn to mar

ls and employers are the power in this idea. It quickly caught on well this quickly to the considering internet wo
certain chemicals used in the FLINT river water other emails made reference. To the anxiety building in flig
at and guess what the government knew about it I didn't tell anybody but other government.
job loss and business closings. This current water crisis in FLINT has made us all take a step back and reev
job loss and business closings. This current water crisis in FLINT has made us all take a step back and reev
job loss and business closings. This current water crisis in FLINT has made us all take a step back and reev
osure disaster in FLINT, MI, there has been an increased focus on drinking water supplies and safety. Cities
ation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled widespread pu
mocratic debate in Charleston, South Carolina, on January 17, 2016. Patrick T. Fallon/Bloomberg/Getty Image
ulminated in federal agents backing down over fears that tensions with armed, self-styled militiamen could turn
the media in FLINT in this February 2016 file photo. On Friday, April 15, the Governor unveiled a plan to imp
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w

ater crisis and resulting public health catastrophe, Gov. Rick Snyder has asked Michigan lawmakers to approve
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater crisis and resulting public health catastrophe, Gov. Rick Snyder has asked Michigan lawmakers to approve
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
ater that would be the toughest in the country.The guidelines proposed for lead and copper levels in drinking w
eason to view FLINT'S water crisis as merely the latest chapter in a long narrative in which impoverished res
er in drinking water. This is all tied to the FLINT water crisis, and wzzm 13's Greg ghering joins us from the in
larly in New York City, home to millions of Democrats. Each side has been increasingly fervent in its vollies ag
PTs are up. Wonderful experience! http://bit.ly/1S2iw5z @MySAWS@joshnewtonH2O: FLINT: On the Groun
hat stripped tens of millions of dollars in potential help for the city's water emergency. The city and state agree
n Thursday. The results of water sample tests, released late on Wednesday, raise fears of widespread contam
LINT. The district says students at those schools are getting bottled water. Detroit Public Schools began colle
he federal law is dumb and dangerous and the point is to set a higher standard faster, Snyder said Friday durin
rules in the nation and require the replacement of all underground lead service pipes in the state under a swee
l gas storage well. Yet we merrily proceed to push forward with government-subsidized fossil fuel production po
id Michigan college is raising it's rates. We break it down. (Terry)and the clock is ticking for last minute tax filer
ived in the greenes t surroundings had mortality rates as much as 12 percent lower than those in less-green ar
e setting their pastures on fire, but they say it's necessary. We burn the pastures to get rid of for weed control a
osure. According to data released by Detroit Public Schools (DPS), 19 of the citys 62 elementary schools featu
etter protecting people from lead and copper in drinking water is the goal of reforms proposed today at a meetin
public outrage.A committee put in place by the state to respond to the FLINT crisis recommended. a lowerin
ourtesy photo Talia Buford I tell peoples stories for a living. Our team at the Center for Public Integrity spent
LINT, Michigan, water and its irreversibly toxic effects on children, scrutiny is being focused on the longstandi
ater samples from FLINT residents in the sentinel site program by the Department of Environmental Quality.
o dig a hole to expose, remove and replace a lead main service line in FLINT, Mich. Michigan would have th
o dig a hole to expose, remove and replace a lead main service line in FLINT, Mich. Michigan would have th
o dig a hole to expose, remove and replace a lead main service line in FLINT, Mich. Michigan would have th
o dig a hole to expose, remove and replace a lead main service line in FLINT, Mich. Michigan would have th
o dig a hole to expose, remove and replace a lead main service line in FLINT, Mich. Michigan would have th
water experts unveiled Friday in the wake of FLINT'S water crisis. Other proposals include requiring utilities
ting rules in response to a water crisis in city of FLINT that has fueled widespread. public outrage.A committe
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
nations strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled widespread p
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
adopt what would be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT tha
ld be the nation's strictest lead-testing rules in response to a water crisis in city of FLINT that has fueled wide
public outrage. A committee put in place by the state to respond to the FLINT crisis recommended a lowerin
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
public outrage. A committee put in place by the state to respond to the FLINT crisis recommended a lowerin
ueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis recom
in the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 2
espread public outrage. A committee put in place by the state to respond to the FLINT crisis recommended a
WICC Policy Subcommittee outlined a series of needed reforms to the federal Lead and Copper Rule (LCR) fo
ly challenges that FLINT residents face in a city without safe drinking water is how and where to shower. Fam

gden, some 12 or more miles away. The new hospital, located at 201 W. Layton Parkway, west of I-15 and ea
t can be released from ash ponds into waterways. Those caps will take effect in the next five years. In response
espread public outrage. A committee put in place by the state to respond to the FLINT crisis recommended a
t, said the sampling is not due to any suspected problem, but rather to ensure the safety of the students and th
nwide, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and that's
ov. Rick Snyder and a team of water experts will unveil Friday in the wake of FLINT'S water crisis. Other pro
xperts will unveil Friday in the wake of FLINT'S water crisis. Other proposals include requiring utilities to test a
gden, some 12 or more miles away. The new hospital, located at 201 W. Layton Parkway, west of I-15 and ea
htag on Twitter), and Sanders continued to criticize her for accepting special interest funds. They made no mor
lan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 2015 in the wake of FLINT'S w
he Health and Environment and Economy Subcommittees; Capps is a member of both subcommittees. During
nd Eastern Seaboard cities, the Chicago area has thousands of lead pipes bringing water into peoples homes. I
ts and Lessons Learned, was held before the House Energy and Commerce Committees Subcommittee on En
isclosed is legal, even if he too seemed to miss another point that's skirted the controversy: How did so many p
injection wells, also known as brine disposal wells. The ENVIRONMENTAL PROTECTION AGENCY has ju
injection wells , also known as brine disposal wells. The ENVIRONMENTAL PROTECTION AGENCY has ju
cy aid for FLINT as the city continues to deal with it's water emergency. In a letter sent to Ryan yesterday, ki
ndards. Bayley Cunningham/wia r quality specialist)"the city does not control wildfires or enroed Burns in the F
ce the toughest lead-testing rules in the nation. 24 hours news 8's Tom hillen is in studio control with more on t
lopments in Washington, that stripped tens of millions of dollars in potential help for the city's water emergency
actly is "range burning", and why are some concerned about it? Deb Farris reports. (Todd busenitz/ranc her) "w
pposition to the FLINT appropriation. It was stripped from a funding bill this week. FLINT Mayor Karen We
n was sentenced yesterday twenty five years in prison in connection with the shooting death of an eighteen you
ing to be plenty of interested parties that do show up will do the same thing that he did it or I did work amador o
ated water. The new proposal would make michigan's lead the women more. Strict than that of the FEDERA
UBRULE, EPA) Belgian Transport Minister Jacqueline Galant has resigned,Prime Minister Charles Michel sa
UBRULE, EPA) Belgian Transport Minister Jacqueline Galant has resigned,Prime Minister Charles Michel sa
ndards in the country its response to the city of FLINT led wolves. The plan calls for expanded testing in sch
look at that and let you or HEALTH CARE how it all. Well avoided shelters and drop in centers to find the yo
r taps sampled. Michigan would move to a limit of 10 parts per billion by 2020 in line with the World Health Org
or a living. Our team at the Center for Public Integrity spent most of 2015 looking for examples of environmenta
toxic effects of lead exposure.The first Clinton lead-risk reduction plan Tech Insiders Julia Calderone gave a go
ies for a living. Our team at the Center for Public Integrity spent most of 2015 looking for examples of environm
t year when children in FLINT, Michigan, started testing positive for lead poisoning and the source was trace
nwide, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and thats w
rompted lawyers for Mr. Redstone's former companion Manuela Herzer, who is suing to be reinstated as his H
ter. The new proposal would make michigan's lead to women more strength and that the FEDERAL GOVERN
ated water. The new proposal would make michigan's lead to women more strict than under the FEDERAL G
arby FLINT. The district says students at those schools are getting bottled water. Detroit Public Schools beg
on Ensia. People in developed countries turn on the tap and safe drinking water flows, a dramatic health bene
area. She bequeathed it to her niece, Anne Apperson FLINT, but Hearst strong-armed her into selling it to h
ental competency. On Thursday, Judge David Cowan of California Superior Court for the County of Los Angel
ngeles trial next month regarding his mental competency. On Thursday, Judge David Cowan of California Sup
nwide, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and thats w
s to well-connected insurance companies. End quote Attorney General Doug Peterson has been appointed to s
l Americans and FLINT families have access to safe drinking water, and that Congress must act. It comes a
kids have high levels of lead. [51771]nlead14-pkg galesburg nat-water running jonathon peel/no cg no matter i
ld we get that released and get the hope that we're looking for. Zblst a major set back to mind the replacing inf
llion.
visory it's primarily due to range burning in the FLINT Hills area of eastern Kansas. But what exactly is range
ationwide, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and th
kids have high levels of lead. [51671]nlead14-pkg galesburg nat-water running jonathon peel/no cg no matter i
r FLINT'S water crisis. Ean I'm horrified! It makes me nervous. Be on my guard. Like it's my neighborhood.
or farmers and ranchers to set their pastures on fire. Within a week, new grass pushes up making lush feed for

emergency. In a letter sent to Ryan yesterday, kildee wrote that the FEDERAL GOVERNMENT has a moral
NMENT owe it to the people of FLINT to fix the city's man-made water disaster. (Weaver 4441) "sometimes
ls higher than EPA standards. Bayley Cunningham/Wichita r quality specialist)"the city does not control wildf
issues there president and chief legal officer said they received some twenty six hundred secrecy order more i
in the FLINT Hills area. It's an annual event where farmers and ranchers set their pastures on fire, within a w
uncil, Mayor Randy Rapp said the sampling results from March 14 show the numbers for all wells are below the
lass warfare worldview. Sanders voted against the 2007 immigration reform bill, not because he hates immigra
lieve it has to do with the old pipes in the system, not necessarily the water. The top health official is telling eve
tic and optimistic about the future of environmental protection. The EPA, she said, will continue to attract the
de, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and thats whe
rss plan would impose incredible burdens on the budget and working-class Americans and the poor. Clinton sa
ies PPTs are up. Wonderful experience! http://bit.ly/1S2iw5z @MySAWS@joshnewtonH2O: FLINT: On the G
hursday. The results of water sample tests, released late on Wednesday, raise fears of widespread contamina
n Thursday. The results of water sample tests, released late on Wednesday, raise fears of widespread contam
toxic effects of lead exposure.The first Clinton lead-risk reduction plan Tech Insiders Julia Calderone gave a go
es, you have to monitor and check on it and make sure what you're consuming is okay, Coffey said. But, the te
tionwide, Detroit has aging buildings with lead pipes and water fixtures that have parts made with lead and tha
g County, Ohio, serve as reminders of the challenges that public water systems face when attempting to implem
lts of water sample tests, released late on Wednesday, raise fears of widespread contamination in the cash-str
14. Michelle Zdrodowski, a DPS spokeswoman, said the district is testing the water in its schools as a precaut
alist for the city of Wichita. Thats because on March 23 the city saw a couple of hours of decreased air quality b
of those tested, officials said on Thursday. The results of water sample tests, released late on Wednesday, ra
eeded areas of the state. (Photo: Richard Lui/The Desert Sun) Buy Photo Its not just in FLINT. That was th
much. But what they and the rest of the community were really looking at was salt in the aquifer it was only af
rompted lawyers for Mr. Redstone's former companion Manuela Herzer, who is suing to be reinstated as his H
The results also came the same day Michigan lawmakers extended by four months a state of emergency in F
eteriorated buildings and charges of corruption. The results also came the same day Michigan lawmakers exte
teady growth of this market segment until the end of 2020. Geographical Segmentation and Analysis of the Pri

't have to drink on daily basis. There's been this recuring question throughout the FLINT water led crisis. Wh
h the injection of neurological poisons such as mercury, aluminum and MSG all ingredients the CDC admits are
hio House Bill 512 (H.B. 512), sponsored by Representative Timothy E. Ginter (R- Salem), and introduced on A
st the water and replace the lead pipes throughout Michigan over the next decade. Leadwill reduce michigan's
laws. The FLINT mayor is worried the FEDERAL GOVERNMENT has forgotten the city and is this goes N
e conversation about environmental and climate justice to a federal level may sound good at first, and the plan d
l discussion called "Environmental Justice in the News: Lessons Learned from the FLINT Crisis" sponsored b
artments of Corrections, Natural Resources, Licensing and Regulatory Affairs and the Michigan Civil Service C
licies that benefit the richest corporations known to mankind. We see government failure and most likely crimin
ome up with a plan. The EPA has done that elsewhere in the country, Shumway said. The Mystic River, the
ld growth so that the new growth can come" however environmental experts say they've detected ozone levels a
't have to drink on daily basis. There's been this recuring question throughout the FLINT water led crisis. Wh
forms of discrimination, such as de facto segregation among college debate teams. The role of lead pollution i
resented to a committee that Snyder appointed to work on long-term fixes related to Flints lead-tainted water cr
udents and staff have access to safe drinking water. In February, the district found elevated lead levels at North
cts. The Water Quality Protection and Job Creation Act of 2016, would invest $20 billion over five years in wast
cluding FLINT Hills Resources, American Airlines, Southwest Airlines and United Airlines. A motion to interve

er government officials workers and told people months later.
ggest that some laws and rules need to be more stringent, but some of Clinton's proposals largely hinge on com
stories for a living. Our team at the Center for Public Integrity spent most of 2015 looking for examples of envir
and also gets rid of old growth so that the new growth can come" however environmental experts say they've d

tap, treated so it is safe. To find out more, I interviewed timothy thomure.
s expected to conclude its work as early as Tuesday on wide-ranging energy bill, which has been stalled for mo
valuate the condition of not just Michigan's infrastructure, but the entire nation's. Recently, I spoke to the Cham
port group for family and friends who have lost someone to suicide. Information: Sandy, 249-3792 or sreams67
ds of Flints children and families. She pointed out that Medicaids comprehensive pediatric benefit (Early Period
e from the audience. But was it correct? Abortion and debates We found no questions directly about abortion i
ination in the cash-strapped school district, already grappling with severely deteriorated buildings and charges o
urteen in twenty fifteen so Robin sincerest. GM says the steel cable that connects the belt and possibly separa
t suffer the same fate. Governor Rick snyder is unveiled a plan to tighten water system regulations and lower th
lee ginter with what recommendations would require. It would put our state in line with the world health organiz

uld not be.
ht adding that let residents were looking for someone to blame. Michigan wants the FEDERAL GOVERNMEN

aluate the condition of not just Michigans infrastructure, but the entire nations. Recently, I spoke to the Chamb
aluate the condition of not just Michigans infrastructure, but the entire nations. Recently, I spoke to the Chamb
aluate the condition of not just Michigans infrastructure, but the entire nations. Recently, I spoke to the Chamb
other than FLINT are known to be vulnerable and stakeholders want lead out of their drinking water and dist
blic outrage. A committee put in place by the state to respond to the FLINT crisis recommended a lowering o
s Toward the end of this weekends Democratic debate, NBC moderator Lester Holt asked all three candidates i
violent.While the original herd was about 150 animals, according to the Reno Gazette-Journal, its numbers ha
lement the toughest lead-testing rules in the nation as the city combats an ongoing water crisis. (Carlos Osorio
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l

a set of guidelines for lead levels in drinking water that would be the toughest in the country. The guidelines pr
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
a set of guidelines for lead levels in drinking water that would be the toughest in the country. The guidelines pr
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
ater exceed those in federal rules, which the governor called dumb and dangerous given the potential for. high l
idents of color are more likely to bear the brunt of environmental hazards. According to the Michigan Departme
formation center with the governor's announcment. Juliet, state officials say they want to create a model the en
ainst the other and on Thursday, April 14, just five days before primary voters head to the polls, the two candid
d, Part 2 (Houses & Apartments) http://bit.ly/1qDWvkp #FlintWaterCrisisPubs: 1) 2015 Snapshot of Water Secu
that the FEDERAL GOVERNMENT should be doing more given the fact that families in FLINT still can't d
ination in the cash-strapped school district, already grappling with severely deteriorated buildings and charges o
cting water samples two weeks ago in proactive and precautionary testing, district spokeswoman Michelle Zdro
g a FLINT Water Interagency Coordinating Committee meeting,according toreports. ADVERTISEMENTCurr
ping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake of FLINT'S water c
licies that benefit the richest corporations known to mankind. We see government failure and most likely crimin
s. We have some tips to get you through the final stretch first at four. (Terry)Michigan leaders say FLINT'S w
eas. Today michigan's governor is endorsing a plan for the toughest lead testing rules in the U.S. It lowers the
nd brush control, get trees and shrubs out, and also gets rid of old growth so that the new growth can come" ho
red lead or copper levels over the safety thresholds established by the ENVIRONMENTAL PROTECTION AG
g of the FLINT Water Interagency Coordinating Committee, Gov. Rick Snyder said. A FWICC Policy Subcom
g of the level of lead in water at which action is required by public water systems.Any implementation would be
most of 2015 seekingexamples of environmental discrimination places where communities of color sat next to
ng nationwide problem of environmental racism and classism. In 1987, the seminal study, Toxic Wastes and R
The program launched by the DEQ and EPA was created to test FLINT drinking water supply at roughly 4
e toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in
e toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in
e toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in
e toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in
e toughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in
to test all schools, day care centres, nursing homes and similar facilities not just some people's houses and th
e put in place by the state to respond to the FLINT crisis recommended a lowering of the level of lead in wate
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
ublic outrage. A committee put in place by the state to respond to the FLINT crisis recommended a lowering
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
t has fueled widespread public outrage. A committee put in place by the state to respond to the FLINT crisis
spread public outrage. A committee put in place by the state to respond to the FLINT crisis recommended a
g of the level of lead in water at which action is required by public water systems. Any implementation would be
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
g of the level of lead in water at which action is required by public water systems. Any implementation would b
mended a lowering of the level of lead in water at which action is required by public water systems. Any implem
015 in the wake of FLINT'S water crisis. (AP Photo/Carlos Osorio) LANSING, Michigan Michigan would ha
lowering of the level of lead in water at which action is required by public water systems. Any implementation w
r Michigan to follow that puts public health first while providing more transparency and public education. The fe
ilies are going to extraordinary lengths to find places where they can bathe without fear, taking measures that m

st of FLINT Street, is expected to open mid-2018, and an adjacent medical office building will open in the fall
, both the TVA and Alabama Power say they plan to eventually close their ash ponds, and power companies ac
lowering of the level of lead in water at which action is required by public water systems. Any implementation w
e staff, based on administration recommendation. The testing was prompted by the FLINT water crisis, alon
where the trouble lies. The testing was prompted by the crisis in FLINT, where lead flowed from taps after s
posals include requiring utilities to test all schools, day care centers, nursing homes and similar facilities not ju
ll schools, day care centers, nursing homes and similar facilities not just some people's houses and the mand
st of FLINT Street, is expected to open mid-2018, and an adjacent medical office building will open in the fall
e progress on these topics than they did at the FLINT, Michigan , and Miami, Florida , debates, so well bypa
ater crisis. A lead main service line is exposed and measured as members of Eagle Excavation Inc., Goyette M
the hearing, Capps stressed the importance of all people having access to safe, reliable drinking water. Capps
s it time to get them out?Elizabeth Brackett reports. You can read the transcript of her report here. Below, som
vironment and the Economy and the Subcommittee on Health. The tragic situation in FLINT has captured the
eople, like Vladimir Putin's, actually make so much money? Missing the FLINT story Well, Geraldo Rivera (ta
risdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pit at Danny E. Webb Co
risdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pit at Danny E. Webb Co
ldee said the FEDERAL GOVERNMENT has a moral responsibility to ensure that all Americans, including F
LINT Hills a it's our position that our resident should t paliz for it" the city is watching ozo levels very closeay b
he plan that was unveiled just a few hours ago. Tom. Sue, under this proposal all underground lead service pi
. Abc12's Damon maloney was there, and has new reaction this noon. Damon? Larry, the city and state agree
e burn the pastures to get rid of for weed control and brush control, get trees and shrubs out, and also gets rid o
aver says shell press on and ask state lawmakers for more help. Sometimes you wonder if the FEDERAL GO
r role in July of last year. Twenty one year old Jason on four appeared in Schenectady county according conne
nly helped her way hearing a few years ago to very. Well attended I do think that that that the people have a rig
L GOVERNMENT all schools and day care is would undergo mandatory that testing. Led plumbing disclosure
id Friday. It came after a European Union report that criticized security at Brussels Airport was leaked in the w
id Friday. It came after a European Union report that criticized security at Brussels Airport was leaked in the w
ools and other public facilities. And led by disclosures in real estate transactions the dow is down thirty.
ung people at highest risk jana lane he CBS. And California lawmakers want the chancellor of uc Davis to step d
anization's standard under recommendations to be made in FLINT to a Snyder-created committee working o
l discrimination communities of color that sat next to sewage plants, pesticide-covered fields or noxious landfill
odrundown of the original Clinton lead-hazard plan, as she expressed it during the. March 6 Democratic preside
ental discrimination places where communities of color sat next to sewage plants, pesticide-covered fields and
d to tap water. But FLINT shouldnt have taken anyone by surprise; in fact, water industry professionals have
here the trouble lies. The testing was prompted by the crisis in FLINT, where lead flowed from taps after stat
EALTH-CARE agent, to seek again to have him deposed before the trial. During Thursday's hearing, Mr. Red
MENT. All schools and day care is would undergo mandatory that testing. Led plumbing disclosures would be
OVERNMENT all schools and day care is would undergo mandatory by testing. Led plumbing disclosures wo
an collecting water samples two weeks ago in proactive and precautionary testing, district spokeswoman Miche
fit they tend to take for granted.That complacency dramatically was disrupted last year when children in FLINT
im for $198,000. The Hearst family still owns it. When Jacobson purchased the Vanderbilt home, the master b
es upheld his December ruling that Mr. Redstone, the 92-year-old controlling shareholder of Viacom Inc. and C
erior Court for the County of Los Angeles upheld his December ruling that Mr. Redstone, the 92-year-old contro
here the trouble lies. The testing was prompted by the crisis in FLINT, where lead flowed from taps after sta
erve as co-chair of a new spl charities committee the committee was formed to protect the public's intes in char
day after the energy bill of more than $200 million in aide in the crisis.
f they drink it, get in the bathtub, or wash their hands, they re going to get it. Congresswoman cheri bustos con
rastructure and then recover from the infrastructu infrastructure.

burning, and why are some concerned about it? Deb Farris reports (Todd busenitz/rancher)"we burn the pastu
ats where the trouble lies. The testing was prompted by the crisis in FLINT, Michigan, where lead flowed fro
f they drink it, get in the bathtub, or wash their hands, they re going to get it. Congresswoman cheri bustos con
Two men are behind bars after a woman is sexually assaulted near downtown FLINT. This morning, police a
cattle, but air quality experts say the smoke may cause ozone problems, especially in the Wichita area. Some f

responsibility to ensure that all Americans, including FLINT families, have access to safe drinking water and you wonder if the FEDERAL GOVERNMENT is probably looking to the state because they know those fund ires or even controll Burns in the FLINT Hills and it's our position that our resident should not be penalized fo t's from the us government over the last year and a half. And over seventeen hundred of those bar microsoft fr eek, new grass pushes up making lush feed for cattle, but air quality experts say the smoke may cause ozone p .4 parts per billion (ppb) level set by the ENVIRONMENTAL PROTECTION AGENCY. For wells seven and e nts but because his passion for anti-business causes trumped other concerns. Sanders' ideas on HEALTH C rybody that he wants all children under the age of 6 in Detroit to be tested for lead. It doesn't matter whether th best and brightest who want to fight climate change, all while remaining the rock star internationally for how to s re the trouble lies. The testing was prompted by the crisis in FLINT, where lead flowed from taps after state a ys if you read the fine print on Sanderss free college plan, it says that the FEDERAL GOVERNMENT will cov round, Part 2 (Houses & Apartments) http://bit.ly/1qDWvkp #FlintWaterCrisisPubs: 1) 2015 Snapshot of Water S tion in the cash-strapped school district, already grappling with severely deteriorated buildings and charges of c ination in the cash-strapped school district, already grappling with severely deteriorated buildings and charges o odrundown of the original Clinton lead-hazard plan, as she expressed it during the. March 6 Democratic preside sting was done back in March because of the talk around the country when it comes to lead contamination, like ts where the trouble lies. The testing was prompted by the crisis in FLINT, where lead flowed from taps after ent. complex regulations to protect public health and service the needs of the communities they serve, while ba apped school district, already grappling with severely deteriorated buildings and charges of corruption. The res ionary measure. With everything going on in the state of Michigan and across the United States, the time was r ut the rest of the day was pretty clean. So when it comes to tracking Wichitas air quality, according to standard ise fears of widespread contamination in the cash-strapped school district, already grappling with severely dete e finding of a recent investigation by The Desert Sun and USA TODAY, which found that nearly 100 public wate ter reading about the crisis in FLINT, Michigan, that Weiss began to suspect lead contamination. At that poin EALTH-CARE agent, to seek again to have him deposed before the trial. During Thursday's hearing, Mr. Red LINT, about 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead contaminatio nded by four months a state of emergency in FLINT, about 70 miles northwest of Detroit, to boost aid to auth nting Inks Market APAC, EMEA, North America and ROW In this market research study, the analysts have es

en the water started looking rusty red or muddy brown or like really bad light beer. There's been this recuring q
still used in vaccines. Early this year, I posted a letter from the California State Secretary of Health who directe
pril 7, 2016, establishes sampling, corrosion control, individual tap action levels, more stringent public notificatio
and copper contaminations below federal standards. When it comes to how the plan will be paid for, there are
ational. A lot going on now and mar mcdonald following it all. We start with the enormous data dump from the g
oes suggest that some laws and rules need to be more stringent, but some of Clintons proposals largely hinge o
y the Institute for Journalism and Natural Resources on April 4, Curt Guyette, an investigative reporter for the A
ommission. Snyders office has been voluntarily releasing thousands of pages of state records related to Flints
al negligence if not outright prosecutable actions on behalf of government officials with regard to the contamina
Charles River, Long Island Sound, the Connecticut River, they have money and they have groups that work to
s far away as Wichita, that are higher than what the. EPA considers safe, The city is watching ozone levels v
en the water started looking rusty red or muddy brown or like really bad light beer. There's been this recuring q
n disadvantaged American communities, not just FLINT, MI, is becoming publicly known. Millions of children
isis. It is unclear how much the proposal will cost, and the policy group purposely did not take funding into acco
west Elementary School, with levels of 0.016 parts per billion and 0.039 parts per billion. The Environmental Pr
ewater infrastructure through the Clean Water State Revolving Fund and other efforts to improve water quality a
ne is a notice from a company to FERC, reserving the right to comment on the proposal at a later date. Davins

plying with what's already on the books. That doesn't go far enough, says Angelo Logan, campaign director fo
onmental discrimination - communities of color that sat next to sewage plants, pesticide-covered fields or noxio
etected ozone levels that are higher than what the EPA considers safe, as far. Away as Wichita. The city is w

nths as senators debated tying it to another bill on water infrastructure in FLINT, Mich. With the FLINT deb
ber Alliance of Macomb County to talk about Michigan's continued comeback as well as highlight the success o
@gmail.com. FLINT Hills Harmony Sweet Adelines, 6:45 to 9:30 p.m. Tuesday, April 19, Westside Baptist C
ic Screening Diagnosis and Treatment or EPSDT) is essential. Medicaid statute requires coverage of lab tests,
n nine debate transcripts, although at times the candidates brought up the topic themselves. 11, Milwaukee: N
f corruption. The results also came the same day Michigan lawmakers extended by four months a state of eme
te causing the belts to come loose. Anything about the data breaches at target Home Depot. Is the health and c
e threshold for action. The proposal would also require all pipes connecting homes to what remains in Michigan
ation. The changes are part of a long-term fix. The EPA requires water systems to take issues to control cor

T to request a comprehensive risk analysis about several pipe lines under the sink clear river. The request in

er Alliance of Macomb County to talk about Michigans continued comeback as well as highlight the success of t
er Alliance of Macomb County to talk about Michigans continued comeback as well as highlight the success of t
er Alliance of Macomb County to talk about Michigans continued comeback as well as highlight the success of t
ribution pipes. Keeping water lead-free, however, requires a significant investment in monitoring, treatment and
f the level of lead in water at which action is required by public water systems. Any implementation would be th
f there was anything they wanted to say that they hadnt had a chance to yet. Martin OMalley used his time to ta
ve swelled to 1,000 or more after years. of the cattle reproducing freely. A recent petition to intervene with the I
/ AP/ File) Michigan would have the toughest rules in the nation for testing lead levels in its water supply under a
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr

oposed for lead and copper levels in drinking water exceed those in federal rules, which the governor called du
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
oposed for lead and copper levels in drinking water exceed those in federal rules, which the governor called du
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
ead levels to cause irreversible brain damage, especially in young children.The lead crisis has reached such pr
nt of Health and Human Services, black children have four times the hospitalization rate for asthma of white ch
tire country can use, to make sure a lead crisis like the one in FLINT does not happen again. Governor snyd
ates will meet for what may be the last debate of the Democratic race. While the candidates have been outspok
rity in Nile,Mekong & Amazon Basins; 2) Cultural Costs of Tropical Dams http://bit.ly/1SIo2Ib@AGU_Eos Klam
rink tap water without filters. The mayor has called on the state to do more, too. Friday's FLINT Water Inter
f corruption. The results also came the same day Michigan lawmakers extended by four months a state of eme
dowski said. The district did not release specifics about the levels of lead or copper found in nearly a third of th
ently, the ENVIRONMENTAL PROTECTION AGENCY (EPA) only requires utilities to take action when the le
risis. Other proposals include requiring utilities to test all schools, day care centers, nursing homes and similar f
al negligence if not outright prosecutable actions on behalf of government officials with regard to the contamina
ater crisis uncovered massive gaps when it comes to federal lead and copper rules. Dawn)critics like dr. marc E
limit for lead in drinking water in the state below the federal standard. This is all in response to the water crisis i
wever environmental experts say they've detected ozone levels that are higher than what the EPA considers
ENCY, with officials pinpointing old infrastructure with lead pipes as the root cause of the problem. Drinking fo
mittee outlined a series of needed reforms to the federal Lead and Copper Rule (LCR) for Michigan to follow th
through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor Rick Sn
sewage plants, pesticide-covered fields and noxious landfills. Places where people went to meeting after meet
ace, written in the wake of the Love Canal disaster, revealed a pattern of widespread presence of uncontrolled t
00 representative sites around the city in an effort to see whether the city's switch back to a Detroit water suppl
the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 201
the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 201
the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 201
the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 201
the state under a sweeping plan Gov. Rick Snyder and a team of water experts will unveil Friday, April 15, 201
e mandatory disclosure of lead plumbing in home sales and rental contracts. FILE-In this March 21, 2016 file p
r at which action is required by public water systems.Any implementation would be through a combination of st
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
of the level of lead in water at which action is required by public water systems. Any implementation would be
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
recommended a lowering of the level of lead in water at which action is required by public water systems. Any
lowering of the level of lead in water at which action is required by public water systems. Any implementation w
through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor Rick Sn
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
e through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor Rick S
entation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for G
ve the toughest lead-testing rules in the nation and require the replacement of all underground lead service pip
ould be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor R
deral Lead and Copper Rule needs to be improved immediately. Its dumb and dangerous and in Michigan we a
any say add to the upheaval that has been part of their lives since state officials confirmed last fall that their wa

of 2017. The 300,000-square-foot building will include 43 beds and four operating rooms, which is bigger than t
ross the country are expected to follow suit. Ha But Captain goes down with the ship though. Topham and oth
ould be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor R
g with recently-detected high levels of lead in the water at several Detroit Public Schools. We have no reason t
tate authorities switched that city's water supply from Detroit's system to the FLINT River to save money. Ab
st some people's houses and the mandatory disclosure of lead plumbing in home sales and rental contracts, a
atory disclosure of lead plumbing in home sales and rental contracts, according to a document provided to The
of 2017. The 300,000-square-foot building will include 43 beds and four operating rooms, which is bigger than t
ss a dive into those subjects here. Heres a quick summary of the evening before we dig in further. On some is
echanical Co., and Mechanical Contractors Johnson & Wood work together to dig a hole to expose, remove an
asked witnesses testifying before the committee about efforts to improve the Childhood Lead Poisoning Preve
e additional information about the hazards of lead in Chicago water. While none of Chicagos water mains are l
attention of the nation. The events that unfolded are unacceptable, and sadly there were missteps at all levels o
king $200,000) and Mika Brzezinski (voting for Hillary) aren't alone in striking admissions today. "I'm an environ
nstruction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county is now likely to intensify
nstruction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county is now likely to intens
LINT families, have access to safe drinking water and that Congress must act to resolve the crisis. His reque
ecause of all the burnin if Wichita goes or o NY times in. One season, it fac long term penaltihatou cost tens of m
pes in the state would have to be replaced. Under EPA rules water systems across the country must take ste
that the FEDERAL GOVERNMENT should be doing more given the fact that families in FLINT still can't d
f old growth so that the new growth can come" it's an annual event farmers and ranchers set their pastures on f
VERNMENT is probably looking to the state because they know those funds are available, Weaver told report
cts with the dow.
ht I understand it right is much knowledge they can about who knew what when they deal so it using. Choice in
s would be required in home sales. New rules would apply to all Michigan not just went.
ake of last month's terror attacks. Michel saidthatGalantpresented her resignation to the King and the King acc
ake of last month's terror attacks. Michel saidthatGalantpresented her resignation to the King and the King acc

own over the school's public relations spending.
n long-term fixes related to the city's lead-tainted water crisis."The federal Lead and Copper Rule. needs to be i
s. Places where people went to meeting after meeting begging someone for help. Our project detailed the Envi
ntial debate in FLINT, Michigan: I want us to have an absolute commitment to getting rid of lead wherever it i
noxious landfills. Places where people went to meeting after meeting begging someone for help. Our project d
been sounding the alert for years. Much of the water infrastructure in the developed world was built 70 to 100
e authorities switched that citys water supply from Detroits system to the FLINT River to save money. About 8
stone's lawyers indicated they wouldn't call on him to testify at the trial. Pierce O'Donnell, Ms. Herzer's attorne
required in home sales of the new rule.
uld be required in home sales. New rules would apply to all Michigan not just plant.
lle Zdrodowski said. The district did not release specifics about the levels of lead or copper found in nearly a th
, Michigan, started testing positive for lead poisoning and the source was traced to tap water. But FLINT sh
edroom had a skylight and a broad window facing Mt. Shasta. Jacobson added a window that looked over the w
BS Corp., wouldn't be deposed. The judge also said he wouldn't accept testimony from Mr. Redstone in the for
lling shareholder of Viacom Inc. and CBS Corp., wouldn't be deposed. The judge also said he wouldn't accept t
te authorities switched that citys water supply from Detroits system to the FLINT River to save money. About
itable funds. Baylee Cunningham/Wichita air quality specialist)"there is a potential due to that burning for us to s

tinues her fight in Washington over lead problems in galesburg. Thursday the democrat wrote a letter to the E

res to get rid of for weed control and brush control, get trees and shrubs out, and also gets rid of old growth so t
m taps after state authorities switched that citys water supply from Detroits system to the FLINT River in an a
tinues her fight in Washington over lead problems in galesburg. Thursday the democrat wrote a letter to the E
re offering up tips to keep you safe. Plus, and thousands of cradle swings are being recalled this morning, wha
armers say range burning is necessary to take care of their land "I'm a huge proponent of taking care of what g

that Congress must act. His request comes a day after the senate stripped an energy bill of more than 200-mil
s are available, so could those get released and maybe we would get the help that we're looking for. (Larry)ma
r it" the city is watching ozone levels very closely today because of all the burning. If Wichita goes over too man
om ever telling customers involved the government has access to their data. Brad Smith says this level of surv
roblems. 1-10 (Todd busenitz/rancher)"we burn the pastures to get rid of for weed control and brush control, ge
ight the level was .105 ppb, in wells 11-14, .101 ppb and in wells nine and 10, .072 ppb. Article Photos Photo
ARE might make sense in principle, but insisting on reopening this fight would prevent other issues from gettin
ey attend dps schools or not. He believes the kids need to be tested. That's according to the free press and th
tructure environmental protection initiatives. McCarthy said she intends to be active until the end of President B
uthorities switched that citys water supply from Detroits system to the FLINT River to save money. About 8,0
er 2/3 of the plan. Sanders against speaks in platitudes and says we have to stand up to big-money interests a
ecurity in Nile,Mekong & Amazon Basins; 2) Cultural Costs of Tropical Dams http://bit.ly/1SIo2Ib@AGU_Eos K
orruption. The results also came the same day Michigan lawmakers extended by four months a state of emerg
f corruption. The results also came the same day Michigan lawmakers extended by four months a state of eme
ntial debate in FLINT, Michigan: I want us to have an absolute commitment to getting rid of lead wherever it i
the water crisis in FLINT, Michigan. At the request of the Granville Exempted Village School District, the wa
state authorities switched that citys water supply from Detroits system to the FLINT River to save money. Ab
lancing cost considerations and aging infrastructure. This article highlights the manner in which the Safe Drinkin
ults also came the same day Michigan lawmakers extended by four months a state of emergency in FLINT, a
ight and it was the right thing for us to do, she said. Lead testing was last completed in DPS in the 2006-07 sch
s set by the ENVIRONMENTAL PROTECTION AGENCY, Cunningham said, it didnt exceed an acceptable t
riorated buildings and charges of corruption. The results also came the same day Michigan lawmakers extend
r systems in California registered high readings of lead in tap water from 2012 to 2015. Most of the public outc
t, the next step was a no-brainer. Who did I reach out to? Weiss said. I guess I reached out to people who cou
stone's lawyers indicated they wouldn't call on him to testify at the trial. Pierce O'Donnell, Ms. Herzer's attorne
n in the city's drinking water.Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said the district c
orities managing a crisis over lead contamination in the city's drinking water. Michelle Zdrodowski, a spokeswo
timated North America to be the largest market for printing inks over the forecast period. The market for eco-frie

uestion would the governor drink that water himself. Would he pour himself a glass of FLINT'S contaminated
d HEALTH CARE professionals across the state to inject children with mercury. You can read the letter your
n deadlines, higher administrative enforcement penalties, requirements for identifying and mappinglead infrastr
not a lot of specifics, especially how they will pay for it without the help of the FEDERAL GOVERNMENT. W
overnor's office which of course, came late afternoon on a Friday. I love it, Devon. Always after 4:00, and what
n complying with whats already on the books. That doesnt go far enough, says Angelo Logan, campaign direc
merican Civil Liberties Union of Michigan, and Lindsey Smith and Rebecca Williams, both of the non-profit. Mic
water crisis to comply with Freedom of Information Act requests and ongoing civil litigation and criminal investi
ted drinking water in cities like FLINT, Michigan and evidently in cities all across the U.S. There are crimes a
gether to come up with a coordinated plan. We have our own strategic plan for the MRWC but we want to have
ery closely today because of all the burning. Watch for former jayhawk stars in this year's NBA playoffs, there's
uestion would the governor drink that water himself. Would he pour himself a glass of FLINT'S contaminated
of color have had their futures stolen from them indirectly by poison, and the scope of it is now finally being ful
unt.The Republican governor said at Fridays meeting in FLINT that he wants a marker in the ground, and he
otection Agencysaction levelrequiresan immediate response once readings reach more than 0.015 ppb. In tha
nd create thousands of new, living wage construction jobs.As recent events in FLINT, Michigan; Toledo, Ohi
croft is a fuel marketer in North Carolina, and York River Fuels is a Western Refining's subsidiary. Regional ch

r the Moving Forward Network. "We're not just the poster children of why things are bad," explains Gearon. "W
us landfills. Places where people went to meeting after meeting begging someone for help. Our project detailed
atching ozone levels very closely today because of all the burning.

ate pushed back, Senate leaders hope to wrap up the energy bill in less than a day. They will then move on to t
f the region. I am proud to say that our unemployment rate is at 4.8 percent, which is below the national averag
hurch, 1008 S.W. 4th. Women who love to sing are invited to attend. Information: Nancy, 608-8616.
including lead blood level assessments, and once a problem is identified the EPSDT benefit requires that treat
o abortion questions were asked. Sanders said he had a lifetime 100 percent pro-choice voting record, and Clin
rgency in FLINT, about 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead c
ross Blue Shield. Any hill I like an idea what the FEDERAL GOVERNMENT has recognized this fact in that o
. He removed in ten years for America are we persisted that have been done in the past. The city would not be
rosion when led thanntrations exceed more 15 part still million parts per billion in 10% Perigan would have 10 p

cluded in the state's comments announced today. About the proposed presidential permit to planes to help the

he region. I am proud to say that our unemployment rate is at 4.8 percent, which is below the national average a
he region. I am proud to say that our unemployment rate is at 4.8 percent, which is below the national average a
he region. I am proud to say that our unemployment rate is at 4.8 percent, which is below the national average a
infrastructure replacement. More cities at risk A recent review in The New York Times reports that lead crises
rough a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor Rick Snyd
lk about immigration reform and Puerto Ricos debt crisis. Bernie Sanders decried the corrupt campaign finance
ivestock, which the organizers claims are literally wasting away and suffering from starvation, has garnered nea
sweeping plan unveiled Friday by Gov. Rick Snyder. "Michigan will lead the rest of the country in terms of addr
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st

mb and dangerous given the potential for high lead levels to cause irreversible brain damage, especially in you
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
mb and dangerous given the potential for high lead levels to cause irreversible brain damage, especially in you
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
oportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said in a st
ildren, according to data collected between 2011 and 2013. In Detroit, hospitalization rates for African American
er says the proposed reforms would go beyond the federal lead and copper rule, positioning Michigan as a Nat
en on national issues, domestic and foreign affairs, experts agree that both campaigns have largely failed to ar
ath dam removal provides "road map for long-term restoration & sustainability" http://ow.ly/10wWyL@tonydavis
agency Coordinating Committee focused heavily on the state's efforts to strengthen the rules within Michigan w
rgency in FLINT, about 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead c
e 62 elementary-middle school buildings tested so far, but said it has notified families, is working to fix the prob
vel of lead in the water exceeds 15 parts per billion. The Michigan proposal would be among the strongest in th
acilities not just some people's houses and the mandatory disclosure of lead plumbing in home sales and rent
ted drinking water in cities like FLINT, Michigan and evidently in cities all across the U.S. There are crimes a
dwards of Virginia Tech, say current regulations simply doesn't go far enough to protect people and their drinkin
n FLINT we've been tracking for you here on "the now. "Just this week detroit's school district also reported h
safe, as far. Away as Wichita. The city is watching ozone levels very closely today because of all the burning.
untains at the schools have been shut down and bottled water is being provided for the students. Read more U
at puts public health first while providing more transparency and public education. The federal Lead and Coppe
yder. The potential costs, financing and timeline are still to be determined, he said.Federal rules require action i
ing begging someone for help. Our project detailed the Environmental Protection Agencys limp enforcementof
oxic waste sites in racial and ethnic communities throughout the United States. It is no surprise that poor, Black
y has reduced lead levels. (Photo: Ryan Garza, Detroit Free Press) Buy Photo FLINT Michigan Gov. Rick Sn
6 in the wake of FLINT'S water crisis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELE
6 in the wake of FLINT'S water crisis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELE
6 in the wake of FLINT'S water crisis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELE
6 in the wake of FLINT'S water crisis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELE
6 in the wake of FLINT'S water crisis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELE
hoto, a lead main service line is exposed and measured as members of Eagle Excavation Inc., Goyette Mecha
atutory, rule and other changes, said Ari Adler, a spokesman for. Governor Rick Snyder. The potential costs, fin
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor Rick Sn
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
implementation would be through a combination of statutory, rule and other changes, said Ari Adler, a spokesm
ould be through a combination of statutory, rule and other changes, said Ari Adler, a spokesman for Governor R
yder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require action
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
nyder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require actio
overnor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rul
es in the state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the
ick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require a
rent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder said. We need to move forwar
ter was contaminated with dangerous levels of lead. Some have found cheap memberships at gyms just outsid

he nonprofit initially anticipated. Layton Mayor Bob Stevenson said the hospital is an important part of develop
er fresh water oyster farmers say theyre the victims of an ongoing war between Alabama, Georgia and Florida.
ick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require
o think (Farmington) has any issues, Riebe said. Arch Environmental Group, Inc. of Farmington Hills is obtaini
out 8,000 FLINT- area children under age 6 have potentially been exposed to lead. In Detroit, school official
ccording to a document provided to The Associated Press by the governor's office before the announcement. U
Associated Press by the governor's office before the announcement. Under U.S. ENVIRONMENTAL PROTE
he nonprofit initially anticipated. Layton Mayor Bob Stevenson said the hospital is an important part of develop
sues such as universal HEALTH CARE, student loans, and sustainable energy Clinton and Sanders felt sim
d replace a lead main service line in FLINT, Mich. Michigan would have the toughest lead-testing rules in the
ntion program to address both the crisis in FLINT, as well as lead exposure in children in communities aroun
ead there are 400,000 lead service lines that lead from the water mains to peoples homes. An EPA study co
f government, said Upton. Long after the media leaves FLINT and the dust settles there will be real Michigan
mental reporter from FLINT. Even I ignored the water crisis story," says Talia Buford of the Center for Public
with two companies facing officials who, in the coming months, will defend in federal court an ordinance appro
ify with two companies facing officials who, in the coming months, will defend in federal court an ordinance app
st comes a day after the us senate stripped an energy bill of more than 200-million dollars to aid in the water cr
ilonof dollars busenitz says he doesn't worry about ozone and do wt needs to to take ohis land. (Todd busenitz
ps to control corrosion if lead concentration goes above 15-parts per billion in more than 10 percent of sampled
rink tap water without filters. The mayor has called on the state to do more too. Today's FLINT water interag
ire within a week. New grass pushes up making lush feed for cattle but air quality experts say the smoke may c
ers Thursday. So, could those get released so we would get the help were looking for? The state has already a

your a district for leverage to explain that if you talk about how the assembly democrats are used to the situatio

epted it, the Associated Press reported. Some 32 people died in bombings at the airport and a metro station in
epted it, the Associated Press reported. Some 32 people died in bombings at the airport and a metro station in

mproved immediately. It's dumb and dangerous and in Michigan we aren't going to wait for the FEDERAL GO
ronmental Protection Agencys limp enforcement of one mechanism to address discrimination: Title VI of the Ci
s, because its not only in water systems. Its also in soil, and its in lead paint that is found mostly in older homes
etailed the Environmental Protection Agencys limp enforcementof one mechanism to address discrimination T
years ago and is nearing the end of its useful life. The department anticipates 7 to 12 percent savings on its a
,000 FLINT- area children under age 6 have potentially been exposed to lead. In Detroit, school officials disc
y, said the ruling and the admission from Mr. Redstone's side that he won't testify at trial is a big win. Next we

ird of the 62 elementary-middle school buildings tested so far, but said it has notified families, is working to fix t
ouldnt have taken anyone by surprise; in fact, water industry professionals have been sounding the alert for ye
est garden, and had added an electric fence to repel deer from ruining the gardens and orchards, which were f
m of a declaration. Judge Cowan had previously said a deposition would be an unnecessary invasion of Mr. R
estimony from Mr. Redstone in the form of a declaration. Judge Cowan had previously said a deposition would
8,000 FLINT- area children under age 6 have potentially been exposed to lead. In Detroit, school officials d
ee elevated smoke levels in the Wichita area, which could impact air quality. Last Monday, the cit whi recorded

PA s acting regional administrator asking the agency to take immediate action and fully examine the issue of l

hat the new growth can come" it's an annual event, farmers and ranchers set their pastures on fire, within. A we
ttempt to save money. About 8,000 FLINT- area children under age 6 have potentially been exposed to lead
PA s acting regional administrator asking the agency to take immediate action and fully examine the issue of l
t parents need to know. Tomorrow and Sunday will both be around 70 degrees with sunny skies. The next chan
od has given us. We need to be wise stewards of what he has given us. But to worry about the ozone layer be

lion dollars in aid FLINT. The Saginaw school board is taking steps to leave day to day operations to superin
yor Karen weaver is talking about the breaking news we first told you about Wednesday night, after a provision
y times in one season, it faces long term penalties that uld cost tens of millions of dollars busenitz says he does
eillance never existed in the physical world. A moment of silence will be held at two forty nine PM. Eastern Tim
t trees and shrubs out, and also gets rid of old growth so that the new growth can come" 23-31 (baylee Cunning
by Jeffrey Saulton City Councilman Jim Miracle, who is the tree committee chairman, shows the rocking chair m
g on the agenda. Sanders' relentless focus on a single big idea about crushing corporate power prevents him f
e executive director and health officer for the city's health department. He saying this because lead can obvious
arack Obama's administration and hopes to tee up a number of high profile regulations, like the Clean Power P
00 FLINT- area children under age 6 have potentially been exposed to lead. In Detroit, school officials disco
nd Clinton has to explain how every country can guarantee healthcare to all of its people while American does n
lamath dam removal provides "road map for long-term restoration & sustainability" http://ow.ly/10wWyL@tonyd
ency in FLINT, about 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead co
rgency in FLINT, about 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead c
s, because its not only in water systems. Its also in soil, and its in lead paint that is found mostly in older homes
ter department tested the drinking water. There were elevated levels that raised our concern level, Granville E
out 8,000 FLINT- area children under age 6 have potentially been exposed to lead. In Detroit, school officials
g Water Act regulates contaminants, particularly lead, and briefly summarizes Ohios regulation of lead in drinki
bout 70 miles northwest of Detroit, to boost aid to authorities managing a crisis over lead contamination in the c
ool year, Zdrodowski said. Lead and copper exposure can lead to health problems ranging from stomach pain
hreshold. It looks really, really scary out there when we have grass fires surrounding the city and smoke billow
ed by four months a state of emergency in FLINT, about 70 miles northwest of Detroit, to boost aid to author
ry over the lead issue has stemmed from the crisis in FLINT, Michigan. Gov. Rick Snyder declared a state of
ld help me answer that question. People like Marc. Marc Edwards, Virginia Tech professor and face of the FL
y, said the ruling and the admission from Mr. Redstone's side that he won't testify at trial is a big win. Next we
onducted. the testing "proactively, because of everything else that was going in the state of Michigan and acros
man for Detroit Public Schools, said the district conducted the testing "proactively, because of everything else t
ndly inks in the region has significantly benefitted from the imposition of stringent environmental regulations by t

tap water and drink it himself? Will he pour himself a glass now that he says the filters work, the filters make th
self at this link. As you ponder this, consider that when I tested mercury concentrations in influenza vaccines us
ucture in public water systems, and financial assistance for. communities and schools with concerns over lead i
e could take a problem and show how we can turn that into leadership. That is going to happen. Martin: snyde
I'm showing here is a portion. I couldn't positive simply hold 100,000 documents and e-mails. If you're expect
tor for the Moving Forward Network. We need to be the decision-makers about the ways these things are add
higan Public Radio, addressed a gathering of 17 environmental journalists in Detroit. Mohai joined the panel lat
gations. We are producing documents as requested for court investigations and FOIA requests, and then post
gainst humanity being perpetrated by chemical companies like Monsanto. as glyphosates and genetically engin
everybody on the same page so that we can all work together to figure out what everybody can do. Top 10 Mo
enough for a full squad, isn't that right, nathan?
tap water and drink it himself? Will he pour himself a glass now that he says the filters work, the filters make th
ly reported. There is a great churning going on right now, with injustices of all kinds coming up to the surface. M
expects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S. EN
t test, both the first draw and flush draw returned results well below the EPAs action level of 0.015 ppb. The fir
o; and Charleston, West Virginia, have shown, Americas water infrastructure is in dire need of renewed Federa
ains, national chains, new era marketers, and branded retailers are all included in the dataset to provide an acc

e need to be the decision-makers about the ways these things are addressed in our communities, and I don't s
the ENVIRONMENTAL PROTECTION AGENCY'S limp enforcement of one mechanism to address discrimi

he Senates energy and water appropriations bill. On Tuesday, the House Appropriations Committee will hold a
e and the lowest rate in 15 years. With continued growth in several industries, Southeast Michigan has gained

ment be provided. Alker recommended improving the lead screening rates in Medicaid. Joantestified alongside
ton touted her endorsement by the Planned Parenthood Action Fund. March 6, FLINT: No mentions. March
ontamination in the city's drinking water. Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said
nce the new site to help the victims were. Glover from at all the federal. Trade commission identity that did no
in this situation it is. Now I am really sorry that one is the example from which all this is coming from the. Cost t
arts billion. They would also have similar controls on day care and nursing facilities.

ses services.

nd the lowest rate in 15 years. With continued growth in several industries, Southeast Michigan has gained a f
nd the lowest rate in 15 years. With continued growth in several industries, Southeast Michigan has gained a f
nd the lowest rate in 15 years. With continued growth in several industries, Southeast Michigan has gained a f
similar to the one in FLINT have occurred with some regularity in numerous US cities (Sebring, OH in 2015;
er. The potential costs, financing and timeline are still to be determined, he said. Federal rules require action if I
system. Hillary Clinton, meanwhile, focused on an issue that is far more local in scope, but no less important: t
rly 6,000 signatures.But an administrator for the Nevada Department of Agriculture told the paper they have no
essing lead as a problem," Snyder said as he introduced the plan before a meeting of the FLINT Interagency
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p

ng children. The lead crisis has reached such proportions that we arent going to wait for the FEDERAL GOVE
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
ng children. The lead crisis has reached such proportions that we arent going to wait for the FEDERAL GOVE
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
atement announcing the plan, which would, among other things, lower the limit for lead in drinking. water to 10 p
s of all ages was four times higher than whites for asthma. More than one-third of these residents live in pove
ional leader in reducing lead exposure from drinking water. Some of the key highlights of the proposal include r
ticulate policy for American cities and ways in which the FEDERAL GOVERNMENT can improve urban life. I
987 in @TucsonStar: Arizona wants legal assurances California won't take its stored water http://bit.ly/1VRcx6b
hen it comes to lead testing. State officials say they want to create a model that can used across the country to
ontamination in the city's drinking water. Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said
lems. While additional testing is completed, DPS immediately shut off all drinking fountains in the affected scho
e nation and follows recommendations from the World Health Organization, which suggests utilities alert the pu
al contracts. The plan was given to The Associated Press before it was presented to a committee that Snyder a
gainst humanity being perpetrated by chemical companies like Monsanto. as glyphosates and genetically engin
g water. Abc12's Damon maloney joins us live with new recommendations the state laid out today. Damon? G
igh levels of lead in nearly a third of its elementary schools. Michigan's legislature will now decide if the new le

nder EPA guidelines, if lead levels are found to be at least 15 parts per billion or copper levels at 1,300 parts
r Rule needs to be improved immediately. Its dumb and dangerous and in Michigan we arent going to wait for t
f lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to a
one mechanism to address discrimination Title VI of the Civil Rights Act of 1964. Before I worked on it, I hadn
and Brown people live closest to the most heavily polluted urban areas, at the centers of cities clogged with au
yder on Friday endorsed a committee plan Friday to introduce stricter statewide guidelines for lead levels in Mic
VISION OUT; LOCAL INTERNET OUT; MANDATORY CREDIT" LANSING, Mich. Michigan would have the t
VISION OUT; LOCAL INTERNET OUT; MANDATORY CREDIT" LANSING, Mich. Michigan would have the t
VISION OUT; LOCAL INTERNET OUT; MANDATORY CREDIT" LANSING, Mich. Michigan would have the t
VISION OUT; LOCAL INTERNET OUT; MANDATORY CREDIT" LANSING, Mich. Michigan would have the t
VISION OUT; LOCAL INTERNET OUT; MANDATORY CREDIT" LANSING, Mich. Michigan would have the to
nical Co., and Mechanical Contractors Johnson & Wood work together to dig a hole to expose, remove and rep
ancing and timeline are still to be determined, he said.Federal rules require action if lead levels top 15 parts pe
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
yder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require action
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
an for Governor Rick Snyder. The potential costs, financing and timeline are still to be determined, he said. Fe
ick Snyder. The potential costs, financing and timeline are still to be determined, he said. Federal rules require
if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to a
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
n if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to
es require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 pa
wake of FLINT'S water crisis. Other proposals include requiring utilities to test all schools, day care centers
ction if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billio
d with these reforms so we can better protect the health and safety of all Michiganders. These new standards c
e the city and use them to bathe more than exercise. Others waited in a long line last month to receive contrap

ing the area to better serve the community. Layton's only other hospital is the IASIS Healthcare-owned Davis H
The three states have been fighting over The Apalachicola, Chattahoochee and FLINT River system for 25 y
action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per bil
ng the samples which will be sent to a third party testing lab, Brighton Analytical, for analysis and recommenda
s discovered that even though the municipal water complies with U.S. ENVIRONMENTAL PROTECTION AGE
nder U.S. ENVIRONMENTAL PROTECTION AGENCY rules, water systems across the country must take s
CTION AGENCY rules, water systems across the country must take steps to control corrosion if lead concent
ing the area to better serve the community. Layton's only other hospital is the IASIS Healthcare -owned Davis H
ilarly but couldnt agree whose program is more economically sound. However, the candidates engaged in man
nation and require the replacement of all underground lead service pipes in the state under a sweeping plan G
d the country. Federal funding for lead poisoning prevention was nearly zeroed in FY2012 and FY2013, and on
nducted in 2011 and 2012 in Chicago found higher levels of lead in water lines than had previously been report
families grappling with this tragedy for decades, indeed lifetimes. Thats why todays hearing was forward lookin
Integrity. "I shouldnt have missed the story of lead-contaminated water in FLINT, Mich. Not because Im an e
ved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted waters Claims of leachin
roved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted waters Claims of leac
isis. (Dawn)we are learning more about the man found dead near some train tracks in genesee county. Investig
/ranche "I'm a huge proponent of taking care of what god has giveus.
taps. Snyder says the federal law is dangerous and there needs to be strictrer standards. During a conferenc
ency coordinating committee focused heavily on the state's efforts to strengthen the rules within Michigan when
ause ozone problems. Baylee Cunningham/wi chita air quality specialist)"there is a potential due to that burning
pproved $70 million in supplemental money for Flints water crisis.

n further hearings that would embarrass governor potentially. African Americans or hispanics you would think it

the Belgian capital on March 22. Sixteen of them were killedat the airport. The Islamic State groupclaimed res
the Belgian capital on March 22. Sixteen of them were killedat the airport. The Islamic State groupclaimed res

VERNMENT to fix it anymore," the Republican governor, who has apologized for his administration's failures i
vil Rights Act of 1964. Before I worked on it, I didnt realize how easy it is to ignore those fighting to be heard. I
, Clinton said. We will commit to a priority to change the water systems, and we will commit within five years to r
itle VI of the Civil Rights Act of 1964. Before I worked on it, I hadnt realized how easy it is to ignore those fightin
nnual $4 million water bill. CH2M also provides water utilities with a systems management platform that helps o
overed that even though the municipal water complies with U.S. ENVIRONMENTAL PROTECTION AGENCY
ek, Mr. O'Donnell will depose Mr. Redstone's daughter Shari, who is a vice chairman of Viacom and CBS and h

he problems. While additional testing is completed, DPS immediately shut off all drinking fountains in the affect
ars. Much of the water infrastructure in the developed world was built 70 to 100 years ago and is nearing the en
rom the Vanderbilt age, Steele said. He'd also removed the carpeting, revealing "glorious hardwood floors." S
edstone's privacy. However, in late March, Mr. Redstone's lawyers put him on a list of potential witnesses for t
be an unnecessary invasion of Mr. Redstone's privacy. However, in late March, Mr. Redstone's lawyers put hi
iscovered that even though the municipal water complies with U.S. ENVIRONMENTAL PROTECTION AGEN
ozone levels higher than EPA standards. Bayley Cunningham/Wichita air quality specialist)"the city does no

ead contaminated water in galesburg. Bustos say she also hopes federal staffers can work with local leaders o

ek, new grass pushes up making lush feed for cattle, but air quality experts say the smoke may cause ozone p
. In Detroit, meanwhile, school officials discovered that even though the municipal water complies with U.S. E
ead contaminated water in galesburg. Bustos say she also hopes federal staffers can work with local leaders o
ce of a few showers arrives Monday. Kristen is watching our morning drive, (kristen) (ad lib)(5am traffic utouch - I
cause of some smoke in Butler County, Kansas, I don't think is an accurate thing or anything to worry about" th

tendent nathaniel McClain. This week, the board agreed to a formally written "partnership program" with the sta
worth more than 200-million dollars for FLINT was removed from a us senate energy bill. It's a major set-ba
n't worry about ozone and does whate needs to to take caref s land. (Todd busenitz/rancher)"I'm a huge propon
e working the third year since the bombings folks in Boston are urged to participate in community service proje
ham/Wichita air quality specialist)"there is a potential due to.
ade from a walnut tree that was removed from Spencer Park. Miracle said the rocker will be donated to the Vie
rom seeing that when you sit in the Oval Office it actually matters whether you get the details right. Sanders' s
ly cause brain developments issues, this comes after test results showed that one school had lead levels 100 t
lan, to withstand legal battles during the next administration. Speaking in an exclusive interview with Bloomber
vered that even though the municipal water complies with U.S. ENVIRONMENTAL PROTECTION AGENCY s
ot. He says he lives 50 miles from Canada and we can guarantee healthcare to all like Canada. 1:20: Clinton c
avis987 in @TucsonStar: Arizona wants legal assurances California won't take its stored water http://bit.ly/1VR
ntamination in the citys drinking water. Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said t
ontamination in the citys drinking water. Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said
, Clinton said. We will commit to a priority to change the water systems, and we will commit within five years to r
xempted Village School Superintendent Jeff Brown said. Brown says the results surprised both he and his adm
discovered that even though the municipal water complies with U.S. ENVIRONMENTAL PROTECTION AGE
ng water. Lead is undeniably a contaminant of great concern that presents a challenge for many operators of p
ity's drinking water. Michelle Zdrodowski, a spokeswoman for Detroit Public Schools, said the district conducted
to brain damage, according to the U.S. ENVIRONMENTAL PROTECTION AGENCY. The district began col
ing in, Cunningham said. During the Barber County fire we had reports that ash was hitting the ground. That is a
ities managing a crisis over lead contamination in the citys drinking water. Michelle Zdrodowski, a spokeswom
emergency in the city in January after it was found that children with elevated levels of lead in their blood migh
INT Water Study Team, has championed the charge to expose the corruption surrounding water contaminatio
ek, Mr. O'Donnell will depose Mr. Redstone's daughter Shari, who is a vice chairman of Viacom and CBS and h
s the country."By systematically testing its buildings, at least one of which is more than 100 years old, the distri
hat was going in the state of Michigan and across the country." By systematically testing its buildings, at least o
he ENVIRONMENTAL PROTECTION AGENCY (EPA) regarding the use of inks containing high quantities o

e water safe. Today at a meeting somebody told the governor that the people of FLINT would very much like
ing ICP-MS instrumentation in my laboratory, results showed mercury at over 50,000 ppb about 25,000 times h
n their drinking water. The key provisions of H.B. 512, and its proposed changes to Ohios laws regarding lead i
r said local communities would be helped with financial plans. Sent forion would we the legislature to FLINT a
ing a smoking gun here, it's not what we're seeing so far. What you do so is a lot of bureaucrat's. Welcome to
ressed in our communities, and I dont see that laid out in this [plan] Asked by Grist to comment on the criticism
er in the morning. The three journalists played critical roles in putting the pieces of the FLINT story together a
ing them to the website to be transparent about what we are sending out and allowing the public to look throug
eered foods find their ways comfortably into our kitchens and stomachs. Steven Druker, in his seminal book Alt
st Endangered Rivers 1. Apalachicola-Chattahoochee- FLINT River Basin in Alabama, Florida and Georgia 2

e water safe. Today at a meeting somebody told the governor that the people of FLINT would very much like
any young Americans are starting to assert themselves in the face of adult folly that could destroy their futures.
VIRONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control c
st-draw sample returned results of 0.006 ppband the flush draw returned results of 0.005 ppb. "In following EP
l investment. In addition, according to the Water Environment Research Foundation, water, wastewater, and s
urate view of the market. Learn more about the OPIS Demand Report: www.opisnet.com/products/retail-fuel-de

ee that laid out in this [plan]." Asked by Grist to comment on the criticism being leveled at Clinton, her deputy n
nation: Title VI of the Civil Rights Act of 1964. Before I worked on it, I didn't realize how easy it is to ignore thos

vote on its energy and water appropriations bill. The bill passed the Energy and Water Subcommittee without m
a footing in its very own economic comeback. From December 2010 to December 2015, Macomb County's tot

Dr. Mona Hanna-Attisha, the pediatrician who discovered that the citys children had high blood lead levels. Dr.
9, Miami: The candidates were not asked their views on abortion, but a moderator mentioned that the Suprem
the district conducted the testing "proactively, because of everything else that was going in the state of Michiga
t golf.
o implement the proposal is not clear or the Michigan legislature will approve it. For NPR news on Steve carmo

ooting in its very own economic comeback. From December 2010 to December 2015, Macomb Countys total e
ooting in its very own economic comeback. From December 2010 to December 2015, Macomb Countys total e
ooting in its very own economic comeback. From December 2010 to December 2015, Macomb Countys total e
Jackson, MS in 2015; Durham and Greenville, NC in 2006; Columbia, SC in 2005 and Washington, DC in 2001
ead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to alig
he toxic water crisis in FLINT, Michigan that began in April, 2014. Now, FLINT Mayor Dr. Karen Weaver, w
t received any substantiated reports that Bundys cattle are starving.We have not received. any substantiated re
Coordinating Committee at the University of Michigan's FLINT campus, the Detroit Free Press reports. The p
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv

RNMENT to fix it anymore, Snyder said in a statement announcing the plan, which would, among other things
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
RNMENT to fix it anymore, Snyder said in a statement announcing the plan, which would, among other things
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
arts per billion by 2020 from the current federal standard of 15 parts per billion.If the Michigan rules are approv
rty, and 86 percent live in homes were built before 1970, when the use of now-banned lead-based paint was co
eplacing all lead service pipes in Michigan within a decade, and requiring utilities to test all schools and day car
t seems the Democrats have got stuck on who hates inequality more and theyre not focused on the specific thi
tnx @Sammy_RothIn @guardian from @AP Much of China's groundwater is 'unsafe because of pollution. http
make sure a lead crisis like the one in FLINT doesn't happen again. While that work will require legislative a
the district conducted the testing "proactively, because of everything else that was going in the state of Michiga
ols until further notice and is providing additional bottled water for students and staff, Zdrodowski said. She said
blic when the level of lead in the water exceeds 10 parts per billion. The Synder proposal would require that sch
ppointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unclear how much the p
eered foods find their ways comfortably into our kitchens and stomachs. Steven Druker, in his seminal book Alt
overnor Rick snyder has called the federal rules "dumb and dangerous"Today, the FLINT water interagency c
ad rules will move forward.

per billion or more, then action is required to address the situation. Numbers arent available for all schools, bu
he FEDERAL GOVERNMENT to fix it anymore, Snyder said. We need to move forward with these reforms s
lign with World Health Organization standards, officials at the meeting held in FLINT said. The federal Lead a
t realized how easy it is to ignore those fighting to be heard. I grew up in a place a lot like the ones I now repor
to exhaust, close to heavy industry and power plants. In 1974, the Navy pulled out of Hunters Point Shipyard.
higan drinking water, in response to the FLINT drinking water crisis. But there were immediate concerns rais
oughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in th
oughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in th
oughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in th
oughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in th
ughest lead-testing rules in the nation and require the replacement of all underground lead service pipes in the
lace a lead main service line in FLINT, Mich. Michigan would have the toughest lead-testing rules in the natio
r billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to align with World Health Orga
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per billion to a
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
deral rules require action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020
action if lead levels top 15 parts per billion, but Michigan would reduce its threshold by 2020 to 10 parts per bil
lign with World Health Organization standards, officials at the meeting held in FLINT said. The federal Lead a
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
align with World Health Organization standards, officials at the meeting held in FLINT said. The federal Lea
rts per billion to align with World Health Organization standards, officials at the meeting held in FLINT said. T
, nursing homes and similar facilities not just some people's houses and the mandatory disclosure of lead plum
n to align with World Health Organization standards, officials at the meeting held in FLINT said. The federal L
ould be used as a model for other states to follow and to prevent additional water crises. The LCR is a federal r
tions called Pump-N-Sprays: nozzles and foot pumps that can be attached to five-gallon bottles of water as ma

ospital and Medical Center on Antelope Drive, a busy area of town. "Having an additional hospital located in La
ears. They cannot decide on how to share the water. We got involved in it because we felt like there was a bett
lion to align with World Health Organization standards, officials at the meeting held in FLINT said. The feder
tions if a problem is found. A report is expected to be in FPS hands within a week or so, and results will be rele
NCY standards, elevated levels of lead and some of copper were found in the drinking water fountains or kitch
teps to control corrosion if lead concentrations exceed 15 parts per billion in more than 10 percent of customer t
rations exceed 15 parts per billion in more than 10 percent of customer taps sampled. Michigan would move to
ospital and Medical Center on Antelope Drive, a busy area of town. "Having an additional hospital located in La
y honest-to-god disagreements. Sanders froze up during a gun control discussion, but Clinton faltered on seve
ov. Rick Snyder and a team of water experts will unveil Friday, April 15, 2016 in the wake of FLINT'S water c
ly partially restored it in FY2014 to 50% of original levels. The majority of lead poisoning prevention funding now
ed. This occurs mainly after construction has disrupted the lines. http://chicagotonight.wttw.com/2016/02/18/ch
g. Ive said before and will say again: Im not interested in finger pointing. There has been much of that done alre
nvironmental reporter, but because my mom told me what was happening there and I didnt listen." (The Washin
g even got a boost this past week after a peer-reviewed study conducted by the United States Geological Surv
hing even got a boost this past week after a peer-reviewed study conducted by the United States Geological Su
ators are telling us 40-year-old Billy pugh had been hit by a train. His body was found yesterday near dort highw

e this morning snyder argued this is tough for lawmakers because there isn't a plan in the state currently they c
it comes to lead testing. State officials say they want to create a model that can used across the country to ma
for us to see elevated smoke levels in the Wichita area, which could impact air quality. Last Monday, the city o

might feel a little bit more focus from the democratic politicians in a controlled state. I sure think so as I guess y

ponsibility for the attacks. Read or Share this story: http://usat.ly/1SesLUh TOP VIDEOS Area athlete pre
ponsibility for the attacks. Read or Share this story: http://usat.ly/1SesLUh TOP VIDEOS Area athlete pre

n the FLINT disaster, said in a statement to the AP.The impoverished city of nearly 100,000 residents is und
grew up in a place a lot like the ones I now report on FLINT. I left after high school but return for holidays an
emove lead from everywhere. As Calderone notes, such a plan is prohibitively expensive, costing in the range o
g to be heard. I grew up in a place a lot like the ones I now report on FLINT, Mich. I left after high school but
perators be proactive in solving problems, rather than reactive, said Thompson. In 2013, with U.S. ENVIRONM
standards, elevated levels of lead and some of copper were found in the drinking water fountains or kitchens a
as her own complex relationship with her father. In two weeks, Viacom Chairman and Chief Executive Philippe D

ed schools until further notice and is providing additional bottled water for students and staff, Zdrodowski said. S
d of its useful life. The department anticipates 7 to 12 percent savings on its annual $4 million water bill. CH2M
teele said it was a tragedy to lose such a magnificent piece of history, but she said she, and Jacobson, take he
he May 6 trial. That prompted lawyers for Mr. Redstone's former companion Manuela Herzer, who is suing to b
m on a list of potential witnesses for the May 6 trial. That prompted lawyers for Mr. Redstone's former compani
CY standards, elevated levels of lead and some of copper were found in the drinking water fountains or kitche
t control wildfires or even controlled Burns in the FLINT Hills and it's our position that our resident should not

n a long term solution. 51775]5train14 in other news - one man is dead after his semi was hit by an Amtrak pas

roblems. Baylee Cunningham/Wichita air quality specialist)"there is a potential due to that burning for us to see
NVIRONMENTAL PROTECTION AGENCY standards, elevated levels of lead and some of copper were found
n a long term solution. 51675]5train14 in other news - one man is dead after his semi was hit by an Amtrak pas
apeer regional map full FLINT skycam >(stinger)Larry all new this morning. After several years fighting amon
e city of Wichita has recorded ozone levels higher than EPA standards this week. City officials say that's be

te's Department of Education. It would eliminate some existing committees in favor of a more streamlined com
ck for a city struggling to find the money needed to replace aging infrastructure and recover from a lead-contam
ent of taking care of what god has gin.
cts or even a blind eye donation drive for FLINT Michigan holding going on in several places throughout the c

nna Volunteer Fire Department. Fire Chief Steve Scholl said the chair will be displayed at the department and w
elf-righteousness about fundraising is going to make it impossible for him to build legislative coalitions and mak
imes higher than what is considered to be safe by EPA standards. The tests showed 18 other schools had d
g BNA reporter Anthony Adragna April 14 on the sidelines of the Environmental Council of the States spring me
tandards, elevated levels of lead and some of copper were found in the drinking water fountains or kitchens at 1
ampaign to join Democratic Party to sue Arizona over voting rights: Breaking: Democratic Party and Clinton ca
cx6b tnx @Sammy_RothIn @guardian from @AP Much of China's groundwater is 'unsafe because of pollution
he district conducted the testing proactively, because of everything else that was going in the state of Michigan
 the district conducted the testing proactively, because of everything else that was going in the state of Michiga
emove lead from everywhere. As Calderone notes, such a plan is prohibitively expensive, costing in the range o
inistration. Lead levels were way above the recommended levels required by the Ohio EPA. Absolutely conc
NCY standards, elevated levels of lead and some of copper were found in the drinking water fountains or kitch
ublic water systems. According to the U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA) many factors
 the testing "proactively, because of everything else that was going in the state of Michigan and across the cou
lecting water samples during the week of March 28 at 62 district elementary and elementary-middle schools. M
 scary thought. Part of the reason is that some of the ash and soot will be filtered out by your nose and lungs, s
an for Detroit Public Schools, said the district conducted the testing proactively, because of everything else tha
t have doubled from 2013 to 2015 due to exposure to drinking water. President Barack Obama also declared a
n. Hes also advocated to improve water infrastructure across the country. As Edwards puts it, Civilization as yo
as her own complex relationship with her father. In two weeks, Viacom Chairman and Chief Executive Philippe D
ct is hoping to avoid the school closures prompted by toxins found in other U.S. cities' school. systems.Last mo
ne of which is more than 100 years old, the district is hoping to. avoid the school closures prompted by toxins fo
f VOC. Get Discount @ http://www.reportsnreports.com/contacts/Discount.aspx?name=523295. The global pr

him to come to their homes and drink the filtered water himself if he feels so comfortable about it. After this me
igher than what the EPA allows in drinking water. In an era when the entire national media goes rightfully be
n drinking water, are summarized below. Reducing the Amount of Lead in New Infrastructure and the Lead Fr
lone. Replacing leadd water delivery systems could come in at $95 million. West michigan's other main water s
thousands of pages of emails and documents to fulfill a subpoena on FLINT'S water crisis and the vast majo
being leveled at Clinton, her deputy national press secretary Jesse Ferguson responded that Clinton has been
nd keeping the story alive until it finally went national, more than a year and a half later than residents began co
h everything themselves, Snyder spokesman Ari Adler said. The emails are available on the governors website
ered Genes, Twisted Truth has meticulously documented systemic corruption in the Food and Drug Administra
. San Joaquin River in California 3. Susquehanna River in Pennsylvania and Maryland 4.

him to come to their homes and drink the filtered water himself if he feels so comfortable about it. After this me
Here are a few examples of this new wave of action. We've just learned about the victory of some young peop
orrosion if lead concentrations exceed 15 parts per billion in more than 10 percent of customer taps sampled. M
A guidelines, the district has implemented a flushing program for this fixture," Gould said."Flushing involves ru
tormwater utilities will contribute $524 billion to the U.S. economy over the next decade, supporting 289,000 pe
mand.aspx. March 31, 2016 Alon's GC Refineries Get Extended Deadline for Tier 3 Gasoline Compliance Alo

ational press secretary Jesse Ferguson responded that Clinton "has been. fighting for environmental justice for
e fighting to be heard. I grew up in a place a lot like the ones I now report on FLINT. I left after high school b

uch controversy, but environmentalists hope Democrats will put up a fight either in the full committee hearing o
al employment levels rose by 31,900 jobs. Part of what makes Macomb County so successful is its melting pot

Hanna-Attisha discussed the long term effects of lead poisoning and the steps that must be taken to mitigate t
e Court was considering "the most significant abortion restrictions in a generation." But the question was about
n and across the country." By systematically testing its buildings, at least one of which is more than 100 years o

dy in FLINT. House of representatives today has approved a bill that would restrict the federal communicatio

mployment levels rose by 31,900 jobs. Part of what makes Macomb County so successful is its melting pot of i
mployment levels rose by 31,900 jobs. Part of what makes Macomb County so successful is its melting pot of i
mployment levels rose by 31,900 jobs. Part of what makes Macomb County so successful is its melting pot of i
).(1) In multiple instances, changes in water treatment practices resulted in increased corrosion of pipes, result
n with World Health Organization standards, officials at the meeting held in FLINT said. The federal Lead an
ho was elected in November of last year, is repaying Clinton for shining the national spotlight on FLINT with a
ports of Cliven Bundys cattle starving on the Golden Butte allotment though this may be true to some extent, a
lan comes in the wake of months of mounting debate and calls for the governor's resignation as the city of FLI
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan

, lower the limit for lead in drinking water to 10 parts per billion by 2020 from the current. federal standard of 15
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
, lower the limit for lead in drinking water to 10 parts per billion by 2020 from the current. federal standard of 15
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
ed, they could become a model for the rest of the country to follow and prevent additional water crises.Michigan
mmon. A troubling link Lead is a neurotoxin that hinders development of the brain and nervous system, particu
e centers, not just homes. Also, lead plumbing disclosures would be mandatory in home sales and rental contr
ngs that the government can do and needs to do right away to fix our schools, to rebuild infrastructure, to inves
://bit.ly/23rXMN5 (tnx @WaterPortal)ICYMI in @FresnoBee: In first-of-a-kind summit, White House rallies corpo
ction in Lansing, solving FLINT'S immediate needs remains a top priority. Weaver says that includes getting
n and across the country." By systematically testing its buildings, at least one of which is more than 100 years o
 where the result involved a prep sink in a kitchen, schools are providing meals that do not require any added w
ools, daycare centers, nursing homes and government facilities be notified when the water in their building reac
roposal will cost, and the policy workgroup purposely did not take funding into account. The Republican govern
ered Genes, Twisted Truth has meticulously documented systemic corruption in the Food and Drug Administra
oordinating committee released a plan on how Michigan can strengthen testing, treatment and enforcement pro

t one facility had a drinking fountain that serviced water with lead levels at 1,500 parts per billion 100 times hig
o we can better protect the health and safety of all Michiganders. These new standards could be used as a mo
nd Copper Rule can only be altered nationally via federal action, according to a statement from the governor's o
t on FLINT, Mich. I left after high school but return for holidays and milestones. In between, I call my mom fo
 Twenty-three years later, in 1997, it decommissioned Treasure Island. In 1989, after discovering PCBs, solven
ed that the proposal- which among other changeswould lower the limit for lead in drinking water to 10 parts per
e state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake o
e state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake o
e state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake o
e state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake o
 state under a sweeping plan that Gov. Rick Snyder and a team of water experts unveiled Friday in the wake of
n and require the replacement of all underground lead service pipes in the state under a sweeping plan Gov. R
nization standards, officials at the meeting held in FLINT said. The federal Lead and Copper Rule can only b
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
lign with World Health Organization standards, officials at the meeting held in FLINT said. The federal Lead a
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
 to 10 parts per billion to align with World Health Organization standards, officials at the meeting held in FLINT
lion to align with World Health Organization standards, officials at the meeting held in FLINT said. The feder
nd Copper Rule can only be altered nationally via federal action, according to a statement from the governor's o
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
d and Copper Rule can only be altered nationally via federal action, according to a statement from the governo
he federal Lead and Copper Rule can only be altered nationally via federal action, according to a statement fro
bing in home sales and rental contracts. The plan was given to The Associated Press before it was presented t
ead and Copper Rule can only be altered nationally via federal action, according to a statement from the gover
egulation aimed at controlling lead and copper in the drinking water and can only be altered nationally via feder
keshift showers. One couple has traveled regularly to a truck stop to shower, and a member of a church persua

yton enhances the quality of life for our residents and the growing population of Davis County," Stevenson said
er way to manage it so we had a consistent flow of water coming down the river," says Betty Webb, she's chair
al Lead and Copper Rule can only be altered nationally via federal action, according to a statement from the go
ased to the public shortly afterward, Riebe said. Should the testing show lead and/or copper levels are higher t
ens at 19 of the 62 schools tested so far. "It provides clear evidence that schools have to be proactive in finding
aps sampled. Michigan would move to a limit of 10 parts per billion by 2020 in line with the World Health Organ
a limit of 10 parts per billion by 2020 in line with the World Health Organization's standard under recommenda
yton enhances the quality of life for our residents and the growing population of Davis County," Stevenson said
ral subjects. Sanders wasnt satisfied with this apology, for kind words dont negate a bill that has caused catas
risis. (Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELEVISION OUT; LOCAL INTERNET O
comes from the Affordable Care Act Public Health Prevention Fund, a frequent target for defunding by Republ
icago-s-lead-pipes-what-you-need-know
ady. The focus needs to be on the folks who were impacted especially the children, and what we can do to ens
gton Post) New York Post editor bidding farewell Col Allan, a Rupert Murdoch favorite, will exit at month's end, t
ey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wolf Creek at levels that c
rvey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wolf Creek at levels tha
ay between Carpenter and coldwater roads in genesee township. Police are calling pugh's death an accident. (

an mimic. There is no standard public water system. It varies dramatically. So I'm not sure there is a pilot that
ke sure a lead crisis like the one in FLINT doesn't happen again. While that work will require legislative actio
f Wichita recorded ozone levels higher than EPA standards. Bayley Cunningham/wi chita air quality specialis

ou could make a pretty good compared to the FLINT Michigan I and they look what's going on out there wha

pares for Paralympic games 01:59 Abuse victim's father asks judge for tougher sentence 00:41 Delicious
pares for Paralympic games 01:59 Abuse victim's father asks judge for tougher sentence 00:41 Delicious

er a monthslong. state of emergency. Residents are urged to use faucet filters or bottled water until damaged p
d milestones. In between, I call my mom for news. Theres nothing to worry about. By now, you know the stor
f trillions of dollars nationally. Thats partly because, before the health hazards of lead were scientifically catalog
return for holidays and milestones. In between, I call my mom for news. She still lives in the modest white hous
ENTAL PROTECTION AGENCY funding, CH2M installed surveillance and response systems in Philadelphia,
t 19 of the 62 schools tested so far. It provides clear evidence that schools have to be proactive in finding and f
auman will be deposed. Write to Joe FLINT at joe.flint@wsj.com (END) Dow Jones Newswires April 15, 2

he said where the result involved a prep sink in a kitchen, schools are providing meals that do not require any a
also provides water utilities with a systems management platform that helps operators be proactive in solving p
art in that at least no one was hurt. "He has a marvelous, positive spirit about him," she said. About Joe Szydlo
e reinstated as his HEALTH-CARE agent, to seek again to have him deposed before the trial. During Thursd
on Manuela Herzer, who is suing to be reinstated as his HEALTH-CARE agent, to seek again to have him de
ns at 19 of the 62 schools tested so far. It provides clear evidence that schools have to be proactive in finding a
bnazed for it" the city is watchinoze levels very closely today because of all the burning. If Wichita goes over m

senger train in galva the crash happened Thursday morning at a private crossing with two stop signs.

elevated smoke levels in the Wichita area, which could impact air quality. Last Monday, the city of Wichita reco
in the drinking water fountains or kitchens at 19 of the 62 schools tested so far. It provides clear evidence that
senger train in galva the crash happened Thursday morning at a private crossing with two stop signs.
g themselves, a turnover of superintendents and trustee resignations, the Saginaw school board is taking steps
cause of the burning. A new brewery opens today in the west bottoms of Kansas City.

mittee of the whole format as a supplement to action meetings. Month from now, abc12's school spirit challeng
inated water system. Speaking yesterday, the mayor thanked Washington for the help it's provided so far, but s

ity today. Who new style bible find time for channel thirteen meteorologist Jerry and writer with your who three d

ill be raffled off during the ice cream social in June. Photo by Jeffrey Saulton Vienna Public Works director Cra
e even incremental progress on even his core issue. The point would be not that Sanders is a bad guy or that h
angerously high levels of lead or copper. Officials believe this doesn't have anything to do with the water itself.
eting in Nashville, McCarthy acknowledged mistakes were made in responding to the FLINT, Mich., drinking
9 of the 62 schools tested so far. It provides clear evidence that schools have to be proactive in finding and fix
mpaign to sue Arizona over voting rights https://t.co/uZpGwSl5nT Washington Post (@washingtonpost) April 1
. http://bit.ly/23rXMN5 (tnx @WaterPortal)ICYMI in @FresnoBee: In first-of-a-kind summit, White House rallies
 and across the country. By systematically testing its buildings, at least one of which is more than 100 years ol
n and across the country. By systematically testing its buildings, at least one of which is more than 100 years o
f trillions of dollars nationally. Thats partly because, before the health hazards of lead were scientifically catalog
erning for me, Brown said. Sampling was done on faucets and water fountains, but the levels were highly elev
ens at 19 of the 62 schools tested. It provides clear evidence that schools have to be proactive in finding and fi
 influence the manner and extent to which lead contaminates drinking water. These factors include the chemist
ntry." By systematically testing its buildings, at least one of which is more than 100 years old, the district is hop
ore than 20 of the districts middle and high schools are expected to be screened in the next two weeks. I didn
he said. Often its the smaller particles, gases and liquids, about 1/28th the thickness of a human hair, that get d
t was going in the state of Michigan and across the country. By systematically testing its buildings, at least one
 federal state of emergency in FLINT. DESERT SUN Don't drink the water: Lead found in California schools
u know it can end if you don't have a good operating water system. When Weiss reached out to Edwards, he p
auman will be deposed. Write to Joe FLINT at joe.flint@wsj.com (END) Dow Jones Newswires April 14, 2
nth, water fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of lead.
und in other U.S. cities' school systems. Last month, water fountains at 30 schools in Newark, New Jersey, wer
inting ink market is highly fragmented due to the presence of numerous well-established global and regional ve

eting, reporters pressed him for an answer. There was an invitation for you to drink the water. Something you'
rserk over the children of FLINT, Michigan being poisoned with lead, the absolute silence over children acros
ee Definition Current Ohio law (enacted in 1988) requires that plumbing materials, including certain pipes, pipe
upply or says it is unaware of lead pipes in its system, and if it found any would replace them at the city's expen
rity of what we see has nothing o to do with water crisis but bats forced to leave their habitats and we will skim t
fighting for environmental justice for decades. He cited the fact that she has worked with the EPA on air poll
mplaining to anyone who would listen that they were being poisoned by their own tap water. Guyette was name
for the public to download and read, along with past disclosures. Thousands of the pages of emails appeared
tion. Richard Dreyfuss and I recently penned an article calling attention to this complicity here. I have worked i

eting, reporters pressed him for an answer. There was an invitation for you to drink the water. Something you'
le in Oregon who successfully sued the FEDERAL GOVERNMENT for violating their constitutional rights by f
ichigan would move by 2020 to a limit of 10 parts per billion in line with the World Health Organizations standa
nning water through the faucet every morning before school begins to remove water that has been standing in t
rmanent jobs. Without Federal investment, municipalities will be forced to cover more than 95 percent of the co
n USA Energy said that its 73,000-b/d Big Spring, Texas, refinery and its 74,000-b/d Krotz Springs, La., refinery

decades." He cited the fact that she has worked with the EPA on air pollution and child asthma; was the firs
ut return for holidays and milestones. In between, I call my mom for news. There's nothing to worry about. By

r through amendments on the floor. Dalal Aboulhosn, a federal policy representative for the Sierra Club, said hi
of industries. I am excited to watch industries like automotive suppliers, HEALTH CARE, technology and IT,

hem. Nick Lyon, Director of the Michigan Department of Health and Human Services answered Rep. Kathy Ka
what qualifications Clinton would look for in a Supreme Court justice. April 14, New York: In the ninth debate, C
ld, the district is hoping to. avoid the school closures prompted by toxins found in other U.S. cities' school syste

ns commission. Its ability to regulate internet service providers. Without his signature Alex hitting the last six bi

ndustries. I am excited to watch industries like automotive suppliers, HEALTH CARE, technology and IT, and
ndustries. I am excited to watch industries like automotive suppliers, HEALTH CARE, technology and IT, and
ndustries. I am excited to watch industries like automotive suppliers, HEALTH CARE, technology and IT, and
ing in unsafe levels of lead leaching from the distribution channels. Another common theme in drinking water le
d Copper Rule can only be altered nationally via federal action, according to a statement from the governor's of
full-throated endorsement of the former Secretary of State. We want a friend like Hillary in the White House, W
s Clivens management practices leave a lot to be desired," said FLINT Wright, the animal industry administra
NT faced a crisis over lead-tainted water that sickened children and forced families to switch to using bottled w
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea

parts per billion. If the Michigan rules are approved, they could become a model for the rest of the country to fo
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
parts per billion. If the Michigan rules are approved, they could become a model for the rest of the country to fo
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
s lead crisis isnt isolated to FLINT, where the citys 100,000. residents were exposed to dangerously high lea
larly in young children because of the rapid growth of the brain the first few years of a child's life. While lead in t
acts. In the meantime, solving FLINT'S immediate needs remains a top priority. Though, efforts to get more
t in creative economies that help cities thrive, said Charles Euchner, Fisher Fellow. for the Middle Class Jobs In
rate investment in water http://bit.ly/1pHuHM1 #WHWaterSummit@MotherJones Why World Leaders Are Terri
more money for pipe replacement and other water quality concerns. Hopes of getting more than $200 million i
ld, the district is hoping to. avoid the school closures prompted by toxins found in other U.S. cities' school syste
ater. School officials across the U.S. are testing classroom sinks and cafeteria faucets for lead, trying to uncove
hes those levels of contamination. The alerts must be issued within two days of discovering the contamination u
or said at Friday's meeting in FLINT that he wants a "marker in the ground," and he expects the plan to gene
tion. Richard Dreyfuss and I recently penned an article calling attention to this complicity here. I have worked
tocols. Public health was their focus, not what it would cost. (SOT)(3843 zimmer) "that wasn't one of the param

her than federal limits. Another school had a drinking fountain that delivered lead levels of 280 parts per billion
del for other states to follow and to prevent additional water crises. The LCR is a federal regulation aimed at co
ffice. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the agency w
r news. She still lives in the modest white house on the north side of FLINT where I grew up. Shes spent mo
ts, pesticides, petroleum hydrocarbons and lead on the Naval Shipyard, the U.S. ENVIRONMENTAL PROTEC
billion from the current federal standard of 15 parts per billion- does not go far enough. There were also no co
f FLINT'S water crisis. Other proposals include requiring utilities to test all schools, day care centres, nursing
f FLINT'S water crisis. Other proposals include requiring utilities to test all schools, day care centres, nursing
f FLINT'S water crisis. Other proposals include requiring utilities to test all schools, day care centres, nursing
f FLINT'S water crisis. Other proposals include requiring utilities to test all schools, day care centres, nursing
FLINT'S water crisis.Other proposals include requiring utilities to test all schools, day care centres, nursing h
ick Snyder and a team of water experts will unveil Friday, April 15, 2016 in the wake of FLINT'S water crisis. (
e altered nationally via federal action, according to a statement from the governor's office. The U.S. ENVIRON
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
nd Copper Rule can only be altered nationally via federal action, according to a statement from the governors o
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
said. The federal Lead and Copper Rule can only be altered nationally via federal action, according to a state
al Lead and Copper Rule can only be altered nationally via federal action, according to a statement from the go
ffice. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the agency w
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
r's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the agen
m the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesda
o a committee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. I
nor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the ag
al action. The EPA told Congress on Wednesday that the agency would not have reforms ready until early 2
ded a hotel in a neighboring town to let his fellow parishioners bathe there for a minimal fee. Others heat bottle

, adding that the new construction project "continues the investment trend" in the area. Intermountain purchase
of the Apalachicola, Chattahoochee FLINT Stakeholders group. She along with 55 other members from the t
vernors office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the
han standards set by the EPA, corrective measures will be taken immediately, Riebe said. Ideally, we get a c
and fixing these problems it is not going to go away by itself," said Marc Edwards, a Virginia Tech professor w
ization's standard under recommendations to be made in FLINT to a Snyder-created committee working on l
tions to be made in FLINT to a Snyder-created committee working on long-term fixes related to the city's lead
, adding that the new construction project "continues the investment trend" in the area. Intermountain purchase
trophic, disproportionate incarceration of minorities. Far too many inmates have received long sentences as no
UT; MANDATORY CREDIT April 15, 2016 Other proposals include requiring utilities to test all schools, day c
icans in Congress. The Hearing also highlighted Capps Water Infrastructure Resiliency and Sustainability Act (

ure this never happens again, anywhere. We cannot and we will not forget those in FLINT who have been im
hus leaving behind perhaps the greatest job in the history of journalism. namely working for a boss who didn't m
ould alter development and reproduction in wildlife, researchers said. After sampling various areas including a n
t could alter development and reproduction in wildlife, researchers said. After sampling various areas including a
Larry)is FLINT'S mayor traveling to the west coast to stay with a well-known entertainer? That's what Cher p

would represent the same of all the systems across the state. Back in February the governor in asked lawmak
n in Lansing, solving FLINT'S immediate needs remains a top priority. Mayor weaver says that includes gett
t)"the city does not control wildfires or even controlled Burns in the FLINT Hills and it's our position that our r

t the story broke the all time the theory is that every congressional hearings are all that I think that there's a cha

new food items at Lugnuts games 01:01 Spartan QB Tyler O'Connor striving to be consistent 01:24 Dav
new food items at Lugnuts games 01:01 Spartan QB Tyler O'Connor striving to be consistent 01:24 Dav

ipes are effectively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT tem
y. In a cost-saving move, an emergency manager appointed by the state to oversee the citys finances agreed t
ued, the so-called father of all metalswas commonly used in household plumbing and water systemsall across t
e on the north side of FLINT where I grew up. Shes spent most of the last 44 years there. The city long ago a
New York, Dallas and San Francisco. Although the systems were conceived to protect drinking water from fou
ixing these problems it is not going to go away by itself, said Marc Edwards, a Virginia Tech professor who hel
016 02:48 ET (06:48 GMT) Copyright (c) 2016 Dow Jones & Company, Inc.

dded water. School officials across the U.S. are testing classroom sinks and cafeteria faucets for lead, trying to
roblems, rather than reactive, said Thompson. In 2013, with U.S. ENVIRONMENTAL PROTECTION AGENCY
wski A native of Ohio, Joe Szydlowski was brought on at the Record Searchlight as an intern in 2010. After tha
ay's hearing, Mr. Redstone's lawyers indicated they wouldn't call on him to testify at the trial. Pierce O'Donnell,
posed before the trial. During Thursday's hearing, Mr. Redstone's lawyers indicated they wouldn't call on him t
nd fixing these problems it is not going to go away by itself, said Marc Edwards, a Virginia Tech professor who
y times in one season, it fes long term penalties that could cost tens of millions of dollars busenitz says he does

rded ozone levels higher than EPA standards. Bayley Cunningham/Wichita air quality specialist)"the city doe
schools have to be proactive in finding and fixing these problems- it is not going to go away by itself, said Marc

to leave day to day operations to superintendent nathaniel McClain. This week, the board agreed to a formally

e will be ready to crown a new champion! This morning a visit with one of our top contenders, year in and year
aid more work is needed. (SOT)coco: "I mean I'm horrified! It makes me nervous. Be on my guard. Like it's m

ay forecast. Across the will need to know how if you're looking for a way to learn about other coaches.

ig Metz, left, and Mayor Randy Rapp, right, present a graph chart showing the dropping levels of C8 found in th
is idea is wrong or even that he's a bad senator, but that he belongs in the Senate which is an ideal vantage po

water crisis and the Gold King mine spill. But she said the worst thing we can do is put our head in the sand an
ing these problems it is not going to go away by itself, said Marc Edwards, a Virginia Tech professor who helpe
4, 2016 1:10: After Sharpton said this morning that Sanders is not resonating with black voters, Sanders spea
corporate investment in water http://bit.ly/1pHuHM1 #WHWaterSummit@MotherJones Why World Leaders Are
d, the district is hoping to avoid the school closures prompted by toxins found in other U.S. cities school system
ld, the district is hoping to avoid the school closures prompted by toxins found in other U.S. cities school system
ued, the so-called father of all metalswas commonly used in household plumbing and water systemsall across t
ated in refrigerated drinking fountains in Granville's elementary, middle, and high school buildings.
xing these problems it is not going to go away by itself, said Marc Edwards, a Virginia Tech professor who help
ry of the source water, the amount of lead the water comes into contact with, the temperature of the water, the a
ing to. avoid the school closures prompted by toxins found in other U.S. cities' school systems. Last month, wa
t think it was this school, she said as she sat in her car waiting for her two sons, third- and fifth-graders. After t
eep into your lungs and cause damage. Cunningham is mostly concerned with ground-level ozone, commonly
of which is more than 100 years old, the district is hoping to avoid the school closures prompted by toxins foun
DESERT SUN Don't drink the water: Lead found in California schools The frightening fact is that FLINT i
ut her in touch with Virginia Tech researcher Kelsey Pieper, who published a study last fall that revealed lead le
016 19:02 ET (23:02 GMT) Copyright (c) 2016 Dow Jones & Company, Inc.

e shut off due to elevated levels of lead. In January, the Ohio village of Sebring closed schools for several days
ndors. The rapid technological advancements, intense competitions and frequent changes in consumer prefere

ll do? Yeah. I'm happy the look into that. Rick snyder is happy the look into that. If he's going to go into FLIN
s the nation being routinely poisoned with mercury is nothing less than baffling. To believe that vaccines are sa
fittings, plumbing fittings or fixtures, must generally be lead free defined as containing not morethan a weighte
se. The FLINT water crisis at the feet of career civil servants who failed the governor and people of Michigan
hese to digest the totality of it and. On mnbc, the senate minority leader from FLINT and widely known as a s
ution and child asthma; was the first senator to ever hold an environmental justice hearing; and was the first pre
d "Journalist of the Year" by the Michigan Press Association for his efforts. A story in the making Guyette was h
to be copies of the daily reports from the Lansing newsletters Gongwer News Service and Michigan Informatio
n numerous governmental agencies at senior levels where I attempted to defer to the scientific expertise when c

ll do? Yeah. I'm happy the look into that. Rick snyder is happy the look into that. If he's going to go into FLIN
ailing to stem climate disruption. And as part of his masterful survey, The Reunited States of America, Mark Ge
rd.The federal lead standard is dumb and dangerous, Snyder said. The governor, who has apologized for his a
he interior pipes." The Livingston County Department of Public Health confirmed thatis an effective means to. a
st of clean water projects. The U.S. ENVIRONMENTAL PROTECTION AGENCY estimates that municipalitie
have received approval from EPA to extend the deadline to meet the stricter Tier. 3 gasoline standards. Ga

t senator to ever hold an environmental justice hearing; and was "the first presidential candidate to call attention
now, you know the story. In a cost-saving move, an emergency manager appointed by the state to oversee th

s group views a provision blocking funding for any changes to the Clean Water Act as particularly problematic. T
and agribusiness continue to grow. In Southeast Michigan and beyond we've created an environment for busin

stors (D-FL) question on holding the Medicaid managed care plans accountable to ensure they provide the nec
linton said governors are trying to restrict women's rights and that Donald Trump said women should be punish
ms. Last month, water fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of l

llion dollars of the state budget and retracted the keystone crossroads. That's our allegheny county officials sa

agribusiness continue to grow. In Southeast Michigan and beyond weve created an environment for businesse
agribusiness continue to grow. In Southeast Michigan and beyond weve created an environment for businesse
agribusiness continue to grow. In Southeast Michigan and beyond weve created an environment for businesse
ad exposures is that residents were often not immediately informed of the problem and continued consuming th
fice. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the agency w
eaver said on a press call today organized by the Clinton campaign. We need a fighter. We need someone figh
tor for the department.But the question of whos response for the cattle is complicated. Wright told the Gazette-J
ater. Currently, federal rules require water systems to take action if in more than 10 percent of sampled tap wat
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe

llow and prevent additional water crises. Michigans lead crisis isnt isolated to FLINT, where the citys 100,000
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
llow and prevent additional water crises. Michigans lead crisis isnt isolated to FLINT, where the citys 100,000
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
d levels after the city from Lake Huron to the FLINT River in 2014 while under the control of a state-appointe
he water was the culprit in FLINT, in most cases high lead levels in children are tied to crumbling lead paint p
than 200 million dollars in federal money ended when an amendment was taken out of a new energy bill. Kare
itiative, Center for an Urban Future. Clinton and Sanders will square off at the Brooklyn Navy Yards Duggal Gr
fied of Water Shortages http://bit.ly/1MwgoE5 (tnx @WaterPortal)Colorado prods @EPA on promised cleanu
n federal money were dashed earlier this week when an amendment proposed by Michigan's U.S. senators wa
ms. Last month, water fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of l
r problems and to reassure parents. Few schools and child-care centers are required to check for lead because
nder the proposal, rather than the current 30-day period. But the new standards would not go into effect until 20
rate legislative debate and a better accounting of cost considerations. Under U.S. ENVIRONMENTAL PROTE
in numerous governmental agencies at senior levels where I attempted to defer to the scientific expertise when
eters we looked at. It was what can we propose, to close all the gaps in the current federal lead and copper rule

, or almost 19 times higher than EPA guidelines. The results caused Dr. Abdul El-Sayed, who is in charge o
ntrolling lead and copper in the drinking water and can only be altered nationally via federal action. The EPA t
ould not have reforms ready until early 2017.'The federal Lead and Copper Rule needs to be improved immedi
st of the last 44 years there. The city long ago abandoned its part of the bargain, but she refuses to sell her hed
TION AGENCY declared it a Superfund site. For a long time, even before the Navy left but was still functionin
st estimates for implementing the changes, which would require approval of the Michigan Legislature. Snyder s
homes and similar facilities not just some people's houses and the mandatory disclosure of lead plumbing in h
homes and similar facilities not just some people's houses and the mandatory disclosure of lead plumbing in h
homes and similar facilities not just some people's houses and the mandatory disclosure of lead plumbing in h
homes and similar facilities not just some people's houses and the mandatory disclosure of lead plumbing in h
omes and similar facilities not just some people's houses and the mandatory disclosure of lead plumbing in ho
Rachel Woolf/The FLINT Journal-MLive.com via AP) LOCAL TELEVISION OUT; LOCAL INTERNET OUT; M
MENTAL PROTECTION AGENCY told Congress on Wednesday that the agency would not have reforms rea
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
ffice. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the agency w
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
ment from the governor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on We
vernor's office. The U.S. ENVIRONMENTAL PROTECTION AGENCY told Congress on Wednesday that the
ould not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improved immedi
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
cy would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improved im
y that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to b
t is unclear how much the proposal will cost, and the policy workgroup purposely did not take funding into acco
ency would not have reforms ready until early 2017. "The federal Lead and Copper Rule needs to be improved
017. Mike Zimmer, the director of the Department of Licensing and Regulatory Affairs and newly appointed cab
d water in pots on their stoves, dumping it over their heads or using it for sponge baths. Those who have not fo

d the 70-acre plot of land in 2008 but held off on planning and development due to economic concerns and unc
hree states decided to take matters in to their own hands. They decided to try to get this organization together o
agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improv
lean bill of health, he said. Water supplied by the City of Detroit to the Farmington-Farmington Hills area includ
ho helped expose FLINT'S water crisis. "Because the harm from lead is irreversible, finding and fixing lead in
ong-term fixes related to the city's lead-tainted water crisis. "The federal Lead and Copper Rule needs to be im
-tainted water crisis. "The federal Lead and Copper Rule needs to be improved immediately. It's dumb and dan
d the 70-acre plot of land in 2008 but held off on planning and development due to economic concerns and unc
n-violent, low-level offenders. Clinton blamed the states for hopping on the bandwagon once the the FEDERA
are centers, nursing homes and similar facilities not just some people's houses and the mandatory disclosure o
H.R. 1278), which would create competitive funding assistance through the ENVIRONMENTAL PROTECTION

pacted by this tragedy. No amount of regrets or words can actually fix whats broken we need concrete action. A
ind losing $40 million to $60 million a year (some past estimates have been north of $100 million) The Los An
eighboring stream, scientists measured significantly greater EDCs on and downstream of the Danny E. Webb C
neighboring stream, scientists measured significantly greater EDCs on and downstream of the Danny E. Webb
ut out on social media. She tweeted that mayor Karen weaver will be attending a conference with her in Los An

ers for 25-million dollars to replace FLINT'S service pipes and an additional 165-million for statewide infrastru
ing more money for pipe replacement and other water quality concerns. Hopes of getting more than 200 million
esident should not be penalized for it" the city is watching ozone levels very closely today because of all the bu

nce you make. The congressional hearing on with it all. Or is it about that EPA almost masters. There is a c

e Warner on MSU's "newness" on offense 01:24 MSU quarterbacks. in drills at practice 01:10 Dr Mona H
e Warner on MSU's "newness" on offense 01:24 MSU quarterbacks. in drills at practice 01:10 Dr Mona H

porarily switched water sources to the local river in 2014 while under state financial management."We gathered
o switch from water supplied by the Great Lakes to water from the FLINT River, once an industrial dump site
he country,such as the one in FLINT, Michigan. Additionally, despite a growing body of evidence indicating s
bandoned its part of the bargain, but she refuses to sell her hedge-lined piece of the American Dream. Theres
l play, the cities are using them for quotidian water quality management, said Thompson. CH2M has completed
ped expose Flints water crisis. Because the harm from lead is irreversible, finding and fixing lead in school prob

uncover problems and to reassure parents. Few schools and child-care centers are required to check for lead b
funding, CH2M installed surveillance and response systems in Philadelphia, New York, Dallas and San Franc
t ended, he was hired on in September 2011 and has worked several beats at the paper. He currently covers A
Ms. Herzer's attorney, said the ruling and the admission from Mr. Redstone's side that he won't testify at trial is
o testify at the trial. Pierce O'Donnell, Ms. Herzer's attorney, said the ruling and the admission from Mr. Redsto
helped expose Flints water crisis. Because the harm from lead is irreversible, finding and fixing lead in school p
n't worry about ozone and does what he needs to to take care of his land.

s not control wildfires or even controlled Burns in the FLINT Hills and it's our position that our resident should
Edwards, a Virginia Tech professor who helped expose Flints water crisis. Because the harm from lead is irre

written "partnership program" with the state's Department of Education. It means committees like buildings an

out. Abc12's marc Jacobson is live in FLINT at southwestern academy. Marc, how are those knights looking
y neighborhood. (Larry)a woman is raped near downtown FLINT. Now, two men are in custody for the attack

e city water supply. Rapp said all wells are now below the .4 parts per billion level set by the ENVIRONMENT
int from which to flail away at one big idea. The presidency requires a fox, not a hedgehog , and that means Cli

d not face them. Those incidents underscore the need for greater collaboration between states and the EPA a
d expose Flints water crisis. Lead is a neurotoxin that can damage child brain development, cause behavioral p
ks at his National. Action Network event. Sanders mentions that FLINT was one of the wealthiest cities befor
Terrified of Water Shortages http://bit.ly/1MwgoE5 (tnx @WaterPortal)Colorado prods @EPA on promised c
s. Last month, water fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of lea
s. Last month, water fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of lea
he country,such as the one in FLINT, Michigan. Additionally, despite a growing body of evidence indicating s

ed expose Flints water crisis. Because the harm from lead is irreversible, finding and fixing lead in school probl
mount of wear in the pipes transporting the water, the amount of time the water spends in the pipes, and the pr
ter fountains at 30 schools in Newark, New Jersey, were shut off due to elevated levels of lead. In January, the
he district initially tested the school in February, Slaughter said she thought the water was safe. Now she said t
referred to as smog. When this gets into your lungs for longer periods it can cause throat irritation, shortness o
d in other U.S. cities school systems. Last month, water fountains at 30 schools in Newark, New Jersey, were s
s just the tip of the iceberg. USA TODAY foundalmost 2,000 water systems in all states had reported lead level
vels in 19 percent of Virginias tap water drawn from wells exceed the EPA action level. The EPA standard

due to lead in pipes. Detroit began collecting water samples at 62 elementary and elementary-middle schools t
nces will pose a threat to the market growth during the forecast period. Key players in the global printing inks m

T popping into houses and having a glass of tap water, we know it would be like him playing a game of lead p
fe and carry no risks, a person has to believe that mercury, aluminum, MSG, squalene, formaldehyde and parti
d average of 8% lead. H.B. 512 re-defines the term lead free to significantly reduce the amount of lead from 8%
. That is the fighting system I was raised in. Martin: the governor repeated his claim that the water is safe to dr
olver hit the maddow show. The governor has a press conference of this big plan and we still don't have clean
sidential candidate to call attention to the crisis in FLINT. But simply bringing up what people of color already
ired by ACLU-Michigan in 2014 to spearhead its Threats to Democracy project, which focused on the role of em
n & Research Service that state employees receive. The documents also included scores news clippings from o
ontemplating major policy decisions affecting millions of people. To see the systemic corruption that is occurrin

T popping into houses and having a glass of tap water, we know it would be like him playing a game of lead p
rzon tells the story of young Americans taking action to stop the paralyzing hyper-partisanship that destroys ou
dministrations failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, sayi
ddress the issue. Since only Northwest Elementary staff have access to the faucet in question, the district is co
s currently face a backlog of over $40 billion in clean water infrastructure projects. Over the next 20 years, they
soline and diesel produced at both Gulf Coast refineries currently meet the low-sulfur gasoline and diesel stand

to the crisis in Flint." But simply bringing up what people of color already know isnt necessarily fighting for justi
e city's finances agreed to switch from water supplied by the Great Lakes to water from the FLINT River, onc

he ENVIRONMENTAL PROTECTION AGENCY has issued a controversial rule clarifying, and greatly expan
esses to grow and thrive- and we're not slowing down.

essary screenings and collect important data And DR. NICOLE LURIE, Assistant Secretary for Preparedne
ed for abortion.
ead. In January, the Ohio village of Sebring closed schools for several days due to lead in pipes. Detroit began

y they want the FEDERAL GOVERNMENT to take action on the stand in the us senate bill would fund grant p

s to grow and thrive and were not slowing down. Were also reinvesting in education at all levels.
s to grow and thrive and were not slowing down. Were also reinvesting in education at all levels.
s to grow and thrive and were not slowing down. Were also reinvesting in education at all levels.
e harmful water for months or even years. A USA Today Network investigation surveyed US EPAs Safe Drinkin
ould not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improved immed
ting for the city of FLINT. Asked whether that means shes endorsing Clinton, Weaver said, Yeah it does sou
ournal that while the cattle are state property because theyre trespassing on public lands, a move by the depar
er sources. Under Snyder's plan, which is still in discussion stages, Michigan would move to a limit of 10 parts p
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain

residents were exposed to dangerously high lead levels after the city switched its water supply from Lake Huro
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
residents were exposed to dangerously high lead levels after the city switched its water supply from Lake Huro
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
d emergency manager.More from Across Patch Test results showing including one in which a drinking fountain
articles that lurk on the walls and floors in aging homes, which are more likely to be occupied by the poor and m
n weaver: "it's a shame. It's a shame. And I don't know how you sleep at night, when you see what's going on.
eenhouse in a contest televised on NY1 and CNN. Both candidates have New York ties - Sanders was born an
p of Gold King and other mines http://dpo.st/1qRHufa via. BCWaterNewsStream study provides insight for wate
s stripped from an energy bill after opposition, specifically from Utah Senator Mike Lee. "I think it's a shame. It's
ead. In January, the Ohio village of Sebring closed schools for several days due to lead in pipes. Detroit began
most, like Detroit, receive their water from municipal systems that test at other locations. Lead is a neurotoxin t
20. The Synder administration also called for Michigan to replace all lead service pipes over the next decade. T
CTION AGENCY rules, water systems across the country must take steps to control corrosion if lead concent
contemplating major policy decisions affecting millions of people. To see the systemic corruption that is occurr
-develop a National model based on michigan's experience and that's what we did. Mike zimmer heads michig

f the Detroit Health Department, to advise that all children in the city under six years of age get tested for lead p
old Congress on Wednesday that the agency would not have reforms ready until early 2017. Mike Zimmer, the
ately," the governor said in a statement. "It's dumb and dangerous and in Michigan we aren't going to wait for th
ge-lined piece of the American Dream. Theres nothing to worry about. By now, you know the story. In a cost
g at a reduced level, it leased out unused old buildings and warehouses. Many people who worked there over t
aid in opening the meeting of the FLINT Interagency Coordinating Committee, held at the FLINT campus o
ome sales and rental contracts. The plan was given to The Associated Press before it was presented to a com
ome sales and rental contracts. The plan was given to The Associated Press before it was presented to a com
ome sales and rental contracts. The plan was given to The Associated Press before it was presented to a com
ome sales and rental contracts. The plan was given to The Associated Press before it was presented to a com
me sales and rental contracts.The plan. was given to The Associated Press before it was presented to a comm
ANDATORY CREDIT The plan was given to The Associated Press before it was presented to a committee tha
dy until early 2017."The federal Lead and Copper Rule needs to be improved immediately," the governor said i
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
ould not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improved immed
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
dnesday that the agency would not have reforms ready until early 2017. The federal Lead and Copper Rule ne
agency would not have reforms ready until early 2017. The federal Lead and Copper Rule needs to be improv
ately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent going to wait for th
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
mediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent going to wait f
e improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent
unt. The Republican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and
immediately," the governor said in a statement. "It's dumb and dangerous and in Michigan we aren't going to w
inet director for Snyder, helped lead the FWICC Policy Subcommittees work in developing Michigans enhanced
und an alternative to bathing with FLINT water are limiting their use of it dashing into and out of the shower o

ertainty in the HEALTH CARE environment resulting from the Affordable Care Act of 2010. The facility is aim
f these members throughout the basin to come together and try to do a negotiated effort to figure out the best w
ed immediately, the governor said in a statement. Its dumb and dangerous and in Michigan we arent going to w
ing the 24 district buildings does not have elevated lead or copper levels, explained Arch Environmental Group
school problems is good news. The alternative is to do nothing and be willfully blind and allow even more harm
proved immediately. It's dumb and dangerous and in Michigan we aren't going to wait for the FEDERAL GOV
gerous and in Michigan we aren't going to wait for the FEDERAL GOVERNMENT to fix it anymore," the Rep
ertainty in the HEALTH CARE environment resulting from the Affordable Care Act of 2010. The facility is aim
L GOVERNMENT did what it did. She said, Im sorry for the consequences that were unintended and that hav
f lead plumbing in home sales and rental contracts. The plan was given to The Associated Press before it was
AGENCY (EPA) to support local communities seeking to improve their water infrastructure, including oversigh

witness list of those who testified is available here. Click here for video of Uptons opening statement and here f
geles judge upheld a previous ruling that Redstone, the 92-year-old controlling shareholder of Viacom and CBS
onstruction site. These revelations come at a sensitive time for the public, the government, and water utilities a
Construction site. These revelations come at a sensitive time for the public, the government, and water utilitie
geles. We asked weaver about it this morning. She says Cher has asked her to speak to business leaders to g

cture improvements. Sue, it's still unclear how much this proposal would cost. Since the FLINT water crisis t
federal dollars were dashed earlier this week when an amendment proposed by michigan's us senators was st
rning. If Wichita goes over too many times in one season, it faces long term penalties that could cost tens of mi

lear last night. Or was there any indication that the people have a sense that all that when information on low l

anna-Attisha talks about FLINT water crisis at Plymouth AM Rotary Club. 05:32 Tom Minkel: A man, his b
anna-Attisha talks about FLINT water crisis at Plymouth AM Rotary Club. 05:32 Tom Minkel: A man, his b

the right group of experts to. come up with a solution that we need for Michigan but that can be translated natio
. When the change was made in April 2014, city officials toasted it with river water and called it historic. That it
erious health impacts, lead was also the common denominator in many ubiquitous products including ammuniti
nothing to worry about. By now, you know the story. In a cost-saving move, an emergency manager appointe
about a dozen large water systems in the U.S. and thousands of systems of various sizes worldwide, he said. T
lems is good news. The alternative is to do nothing and be willfully blind and allow even more harm to occur, Ed

ecause most, like Detroit, receive their water from municipal systems that test at other locations. Lead is a neur
isco. Although the systems were conceived to protect drinking water from foul play, the cities are using them fo
nderson and Shasta Lake for the Record Searchlight and his reporting on HEALTH CARE, education and cr
a big win. Next week, Mr. O'Donnell will depose Mr. Redstone's daughter Shari, who is a vice chairman of Via
ne's side that he won't testify at trial is a big win. Next week, Mr. O'Donnell will depose Mr. Redstone's daught
roblems is good news. The alternative is to do nothing and be willfully blind and allow even more harm to occur

not be penalized for it" the city is watching ozone levels very closely today because of all the burning. If Wichit
versible, finding and fixing lead in school problems is good news. The alternative is to do nothing and be willfull

d grounds and finance plus policy and curriculum will be eliminated. Instead, trustees will work with a more stre

today? (Marc live)good morning! You can also hit us on facebook and twitter. Marc live)a reminder to all partic
. FLINT police got the call around 1:30 yesterday morning. (Jamie)surveillance videos around the u of m- F

AL PROTECTION AGENCY. "Since the numbers now appear to be flat we have decided we will go to quarter
nton. Clinton rode a version of this "not a single issue candidate" message to a series of victories in Nevada, S

nd the need for significant additional investment in our national infrastructure, she said. The world is on the ver
roblems and sicken adults. Copper can cause gastrointestinal distress, and long-term exposure can damage th
e it lost jobs due to bad trade deals. He wants to end private prisons and says, referring to Flints water crisis, th
leanup of Gold King and other mines http://dpo.st/1qRHufa via. BCWaterNewsStream study provides insight fo
d. In January, the Ohio village of Sebring closed schools for several days due to lead in pipes. Detroit began c
d. In January, the Ohio village of Sebring closed schools for several days due to lead in pipes. Detroit began c
erious health impacts, lead was also the common denominator in many ubiquitous products including ammuniti

ems is good news.
esence of protective scales or coatings. inside the plumbing materials. [1] In most cases, treatment options are
Ohio village of Sebring closed schools for several days due to lead in pipes. Detroit began collecting water sam
he only thing she could think of was and its water contamination issues. She said shes not confident the distri
f breath and tightness in the chest and can trigger asthma in children. On April 4, the citys ozone levels exceed
hut off due to elevated levels of lead. In January, the Ohio village of Sebring closed schools for several days du
s above what FEDERAL GOVERNMENT considered acceptable. And in truth, any amount of lead ingestion w
is a guideline though, not a legal requirement, since the EPA does not have the authority to regulate private

he week of March 28. Results from the remaining 20 or so buildings, which include middle and high schools, ar
arket: FLINT Group, Sakata INX, Sun Chemical Ltd., T&K TOKA Co. Ltd., TOYO Ink LLC, and Wikoff Color C

oison Russian roulette. That's not my description. That's the description that come from mark Edwards, the Vir
ally-viable viruses present zero health risks to a child when injected. This idea is wholly absurd, irrational and g
to a weighted average of 0.25% lead. New Ohio EPA Rules Required Within 120 Days of Effective Date of L
ink if filtered. Forxpert said than other pregnant women and children 0-6, and their revealing that, filters work e
water in our city. We have to go to bottle waters. Pushing for revised rules for the lead in the water to toughen
know isnt necessarily fighting for justice. The inability to really acknowledge the people who are most affected
ergency managers in Michigan's most economically troubled cities. The only thing emergency managers cann
ther media outlets. Those reports contained headlines about the FLINT water crisis, including the late Decem
g in government agencies like the ENVIRONMENTAL PROTECTION AGENCY, Department of Energy, Dep

oison Russian roulette. That's not my description. That's the description that come from mark Edwards, the Vir
r country's chance to solve problems. All efforts of this kind need more publicity and support.
ng: Lets set a higher standard faster.The impoverished city of nearly 100,000 residents has been under a state
nfident that daily flushing before use will occur, Gould said. In those tests, results showed no detection of lead
will need to invest an additional $300 billion to bring water infrastructure systems up to a state of good repair.L
ards. In April 2014, the EPA promulgated new "Tier 3" motor vehicle emission and fuel standards. Under the

ce. Clintons plan which is the most detailed statement on environmental justice issued by a candidate in the c
e an industrial dump site. When the change was made in April 2014, city officials toasted it with river water and

ding, which waters the agency has authority over. The House Transportation Committee will hold a vote on a b

ss and Response at HHS, discussed the steps her team has taken to mitigate the effects of lead exposure in

collecting water samples at 62 elementary and elementary-middle schools the week of March 28. Results from

rogram for local anti terrorism efforts. W esa is a number of reports officials envisioned building a fusion center

g Water information system and found 2,000 water systems with lead exceedances over the last four years.(2) T
iately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent going to wait for th
nd like it, doesnt it? Then, she repeated the phrase, I want Hillary. I want Hillary. Weaver says she spoke perso
tment to corral the cattle would require an order from the federal Bureau of Land Management.A representative
er billion by 2020. The governor's plan, drafted in collaboration with water experts, also recommends the replac
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other

n to the FLINT River in 2014 while under the control of a state-appointed emergency manager. Test results s
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
n to the FLINT River in 2014 while under the control of a state-appointed emergency manager. Test results s
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
recorded lead levels at 100 times the allowable limit. were released on Thursday, The Detroit News and other
inorities. Lead exposure is one of many ways in which poor families of color in Michigan are more profoundly ex
And I guess the people of Utah need to look at that because what if this happened there would he be blocking
d raised in Brooklyn before eventually moving to Vermont, while New York is Clintons adopted political home th
r storage in the West http://bit.ly/1qRGiJ1 via @BCWaterNewsFrom @WorldBank: 'Earth Observation for Wate
a shame. And I don't know how you sleep at night when you see what's going on. And I guess the people of U
collecting water samples at 62 elementary and elementary-middle schools the week of March 28. Results from
hat can damage child brain development, cause behavioral problems and sicken adults. A recent analysis of E
he Republican faced strong criticism for his decision to switch over the citys source to the FLINT River in 201
rations exceed 15 parts per billion in more than 10 percent of customer taps sampled. Michigan would move by
ing in government agencies like the ENVIRONMENTAL PROTECTION AGENCY, Department of Energy, De
an's dept. Of licensing and regulatory affairs. He, dr. Edwards and other scientists have been developing a refo

oisoning, regardless of whether they attend DPS facilities, the Detroit Free Press reported. Now, DPS has abou
director of the Department of Licensing and Regulatory Affairs and newly appointed cabinet director for Snyde
e FEDERAL GOVERNMENT to fix it anymore.'The committee also recommended that every public water sy
-saving move, an emergency manager appointed by the state to oversee the citys finances agreed to switch it f
he years died of cancer. Little had been known about the Naval Radiological Defense Laboratory, the U.S. mi
f the University of Michigan,that he hopes that under the proposal "Michigan will lead the rest of the country in t
mittee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unc
mittee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unc
mittee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unc
mittee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unc
ittee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unclea
t Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted water crisis. It is unclear how m
n a statement. "Its dumb and dangerous and in Michigan we arent going to wait for the FEDERAL GOVERNM
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
iately, the governor said in a statement. Its dumb and dangerous and in Michigan we arent going to wait for the
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
eds to be improved immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan w
ed immediately," the governor said in a statement. "Its dumb and dangerous and in Michigan we arent going to
e FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every public water sy
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
or the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every public wat
going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that e
he expects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S.
ait for the FEDERAL GOVERNMENT to fix it anymore." The committee also recommended that every public
LCR rules. We need to keep pushing for changes at the federal level but that doesnt mean we cant go above a
nce a week with their mouths tightly shut. Others wash only with baby wipes or, if they can, wait to bathe at the

ing to provide surgical services, a special care nursery, labor and delivery, gastrointestinal laboratory, inpatient
ay for everyone to share the water that we have available.
ait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every public
president Scott Staber.
to occur," Edwards added. Lead is a neurotoxin that can damage child brain development, cause behavioral p
ERNMENT to fix it anymore," the Republican governor, who has apologized for his administration's failures in
ublican governor, who has apologized for his administration's failures in the FLINT disaster, said in a stateme
ing to provide surgical services, a special care nursery, labor and delivery, gastrointestinal laboratory, inpatient
e had a very unfortunate impact on peoples lives. Sanders used the opportunity to call for removing harsh (or a
presented to a committee that Snyder appointed to work on long-term fixes related to FLINT'S lead-tainted w
t of local drinking water, wastewater management, and storm water utilities. The bill would help address water q

or his witness questioning. Committee timeline of action on FLINT Water Crisis: January 15, 2016: Bipartisa
Corp, would not be deposed. He also won't accept any affidavit from him. Lawyers for his former companion, w
round the country are scrutinizing water quality after towns like FLINT, Michigan, showed that local, state an
s around the country are scrutinizing water quality after towns like FLINT, Michigan, showed that local, state a
ain support for FLINT, but the details are still being worked out. A new development in the ongoing drama in

he concern of lead in west Michigan drinking water has been on the minds for a lot of us. Prein and newhof, an
ripped from an energy bill after opposition, specifically from Utah Senator Mike Lee. (SOT)5039 "I think it's a sh
llions of dollars busenitz says he doesn't worry about ozone and does what he needs to to take care of his land

evels appear to always would be made.

ird and his wrestling memories 06:25 Turkey Day Classic or Turkey Bowl 00:41 Gwendolyn Boyd praises
ird and his wrestling memories 06:25 Turkey Day Classic or Turkey Bowl 00:41 Gwendolyn Boyd praises

nwide," said Mike Zimmer, Snyder's cabinet director and a panel member who helped devise the proposed cha
was. Almost immediately, residents noticed that something was wrong: Smelly, brown water came gushing fro
on, ceramics, batteries, cosmetics, house paint and gasoline throughout most of the 20th century. Thats all on t
d by the state to oversee the citys finances agreed to switch it from water supplied by the Great Lakes to water
he true strength of data platforms is bringing together in one location various streams of information water flow
wards added. Lead is a neurotoxin that can damage child brain development, cause behavioral problems and s

otoxin that can damage child brain development, cause behavioral problems and sicken adults. A recent analys
r quotidian water quality management, said Thompson. CH2M has completed about a dozen large water system
ime has earned him several awards. In the past, he has worked as an intern at the Cincinnati Post and at the S
com and CBS and has her own complex relationship with her father. In two weeks, Viacom Chairman and Chie
er Shari, who is a vice chairman of Viacom and CBS and has her own complex relationship with her father. In t
, Edwards added. Lead is a neurotoxin that can damage child brain development, cause behavioral problems a

a goes over too many times in one season, it faces long term penalties that could cost tens of millions of dollars
y blind and allow even more harm to occur, Edwards added. Lead is a neurotoxin that can damage child brain d

amlined committee of the whole format to supplement action meetings. Larry also new. A report from the Huro

ipating schools, the deadline to turn in your donations is noon on Friday may 6th. Live in FLINT, marc Jacob
LINT campus helped track down the two men. In light of the attack, Michigan state police trooper Rick Jones o

ly sampling," Rapp said. "With our levels well below the .4 ppb it is not big enough to get help with the sampling
outh Carolina, Massachusetts, and much of the south. But she seems to have gotten spooked by her unexpect

ge of a big leap in environmental protectiona second wave, McCarthy called itthat will see greater reuse of mat
e liver or kidneys. District spokesman Michelle Zdrodowski characterized the levels of lead and copper as conc
at we should not be poisoning our children in the inner cities. Introducing Senator Sen.
r water storage in the West http://bit.ly/1qRGiJ1 via @BCWaterNewsFrom @WorldBank: 'Earth Observation fo
ollecting water samples at 62 elementary and elementary-middle schools the week of March 28. Results from t
ollecting water samples at 62 elementary and elementary-middle schools the week of March 28. Results from t
on, ceramics, batteries, cosmetics, house paint and gasoline throughout most of the 20th century. Thats all on t

available to prevent the corrosion of lead into drinking water and avoid replacement of all service lines containi
ples at 62 elementary and elementary-middle schools the week of March 28. Results from the remaining 20 or s
ct will fix the issue quickly. Its terrible, she said. No parent should have to worry about a child being poisoned
ed the EPAs acceptable threshold of 70 parts per billion. The smoke was blowing from the east and so it likely c
e to lead in pipes. Detroit began collecting water samples at 62 elementary and elementary-middle schools the
hich can causes brain damage and other problems is unsafe, according to experts. While Coachella Valley wa
wells. This also means that there are not a lot of data available on well water quality, and there are no standar

e expected one to two weeks after testing is finished this month, the district said. The district said the levels of l
orp. Other prominent vendors in the market are: ALTANA, Brancher, CROMOS TINTAS GRAFICAS, Dainichis

ginia Tech researcher who blew the lid on the crisis. He's been put in charge of testing FLINT'S water. The s
rossly unscientific, and it proves that the real science quacks in this debate are those who blindly push vaccine
aw As described below, H.B. 512 provides that the Director of Ohio EPA must pass rules within 120 days of
ffectively in removing any concern about lead. Martin: that claim was met with a challenge from some FLINT r
it up. It won't stop FLINT but hopefully stop this nightmare for the future. FLINT will lead in the country wit
by environmental racism and climate change was evident this past weekend when Clinton made a campaign s
ot do is void contracts with bondholders. "The banks get their money," said Guyette. In April 2014, to save an e
ber resignation of Department of Environmental Quality Director Dan Wyant. The records show directors of sta
artment of Health and Human Services including the Centers for Disease Control and the Food and Drug Admi

ginia Tech researcher who blew the lid on the crisis. He's been put in charge of testing FLINT'S water. The s

of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effectively rec
orlevels were well below the EPAs action level. The Northwest Elementary building was built in the 1950s, me
EGISLATIVE SUMMARYTitle I Water Quality Financing Authorizes $20 billion in Federal grants over five year
final rule, gasoline must contain no more than 10 ppm sulfur on an annual average basis beginning on Jan. 1, 2

urrent race includes eight major points to combat environmental racism. Top on the agenda is eliminating lead
called it "historic." That it was. Almost immediately, residents noticed that something was wrong: Smelly, brow

ill reauthorizing the Department of TransportationsPipeline and Hazardous Materials Safety Administration on W

FLINT. She also said there is a low screening rate for kids and would like to see universal screening so we c

the remaining 20 or so buildings, which include middle and high schools, are expected one to two weeks after t

where police have shared that across jurisdictions that. Our police chief came in a way says the local FBI offic

he article further detailed that six million people were exposed to these high lead levels and at least 180 of the w
e FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every public water sy
nally with Clinton about how to fix the problem in FLINT, where high levels of lead in the citys public water sy
for the BLM also told the paper their hands are tied when it. comes to dealing with the free-ranging cattle.The B
ement of all lead service pipes within the next ten years. Previously, in late January, he had said the full replace
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce

howing dangerously high lead levels in 15 Detroit schools including one in which a drinking fountain recorded l
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
howing dangerously high lead levels in 15 Detroit schools including one in which a drinking fountain recorded l
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce
posed to airborne pollutants that can damage their health, according to one expert. Add it up and it tells a story
, it for them as well. Gov. Snyder: "it was disappointing that they're not moving forward. And I hope they will re
at she represented in the U.S. Senate for eight years, 2001-2008. Germane urban issues like infrastructure, tra
r Resources Management' (PDF) http://bit.ly/1VrVzwF In @REworld: @Interior, @usbr release five-year update
tah need to look at that because what if this happened there, would he be blocking it for them as well? Weaver
the remaining 20 or so buildings, which include middle and high schools, are expected one to two weeks after t
NVIRONMENTAL PROTECTION AGENCY data by The Associated Press found that among the schools and c
4. Water Interagency Coordinating Committee meeting,according toreports. Currently, the River in 2
2010 to a limit of 10 parts per billion in line with the World Health Organization's standard. The federal lead sta
partment of Health and Human Services including the Centers for Disease Control and the Food and Drug Adm
rm plan for the state, hoping the FEDERAL GOVERNMENT will follow suit. Among the proposals getting the

t two weeks to create mitigation plans tailored to each school. "The 15 [parts per billion] is the actionable limit," h
r, helped lead the FWICC Policy Subcommittees work in developing Michigans enhanced LCR rules. We need
stem replace all lead service lines within 10 years.Flint was under the control of a state-appointed emergency m
rom water supplied by the Great Lakes to water from the FLINT River, once an industrial dump site. When th
litarys largest nuclear research facility, once secret, and their experiments that filled an enormous landfill on wh
erms of addressing lead as a problem." The plan was presented to the full. coordinating committee by a subcom
lear how much the proposal will cost, and the policy workgroup purposely did not take funding into account. Th
lear how much the proposal will cost, and the policy workgroup purposely did not take funding into account. Th
lear how much the proposal will cost, and the policy workgroup purposely did not take funding into account. Th
lear how much the proposal will cost, and the policy workgroup purposely did not take funding into account. Th
r how much the proposal will cost, and the policy workgroup purposely did not take funding into account.The Re
uch the proposal will cost, and the policy workgroup purposely did not take funding into account. The Republic
ENT to fix it anymore."The committee also recommended that every public water system replace all lead serv
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every public water sys
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
e arent going to wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended
wait for the FEDERAL GOVERNMENT to fix it anymore. The committee also recommended that every pub
stem replace all lead service lines within 10 years. FLINT was under the control of a state-appointed emerge
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
er system replace all lead service lines within 10 years. FLINT was under the control of a state-appointed em
very public water system replace all lead service lines within 10 years. FLINT was under the control of a stat
ENVIRONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to co
water system replace all lead service lines within 10 years. FLINT was under the control of a state-appointe
nd beyond as a state, Zimmer said. Tackling these reforms means communities will be able to better safeguard
homes of friends or relatives outside FLINT. Many said they mourned the loss of the long, hot showers of th

care, emergency department, imaging services, physical therapy and rehabilitation services, retail pharmacy, i

water system replace all lead service lines within 10 years. FLINT was under the control of a state-appointe

roblems and sicken adults. Copper can cause gastrointestinal distress, and long-term exposure can damage th
the FLINT disaster, said in a statement to the AP. The impoverished city of nearly 100,000 residents is und
nt to the AP. The impoverished city of nearly 100,000 residents is under a monthslong state of emergency. Res
care, emergency department, imaging services, physical therapy and rehabilitation services, retail pharmacy, i
ny) sentences for marijuana offenses. student loans, and sustainable energy Clinton and Sanders felt similar
ater crisis. It is unclear how much the proposal will cost, and the policy workgroup purposely did not take fundin
uality in cities like FLINT, Michigan and other communities without reliable access to safe and clean drinking

n committee leaders request urgent EPA briefing on drinking water in FLINT, Michigan; February 3, 2016
ho wants to be reinstated as decision-maker for his HEALTH CARE, wanted him deposed before a trial. (The
d federal agencies can simultaneously overlook tainted water supplies. Though unrelated to lead pollution, frac
nd federal agencies can simultaneously overlook tainted water supplies. Though unrelated to lead pollution, fra
volving FLINT'S firebirds hockey team. Rolf nilsen has been ordered to resign as the owner of the team. He

engineering firm near Grand Rapids, says its lab is seeing a 30 to 40 percent increase in testing requests. Pri
ame. It's a shame. And I don't know how you sleep at night, when you see what's going on. And I guess the pe
. (Todd busenitz/ranc her) "I'm a huge proponent of taking care of what god has given us.

Steve Harvey 01:16 Steve Harvey comments on his new partnership with Alabama State University 01:39 L
Steve Harvey 01:16 Steve Harvey comments on his new partnership with Alabama State University 01:39 L

nges with a workgroup that includes water experts such as Virginia Tech professor Marc Edwards.Zimmer cited
m taps. People developed rashes after bathing. They complained to city officials, bringing jugs of that water to m
op of lead contamination from industrial sources, including lead smelters, mining and refining operations Leade
from the FLINT River, once an industrial dump site. When the switch was made in April 2014, city officials to
rates, infrastructure condition, water quality that previously were siloed. Michael Sullivan, sales manager for I
icken adults. Copper can cause gastrointestinal distress, and long-term exposure can damage the liver or kidne

is of ENVIRONMENTAL PROTECTION AGENCY data by The Associated Press found that among the scho
s in the U.S. and thousands of systems of various sizes worldwide, he said. The true strength of data platforms
cripps Howard Foundation Wire in Washington, D.C.
f Executive Philippe Dauman will be deposed. Write to Joe at joe.flint@wsj.com (END) Dow Jones Newswir
wo weeks, Viacom Chairman and Chief Executive Philippe Dauman will be deposed. Write to Joe at joe.flint@
nd sicken adults. Copper can cause gastrointestinal distress, and long-term exposure can damage the liver or k

, busenitz says he doesn't worry about ozone, and does what he needs to to take care of his land. (Todd busen
evelopment, cause behavioral problems and sicken adults. Copper can cause gastrointestinal distress, and lon

n county treasurer's office shows the county collected almost 8-million dollars in wind turbine taxes in 2015. Th

son, abc12 news.
ffered some advice to stay safe. He says if you're walking out late, always be on your guard.

costs," he said. Rapp said he met with U.S. Sen. Shelley Moore Capito, R-W.Va., recently and she is aware o
ed loss in Michigan, where the toxic lead in FLINT had appeared to be an excellent example of America not b

erials and a more sustainable integration of materials to reduce waste of natural resources, like food, she said.
erning but by no means excessive or extreme. On the high end, a lead sample from a water fountain at Brown

r Water Resources Management' (PDF) http://bit.ly/1VrVzwF In @REworld: @Interior, @usbr release five-year
he remaining 20 or so buildings, which include middle and high schools, are expected one to two weeks after te
he remaining 20 or so buildings, which include middle and high schools, are expected one to two weeks after te
op of lead contamination from industrial sources, including lead smelters, mining and refining operations Leade

ng lead. Regulation of contaminants under the Safe Drinking Water Act The Safe Drinking Water Act (SDWA)
o buildings, which include middle and high schools, are expected one to two weeks after testing is finished this m
while at school from unsafe drinking water, Bailey said in a statement. Lead in schools has become a hot-butt
ame from controlled burns in the FLINT Hills, where most of the spring smoke comes from, according to Cun
week of March 28. Results from the remaining 20 or so buildings, which include middle and high schools, are e
ter district officials say there is no lead issue with water in the desert, Assemblyman Eduardo Garcia is seeking
dized sampling protocols. On top of that, because the wells are private, testing must be done with the explicit c

ead and copper found in water samples taken from student drinking fountains and kitchen food-preparation sin
eika Color & Chemicals Manufacturing, DIC, Encres Dubuit, Environmental Inks and Coatings, Huber Group, S

econd highest lead level ever recorded in a house in the city of FLINT was recorded less than two weeks ag
s without any cognitive consideration of their very real health risks. Yet theres little question De Niro will now b
the effective date of the law requiring public water systems (specifically community or nontransient noncommu
esidents, who said they should stop by their home and have a glassful. Have you had any plans to travel to FL
h addressing lead as a problem. Back here live, while we clearly have a whole lot more to go through, and it's g
top at Industry City, a contentious symbol of gentrification in Brooklyn, N.Y.s Sunset Park neighborhood.
stimated $5 million until the new Karegnondi Water Authority was completed, FLINT'S Emergency Manager D
te agencies who had no hand in Flints water woes also received a Dec. 29 notice about Wyants resignation fro
nistration not only makes me sad but it makes me mad. There has always been an attempt in this nation to ba

econd highest lead level ever recorded in a house in the city of FLINT was recorded less than two weeks ag

oated with anticorrosion chemicals that were not used for 18 months after FLINT temporarily switched water
aning the infrastructure or fixtures could have led to the positive readings. In this case, Howell Public Schools d
s to capitalize Clean Water State Revolving Funds (Clean Water SRFs)These funds provide low-interest loans a
017; however, approved small volume refineries have until Jan. 1, 2020 to meet the standard. The EPA has

. A lofty goal, but one that people in Mich., a mostly black city, have been raising for a while. Elevating the con
n water came gushing from taps. People developed rashes after bathing. They complained to city officials, brin

ednesday. There are a lot of hearings on tap as well.

an have an early warning system in place. DR. LURIE praised Medicaid as a terrific solution as it includes ca

esting is finished this month, the district said. The district said the levels of lead and copper found in water sam

e has already picked out a potential site in cranberry forty fusion center there a place as police from southweste

ater systems in. violation of the US EPA action level (15 ppb) did not notify consumers about the risks. Samp
stem replace all lead service lines within 10 years. FLINT was under the control of a state-appointed emerge
stem have left its nearly 100,000 residents at risk of serious health issues and neurological damage. During the
ureau of Land Management too is concerned about the welfare and condition of the cattle, Rudy Evenson, of B
ment of FLINT'S pipes was not imminent. It would further require utilities to test lead levels in all schools and
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The

ead levels at 100 times the allowable limit were released on Thursday, The Detroit News and other media repo
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ead levels at 100 times the allowable limit were released on Thursday, The Detroit News and other media repo
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
ptable lead and copper levels.The governor didnt release any cost estimates for implementing his proposal.The
of widespread, disproportionate, environmental exposure from air, water, soil and yes, the home. "We do see t
examine that and move forward with additional assistance to FLINT. We all win when that happens. The gov
nsportation, resiliency, and national security have been addressed to some extent in the campaign, but not at a
to SECURE Water Act report http://bit.ly/1Vii46B Report: http://on.doi.gov/1oR7xBjRT @NYTScience The Sier
said. "It was disappointing that they're not moving forward. And I hope they will reexamine that and move forw
esting is finished this month, the district said. The district said the levels of lead and copper found in water sam
hild-care centers operating their own water systems, 278 violated federal lead levels at some point during the p

ndard is "dumb and dangerous," Snyder said. The governor, who has apologized for his administration's failure
inistration not only makes me sad but it makes me mad. There has always been an attempt in this nation to ba
lead action level lowered from 15 parts per billion to 10 parts per billion by the year 2020. They'd like public wa

e told the newspaper. "But ideally, we want no lead in the water. The most important thing is to make sure that k
to keep pushing for changes at the federal level but that doesnt mean we cant go above and beyond as a state
anager when it switched the source of. its tap water from Detroit's system to the FLINT River in April 2014 to
e switch was made in April 2014, city officials toasted it with river water and called it historic. About this article T
ats now known as Parcel E with the radioactive waste, including irradiated large farm animals, and all manner o
mittee. Included in a 75-point plan Snyder released in March in connection with the FLINT crisis was a prop
e Republican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he exp
e Republican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he exp
e Republican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he exp
e Republican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he exp
publican governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he expects t
an governor said at Friday's meeting in FLINT that he wants a "marker in the ground," and he expects the pla
ice lines within 10 years.Flint was under the control of a state-appointed emergency manager when it switched
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
tem replace all lead service lines within 10 years. FLINT was under the control of a state-appointed emergen
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
that every public water system replace all lead service lines within 10 years. FLINT was under the control of
lic water system replace all lead service lines within 10 years. FLINT was under the control of a state-appoin
ncy manager when it switched the source of its tap water from Detroit's system to the FLINT River in April 20
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
ergency manager when it switched the source of its tap water from Detroit's system to the FLINT River in Ap
e-appointed emergency manager when it switched the source of its tap water from Detroit's system to the FLI
ntrol corrosion if lead concentrations exceed 15 parts per billion in more than 10 percent of customer taps samp
d emergency manager when it switched the source of its tap water from Detroit's system to the FLINT River i
residents from lead in their drinking water. The proposed reforms would help Michigan become a national lead
eir past. You wonder what youre stepping into when youre getting into the shower and just trying to make it as q

nfusion services and physicians offices. It will also house additional outpatient and followup services for Primar

d emergency manager when it switched the source of its tap water from Detroits system to the FLINT River i

e liver or kidneys. District spokeswoman Michelle Zdrodowski characterized the levels of lead and copper as c
er a monthslong state of emergency. Residents are urged to use faucet filters or bottled water until damaged p
idents are urged to use faucet filters or bottled water until damaged pipes are effectively recoated with anti-corr
nfusion services and physicians offices. It will also house additional outpatient and followup services for Primar
ly, but couldnt agree whose program is more economically sound. However, the candidates engaged in many h
g into account. The Republican governor said at Friday's meeting in FLINT that he wants a "marker in the gr
water. This bill is also included in the larger Assistance, Quality, and Affordability Act legislative package. Capp

: Upton and Congressman Frank Pallone, D-New Jersey, demand further information from EPA and state of M
Wall Street Journal) The fruits of debate labor Among the 700 journalists credentialed to "cover" the Brooklyn d
king and its effects on water have been front-and-center in recent times, too. The ENVIRONMENTAL PROTE
cking and its effects on water have been front-and-center in recent times, too. The ENVIRONMENTAL PROT
released a statement this morning, agreeing with the decision.

vate citizens, churches, campgrounds and schools are among those asking for the tests.
ople of Utah need to look at that because what if this happened there would he be blocking, it for them as well.

eo's Coney Island- now open in Livonia.
eo's Coney Island- now open in Livonia.

a recent AP analysis of. EPA data that found that nearly 1,400 water systems serving 3.6 million Americans
eetings. Officials maintained that the water was safe to drink. Now we know that was a lie. From the emergenc
d gasoline was a particularly invasive product, as it resulted in both soil and air-related exposure. Federal officia
asted it with river water and called it historic. That it was. Almost immediately, residents noticed something wa
BM Smarter Water Management, said such systems could have identified Flints lead hazard much more quickl
ys. District spokeswoman Michelle Zdrodowski characterized the levels of lead and copper as concerning but b

ols and child-care centers operating their own water systems, 278 violated federal lead levels at some point du
is bringing together in one location various streams of information water flow rates, infrastructure condition, wa

es April 15, 2016 02:48 ET (06:48 GMT) Copyright (c) 2016 Dow Jones & Company, Inc.
wsj.com (END) Dow Jones Newswires April 15, 2016 02:48 ET (06:48 GMT) Copyright (c) 2016 Dow Jone
idneys. District spokeswoman Michelle Zdrodowski characterized the levels of lead and copper as concerning b

itz/rancher)"I'm a huge proponent of taking care of what god has given us.
g-term exposure can damage the liver or kidneys. District spokeswoman Michelle Zdrodowski characterized th

e tax revenue also accounted for about 7 percent of the county's overall budget. The report comes on the heels

f the water situation in Vienna. Federal funding is being discussed for the water situation in FLINT, Mich., an
eing a single issue country. We haven't heard much about it since early March, and in Thursday night's debate

One component of the next wave of environmental protection is to have public health officials work more close
Academy showed 1,500 parts per billion 100 times the EPA limit of 15 parts per billion. At Ludington Magn

update to SECURE Water Act report http://bit.ly/1Vii46B Report: http://on.doi.gov/1oR7xBjRT @NYTScience T
sting is finished this month, the district said. The district said the levels of lead and copper found in water samp
sting is finished this month, the district said. The district said the levels of lead and copper found in water samp
d gasoline was a particularly invasive product, as it resulted in both soil and air-related exposure. Federal officia

authorizes the EPA to set national health-based standards for drinking water. The agency has set standards
onth, the district said. The district said the levels of lead and copper found in water samples taken from studen
on issue in the last six months as Flints water problems have played out on a national stage. The detection of c
ningham. Most ranchers, historians and conservation scientists say that burning farmland and pastureland in K
xpected one to two weeks after testing is finished this month, the district said. The district said the levels of lea
to help provide water free from other contaminants, like arsenic, that are present in that which flows into some
onsent of the homeowner. Those data will shed light on the specific problem in Orleans and determine whethe

ks inside 19 schools rose above safety thresholds established by the U.S. ENVIRONMENTAL PROTECTION
iegwerk Druckfarben, and Zeller + Gmelin.

o. Testing not just a dangerous level, but testing at more than double the level of led that's considered to be ha
e branded a heretic, publicly shamed and ridiculed, and perhaps even denied film roles in an effort to destroy h
nity water systems) to respond. to lead in drinking water with more stringent sampling, corrosion control, individ
INT and have a glass of water? I am looking at that seriously. Martin: you would not have any specific plants
oing to take us sometime to digest all of this, meanwhile, remember that the FEDERAL GOVERNMENT righ

arnell Early ordered the switch to the River from the Detroit Water and Sewerage Department, which drew wa
m Snyders chief of staff, Jarrod Agen. The states records retention was far reaching, even in state agencies th
lance out the avarice of the private sector with a regulatory framework in the public sector that protects those m

o. Testing not just a dangerous level, but testing at more than double the level of led that's considered to be ha

sources to the local river in 2014 while under state financial management.Dangerously high levels of the meta
id the absolute right thing by going forward with this process and reaching out to have (school pipes) tested for
nd additional loan subsidizations (e.g., principal forgiveness and negative interest loans) to communities for wa
approved the Big Spring and Krotz Springs refineries as a "small volume refinery" under the Tier 3 rule. Alon h

versation about environmental and climate justice to a federal level may sound good at first, and the plan does s
ging jugs of that water to meetings. Officials maintained that the water was safe to drink. Now we know that wa

se management, behavioral and development services and transportation for people who have difficulty getting

ples taken from student drinking fountains and kitchen food-preparation sinks inside 19 schools rose above saf

rn Pennsylvania is hundreds of jurisdictions to access and share information on potential terrorist cells network

les were collected at schools and daycare centers, where the most sensitive populations were found to be expo
ncy manager when it switched the source of its tap water from Detroit's system to the FLINT River in April 20
debate, both Clinton and Sanders called for the resignation of Michigan Governor Rick Snyder, who they say k
LM in Nevada, said in a statement.
daycare centers, not just houses. Prospective homebuyers would also be notified of lead pipes in a house und
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a

rted. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acceptable lead a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
rted. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acceptable lead a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a
he concentrations of pollutants and contaminants in neighborhoods where people of color live," said Paul Moha
ernor says he'll reach out to congressional leaders to push them for more financial resources. He says work co
great level of specificity or regarding local jurisdictions like New York City. As both primaries hit the city, the lac
ra Nevada snowpack wont end Californias thirst http. /nyti.ms/1WodkvO #cawater #CADroughtStudy: Microbes
ard with additional assistance to FLINT. We all win when that happens, Snyder said. The governor says he'l
ples taken from student drinking fountains and kitchen food-preparation sinks inside 19 schools rose above saf
ast three years. About one-third of those had lead levels that were at least double the federal limit. In almost all

s in the FLINT disaster, noted that the EPA will not propose revisions until 2017, saying: "Let's set a highe
lance out the avarice of the private sector with a regulatory framework in the public sector that protects those m
ter systems to adopt a full lead service-line replacement program within 10 years. The group is calling for year

ids are no longer getting the water and that the kids themselves are getting tested." When it comes to copper, t
, Zimmer said. Tackling these reforms means communities will be able to better safeguard residents from lead i
save money.The city switched back last October after tests found high levels of lead in children's blood sample
his commentarycomes from the Center for Public Integrity , a nonprofit, nonpartisan investigative media organiz
f industrial toxins. The communitys years of demands for its removal have been refused. The Unholy Quadrinity
osal for Michigan to move toa more stringent standard for lead levels in drinking waterthat triggers a response b
ects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIR
ects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIR
ects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIR
ects the plan to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIR
he plan to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIRONM
n to generate legislative debate and a better accounting of cost considerations. Under U.S. ENVIRONMENTA
the source. of its tap water from Detroit's system to the FLINT River in April 2014 to save money.The city sw
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
cy manager when it switched the source of its tap water from Detroits system to the FLINT River in April 201
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
a state-appointed emergency manager when it switched the source of its tap water from Detroit's system to the
ted emergency manager when it switched the source of its tap water from Detroit's system to the FLINT Rive
14 to save money. The city switched back last October after tests found high levels of lead in children's blood s
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
ril 2014 to save money. The city switched back last October after tests found high levels of lead in children's bl
NT River in April 2014 to save money. The city switched back last October after tests found high levels of lea
led. Michigan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's s
n April 2014 to save money. The city switched back last October after tests found high levels of lead in children
er, according to Dr. Marc Edwards, the Charles P. Lunsford Professor of Civil and Environmental Engineering a
uick as possible, said the Rev. Rigel J. Dawson, pastor of the North Central Church of Christ, where some mem

y Children's Hospital.

n April 2014 to save money. The city switched back last October after tests found high levels of lead in children

oncerning but "by no means excessive or extreme." On the high end, a lead sample from a water fountain at B
ipes are effectively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT tem
osion chemicals that were not used for 18 months after FLINT temporarily switched water sources to the loca
y Children's Hospital.
onest-to-god disagreements. Sanders froze up during a gun control discussion, but Clinton faltered on several s
ound," and he expects the plan to generate legislative debate and a better accounting of cost considerations. U
s opening remarks as prepared are enclosed below: Thank you Chairmen Pitts and Shimkus and Ranking Mem

ichigan on FLINT Water Crisis; February 10, 2016: The U.S. House of Representatives passes legislation, H
ebate, Gawker's Brendan O'Connor blogged, "A correspondent for The Economist, sitting behind us, told his ne
CTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a report thats been year
ECTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a report thats been ye

(Snyder 3338) "it was disappointing that they're not moving forward. And I hope they will reexamine that and m

exceeded the federal lead standard at least once from January 2013 through September 2015. Just a fraction o
y managers who ruled the city to Gov. Rick Snyder to the Michigan Department of Environmental Quality and th
ls pushed for a limit on lead in gasoline beginning early in the 20th century, but industry lobbyists prevailed unti
s wrong: Smelly, brown water came gushing from taps. People developed rashes after bathing. They complain
y. "Part of the problem with was there was no real visibility," he said. "There were pockets of information, but t
y no means excessive or extreme. On the high end, a lead sample from a water fountain at Brown Academy sh

ring the past three years. About one-third of those had lead levels that were at least double the federal limit. In a
ter quality that previously were siloed. Michael Sullivan, sales manager for IBM Smarter Water Management, s

s & Company, Inc.
ut by no means excessive or extreme. On the high end, a lead sample from a water fountain at Brown Academ

e levels of lead and copper as concerning, but by no means excessive or extreme. On the high end, a lead sam

of a new proposal from dte energy to build 50 to 70 new turbines, spanning nearly 40-thousand acres -across L

d communities like Vienna may also be eligible for aid through the program, Rapp said. Officials were also upd
she was all over the map. Clinton's muddled message reflects her greatest strength The good news for Clinto

ly with environmental regulators, McCarthy said, noting human environmental activities are directly impacting p
et Middle School, a sink had lead levels of 67 parts per billion, above the 15 parts per billion threshold set by th

he Sierra Nevada snowpack wont end Californias thirst http. /nyti.ms/1WodkvO #cawater #CADroughtStudy: M
les taken from student drinking fountains and kitchen food-preparation sinks inside 19 schools rose above safe
les taken from student drinking fountains and kitchen food-preparation sinks inside 19 schools rose above safe
ls pushed for a limit on lead in gasoline beginning early in the 20th century, but industry lobbyists prevailed unti

for more than 90 contaminants, including lead. The SDWA standards apply to all public water systems (PWS)A
t drinking fountains and kitchen food-preparation sinks inside 19 schools rose above safety thresholds establish
ontamination in the citys water last summer quickly led to the discovery of elevated lead levels in the blood of c
ansas helps protect the prairie grassland and prevent massive fires like the one in Barber County from getting o
d and copper found in water samples taken from student drinking fountains and kitchen food-preparation sinks i
local homes especially in the eastern Coachella Valley.
r or not high chloride levels from the road salt are causing plumbing materials to leak lead into the water supply

AGENCY. The levels varied. At Ludington Magnet Middle School, for example, a sink had lead levels of 67 pa

zardous waste less than two weeks ago. A lot of people in FLINT refuse to bathe in the water that cams out o
is career and reputation. After all, the same smear machine largely succeeded in totally fabricating false allega
ual action levels, expedited public notice requirements, and other specific actions, such as: Sampling, Schedul
? Toughest to have the lead testing rules in the country. The EPA requires water systems to take measures t
t now is still not putting forward any money for FLINT. There's a $220 million package in the us senate that ri

ter from Lake Huron and piped it to FLINT. The KWA was being constructed parallel to the DWSD line. Five w
at had no connection to the regulation of Flints water or control of the citys municipal government under Snyde
ost vulnerable in society. That balance has been totally upended and as the latest effort on behalf of those invo

zardous waste less than two weeks ago. A lot of people in FLINT refuse to bathe in the water that cams out o

l were detected in the. blood of some residents, including children, for whom it can cause lower IQs and behavi
safety reasons once the situation surfaced, said City Manager SheaCharles. Northwest Elementary School b
stewater infrastructure.
ad estimated that the capital investment to upgrade the ultra-low-sulfur gasoline unit at its Big Spring refinery to

uggest that some laws and rules need to be more stringent, but some of Clintons proposals largely hinge on co
s a lie. From the emergency managers who ruled the city to Gov. Rick Snyder to the Michigan Department of E

their HEALTH CARE providers.

ety thresholds established by the U.S. ENVIRONMENTAL PROTECTION AGENCY. The levels varied. At Lu

s developing across the region.

sed at lead levels 14 to 42 times higher than the action level. Texas, Pennsylvania, New York and California re
14 to save money. The city switched back last October after tests found high levels of lead in children's blood s
new about the problem long before he acted on it. But Weaver says Clinton is the only candidate, Democratic o

er a mandatory provision. But despite the efforts, it's unclear if this plan , shattered by more than a year of inac
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop

nd copper levels. The governor didnt release any cost estimates for implementing his proposal. The standard S
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
nd copper levels. The governor didnt release any cost estimates for implementing his proposal. The standard S
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
meeting of the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his prop
i, a University of Michigan professor specializing in environmental research and policy and founder of its Enviro
ntinues on a proposed 165 million dollar funding package for FLINT, which is part of the current budget discu
k of attention to such an agenda underscores the long-running gripe that New York State gives more to the FE
act as 'the river's liver' http://1.usa.gov/1UYRoYG via @BCWaterNewsNew irrigation method catching on in W
l be reaching out to congressional leaders to push them for more financial resources. He says work continues o
ety thresholds established by the U.S. ENVIRONMENTAL PROTECTION AGENCY. The levels varied. At Lu
cases, the problems can be traced to aging buildings with lead pipes, older drinking fountains and water fixture

r standard faster." The impoverished city of nearly 100,000 residents is under a monthslong state of emergency
ost vulnerable in society. That balance has been totally upended and as the latest effort on behalf of those invo
ly lead and copper testing in all schools, daycares and public facilities. Other recommendations center around c

he most extreme violation was at a school kitchen sink servicing water with levels of 3,400 parts per billion, abo
n their drinking water. The proposed reforms would help Michigan become a national leader, according to Dr. M
s. The water from the river was corrosive and leached more lead from the city pipes than Detroit water did. Lea
ation in Washington, D.C. That it was. Almost immediately, residents noticed something was wrong: Smelly, b
UQ4 What I have termed The Unholy Quadrinity behind the redevelopment of former naval bases Hunters Po
y regulators sooner than what is currently set under federal rules. On Thursday, officials set out proposed detai
ONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control corr
ONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control corr
ONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control corr
ONMENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control corr
ENTAL PROTECTION AGENCY rules, water systems across the country must take steps to control corrosion
L PROTECTION AGENCY rules, water systems across the country must take steps to control corrosion if lea
itched back last October after tests found high levels of lead in children's blood samples. The water from the riv
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
4 to save money. The city switched back last October after tests found high levels of lead in childrens blood sa
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
FLINT River in April 2014 to save money. The city switched back last October after tests found high levels o
r in April 2014 to save money. The city switched back last October after tests found high levels of lead in childr
amples. The water from the river was corrosive and leached more lead from the city pipes than Detroit water di
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
ood samples. The water from the river was corrosive and leached more lead from the city pipes than Detroit wa
d in children's blood samples. The water from the river was corrosive and leached more lead from the city pipes
tandard. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized
's blood samples. The water from the river was corrosive and leached more lead from the city pipes than Detro
t Virginia Tech University and a member of the FWICC Policy Subcommittee. With this initiative, the state of M
bers have been trying to help others find places outside the city to bathe. That uncertainty really kind of plays o

s blood samples. The water from the river was corrosive and leached more lead from the city pipes than Detroi

rown Academy showed 1,500 parts per billion 100 times the EPA limit of 15 parts per billion. Water from a k
porarily switched water sources to the local river in 2014 while under state financial management. "We gathere
l river in 2014 while under state financial management. "We gathered the right group of experts to come up with

ubjects. Sanders wasnt satisfied with this apology, for kind words dont negate a bill that has caused catastrop
nder U.S. ENVIRONMENTAL PROTECTION AGENCY rules, water systems across the country must take s
bers Green and Tonko for holding this hearing. All people have the right to safe, reliable drinking water. It does

.R. 4470, the Safe Drinking Water Act Improved Compliance Awareness Act, sponsored by Upton and Congres
ighbor, 'Im not really covering this live. Its a magazine, you see.' Bully for him." Meanwhile, "Gawker has receiv
s in the making. Meanwhile, studies examining how fracking chemicals may affect water and public health are p
ars in the making. Meanwhile, studies examining how fracking chemicals may affect water and public health are

ove forward with additional assistance to FLINT. We all win when that happens. The governor says he'll be r

f schools and day care centers nationwide are required to check for lead because most receive their water from
e federal EPA, pretty much everyone messed up. Residents pleaded for help. Few listened. Rick Snyder isn
l the U.S. ENVIRONMENTAL PROTECTION AGENCY was created in 1971 and finally gained enough supp
ed to city officials, bringing jugs of that water to meetings. Officials maintained that the water was safe to drink.
he problem didnt really come into view until much farther along the line." Data platforms such as IBMs and CH
owed 1,500 parts per billion 100 times the EPA limit of 15 parts per billion. Water from a kitchen sink at Prie

lmost all cases, the problems can be traced to aging buildings with lead pipes, older drinking fountains and wat
aid such systems could have identified Flints lead hazard much more quickly. "Part of the problem with was th

y showed 1,500 parts per billion 100 times the EPA limit of 15 parts per billion. Water from a kitchen sink at P

ple from a water fountain at Brown Academy showed 1,500 parts per billion 100 times the EPA limit of 15 pa

incoln, sigel, Dwight, and bloomfield townships. Stinger)Jamie congressman Dan kildee is calling on republican

ated on the Pond Run Dam and flood control system that runs through the city. Karen Stickley from the Romne
n is that she already has a giant lead in delegates and is well ahead in the polls in New York.

ublic health. This interview has been edited for clarity and length. By Anthony Adragna Bloomberg BNA : Obv
e EPA. Each school, however, had elevated lead in one of the three fixtures tested, which Ms. Zdrodowski s

icrobes act as 'the river's liver' http://1.usa.gov/1UYRoYG via @BCWaterNewsNew irrigation method catching o
ty thresholds established by the U.S. ENVIRONMENTAL PROTECTION AGENCY. The levels varied. At Lud
ty thresholds established by the U.S. ENVIRONMENTAL PROTECTION AGENCY. The levels varied. At Lud
l the U.S. ENVIRONMENTAL PROTECTION AGENCY was created in 1971 and finally gained enough supp

PWS is any system that supplies water for human consumption through constructed conveyances (such as a p
ed by the U.S. ENVIRONMENTAL PROTECTION AGENCY. The levels varied. At Ludington Magnet Middle
hildren. In the investigations that followed, local and state officials learned some things about the federal Lead
ut of hand. But usually when farmers and ranchers burn their lands it doesnt affect Wichitas air quality enough
nside 19 schools rose above safety thresholds established by the U.S. ENVIRONMENTAL PROTECTION AG

. Pieper, who admitted to nerding out over her father-in-laws specialized septic tank, is glad the subject of wate

rts per billion, above the 15 parts per billion threshold set by the EPA. Each school, however, had elevated le

f their taps. Reports of rashes have been widespread the FEDERAL GOVERNMENT has sent a special fed
tions against Dr. Andrew Wakefield, and that campaign was so successful that the entire mainstream media no
e for Sampling and Corrosion Control H.B. 512 would require public water systems to conduct sampling for lea
o control corrosion. Michigan would have a limit of 10 parts per billion by 2020. That is in line with the world he
ght now has hit a roadblock. We are live downtown, mar mcdonald, local 4.

eeks after the switch, residents began complaining about the water's weird color, smell and taste. Some people
r-appointed emergency managers. Jill Odell, the FOIA coordinator in the Michigan Liquor Control Commission
lved in Vaxxed shows we as a society can no longer depend upon our government leaders and institutions to p

f their taps. Reports of rashes have been widespread the FEDERAL GOVERNMENT has sent a special fed

oral problems.We gathered the right group of experts to come up with a solution that we need for Michigan but t
ackground: Contact Livingston Daily education reporter Abby Welsh at awelsh@gannett.com. Follow her on Tw

meet these new required sulfur levels will be less than $10 million. It did not offer an estimate for upgrade work

mplying with whats already on the books. That doesnt go far enough, says Angelo Logan, campaign director fo
nvironmental Quality and the federal EPA, pretty much everyone messed up. Residents pleaded for help. Fe

dington Magnet Middle School, for example, a sink had lead levels of 67 parts per billion, above the 15 parts pe

ported the greatest number of exceedances (see www.usatoday.com/longform/news/2016/03/11/nearly-2000-w
amples. The water from the river was corrosive and leached more lead from the city pipes than Detroit water di
r Republican, who has personally reached out to her to talk about Flints needs. During Sundays debate, Clinton

tion. "It's extremely frustrating," Desiree Duell, a local activist, told the Christian Science Monitor during a break
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn

nyder proposes is in line with the World Health Organization standard in Third World countries. At a meeting of
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
nyder proposes is in line with the World Health Organization standard in Third World countries. At a meeting of
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
osal, some criticized it as , the Detroit Free Press reports.Retired Brigadier Gen. Michael McDaniel, who is runn
nmental Justice Program. "These are also areas with older housing stock, constructed at a time when use of as
ssion in Lansing. In the information center, Greg ghering, wzzm 13 news. Family and friends of a sparta teena
DERAL GOVERNMENT in taxes than it receives in federal investment. Last week, Politico reported on efforts
est http://bit.ly/1UYQdbT via @BCWaterNewsCatch up on the news! Elaine J. Hanford's Bulletin Boards: 1) Ge
n a proposed $165 million funding package for FLINT, which is part of the current budget discussion in Lans
dington Magnet Middle School, for example, a sink had lead levels of 67 parts per billion, above the 15 parts pe
s that have parts made with lead exactly the case in the Detroit schools. In FLINT, officials failed to treat the

. Residents are urged to use faucet filters or bottled water until damaged pipes are effectively recoated with ant
lved in Vaxxed shows we as a society can no longer depend upon our government leaders and institutions to p
orrosion controls, notification when there's problems with water and setting up "water system advisory councils

ut three times. higher than EPA guidelines. Over the next few weeks, DPS will analyze the water at its rema
arc Edwards, the Charles P. Lunsford Professor of Civil and Environmental Engineering at Virginia Tech Univer
d is a toxic agent that can damage the human nervous system.On Wednesday, Michigan lawmakers extended t
rown water came gushing from taps. People developed rashes after bathing. They complained to city officials, b
int and Treasure Island is a four-in-one entity comprised of: 1) The corporate state FEDERAL GOVERNMENT
ls of such a stricter standard for the first time. Currently, the U.S. ENVIRONMENTAL PROTECTION AGENC
osion if lead concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Mic
osion if lead concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Mic
osion if lead concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Mic
osion if lead concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Mic
if lead concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Michigan
d concentrations exceed 15 parts per billion in more than 10 per cent of customer taps sampled. Michigan wou
er was corrosive and leached more lead from the city pipes than Detroit water did. Lead is a toxic agent that ca
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
mples. The water from the river was corrosive and leached more lead from the city pipes than Detroit water did
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
f lead in children's blood samples. The water from the river was corrosive and leached more lead from the city p
en's blood samples. The water from the river was corrosive and leached more lead from the city pipes than Det
d. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawmakers ext
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
ter did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawmake
than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Mi
for his administration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2
it water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawm
ichigan will become a national leader in reducing lead exposure from drinking water, which is unfortunately nec
n you after a while; it wears you down. The efforts to avoid bathing in FLINT are linked to persistent reports o

t water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawm

itchen sink at Priest Elementary-Middle School showed copper levels of 3,400 parts per billion nearly three tim
d the right group of experts to come up with a solution that we need for Michigan but that can be translated nat
a solution that we need for Michigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabin

hic, disproportionate incarceration of minorities. Far too many inmates have received long sentences as non-vi
teps to control corrosion if lead concentrations exceed 15 parts per billion in more than 10 percent of customer t
nt matter where you live, you should never be faced with the fear of not having access to clean drinking water. U

sman Dan Kildee, D-Michigan. February 19, 2016: EPA responds to February 3 letter; February 29, 2016: M
ed the following free items: a small bar of Mast Brotherss allegedly fraudulent chocolate;
ublished regularly, as some property owners are winning lawsuits and getting millions from the industry for wate
published regularly, as some property owners are winning lawsuits and getting millions from the industry for wa

eaching out to congressional leaders to push them for more financial resources. He says work continues on a p

municipal systems that test at other locations.Just this week, Detroit's school district reported elevated levels o
t the only Michigan leader who abandoned FLINT That wasnt new. There is a legacy FLINT residents are t
ort to begin taking action in 1975. In other words, lead is everywhere.The second Clinton lead-reduction plan A
Now we know that was a lie. From the emergency managers who ruled the city to Gov. Rick Snyder to the Mic
2Ms can incorporate other salient information as well, such as the material and age of pipes in a certain area a
st Elementary-Middle School showed copper levels of 3,400 parts per billion nearly three times the EPA limi

er fixtures that have parts made with lead exactly the case in the Detroit schools. In FLINT, officials failed to
ere was no real visibility," he said. "There were pockets of information, but the problem didnt really come into v

riest Elementary-Middle School showed copper levels of 3,400 parts per billion nearly three times the EPA l

rts per billion. Water from a kitchen sink at Priest Elementary-Middle School showed copper levels of 3,400 par

speaker of the house Paul Ryan to pass emergency aid for FLINT as the city continues to deal with it's wate

y office of the West Virginia Conservation Agency said the dam which begins near the McDonough Nature San

iously, you will be turning over a lot of these rules to the next administration. EPA General Counsel Avi Garb
aid suggests the toxins are not part of a broader problem. Meanwhile, water from a kitchen sink at Priest Elem

n in West http://bit.ly/1UYQdbT via @BCWaterNewsCatch up on the news! Elaine J. Hanford's Bulletin Boards:
ington Magnet Middle School, for example, a sink had lead levels of 67 parts per billion, above the 15 parts per
ington Magnet Middle School, for example, a sink had lead levels of 67 parts per billion, above the 15 parts per
ort to begin taking action in 1975. In other words, lead is everywhere.The second Clinton lead-reduction plan A

ipe, ditch or hose) to at least 15 service connections or regularly serves at least 25 individuals. For each conta
School, for example, a sink had lead levels of 67 parts per billion, above the 15 parts per billion threshold set b
and Copper Rule that governs drinking water. Among the most critical the fact the law does not require schoo
to cause alarm, Cunningham said, because it happens in the spring, before temperatures get too hot. Ozone n
ENCY. The levels varied. At Ludington Magnet Middle School, for example, a sink had lead levels of 67 parts p

r contamination has been thrust into the national consciousness. She traced this back to Virginia Techs actions

ad in one of the three fixtures tested, which Zdrodowski said suggests the toxins not part of a broader problem.

eral team to investigate just that part. New York Times published a whole article about the daily struggle of sho
w incorrectly describes Dr. Wakefield as being discredit when, in reality, he has already been exonerated and f
d and copper, and also establish a schedule for. sampling that considers several factors, including the age of th
alth organization. The proposal would also require utilities to test all schools, day care centers, nursing homes

developed rashes; their hair fell out. In August, high levels of E. coli were found in the water. In an effort to trea
, sent employees a MANDATORY READ email on Feb. 16 instructing them to scour their inboxes for any relev
rotect us.

eral team to investigate just that part. New York Times published a whole article about the daily struggle of sho

hat can be translated nationwide, said Mike Zimmer, Snyders Cabinet director and a panel member who helped
itter at @abby_welshLD.

at Krotz Springs refinery. According to EPA, the Tier 3 final rule allows small refiners and small refineries to

r the Moving Forward Network. We need to be the decision-makers about the ways these things are addresse
w listened. That wasn't new. There is a legacy FLINT residents are taught to bear early: Take what is thrown

r billion threshold set by the EPA. Each school, however, had elevated lead in one of the three fixtures tested

ater-systems-fail-lead-tests/81220466/ for a complete listing of state and county test results) Children under th
d. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawmakers ex
claimed some of the credit for Governor Snyders decision to ask President Obama to declare a state of emerg

in a Congressional hearing on the crisis in March. "Governor Snyder is making it seem like the response has b
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M

the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his proposal, some c
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
the FLINT Interagency Coordinating Committee Friday, where Snyder formally unveiled his proposal, some c
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
ing FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure M
bestos and lead paint and lead pipes were standard construction material. It is understandable there is a risk n
ger killed in a crash said their final goodbyes today.
by City Council members and advocacy groups to inject issues of housing and urban policy into the campaigns
osciences; 2) Enviro-Sciences -11 April 2016 http://bit.ly/1VNsLgE #EJHBB@ClimateReality: When @AlGore &
ing.
r billion threshold set by the EPA. Each school, however, had elevated lead in one of the three fixtures tested
corrosive water properly when the city, which was under state financial management, began drawing its drinkin

i-corrosion chemicals that were not used for 18 months after FLINT temporarily switched water sources to th
rotect us.
", made of of local residents, for oversight and input. (SOT)weaver 4714) "I was glad about what was presented

ining middle and high schools for safety violations. Testing for lead and copper levels in water has increased in
sity and a member of the FWICC Policy Subcommittee. With this initiative, the state of Michigan will become a
he state of emergency in FLINT for four months, enabling the city to tap more state funds and coordinate a r
ringing jugs of that water to meetings. Officials maintained that the water was safe to drink. Now we know that w
officials Rep. Nancy Pelosi and Navy Secretaries Ray Mabus and Hansford T. Johnson; 2) State and city mo
Y considers a drinking water system safe with respect to lead if 90% of tap samples taken at high-risk sites ar
higan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard
higan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard
higan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard
higan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard
would move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard.The
ld move by 2010 to a limit of 10 parts per billion in line with the World Health Organization's standard. The fed
n damage the human nervous system.On Wednesday, Michigan lawmakers extended the state of emergency i
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan lawmakers exte
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
ipes than Detroit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday
roit water did. Lead is a toxic agent that can damage the human nervous system. On Wednesday, Michigan la
ended the state of emergency in FLINT for four months, enabling the city to tap more state funds and coordin
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
rs extended the state of emergency in FLINT for four months, enabling the city to tap more state funds and c
chigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap more s
017, saying: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is under a m
akers extended the state of emergency in FLINT for four months, enabling the city to tap more state funds an
essary given that EPA has refused to close loopholes that we have known about for more than a decade, Ed
f rashes, itchiness and hair loss, despite assurances from government scientists that they have not found evide

akers extended the state of emergency in FLINT for four months, enabling the city to tap more state funds an

es the EPA limit of 1,300 parts per billion. "What we want parents to know is that we did this because we wa
ionwide," said Mike Zimmer, Snyder's cabinet director and a panel member who helped devise the proposed ch
et director and a panel member who helped devise the proposed changes with a workgroup that includes wate

olent, low-level offenders. Clinton blamed the states for hopping on the bandwagon once the FEDERAL GOV
aps sampled. Michigan would move by 2010 to a limit of 10 parts per billion in line with the World Health Organ
nfortunately, the FLINT crisis reminds us that we cannot take access to safe, clean drinking water for granted

DEQ responds to February 3 letter; and, March 22, 2016: Upton questions EPA Administrator Gina McCarth

r contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply studied water chemical
ter contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply studied water chemi

roposed 165 million dollar funding package for FLINT, which is part of the current budget discussion in Lansi

f lead and copper in nearly a third of its elementary schools testing that was. prompted by the crisis in Flint.A k
aught to bear early: Take what is thrown at you without complaint; just find a way to survive it. For as long as I c
s the above history suggests, the EPA has dealt with lead-hazard issues for many years, and the agency de
higan Department of Environmental Quality and the federal EPA, pretty much everyone messed up. Residen
nd their projected life expectancy in local. environments.
t of 1,300 parts per billion. What we want parents to know is that we did this because we want to provide the be

treat the corrosive water properly when the city, which was under state financial management, began drawing i
iew until much farther along the line." Data platforms such as IBMs and CH2Ms can incorporate other salient in

imit of 1,300 parts per billion. What we want parents to know is that we did this because we want to provide the

ts per billion nearly three times the EPA limit of 1,300 parts per billion. What we want parents to know is tha

r emergency. In a letter sent to Ryan yesterday, kildee said the FEDERAL GOVERNMENT has a moral resp

ctuary runs for 2.2 miles to help control flooding for Vienna and Parkersburg.

ow said the Clean Power Plan litigation, for example, will run through 2017. How do you feel about turning over
entary-Middle School showed copper levels of 3,400 parts per billion nearly three times the EPA limit of 1,30

1) Geosciences; 2) Enviro-Sciences -11 April 2016 http://bit.ly/1VNsLgE #EJHBB@ClimateReality: When @Al
billion threshold set by the EPA. Each school, however, had elevated lead in one of the three fixtures tested
billion threshold set by the EPA. Each school, however, had elevated lead in one of the three fixtures tested
s the above history suggests, the EPA has dealt with lead-hazard issues for many years, and the agency de

minant, the EPA first sets a maximum contaminant level goal (MCLG)These are non-enforceable public heal
y the EPA. Each school, however, had elevated lead in one of the three fixtures tested, which Zdrodowski sa
ls to test what comes out of their water fountains and faucets. But with schools, every tap has to pass. If you h
eeds the heat from the sun, so typically the worst air quality days are in the summer. This years air quality has
er billion, above the 15 parts per billion threshold set by the EPA. Each school, however, had elevated lead i

in FLINT. Because of FLINT, people have become very aware and been better understanding what it mea

Fixes could include replacing fixtures or flushing pipes daily.

wering in FLINT. We're a couple of months in where everybody admits it's a crisis. People are going to wate
ound completely innocent. From Dr. David Lewis, former EPA scientist, whistleblower and author of Science
e water system, whether the public water system is complying with corrosion control requirements, risk factors,
, and similar facilities. The plans are getting some pushback. The governor addressed those concerns with our

t the E. coli, too much chlorine was added to the water, creating high levels of trihalomethanes, which can incre
ant records. Although the MLCC Directors have determined that we do not have records that are responsive to

wering in FLINT. We're a couple of months in where everybody admits it's a crisis. People are going to wate

devise. the proposed changes with a group that includes water experts such as Virginia Tech Professor Marc E

postpone their compliance with the Tier 3 program for up to three years. Approved small refiners and small re

d in our communities, and I dont see that laid out in this [plan] Asked by Grist to comment on the criticism being
at you without complaint; just find a way to survive it. For as long as I can remember, each day in FLINT see

, which Zdrodowski said suggests the toxins not part of a broader problem. Fixes could include replacing fixture

e age of six are most at risk for developmental disorders. Adults are not as susceptible to developmental disord
tended the state of emergency in FLINT for four months, enabling the city to tap more state funds and coord
ency in FLINT and $96 million in federal aid. I issued a statement about what we needed to do, and then I we

een effective, and it's been extremely ineffective," she added, noting that she and other unpaid activists had be
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha

riticized it as not tough enough , the Detroit Free Press reports. Retired Brigadier Gen. Michael McDaniel, who i
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
riticized it as not tough enough , the Detroit Free Press reports. Retired Brigadier Gen. Michael McDaniel, who i
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ichigan should adopt standards higher than those that exist in many Third World Countries. He cited studies tha
ot only to these neighborhoods, but to these homes." Donnell White, executive director of the Detroit chapter o

, even pushing for the two Democratic candidates to visit a public housing development in the city. Public hous
@NeilTyson talk about future of climate solutions, the conversation gets real,fast http://bit.ly/1TPOSD8@matt_

, which Zdrodowski said suggests the toxins not part of a broader problem. Fixes could include replacing fixture
g water from the FLINT River in 2014 to save money. That let lead leach from old pipes into homes and busi

e local river in 2014 while under state financial management. Dangerously high levels of the metal were detecte

as far as strengthening rules and we even talked about making them more stringent than what was proposed. I

Michigan and around the US since the crisis in FLINT became a national story. There, officials failed to prop
national leader in reducing lead exposure from drinking water, which is unfortunately necessary given that EP
esponse with other authorities.Other recommendations by the FLINT panel on Friday included annual lead te
as a lie. From the emergency managers who ruled the city to Gov. Rick Snyder to the Michigan Department of
ver and shaker former Mayor Willie Brown channeled by his later mayoral incarnations, Gavin Newsom and Ed
e within the federal "action level" of 15 parts per billion on lead. FLINT Water Crisis Michigan would move to
. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his a
. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his a
. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his a
. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his a
federal lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his admin
eral lead standard is "dumb and dangerous," Snyder said. The governor, who has apologized for his administra
n FLINT for four months, enabling the city to tap more state funds and coordinate a response with other auth
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
nded the state of emergency in FLINT for four months, enabling the city to tap more state funds and coordina
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
, Michigan lawmakers extended the state of emergency in FLINT for four months, enabling the city to tap mo
wmakers extended the state of emergency in FLINT for four months, enabling the city to tap more state fund
ate a response with other authorities. Other recommendations by the FLINT panel on Friday included annua
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
oordinate a response with other authorities. Other recommendations by the FLINT panel on Friday included
tate funds and coordinate a response with other authorities. Other recommendations by the FLINT panel on
onthslong state of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes ar
d coordinate a response with other authorities. Other recommendations by the FLINT panel on Friday includ
wards said. Key highlights of the recommendations by the FWICC Policy Subcommittee include: Protect the p
nce that the citys lead-tainted water is unsafe for bathing. The complaints are so widespread and the anxiety is

d coordinate a response with other authorities. Other recommendations by the FLINT panel on Friday includ

nt to provide the best, safest learning conditions for our students and really safe working conditions for our staf
anges with a workgroup that includes water experts such as Virginia Tech professor. Marc Edwards. Zimmer c
r experts such as Virginia Tech professor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data tha

ERNMENT did what it did. She said, Im sorry for the consequences that were unintended and that [they] have
ization's standard. The federal lead standard is "dumb and dangerous," Snyder said. The governor, who has a
. Instead, this crisis shines the spotlight on our countrys insufficient water systems and the potential devastation

y on drinking water infrastructure issues during EPA budget hearing. Tom Wilbur/Lynn Turner (202 225 3761

s, not how these chemicals got there in the first place. Locals worry about confirmed fracking chemicals in Wo
cals, not how these chemicals got there in the first place. Locals worry about confirmed fracking chemicals in W

ng. Damon maloney- abc12 news. (Larry)breaking news in Saginaw where a shootout puts two people in the h

ey goal is to make Michigan's lead and copper rule "citizen-centric," Zimmer said, by implementing more stringe
an remember, each day in FLINT seemed to come with a new indignity to endure. As a child, I held my brea
veloped property owner guidelines for lead-exposure risk reduction that are simple but effective assuming that
ts pleaded for help. Few listened. That wasnt new. There is a legacy residents are taught to bear early: Take w

st, safest learning conditions for our students and really safe working conditions for our staff, Zdrodowski told T

ts drinking water from the FLINT River in 2014 to save money. That let lead leach from old pipes into homes
formation as well, such as the material and age of pipes in a certain area and their projected life expectancy in I

best, safest learning conditions for our students and really safe working conditions for our staff, Zdrodowski tol

t we did this because we want to provide the best, safest learning conditions for our students and really safe wo

onsibility to ensure that all Americans, including FLINT families, have access to safe drinking water and that C

some of these regulations to the next administrationeven if it's a Democratic one? Does that prospect make yo
0 parts per billion. What we want parents to know is that we did this because we want to provide the best, safe

Gore & @NeilTyson talk about future of climate solutions, the conversation gets real,fast http://bit.ly/1TPOSD8@
, which Zdrodowski said suggests the toxins not part of a broader problem. Fixes could include replacing fixture
, which Zdrodowski said suggests the toxins not part of a broader problem. Fixes could include replacing fixture
veloped property owner guidelines for lead-exposure risk reduction that are simple but effective assuming that

th goals that represent the acceptable level of a contaminant. At or below this goal level, there would be no kno
id suggests the toxins not part of a broader problem. Fixes could include replacing fixtures or flushing pipes dai
ave a faucet in one kindergarten classroom, you have a captive groups thats drinking from that same tap all ye
been affected because it has been unusually dry, Cunningham said. But still only one day has reached the thre
n one of the three fixtures tested, which Zdrodowski said suggests the toxins not part of a broader problem. Fix

ns to have lead in water, Pieper said. What we're doing is we're providing an opportunity for homeowners to pa

r research centers to get bottled water the use for everything. Go pick up the water yourself. Don't have a car, g
for Sale: I spent almost two years obtaining and analyzing the U.K. General Medical Councils (GMCs) confiden
including whether the infrastructure likely contains lead service lines, and other factors. Other Requirements W
affiliate in FLINT earlier today. There is not one community that represents how it might cost and how it mig

ase the risk of cancer. "When Curt went to FLINT, the water was brown," said Smith. "The EM said, It's safe.
this request, we are required do a search in our Outlook accounts for any and all emails that mention FLINT, W

r research centers to get bottled water the use for everything. Go pick up the water yourself. Don't have a car, g

dwards.Michigan is estimated to have 460,000 lead lines running from water mains to homes and buildings in o

fineries will have from Jan. 1, 2017 through Dec. 31, 2019 to continue production of gasoline with an average s

leveled at Clinton, her deputy national press secretary Jesse Ferguson responded that Clinton has been fightin
med to come with a new indignity to endure. As a child, I held my breath as our car crossed the Stewart Avenu

s or flushing pipes daily.

ers but exposure to lead has also been associated with cancer, stroke, heart disease, hypertension, mental ret
inate a response with other authorities. Other recommendations by the FLINT panel on Friday included annu
nt on a TV show, and I said it was outrageous that the governor hadnt acted, and within two hours he had, Clin

en helping by organizing local families, passing out Spanish-language literature to residents, and distributing w
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s

s running FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as P
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
s running FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state that bills itself as P
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
t suggest the tolerable lead limit should be 5 parts per billion.Weaver, speaking with reportrs after the meeting, s
f the NAACP, has reached the same conclusion. "Michigan has a much bigger problem than FLINT, White sa

ing is one glaring example, many say, of federal disinvestment from cities like New York. One of the things we
weiser in @WaterDeeply: Salmon, not smelt,often responsible for #cawater restrictions http://bit.ly/1PZaUMw (

s or flushing pipes daily.
nesses. About 8,000 FLINT- area children under age 6 have potentially been exposed to lead, and elevated l

d in the blood of some residents, including children, for whom it can cause lower IQs and behavioral problems.

think that needs to happen, but it was difficult to listen to the presentation because I kept thinking had these th

erly treat corrosive river water that flowed through the citys lead pipes, becoming contaminated as it moved tow
A has refused to close loopholes that we have known about for more than a decade, Edwards said. Key high
sting for. all schools, day care centers and other public facilities; disclosure of lead service-line status in all hom
Environmental Quality and the federal EPA, pretty much everyone messed up. Residents pleaded for help. F
Lee;
a limit of 10 parts per billion by 2020. The federal Lead and Copper Rule needs to be improved immediately," S
dministration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, say
dministration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, say
dministration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, say
dministration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, say
istration's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, saying: "
tion's failures in the FLINT disaster, noted that the EPA will not propose revisions until 2017, saying: "Let's
orities.Other recommendations by the FLINT panel on Friday included annual lead testing for. all schools, da
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
te a response with other authorities. Other recommendations by the FLINT panel on Friday included annual
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
re state funds and coordinate a response with other authorities. Other recommendations by the FLINT pane
s and coordinate a response with other authorities. Other recommendations by the FLINT panel on Friday in
l lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line status in
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
annual lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line st
Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure of lea
e effectively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily
ed annual lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line
ublic better by requiring annual lead and copper testing for all schools, day cares, adult foster care facilities, su
so high that DR. NICOLE LURIE, an assistant secretary at the United States Department of Health and Hum

ed annual lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line

f," Zdrodowski told The Associated Press. The rest of the district's 93 buildings, where middle and high schoole
ited a recent AP analysis of EPA data that found that nearly 1,400 water systems serving 3.6 million America
t found that nearly 1,400 water systems serving 3.6 million Americans exceeded the federal lead standard at le

had a very unfortunate impact on peoples lives. Sanders used the opportunity to call for removing harsh (or an
pologized for his administration's failures in the FLINT disaster, noted that the EPA will not propose revisio
that can result from not investing in our nations most important infrastructure. This central need for safe acces

/269-385-0039) Source: Congressman Fred Upton

lf Creek as it connects to the water supply. And last year, the state renewed Danny E. Webb Constructions per
olf Creek as it connects to the water supply. And last year, the state renewed Danny E. Webb Constructions pe

ospital and two others being questioned by police.

nt, broader notification requirements, requiring public education campaigns and forming state and local advisor
th as our car crossed the Stewart Avenue bridge to block the stench from the General Motors transmission fact
the general public has the resources. and information access required to put the guidelines to use. The basic p
hat is thrown at you without complaint; just find a way to survive it. For as long as I can remember, each day in

he Associated Press. The rest of the districts 93 buildings, where middle and high schoolers are taught, will be s

and businesses. About 8,000 FLINT- area children under age 6 have potentially been exposed to lead, and e
ocal. environments. The department anticipates 7 to 12 percent savings on its annual $4 million water bill. CH

d The Associated Press. The rest of the districts 93 buildings, where middle and high schoolers are taught, wil

rking conditions for our staff, Zdrodowski told The Associated Press. The rest of the districts 93 buildings, whe

ongress must act to resolve the crisis. His request comes a day after the us senate stripped an energy bill of m

u nervous at all? Gina McCarthy : No, I think we recognize that we're a part of a continuum, and I think people
st learning conditions for our students and really safe working conditions for our staff, Ms. Zdrodowski said. De

matt_weiser in @WaterDeeply: Salmon, not smelt,often responsible for #cawater restrictions http://bit.ly/1PZaU
s or flushing pipes daily.
s or flushing pipes daily.
the general public has the resources. and information access required to put the guidelines to use. The basic p

wn or expected risk to human health. The EPA then sets an enforceable standard for each contaminant thro
ly.
ar. In October, Michigans Department of Environmental Quality tested schools in the system and found three
shold that the EPA says is when most people need to start to seriously worry. And every city is allowed three
es could include replacing fixtures or flushing pipes daily.

rticipate in water quality testing and increase their awareness about what their water quality looks like so they c

ood luck. FLINT'S mayor started a project to start replacing all of FLINT'S lead pipes into people's home. T
tial documents behind allegations of research misconduct that Brian Deer and the British Medical Journal (BMJ
here Lead Levels Exceed the Threshold at an Individual Tap Where lab results show that the lead threshold fro
ht work, and the best thing you normally do is you go out and make a proposal and you have legislative periods

Sorry it's brown.' That was his response." Snyder declared an end to FLINT'S financial emergency in April 2
ater, Lead, Copper, Legionella, and LEGIONNAIRE (this includes emails from Gongwer and MIRS), Odell w

ood luck. FLINT'S mayor started a project to start replacing all of FLINT'S lead pipes into people's home. T

lder neighborhoods, third-most in the U.S. behind Illinois (730,000) and Ohio (650,000), according to.

ulfur level of 30 ppm (the Tier 2 gasoline sulfur standard) Compliance with the Tier 3 10-ppm sulfur standard w

g for environmental justice for decades. He cited the fact that she has worked with the EPA on air pollution a
e bridge to block the stench from the General Motors transmission factory below. My last Christmas home from

ardation and IQ (intellectual quotient) loss. Challenges in control US EPA has set a non-enforceable action l
al lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line status i
ton said. I want to be a president who takes care of the big problems, and the problems that are affecting the p

ater. As the Monitor's Jessica Mendoza reported in February, the water crisis became one of many issues troub
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa

ure Michigan should adopt standards higher than those that exist in many Third World Countries. He cited stud
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
ure Michigan should adopt standards higher than those that exist in many Third World Countries. He cited stud
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
aid she agrees with McDaniel."All I could think was if these things had been in place we wouldn't be in this situa
id. "You find these kind of triggers no matter if you are talking water quality, air quality, housing stock issues an

need desperately is an approach to making government work better, he said, chalking up much of the dysfunc
tnx @Sammy_Roth)@theNASciences: Join Discussion of Drinking Water Quality w/ @Virginia_Tech's Mark. E

evels have been found in more than 200 children and 100 adults. From Oct. 21 to March 25, about 20,000 peo

"We gathered the right group of experts to come up with a solution that we need for Michigan but that can be t

ings been put in place we wouldn't be sitting here. 4728)and one of the things that I just don't understand is we

ards homes and exposing children to a poisoned drinking supply. Lead is particularly dangerous for children an
lights of the recommendations by the FWICC Policy Subcommittee include: Protect the public better by requiri
e sales and rental contracts;
ew listened. That wasnt new. There is a legacy residents are taught to bear early: Take what is thrown at you

nyder said in a news release. "Its dumb and dangerous and in Michigan we arent going to wait for the FEDER
ing: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is under a monthslo
ing: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is under a monthslo
ing: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is under a monthslo
ing: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is under a monthslo
Let's set a higher standard faster."The impoverished city of nearly 100,000 residents is under a monthslong sta
set a higher standard faster." The impoverished city of nearly 100,000 residents is under a monthslong state o
y care centers and other public facilities; disclosure of lead service-line status in all home sales and rental cont
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
lead testing for all schools, day care centers and other public facilities; disclosure of lead service-line status in a
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
l on Friday included annual lead testing for all schools, day care centers and other public facilities; disclosure o
cluded annual lead testing for all schools, day care centers and other public facilities; disclosure of lead service
all home sales and rental contracts; creation of water advisory councils for public systems to give residents a s
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
atus in all home sales and rental contracts; creation of water advisory councils for public systems to give reside
d service-line status in all home sales and rental contracts; creation of water advisory councils for public system
switched water sources to the local river in 2014 while under state financial management. Dangerously high le
status in all home sales and rental contracts; creation of water advisory councils for public systems to give res
bstance abuse clinics, and public hearing facilities as well as initial testing at license grant or opening. Improve
an Services who is coordinating the federal recovery effort here, said she had asked the Centers for Disease C

status in all home sales and rental contracts; creation of water advisory councils for public systems to give res

rs are taught, will be screened over the next two weeks, and the schools already showing elevated levels will g
ns exceeded the federal lead standard at least once from January 2013 through September 2015. Just a fractio
ast once from January 2013 through September 2015. Just a fraction of schools and day care centers nationwi

y) sentences for marijuana offenses. student loans, and sustainable energy Clinton and Sanders felt similarly
ns until 2017, saying: "Let's set a higher standard faster." The impoverished city of nearly 100,000 residents is
s to drinking water is exactly why Representative Tonko, I, and several others introduced the Assistance, Quali

mit to continue disposing fracking waste in underground injection wells , also known as brine disposal wells. Th
rmit to continue disposing fracking waste in underground injection wells, also known as brine disposal wells. Th

y commissions to give the public a say in water protection.
ory below. My last Christmas home from college before graduation, tears forced me to the side of the road whe
remise is that a good proportion of lead exposure today comes as the result of materials used in buildings built b
FLINT seemed to come with a new indignity to endure. As a child, I held my breath as our car crossed the S

creened over the next two weeks, and the schools already showing elevated levels will get more intensive testi

levated levels have been found in more than 200 children and 100 adults. From Oct. 21 to March 25, about 20,
2M also provides water utilities with a systems management platform that helps operators be proactive in solvin

l be screened over the next two weeks, and the schools already showing elevated levels will get more intensive

re middle and high schoolers are taught, will be screened over the next two weeks, and the schools already sh

ore than 200-million dollars to aid in the water crisis. Jamie the FEDERAL GOVERNMENT has just devoted

are, right now, as invested as they've ever been in making sure that their public health is protectedand looking
troit began collecting water samples at 62 elementary and elementary-middle schools the week of March 28. R

Mw (tnx @Sammy_Roth)@theNASciences: Join Discussion of Drinking Water Quality w/ @Virginia_Tech's Ma

remise is that a good proportion of lead exposure today comes as the result of materials used in buildings built b

ugh either a numeric maximum contaminant level (MCL) or a treatment technique. An MCL is the highest level o

with elevated lead levels. Three months later, two state senators introduced legislation calling for mandatory w
bad days per year, before it starts to count against the citys official air quality measures. Even April 4 would n

an be empowered to make changes. The FLINT Water Study was born in June 2015 when FLINT residen

hat did get off the ground thanks to the mayor's determination. It's this little program that they are averaging on
) published against Dr. Andrew Wakefield. In the process, I discovered a document showing that the analysis o
m an individual tap exceeds applicable threshold levels, H.B. 512 requires nontransient noncommunity water sy
to hear from constituents and concerned groups and you were to make a great product. Marlee: the new prop

015. In the place of the financial emergency, an environmental and public health emergency was brewing. LE
rote. clivengoo@detroitnews.com (517) 371-3661 Twitter: @ChadLivengood Read or Share this story: http://

hat did get off the ground thanks to the mayor's determination. It's this little program that they are averaging on

ill begin on Jan. 1, 2020. Since small refiners and small refineries will still be subject to the 30-ppm sulfur stand

nd child asthma; was the first senator to ever hold an environmental justice hearing; and was the first president
college before graduation, tears forced me to the side of the road when I saw empty lots where factories - only

evel of 15 ppb of lead in water that has sat stagnant in pipes for at least six hours. This is known as the Lead C
n all home sales and rental contracts; creation of water advisory councils for public systems to give residents a
eople of our country everyday. On Monday, Clinton reiterated her support for FLINT, a predominantly black t

ling the once-booming industrial city, including poverty, violence and local mismanagement: But the disaster, an
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a

ies that suggest the tolerable lead limit should be 5 parts per billion. Weaver, speaking with reportrs after the m
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
ies that suggest the tolerable lead limit should be 5 parts per billion. Weaver, speaking with reportrs after the m
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
tion," Weaver said. Snyders office says the proposals would:Protect the public better by requiring annual lead a
d lead paint these demarcate along communities of color and communities of high poverty. You see it in Detro

tion in federal investment to logistics and bureaucracy. Euchner also agreed that infrastructure is probably the n
dwards, 19 Apr, 0910 - 1025 EDT http://bit.ly/1VScDKRNext @AWRAHQ Webinar, 21 Apr, 2 PM EDT: 'Proacti

ple of all ages were tested, state officials say. In Detroit, an environmental consulting firm will revisit the 19 buil

ranslated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel member who helped devise the

could be setting precedent not only for the state but for the country, and this is not being declared a disaster- t

d infants, as the neurotoxin can cause irreversible brain damage, learning disabilities, behavioral problems, and
ng annual lead and copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics

without complaint; just find a way to survive it. For as long as I can remember, each day in FLINT seemed to

AL GOVERNMENT to fix it anymore, Snyder said. We need to move forward with these reforms so we can be
ng state of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effect
ng state of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effect
ng state of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effect
ng state of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effect
te of emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effectively r
f emergency. Residents are urged to use faucet filters or bottled water until damaged pipes are effectively reco
racts;
s to give residents a stronger voice;
ll home sales and rental contracts; creation of water advisory councils for public systems to give residents a str
s to give residents a stronger voice;
f lead service-line status in all home sales and rental contracts; creation of water advisory councils for public sy
-line status in all home sales and rental contracts; creation of water advisory councils for public systems to give
tronger voice;
s to give residents a stronger voice;
s to give residents a stronger voice;
s to give residents a stronger voice;
nts a stronger voice;
s to give residents a stronger voice;
vels of the metal were detected in the blood of some residents, including children, for whom it can cause lower l
idents a stronger voice;
protection of residents by continuously assessing and making recommendations regarding science, testing, m
ontrol and Prevention and the ENVIRONMENTAL PROTECTION AGENCY. to work with the state on investi

idents a stronger voice;

et more intensive testing by an environmental consulting firm, she said. Schools and child care centers across
n of schools and day care centers nationwide are required to check for lead because most receive their water f
de are required to check for lead because most receive their water from municipal systems that test at other loc

, but couldnt agree whose program is more economically sound. However, the candidates engaged in many ho
under a monthslong state of emergency. Residents are urged to use faucet filters or bottled water until damag
ty, and Affordability Act a little over a month ago.

e has jurisdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pit at Danny E.
e has jurisdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pit at Danny E. W

n I saw empty lots where factories only then finally demolished once stood. On campus at Hampton Universit
efore 1979, meaning that the property owner is responsible for addressing the problem.
tewart Avenue bridge to block the stench from the General Motors transmission factory below. My last Christma

ng by an environmental consulting firm, she said. Schools and child care centers across the country are testing

000 people of all ages were tested, state officials say. In Detroit, an environmental consulting firm will revisit the
g problems, rather than reactive, said Thompson. In 2013, with U.S. ENVIRONMENTAL PROTECTION AGEN

testing by an environmental consulting firm, she said. Schools and child care centers across the country are te

owing elevated levels will get more intensive testing by an environmental consulting firm, she said. Schools an

more than 1-million dollars toward the water emergency. The money will fund more americcorps members in F

to EPA as part of that protection process. That's why I'm at ECOS: to reinforce the fact that local governmen
esults from the remaining 20 or so buildings, which include middle and high schools, are expected one to two w

rk. Edwards, 19 Apr, 0910 - 1025 EDT http://bit.ly/1VScDKRNext @AWRAHQ Webinar, 21 Apr, 2 PM EDT: 'Pr

efore 1979, meaning that the property owner is responsible for addressing the problem. Just a few weeks late

f a contaminant that is permitted in drinking water. A treatment technique is developed when it is not economica

ater testing in state schools. To date, no action has been taken on the measure. State Rep. Leslie Love, D-De
ot have exceeded standards 10 years ago, because the EPA keeps tightening its health standards as it gath

t LeeAnn Walters son was diagnosed with lead poisoning. Weiss can't think of a worse way to find out we have

e house a day. They've got thousands to go. The state legislature is in no rush to help. Maybe a few months f
f patient records that Deer published in 2010 perfectly matches an analysis requested by the governments lawy
stems to immediately remove from service all fixtures identified as contributing to elevated lead levels. The legi
osals come as snyder's office releases more state employee e-mails related to the water crisis.

GIONNAIRE'S Disease was about to fell 89 residents of Genesee County, 10 of whom died. But nobody told t
detne.ws/1SgapT5

e house a day. They've got thousands to go. The state legislature is in no rush to help. Maybe a few months f

ard when the Tier 3 program begins on Jan. 1, 2017, EPA is finalizing that small refiners may continue to ge

ial candidate to call attention to the crisis in FLINT. But simply bringing up what people of color already know
then finally demolished - once stood. On campus at Hampton University, I brushed off jokes about how I "esca

ontrol Rule (LCR) and requires water utilities to monitor for lead at consumer taps in homes. If >10 percent of th
stronger voice;
own where nearly 42 percent of citizens are living in poverty. Its a civil rights issue, Clinton said, during a Martin

d the resulting loss of public trust, could also have a huge socioeconomic impact one that other cities ought to l
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear

eeting, said she agrees with McDaniel.
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
eeting, said she agrees with McDaniel. Get Patchs daily newsletter and real-time news alerts. LANSING, MI A
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
nd copper testing for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hear
it and Hamtramck, where the lead levels in kids are just as high as in FLINT, if not higher. "It is a huge area f

umber one priority in the country and the candidates have to rethink their approach to it. He said the needs to
ve Flood & Drought Mgmt, V. II: Case Studies from the US' http://www.awra.org/webinars/Via @WillSarni RT @

dings through April 25 and collect additional water samples on outlets that have not been screened. The distric

proposed changes with a group that includes water experts such as Virginia Tech professor. Marc Edwards. Z

his is a disaster here in FLINT. For a look at all of the recommendations go to abc12-dot-com. Any changes

more. Older children and adults that are exposed can also feel consequences, including hair loss, stomach an
, and public hearing facilities as well as initial testing at license grant or opening. Improve protection of resident

come with a new indignity to endure. As a child, I held my breath as our car crossed the Stewart Avenue bridg

tter protect the health and safety of all Michiganders. These new standards could be used as a model for other
ively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switch
ively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switch
ively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switch
ively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switch
ecoated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switched wa
ated with anti-corrosion chemicals that were not used for 18 months after FLINT temporarily switched water s

onger voice;

stems to give residents a stronger voice;
residents a stronger voice;

Qs and behavioral problems. "We gathered the right group of experts to come up with a solution that we need f

onitoring protocols, water treatments, and corrosion control through a new Advisory Commission on Drinking W
gating whether the water quality was contributing to skin problems. The city began using the FLINT River as

the country are testing classroom sinks and cafeteria faucets in the wake of the FLINT crisis, trying to uncov
rom municipal systems that test at other locations. Just this week, Detroit's school district reported elevated lev
ations. Just this week, Detroit's school district reported elevated levels of lead and copper in nearly a third of its

nest-to-god disagreements. Sanders froze up during a gun control discussion, but Clinton faltered on several s
ed pipes are effectively recoated with anti-corrosion chemicals that were not used for 18 months after FLINT t

Webb Construction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county is now like
ebb Construction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county is now likely to i

y, I brushed off jokes about how I escaped my home town, with its reputation as one of the most dangerous citi

s home from Hampton Universitybefore graduation, tears forced me to the side of the road when I saw empty lo

classroom sinks and cafeteria faucets in the wake of the FLINT crisis, trying to uncover problems and reass

19 buildings through April 25 and collect additional water samples on outlets that have not been screened. The
CY funding, CH2M installed surveillance and response systems in Philadelphia, New York, Dallas and San Fr

sting classroom sinks and cafeteria faucets in the wake of the FLINT crisis, trying to uncover problems and r

d child-care centers across the country are testing classroom sinks and cafeteria faucets in the wake of the FL

LINT. The extra help will arrive in May and will be devoted to water distribution and blight elimination. 40 amer

t, state government and FEDERAL GOVERNMENT need to work together to make sure that we're protecting
eeks after testing is finished this month, the district said. Schools and child care centers across the country are

oactive Flood & Drought Mgmt, V. II: Case Studies from the US' http://www.awra.org/webinars/Via @WillSarni R

r, Clinton outlined a more detailed plan that falls far short of total elimination. However, the new plan has a muc

lly or technologically feasible to set a numeric standard. A treatment technique requires adherence to a process

troit, said she was disheartened to learn of the DPS test results. Given the crisis in FLINT, as well as other i
ers more evidence about the potential impact, Cunningham said. The science does not yet tell us how many p

a problem than discovering lead in a childs blood. Thankfully, the situation hasnt escalated quite that far in Or

rom now they'll think about the funding. In Washington, d. Utah Senator, Mike Lee, just single handedly killed a
ers in the GMC proceedings four years earlier. The analysis, which Deer published in the BMJ, was the result o
slation would require community water systems to explain the associated health risks, what actions consumers

he people of FLINT. In June, Guyette broke the story that the residents of FLINT were being lead poisone

rom now they'll think about the funding. In Washington, d. Utah Senator, Mike Lee, just single handedly killed a

nerate credits relative to 30 ppm through Dec. 31, 2019- however, these credits may only be traded to and use

isnt necessarily fighting for justice. The inability to really acknowledge the people who are most affected by en
ped" my home town, with its reputation as one of the most dangerous cities in America. As an adult, I seethed a

e samples collected from a water utility serving <50,000 residents exceeds the action level, the utility must iden

Luther King Day rally in Columbia, South Carolina. We would be outraged if this happened to white kids, and w

earn. from, says Glen Daigger, a professor of engineering practice at the University of Michigan in Ann Arbor. T
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously

ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
s his administration continues to deal with fallout from the River in 2014 while under the control of a state-app
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
ing facilities as well as initial testing at license grant or opening.Improve protection of residents by continuously
or us to do a lot of work in." Indeed, analysis of EPA and census data by Bridge Magazine found that minorit

leverage its power and funding to nudge local jurisdictions towards the right path, whether it involves issues of
wef: How #water shortages threaten jobs and growth http://flip.it/-DcLu@AGU_Eos Buzz Newsletter - 15 April 2

t is working on detailed mitigation plans for the schools and will share those with the Detroit Health Department

immer cited a recent AP analysis of EPA data that found that nearly 1,400 water systems serving 3.6 million A

would require legislature approval, and right now there's no hard timelines on when discussions will begin. To

d abdominal pain, headaches, and even miscarriage. In Detroit, the water provided by the municipal system co
s by continuously assessing and making recommendations regarding science, testing, monitoring protocols, wa

e to block the stench from the General Motors transmission factory below. My last Christmas home from Hamp

states to follow and to prevent additional water crises. "How much harm will happen in that time frame?" he a
ed water sources to the local river in 2014 while under state financial management. Dangerously high levels of
ed water sources to the local river in 2014 while under state financial management. Dangerously high levels of
ed water sources to the local river in 2014 while under state financial management. Dangerously high levels of
ed water sources to the local river in 2014 while under state financial management. Dangerously high levels of
ter sources to the local river in 2014 while under state financial management.Dangerously high levels of the me
ources to the local river in 2014 while under state financial management. Dangerously high levels of the metal

or Michigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel m

ater Quality.
its water supply in April 2014 to save money, but it failed to add chemicals to prevent pipe corrosion, causing l

er problems and reassure parents. But few are as financially pressed as Detroit Schools, which is paying for ha
els of lead and copper in nearly a third of its elementary schools testing that was prompted by the crisis in FL
elementary schools testing that was prompted by the crisis in FLINT. A key goal is to make Michigan's lead

ubjects. Sanders wasnt satisfied with this apology, for kind words dont negate a bill that has caused catastrop
emporarily switched water sources to the local river in 2014 while under state financial management. Dangero

ly to intensify with two companies facing officials who, in the coming months, will defend in federal court an ord
ntensify with two companies facing officials who, in the coming months, will defend in federal court an ordinanc

es in America. As an adult, I seethed as financial woes in Detroit were decried as a national tragedy; no one ca

ts where factories once stood. On campus, I brushed off jokes about how I escaped my hometown, with its rep

ure parents. But few are as financially pressed as Detroit Schools, which is paying for half of the $50,000 testin

district is working on detailed mitigation plans for the schools and will share those with the Detroit Health Depa
ancisco. Although the systems were conceived to protect drinking water from foul play, the cities are using them

eassure parents. But few are as financially pressed as Detroit Schools, which is paying for half of the $50,000 t

INT crisis, trying to uncover problems and reassure parents. But few are as financially pressed as Detroit Sch

icorps summer associates will also help at the boys & girls club of greater FLINT, crim fitness foundation, foo

public health in the best we can and in a way that allows the economy to grow. Every rule that we've done is r
testing sinks and faucets in the wake of the FLINT crisis, trying to uncover problems and reassure parents. B

T @wef: How #water shortages threaten jobs and growth http://flip.it/-DcLuBy @EnvPolicyCenter Water Data C

h better chance of achieving what should be the ultimate goal: protecting people from the toxic effects of lead e

rather than a number. The EPAs MCLG for lead is zero, as there is no safe exposure level for humans to lead

nfrastructure issues we have faced across the state in the last year, it is becoming clearer with each passing da
eople or what kind of person will get sick, she said, if the air quality is bad for one hour or eight hours. Healthy p

leans. According to Weiss, most of the residents dont drink the water from their tap, instead opting for local spr

bipartisan aide package for FLINT. Killed that on if FLINT gets an aid package then everyone will want on
f a deliberate plan by individuals working for the British government to conflate a blinded expert analysis of biop
can take to reduce health risks and acts the community system is taking reduce public exposure. Higher Adm

d by their municipal water system in a blog. The glue of the story If the ACLU of Michigan did not get a grant fr

bipartisan aide package for FLINT. Killed that on if FLINT gets an aid package then everyone will want on

d by other small refiners or small refineries through Dec. 31, 2019. Also, from Jan. 1, 2017 through Dec. 1, 201

vironmental racism and climate change was evident this past weekend when Clinton made a campaign stop at l
s financial woes in Detroit were decried as a national tragedy; no one cared that this had been the reality in FL

tify and install optimal corrosion control treatment. Utilities serving 50,000 residents are required to have optima

e should be outraged that its happening right now to black kids. Gov. Snyder, for his part, has criticized Clinton

he unstable situation in FLINT could easily lead real estate prices to drop and new businesses to balk at esta
assessing and making recommendations. Get Patchs daily newsletter and real-time news alerts. LANSING, M
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations. Get Patchs daily newsletter and real-time news alerts. LANSING, M
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.

assessing and making recommendations.
assessing and making recommendations.
ointed emergency manager. More from Across Patch 9 Killer Deals On Warm-Weather Essentials: Patch Deal H
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations. Get Patchs daily newsletter and real-time news alerts. LANSING, M
assessing and making recommendations.
assessing and making recommendations.
assessing and making recommendations.
ies are more likely to live in areas with the oldest homes homes that are more likely to contain lead-based pain

poverty, transportation, education, or counter-terror. Part of the lopsided federal investment into New York see
016: The Latest Earth and. Space Science news http://bit.ly/23Bw4O5By @EnvPolicyCenter Water Data Cann

to make sure all proper actions are taken, Zdrodowski added. Screenings at middle schools and high schools a

mericans exceeded the federal lead standard at least once from January 2013 through September 2015. Just a

night at 5, mayor weaver talks candidly about the ongoing crisis and her concerns. Damon maloney- abc12 ne

mplies with all EPA regulations, however it still became contaminated at some schools. Officials believe that
ter treatments, and corrosion control through a new Advisory Commission on Drinking Water Quality.

ton Universitybefore graduation, tears forced me to the side of the road when I saw empty lots where factories o

sked. "That's unacceptable." But the 10 parts per billionproposal from a subcommittee, which is in line with Wo
the metal were detected in the blood of some residents, including children, for whom it can cause lower IQs an
the metal were detected in the blood of some residents, including children, for whom it can cause lower IQs an
the metal were detected in the blood of some residents, including children, for whom it can cause lower IQs an
the metal were detected in the blood of some residents, including children, for whom it can cause lower IQs an
tal were detected in. the blood of some residents, including children, for whom it can cause lower IQs and beha
were detected in the blood of some residents, including children, for whom it can cause lower IQs and behavio

ember who helped devise the proposed changes with a group that includes water experts such as Virginia Tech

ead to leach into the water system. The investigation is focused only on rashes that have developed or worsen

lf of the $50,000 testing cost from its district budget and using a city grant for the rest. Michigan lawmakers rec
INT. A key goal is to make Michigan's lead and copper rule "citizen-centric," Zimmer said, by implementing mo
and copper rule "citizen-centric," Zimmer said, by implementing more stringent, broader notification requireme

hic, disproportionate incarceration of minorities. Far too many inmates have received long sentences as non-vi
usly high levels of the metal were detected in the blood of some residents, including children, for whom it can c

inance approved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted waters Cla
e approved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted waters Claims of l

red that this had been the reality in FLINT for a decade. No one expected much out of people from FLINT, u

utation as one of the most dangerous cities in America. As an adult, I seethed as financial woes in Detroit were

g cost from its district budget and using a city grant for the rest. Michigan lawmakers recently approved $48.7 m

rtment to make sure all proper actions are taken, Zdrodowski added. Screenings at middle schools and high sc
for quotidian water quality management, said Thompson. CH2M has completed about a dozen large water sys

esting cost from its district budget and using a city grant for the rest. Michigan lawmakers recently approved $4

ools, which is paying for half of the $50,000 testing cost from its district budget and using a city grant for the res

d bank of eastern Michigan and catholic charities. Jamie and take a look at this. Singer and academy award w

eally solidly based in the science and in the law. And we have a terrific track record of winning these court battl
ut few are as financially pressed as Detroit Schools, which is paying for half of the $50,000 testing cost from its

annot Fix Broken Behavior http://bit.ly/1N28ylG. tnx @JayLund113) Bottled Water, Drinking Water/TapWater, a

xposure. The first Clinton lead-risk reduction plan Tech Insider s Julia Calderone gave a goodrundown of the o

. Rather than setting a numeric MCL for lead, the EPA set a treatment technique that requires PWSs to cont

y that we cannot afford to run Michigan like a business. Too often, the model has been to not address somethin
eople can have symptoms, and people with asthma may not.

ing water suppliers. However, both cities are similar in that their governments did little to address the problem.

e. Governor snyder keeps putting out big plans that don't solve the problem at hand and the way people are liv
sy slides with routine pathology reports to make it appear that Wakefield had misinterpreted the records to link t
inistrative Penalties for Violations of Public Notice Requirements The legislation would require Ohio EPA to a

om the Ford Foundation to hire Guyette, and if there had been budget cuts at Michigan Radio, would the story o

e. Governor snyder keeps putting out big plans that don't solve the problem at hand and the way people are liv

9, small refiners may split their credit generation between both the 10-ppm and 30-ppm standards, as long as t

ndustry City, a contentious symbol of gentrification in Brooklyn, N.Y.s Sunset Park neighborhood. Clintons pla
INT for a decade. No one expected much out of people from FLINT, unless it was on a basketball court or a

l corrosion control treatment regardless of the level of lead in drinking water. Any size water utility exceeding th

for politicizing the crisis. Politicizing the issue doesnt help matters, he told The Detroit News. And yet, on today

blishing a presence in the city potentially making it even harder for FLINT to recover financially, he says "Qu
l As his administration continues to deal with fallout from the FLINT water crisis and resulting public health c

l As his administration continues to deal with fallout from the FLINT water crisis and resulting public health c

oundTiger Kills Palm Beach Zookeeper; Guests Shelter In Gift ShopFedEx Worker Falls Asleep In Plane's Bag

l As his administration continues to deal with fallout from the FLINT water crisis and resulting public health c

t, which was not banned. until 1978 and even more likely live in areas of highest pollution. Low-income residen

ms to stem from its relative success in comparison with other cities after the Great Recession. The disparity am
ot Fix Broken Behavior http://bit.ly/1N28ylG (tnx @JayLund113)The @PNWclimate CIRCulator - April 2016 : ht

re expected to start over the next two weeks. Only about 1 of every 10 schools in the country is required to con

fraction of schools and day care centers nationwide are required to check for lead because most receive their w

ws. (Terry)coming up on abc12 news at 5 -hear how the water emergency has taken a toll on FLINT commu

old lead pipes and other water fixtures made of lead are to blame, the Associated Press reported. The issue is

nce stood. On campus, I brushed off jokes about how I escaped my hometown, with its reputation as one of th

rld Health Organization requirements,may not go far enough to satisfy Michigan residents, particularly those in F
d behavioural problems. "We gathered the right group of experts to come up with a solution that we need for M
d behavioural problems. "We gathered the right group of experts to come up with a solution that we need for M
d behavioural problems. "We gathered the right group of experts to come up with a solution that we need for M
d behavioural problems. "We gathered the right group of experts to come up with a solution that we need for M
vioural problems."We gathered the right group of experts to come up with a solution that we need for Michigan b
ural problems. "We gathered the right group of experts to come up with a solution that we need for Michigan bu

professor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 wate

ed since FLINT switched back to using Detroit water in October, because scientists can only test the water th

ently approved $48.7 million in emergency funding just to keep Detroit schools open this academic year. The a
re stringent, broader notification requirements, requiring public education campaigns and forming state and loc
nts, requiring public education campaigns and forming state and local advisory commissions to give the public a

olent, low-level offenders. Clinton blamed the states for hopping on the bandwagon once the FEDERAL GOV
ause lower IQs and behavioral problems. "We gathered the right group of experts to come up with a solution th

ims of leaching even got a boost this past week after a peer-reviewed study conducted by the United States Ge
eaching even got a boost this past week after a peer-reviewed study conducted by the United States Geologica

nless it was on a basketball court or a football field. The world, it seemed, would always try to mock or disregar

decried as a national tragedy; no one cared that this had been the reality in FLINT for a decade. No one ex

illion in emergency funding just to keep Detroit schools open this academic year. The first thing I told my kids w

hools are expected to start over the next two weeks. Only about 1 of every 10 schools in the country is required
tems in the U.S. and thousands of systems of various sizes worldwide, he said. The true strength of data platfo

8.7 million in emergency funding just to keep Detroit schools open this academic year. The first thing I told my

t. Michigan lawmakers recently approved $48.7 million in emergency funding just to keep Detroit schools open

inning actress Cher is once again talking about FLINT and the water crisis.

es. And we're trying to make sure we position it so that rules like the Clean Power Plan will be positioned to be district budget and using a city grant for the rest. Michigan lawmakers recently approved $48.7 million in emer

nd FLINT Water Crisis @USGAO Report on Drinking Water, @EPA, & Underground Source Water Protec

riginal Clinton lead-hazard plan , as she expressed it during the March 6 Democratic presidential debate in Mi

rol the corrosiveness of the water. To implement the treatment technique, the EPA set an action level for lea

g until it causes a problem, but by then it is often too late, Love said. State Rep.

The crisis in FLINT led to the resignation of Emergency Manager Jerry Ambrose and spurred calls for the re

ing, today he proposed tighter rules on how much lead with be in water. He says it can be a model for other sta
he MMR vaccine to autism.
dopt rules to establish higher administrative penalties for the violations of public notice requirements described a

f FLINT have broken nationally? Continued."It would have taken longer," said Guyette. "We had covered bits

ing, today he proposed tighter rules on how much lead with be in water. He says it can be a model for other sta

here is no double-counting of credits. For example, during this time, a small refiner with an average gasoline s

n which is the most detailed statement on environmental justice issued by a candidate in the current race inclu
 football field. The world, it seemed, would always try to mock or disregard us. We always had to prove ourselv

e lead action level and covered by LCR is required to educate the public about lead in drinking water until wate

s call, Mayor Weaver said that getting FLINT on the national stage the way Clinton did on Sunday night has h

ite frankly, confidence has to be restored. and restoring confidence has to be founded in fact, so that this comm
atastrophe, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in d

atastrophe, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in d

gage Compartment, Wakes Up In Lubbock, TexasVerizon Strike: Why Unions Are Reluctant To Walk Off Job T

atastrophe, Gov. Rick Snyder has asked Michigan lawmakers to approve a set of guidelines for lead levels in d

ts are also more likely to live in areas of high pollution. A task force appointed by Gov. Rick Snyder issued a ste

ong cities makes it tougher to have an urban policy today than 30 years ago, Gelinas said, pointing to cities suc
tp://eepurl.com/bX-qCzDangerous lead levels detailed at some Detroit public schools http://detne.ws/1Sda4Aq v

duct lead testing, the AP review found. Those receiving their water from city-owned systems an estimated 90,0

ater from municipal systems that test at other locations. Just this week, Detroit's school district reported elevate

nity schools. Jessica dupnack sat down with the district's superintendent to see how he plans to cater to stude

complicated by the fact that federal law does not require school systems to test their water if they are getting it

e most dangerous cities in America. As an adult, I seethed as financial woes in Detroit were decried as a nation

LINT. Retired Brigadier Gen. Michael McDaniel said "pure Michigan" should do better than a standard that ap
ichigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel membe
ichigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel membe
ichigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel membe
ichigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel membe
ut that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel member who. h
t that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director and a panel member who hel

r systems serving 3.6 million Americans exceeded the federal lead standard at least once from January 2013 th

ats there now, said Dr. Jevon McFadden, a medical epidemiologist for the C.D.C. While the level of contaminat

utoworkers' union soon delivered pallets of bottled water. "The first thing I told my kids was, 'No more drinking f
al advisory commissions to give the public a say in water protection. Water systems would have two days inste
say in water protection. Water systems would have two days instead of the current 30 to tell individual custome

ERNMENT did what it did. She said, Im sorry for the consequences that were unintended and that [they] have
at we need for Michigan but that can be translated nationwide," said Mike Zimmer, Snyder's cabinet director an

ological Survey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wolf Creek a
l Survey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wolf Creek at levels

d us. We always had to prove ourselves worthy even, apparently, of basic services Americans take for granted

pected much out of people from FLINT, unless it was on a basketball court or a football field. The world, it se

as, No more drinking from the fountains in the school, said Hardwick, 32. They pretty much understood it. The F

to conduct lead testing, the AP review found. Those receiving their water from city-owned systems an estimat
rms is bringing together in one location various streams of information water flow rates, infrastructure condition

kids was, No more drinking from the fountains in the school,' said Hardwick, 32. They pretty much understood i

this academic year. The first thing I told my kids was, no more drinking from the fountains in the school, said H

successful in court moving forward. There are always going to be new things. I think the issues I just identified
gency funding just to keep Detroit schools open this academic year. Michigan Gov. Rick Snyder also is pushin

tion http://bit.ly/1WqnE6H@theNASciences: Join Discussion of Drinking Water Quality w/ @Virginia_Tech's Ma

chigan: I want us to have an absolute commitment to getting rid of lead wherever it is. because its not only in

d of 0.015 mg/L. The action level is the concentration of lead in water that determines the treatment requiremen

signation of Gov. Rick Snyder (R-MI) We have a government that has not been responsive to its citizens becau

tes follow and can prevent other water crisis. Water in FLINT is testing twice HazMat levels. This has nothing

bove. These penalties range from US$25 per day for each day the system failed to provide notice (for the smal

and pieces of the story," said Smith. "But there was nothing gluing it together." That changed when Guyette wr

tes follow and can prevent other water crisis. Water in FLINT is testing twice HazMat levels. This has nothing

ulfur level of 8 ppm could generate 20 credits relative to the Tier 2 sulfur standard (30 ppm minus 10 ppm) plus

des eight major points to combat environmental racism. Top on the agenda is eliminating lead. A lofty goal, but
es worthy - even, apparently, of basic services Americans take for granted, like clean water. As events unfolde

r levels are below the action level. Most US drinking water systems are in compliance with LCR. During a 2000

elped capture public attention. People just started calling and texting and saying how thankful they were to her f

unity can pick up and start moving forward from a social and economic perspective," he adds. While residents f
rinking water that would be the toughest in the country. The guidelines proposed for lead and copper levels in d

rinking water that would be the toughest in the country. The guidelines proposed for lead and copper levels in d

est results showing dangerously high lead levels in 15 Detroit schools including one in which a drinking fountai

rinking water that would be the toughest in the country. The guidelines proposed for lead and copper levels in d

rn report in March on the FLINT water crisis, calling it a story of "government failure, intransigence, unprepar

h as Detroit, Chicago, or FLINT, Michigan that are still struggling to recover from the recession. New York la
ia @detroitnews Bottled Water, Drinking Water/TapWater, and FLINT Water Crisis @USGAO Report on Drin

00, according to the EPA are not required to do so by the FEDERAL GOVERNMENT. The inconsistent te

d levels of lead and copper in nearly a third of its elementary schools due to testing that was prompted by the c

nts affected by the FLINT water emergency. Dawn) FLINT mayor Karen weaver has a superstar in her cor

from the municipal system. Detroits system, like those across the US, tests water at various locations but not n

al tragedy; no one cared that this had been the reality in FLINT for a decade. No one expected much out of p

plies to many Third Worldcountries. He proposed a standard of five parts per billion at Friday's meeting. Weav
r who helped devise the proposed changes with a group that includes water experts such as Virginia Tech prof
r who helped devise the proposed changes with a group that includes water experts such as Virginia Tech prof
r who helped devise the proposed changes with a group that includes water experts such as Virginia Tech prof
r who helped devise the proposed changes with a group that includes water experts such as Virginia Tech prof
elped devise the proposed changes with a group that includes water experts such as Virginia Tech professor M
ped devise the proposed changes with a group that includes water experts such as Virginia Tech professor. Ma

rough September 2015. Just a fraction of schools and day care centers nationwide are required to check for lea

ion in Flints water. is declining, the lead levels remain dangerous. But federal and state officials have repeatedl

rom the fountains in the school,'" said Hardwick, 32. "They pretty much understood it." The FEDERAL GOV
ad of the current 30 to tell individual customers that their lead levels exceed the action level. Households with p
rs that their lead levels exceed the action level. Households with particularly high levels 40 parts per billion or a

had a very unfortunate impact on peoples lives. Sanders used the opportunity to call for removing harsh (or an
d a panel member who helped devise the proposed changes with a group that includes water experts such as V

t levels that could alter development and reproduction in wildlife, researchers said. After sampling various area
that could alter development and reproduction in wildlife, researchers said. After sampling various areas includ

, like clean water. As events unfolded last year, I would scroll through social media, getting lost in stories of wh

emed, would always try to mock or disregard us. We always have to prove ourselves worthy even, apparently,

EDERAL GOVERNMENT requires testing only by those schools and child care systems that operate their ow

ed 90,000, according to the EPA are not required to do so by the FEDERAL GOVERNMENT. The inconsi
, water quality that previously were siloed. Michael Sullivan, sales manager for IBM Smarter Water Manageme

t. The FEDERAL GOVERNMENT requires testing only by those schools and child care systems that operat

ardwick, 32. They pretty much understood it. The FEDERAL GOVERNMENT requires testing only by those s

, which is FLINT and Toledo [Ohio] and others, are making us see that there are both legacy issues and eme
g a $720 million school restructuring plan to pay off the districts operating debt, and wants to spend $18 million

rk Edwards, 19 Apr, 0910 - 1025 EDT http://bit.ly/1VScDKR@joshnewtonH2O's volunteering in FLINT: "Odd

water systems. Its also in soil, and its in lead paint that is found mostly in older homes, Clinton said. We will co

ts that a PWS must complete. Ohios lead rules The EPA has delegated primary implementation authority o

se there's a very strong likelihood that they caused the aquifer contamination, Weiss said.

to do with the water in FLINT. The water is testing like toxic waste dumps now. He proposes creating plans w

lest public water systems), to US$1,000 per day for each day the system failed to provide notice (for the larges

ote a lengthy blog that revealed lead levels in Lee-Anne Walters' home to be 13,200 parts per billion more than

to do with the water in FLINT. The water is testing like toxic waste dumps now. He proposes creating plans w

2 credits relative to the Tier 3 sulfur standard (10 ppm minus 8 ppm) Similar to existing EPA fuel programs u

one that people in Mich., a mostly black city, have been raising for a while. Elevating the conversation about e
d last year, I would scroll through social media, getting lost in stories of what Snyder knew and when, or resear

-2003 survey by US EPA, <3.6 percent of municipalities exceeded the action level.(6) The LCR is currently u

or bringing this up, she said. It may also give Clinton an advantage over Sanders, who has struggled to woo bla

irst noted the water's smell and taste soon after FLINT switched its water source from Detroit's system to the
rinking water exceed those in federal rules, which the governor called dumb and dangerous given the potential f

rinking water exceed those in federal rules, which the governor called dumb and dangerous given the potential f

n recorded lead levels at 100 times the allowable. limit were released on Thursday, The Detroit News and othe

rinking water exceed those in federal rules, which the governor called dumb and dangerous given the potential f

edness, delay, inaction and environmental injustice." The group specifically noted that the FLINT community

rgely has the means to take care of itself. It has a large tax base, especially centralized in New York City, and i
king Water, @EPA, Underground Source Water Protection http://bit.ly/1WqnE6H@theNASciences: Join Disc

sting leaves most schoolchildren in buildings that are unchecked and vulnerable because lead particles can bu

risis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-centric," Zimmer said, by imple

ner -Cher showed her support for the mayor on social media this week tweeting the announcement that Karen w

ecessarily in schools. About 90 percent of schools in the US dont test their own water. "It provides clear eviden

eople from FLINT, unless it was on a basketball court or a football field. The world, it seemed, would always t

er told reporters after the meeting that she agrees with McDaniel. "All I could think was if these things had been
essor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water sys
essor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water sys
essor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water sys
essor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water sys
arc Edwards.Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water systems serv
rc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly 1,400 water systems serv

d because most receive their water from municipal systems that test at other locations. Just this week, Detroit'

y said residents cannot get lead poisoning from bathing in lead-laced water unless they ingest it.

ERNMENT requires testing only by those schools and child care systems that operate their own water system
articularly high levels 40 parts per billion or above would receive blood testing. Testing would occur yearly. Lo
bove would receive blood testing. Testing would occur yearly. Loopholes would be removed to ensure enough

y) sentences for marijuana offenses.
irginia Tech professor. Marc Edwards. Zimmer cited a recent AP analysis of EPA data that found that nearly

s including a neighboring stream, scientists measured significantly greater EDCs on and downstream of the Da
ing a neighboring stream, scientists measured significantly greater EDCs on and downstream of the Danny E. W

at Snyder knew and when, or researching the horrific long-term effects of lead. I imagined the response if this h

of basic services we expect in America, like clean water. As events unfolded last year, I would scroll through s

n water systems. A recent analysis of ENVIRONMENTAL PROTECTION AGENCY data by the AP found tha

stent testing leaves most schoolchildren in buildings that are unchecked and vulnerable because lead particles
nt, said such systems could have identified Flints lead hazard much more quickly. "Part of the problem with w

e their own water systems. A recent analysis of ENVIRONMENTAL PROTECTION AGENCY data by the AP

chools and child-care systems that operate their own water systems. A recent analysis of ENVIRONMENTAL

rging contaminants that we need to be concerned about. And that means developing a strategy to actually get i
over two years to test water in every state school. The district, meanwhile, is working on detailed mitigation pl

s and Ends' - 12 April. 2016 http://bit.ly/1UYxUDB #FlintWaterCrisis@joshnewtonH2O: FLINT: On the Groun

mmit to a priority to change the water systems, and we will commit within five years to remove lead from everyw

f the SDWA in Ohio to the Ohio EPA. Ohios lead rules apply to all PWSs that serve at least 25 of the same r

ithin the next decade for replacing all the lead pipes in the Michigan and does nothing to help FLINT right no

t public water systems) Creating Maps of the System That Contain Lead Infrastructure Within six months of the

double the level considered by the EPA to be hazardous waste and more than 10,000 times the EPA. tec

ithin the next decade for replacing all the lead pipes in the Michigan and does nothing to help FLINT right no

nder 40 CFR Part 80, the Tier 3 program includes an extreme unforeseen circumstances hardship provision an

nvironmental and climate justice to a federal level may sound good at first, and the plan does suggest that som
ching the horrific long-term effects of lead. I imagined the response if this had happened in the richer, whiter De

nder revision and a national call to eliminate lead risks by removing all lead service lines is gaining momentum.

ck voters. People can submit a question using the #BigBlockofCheeseDay hashtag, and people like First Lady

FLINT River in April 2014, officials did not declare a public health emergency until October 2015, after Virgin
or high lead levels to cause irreversible brain damage, especially in young children. The lead crisis has reached

or high lead levels to cause irreversible brain damage, especially in young children. The lead crisis has reached

r media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acce

or high lead levels to cause irreversible brain damage, especially in young children. The lead crisis has reached

most affected by the lead-poisoned water is heavily poor and African American. "When we convened," Ken Sik

s a donor state - an issue that former U.S. Senator Daniel Patrick Moynihan, of New York, highlighted in an ann
ussion of Drinking Water Quality w/ @Virginia_Tech's Mark Edwards, 19 Apr, 0910 - 1025 EDT http://bit.ly/1VS

ild up in plumbing when water goes unused for long periods. The average age of school buildings in the U.S. da

menting more stringent and broader notification requirements, requiring public education campaigns and formin

eaver will be attending a conference with her in Los Angeles. (Terry)we asked weaver about it this morning. Sh

ce that schools have to be proactive in finding and fixing these problems it is not going to go away by itself," M

ry to mock or disregard us. We always have to prove ourselves worthy even, apparently, of basic services we e

in place we wouldn't be in this situation," Weaver said. And if Michigan is now leading the rest of the country in
tems serving 3.6 million Americans exceeded the federal lead standard at least once from January 2013 throug
tems serving 3.6 million Americans exceeded the federal lead standard at least once from January 2013 throug
tems serving 3.6 million Americans exceeded the federal lead standard at least once from January 2013 throug
tems serving 3.6 million Americans exceeded the federal lead standard at least once from January 2013 throug
ing 3.6 million Americans exceeded the federal lead standard at least once from January 2013 through Septem
ing 3.6 million Americans exceeded the federal lead standard at least once from January 2013 through Septem

s school district reported elevated levels of lead and copper in nearly a third of its elementary schools due to te

s. A recent analysis of ENVIRONMENTAL PROTECTION AGENCY data by the AP found that 278 of these h
opholes would be removed to ensure enough samples are taken and that sampling protocols are consistent. L
samples are taken and that sampling protocols are consistent. Larger utilities now above the federal lead limit m

1,400 water systems serving 3.6 million Americans exceeded the federal lead standard at least once from Jan

nny E. Webb Construction site. These revelations come at a sensitive time for the public, the government, and
ebb Construction site. These revelations come at a sensitive time for the public, the government, and water util

ad happened in the richer, whiter Detroit suburbs of Grosse Pointe or Bloomfield Hills instead of in my poorer, b

ocial media, getting lost in stories of what Snyder knew and when, or researching the horrific long-term effects o

t 278 of these had violated federal lead standards at some point during the past three years. An estimated 90,0

can build up in plumbing when water goes unused for long periods. The average age of school buildings in the
as there was no real visibility," he said. "There were pockets of information, but the problem didnt really come i

found that 278 of these had violated federal lead standards at some point during the past three years. An estim

PROTECTION AGENCY data by The AP found that 278 of these had violated federal lead standards at some

nvestment in infrastructure that we haven't had for a while. We're going to be able to tee up that issue, but not g
ans, to be shared with the Detroit Health Department to make sure all proper actions are taken, Ms. Zdrodowsk

d, Part 2 (Houses & Apartments) http://bit.ly/1qDWvkp #FlintWaterCrisis@OPB Lead in some @portlandwater c

here. As Calderone notes, such a plan is prohibitively expensive, costing in the range of trillions of dollars natio

esidents either year-round (classified as community water systems) or for at least six months of the year (class

w. FLINT is the place where the pipes were fine until the snyder administration ruined them and left them spe

effective date of the law, H.B. 512 would require specified public water systems to identify and map areas of th

hnical maximum of 15 ppb. City tests had previously registered lead levels of 104 ppb and over 300 ppb. In Ap

w. FLINT is the place where the pipes were fine until the snyder administration ruined them and left them spe

d an extreme hardship provision for all gasoline refiners and importers. Hardship relief will be granted on a cas

e laws and rules need to be more stringent, but some of Clintons proposals largely hinge on complying with wh
troit suburbs of Grosse Pointe or Bloomfield Hills instead of in my poorer, browner home town. I tried to figure o

Although Congress banned lead pipes 30 years ago, millions of lead lines are still in use. In a recent report by t

Michelle Obama, Congresswoman Nancy Pelosi, Vice President Joe Biden, and others answer via tweet, or in

ia Tech professor Marc Edwards from the ENVIRONMENTAL PROTECTION AGENCY. After months of defe
such proportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder sai

such proportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder sai

ptable lead and copper levels. The governor didnt release any cost estimates for implementing his proposal. Th

such proportions that we arent going to wait for the FEDERAL GOVERNMENT to fix it anymore, Snyder sai

kema, Republican co-chair of the task force, told legislators on Tuesday, according to the Detroit News, "we ha

ual report called The Fisc in which he analyzed the significant imbalance between federal taxes and federal aid
cDKR@joshnewtonH2O's volunteering in FLINT: "Odds and Ends' - 12 April 2016 http://bit.ly/1UYxUDB #Flin

tes to the 1970s. Elevated lead or copper levels have been found in the water at 19 Detroit schools, amid test

g state and local advisory commissions to give the public a say in water protection. The proposal also would re

e says Cher has asked her to speak to business leaders to gain support for FLINT, but the details are still be

arc Edwards, a Virginia Tech professor who helped uncover the crisis in FLINT, told AP. "Because the harm f

xpect in America, like clean water. As events unfolded last year, I would scroll through social media, getting los

proposing new standards as a result of what happened in FLINT, "how is this not a disaster?" she asked, re
h September 2015. Just a fraction of schools and day care centres nationwide are required to check for lead be
h September 2015. Just a fraction of schools and day care centres nationwide are required to check for lead be
h September 2015. Just a fraction of schools and day care centres nationwide are required to check for lead be
h September 2015. Just a fraction of schools and day care centres nationwide are required to check for lead be
ber. 2015. Just a fraction of schools and day care centres nationwide are required to check for lead because m
ber 2015. Just a fraction of schools and day care centres nationwide are required to check for lead because mo

sting that was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citize

ad violated federal lead standards at some point during the past three years. An estimated 90,000 schools and
arger utilities now above the federal lead limit must take further steps to "optimize" their corrosion control treatm
ust take further steps to "optimize" their corrosion control treatment to prevent lead from leaching into the water

uary 2013 through September 2015. Just a fraction of schools and day care centers nationwide are required to

water utilities around the country are scrutinizing water quality after towns like FLINT, Michigan, showed tha
ities around the country are scrutinizing water quality after towns like FLINT, Michigan, showed that local, sta

rowner home town. I tried to figure out how Id missed what was happening. The FLINT Journal and the Detr

f lead. I imagined the response if this had happened in the richer, whiter Detroit suburbs of Grosse Pointe or Bl

00 schools and child care centers nationwide face no federal testing requirement, leaving most children in build

U.S. dates to the 1970s.
nto view until much farther along the line." Data platforms such as IBMs and CH2Ms can incorporate other salie

ated 90,000 schools and child care centers nationwide face no federal testing requirement, leaving most childre

point during the past three years. An estimated 90,000 schools and child-care centers nationwide face no fede

et that issue over the finish line. There are kids today in poverty that have food insecurity in this country and w
i said. Theres no legal mandate that we had to do this, she said. We just understood, given the time that were i

omes from lead solder or lead-containing fixtures in homes.http://bit.ly/1ROBr4R@joshnewtonH2O FLINT vo

nally. Thats partly because, before the health hazards of lead were scientifically catalogued, the so-called fath

ified as non-transient non-community water systems)[2] These types of PWSs include cities, mobile home park

wing lead right now. He wants lots of ways to fix them in the very, very long run. In terms of FLINT getting fix

e system that contain lead infrastructure, and to update this map once every five years. If a public water system

ril, Walters discovered that one of her four sons had been lead poisoned, which can lead to lower IQ, behaviora

wing lead right now. He wants lots of ways to fix them in the very, very long run. In terms of FLINT getting fix

e-by-case basis following a showing that a refiner is not able to comply especially through the use of credits. An

ats already on the books. That doesnt go far enough, says Angelo Logan, campaign director for the Moving Fo
ut how I'd missed what was happening. The FLINT Journal and the Detroit Free Press had been covering the

he American Water Works Association, researchers estimated there are 6.1 million lead service lines in the US

some cases, Periscope live-streams. The problem with that setup is that most of the interactions during Big Blo

nding the system, Gov. Snyder apologized to residents in January, during his State of the State speech. In FL
d in a statement announcing the plan, which would, among other things, lower the limit for lead in drinking wate

d in a statement announcing the plan, which would, among other things, lower the limit for lead in drinking wate

e standard Snyder proposes is in line with the World Health Organization standard in Third World countries. At a

d in a statement announcing the plan, which would, among other things, lower the limit for lead in drinking wate

d the same conversation that a lot of people have had, both privately and publicly: If this had happened in East

. Moynihan died in 2003 but the issue of The Fisc did not die with him. An October 2015 report by State Compt
tWaterCrisis@joshnewtonH2O: FLINT: On the Ground, Part 2 (Houses & Apartments) http://bit.ly/1qDWvkp #

ing that is also going on at schools around the country in response to the lead-tainted water crisis in nearby T

quire: Water systems to tell individual customers that their lead levels exceed the action level within two days i

ing worked out. (Terry)the weekend is getting off to a great start with some beautiful sunshine stretching across

rom lead is irreversible, finding and fixing lead in school problems is good news. The alternative is to do nothing

t in stories of what Snyder knew and when, or researching the horrific long-term effects of lead. I imagined the r

ferring to federal refusal to declare a federal disaster in because the catastrophe was man-made. Gov. Rick S
cause most receive their water from municipal systems that test at other locations. Just this week, Detroit's sch
cause most receive their water from municipal systems that test at other locations. Just this week, Detroit's sch
cause most receive their water from municipal systems that test at other locations. Just this week, Detroit's sch
cause most receive their water from municipal systems that test at other locations. Just this week, Detroit's sch
ost receive their water from municipal systems that test at other locations.Just this week, Detroit's school distric
st receive their water from municipal systems that test at other locations. Just this week, Detroit's school distric

n-centric," Zimmer said, by implementing more stringent and broader notification requirements, requiring public

child care centers nationwide face no federal testing requirement, leaving most children in buildings that are un
ent to prevent lead from leaching into the water like it did in FLINT. The proposal would require each system
like it did in FLINT. The proposal would require each system to fully replace old pipes within 10 years unless

check for lead because most receive their water from municipal systems that test at other locations. Just this w

t local, state and federal agencies can simultaneously overlook tainted water supplies. Though unrelated to lea
te and federal agencies can simultaneously overlook tainted water supplies. Though unrelated to lead pollution

oit Free Press had been covering the story from the start. But I got most of my news from national outlets, and u

oomfield Hills instead of in my poorer, browner hometown. I tried to figure out how Id missed what was happen

ings that are unchecked and vulnerable, because lead particles can build up in plumbing when water goes unu

nt information as well, such as the material and age of pipes in a certain area and their projected life expectanc

n in buildings that are unchecked and vulnerable, because lead particles can build up in plumbing when water g

ral testing requirement, leaving most children in buildings that are unchecked and vulnerable, because lead par

e are wasting 30-40 percent of the food that we actually produce. There are ways in which we can connect dots
n and the circumstances that we are facing not only the state of Michigan but across the United States that th

lunteering: Photo That Captures Part of the Story http://bit.ly/1VJyRyy #FlintWaterCrisisBullshit and Crap Detec

er of all metals was commonly used in household plumbing and water systems all across the country, such as t

s, nursing homes, schools, hospitals or factories. From nonresidential buildings, samples must be collected fro

ed now because you're hearing less, doesn't mean it fixed. The people are living with this thing, still not getting

exceeds the action level, the new bill would also require that system to notify other consumers who are identifi

l problems and learning disabilities. Getting nowhere with local and state officials, Walters contacted the and s

ed now because you're hearing less, doesn't mean it fixed. The people are living with this thing, still not getting

y hardship waiver granted will not be a total waiver of compliance with the standards; rather, a hardship waiver

rward Network. We need to be the decision-makers about the ways these things are addressed in our commu
story from the start. But I got most of my news from national outlets, and until they picked it up, I didn't pay atte

, down from 10.2 million in 1991.(7) About seven percent of homes served by municipal supplies (or up to 22 m

ck of Cheese Day end up completely flat. For instance, asked why there are such drastically different opinions o

INT, Mayor Karen Weaver has been working with the governor to create a plan to provide subsidies to residen
r to 10 parts per billion by 2020 from the current. federal standard of 15 parts per billion. If the Michigan rules a

r to 10 parts per billion by 2020 from the current. federal standard of 15 parts per billion. If the Michigan rules a

meeting of the Interagency Coordinating Committee Friday, where Snyder formally unveiled his proposal, som

r to 10 parts per billion by 2020 from the current. federal standard of 15 parts per billion. If the Michigan rules a

Grand Rapids, in Kent County where I live, or. in Bloomfield Hills in Oakland County, would the same result ha

roller Tom DiNapoli, which mentioned Moynihans work, found that New York paid $214 billion in federal tax rev
FlintWaterCrisis@OPB. Lead in some @portlandwater comes from lead solder or lead-containing fixtures in ho

he district says students at those schools are getting bottled water. Detroit Public Schools began collecting wa

nstead of the current 30. Households with particularly high levels 40 parts per billion or above would receive b

mid Michigan. Dawn)chief meteorologist jr kirtek is in for Christina today -(ad-lib toss to Kevin)weather open)K

and be willfully blind and allow even more harm to occur. Following the disaster in FLINT, DPS began volun

esponse if this had happened in the richer, whiter Detroit suburbs of Grosse Pointe or Bloomfield Hills instead o

nyder (Photo: Carlos Osorio, AP) FLINT'S drinking water became contaminated with lead while the city was
ool district reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing t
ool district reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing t
ool district reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing t
ool district reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing t
t reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing. that was p
t reported elevated levels of lead and copper in nearly a third of its elementary schools due to testing that was p

education campaigns and forming state and local advisory commissions to give the public a say in water prote

checked and vulnerable, because lead particles can build up in plumbing when water goes unused over weeke
to fully replace old pipes within 10 years unless the state authorizes more time. Partial replacement of a line w
the state authorizes more time. Partial replacement of a line which can occur when a utility owns a portion nea

eek, Detroit's school district reported elevated levels of lead and copper in nearly a third of its elementary schoo

d pollution, fracking and its effects on water have been front-and-center in recent times, too. The ENVIRONM
, fracking and its effects on water have been front-and-center in recent times, too. The ENVIRONMENTAL PR

ntil they picked it up , I didnt pay attention, either. Paying attention is my job, though. I always saw journalism a

ing in FLINT. The Journal and Detroit Free Press were covering the story from the start. But I got most of m

sed over weekends and school breaks. Associated Press writer David Eggert in Lansing contributed to this rep

y in local. environments.

oes unused over weekends and school breaks.

ticles can build up in plumbing when water goes unused over weekends and school breaks.

now that open up the environmental world to be seen aswhere I think it belongswhich is part of our core values is was the right thing for us to do at the right time. The FEDERAL GOVERNMENT requires testing only by th

tion "Once I thought. I was wrong about something, but I was wrong." - Jim Quinlan, legendary karst hydrogeol

he one in Michigan. Additionally, despite a growing body of evidence indicating serious health impacts, lead w

m interior taps typically used for water consumption. Samples collected from outside spigots or mop sinks are n

clean water, still not getting the lead out of their pipes.

ed in the map about the availability of tap water testing; these customers must be notified within five days. Fina

eparately learned about Marc Edwards of Virginia Tech University, who ended up analyzing the water at her ho

clean water, still not getting the lead out of their pipes.

will consist of short-term relief to help a refiner facing a hardship situation comply (for example by receiving ad

nities, and I dont see that laid out in this [plan] Asked by Grist to comment on the criticism being leveled at Clin
ntion, either. Paying attention is my job, though. I always saw journalism as a way to make a difference by amp

illion people) remain at risk. The most common POU devices for lead removal are reverse osmosis, distillation

n climate change, EPA administrator Gina McCarthy offered this answer: There arent. 99% of scientists agre

ts to encourage them to use more water, in order to flush the system of contaminants and coat pipes with anti-c
re approved, they could become a model for the rest of the country to follow and prevent additional water crises

re approved, they could become a model for the rest of the country to follow and prevent additional water crises

e criticized it as not tough enough, the Detroit Free Press reports. Retired Brigadier Gen. Michael McDaniel, wh

re approved, they could become a model for the rest of the country to follow and prevent additional water crises

ve occurred?" The task force also found the state's controversial emergency manager law contributed to the lea

enues in Federal Fiscal Year (FFY) 2013 and received $19.9 billion less than that in federal spending. Its no su
mes.http://bit.ly/1ROBr4R@joshnewtonH2O FLINT volunteering: Photo That Captures Part of the Story http:

ter samples two weeks ago in proactive and precautionary testing, district spokeswoman Michelle Zdrodowski s

lood testing. Yearly testing. Loopholes would be removed to ensure enough samples are taken and that samp

evin(short weather)it certainly was a beautiful end to the workweek with bright sunshine and comfortable tempe

tarily testing its water for lead and copper using a city grant as well as cash from its own budget. Read more T

f in my poorer, browner hometown. I tried to figure out how Id missed what was happening in FLINT. The J

under the control of a state-appointed emergency manager. Complete coverage: water crisis The DEQ faile
hat was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-cent
hat was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-cent
hat was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-cent
hat was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-cent
rompted by the crisis in Flint.A key goal is to make Michigan's lead and copper rule "citizen-centric," Zimmer sa
rompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper rule "citizen-centric," Zimm

ction. The proposal also would require: Water systems to tell individual customers that their lead levels excee

nds and school breaks. The post High copper or lead levels seen in 19 Detroit schools water appeared first on
hich can occur when a utility owns a portion near the street while the rest is the homeowner's responsibility wo
r the street while the rest is the homeowner's responsibility would be prohibited. "But again, our charge was t

ls due to testing that was prompted by the crisis in FLINT. A key goal is to make Michigan's lead and copper

ENTAL PROTECTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a report t
OTECTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a report thats been

s a way to make a difference by amplifying societys unheard voices. Somewhere along the way, the plights of p

y news from national outlets, and until the story elevated to that level I didnt pay attention. Paying attention is m

ort.

as society. Bloomberg BNA : I wanted to ask, broadly, about the status of the relationship between EPA an
ose schools and child care systems that operate their own water systems. An estimated 90,000 schools and c

ogist (tnx @EdwardsAquifer)California @CA_DWR #cawater Plan eNews-13 April: Grant Docs~Stormwater St

as also the common denominator in many ubiquitous products including ammunition, ceramics, batteries, cosm

ot acceptable. [3] What to do with the results PWSs must provide the Ohio EPA with detailed sampling info

ncial Assistance to Communities and Schools to Address Lead Issues H.B. 512 includes provisions designed t

use. Edwards said he had never encountered such high lead levels in a public water system. Guyette reported t

ditional time to comply, or an extended deficit carryforward for up to three years) If a hardship waiver is granted

ton, her deputy national press secretary Jesse Ferguson responded that Clinton has been fighting for environm
lifying society's unheard voices. Somewhere along the way, the plights of people in places unknown registered

and activated carbon filtration and adsorption; removal rates are often greater than 95 percent. A precautionar

e climate change is happening. #BigBlockOfCheeseDay https://t.co/GCQKfU7JoM Gina McCarthy (@GinaEPA

orrosion chemicals, the Detroit News reports. So far the state has provided $30 million in funding to help reside
. Michigans lead crisis isnt isolated to FLINT, where the citys 100,000 residents were exposed to dangerousl

. Michigans lead crisis isnt isolated to FLINT, where the citys 100,000 residents were exposed to dangerousl

o is running

. Michigans lead crisis isnt isolated to FLINT, where the citys 100,000 residents were exposed to dangerousl

d contamination crisis by removing governmental checks and balance and called for alternatives to the law so e

rprise that a high-income state would generate more in federal taxes than many others. But other factors comp
//bit.ly/1VJyRyy #FlintWaterCrisisDangerous lead levels detailed at some Detroit public schools http://detne.ws

aid. The district did not release specifics about the levels of lead or copper found in nearly a third of the 62 elem

ling protocols are consistent. Larger utilities that are now above the federal lead limit to take more specific step

ratures.

he District has an obligation to ensure that our students and staff can focus all of their attention on what is mos

ournal and Detroit Free Press were covering the story from the start. But I got most of my news from national o

d to require the addition of needed corrosion-control chemicals as part of the treatment process, and the corros
ric," Zimmer said, by implementing more stringent and broader notification requirements, requiring public educa
ric," Zimmer said, by implementing more stringent and broader notification requirements, requiring public educa
ric," Zimmer said, by implementing more stringent and broader notification requirements, requiring public educa
ric," Zimmer said, by implementing more stringent and broader notification requirements, requiring public educa
id, by implementing more stringent and broader notification requirements, requiring public education campaigns
er said, by implementing more stringent and broader notification requirements, requiring public education camp

d the action level within two days instead of the current 30. Households with particularly high levels 40 parts pe

KFXV Fox 2 News.

uld be prohibited. "But again, our charge was to come up with the strongest, most effective LCR to further the
o come up with the strongest, most effective LCR to further the national model. I did not want to opt into this w

rule "citizen-centric," Zimmer said, by implementing more stringent and broader notification requirements, requ

hats been years in the making. Meanwhile, studies examining how fracking chemicals may affect water and pu
years in the making. Meanwhile, studies examining how fracking chemicals may affect water and public health

eople in places unknown registered more than those in the place I knew intimately. Now I realize that its easier

y job. Even after being immersed in research into environmental injustice, it was easy for me to write off discri

d Congress. By that I mean, you have eight of the 14 positions requiring Senate confirmation at the agency vac
hild care centers nationwide face no federal testing requirement, leaving most children in buildings that are unc

rategy~Landscape Water~#CAdrought~GW Sustainability~Watershed Universityhttp://bit.ly/1qIoIXu@matt_we

etics, house paint and gasoline throughout most of the 20th century. Thats all on top of lead contamination from

rmation and results within ten days of the end of the monitoring period. Regardless of whether a PWS exceeds

o strengthen several state grant and loan programs that help communities and schools address infrastructure n

hat the FLINT water department, following the advice of the MDEQ, had not been adding phosphates to the w

, EPA will determine appropriate hardship relief based on the refiner's hardship application and an assessme

ental justice for decades. He cited the fact that she has worked with the EPA on air pollution and child asthm
more than those in the place I knew intimately. Now I realize that it's easier to swoop into an unfamiliar town an

y approach is warranted as history indicates another FLINT is bound to occur and that yet another contamina

) January 13, 2016 That may be true, but it doesnt get the person who asked the question any closer to unders

nts pay their bills, while encouraging residents to pay the sewer portion of their water bills. But the mayor has a
y high lead levels after the city switched its water supply from Lake Huron to the River in 2014 while under the

y high lead levels after the city switched its water supply from Lake Huron to the River in 2014 while under the

y high lead levels after the city switched its water supply from Lake Huron to the River in 2014 while under the

lected officials can be kept more engaged. Mohai, the U-M expert, agreed with the task force's findings, calling F

licate the picture, raising questions about equity in New Yorks balance of payments with Washington, DiNapolis
/1Sda4Aq via @detroitnewsBullshit and Crap Detection "Once I thought I was wrong about something, but. I wa

entary-middle school buildings tested so far, but said it has notified families, is working to fix the problems. Wh

s when analyzing how to "optimize" their corrosion control treatment to prevent lead from leaching into the wate

t important improved academic achievement. Proactively screening the water in our schools will help everyone

utlets, and until the story elevated to that level I didnt pay attention. Paying attention is my job. Even after bei

ive River water ate into pipes, joints and fixtures, sending unsafe levels of lead into homes and businesses. T
tion campaigns and forming state and local advisory commissions to give the public a say in water protection. T
tion campaigns and forming state and local advisory commissions to give the public a say in water protection. T
tion campaigns and forming state and local advisory commissions to give the public a say in water protection. T
tion campaigns and forming state and local advisory commissions to give the public a say in water protection. T
and forming state and local advisory commissions to give the public a say in water protection. Water systems t
aigns and forming state and local advisory commissions to give the public a say in water protection. The propo

r billion or above would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough s

national model. I did not want to opt into this with a checkbook on every proposal. At some point you're talking
ith a checkbook on every proposal. At some point you're talking about health." The governor in February asked

iring public education campaigns and forming state and local advisory commissions to give the public a say in w

blic health are published regularly, as some property owners are winning lawsuits and getting millions from the i
are published regularly, as some property owners are winning lawsuits and getting millions from the industry fo

to swoop into an unfamiliar town and tell someone elses story than it is to recognize the things youve become r

mination in my city. If I could do it, how much could I expect from anyone else? These days, FLINT undulate

ant or staffed with acting officials, subpoenas from Senate Republicans, you see inquiries about issues like airli
hecked and vulnerable, because lead particles can build up in plumbing when water goes unused over weeken

iser in @WaterDeeply: Salmon, not smelt,often responsible for #cawater restrictions http://bit.ly/1PZaUMw (tnx

industrial sources, including lead smelters, mining and refining operations Leaded gasoline was a particularly i

the lead action level, it must also provide a Lead Consumer Notice to all consumers from whose taps the samp

eeds with lead problems. For example, through its drinking water revolving loan program, the legislation require

ater as an anti-corrosive despite the fact that the DEQ told the EPA in February 2015 that it had been using

nt of the credit market at that time. The unforeseen circumstances hardship is intended to provide relief in circu

a; was the first senator to ever hold an environmental justice hearing; and was the first presidential candidate to
d tell someone else's story than it is to recognize the things you've become resigned to in your own life. I'd bou

nt will eventually be in the spotlight. References (1) Wines, M. and Schwartz, J. Unsafe lead levels in tap wate

tanding why climate change has become such a politically loaded issue in recent years.

lso pushed for more funding.
control of a state-appointed emergency manager. More from Across Patch 9 Killer Deals On Warm-Weather E

control of a state-appointed emergency manager. More from Across Patch 9 Killer Deals On Warm-Weather E

control of a state-appointed emergency manager. More from Across Patch 9 Killer Deals On Warm-Weather E

LINT "the most egregious case" of environmental injustice he has seen. But Mohai's work indicates that FLIN

report says, citing the states higher poverty rates and HEALTH CARE costs. New Yorks consistent pattern o
s wrong." - Jim Quinlan, legendary karst hydrogeologist (tnx @EdwardsAquifer)In @KelownaCapNews Water m

ile additional testing is completed, DPS immediately shut off all drinking fountains in the affected schools until fu

r like it did in FLINT. Each water system to fully replace old pipes within 10 years unless the state authorizes

stay focused on this goal, said DPS Transition Manager Judge Steven Rhodes in a statement. The water issu

ng immersed in research into environmental injustice, it was easy for me to write off discrimination in my city. If

he city returned to the Detroit water system in October, but a potential hazard remains because of damage don
he proposal also would require: Water systems to tell individual customers that their lead levels exceed the ac
he proposal also would require: Water systems to tell individual customers that their lead levels exceed the ac
he proposal also would require: Water systems to tell individual customers that their lead levels exceed the ac
he proposal also would require: Water systems to tell individual customers that their lead levels exceed the ac
o tell individual customers that their lead levels exceed the action level within two days instead of the current 30
sal also would require: Water systems to tell individual customers that their lead levels exceed the action leve

amples are taken and that sampling protocols are consistent. Larger utilities that are now above the federal lea

about health." The governor in February asked lawmakers for $25 million to replace service pipes and an ad
lawmakers for $25 million to replace service pipes and an additional $165 million for statewide infrastructure i

ater protection. The proposal also would require: Water systems to tell individual customers that their lead lev

ndustry for water contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply studie
r water contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply studied water ch

esigned to in your own life. Id bought into the idea that Flintstones could take anything, never once questioning

s in the news cycle. Plans to replace lead water lines have faltered. Lead levels in city water have dropped, but

ne travel and text messages. How is that relationship right now and what impact does it have on the ability to a ds and school breaks.

@Sammy_Roth)@tonydavis987 in @TucsonStar: Arizona wants. legal assurances California won't take its sto

nvasive product, as it resulted in both soil and air-related exposure. Federal officials pushed for a limit on lead i

les were taken within 30 days of receiving the results. The Lead Consumer Notice must contain specific inform

s the Director of Ohio to provide financial assistance to public water systems in order to comply with the mapp

"an optimized control plan." DEQ Officials in April had made. the same claims to Guyette. DEQ Director Dan W

mstances, such as a refinery fire or a natural disaster, that could not be reasonably foreseen. The extreme hard

call attention to the crisis in FLINT. But simply bringing up what people of color already know isnt necessaril
ght into the idea that "Flintstones" could take anything, never once questioning why they should have to. Even a

r not limited to FLINT, The New York Times , 08-Feb-2016. (2) Young, A. and Nichols, M. High lead levels fo

ssentials: Patch Deal HoundTiger Kills Palm Beach Zookeeper; Guests Shelter In Gift ShopFedEx Worker Falls

ssentials: Patch Deal HoundFedEx Worker Falls Asleep In Plane's Baggage Compartment, Wakes Up In Lubbo

ssentials: Patch Deal HoundVerizon Strike: Why Unions Are Reluctant To Walk Off JobCharles Manson Follow

T is only one of several areas in Michigan where poor, minority populations pay a heavier price for pollution. H

f underinvestment by the FEDERAL GOVERNMENT is nothing new, said Birdsell. That gap has certainly wid
yths addressed at forum http://bit.ly/1NcSkpY (Via @GWPNews)California @CA_DWR #cawater Plan eNews-1

rther notice and is providing additional bottled water for students and staff, Zdrodowski said. She said where th

more time. Partial replacement of a line which can occur when a utility owns a portion near the street while the

es add to a long list of problems DPS is struggling to cope with. A debt of $500 million had the district facing the

I could do it, how much could I expect from anyone else? These days, FLINT undulates in the news cycle. P

e to the water distribution system. Other proposals outlined Friday would: Require annual lead and copper te
tion level within two days instead of the current 30. Households with particularly high levels 40 parts per billion
tion level within two days instead of the current 30. Households with particularly high levels 40 parts per billion
tion level within two days instead of the current 30. Households with particularly high levels 40 parts per billion
tion level within two days instead of the current 30. Households with particularly high levels 40 parts per billion
. Households with particularly high levels 40 parts per billion or above would receive blood testing. Yearly test
l within two days instead of the current 30. Households with particularly high levels 40 parts per billion or above

d limit to take more specific steps when analyzing how to "optimize" their corrosion control treatment to prevent

ditional $165 million for statewide infrastructure improvements, at least a portion of which could upgrade lead li
mprovements, at least a portion of which could upgrade lead lines elsewhere.

els exceed the action level within two days instead of the current 30. Households with particularly high levels 4

d water chemicals, not how these chemicals got there in the first place.
emicals, not how these chemicals got there in the first place. Locals worry about confirmed fracking chemicals

why they should have to. Even after being immersed in research on environmental injustice, it was easy for me

researchers say its still not safe to drink. Congress is looking at lessons to be learned from the debacle. Few t

ttract young people to public service? McCarthy : Well, you'd be surprised. Despite the challenges that EPA i

red water http://bit.ly/1VRcx6b tnx @Sammy_RothRT @NYTScience The Sierra Nevada snowpack wont end C

n gasoline beginning early in the 20th century, but industry lobbyists prevailed until the U.S. was created in 19

ation, including the monitoring results, the MCL goal and lead action level, the effects of lead on human health,

ing requirements described above, conduct corrosion control studies and provide other assistance to communi

yant repeated the claim as late as Oct. 2. "The DEQ lied," said Guyette. Walters found out from a city water pla

ship provision is intended to provide relief for situations of severe economic or physical lead time limitations of a

y fighting for justice. The inability to really acknowledge the people who are most affected by environmental ra
fter being immersed in research on environmental injustice, it was easy for me to write off discrimination in my c

und in 2,000 water systems across USA, USA Today , 17-Mar-2016. (3) Water Quality Association, Lead fact s

Asleep In Plane's Baggage Compartment, Wakes Up In Lubbock, TexasVerizon Strike: Why Unions Are Reluc

ck, TexasVerizon Strike: Why Unions Are Reluctant To Walk Off JobCharles Manson Follower Recommended f

er Recommended for ParoleFull 2016 NFL Schedule: Every Team, Every Game Test results showing dangerou

azards of living near industry Mohai was a key researcher in a 2010 study of toxic chemical releases in Michig

ened substantially. He said issues of grave importance to the city, including coastal infrastructure, resiliency an
3 April: Grant Docs~Stormwater Strategy~Landscape Water~#CAdrought~GW Sustainability~Watershed Unive

e result involved a prep sink in a kitchen, schools are providing meals that do not require any added water. Sc

rest is the homeowner's responsibility would be prohibited. Researchers have found that removing just part of

possibility of shutting down all of its schools in April until Governor Rick Snyder (R-Michigan) signed a law deliv

lans to replace lead water lines have faltered. Lead levels in city water have dropped, but researchers say its s

sting for all schools, day cares, adult foster care facilities, substance abuse clinics, and public hearing facilities a
or above would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough sample
or above would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough sample
or above would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough sample
or above would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough sample
ing. Loopholes would be removed to ensure enough samples are taken and that sampling protocols are consis
would receive blood testing. Yearly testing. Loopholes would be removed to ensure enough samples are take

lead from leaching into the water like it did in FLINT. Each water system to fully replace old pipes within 10 y

nes elsewhere. Copyright 2016 The Associated Press. All rights reserved.

0 parts per billion or above would receive blood testing. Yearly testing. Loopholes would be removed to ensur

in Wolf Creek as it connects to the water supply. And last year, the state renewed Danny E. Webb Constructio

to write off discrimination in my city. If I could do it, how much could I expect from anyone else? These days, F

hings are as invasive as poisoned tap water. On my worst days, I worry that this may be a knockout punch for m

s facingand clearly they are there, you've articulated many of themtwo things I would like to point out. One, wh

alifornias thirst http://nyti.ms/1WodkvO #cawater #CADroughtBy @carolynlochhead in @SFGate: California US

71 and finally gained enough support to begin taking action in 1975. In other words, lead is everywhere. The s

and the steps to take to reduce exposure to lead in drinking water. PWSs must issue the notice by mail or han

ties that have lead service lines. Ohio is also permitted to extend wastewater loan terms from 20 to 30 years, a

nt employee that the city was not adding the corrosion controls and told the EPA'S Miguel Del Toral, who con

refiner to comply with the Tier 3 standards at the start of the program.

cism and climate change was evident this past weekend when Clinton made a campaign stop at Industry City, a
ity. If I could do it, how much could I expect from anyone else? These days, FLINT undulates in the news cy

heet , Lisle, 2013.

tant To Walk Off Job Test results showing dangerously high lead levels in 15 Detroit schools including one in w

or Parole Test results showing dangerously high lead levels in 15 Detroit schools including. one in which a drin

sly high lead levels in 15 Detroit schools including one in which a drinking. fountain recorded lead levels at 100

an, built on 2006 data from the U.S. ENVIRONMENTAL PROTECTION AGENCY. That study concluded tha

d counter-terror, are key in this federal investment argument. Even in general, the foreign policy debate affect
rsityhttp://bit.ly/1qloIXu@matt_weiser in @WaterDeeply: Salmon, not smelt,often responsible for #cawater rest

hool officials across the U.S. are testing classroom sinks and cafeteria faucets for lead, trying to uncover proble

a line can actually make lead exposure worse. The Snyder administration is still studying which proposals it co

ering almost $49 million to keep facilities open for the rest of the school year. Despite being placed under the d

till not safe to drink. Congress is looking at lessons to be learned from the debacle. Few things are as invasive

s well as initial testing at license grant or opening.
s are taken and that sampling protocols are consistent. Larger utilities that are now above the federal lead limi
s are taken and that sampling protocols are consistent. Larger utilities that are now above the federal lead limi
s are taken and that sampling protocols are consistent. Larger utilities that are now above the federal lead limi
s are taken and that sampling protocols are consistent. Larger utilities that are now above the federal lead limi
tent. Larger utilities that are now above the federal lead limit to take more specific steps when analyzing how to
n and that sampling protocols are consistent. Larger utilities that are now above the federal lead limit to take m

ears unless the state authorizes more time. Partial replacement of a line which can occur when a utility owns a

e enough samples are taken and that sampling protocols are consistent. Larger utilities that are now above the

ns permit to continue disposing fracking waste in underground injection wells, also known as brine disposal we

LINT undulates in the news cycle. Plans to replace lead water lines have faltered. Lead levels in city water ha

y staggering city. I no longer live in but the crisis is still personal for me. The people of FLINT, meanwhile, s

en EPA puts out an opportunity for folks to come into the agency and fill positions, I still get a ton of applicati

agree to dismantle 4 dams on Klamath River http://bit.ly/25JTwHvln @Newsweek St. Francis Dam: On edge o

econd Clinton lead-reduction plan As the above history suggests, the has dealt with lead-hazard issues for m

d delivery. If the PWS is a school or daycare facility, parents or guardians must be notified by newsletter or em

nd extend loan financing up to 45 years for larger communities. The legislation appropriates US$10,000,000 in

firmed it. "They didn't have the equipment at the FLINT Water Plant and didn't want to spend the money," sa

contentious symbol of gentrification in Brooklyn, N.Y.s Sunset Park neighborhood.
cle. Plans to replace lead water lines have faltered. Lead levels in city water have dropped, but researchers say

hich a drinking fountain recorded lead levels at 100 times the allowable. limit were released on Thursday, The D

king fountain recorded lead levels at 100 times the allowable limit were released on Thursday, The Detroit New

times the allowable limit were released on Thursday, The Detroit News and other media reported. On Wednes

t zip code 48217 in southwest Detroit was the most polluted in the state. It is a grim, blighted area bisected by l

s New York, said Gelinas. One could argue that the foreign policy decisions made at the federal level going bac
rictions http://bit.ly/1PZaUMw (tnx. Sammy_Roth)@tonydavis987 in @TucsonStar: Arizona wants legal assuran

ms and to reassure parents. Few schools and child-care centers are required to check for lead because most, l

uld implement single-handedly and which would need legislative approval. "We recognize there will be cost imp

irection of a state-appointed emergency manager, the situation has not improved, with many parents enrolling t

as poisoned tap water. On my worst days, I worry that this may be a knockout punch for my staggering city. I n

t to take more specific steps when analyzing how to "optimize" their corrosion control treatment to prevent lead
t to take more specific steps when analyzing how to "optimize" their corrosion control treatment to prevent lead
t to take more specific steps when analyzing how to "optimize" their corrosion control treatment to prevent lead
t to take more specific steps when analyzing how to "optimize" their corrosion control treatment to prevent lead
"optimize" their corrosion control treatment to prevent lead from leaching into the water like it did in FLINT. E
ore specific steps when analyzing how to "optimize" their corrosion control treatment to prevent lead from leach

portion near the street while the rest is the homeowner's responsibility would be prohibited. Researchers have

federal lead limit to take more specific steps when analyzing how to "optimize" their corrosion control treatmen

lls. The has jurisdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pit at Dan

ve dropped, but researchers say its still not safe to drink. Congress is looking at lessons to be learned from the

urvive. Brown water never flowed from my homes tap during the crisis, but my mom says she remembers the w

ons. Young people really care about this issue [climate change] and they are willing to come into public service

f L.A. are remains of. an engineering disaster that offers a warning for today http://bit.ly/1StlM6WBy @EnvPolic

any years, and the agency developed property owner guidelines for lead-exposure risk reduction that are simpl

ail. The Ohio EPA also requires verification of the Lead Consumer Notice to be submitted to the Ohio EPA.

lead plumbing fixture replacement assistance grants, to be used by the Facilities Construction Commission to p

id Guyette. The EPA rules said otherwise. The nature of the FLINT River suggested otherwise. The river w

it's still not safe to drink. Congress is looking at lessons to be learned from the debacle. Few things are as inv

etroit News and other media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 sc

s and other media reported. On Wednesday, Detroit Public Schools said testing revealed 19 of 62 schools exce

day, Detroit Public Schools said testing revealed 19 of 62 schools exceeded acceptable lead and copper levels

nterstate 75 and surrounded by towering smokestacks used for coal and steel production, salt mining and tar s

k 15 years have made New York City more vulnerable. Euchner added, Its imperative that the not pull away f
ces California won't take its stored water http://bit.ly/1VRcx6b tnx @Sammy_RothRT @NYTScience The Sierra

ike Detroit, receive their water from municipal systems that test at other locations. Lead is a neurotoxin that can

lications," Zimmer said. "But again, our charge was to come up with the strongest, most effective LCR to furthe

heir students elsewhere if given the opportunity. The DPS school board recently filed a lawsuit against Snyder a

o longer live in but the crisis is still personal for me. The people of FLINT, meanwhile, survive. Brown wate

from leaching into the water like it did in FLINT. Each water system to fully replace old pipes within 10 years
from leaching into the water like it did in FLINT. Each water system to fully replace old pipes within 10 years
from leaching into the water like it did in FLINT. Each water system to fully replace old pipes within 10 years
from leaching into the water like it did in FLINT. Each water system to fully replace old pipes within 10 years
ach water system to fully replace old pipes within 10 years unless the state authorizes more time. Partial replac
ing into the water like it did in FLINT. Each water system to fully replace old pipes within 10 years unless the

found that removing just part of a line can actually make lead exposure worse. The Snyder administration is s

t to prevent lead from leaching into the water like it did in FLINT. Each water system to fully replace old pipes

ny E. Webb Construction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county is now li

debacle. Few things are as invasive as poisoned tap water. On my worst days, I worry that this may be a knoc

ater smelling like sewer vapor. The last time I was there, I helped her unload 544 bottles of donated water from

to address it, even when they know there are challenges, and the agency is under very close scrutiny. And tha

yCenter Water Data Cannot Fix Broken Behavior http://bit.ly/1N28ylG (tnx @JayLund113)Canada @NatObserv

e but effective assuming that the general public has the resources and information access required to. put the g

[4] What to do if you exceed the lead action level If a PWS exceeds the lead action level in the tap water sam

rovide funding to eligible public and charted nonpublic schools for the reimbursement of costs for replacing drin

ater was far more corrosive than Lake Huron water. In fact, in October 2014, General Motors switched to FLIN

asive as poisoned tap water. On my worst days, I worry that this may be a knockout punch for my staggering c

hools exceeded acceptable lead and copper levels. The governor didnt release any cost estimates for impleme

eded acceptable lead and copper levels. The governor didnt release any cost estimates for implementing his p

. The governor didnt release any cost estimates for implementing his proposal. The standard Snyder proposes i

ands crude oil refining. In the 50 Michigan zip codes with the highest rates of asthma hospitalizations, 76 perc

rom New York. We need every tool thats available - big data or boots on the ground in the city. I would be looki
Nevada snowpack wont end Californias thirst http://nyti.ms/1WodkvO #cawater #CADroughtBy @carolynlochh

damage child brain development, cause behavioral problems and sicken adults. A recent analysis of data by

r the national model. I did not want to opt into this with a checkbook on every proposal. "At some point you're t

nd the state over the poor conditions. Teachers have also engaged in mass demonstrations, calling in sick and

r never flowed from my homes tap during the crisis, but my mom says she remembers the water smelling like s

unless the state authorizes more time. Partial replacement of a line which can occur when a utility owns a por
unless the state authorizes more time. Partial replacement of a line which can occur when a utility owns a por
unless the state authorizes more time. Partial replacement of a line which can occur when a utility owns a por
unless the state authorizes more time. Partial replacement of a line which can occur when a utility owns a por
ement of a line which can occur when a utility owns a portion near the street while the rest is the homeowner's
state authorizes more time. Partial replacement of a line which can occur when a utility owns a portion near th

till studying which proposals it could implement single-handedly and which would need legislative approval. "W

within 10 years unless the state authorizes more time. Partial replacement of a line which can occur when a u

kely to intensify with two companies facing officials who, in the coming months, will defend in federal court an o

kout punch for my staggering city. I no longer live in FLINT, but the crisis is still personal for me. The people

the car. We added them to the stockpile in our basement. My mom is retired, but like others in FLINT shes b

t's because the work we do still matters. I'm excited that we are continuing to have the best and brightest comi

er As B.C. pushes to build Site C, Oregon and California agree to tear down four dams http://bit.ly/1S9ZPdU (tn

uidelines to use. The basic premise is that a good proportion of lead exposure today comes as the result of ma

ples, in addition to issuing a Lead Consumer Notice, it must sample the tap water of any customer who request

king fountains, water coolers, plumbing fixtures and other piping found to contain lead. levels above applicable a

T Township's water, supplied by Detroit, because the city of FLINT'S water was corroding engine parts. Wit

ity. I no longer live in FLINT, but the crisis is still personal for me. The people of FLINT, meanwhile, surviv

nting his proposal. The standard Snyder proposes is in line with the World Health Organization standard in Thir

roposal. The standard Snyder proposes is in line with the World Health Organization standard in Third World co

s in line with the World Health Organization standard in Third World countries. At a meeting of the Interagency

ent of residents are minorities and 35 percent are living in poverty. The residue of poverty In Detroit, Henry Fo

ng for very specific commitments in this debate. It will rein in Wall Street, tax the wealthier at a higher level. Th
ead in @SFGate: California US agree to dismantle 4 dams on Klamath River http://bit.ly/25JTwHvln @Newswe

The Associated Press found that among the schools and child-care centers operating their own water systems

alking about health," he said. The governor in February asked lawmakers for $25 million to replace FLINT'S s

effectively shutting down schools over what they call unsafe teaching environments. On top of these problems

ewer vapor. The last time I was there, I helped her unload 544 bottles of donated water from the car. We added

tion near the street while the rest is the homeowner's responsibility would be prohibited. Researchers have fou
tion near the street while the rest is the homeowner's responsibility would be prohibited. Researchers have fou
tion near the street while the rest is the homeowner's responsibility would be prohibited. Researchers have fou
tion near the street while the rest is the homeowner's responsibility would be prohibited. Researchers have fou
responsibility would be prohibited. Researchers have found that removing just part of a line can actually make
e street while the rest is the homeowner's responsibility would be prohibited. Researchers have found that rem

e recognize there will be cost implications," Zimmer said. "But again, our charge was to come up with the stron

tility owns a portion near the street while the rest is the homeowner's responsibility would be prohibited. Resea

rdinance approved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted waters Cl

of FLINT, meanwhile, survive. Brown water never flowed from the tap in my mothers home during the crisis

ecome a student of water contamination. She collects a quart of water from her kitchen sink the only one witho

ng into the agency. And we continue to have really dedicated people who recognize that they are under close s

x @WaterPortal)@CdnWaterNetwork #CWNSYP Webinar, 28 April, 12-1. PM EDT: 'Adapting for a Resilient W

terials used in buildings built before 1979, meaning that the property owner is responsible for addressing the pr

s it. PWSs that exceed the lead action level must also provide written public education materials to consumers w

ction levels.

hout the corrosion control, the harsh water of the FLINT River caused the old lead lines from the city's water

e. Brown water never flowed from the tap in my mother's home during the crisis, but my mom says she remem

d World countries. At a meeting of the Interagency Coordinating Committee Friday, where Snyder formally un

untries. At a meeting of the Interagency Coordinating Committee Friday, where Snyder formally unveiled his p

Coordinating Committee Friday, where Snyder formally unveiled his proposal, some criticized it as not tough e

rd Health System physician Elliott Attisha connects the city's high rates of asthma to a treacherous cocktail of e

e Mayor believes these are the changes we need in New York City and across the country. The Mayor has als
ek St. Francis Dam: On edge. of L.A. are remains of an engineering disaster that offers a warning for today http

, 278 violated federal lead levels at some point during the past three years. About one-third of those had lead le

ervice pipes and an additional $165 million for statewide infrastructure improvements, at least a portion of whic

, the FEDERAL GOVERNMENT in March hit 12 current and former DPS principals with bribery and conspira

them to the stockpile in our basement. My mom is retired, but like others in FLINT shes become a student o

nd that removing just part of a line can actually make lead exposure worse. The Snyder administration is still s
nd that removing just part of a line can actually make lead exposure worse. The Snyder administration is still s
nd that removing just part of a line can actually make lead exposure worse. The Snyder administration is still s
nd that removing just part of a line can actually make lead exposure worse. The Snyder administration is still s
lead exposure worse.The Snyder administration is still studying which proposals it could implement single-han
oving just part of a line can actually make lead exposure worse. The Snyder administration is still studying whi

gest, most effective LCR to further the national model. I did not want to opt into this with a checkbook on every

rchers have found that removing just part of a line can actually make lead exposure worse. The Snyder admin

aims of leaching even got a boost this past week after a peer-reviewed study conducted by the United States G

, but my mom says she remembers the water smelling like sewer vapor. The last time I was there, I helped her

ut a filter every two weeks in containers supplied by the state. The pink form she wraps around each bottle list

crutiny, but [that] we can meet that scrutiny. I'm not afraid of it. We do great work and we work hard to make su

ater Industry' http://bit.ly/1TTPpDS@CBCNews video: Wind makes natural ice castles on Pigeon Lake http://bit

oblem.

ithin 60 days of the end of that monitoring period. Public education materials must contain specific information i

mains to homes and lead solder in copper pipes inside homes to leach lead into the water. Continued. A year l

bers the water smelling like "sewer vapor." The last time I was there, I helped her unload 544 bottles of donated

veiled his proposal, some criticized it as not tough enough, the Detroit Free Press reports. Retired Brigadier Ge

roposal, some criticized it as not tough enough, the Detroit Free Press reports. Retired Brigadier Gen. Michael M

nough, the Detroit Free Press reports. Retired Brigadier Gen. Michael McDaniel, who is running FLINT Mayo

nvironmental factors, including airborne pollution and asthma-triggering agents in the home. But he said it's als

o talked a lot about the need for a that supports our cities by investing more in things like mass transit and pub
://bit.ly/1StlM6WBy @EnvPolicyCenter Water Data Cannot Fix Broken Behavior http://bit.ly/1N28ylG (tnx @Jay

vels that were at least double the federal limit. In almost all cases, the problems can be traced to aging buildin

h could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/DavidEggert00. His work can b

cy charges, accusing them of engaging in a scheme to score kickbacks from school supplies that were rarely, i

f water contamination. She collects a quart of water from her kitchen sink the only one without a filter every tw

tudying which proposals it could implement single-handedly and which would need legislative approval. "We re
tudying which proposals it could implement single-handedly and which would need legislative approval. "We re
tudying which proposals it could implement single-handedly and which would need legislative approval. "We re
tudying which proposals it could implement single-handedly and which would need legislative approval. "We re
dedly and which would need legislative approval."We recognize there will be cost implications," Zimmer said. "B
ch proposals it could implement single-handedly and which would need legislative approval. "We recognize the

proposal. "At some point you're talking about health," he said. The governor in February asked lawmakers for

istration is still studying which proposals it could implement single-handedly and which would need legislative a

eological Survey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wolf Creek

unload 544 bottles of donated water from the car. We added them to the stockpile in the basement. My mom i s an identification number and her name, address and the date of collection.

re that we do it well and we meet all the rules. Secondly, we know that the work we do is important, and we als

.ly/1oUuaF1 (tnx @waterPortal)Via @TheProvince 'Bizarre' clause in new B.C. water legislation raises concern

ncluding the health effects of lead, the sources of lead, the steps consumers can take to reduce exposure, and

ater, Wyant finally admitted that the state had for 17 months applied the wrong Federal water rules in FLINT. T

water from the car. We added them to the stockpile in the basement. My mom is retired, but like others in FL

n. Michael McDaniel, who is running FLINT Mayor Karen Weavers lead pipe removal program, suggested th

cDaniel, who is running FLINT Mayor Karen Weavers lead pipe removal program, suggested that a state tha

r Karen Weavers lead pipe removal program, suggested that a state that bills itself as Pure Michigan should ad

o tied to the residues of poverty that both limit access to HEALTH CARE and can elevate stress, which in tur

lic education, and he looks forward to hearing the candidates address these issues on Thursday, the spokespe
Lund113)Canada @NatObserver As B.C. pushes to build Site C, Oregon and California agree to tear down fou

gs with lead pipes, older drinking fountains and water fixtures that have parts made with lead exactly the case i

e found at http://bigstory.ap.org/author/david-eggert Web Only You must be logged in to leave a comment.

f ever, delivered.

o weeks in containers supplied by the state. The pink form she wraps around each bottle lists an identification n

cognize there will be cost implications," Zimmer said. "But again, our charge was to come up with the strongest
cognize there will be cost implications," Zimmer said. "But again, our charge was to come up with the strongest
cognize there will be cost implications," Zimmer said. "But again, our charge was to come up with the strongest
cognize there will be cost implications," Zimmer said. "But again, our charge was to come up with the strongest
ut again, our charge was to come up with the strongest, most effective LCR to further the national model. I did
re will be cost implications," Zimmer said. "But again, our charge was to come up with the strongest, most effec

$25 million to replace FLINT'S service pipes and an additional $165 million for statewide infrastructure impro

pproval. "We recognize there will be cost implications," Zimmer said. "But again, our charge was to come up wi

at levels that could alter development and reproduction in wildlife, researchers said. After sampling various are

s retired, but like others in FLINT, shes become a student of water contamination. She collects a quart of wa

o know that the general public cares about EPA and the work we do. And you're going to see this over and o

s http://bit.ly/1MdvldZ Climate, Climate Change, Adaptation, and Meteorology In @nytimes: Climate Change H

what the PWS is doing to reduce lead levels in homes and buildings in the area. If the PWS is a school, day ca

o make matters worse, FLINT had been testing the water in homes in a way that would understate the prese

INT, she's become a student of water contamination. She collects a quart of water from her kitchen sink - the o

at a state that bills itself as Pure Michigan should adopt standards higher than those that exist in many Third W

t bills itself as Pure Michigan should adopt standards higher than those that exist in many Third World Countrie

opt standards higher than those that exist in many Third World Countries. He cited studies that suggest the tole

n is linked to asthma. "A lot of these homes don't have a car," said Attisha, who directs a mobile health program

rson added. This year, the states large delegate count is a necessity for Sanders, who is coming off his eighth
r dams http://bit.ly/1S9ZPdU (tnx @WaterPortal)CdnWaterNetwork #CWNSYP Webinar, 28 April, 12-1 PM EDT

n the Detroit schools. In River in 2014 to save money. That let lead leach from old pipes into homes and busi

umber and her name, address and the date of collection. Shes right; theres no reason to trust anything shes b

, most effective LCR to further the national model. I did not want to opt into this with a checkbook on every pro
, most effective LCR to further the national model. I did not want to opt into this with a checkbook on every pro
, most effective LCR to further the national model. I did not want to opt into this with a checkbook on every pro
, most effective LCR to further the national model. I did not want to opt into this with a checkbook on every pro
not want to opt into this with a checkbook on every proposal."At some point you're talking about health," he sa
tive LCR to further the national model. I did not want to opt into this with a checkbook on every proposal. "At so

vements, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.c

th the strongest, most effective LCR to further the national model. I did not want to opt into this with a checkbo

as including a neighboring stream, scientists measured significantly greater EDCs on and downstream of the D

ter from her kitchen sink the only one without a filter every two weeks in containers supplied by the state. The

ver and over. Despite the fact that we have folks on the Hill that are concerned about EPA and the way in wh

its Hard in Zambia. an African Success Story http://nyti.ms/1YwgH2I@ClimateReality: When @AlGore & @Ne

re, nursing home or correctional institution, the parent, legal guardian or power of attorney is required to be dire

nce of lead, according to Del Toral and Edwards. State officials become unglued With the publication of Guyett

nly one without a filter - every two weeks in containers supplied by the state. The pink form she wraps around e

orld Countries. He cited studies that suggest the tolerable lead limit should be 5 parts per billion. Weaver, spea

s. He cited studies that suggest the tolerable lead limit should be 5 parts per billion. Weaver, speaking with rep

rable lead limit should be 5 parts per billion. Weaver, speaking with reportrs after the meeting, said she agrees w

aimed at asthma and other HEALTH CARE issues that affect Detroit school children. "They don't have a pri

win out of the last nine primary contests with a total of 1,069 delegates, but is still far behind Clintons 1,758. A c
: 'Adapting for a Resilient Water Industry' http://bit.ly/1TTPpDS@CBCNews video: Wind makes natural ice cast

nesses. About 8,000 area children under age 6 have potentially been exposed to lead, and elevated levels ha

een told. During these conversations, Ive learned to do what I should have done the first time she told me abo

posal. "At some point you're talking about health," he said. The governor in February asked lawmakers for $25
posal. "At some point you're talking about health," he said. The governor in February asked lawmakers for $25
posal. "At some point you're talking about health," he said. The governor in February asked lawmakers for $25
posal. "At some point you're talking about health," he said. The governor in February asked lawmakers for $25
id.The governor in February asked lawmakers for $25 million to replace FLINT'S service pipes and an additio
me point you're talking about health," he said. The governor in February asked lawmakers for $25 million to re

om/DavidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert

ok on every proposal. "At some point you're talking about health," he said. The governor in February asked law

anny E. Webb Construction site. These revelations come at a sensitive time for the public, the government, and

pink form she wraps around each bottle lists an identification number, her name, her address and the date of c

ich we do our business, we'll be able to stand up to that scrutiny. But also the general public wants clean air, th

ilTyson talk about future of climate solutions, the conversation gets real,fast http://bit.ly/1TPOSD8Via @EPA C

ctly notified. Verification of the public education materials must also be submitted to the Ohio EPA. PWSs wi

e's blog, suddenly the incidentals of the story, piling up for 13 months, coalesced as parts in a larger, darker na

ach bottle lists an identification number, her name, her address and the date of collection. She's right; there's n

king with reportrs after the meeting, said she agrees with McDaniel.

ortrs after the meeting, said she agrees with McDaniel.

ith McDaniel.

mary care physician. When you are not getting HEALTH CARE, that's when you end up in the emergency ro

andidate needs 2,383 for the Democratic nomination.
les on Pigeon Lake http://bit.ly/1oUuaF1 (tnx @waterPortal)Via @TheProvince 'Bizarre' clause in new B.C. wat

ve been found in more than 200 children and 100 adults. From Oct. 21 to March 25, about 20,000 people of all

ut the bad water and what the rest of America must do to prevent the next I listen. Talia Buford is a reporter a

million to replace FLINT'S service pipes and an additional $165 million for statewide infrastructure improvem
million to replace FLINT'S service pipes and an additional $165 million for statewide infrastructure improvem
million to replace FLINT'S service pipes and an additional $165 million for statewide infrastructure improvem
million to replace FLINT'S service pipes and an additional $165 million for statewide infrastructure improvem
nal $165 million for statewide infrastructure improvements, at least a portion of which could. upgrade lead lines
place FLINT'S service pipes and an additional $165 million for statewide infrastructure improvements, at leas

makers for $25 million to replace FLINT'S service pipes and an additional $165 million for statewide infrastru

water utilities around the country are scrutinizing water quality after towns like FLINT, Michigan, showed tha

ollection. Shes right; theres no reason to trust anything shes been told. During these conversations, Ive learn

ey want clean land, they want safe drinking water, they want the recreation opportunities that clean rivers and s

onnection between climate change and Lyme disease? Find out in: http://1.usa.gov/1RIYUkCIn @ScienceNew

th tap water samples that exceed the lead action level are also required to monitor the water for lead at the ent

rrative. "I went to the DEQ spokesperson," Smith said, referring to Brad Wurfel. "This was the Fourth of July. H

o reason to trust anything she's been told. During these conversations, I've learned to do what I should have d

om. In some of these homes you have mold, you have cockroaches, you have smoke, all these exposures that

er legislation raises concerns http://bit.ly/1MdvldZ In @KelownaCapNews Water myths addressed at forum. htt

ages were tested, state officials say. In Detroit, an environmental consulting firm will revisit the 19 buildings th

t The Center for Public Integrity.

ents, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/D
ents, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/D
ents, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/D
ents, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/D
elsewhere. Follow David Eggert at http://twitter.com/DavidEggert00.
t a portion of which could upgrade lead lines elsewhere. Follow David Eggert at http://twitter.com/DavidEggert0

cture improvements, at least a portion of which could upgrade lead lines elsewhere. Follow David Eggert at htt

t local, state and federal agencies can simultaneously overlook tainted water supplies. Though unrelated to lea

ed to do what I should have done the first time she told me about the bad water and what the rest of America m

treams produce. This is core value of what we do. I know that we're on safe ground in terms of continuing the w

s Changing climate - 10 years after 'An Inconvenient Truth' http://bit.ly/1qE0yNQ Conferences, Webinars, Work

ry points to the distribution system. Large PWSs (and small and medium PWSs whose tap water samples exce

e was very forthcoming." At that point, the DEQ had not responded to many of Guyette's inquires: "They didn't t

one the first time she told me about the bad water - and what the rest of America must do to prevent the next F

can play a role in asthma." Attisha cited a 2015 study which examined psychological causes of advanced stres

p://bit.ly/1NcSkpY (Via @GWPNews)Climate, Climate Change, Adaptation, and Meteorology In @nytimes: Clim

rough April 25 and collect additional water samples on outlets that have not been screened. The district is work

avidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert Content Provided By Canad
avidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert Content Provided By Canad
avidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert Content Provided By Canad
avidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert Content Provided By Canad

0. His work can be found at http://bigstory.ap.org/author/david-eggert

p://twitter.com/DavidEggert00. His work can be found at http://bigstory.ap.org/author/david-eggert Subjects P

d pollution, fracking and its effects on water have been front-and-center in recent times, too. The ENVIRONM

ust do to prevent the next FLINT. I listen.

ork we do moving forward, whether we're under a Republican or a Democratic leadership. The environment ha

shops and Calls for Abstracts/Papers Lecture @UNM School of Law, 'Confronting Climate Change in New Mex

ed the lead action level) are required to monitor for other water quality parameters, in addition to lead, both at t

hink Curt was a real journalist," said Smith. "Wurfel said that everybody who's worried about lead in FLINT c

LINT. I listen. Talia Buford is a reporter in the environment and labor team at the Center for Public Integrity.

s on children, such as divorce, drug use in the home, the incarceration of a parent or. witnessing adults in the h

ate Change Hits Hard in Zambia, an African Succ @EPA Connection between climate change and Lyme dise

ing on detailed mitigation plans for the schools and will share those with the Detroit Health Department to make

ian Press.
ian Press.
ian Press.
ian Press.

eople Locations Organisations

ENTAL PROTECTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a report t

s never been an easy partisan issue. It's always been a struggle, but it's always been that Republicans and De

ico' by Dr @JasonFunk_UCS of @UCSUSA, 25 Apr, 6 PM View this photo @CdnWaterNetwork #CWNSYP W

aps and at the entry points to the distribution system. Corrosion control treatment The treatment technique for

an relax," said Smith. "It does not look like there is any broad problem with the water supply freeing up lead as i

ome punch or beat each other up. I was scared." Rodriguez lives in zip code 49507, where 11 percent of child

ase? Find out in: http://1.usa.gov/1RlYUkCRT @AGU_Eos GOES R Launch Date Set: Will Revolutionze Weat

sure all proper actions are taken, Zdrodowski added. Screenings at middle schools and high schools are expe

hats been years in the making. Meanwhile, studies examining how fracking chemicals may affect water and pu

mocrats care about the health of their kids. We're going to keep delivering on the promises that they made man

ebinar, 28 April. 12-1 PM EDT: 'Adapting for a Resilient Water Industry' http://bit.ly/1TTPpDSWorkshop on Wa

lead requires PWSs to install and operate optimal corrosion control treatment. The goal of corrosion control tre

t goes into homes," Wurfel said last July. Wurfel called Del Toro a "rogue employee" and said he should not ha

ren under 6 had lead levels above five micrograms per deciliter in 2014, 13th highest in Michigan. By comparis

her Forecasting http://ow.ly/10EEa8 @wildweatherdan at #AGUblogsIn @ScienceNews Changing climate - 10

cted to start over the next two weeks. Only about 1 of every 10 schools in the country is required to conduct le

blic health are published regularly, as some property owners are winning lawsuits and getting millions from the i

y years ago when [President] Richard Nixon started the EPA. We're going to do our work in a non-partisan w

tershed Restoration @oregonstateuniv, Corvallis, OR, 3-4 May 2016. 2) Enviro-Sciences -11 April 2016 http:/

atment is to minimize lead concentrations in the water coming out of consumers taps, while still ensuring that th

ve released his memo to Walters. In the meantime, Edwards landed an emergency grant from the National Sci

on, in the central Detroit zip code of 48206 93 percent black, with 45 percent in poverty 20.3 percent of childre

years after 'An Inconvenient Truth' http://bit.ly/1qE0yNQ @AGU_Eos To better understand the hydrology of gla

ad testing, the AP review found. Those receiving their water from city-owned systems an estimated 90,000, ac

ndustry for water contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply studied

ay, we're going to follow the science and the law, and we're going to protect our kids. Bloomberg BNA : That s

/bit.ly/1VNsLgE #EJHBBRT @WorldHygienePrg The Daily #WASH http://bit.ly/TheDailyWASH Stories via @GW

e water is in compliance with all other primary drinking water regulations. Various corrosion control treatment s

ence Foundation to conduct a study of the FLINT water supply that relied on citizen participation. As the resu

n under 6 tested above the action level for lead, tops in the state. (In FLINT in the midst of its water crisis in 2

ciers, @kriverman crawls inside of one (VIDEO) http://ow.ly/10EQn2@PNWClimate: Shortcomings in Modeling

cording to the Copyright 2016 Associated Press. All rights reserved. This material may not be published, broa

water chemicals, not how these chemicals got there in the first place. Locals worry about confirmed fracking c

aid, do you have any concerns that there would be fewer people like you who would step into a political position

FWater @HilBarber @WaterWiredEthics, Gender, Rights and Indigenous Peoples RT @JElmes_THE One fem

teps may be employed, depending on the characteristics of the water. Not all PWSs must take additional steps

lt of studying 300 homes, Edwards estimated that 5,000 of FLINT'S 40,000 homes violated national lead stan

015 6.4 percent of children under 6 tested above five micrograms per deciliter for lead) Troubling lead levels a

Precipitation. http://bit.ly/1YxKk3hConferences, Webinars, Workshops and Calls for Abstracts/Papers Lecture @

dcast, rewritten or redistributed.Email This Print Newsletters Tweet Categories: Midwest NewsTopics: 19 Detro

hemicals in Wolf Creek as it connects to the water supply. And last year, the state renewed Danny E. Webb Co

at the agency given the scrutiny that's likely to follow? McCarthy : It gets challenging. I've been in this work a l

ale scientist on a team could be 'worse than none': http://ow.ly/10zVkG - my report from the #GRACEatUCL ev

, beyond monitoring, to achieve optimal corrosion control treatment. For example, small and medium PWSs are

dards. Wurfel said, "This group specializes in looking for high levels of lead." In late September, shortly after Ed

re not confined to minority or poor neighborhoods. Zip code 49073 a rural area in Barry County that includes t

UNM School of Law, 'Confronting Climate Change in New Mexico' by Dr @JasonFunk_UCS of @UCSUSA, 25

it schools, Elevated lead or copper levels, ENVIRONMENTAL PROTECTION AGENCY data, FLINT drink

nstructions permit to continue disposing fracking waste in underground injection wells, also known as brine disp

ong time and I think that people see that as we've been challenged, we've been able to meet that challenge. An

ent.Pubs: 1) 2015 Snapshot of Water Security. in Nile,Mekong & Amazon Basins; 2) Cultural Costs of Tropical D

deemed to already have optimized corrosion control if the systems samples comply with the lead action level d

wards reported his findings, Dr. Mona Hanna-Attisha of Hurley Medical Center announced that the percentage o

he towns of Nashville and Maple Grove southeast of Grand Rapids is 98 percent white with just 17 percent livi

Apr, 6 PM View this photo @CdnWaterNetwork #CWNSYP Webinar, 28 April, 12-1 PM EDT: 'Adapting for a R

ing water crisisHave a hot lead? Email us at newsdesk@insurancejournal.com Get Insurance Journal Every Da

osal wells. The has jurisdiction over these wells only if diesel fuel is among the chemicals. A fracking waste pi

d show people that I'm doing the work I'm supposed to do in the way I'm supposed to do it. But I think people w

ams http://bit.ly/1SIo2IbGroundwater and Hydrogeology @USGAO Report on Drinking Water, @EPA, & Und

uring two consecutive six-month monitoring periods. Generally, these PWSs then only need to monitor for lead

f FLINT kids 5 and younger with high lead levels had doubled from 2.1 percent before the switch to. the FLI

ng in poverty. That area tested second highest in the state But a closer look suggests its lead test level in 2014

esilient Water Industry' http://bit.ly/1TTPpDSWorkshop on Watershed Restoration. /bit.ly/1Sjyr2u@OSUCEOA

y Subscribe Advertisers

t at Danny E. Webb Construction Inc. CREDIT: Brad Keenan A fracking waste ban The feud in Fayette county i

ill want to continue to have a leadership position at EPA. I think they know it's a great agency with 15,000 rea

erground Source Water Protection http://bit.ly/1WqnE6HIn @guardian from @AP Much of China's groundwater

once every three calendar years. However, these PWSs must notify Ohio before making any change or modi

NT River to 4 percent after the switch. The Michigan Department of Health and Human Services disputed her

, in which 17.6 percent of children under 6 tested above five micrograms, could be the result of a small sample s

S 'Making Waves' Newsletter - 15 April 2016 http://bit.ly/1WvLQ7CEthics, Gender, Rights, Faith, and Indigenou

s now likely to intensify with two companies facing officials who, in the coming months, will defend in federal co

lly passionate employees that do their jobs well. And let's hope they continue to want to have the leadership tha

is 'unsafe because of pollution' http://bit.ly/23rXMN5 (tnx @WaterPortal)Update on @MySAWS Vista Ridge pr

fication in treatment or before changing the water source. PWSs that fail to meet the lead action level must con

numbers. A reporter with knowledge of statistics at the Detroit Free Press analyzed the HHS data and found

ize rather than a true measure of the problem. The coalition's director, Paul Haan, said there's a long way to g

s Peoples RT @JElmes_THE One female scientist on a team could be 'worse than none': http://ow.ly/10zVkG - m

urt an ordinance approved in January that banned fracking waste disposal. CREDIT: Laserlub/Flikr Tainted wa

t will continue to move it forward in the future. I'm confident there'll be folks that want that position. Bloomberg B

oject, 12 April 6-7:30 PM. Live streamed http://saws.org/live cc: @EdwardsAquiferHydrofracking, Shale Gas, a

duct corrosion control studies and come up with a plan to provide for corrosion control. This plan must balance

they were consistent with Dr. Hanna-Attisha's, said Keith Matheny, the paper's environmental writer. With the r

o before lead paint is eliminated. He estimated there are 40,000 homes in Grand Rapids that contain lead pain

y report from the #GRACEatUCL event.Science and faith can work together to combat climate change http://ow

ters Claims of leaching even got a boost this past week after a peer-reviewed study conducted by the United S

NA : What's the reception you've seen internationally to ongoing EPA efforts? Has the political chatter here c

nd Energy In @guardian Northern Territory (AU) #fracking debate 'life or death', says cattle farmer http://bit.ly/2

the effect of chemicals used for corrosion control treatment on other water quality treatment processes. Corros

anks of reporters dwindling, Matheny considered it lucky that the paper had an employee capable of checking D

t. Most of its funding comes from the FEDERAL GOVERNMENT, $16 million as of May 2015. Statewide, it i

.ly/10F0BsVia @GWPnews from. WaterIntegrityN: Water Integrity Global Outlook 2016 http://bit.ly/1LBHSrlPub

tates Geological Survey and other universities reported endocrine disrupting chemical activity, or EDCs, in Wol

arried over to how other countries view EPA'S work? McCarthy EPA is the gold star. We are the rock star

3BBi94 (tnx @WaterPortal)@EnvirHealthNews: In West Virginia, #fracking wastewater may be messing with ho

ion control treatments that PWSs may employ include the use of a phosphate inhibitor; the use of a silicate inhi

HHS's calculations. On Sept. 30, 2015, after 17 months drinking FLINT River water, after the state steadfast

s estimated there are 1.2 million occupied housing units with lead paint. At an average cost of $10,000 per hom

s: 1) 2015 Snapshot of Water Security in Nile,Mekong & Amazon Basins; 2) Cultural Costs of Tropical Dams ht

f Creek at levels that could alter development and reproduction in wildlife, researchers said. After sampling vari

of where other countries want to be in terms of how they can continue to grow their economy and have a really

rmones http://bit.ly/1SZwsgOPersonal, People, Interviews, and Quotes Nice chat with former Portland resident

bitor; a pH and alkalinity adjustment; or a calcium hardness adjustment. The Director of Ohio must approve th

ly dismissed the repeated pleas of help from residents, after the state ignored Del Toro's warnings, disparaged

e to remove lead paint, it would cost $12 billion complete that job in Michigan. Using the "visible layers" tool, y

tp://bit.ly/1Slo2Ib Groundwater and Hydrogeology @USGAO Report on Drinking Water, @EPA, & Undergrou

ous areas including a neighboring stream, scientists measured significantly greater EDCs on and downstream o

healthy place to live. So we are in constant demand to go internationally and help support developing countries

@MSLJeconomist of. @TheEconomist.Between every two pine trees there is a door leading to a new way of l

e corrosion control plan, and follow-up monitoring is required. Source water treatment If a PWS has implemen

Edwards and his work, and challenged Dr. Mona's studies, Snyder finally "heard" about the poisoning, but "the

ou can see similarities in areas with high hospitalization rates, higher levels of pollution and heavily minority, low

nd Source Water Protection http://bit.ly/1WqnE6HIn @guardian from @AP Much of China's groundwater is 'uns

f the Danny E. Webb Construction site. These revelations come at a sensitive time for the public, the governme

all overas well as developed countriesto share how we're moving forward on science and the law, how we hav

ife. Weekly Water News Summary (& Jobs! 2 - 8 January 2016http://bit.ly/1PTs7fyReports, Publications, and J

ted optimal corrosion control treatment and still exceeds the lead action level, the Ohio may require a PWS to

re was no need to place blame. On Oct. 1, Genesee County declared a state of emergency. On Oct. 8, Snyde

er-income neighborhoods. Scroll out to see rest of state. Source: U.S. EPA, Michigan Department of Health

afe because of pollution' http://bit.ly/23rXMN5 (tnx @WaterPortal)Update on @MySAWS Vista Ridge project, 1

nt, and water utilities around the country are scrutinizing water quality after towns like FLINT, Michigan, show

e a system of government that allows environmental policies and rules to be rolled out and implemented and en

ournals @ASCETweets 'Evaluation of Potential Impact of Rainfall Intensity Variation due to CC on Existing Dra

implement source water treatment at the entry point of the water to the distribution system. Similar to the proce

r said the state would spend $12 million to switch FLINT back to the DWSD. That was 10 months after FLIN

and Human Services Old homes trigger lead trouble The parts of Michigan struggling with the highest rates o

2 April 6-7:30 PM. Live streamed http://saws.org/live cc: @EdwardsAquiferHydrofracking, Shale Gas, and Ener

ed that local, state and federal agencies can simultaneously overlook tainted water supplies. Though unrelated

forced. My second message is we have to continue to invest heavily in the entire enterprise of protecting peop

inage Infrastructure'http://bit.ly/1SiaIQfFrom @WorldBank: 'Earth Observation for Water Resources Manageme

ss required for corrosion control, a PWS must develop a treatment recommendation. Examples of source wate

T'S fourth emergency manager, Jerry Ambrose, refused an offer from Detroit, a vote by the powerless city cou

f elevated lead levels in children are in areas where potential exposure is greatest (such as communities with o

gy In @guardian Northern Territory (AU) #fracking debate 'life or death', says cattle farmer http://bit.ly/23BBi94

to lead pollution, fracking and its effects on water have been front-and-center in recent times, too. The ENVIR

le. I tried to make sure that I consistently had that message. I think there has been some disinvestment at the s

nt' (PDF) http://bit.ly/1VrVzwF In @REworld: @Interior, @usbr release five-year update to SECURE Water Act

r treatment for lead include ion exchange, reverse osmosis, lime softening or coagulation/filtration. Following ap

ncil and the demand of the FLINT residents to return to the Detroit system. Environmental injustice and a fre

lder housing stock that applied lead-based paint) and. where residents are predominantly poor and minority. Re

(tnx @WaterPortal)@EnvirHealthNews: In West Virginia, #fracking wastewater may be messing with hormone

ONMENTAL PROTECTION AGENCY is weighing whether fracking poses risks to drinking water ahead of a r

tate level and some challenges at the federal level with EPA and its budget that I wish I could have made a b

report http://bit.ly/1Vii46B Report: http. /on.doi.gov/1oR7xBjScience, Medicine, Health, and Technology Via @

proval by the Ohio and implementation of source water treatment, PWSs must comply with the maximum perm

e press New Mayor Karen Weaver declared a state of emergency on Dec. 15. "FLINT was at the mercy of th

sidents in more affluent areas, like Grosse Pointe, also live in older homes but are more likely to have had the r

s http://bit.ly/1SZwsgORT @AGU_Eos 2012 Texas quakes may have been man-made http://ow.ly/10CuXH. AG

eport thats been years in the making. Meanwhile, studies examining how fracking chemicals may affect water a

igger impact earlier on. I think we've been trying to figure out how to work with states to fill gaps when they've h

EPA Connection between climate change and Lyme disease? Find out in: http://1.usa.gov/1RIYUkCCatch up o

issible lead concentration for the finished water entering the distribution system, as determined by the Ohio Se

e state," said Guyette. "It wasn't the EPA'S fault. This was the failure of state and an indictment of the emerg

esources to minimize exposure to lead paint. The darker orange areas are where older homes make up higher

UblogsPersonal, People, Interviews, and Quotes Nice chat with former Portland resident @MSLJeconomist of @

nd public health are published regularly, as some property owners are winning lawsuits and getting millions from

ad disinvestment. But there's challenges. There's challenges in state legislatures just as there are in Congress.

n the news! Elaine J. Hanford's Bulletin Boards: 1) Geosciences; 2) Enviro-Sciences -11 April 2016 http://bit.ly/

rvice line replacement While configurations vary from system to system, water mains typically transport drinkin

ency management law." Last month, the governor's FLINT Water Advisory Task Force concurred: "The FLI

percentages of the housing stock. (Lead paint, the No. 1 culprit for high lead levels, was banned in 1978)The h

TheEconomist.Between every two pine trees there is a door leading to a new way of life. Weekly Water News

the industry for water contamination. Yet in the case of Fayette, researchers told ThinkProgress they simply st

Bloomberg BNA : I mean, one of the things state regulators say is we've got half a dozen Clean Air Act regula

1VNsLgE #EJHBBStreams, Dams, Lakes, and Ecosystems @NatObserver As B.C. pushes to build Site C, Ore

g water through the distribution system and connect to a smaller pipe. The smaller pipe transports water to the w

NT water crisis occurred when state-appointed emergency managers replaced local representative decision-m

ighest percentage of children with elevated lead levels are in the areas highlighted by the black-lined polygons.

Summary (& Jobs! 2 - 8 January 2016http://bit.ly/1PTs7fyReports, Publications, and Journals @ASCETweets '

udied water chemicals, not how these chemicals got there in the first place.

tions that we're going to have to implement with shrinking budgets.' Are you sympathetic to those concerns as w

gon and California agree to tear down four dams http://bit.ly/1S9ZPdU (tnx @WaterPortal)Stream study provide

ater meter at each residence or business and then through household pipes to the tap. Often, the PWS owns th

aking in FLINT, removing the checks and balances and public accountability that come with. public decision-m

They tend to be heavily minority areas that lack the financial resources to eradicate lead. Source: U.S. EPA,

Evaluation of Potential Impact of Rainfall Intensity Variation due to CC on Existing Drainage Infrastructure'http:

ell? McCarthy : Oh sure. I worked at the state level for a long time. I am sympathetic to it, but I think they know

s insight for water storage in the West http://bit.ly/1qRGiJ1 via @BCWaterNewsStudy: Microbes act as. "the riv

e distribution mains and water meter, and the property owner owns the household pipes leading from the water

aking," the report said. "Emergency managers made key decisions that contributed to the crisis, from the use o

Michigan Department of Health and Human Services Data analysis, mapping by Mike Wilkinson of Bridge

//bit.ly/1SiaIQfFrom @WorldBank: 'Earth Observation for Water Resources Management' (PDF) http://bit.ly/1Vr

the movement forward has to be continuous. We simply can't stop in our tracks, but we do have to find new wa

er's liver' http://1.usa.gov/1UYRoYG via @BCWaterNews@AGU_Eos Klamath dam removal provides "road ma

meter to the tap. Generally, only if optimal corrosion control treatment and/or source water treatment prove un

f the FLINT River to delays in reconnecting to DWSD once water quality problems were encountered. Given t

VzwF In @REworld: @Interior, @usbr release five-year update to SECURE Water Act report http://bit.ly/1Vii46

ys of doing business together and investing in that so it makes it possible to do this work. There are lessons th

p for long-term restoration & sustainability" http://ow.ly/10wWyLBy @carolynlochhead in @SFGate: California U

successful is a PWS required to replace service lines that contain lead. Ohios rules generally require a PWS in

he demographics of FLINT, the implications for environmental injustice cannot be ignored or dismissed." Fift

B Report: http. /on.doi.gov/1oR7xBjScience, Medicine, Health, and Technology Via @EPA Connection betw

at I've learnedsome the hard the wayI think FLINT is clearly one of those. There is the need for us to work so

S agree to dismantle 4 dams on Klamath River http://bit.ly/25JTwHvPubs: 1) 2015 Snapshot of Water Security i

this instance to replace annually at least seven percent of the initial number of lead service lines in the distribu

y-seven percent of FLINT residents are black, 37 percent white, 4 percent Latino and 4 percent mixed race. F

een climate change and Lyme disease? Find out in: http://1.usa.gov/1RIYUkCScience and faith can work toget

closely with the state as they face the challenges and with local communities. It's simply not enough to let the p

n Nile,Mekong & Amazon Basins; 2) Cultural Costs of Tropical Dams http://bit.ly/1Slo2IbIn@NewsweekSt. Fran

tion system. However, a PWS is only required to pay for replacement of the portions of the lead service lines th

orty-one percent of its residents live in poverty. Mohai said "this is the most egregious case of environmental in

her to combat climate change http://ow.ly/10F0BsCatch up on the news! Elaine J. Hanford's Bulletin Boards: 1)

rocess play out. I guess the biggest lesson we need to learn is that while mistakes were made, the worst thing

cis Dam: On edge of L.A. are remains of an engineering disaster that offers a warning for todayhttp://bit.ly/1StlM

at it owns. A PWS is not required to bear the cost of replacing privately-owned lead service lines. Conclusion R

justice I can think of in terms of the sheer numbers of people involved." FLINT has a population of about 100

Geosciences; 2) Enviro-Sciences -11 April 2016 http://bit.ly/1VNsLgE #EJHBBStreams, Dams, Lakes, and Eco

we can do is put our head in the sand and not face them. We need to have that be an opportunity for us to rec

6W Visuals and Infographics At Comal Springs on the @EdwardsAquifer field trip, 9 April 2016. View this photo

egulatory changes are anticipated in light of the concerns with lead regulation highlighted by the lead contamin

,000. Michigan Radio's Williams surmised that state officials hoped that the issue would stalemate as a case of

systems @NatObserver As B.C. pushes to build Site C, Oregon and California agree to tear down four dams h

ognize that more leadership is necessary, more partnership is necessary. We need to figure out what we do wi

My Two @TAMU IWRM Videos: @TAMU_Water & @TAMULawSchool http://bit.ly/1V2BGfd @CBCNews vide

ation in FLINT, Michigan. Recently, multiple bills have been introduced in the U.S. Congress to increase fund

two conflicting sets of data and two conflicting narratives. "The state would have let it ride out until FLINT sw

ttp://bit.ly/1S9ZPdU (tnx @WaterPortal)Stream study provides insight for water storage in the West http://bit.ly/

th abandoned mines, and we need to understand how we deal with communities when they are so struggling to

o: Wind makes natural ice castles on Pigeon Lake http://bit.ly/1oUuaF1 (tnx @waterPortal)Amazing video from

ing for grants and loans for lead reduction projects, increase funding for health programs to address lead expos

itched to the new system. The high lead levels would have been there, but could have been attributed to somet

1qRGiJ1 via @BCWaterNewsStudy: Microbes act as. "the river's liver' http://1.usa.gov/1UYRoYG via @BCWa

stay afloat like FLINT, when they are essentially on the verge of bankruptcy. And how do you make sure th

a high school student: 'Our Story in Two Minutes' http://bit.ly/1eZnawy@joshnewtonH2O FLINT volunteering

ure, and increase requirements for the EPA to notify the public when it identifies unsafe lead levels in a comm

hing else, Williams said, such as lead-based paint chips or lead-laced dust. But the dogged reporting of Guyett

terNews@AGU_Eos Klamath dam removal provides "road map for long-term restoration & sustainability" http:/

at when an emergency manager's only view is saving money that someone speaks for the people and their nee

: Photo That Captures Part of the Story http. /bit.ly/1VJyRyy #FlintWaterCrisisWASH and Development RT @N

unitys drinking water. In Ohio, the Ohio EPA has indicated that it intends to strengthen its rules in order to dr

e, Smith, Williams herself and others eventually turned the scales. As the governor's task force concluded, "Th

/ow.ly/10wWyLBy @carolynlochhead in @SFGate: California US agree to dismantle 4 dams on Klamath River h

ds directly? That got lost in the decision-making and it never should have. That's what I did. I've been visiting c

EPADWater Uganda: Promote Sanitation, Behavioural Change in Campaign Messages. http://tinyurl.com/jksnj

astically reduce the amount of time PWSs have when issuing Lead Consumer Notices and public education ma

e FLINT water crisis is also a story. of something that did work: the critical role played by engaged FLINT c

ttp://bit.ly/25JTwHvPubs: 1) 2015 Snapshot of Water Security in Nile,Mekong & Amazon Basins; 2) Cultural Co

ommunity health centers. Because my concern is not only has there been disinvestment in the agencies that ar

btRT @WorldHygienePrg The Daily #WASH http://bit.ly/TheDailyWASH Stories via @GWFWater @HilBarber @

terials to consumers and when providing public notice verifications to the Ohio EPA. Each PWS (and its sour

itizens, by individuals both inside and outside of government who had the expertise and willingness to question

sts of Tropical Dams http://bit.ly/1Slo2lbIn@NewsweekSt. Francis Dam: On edge of L.A. are remains of an eng

e front and center of protecting the environment and public health, like our state agencies and EPA, the conc

WaterWiredWater/Land Quality and Contamination Colorado prods @EPA on promised cleanup of Gold Kin

ce water) is unique and requires independent evaluation. PWSs experiencing issues with lead should consult w

and challenge government leadership, and by members of a free press who used the tools that enable investig

ineering disaster that offers a warning for todayhttp://bit.ly/1StlM6W Visuals and Infographics At Comal Springs

ern I have is that, on the whole, there's been a disinvestment in research and development and teaching of env

g and other mines http://dpo.st/1qRHufa via @BCWaterNewsIn @guardian 10 ways to end water pollution in L

ith a regulatory professional who can work with the PWS and the proper regulatory authority, such as Ohio EP

ative journalism. Without their courage and persistence, this crisis likely never would have been brought to ligh

on the @EdwardsAquifer field trip, 9 April 2016. View this photo My Two @TAMU IWRM Videos: @TAMU_Wa

ironmental. exposures overall. As environmental pollution has become less easy to see, people think environm

atin America http://bit.ly/1VosEcj@USGAO Report on Drinking Water, Underground Source Water Protection h

A, to resolve the issue. With careful attention to monitoring and treatment options and prompt notification to co

t and mitigation efforts never begun." "The people of FLINT were relentless," said Guyette. "They kept pushi

ter & @TAMULawSchool http://bit.ly/1V2BGfd @CBCNews video: Wind makes natural ice castles on Pigeon L

ental exposures are no longer a problem for them. And I think that goes all the way to medical schools, not rea

ttp://bit.ly/1WqnE6H@ EPA delays release of Portland Harbor cleanup plan http://bit.ly/1UYNBuC via @BCW

nsumers of monitoring results and treatment steps taken, PWSs should succeed in serving healthy drinking wa

ng and pushing." Guyette, Smith and Williams may represent a change in how and by whom journalists are pai

ake http://bit.ly/1oUuaF1 (tnx @waterPortal)Amazing video from a high school student: 'Our Story in Two Minut

lizing that EPA is a primary prevention agency. We can address asthma in more ways than finding good trea

aterNews@DurangoHerald Editorial: @EPA, Superfund' https://shar.es/1jhJmT@TDSIanJames in @MyDes

ter and maintain the public trust while doing so.

d. But the trio embodied the best characteristics of a free press when it came to uncovering the facts and speak

es' http://bit.ly/1eZnawy@joshnewtonH2O FLINT volunteering: Photo That Captures Part of the Story http. /b

tment. We need to clean the air that keeps exacerbating asthma. I want people to know that there are many w

ert Review faults @EPA oversight of oil and gas wastewater http://desert.sn/1oUhpKO@EnvirHealthNews: I

ing truth to power. Jim Bloch is a freelance writer. Contact him at bloch.jim@gmail.com. Getting the attention o

it.ly/1VJyRyy #FlintWaterCrisisWASH and Development RT @NEPADWater Uganda: Promote Sanitation, Beh

ays in which you can win the fight on cancer. One is stop toxic pollution from impacting people. There's a place

n West Virginia, #fracking wastewater may be messing with hormones http://bit.ly/1SZwsgOWater Supply. Qua

f the media, preferably on a national scale, is often the key factor in tipping the scales of environmental justice i

avioural Change in Campaign Messages. http://tinyurl.com/jksnjbtRT @WorldHygienePrg The Daily #WASH ht

for EPA at a larger table than we have set before and that's what this is all about: making that table larger. E

ntity, Reuse, Conservation, Infrastructure @ASCETweets 'Eval of Potential Impact of Rainfall Intensity Variatio

n the favor of the victims. "I can't think of a case where the media did not play a role," said Paul Mohai, co-foun

tp://bit.ly/TheDailyWASH Stories via @GWFWater @HilBarber @WaterWiredWater/Land Quality and Contamin

ven though we're not doctors that deal with health impacts one-on-one, we are a primary prevention opportunit

n due to CC on Existing Drainage Infrastructure'http://bit.ly/1SiaIQfStream study provides insight for water stora

der of the Environmental Justice Program at the University of Michigan. Less than a generation ago, those med

ation Colorado prods @EPA on promised cleanup of Gold King and other mines http://dpo.st/1qRHufa via @

y. I want kids going into public health fields that focus on environmental exposures, I want more research on en

ge in the West http://bit.ly/1qRGiJ1 via @BCWaterNewsNew irrigation method catching on in West http://bit.ly/1

ia tended to be daily newspapers and their ranks of hard-bitten journalists. Today, the journalists telling the stor

BCWaterNewsIn @guardian 10 ways to end water pollution in Latin America http://bit.ly/1VosEcj@USGAO Rep

vironmental exposures, I want more opportunity to really have broader impact on public health than one-on-one

UYQdbT via @BCWaterNews@tonydavis987 in @TucsonStar: Arizona wants legal assurances California. won

ies of the victims of environmental contamination are nearly as likely to come from the ranks of non-profit organ

ort on Drinking Water, Underground Source Water Protection http://bit.ly/1WqnE6H@ EPA delays release o

between physicians on patients.

't take its stored water http://bit.ly/1VRcx6b tnx @Sammy_RothICYMI in @FresnoBee: In first-of-a-kind summit

izations as they are from the profit-based newspaper industry. In a panel discussion called "Environmental Just

f Portland Harbor cleanup plan http://bit.ly/1UYNBuC via @BCWaterNews@DurangoHerald Editorial: @EPA,

, White House rallies corporate investment in water http://bit.ly/1pHuHM1 #WHWaterSummitIn @REworld: @In

ice in the News: Lessons Learned from the FLINT Crisis" sponsored by the Institute for Journalism and Natu

Superfund' https://shar.es/1jhJmT@TDSIanJames in @MyDesert Review faults @EPA oversight of oil and

terior, @usbr release five-year update to SECURE Water Act report http://bit.ly/1Vii46B Report: http://on.doi.go

ral Resources on April 4, Curt Guyette, an investigative reporter for the American Civil Liberties Union of Michig

gas wastewater http://desert.sn/1oUhpKO@EnvirHealthNews: In West Virginia, #fracking wastewater may be m

v/1oR7xBjVia @WillSarni RT @wef: How #water shortages threaten jobs.

an, and Lindsey Smith and Rebecca Williams, both of the non-profit. Michigan Public Radio, addressed a gathe

essing with hormones http://bit.ly/1SZwsgOWater Supply. Quantity, Reuse, Conservation, Infrastructure @ASC

ring of 17 environmental journalists in Detroit. Mohai joined the panel later in the morning. The three journalists

ETweets 'Eval of Potential Impact of Rainfall Intensity Variation due to CC on Existing Drainage Infrastructure'h

played critical roles in putting the pieces of the FLINT story together and keeping the story alive until it finally

ttp://bit.ly/1SiaIQfStream study provides insight for water storage in the West http://bit.ly/1qRGiJ1 via @BCWat

went national, more than a year and a half later than residents began complaining to anyone who would listen t

erNewsNew irrigation method catching on in West http://bit.ly/1UYQdbT via @BCWaterNews@tonydavis987 in

hat they were being poisoned by their own tap water. Guyette was named "Journalist of the Year" by the Michig

@TucsonStar: Arizona wants legal assurances California. won't take its stored water http://bit.ly/1VRcx6b tnx @

an Press Association for his efforts. A story in the making Guyette was hired by ACLU-Michigan in 2014 to spe

Sammy_RothICYMI in @FresnoBee: In first-of-a-kind summit, White House rallies corporate investment in wat

arhead its Threats to Democracy project, which focused on the role of emergency managers in Michigan's mos

er http://bit.ly/1pHuHM1 #WHWaterSummitIn @REworld: @Interior, @usbr release five-year update to SECUR

t economically troubled cities. Under Michigan Public Act 436, emergency managers have the power to break c

E Water Act report http://bit.ly/1Vii46B Report: http://on.doi.gov/1oR7xBjVia @WillSarni RT @wef: How #water

ollective bargaining agreements, create new ordinances, strike existing laws from the books, sell municipal ass

shortages threaten jobs.

ets and cut benefits to retirees. The law was passed by the state legislature and signed by Gov. Rick Snyder fiv

e weeks after the voters struck down the previous emergency manager law. By attaching an appropriation to th

e bill, the legislature protected the new law against another referendum. The only thing emergency managers c

annot do is void contracts with bondholders. "The banks get their money," said Guyette. In April 2014, to save a

n estimated $5 million until the new Karegnondi Water Authority was completed, FLINT'S Emergency Manag

er Darnell Early ordered the switch to the FLINT River from the Detroit Water and Sewerage Department, wh

ich drew water from Lake Huron and piped it to FLINT. The KWA was being constructed parallel to the DWS

D line. Five weeks after the switch, residents began complaining about the water's weird color, smell and taste.

Some people developed rashes; their hair fell out. In August, high levels of E. coli were found in the water. In a

n effort to treat the E. coli, too much chlorine was added to the water, creating high levels of trihalomethanes, w

hich can increase the risk of cancer. "When Curt went to FLINT, the water was brown," said Smith. "The EM

said, It's safe. Sorry it's brown.' That was his response." Snyder declared an end to FLINT'S financial emerg

ency in April 2015. In the place of the financial emergency, an environmental and public health emergency was

brewing. LEGIONNAIRE'S Disease was about to fell 89 residents of Genesee County, 10 of whom died. Bu

t nobody told the people of FLINT. In June, Guyette broke the story that the residents of FLINT were being

lead poisoned by their municipal water system in a blog. The glue of the story If the ACLU of Michigan did not

get a grant from the Ford Foundation to hire Guyette, and if there had been budget cuts at Michigan Radio, wo

uld the story of FLINT have broken nationally? "It would have taken longer," said Guyette. "We had covered b

its and pieces of the story," said Smith. "But there was nothing gluing it together." That changed when Guyette w

rote a lengthy blog that revealed lead levels in Lee-Anne Walters' home to be 13,200 parts per billion more tha

n double the level considered by the EPA to be hazardous waste and more than 10,000 times the EPA. te

chnical maximum of 15 ppb. City tests had previously registered lead levels of 104 ppb and over 300 ppb. In Ap

ril, Walters discovered that one of her four sons had been lead poisoned, which can lead to lower IQ, behaviora

l problems and learning disabilities. Getting nowhere with local and state officials, Walters contacted the EPA a

nd separately learned about Marc Edwards of Virginia Tech University, who ended up analyzing the water at he

r house. Edwards said he had never encountered such high lead levels in a public water system. Guyette repor

ted that the FLINT water department, following the advice of the MDEQ, had not been adding phosphates to

the water as an anti-corrosive despite the fact that the DEQ told the EPA in February 2015 that it had been

using "an optimized control plan." DEQ Officials in April had made. the same claims to Guyette. DEQ Director D

an Wyant repeated the claim as late as Oct. 2. "The DEQ lied," said Guyette. Walters found out from a city wat

er plant employee that the city was not adding the corrosion controls and told the EPA'S Miguel Del Toral, w

ho confirmed it. "They didn't have the equipment at the FLINT Water Plant and didn't want to spend the mon

ey," said Guyette. The EPA rules said otherwise. The nature of the FLINT River suggested otherwise. The

river water was far more corrosive than Lake Huron water. In fact, in October 2014, General Motors switched t

o FLINT Township's water, supplied by Detroit, because the city of FLINT'S water was corroding engine p

arts. Without the corrosion control, the harsh water of the FLINT River caused the old lead lines from the city

's water mains to homes and lead solder in copper pipes inside homes to leach lead into the water. A year later

, Wyant finally admitted that the state had for 17 months applied the wrong Federal water rules in FLINT. To m

ake matters worse, FLINT had been testing the water in homes in a way that would understate the presence

of lead, according to Del Toral and Edwards. State officials become unglued With the publication of Guyette's b

log, suddenly the incidentals of the story, piling up for 13 months, coalesced as parts in a larger, darker narrativ

e. "I went to the DEQ spokesperson," Smith said, referring to Brad Wurfel. "This was the Fourth of July. He was

very forthcoming." At that point, the DEQ had not responded to many of Guyette's inquires: "They didn't think C

urt was a real journalist," said Smith. "Wurfel said that everybody who's worried about lead in FLINT can rela

x," said Smith. "It does not look like there is any broad problem with the water supply freeing up lead as it goes

into homes," Wurfel said last July. Wurfel called Del Toro a "rogue employee" and said he should not have rele

ased his memo to Walters. In the meantime, Edwards landed an emergency grant from the National Science F

oundation to conduct a study of the FLINT water supply that relied on citizen participation. As the result of st

udying 300 homes, Edwards estimated that 5,000 of FLINT'S 40,000 homes violated national lead standards

. Wurfel said, "This group specializes in looking for high levels of lead." In late September, shortly after Edward

s reported his findings, Dr. Mona Hanna-Attisha of Hurley Medical Center announced that the percentage of F

LINT kids 5 and younger with high lead levels had doubled from 2.1 percent before the switch to. the FLINT R

iver to 4 percent after the switch. The Michigan Department of Health and Human Services disputed her numbe

rs. A reporter with knowledge of statistics at the Detroit Free Press analyzed the HHS data and found they w

ere consistent with Dr. Hanna-Attisha's, said Keith Matheny, the paper's environmental writer. With the ranks o

f reporters dwindling, Matheny considered it lucky that the paper had an employee capable of checking DHHS's

calculations. On Sept. 30, 2015, after 17 months drinking FLINT River water, after the state steadfastly dism

issed the repeated pleas of help from residents, after the state ignored Del Toro's warnings, disparaged Edwar

ds and his work, and challenged Dr. Mona's studies, Snyder finally "heard" about the poisoning, but "there was

no need to place blame. On Oct. 1, Genesee County declared a state of emergency. On Oct. 8, Snyder said t

he state would spend $12 million to switch FLINT back to the DWSD. That was 10 months after FLINT'S f

ourth emergency manager, Jerry Ambrose, refused an offer from Detroit, a vote by the powerless city council a

nd the demand of the FLINT residents to return to the Detroit system. Environmental injustice and a free pre

ss New Mayor Karen Weaver declared a state of emergency on Dec. 15. "FLINT was at the mercy of the sta

te," said Guyette. "It wasn't the EPA'S fault. This was the failure of state and an indictment of the emergency

management law." Last month, the governor's FLINT Water Advisory Task Force concurred: "The FLINT w

ater crisis occurred when state-appointed emergency managers replaced local representative decision-making

in FLINT, removing the checks and balances and public accountability that come with. public decision-makin

g," the report said. "Emergency managers made key decisions that contributed to the crisis, from the use of the

FLINT River to delays in reconnecting to DWSD once water quality problems were encountered. Given the d

emographics of FLINT, the implications for environmental injustice cannot be ignored or dismissed." Fifty-sev

en percent of FLINT residents are black, 37 percent white, 4 percent Latino and 4 percent mixed race. Forty-o

ne percent of its residents live in poverty. Mohai said "this is the most egregious case of environmental injustice

I can think of in terms of the sheer numbers of people involved." FLINT has a population of about 100,000. M

ichigan Radio's Williams surmised that state officials hoped that the issue would stalemate as a case of two con

flicting sets of data and two conflicting narratives. "The state would have let it ride out until FLINT switched to

the new system. The high lead levels would have been there, but could have been attributed to something else

, Williams said, such as lead-based paint chips or lead-laced dust. But the dogged reporting of Guyette, Smith,

Williams herself and others eventually turned the scales. As the governor's task force concluded, "The FLINT

water crisis is also a story. of something that did work: the critical role played by engaged FLINT citizens, b

y individuals both inside and outside of government who had the expertise and willingness to question and cha

llenge government leadership, and by members of a free press who used the tools that enable investigative jou

rnalism. Without their courage and persistence, this crisis likely never would have been brought to light and mit

igation efforts never begun." "The people of FLINT were relentless," said Guyette. "They kept pushing and p

ushing." Guyette, Smith and Williams may represent a change in how and by whom journalists are paid. But the

trio embodied the best characteristics of a free press when it came to uncovering the facts and speaking truth t

o power.