To: Daly, Eric[Daly.Eric@epa.gov]
Cc: Nguyen, Lyndsey[Nguyen.Lyndsey@epa.gov]
From: Kappelman, David
Sent: Thur 6/16/2016 1:23:44 PM
Subject: RE: NFB Site-ERT Equipment

Eric,
I received the 2 ERT Reuter Stokes PICs back from Weston in Edison today. I will be shipping these out today for calibration. Do you need both of them back, and if so what shipping address should I send them to?

David Kappelman
513-240-6840

From: Daly, Eric
Sent: Wednesday, June 15, 2016 11:49 AM
To: Kappelman, David <Kappelman.David@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: RE: NFB Site-ERT Equipment

Thanks Dave. We have a Radeco calibrator….so I am not sure if one was pending for the Site. Lyndsey may have inquired when ours was in question

---

From: Kappelman, David
Sent: Wednesday, June 15, 2016 11:34 AM
To: Daly, Eric <Daly.Eric@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: RE: NFB Site-ERT Equipment

Yes the source is for the Germanium detector.

RadeCo calibrator is back from calibration. What address should I ship it to?

From: Daly, Eric
Sent: Wednesday, June 15, 2016 9:07 AM
To: Kappelman, David <Kappelman.David@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: Re: NFB Site-ERT Equipment

Thanks Dave. To refresh my memory..... This was source for the Germanium detector? Is there a plan B?

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately", Benjamin Franklin
Eric M. Daly
On-Scene Coordinator/Radiological Response Specialist
US Environmental Protection Agency- Region II
ERRD/RPB/PPS
2890 Woodbridge Avenue
Edison, NJ 08837
daly.eric@epa.gov
732-321-4350
On Jun 15, 2016, at 7:50 AM, Kappelman, David <Kappelman.David@epa.gov> wrote:

> Now it appears that there may be NRC licensing issues with the source. I will find out more today.

Dave

From: Daly, Eric
Sent: Tuesday, June 14, 2016 5:24 PM
To: Kappelman, David <Kappelman.David@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: NFB Site-ERT Equipment
Importance: High

Good Evening Dave:

I wanted to let you know that there were some label issues with shipping the HPIC. They should be resolved and shipped tomorrow, 06/15.

Lyndsey is in Disney right now but she left her notes from the last phone call.
Germanium-2500 pounds

- We now have assigned a bigger trailer for the laboratory. It is a storage container office. It has two doors on the end for the unit for easy access.
- We have to obtain a 2 foot by 4 foot or 3 foot by 3 foot, ½ inch steel plate
- The week of June 26th is the earliest you and the unit could arrive at the Site.

Invoice for the source

- I believe you were waiting for an invoice so I could present to Weston?

Was there anything else?

Thanks

From: Kappelman, David
Sent: Thursday, June 09, 2016 1:23 PM
To: Daly, Eric <Daly.Eric@epa.gov>
Subject: RE: Shipping Address

The Hazardous declaration should match what it says on the outside of the shipping container, and the shipping case should already be labeled correctly.

They can call me if they have any trouble with the paperwork, but they will need to ship that one under their account since they would be the HAZMAT shipper according to DOT.

David Kappelman
513-240-6840

From: Daly, Eric
Sent: Thursday, June 09, 2016 12:47 PM
To: Kappelman, David <Kappelman.David@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: RE: Shipping Address

OK. I wasn't thinking…I am probably going to drop off the two Viper Ludlum 2241 tonight for overnight shipping via Weston.
I will check around for hazardous shipping certification……compressed gas classification, correct?

Thanks

From: Kappelman, David
Sent: Thursday, June 09, 2016 12:36 PM
To: Daly, Eric <Daly.Eric@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: RE: Shipping Address

My UPS Account number is 633058

From: Daly, Eric
Sent: Thursday, June 09, 2016 12:32 PM
To: Kappelman, David <Kappelman.David@epa.gov>
Cc: Nguyen, Lyndsey <Nguyen.Lyndsey@epa.gov>
Subject: Re: Shipping Address

Thanks Dave. I do not see the account number below.

The HPIC were calibrated June 24, 2015. Can I assume they are due every year?
Any suggestions with the HAZ shipping?

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately", Benjamin Franklin
Eric M. Daly
On-Scene Coordinator/Radiological Response Specialist
US Environmental Protection Agency- Region II
ERRD/RPB/PPS
2890 Woodbridge Avenue
Edison, NJ 08837
daly.eric@epa.gov
732-321-4350
On Jun 9, 2016, at 12:20 PM, Kappelman, David <Kappelman.David@epa.gov> wrote:

> Lyndsey,
> Here is our shipping address and our account number if you need to use it to ship the VIPER 2241s and detectors back to us.
>
> USEPA ERT
> David Kappelman 513-240-6840
> 4900 Olympic Blvd
> Erlanger, KY 41005