To: Daly, Eric[Daly.Eric@epa.gov]
Cc: Hoppe, Shawna K[Hoppe.Shawna@epa.gov]; Benton, Tim[Tim.Benton@WestonSolutions.com]
From: Nwosu, Bernard
Sent: Thur 5/26/2016 8:51:49 PM
Subject: TDD Amendment - Niagara Falls Boulevard Radiological Site - TDD#: 0006/0061

Eric,

RST 3 would like to request a TDD amendment for the Niagara Falls Boulevard Radiological Site, TDD#: 0006/0061. As of May 23, 2016, RST 3 has utilized 1,056 hours out of the budgeted 1,140 hours, leaving a balance of 84 hours.

This request for additional 300 hours take into consideration the time estimated to complete additional Removal Assessment activities, prepare data deliverables and Removal Assessment Trip Report.

Please let Shawna Hoppe know if you concur with this request.

Thank you.

Ben Nwosu
Senior Project Scientist / Group Leader
Weston Solutions, Inc.
RST3/ED2
1090 King George Post Road, Suite 201
Edison, New Jersey 08837
Phone: (732) 585-4413
Cell: (908) 565-2980
Fax: (732) 225-7037
Email: Ben.Nwosu@WestonSolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.