To: Lindsey, Deborah[Lindsey.Deborah@epa.gov]
Cc: Charles Edge[ibd7@cdc.gov]; Lloyd, Christine[Lloyd.Christine@epa.gov]; Pomales, Ana[Pomales.ana@epa.gov]; Helverson, Robert[Helverson.Robert@epa.gov]; Karl Markiewicz[kvm4@cdc.gov]
From: Werner, Lora
Sent: Sun 10/22/2017 1:30:35 AM
Subject: Re: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire
Air Quality Index Table.tiff

Thanks, Deb.

I spoke directly to Charles Edge, who is the ATSDR ER Duty Officer this week. I am sorry you got that confusing response when you called the CDC 24 hour number.

Charles said ATSDR uses the EPA NAAQS Air Quality Index (AQI) guidelines for hazardous levels of PM in air in this kind of situation - see the attached AQI table. This is also part of the 2016 NRT presentation on "Air Quality Monitoring at Structural Fires" at https://www.nrt.org/sites/40/files/Air%20Quality%20Monitoring%20at%20Structural%20Fires%20RF

Let me know if you want to discuss or if you have other questions as this goes on.
I need to pick up my daughter from the homecoming dance over the next 1/2 hour or so but I will have my cell with me. Charles is also watching email and can be reached at his mobile at 404-234-4471.

Lora

From: Lindsey, Deborah
Sent: Saturday, October 21, 2017 9:12 PM
To: Werner, Lora
Subject: FW: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Image is a picture of list of chemicals

Debbie Lindsey

```

USEPA Region 3

Wheeling Field Office
```

1060 Chapline Street

Wheeling, WV 26003

(304) 234-0249

(304) 281-2569 (cell)

From: James.Mehl@epa.ohio.gov [mailto:James.Mehl@epa.ohio.gov]
Sent: Saturday, October 21, 2017 5:38 PM
To: sdinkins@orsanco.org; lziolkowski@orsanco.org; spillreports-l@orsanco.org
Subject: Fwd: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Left phone messages.

Jim Mehl

614-719-9212

Begin forwarded message:

> **From:** "Mehl, James" <James.Mehl@epa.ohio.gov>
> **Date:** October 21, 2017 at 17:30:05 EDT
> **To:** "tluncan@orsanco.org" <tluncan@orsanco.org>
> **Subject: Fwd: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire**
>
> We've called and left messages, and uncertain of receipt.
>
> Jim Mehl
>
> 614-719-9212
>
> Begin forwarded message:
>
> > **From:** EPA ERFAX ER <erfax.er@epa.ohio.gov>
> > **Date:** October 21, 2017 at 14:20:04 EDT
> > **To:** "Wolfe, Aaron" <Aaron.Wolfe@epa.ohio.gov>, "Tucker, Holly" <Holly.Tucker@epa.ohio.gov>, "Witherspoon, Melisa" <Melisa.Witherspoon@epa.ohio.gov>, "Deshaies, Marco" <marco.deshaies@epa.ohio.gov>, "Kuenzli, Jessica" <Jessica.Kuenzli@epa.ohio.gov>, EPA ERFAX ER <erfax.er@epa.ohio.gov>,

"Anderson, Todd" <todd.anderson@epa.ohio.gov>, "Billman-Kotsko, Jodi" <Jodi.Billman-Kotsko@epa.ohio.gov>, "Butler, Craig" <Craig.Butler@epa.ohio.gov>, DPS EMAWatch <EMAWatch@dps.ohio.gov>, "Eberle, Michael" <Michael.Eberle@epa.ohio.gov>, EPA ERFAX ER <erfax.er@epa.ohio.gov>, "Factor, Laura" <Laura.Factor@epa.ohio.gov>, "Glasgow, Marcus" <marcus.glasgow@epa.ohio.gov>, "Gortner, Ed" <ed.gortner@epa.ohio.gov>, "Griesmer, Heidi" <Heidi.Griesmer@epa.ohio.gov>, "Mehl, James" <James.Mehl@epa.ohio.gov>, "Enderle, Mardi" <mardi.enderle@epa.ohio.gov>
Subject: Yellow email, 1710EPA1318, West Virginia, Parkersburgh, Ames plant fire

Duty Officer Taylor

Ohio Environmental Protection Agency

Division of Environmental Response, Investigation and Enforcement

24 Hour Hotline 800-282-9378

From: Wolfe, Aaron

SUBJECT: Intercontinental Export and Import Company - Plant #1 Fire Parkersburg WV.

At 1230 AM this morning Parkersburg fire crews responded to a fire at the Intercontinental Export and Import Company - Plant #1 on Camden Avenue in Parkersburg WV. The facility is a warehouse housing many plastics related materials. Attached you will find a list of items thought to be in the warehouse. The fire is still ongoing. No shelter in place order has been implemented at this time in Parkersburg, Wv. OSC Wolfe is in contact with on-scene WVDEP representatives, Ohio EMA, and has notified ORSANCO and will continue to report with updates. Firefighting water is expected to enter the Oho River. WVDEP is setting up air monitoring equipment. Currently given the wind direction WVDEP does not feel any Ohio Counties are threatened by the fire.

OSC Wolfe will continue to monitor the situation and provide updates every two hours

or if additional information is provided from the scene.

Did You Know: Children of parents who talk to their teens about drugs are
up to 50% less likely to use. Start the conversation:
StartTalking.Ohio.Gov

This email is intended for the sole use of the intended recipient and may contain privileged, sensitive or protected information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this email in error, please notify the sender via telephone or return email and immediately delete this email.