Message

From: Werner, Lora [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=921F9F156035403FA605C142A287CC1A-LWERNE02]
Sent: 10/22/2017 1:12:25 AM
To: Charles Edge [ibd7@cdc.gov]
CC: Helverson, Robert [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=e96005a319744540a11a1aed352395d1-Rhelvers]; Lloyd, Christine [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=27e283326f454a94b67f314858bac6f2-Lloyd, Chri]; Pomales, Ana [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=927d0007f5f9461e984a398e0a0a93b2-Apomales]; Karl Markiewicz [kvm4@cdc.gov]
Subject: WV Warehouse Fire - EPA OSC request to ATSDR for PM air monitoring levels

Hi Charles - I just got this text from EPA R3 OSC.

More info to come, can you help support? Thank you!! Lora

Lora. This is Deb Lindsey Duty Officer. I was hoping to get ATSDR/CDC support for a Warehouse fire. Specifically on exposure levels for Particulate Monitoring. I called the CDC hotline and they said I had to put a request in through HHS.? Any suggestions who could help
Sent from my iPhone