TABLE BUILDING 2

BUILDING MATERIAL SAMPLES ANALYTICAL DATA SUMMARY - PESTICIDES PCBs

	Boring	BMS-01	BMS-02	BMS-03	BMS-04	BMS-05	BMS-06	BMS-07	BMS-08	BMS-09	BMS-10	BMS-11	BMS-12	BMS-13	BMS-14	BMS-15	BMS-16	BMS-17	BMS-18	BMS-19	BMS-20	BMS-21	BMS-22	BMS-23	BMS-24
	Sample	Building 3 - Center East Brick Wall	Building 3 - Center South Insulation Wall	Building 3 - SW Corner Cinder Block	Building 3 - Center East Wall Coating	Building 2 - Center East Brick Wall	Building 2 - Center South Wall Insulation	Building 2 - Center North Wall Cinder Block	Building 2 - Center Coating	Building 2 - North Room Dry Wall	Building 1 - South Brick Wall	Building 1 - Center of Building Insulation	Building 1 - East Wall Dry Wall	Building 1 - West Wall Coating	Production Building - NW Corner Brick	Production Building - NW Corner Brick	Production Building - West Wall Cinder Block	Production Building - North Wall Insulation	Production Building - Center of North Dry Wall	Production Building - Center of North Insulation	Production Building - Center of Building Brick	Production Building - Center of Building Coating	Production Building - Wall Insulation	Production Building - Center of Building Wood Wall	Production Building - Southeastern Wood Building
	SAMPLE_TYPE_CODE	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Chemical	Units	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result	Result
ALDRIN	µg/cm^2	< 1.7 U	17	< 17000 U	750	< 17 U	9.0	63	710	320	< 1.7 U	< 6.2 U	< 1.7 U	200	< 1.7 U	14 J	< 1.7 U	9.6	< 2.0 U	< 5.2 U	< 1.7 U	440	6.8 J	4.1 J	< 2.0 UJ
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 1.7 U	< 8.7 U	< 17000 U	< 50 U	< 17 U	< 5.1 U	< 1.7 U	< 51 U	< 2.0 U	< 1.7 U	< 6.2 U	< 1.7 U	< 52 U	< 1.7 U	< 1.7 U	< 1.7 U	< 5.2 U	< 2.0 U	< 5.2 U	< 1.7 U	< 49 U	< 4.9 U	3.0 J	< 2.0 U
ALPHA ENDOSULFAN	µg/cm^2	< 1.7 U	< 8.7 U	< 17000 U	< 50 U	< 17 U	7.8	5.9	150	14	< 1.7 U	9.2	< 1.7 U	270 J	< 1.7 U	6.5 J	2.1	< 5.2 U	< 2.0 U	< 5.2 U	< 1.7 U	400	29 J	< 1.8 U	< 2.0 U
ALPHA-CHLORDANE	µg/cm^2	4.9	88	780000	2500	680	26	26	180	99	8.8	11	< 1.7 U	1500	< 1.7 U	21 J	6.6	12	7.5	7.4	< 1.7 U	< 49 U	< 4.9 U	< 1.8 UJ	12
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 1.7 U	< 8.7 U	< 17000 U	130	< 17 U	9.4	< 1.7 U	160	19	< 1.7 U	6.2	3.0	93	< 1.7 U	20 J	4.4 J	< 5.2 U	< 2.0 U	7.6	5.9	230 J	35 J	9.8 J	5.1 J
BETA ENDOSULFAN	µg/cm^2	< 3.4 U	64	< 33000 U	540	< 33 U	13	< 3.4 U	110	12	< 3.3 U	< 12 U	< 3.3 U	350 J	< 3.3 U	11 J	< 3.3 U	< 10 U	< 3.9 U	< 10 U	< 3.3 U	180 J	37 J	17 J	7.4 J
Chlordane; Gamma-	µg/cm^2	7.6	73	860000	3600	750	60	60	530	190	11	25	7.5	1800	< 1.7 U	20 J	6.8 J	12	7.0	12	< 1.7 U	710 J	< 4.9 UJ	< 1.8 UJ	11 J
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 1.7 U	8.7	< 17000 U	< 50 U	< 17 U	< 5.1 U	< 1.7 U	< 51 U	< 2.0 U	< 1.7 U	< 6.2 U	< 1.7 U	< 52 U	< 1.7 U	< 1.7 U	< 1.7 U	< 5.2 U	< 2.0 U	< 5.2 U	< 1.7 U	< 49 U	13 J	4.2 J	< 2.0 U
DIELDRIN	µg/cm^2	12	110	150000	6700	150	99	140	1600	710	18	49	15	1600 J	< 3.3 U	28 J	9.3	24	< 3.9 U	35	< 3.3 U	890 J	48 J	9.8 J	10 J
ENDOSULFAN SULFATE	µg/cm^2	< 3.4 U	68	< 33000 U	220	< 33 U	< 10 U	< 3.4 U	< 100 U	< 3.9 U	< 3.3 U	38	< 3.3 U	< 100 U	< 3.3 U	16 J	14 J	< 10 U	< 3.9 U	< 10 U	< 3.3 U	< 95 U	76 J	150	< 3.9 U
ENDRIN	µg/cm^2	< 3.4 U	< 17 U	< 33000 U	400	< 33 U	24	5.9	260	28	6.1	< 12 U	8.7	490 J	< 3.3 U	20 J	4.1	< 10 U	< 3.9 U	13	3.9	220	190 J	< 3.6 U	31 J
ENDRIN ALDEHYDE	µg/cm^2	< 3.4 U	< 17 U	< 33000 U	350	< 33 U	14	< 3.4 U	130	25	< 3.3 U	< 12 U	< 3.3 U	440 J	< 3.3 U	22 J	28 J	< 10 U	< 3.9 U	13	< 3.3 U	22000 J	160 J	120	17 J
ENDRIN KETONE	µg/cm^2	< 3.4 U	21	< 33000 U	480	< 33 U	< 10 U	5.2	240	35	< 3.3 U	< 12 U	< 3.3 U	260	5.1	< 3.3 U	61	< 10 U	< 3.9 U	11	< 3.3 U	< 95 U	340 J	< 3.6 U	6.7 J
GAMMA BHC (LINDANE)	µg/cm^2	< 1.7 U	< 8.7 U	< 17000 U	62	< 17 U	< 5.1 U	< 1.7 U	< 51 U	6.4	< 1.7 U	< 6.2 U	< 1.7 U	< 52 U	< 1.7 U	< 1.7 U	< 1.7 U	< 5.2 U	< 2.0 U	< 5.2 U	< 1.7 U	< 49 U	11 J	16 J	< 2.0 UJ
HEPTACHLOR	µg/cm^2	< 1.7 U	< 8.7 U	54000	340	46	6.3	11	170	100	< 1.7 U	< 6.2 U	< 1.7 U	280 J	< 1.7 U	6.0 J	< 1.7 U	< 5.2 U	< 2.0 U	< 5.2 U	< 1.7 U	< 49 U	< 4.9 U	< 1.8 U	< 2.0 U
HEPTACHLOR EPOXIDE	µg/cm^2	< 1.7 U	30	24000	180	< 17 U	18	20	210	22	< 1.7 U	35	4.8	390	< 1.7 U	< 1.7 U	< 1.7 U	7.6	< 2.0 U	13	< 1.7 U	390 J	12 J	4.6 J	8.9 J
METHOXYCHLOR	µg/cm^2	< 17 U	< 87 U	< 170000 U	1300	< 170 U	< 51 U	< 17 U	< 510 U	< 20 U	< 17 U	< 62 U	< 17 U	< 520 UJ	< 17 U	35 J	< 17 U	< 52 U	< 20 U	< 52 U	< 17 U	< 490 U	580 J	120 J	< 20 U
P,P'-DDD	µg/cm^2	< 3.4 U	< 17 U	< 33000 U	290	< 33 U	< 10 U	< 3.4 U	< 100 U	17	< 3.3 U	14	3.4	890 J	< 3.3 U	< 3.3 U	< 3.3 U	< 10 U	< 3.9 U	< 10 U	< 3.3 U	230 J	< 9.6 U	47 J	< 3.9 U
P,P'-DDE	µg/cm^2	< 3.4 U	21	35000	1100	< 33 U	40	37	1300	99	16	230	41	6900	< 3.3 U	13 J	5.0	10	< 3.9 U	< 10 U	< 3.3 U	420	89 J	41 J	19 J
P,P'-DDT	µg/cm^2	3.5	45	< 33000 U	260	< 33 U	22	21	970	39	11	72	14	6800	< 3.3 U	16 J	3.8 J	< 10 U	< 3.9 U	< 10 U	< 3.3 U	1500 J	100 J	110	96 J
PCB-1016 (AROCLOR 1016)	µg/cm^2	< 34 UJ	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1221 (AROCLOR 1221)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1232 (AROCLOR 1232)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1242 (AROCLOR 1242)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1248 (AROCLOR 1248)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1254 (AROCLOR 1254)	µg/cm^2	67	2700	< 33000 U	58000	< 33 U	3200	1500	25000	4600	< 33 U	1600	270	< 1000 U	< 33 U	< 33 U	< 33 U	620	< 39 U	1500	220	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1260 (AROCLOR 1260)	µg/cm^2	< 34 UJ	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	120	< 33 U	850	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1262 (AROCHLOR 1262)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
PCB-1268 (AROCLOR 1268)	µg/cm^2	< 34 U	< 170 U	< 33000 U	< 970 U	< 33 U	< 100 U	< 34 U	< 1000 U	< 39 U	< 33 U	< 120 U	< 33 U	< 1000 U	< 33 U	< 33 U	< 33 U	< 100 U	< 39 U	< 100 U	< 33 U	< 950 U	< 96 U	< 36 U	< 39 U
TOXAPHENE	µg/cm^2	< 170 U	< 870 U	< 1700000 U	< 5000 U	< 1700 U	< 510 U	< 170 U	< 5100 U	< 200 U	< 170 U	< 620 U	< 170 U	< 5200 U	< 170 U	< 170 U	< 170 U	< 520 U	< 200 U	< 520 U	< 170 U	< 4900 U	< 490 U	< 180 U	< 200 U

Notes:

Highlighted values indicate a positive result.

µg/cm^2	Micro-grams per centimeter squared
DDD	Dichlorodiphenyldichloroethane
DDE	Dichlorodiphenyldichloroethene
DDT	Dichlorodiphenyltrichloroethane
PCB	Polychlorinated biphenyl
U	Non-detect
J	Estimated