Missouri Department of Natural Resources
**Regulatory Impact Report**
In Preparation for Proposing
Amendments of the Existing Rule 10 CSR 20-7.031

**Division/Program:** Environmental Quality/Water Protection Program

**Rule numbers:** 10 CSR 20-7.031

**Rule titles:** Water Quality Standards

**Type of rule actions**: Rule Amendments

**Nature of the rulemaking:** Proposed changes to selected parts of the regulation are based on stakeholder interest, general updates and EPA disapproval actions.

**Approval of the Regulatory Impact Report:**

_____

Program Director Date

DRAFT



ED_001605_00000523-00001

Missouri Department of Natural Resources

# Regulatory Impact Report

In Preparation for Proposing
Amendments of the Existing Rule 10 CSR 20-7.031

Applicability: Pursuant to Section 640.015 RSMo, "all rulemakings that prescribe environmental conditions or standards promulgated by the Department of Natural Resources…shall… be based on the regulatory impact report…." This requirement shall not apply to emergency rulemakings pursuant to section 536.025 or to rules of other applicable federal agencies adopted by the Department "without variance."

Determination: The Missouri Department of Natural Resources has determined these rulemakings prescribe environmental conditions or standards. Due to the complexity of the text and several changes, the Department has produced this Regulatory Impact Report to provide the public with specific explanations of the changes that are proposed and how they would be incorporated into the rule. The Regulatory Impact Report will be made publicly available for comment for a period of at least 60 days. Upon completion of the comment period, official responses will be developed and made available on the agency web page prior to filing the proposed rulemakings with the Secretary of State. Contact information is at the end of this regulatory impact report.

## 1. Describe the environmental conditions or standards being prescribed.

This rulemaking includes revisions that ensure that state water quality standards (WQS) are functionally equivalent to federal standards and that improve the clarity, specificity and effectiveness of the WQS. In summary, the revisions include the following:

### a. Waters of the State Definition

The proposed rule revises the definition of "Waters of the state" at 10 CSR 20-7.031(1)(DD) to incorporate by reference the current definition found in state statute at section 644.016 Missouri Revised Statutes. The proposed revision is a result of legislation (2015 HB 92) passed to change the definition of waters of the state in Missouri statute [RSMo 644.016(27)]. Referencing the definition of waters of the state at section 644.016 RSMo provides consistency in wording between state statute and regulation, and avoids any conflicts or inconsistencies that may arise between them.

### b. Mixing Zones and Zones of Initial Dilution

The proposed rule clarifies the physical dimensions and requirements for mixing zones and zones of initial dilution. The revision primarily updates the rule at 10 CSR 20-7.031(5)(A)4.B.(III) to allow site-specific mixing zone determinations at stream flows greater than 20 cubic feet per second. This item was requested by stakeholders. Revisions to the mixing



ED_001605_00000523-00002

zone provisions at 10 CSR 20-7.031(5)(A)4.E. help to clarify that these limited areas permitted for mixing and dilution must be free of organisms sensitive to the pollutant(s) being discharged.

### c. Hardness

The proposed rule changes the hardness derivation methodology from a twenty-fifth percentile to a median. This revision would change the definition and derivation methodology for hardness at 10 CSR 20-7.031(1)(BB) from a lower quartile (twenty-fifth percentile) to a median (fiftieth percentile) value. The revision also clarifies that hardness values will be considered representative if collected from similar waters within the same ecoregion. This item was requested by stakeholders and affects the derivation of hardness dependent metals criteria found in Table A1.

### d. pH

The proposed revision to specific criteria for pH at 10 CSR 20-7.031(5)(E) clarifies the criteria shall be considered a four-day average concentration of representative samples. The revision further clarifies that the specific criteria for pH are chronic toxicity criteria. This item was requested by stakeholders.

### e. General Criteria Revisions

The proposed rule includes three revisions to the general (narrative) criteria at 10 CSR 20-7.031(4). The first revision recognizes that chronically toxic conditions may exist in mixing zones where authorized by permit and acutely toxic conditions may exist in zones of initial dilution where authorized by permit. The revision would update the rule at 10 CSR 20-7.031(4)(D) to clarify that acute toxicity may be allowed by permit in zones of initial dilution and that chronic toxicity may be allowed by permit in mixing zones. This item was requested by stakeholders.

The second general criteria revision adds a section at 10 CSR 20-7.031(4)(E) that clarifies the applicability of narrative criteria with regard to nutrients. As noted during the numeric nutrient criteria stakeholder process, Missouri's general water quality criteria are one of the "key components of an existing, comprehensive state strategy to achieve nutrient load reductions." The department agrees that the general water quality criteria play a vital role in protecting waters of the state and are applicable towards prevention of nutrient enrichment. The proposed revision clarifies this agreement in the water quality standards regulation.

The third general criteria revision adds a section at 10 CSR 20-7.031(4)(F) to ensure protections for downstream uses are included in the water quality standards as required by the federal clean water act. EPA interprets 40 CFR 131.10(b) to require that states consider and ensure the protection of downstream water quality during the development of designated uses and water quality criteria. With respect to adopting criteria to protect downstream waters, states have the discretion in choosing either narrative or numeric criteria to demonstrate consistency with 40 CFR 131.10(b). Narrative criteria provide the most flexibility for ensuring compliance with respect to downstream use protections since individual water body and pollutant approaches are highly site-specific and information/data intensive. Narrative criteria approaches are also



ED_001605_00000523-00003

adaptive, providing regulatory coverage and assurance for a variety of water bodies, pollutants, and flow conditions.

### f. Antidegradation Implementation Procedure

The proposed revision updates reference to Missouri's Antidegradation Implementation Procedure (AIP) at 10 CSR 20-7.031(3)(D). The updated rule reference incorporates the July 13, 2016 approval date of the revised AIP by the Missouri Clean Water Commission. Revisions to the AIP were required following notification by the Environmental Protection Agency (EPA) that the *de minimis* provision in Missouri's AIP makes no distinction between bioaccumulative versus non-bioaccumulative pollutants. EPA's notification of the issue was the result of a lawsuit in the State of Idaho [*Greater Yellowstone Coalition* v. *EPA,* Case No. 4: 12-cv-60 (D. Idaho)] and EPA disapproval of *de minimis* antidegradation implementation methods in that state as a result of the lawsuit. Adoption and reference to an approved AIP should satisfy EPA's concerns on the document and result in EPA approval for the procedure.

### g. Losing Stream Reference and Table J

The proposed revision updates the definition of 'Losing Stream' at 10 CSR 20-7.031(1)(N) to include reference to the digital geospatial dataset 'Losing Stream' developed by the Missouri Department of Natural Resources, Missouri Geological Survey. Reference to the digital geospatial dataset will provide the geospatial extent of losing streams as determined by the department. The static table for 'Losing Streams' at Table J of 10 CSR 20-7.031 will be removed from the rule in favor of the more current digital geospatial information in reference. Metadata on the digital geospatial dataset can be found at the following link – http://dnr.mo.gov/gis/WATER.LOSING_STREAM.xml

### h. Remove Table K, Site-Specific Criteria

The proposed revision removes Table K, Site-Specific Criteria and any reference to the table from 10 CSR 20-7.031. In its current form, Table K contains disapproved or expired site-specific criteria for dissolved oxygen. Site-specific criteria for East Fork Locust Creek and Little East Fork Locust Creek in Sullivan County were disapproved by EPA on August 16, 2011. Site-specific criteria for Pike Creek and Main Ditch in Butler County were disapproved by EPA on May 10, 2013. Site-specific dissolved oxygen criteria for Sni-a-Bar Creek in Jackson County expired October 31, 2014 and are no longer applicable in rule. Revised criteria based on sound scientific rationale that protects the applicable designated aquatic habitat protection use have not been developed. As a result, the department is withdrawing the disapproved or expired site-specific criteria for dissolved oxygen from rule.

### i. Missouri Use Designation Dataset Update

The Missouri Use Designation Dataset (MUDD) was first adopted on November 6, 2013. This MUDD update contains revisions that use more accurate GIS data to refine the delineation of start and end points of water body features, update and incorporate water body features according to 10 CSR 20-7.031(2), and recalculate stream mileages and lake acreages. Data and information contained in the 1:100,000 and 1:24,000 National Hydrography Dataset (NHD), Missouri's Aquatic Gap project, and supplemental information such as Digital Orthophoto



ED_001605_00000523-00004

Quarter Quads (DOQQs), other high resolution imagery and maps, and information contained in permit applications or other sources were used for these revisions.

### j. Section 304(a) Water Quality Criteria

Additions and/or revisions to specific ambient water quality criteria are recommended based on a review of EPA national criteria developed pursuant to Section 304(a) of the federal Clean Water Act. These modifications would bring Missouri's water quality standards up-to-date with many of the latest EPA national recommended water quality criteria. Water quality criteria updates for aluminum, manganese, ammonia, and bacteria/pathogens will be deferred to the next rulemaking due to staff and/or data limitations. Changes in the layout and format of the existing water quality criteria table (Table A) are needed in order to accommodate the Section 304(a) criteria revisions. Additional revisions are also needed to 10 CSR 20-7.031(5)(M) to incorporate default values for risk-based calculations used in development of Section 304(a) criteria for the protection of human health.

### k. Numeric Nutrient Criteria for Lakes

In August 2011, the United States Environmental Protection Agency (EPA) disapproved the majority of Missouri's numeric nutrient criteria (NNC) for lakes at 10 CSR 20-7.031(3)(N), citing concerns in regard to scientific rigor, reproducibility, and connection to designated uses (US EPA, 2011). The Missouri Department of Natural Resources, with the input of stakeholders, is proposing revised NNC for lakes and providing improved scientific rationale for criteria development while strengthening the link between the criteria and the designated uses of lake waters. It was decided through the Water Protection Forum that aquatic habitat protection and drinking water supply designated uses would be the focus of the current NNC effort. NNC for recreational uses will be pursued during a future rulemaking, likely within the 5 – 10 year timeframe, as studies and science for recreational uses become better established.

The proposed water quality standards rule includes numeric chlorophyll-a (Chl-a) criteria for lakes based on location. These criteria will apply to all lakes assigned designated uses in the Missouri Use Designation Dataset, with the exception of lakes located in the big river floodplains. Criteria for these lakes, as well as rivers and streams, will be addressed in a future rulemaking.

### l. Water Quality Standards Variances

The proposed rule contains revisions to add clarification to the existing, approved variance language regarding state and federal variance procedures, and to incorporate by reference Missouri's Multiple-Discharger Variance framework.

### m. Miscellaneous Text Revisions

The proposed rule contains several revisions to update internal references, correct typographical errors, and improve the formatting of the rule. These revisions were discovered and compiled after the effective date of the last revisions to the water quality standards on February 28, 2014.



ED_001605_00000523-00005

## 2. A report on the peer-reviewed scientific data used to commence the rulemaking process.

It is the policy and practice of the department to use peer-reviewed, sound science and scientific data for rulemaking. To the extent that scientific data and research are available to reference, those sources have been reviewed and included for each proposed revision:

### a. Waters of the State Definition

The proposed rule revises the definition of "Waters of the state" in Missouri's water quality standards regulation [10 CSR 20-7.031(1)(DD)] to make the definition consistent with state statute [RSMo 644.016(27)]. The rule revision was derived from the electronic version of Missouri Revised Statutes, Chapter 644, Section 16 dated August 28, 2015 at the following link - http://www.moga.mo.gov/mostatutes/stathtml/64400000161.html. No additional peer-reviewed scientific information or data were used to make the revision.

### b. Mixing Zones and Zones of Initial Dilution

The proposed rule clarifies the physical dimensions and requirements for mixing zones and zones of initial dilution. Federal regulation at 40 CFR 131.13 provides that "States may, at their discretion, include in their State standards, policies generally affecting their application and implementation, such as mixing zones, low flows and variances. Such policies are subject to EPA review and approval." EPA's *Technical Support Document for Water Quality-based Toxics Control* (USEPA, 1991) states that "a mixing zone is an area where an effluent discharge undergoes initial dilution and is extended to cover the secondary mixing in the ambient water body. A mixing zone is an allocated impact zone where water quality criteria can be exceeded as long as acutely toxic conditions are prevented."

The revision updates the rule at 10 CSR 20-7.031(5)(A)4.B.(III) to allow site-specific mixing zone determinations at stream flows greater than 20 cubic feet per second. This provision is provided in rule for lower stream flows (i.e., 0.1 – 20 cubic feet per second) and extension to stream flows higher than 20 cubic feet per second is reasonable. Revisions to the mixing zone provisions at 10 CSR 20-7.031(5)(A)4.E. help to clarify these permitted areas must be free of organisms sensitive to the pollutants being discharged. Mixing zones and zones of initial dilution must allow zones of passage for aquatic organisms and be free of sensitive, rare or endangered species in the area that may be adversely impacted by the pollutant being discharged and covered by permit.

### c. Hardness

Prior to the water quality standards rule effective March 30, 1994, the water hardness definition and calculation methodology specified that hardness would be determined by the "arithmetic average of a representative number of samples from the water body in question or from a similar water body". In 1994, the hardness definition and calculation methodology was revised to specify (as in the current rule) that a lower quartile (twenty-fifth percentile) would be used. Historical records for the rulemaking do not provide an explicit rationale for why the change was made. Conversations with current and former staff involved in water quality standards rulemaking reveal that the lower quartile approach was used to represent reference conditions



ED_001605_00000523-00006

and to reduce the bioavailability of toxics (e.g., metals) that compete for receptors within aquatic organisms.

A survey was conducted of other state water quality standards regulations to determine how other states define and calculate hardness in rule. Border states to Missouri as well as six other states were included in the survey. Most states are silent in their water quality standards regulations on how hardness values are determined, leaving the methodology to permit writer and assessment guidance documents. Those states that explicitly mention hardness in regulation use either a mean of the hardness values or the hardness as directly measured in the water body itself. Revising Missouri's hardness definition and calculation methodology to a median or fiftieth percentile value would bring Missouri's calculation methodology more in line with other states.

**d. pH**

The applicable pH criteria found in the current water quality standards rule (6.5 to 9.0 standard pH units) has remained unchanged since 1977. Curiously, however, the regulation does not contain information or detail regarding the duration or frequency of the criteria. Details in EPA's "Quality Criteria for Water, 1976" (aka "Red Book") indicate that pH levels within the range of 6.5 to 9.0 appear to "provide adequate protection for the life of freshwater fish and bottom dwelling invertebrate fish food organisms." Outside of this range, the "Red Book" indicates that fish "suffer adverse physiological effects increasing in severity as the degree of deviation increases until lethal levels are reached." The description of pH toxicity in EPA's criteria document suggests that values within the pH range are protective against chronic effects, while deviations outside the range may lead to acutely toxic or lethal conditions.

A survey was conducted of other state water quality standards to determine how pH criteria are expressed in those states. While no one state specified that their respective pH criteria were chronic in nature, many had prohibitions against acute pH swings of one hour duration. The results of the survey imply that most state pH criteria are chronic (four-day), rather than acute (one-day) in duration. As a result of the survey, and following consultation with stakeholders, the pH criteria in rule will be updated to clarify that it is a chronic criteria of four-day average duration.

**e. General Criteria Revisions**

General criteria are narrative standards and state that all waters shall be free from substances and conditions that are harmful to human, animal or aquatic life. The standards also state that there shall be "no toxics in toxic amounts," which provides the regulatory basis for establishment and enforcement of Whole Effluent Toxicity (WET) limitations in discharge permits. The narrative criteria apply to all designated uses at all flows and are necessary to meet the statutory requirements of Section 303(c)(2)(A) of the Clean Water Act.

The proposed rule revision at 10 CSR 20-7.031(4)(D) recognizes that chronically toxic conditions may exist in mixing zones where authorized by permit and acutely toxic conditions may exist in zones of initial dilution where authorized by permit. This clarification of current practice and understanding of toxicity requirements was requested by stakeholders. No peer-



ED_001605_00000523-00007

reviewed scientific data or information was necessary to commence this clarifying revision to the general criteria.

The proposed addition to the general criteria at 10 CSR 20-7.031(4)(E) provides a narrative statement in the water quality standards specific to the prevention of impacts due to nutrient enrichment. Similar statements directed toward the prevention of toxicity to aquatic life and human health are included in the general criteria and this statement clarifies the general criteria's applicability to nutrients. Support for a narrative criteria approach toward control of nutrients was expressed by stakeholders during the development of numeric nutrient criteria for lakes and reservoirs.

The proposed addition to the general criteria at 10 CSR 20-7.031(4)(F) was prompted by existing requirements in federal regulation at 40 CFR 131.10(b) to protect downstream uses. To assist states with developing downstream use protections in their water quality standards, EPA developed "Frequently Asked Questions" regarding protection of downstream water quality (EPA-802-F-14-001, June 2014) and a template (EPA 820-F-14-002) to assist states to develop narrative downstream protection criteria. Both of these guidance documents were reviewed and considered in drafting the general criteria language for protection of downstream uses at 10 CSR 20-7.031(4)(F).

### f. Antidegradation Implementation Procedure

This revision updates reference to Missouri's Antidegradation Implementation Procedure in rule. No additional peer-reviewed scientific data was necessary to update reference to revisions to the revised AIP approved by the Missouri Clean Water Commission on July 13, 2016.

### g. Losing Stream Reference and Table J

This revision removes an outdated table of losing streams at 10 CSR 20-7.031, Table J and replaces the static table with reference to the digital geospatial database 'Losing Stream' published by the Missouri Department of Natural Resources, Missouri Geological Survey. The Missouri Geological Survey conducts geologic and hydrologic evaluations of stream segments to determine the extent and location of losing stream reaches. The GIS information and data used to revise losing stream segment delineation and mileages in the digital geospatial dataset are peer-reviewed prior to publication and distribution. Regarding the proposed revision to 10 CSR 20-7.031, no additional peer-reviewed scientific data was necessary to remove an outdated table from regulation and replace it with reference to up-to-date digital geospatial information.

### h. Remove Table K, Site-Specific Criteria

State developed site-specific criteria must be based on sound scientific rationale and protect applicable designated uses per 40 CFR 131.11(a)(1). Because the department has not developed revised site-specific dissolved oxygen criteria in response to EPA's disapproval or the expired criteria, removing Table K regulation will provide clarity that these criteria are no longer applicable for clean water act purposes. No additional peer-reviewed scientific information or data were used to make the revision.



ED_001605_00000523-00008

### i. Missouri Use Designation Dataset Update

These revisions involve the use of GIS information and data to clarify or correct water body segment identifications within the WQS. The GIS information and data used to revise water body segment delineation and mileages is peer-reviewed prior to publication and distribution. These data are housed on the department's GIS server and must have complete metadata and supporting documentation of data quality in order to be posted. External data downloaded from the Missouri Spatial Data Information Service (MSDIS) at http://msdis.missouri.edu/ must meet similar standards for use. No additional scientific analyses or data were used in making these revisions.

### j. Section 304(a) Water Quality Criteria

Recommended revisions to federally developed Section 304(a) criteria are supported by peer-reviewed science, information and studies. Aquatic life protection criteria for toxic pollutants are the highest concentration of specific pollutants or parameters in water that are not expected to pose a significant risk to the majority of species. Human health protection criteria for specific pollutants or parameters reflect the latest science and information to ensure those pollutants do not pose a significant risk to human health when considering drinking water intake and fish consumption rates, health toxicity values, bioaccumulation factors, and relative source contributions. Documents that contain or reference supporting peer-reviewed science and information for individual pollutants are available at the links below by individual pollutant and designated use:

Aquatic Life Criteria – http://www2.epa.gov/wqc/national-recommended-water-quality-criteria-aquatic-life-criteria-table

Human Health Criteria – http://www2.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table

### k. Numeric Nutrient Criteria for Lakes

The proposed rule has been developed consistent with federal rule 40 CFR 131.12, Section 304(a) of the Clean Water Act and EPA's published guidance. Decisions on specific criteria were based on analysis of data from over 200 lakes and reservoirs throughout the state. Dr. Jack Jones and his colleagues at the University of Missouri have been collecting nutrient and Chl-a data since 1976. The scope of designated uses to be considered by the revised numeric criteria was decided through a series of stakeholder discussions that were part of the department's Water Protection Forum. It was decided through this forum that the focus of revised numeric criteria development would concentrate on the aquatic habitat protection and drinking water supply designated uses, as sufficient data and information exist from which to establish criteria for these designated uses. Research and information continue to develop at the national level with respect to nutrient impacts and criteria for the protection of recreational uses.

A technical group was convened in May 2015 to reconcile conflicting claims on the level of criteria that would be sufficiently protective of designated uses but would also not trigger "false positives". False positives occur when measured nutrient or Chl-a levels exceed particular thresholds, but where there is no evident harm or impairment to designated uses. In order to



ED_001605_00000523-00009

minimize the occurrence of false positives while still protecting water quality, the group concluded that, rather than use direct criteria for total phosphorus (TP) and total nitrogen (TN), it would be more effective to establish numeric criteria for Chl-a (as a biological response to nutrient inputs) and to set numeric screening values for TP, TN and Chl-a in order to implement the criteria.

All three parameters are assigned long and short term screening values that vary with the general lake ecoregion. Long term screening values are based on at least three years' worth of data, and are more conservative than short term screening values, on which one years' worth of data can be assessed. Criteria for Chl-a are the same as the short term screening values. Compliance with Chl-a criteria is based on an assessment of at least three years' worth of data.

Lakes that have measured concentrations of TN, TP, or Chl-a that are greater than their respective short or long term screening values, but do not exceed Chl-a criteria, will be assessed for impairment using a weight of evidence evaluation. Factors to be examined for protection of aquatic habitat include the occurrence of fish kills, fluctuations in dissolved oxygen and pH levels, and mineral turbidity. For lakes that are sources of drinking water, additional factors include stresses on drinking water treatment plants and the occurrence of cyanotoxins and disinfection by-product formation as a result of harmful algae blooms.

A list of the peer-reviewed science and rationale used in the development of the proposed nutrient criteria for lakes can be found in criteria rationale document titled "Rationale for Missouri Numeric Nutrient Criteria for Lakes, September 2015" and supporting information on the department's Water Protection Forum, Water Quality Standards Workgroup web page.

### l. Water Quality Standards Variances

The proposed rule contains revisions to add clarification to the existing, approved variance language regarding state and federal variance procedures, and to incorporate by reference Missouri's Multiple-Discharger Variance framework. EPA's November 17, 2015 decision letter partially approving and partially disapproving previously submitted variance language was used to draft the proposed revisions. No additional peer-reviewed scientific information or data were used to make the revision.

### m. Miscellaneous Text Revisions

No scientific analyses or data were involved in the identification and correction of internal references, typographical errors or formatting issues.

## 3. A description of the persons who will most likely be affected by the proposed rule, including persons that will bear the costs of the proposed rule and persons that will benefit from the proposed rule.

Rulemaking and implementation of effective, approved rules affect persons both directly and indirectly. To the extent that information on persons that will bear the costs of the proposed rule and persons that will benefit from the proposed rule are available, those persons or groups of persons are listed and described for each proposed revision:



ED_001605_00000523-00010

### a. Waters of the State Definition

The proposed rule revision is in response to a change in state statute initiated by the general assembly to clarify state jurisdiction over surface and ground waters. The change clarifies waters of the state as those under the jurisdiction of the state of Missouri as defined in the definition and does not include waters of the united states within or adjacent to the state. The responsibility to define Waters of the United States (WOTUS) is the purview of the federal government, with the U.S. Environmental Protection Agency and U.S. Army Corps of Engineers the lead agencies. Individual states are free to define what constitutes waters of the state and can incorporate WOTUS into their definitions, but it is not a requirement. In the event states do not incorporate WOTUS into their definition of waters of the state, delegated states must still implement the requirement of Section 101(a) of the federal Clean Water Act to "restore and maintain the chemical, physical, and biological integrity of the Nation's waters." Removing language inclusive of WOTUS from state statute and definitions provides some additional clarity, but does not eliminate the department's responsibility to protect those waters. Removing language inclusive of WOTUS from the definition of waters of the state in statute and definition will not change how the department implements state and federal clean water law.

Persons affected by the proposed rule include those that may use waters of the state for agricultural, industrial, transportation or recreational purposes. However, requirements for waters of the state under the new definition will not differ from the current, effective rule as the department's implementation of state clean water law remains unchanged. Additional clarity on the jurisdiction and responsibility of the state with regard to its waters is an added benefit.

### b. Mixing Zones and Zones of Initial Dilution

The proposed rule will directly affect the effluent limitations of permitted discharges to streams and rivers with a seven (7)-day $Q_{10}$ low-flow (i.e., 7Q10) greater than 20 cubic feet per second. The provision will allow site-specific mixing zone determinations that may result in a recalculation of water quality based effluent limits, which most likely will become less stringent. The possibility also exists that some facilities may show no "reasonable potential" to exceed in-stream water quality standards and effluent limitations can be removed. Based on the results of the recalculation and depending on the type of treatment and discharge, changes in treatment may not be necessary to protect the receiving stream. The number of facilities that currently discharge to a stream with 7Q10 flow greater than 20 cubic feet per second is generally estimated as those facilities discharging directly into either the Missouri or Mississippi Rivers. Major and minor dischargers of domestic and industrial wastewater comprise the 102 facilities that discharge to the Missouri River and 80 facilities that discharge to the Mississippi River. These numbers provide a rough estimate of the number and type of facilities that may find relief, if site-specific mixing zone studies are conducted. Because the number of facilities that may take advantage of site-specific mixing zone determinations is not known, the cost savings in treatment technology upgrades versus the cost of site-specific mixing zone studies cannot be accurately estimated. In general, however, those facilities that elect to conduct site-specific mixing zone studies should find some degree of regulatory or economic relief.

Clarification in the requirements for mixing zones and zones of initial dilution will directly affect those facilities authorized by permit to have these areas of dilution. However, the clarifications



ED_001605_00000523-00011

do not add additional requirements for these permittees or the department. Rather, the clarifications formalize the requirements for zones of passage and sensitive species already found in regulation and conducted in practice.

**c. Hardness**

Facilities that have effluent limitations for hardness dependent metals will likely be affected by the proposed rule revision. These criteria require that a representative hardness value be calculated for the water body of concern in order to derive waste load allocations and water quality-based effluent limitations protective of water quality standards. The change in hardness value derivation from a twenty-fifth percentile to a median value should not affect the data quality and quantity objectives for these calculations or dischargers that may collect these data. Effluent limitations calculated as a result of revised hardness calculations will generally be less stringent than those calculated using the current methodology. Existing effluent limitations that use hardness in their derivation would not be impacted positively or negatively due to anti-backsliding provisions found in Section 402(o)(2)(B)(i) of the federal Clean Water Act. The Department would not be impacted positively or negatively as a result of the revisions since these calculations are required by the permit review and revision process.

**d. pH**

Section 304(a)(4) of the federal Clean Water Act defines pH as one of four "conventional pollutants" that must be regulated under Section 402 of the Act. Discharges of domestic wastewater are typically held to "secondary treatment" standards as defined at 304(d)(1) of the Act and in regulation at 40 CFR 133.102. Federal and state effluent regulations require pH to be in a range between 6.0 – 9.0 standard pH units. Discharges to waters with limited or no assimilative capacity (i.e., 7Q10 < 0.1 cubic feet per second) may find it difficult to meet in-stream water quality standards if the pH criteria are expressed as an acute, instantaneous minimum. Clarifying that the pH water quality criteria are expressed as four-day average, chronic conditions should allow for greater compliance with applicable water quality standards with limited to no impact on the health and diversity of aquatic ecosystems. No additional costs are expected to be incurred or borne by facilities with pH effluent limitations. To the contrary, those facilities that discharge to streams with limited to no assimilative capacity may find relief through a reduction of chemical addition (mainly alkalinity) and the costs associated with noncompliance and notices of violation to meet instantaneous minima.

**e. General Criteria Revisions**

The general criteria revisions at 10 CSR 20-7.031(4)(D) clarify that chronically toxic conditions may exist in mixing zones and acutely toxic conditions may exist in zones of initial dilution where authorized by permit. Facilities that discharge toxic pollutants to waters of the state, and those that utilize mixing zones or zones of initial dilution, will receive the benefit of clarity as to the toxicity conditions that may be authorized by their permit. No additional costs are anticipated for these facilities.

The addition of general criteria for the prevention of impacts to water quality as a result of nutrient enrichment will provide explicit protection in regulation from the deleterious effects of excess nutrients in the aquatic environment. The new narrative statement clarifies the existing



ED_001605_00000523-00012

narrative criteria and provides language specifying protections already in practice under the current rule. Facilities that discharge nutrients to waters of the state may be affected if those facilities discharge nutrients in quantities sufficient to cause harmful algal blooms, high turbidity, offensive odor, reduced aquatic biodiversity or prevent full maintenance of beneficial sues. However, the addition of the new narrative statement clarifies and refines existing narrative criteria (e.g., 10 CSR 20-7.031(4)(A) and (C)) and no additional or new costs are anticipated for these facilities. The clarification of narrative criteria for the prevention of nutrient impacts will provide clarity in regulation that the narrative criteria apply to nutrients. The application of narrative criteria to nutrients is understood and supported by stakeholders, and would have the benefit of creating clear goals and expectations for waters of the state consistent with Missouri's Nutrient Reduction Strategy.

The addition of general criteria for the protection of downstream uses at 10 CSR 20-7.031(4)(F) will provide consistency with the requirements of 40 CFR 131.10(b) in Missouri's water quality standards regulation. The department and EPA interprets the term "downstream" to include both intra- and interstate waters, as well as waters that form a boundary between adjacent jurisdictions. Local, state and federal governments, regulatory and resource management agencies, agricultural, industrial, municipal and environmental stakeholders, and the general public may be affected by implementation of the narrative criteria protections on a site-specific basis. The narrative criteria protections provided by 10 CSR 20-7.031(4)(F) will ensure that downstream jurisdictions, programs, agencies and stakeholders will be considered during water quality standards development and implementation. The narrative criteria revisions will also ensure that priority areas of concern, such as impaired waters, waters with significant economic or social importance, or waters with special designations or protections are considered during these activities.

### f. Antidegradation Implementation Procedure

The revision updates reference to Missouri's Antidegradation Implementation Procedure (AIP) in rule and incorporates by reference the version adopted by the Missouri Clean Water Commission on July 13, 2016. No Clean Water Act actions (permit, enforcement or otherwise) have occurred that may be affected by this revision.

### g. Losing Stream Reference and Table J

The revision removes an outdated reference table of losing streams and replaces the static table with reference to a digital geospatial dataset. The proposed rule revision will ensure that permits and water quality assessments are supported by accurate, up-to-date losing stream information through use of peer-reviewed digital geospatial data. Increased locational accuracy of losing streams reduces the potential for mistakes in the identification of applicable WQS and, consequently, for these errors to result in inappropriate permit limits and conditions or inaccurate water quality assessments. Avoiding these mistakes will save both time and resources for permit applicants and the department when preparing and reviewing permit applications.

### h. Remove Table K, Site-Specific Criteria

Federal regulation at 40 CFR 131.21 governs the review and approval of state water quality standards by EPA. Water quality standards adopted by states after May 30, 2000 may not be



ED_001605_00000523-00013

used for clean water act purposes (i.e., permitting, enforcement, assessment, etc.) until EPA approved those water quality standards. The site-specific dissolved oxygen criteria found in Table K were all adopted following May 30, 2000 and were awaiting approval by EPA prior to revising permits affected by the criteria. Facilities affected by the disapproved or expired criteria are the City of Milan and Premium Standard Farms (East Fork Locust Creek, Little East Fork Locust Creek), the City of Blue Springs (Sni-a-Bar Creek), and the City of Poplar Bluff (Pike Creek and Main Ditch). Because the site-specific criteria in state regulation for these facilities were disapproved or have expired, the facilities are subject to the minimum 5.0 mg/L dissolved oxygen criteria effective in state regulation.

### i. Missouri Use Designation Dataset Update

The proposed rule revisions will ensure that permits and water quality assessments are supported by an accurate water body segment delineation system. Increased locational accuracy of water body segments reduces the potential for mistakes in the identification of applicable WQS and, consequently, for these errors to result in inappropriate permit limits and conditions or inaccurate water quality assessments. Avoiding these mistakes will save both time and resources for permit applicants and the department when preparing and reviewing permit applications.

### j. Section 304(a) Water Quality Criteria

The new and revised Section 304(a) numeric water quality criteria being proposed were developed and promulgated at the federal level. This action seeks to make Missouri's water quality standards equivalent to federal standards per 40 CFR 131.

Facilities that treat wastewater containing the Section 304(a) numeric water quality criteria being added or revised may be affected by the proposed changes. A summary of the number of facilities having permitted effluent limits for the pollutants being added or revised can be found in Appendix A, Table 1. The effect of the proposed rule on each facility depends on the type of treatment system, the levels of the pollutant in the wastewater and in the receiving stream, and the applicability of anti-backsliding requirements. Because these factors are unique to each facility, the department is unable to determine from this list the precise extent of impact from the proposed changes. However, general impacts on these facilities, either positively through an increased limit or negatively through a decreased limit, can estimated based on the available data and current effluent limitations.

### k. Numeric Nutrient Criteria for Lakes

*Persons Affected - Point Sources:*
There are more than 3,000 facilities with Missouri State Operating Permits producing a nutrient load from wastewater that are located within the watersheds of lakes and reservoirs assigned designated uses in the Missouri Use Designation Dataset. Of these permitted facilities, more than 2,000 hold some type of storm water permit. More than half of these are land disturbance permits, which are generally temporary and short-term. Site-specific permits account for a little over 1,000 of these facilities and there are 228 general permits. Roughly 75 percent of these facilities are within the watersheds of the ten largest reservoirs in the state (Figure 3.1).



ED_001605_00000523-00014

Figure 3.1 Distribution of permitted wastewater facilities within lake watersheds.




Nutrients are a common pollutant in domestic wastewater. At present, there are 233 publicly owned treatment works (POTW) and 814 privately owned facilities that may be affected by the rule, including over 500 that serve residential units and subdivisions. Of these public and private facilities, 435 are within the Lake of the Ozarks watershed, and 199 are in the Table Rock Lake watershed. Other facilities discharging domestic wastewater that may be affected by the rule include 51 mobile home parks, 41 campgrounds, 35 motels, 15 restaurants, and 27 schools.

The probability of any of these facilities receiving new limits for nutrients will depend on whether the facility is within the watershed of a lake that is listed as impaired for nutrients, and the distance between the facility outfall and the receiving lake.

*Persons Affected - Nonpoint Sources:*
The most widespread nonpoint source contributor to nutrient loading of lakes and reservoirs is row-crop agriculture. Row cropping occurs primarily in the glaciated and Osage plains regions of the state. Processes of nutrient loading include overland flow and soil erosion. Other forms of agriculture, particularly livestock production, are also contributors. Nonpoint source contribution may be controlled through incentive programs that promote Best Management Practices (BMP) and environmental awareness. The U.S. Department of Agriculture's Natural Resource Conservation Service (NRCS), the U.S. Environmental Protection Agency, and the

department's Soil and Water Conservation Program (SWCP) are the major sponsors of these efforts.

The State Soil and Water Conservation Cost-Share Program has seven resource concern areas for which funding is available: Nutrient and Pest Management; Grazing Management; Irrigation Management; Animal Waste Management; Sensitive Areas; Sheet, Rill and Gully Erosion; and Woodland Erosion, with 50 different conservation practices within these categories. These conservation practices are available to landowners for voluntary adoption to reduce soil erosion and protect or improve water quality. The program is administered locally in all 114 Missouri counties through soil and water conservation districts. The NRCS and Missouri Department of Conservation are technical partners with the program. In addition to supporting the State Soil and Water Conservation Cost-Share Program, the partners are engaged in many joint projects which leverage federal and state dollars, most recently the Mississippi River Basin Healthy Watersheds Initiative (MRBI) and the Regional Conservation Partnership Program (RCPP). For lakes and reservoirs that are in noncompliance with the rule, coordination with these agencies will be essential to addressing the problem. Implementation will, in many cases, be a long-term process. The benefits to lake and reservoir watersheds from these programs should gradually decrease nutrient, chemical, bacterial and sediment impacts.

The other principle source of nonpoint source nutrient loading is urban storm water runoff, which may contain significant amounts of nutrients from fertilizers. As with agriculture, runoff from certain urban activities is not regulated except in metropolitan municipalities covered by municipal separate storm sewer system (MS4) permits. There are 152 municipalities in Missouri that are required to manage their storm water runoff under Phase II of the National Pollutant Discharge Elimination System (NPDES). Educational and outreach programs work to improve lawn care management and reduce nutrient loading.

*Persons Benefited:*
In direct economic terms, the greatest beneficiaries from the proposed rule may be owners of lake front property. Several studies have indicated that increased water clarity associated with nutrient reduction is a significant factor in raising the value of such property. (Michael et al., 1996; Wilson and Carpenter 1999). Steinnes (1992), found an average increased value of $235 per lakeshore lot for each 1 meter increase in water transparency as measured with a Secchi disk. Conversely, numerous studies have demonstrated that the reduced water clarity associated with excessive nutrient loading have resulted in a wide range of losses of home values (U.S. EPA, 2015). Krysel et al. (2003) analyzed more than 1,200 lakeshore property sales in northern Minnesota that occurred between 1996 and 2001. Water clarity was a significant explanatory variable for lakeshore property prices. A loss of 1 m in Secchi depth could result in losses of up to $80,000 sales value in an individual lot. Kashian and Kasper (2010) found a decrease of $128 to $402 in the value per shoreline foot in Wisconsin lakes that had high algae blooms, when compared with nearby lakes that did not have this problem.

Other economic beneficiaries include businesses that are reliant on tourism-related lake recreation, such as restaurants, hotels, and marinas, as well as gas stations both near to and on the way to or from resort areas. Several studies demonstrated relationships between lake water clarity and levels of tourist recreation (Bouwes and Schneider, 1979; Ribaudo and Epp, 1984;



ED_001605_00000523-00016

Smith et al., 1986; Wilson and Carpenter, 1999). Protected and enhanced water clarity will maintain and improve opportunities for whole body contact recreation. And, while some sport fishing potential is enhanced with higher nutrient loading, the potential for greater aquatic biodiversity tends to increase with reduced nutrient loading (Egertson and Downing, 2004).

Lastly, citizens that rely on certain public drinking water systems will also benefit. There are at least 42 communities that rely on 60 lakes as a source for drinking water supply (MDNR, 2015). Drinking water systems that use lakes as a source would experience fewer episodes of taste and odor problems that can occur as a consequence of excessive nutrient loading (MDNR, 2006). Furthermore, improved water quality in drinking water reservoirs would lead to a reduction in the cost of treating the water by reducing organic matter and other pollutants that require additional treatment.

### l. Water Quality Standards Variances

The proposed rule contains revisions to add clarification to the existing, approved variance language regarding state and federal variance procedures, and to incorporate by reference Missouri's Multiple-Discharger Variance framework. These revisions and clarifications will generally benefit the state when granting variances, as well as individual permittees that may seek these variances. The Multiple-Discharger Variance framework is intended to cover minor municipal publicly-owned treatment works (POTW) within the state with a well-functioning lagoon technology that, if upgraded to meet the WQS for total ammonia nitrogen, would experience a substantial and widespread economic and social impact. The potential candidates who may benefit from implementation of this variance framework are listed in Appendix B of this document.

### m. Miscellaneous Text Revisions

The internal reference inaccuracies, typographical errors and formatting issues could result in some misunderstanding of the standards. These rule revisions should prevent misunderstandings that could cause delays in decisions based on the sections of the rule affected by the errors.

## 4. A description of the environmental and economic costs and benefits of the proposed rule.

Implementation of effective, approved rules can have both environmental and economic costs and benefits. To the extent that costs and benefits of the proposed rule can be calculated and articulated, this report does so for each of the proposed revisions. Additional information and documents are referenced at the end of this report and may be found on the department's "Rules in Development" website at the following link: http://dnr.mo.gov/env/wpp/rules/wpp-rule-dev.htm

### a. Waters of the State Definition

The fiscal note prepared to accompany HB 92 (No. 0070-01; February 19, 2015) provided information on the economic costs of the proposed legislation that is being implemented through the proposed revision. The proposed revision to the definition of waters of the state will not



ED_001605_00000523-00017

change how the department implements state and federal clean water law. As a result, no environmental and economic costs or benefits are anticipated as a result of the rule revision. Additionally, no fiscal impact is anticipated for state and local governments or small businesses as a result of the proposed revision and no direct fiscal impact was anticipated to other entities.

**b. Mixing Zones and Zones of Initial Dilution**

No significant economic or environmental costs are expected to result from the addition of site-specific mixing zone determination language to 10 CSR 20-7.031(5)(A)4.B.(III) or revisions to requirements at 10 CSR 20-7.031(5)(A)4.E. The use of site-specific mixing zone determinations is not a requirement and permitted facilities can elect to accept default mixing zone allowances in their permits. While site-specific mixing zone studies are allowed in practice, the revision will give facilities discharging to higher flow streams the option in rule to conduct mixing zones to gain better accuracy in the identification and delineation of their mixing zone. Permitted facilities will need to determine whether the benefit of the site-specific mixing study in regard to effluent limitations and potential treatment costs outweigh the cost of the study. No significant economic or environmental costs are expected for mixing zone and zone of initial dilution clarifications as zones of passage and avoidance of sensitive species are already considered and implemented in practice. No significant economic or environmental benefits are expected as the revisions clarify current practice that aquatic habitats and species are protected to the level necessary to support the aquatic ecosystem existing or attainable in the water body.

**c. Hardness**

The proposed rule change in the definition and derivation methodology for hardness is not expected to result in significant economic or environmental costs or benefits. No additional quality assurance/quality control measures will be required with the change and minimum sample amounts and frequency will not change. The department currently calculates hardness values for effluent limitations, water quality criteria development and water quality assessments. The change in statistical derivation will be neutral in terms of these processes. For permitted facilities that require hardness calculations, effluent limitations derived from the calculated value may be more or less stringent depending on the data set used in the derivation. Generally, however, any resulting effluent limitations will most likely be less stringent using a median hardness than a lower quartile value.

**d. pH**

The proposed revisions to clarify the pH criteria as four-day average, chronic criteria will provide some relief to permitted facilities that discharge to waters with limited or no assimilative capacity. As a result, no economic costs are expected and some economic benefit may actually occur as costs related to alkalinity addition to achieve compliance with an erroneous minimum would be reduced. The pH criteria range of 6.0 – 9.0 standard pH units is still within the range of criteria found in the EPA "Red Book" and environmental costs or benefits are not expected.

**e. General Criteria Revisions**

No significant economic or environmental costs are expected from the revision of the general criteria. The proposed general criteria revision to toxics will provide greater clarity for when and where chronic and acute toxic conditions may occur. The proposed addition of narrative criteria



ED_001605_00000523-00018

for the prevention and protection from the impacts of nutrient enrichment will clarify current practice and provide clear general criteria specific to nutrients. The proposed addition of narrative criteria for downstream use protection will codify current practice and fulfill a requirement of the federal clean water act to include such a provision in state water quality standards. Similarly, no economic or environmental benefit is to be expected as a result of the rule revisions. The proposed revisions are generally considered neutral to permitted facilities, but may provide a regulatory benefit from the clarity that the proposed revisions will bring.

### f. Antidegradation Implementation Procedure

No environmental or economic costs or benefits are anticipated in updating reference in the WQS to the AIP approved by the Missouri Clean Water Commission on July 13, 2016. To date, no applicants or antidegradation reviews have occurred for bioaccumulative pollutants utilizing the *de minimis* provision found in previous versions of the AIP. Therefore, no costs will be incurred to revisit previously conducted antidegradation reviews.

### g. Losing Stream Reference and Table J

Removing an outdated, static table of losing streams and replacing it with reference to up-to-date digital geospatial information will result in greater locational accuracy of losing stream segments in the state. This improved accuracy will increase the efficiency of program activities that may require the use of the losing stream information (e.g., permits and water quality assessments). The increased efficiency should reduce costs for both permit applicants and the department and result in more accurate determinations for permits and water quality assessments.

### h. Remove Table K, Site-Specific Criteria

The revision to remove Table K from regulation is not expected to directly result in economic and environmental costs or benefits. The proposed revision removes disapproved or expired site-specific dissolved oxygen criteria that are currently not effective for clean water act purposes. Any current or future economic and environmental costs or benefits that may result from the removal of an outdated table from regulation are not known.

### i. Missouri Use Designation Dataset Update

Original estimates for cost and benefits for the dataset were estimated in the Regulatory Impact Report dated November 9, 2012 for the rule effective February 28, 2014. These rule revisions will result in better accuracy in the identification of lakes and streams. This improved accuracy will increase the efficiency of program activities that require the use of the water body delineation information (e.g., permits, water quality assessments, and total maximum daily loads). The increased efficiency and accuracy of revisions should reduce costs for both permit applicants and the department.

### j. Section 304(a) Water Quality Criteria

The proposed revisions to Section 304(a) criteria in rule are in response to changes in these criteria at the federal level to establish appropriate thresholds to prevent toxic effects on aquatic life and human health. An explanation of the basis for the changes in the federal criteria can be found in the supporting science and information referenced in section 2j. Missouri is adopting



ED_001605_00000523-00019

these federal criteria without modification and any environmental and economic costs and benefits are determined by the actions at the federal level and not the state. While Section 536, RSMo, does not require a cost and benefit analysis when federal requirements are adopted without modification, this RIR notes that 2,676 site-specific permits, 1,388 general permits, 774 storm water permits, and 3 underground injection permits might be affected by these revisions. Table 2 in Appendix A shows the number of permitted facilities having NPDES permits with limits for each federal 304(a) criteria proposed to be revised.

### k. Numeric Nutrient Criteria for Lakes

The cost to control nutrient loading as a result of this rule varies considerably, depending on the current condition of lake water quality, the source of pollution (point or nonpoint source), and the types of additional nutrient management needed. The number of lakes in the Missouri Use Designation Dataset that are estimated to exceed the proposed criteria are summarized in Table 4.1.

Table 4.1. Number of lakes that exceed proposed criteria and screening values

| Lake Ecoregion | Number of Lakes that Exceed Chl-a Criteria | Number of Lakes that Exceed Screening Values for TP, TN, or Chl-a | Total Lakes for which Nutrient Data are Available |
|---|---|---|---|
| Plains (Drinking Water Supply Lakes) | 12 | 45 | 67 |
| Plains (Other Lakes) | 6 | 33 | 85 |
| Ozark Border | 6 | 18 | 41 |
| Ozark Highlands | 6 | 13 | 48 |
| Totals | 30 | 109 | 241 |

**Domestic Wastewater**

*Cost of phosphorus removal from point source discharges:*
There are over 1,000 wastewater facilities that discharge within the watersheds of lakes greater than 10 acres. Of these wastewater facilities, 440 discharge toward the Lake of the Ozarks. The costs cited in the following analyses are based on the assumption that all the lakes counted in Table 4.5 will be placed on the 303(d) list of impaired waters for nutrients. If, for instance, the Lake of the Ozarks turns out not to be listed, anticipated costs will be reduced by a large margin. It may turn out that applying treatment for TP alone would be sufficient to mitigate the impairment, since TP is generally the most limiting nutrient to algae growth in lakes. The scenarios that follow are presented as alternative projections. Total Phosphorus (TP) removal from wastewater discharges has costs that are dependent on a number of factors, the most significant being the size of the facility. Generally, the larger the facility, the lower the cost per unit mass of phosphorus removed. A study of wastewater treatment plants (WWTP) in six small communities in Texas illustrates this point. Figure 4.1 is a log-transformed linear regression of the cost to remove a kilogram per day of TP from the effluent as it relates to quantity of WWTP discharge (Keplinger et al., 2004).



ED_001605_00000523-00020

Figure 4.1. Cost of TP removal as a function of WWTP daily discharge in six communities in Texas (from Keplinger et al. 2004).




It is possible that any waste load allocations developed for nutrient-impaired lakes from the proposed nutrient response criteria for may be less restrictive for facilities that do not directly discharge to a lake. This is because of the potential for effective nutrient reduction through instream processes and uptake by riparian vegetation. For example, phosphorus can be bound by organic matter which can then settle in stream sediments. Denitrification, the transformation of nitrate to nitrogen gas, can effectively remove nitrogen from the aquatic environment.

Pending the outcome of a reasonable potential analysis, it is possible that some facilities, particularly smaller ones, may qualify for less stringent nutrient or Chl-a effluent limitations, or no limitations at all. Such an outcome may be contingent upon the size of the facility, the volume of discharge, and the proximity to the lake. About 72 percent of wastewater outfalls in the lake watersheds have design flows of less than 22,500 gallons per day (gpd) and 12 percent have design flows greater than 100,000 gpd. In addition to the discharge capacity of the facility and proximity to the lake in question, other factors affecting the cost of nutrient removal include the type of wastewater treatment system, whether nutrient removal is being adapted to an existing system or installed as a part of a new system, and the target nutrient concentration in the effluent.

Effluent rules at 10 CSR 20-7.015(3)(F) & (G) set an effluent limit of 0.5 mg/L total phosphorus as a monthly average and provide a schedule of compliance for facilities discharging in the Table Rock Lake and Lake Taneycomo watersheds. Facilities discharging one million gallons per day (1 MGD) or more complied with this rule by November 30, 2003. Some operators of small facilities (less than 1 MGD) have voluntarily installed phosphorus removal systems, out of concern that nutrient impairment of Table Rock Lake was affecting the resort business that they served.

*Cost of nitrogen removal from point source discharges:*
Biological Nutrient Removal (BNR) may be used to reduce total nitrogen in wastewater facilities. This technology has been implemented in the Chesapeake Bay area since 1983 and achieved total nitrogen limits of 8 mg/L and total phosphorus of 3 mg/L. Activated sludge enhanced nutrient removal systems achieved 3 mg/L and 0.3 mg/L of TN and TP, respectively. As recently as 25 years ago, reduction of total nitrogen in effluent to 8mg/L cost about $35 per pound of nitrogen removed. Currently, 2 mg/L is state of the art, and reductions to 3 mg/L are widely feasible. Costs are less than $10 per pound for facilities without nutrient reduction technology, and as low as $4 per pound for those plants with some treatment already in place (Chesapeake Bay Commission, 2004).

The cost of upgrading a facility for nitrogen removal is dependent on a number of factors, including size of the facility and type of treatment. For systems with design flows of less than 0.5 MGD, there are two options for retrofitting; the addition of an anoxic tank or a deep bed denitrification filter (EPA 2007). The anoxic tank option is applicable to systems that use the Modified Ludzack-Ettinger (MLE) process, which is not common in Missouri, and particularly not in smaller systems. However, deep bed denitrification filters can be added to package plants. For facilities with greater flows, there is a wider range of system upgrade options for nitrogen control. Systems already in use in Missouri include Anaerobic/anoxic/Aerobic Process ($A^2/O$), Activated Sludge, Methanol, Oxidation Ditch, Rotating Biological Contactor (RBC), and Sequencing Batch Reactor (SBR).

*General Considerations:*
The number and size of permitted facilities in Missouri that may be affected by the proposed numeric nutrient criteria are presented in Table 4.2. The costs for nutrient removal upgrades at these facilities are presented on the assumption that all lakes in the state will be listed as impaired and some level of treatment will be necessary. The weight of evidence methodology found in the proposed numeric nutrient criteria framework may reduce the number of impacted facilities further as more detailed, site-specific assessments may indicate designated uses are being met (i.e., not impaired). Actual facility upgrade costs are likely to be considerably lower than these estimates and implementation strategies such as optimization of facility performance and nutrient trading may delay, or eliminate, the need for upgrades.



ED_001605_00000523-00022

Table 4.2. Wastewater facilities in lake watersheds statewide.

| Design Flow (MGD) | Public | Private | Total |
|---|---|---|---|
| ≤0.01 | 35 | 521 | 556 |
| 0.01-0.05 | 55 | 228 | 283 |
| 0.05-0.1 | 41 | 25 | 66 |
| 0.1-0.5 | 55 | 20 | 75 |
| 0.5-1 | 15 | 1 | 16 |
| >1 | 24 | 3 | 27 |
| Totals | 225 | 798 | 1023 |

Table 4.2 excludes all of those facilities located in the watersheds of lakes listed in Table M of the regulation; it includes facilities within the Table Rock Lake watershed (including Beaver Reservoir, HUC-8 11010001, and James River, HUC-8 11010002). Estimates of costs for these excluded facilities were considered in the Regulatory Impact Report dated May 16, 2008 as part of the previous lake numeric nutrient criteria rulemaking effective October 30, 2009. Most facilities in the watersheds of Table Rock Lake and Lake Taneycomo are already required by regulation at 10 CSR 20-7.015(3)(E) and (F), respectively, to reduce total phosphorous in effluent to 0.5 mg/L. However, additional consideration is needed for nitrogen reduction (i.e., denitrificiation) as these costs may not have already been estimated. The distribution of facilities in the Table Rock Lake and Lake Taneycomo watersheds is described in Table 4.3.

Table 4.3. Wastewater facilities in Table Rock Lake and Lake Taneycomo watersheds.

| Design Flow (MGD) | Public | Private | Total |
|---|---|---|---|
| ≤0.01 | 7 | 102 | 109 |
| 0.01-0.05 | 4 | 76 | 80 |
| 0.05-0.1 | 7 | 7 | 14 |
| 0.1-0.5 | 9 | 6 | 15 |
| 0.5-1 | 4 | 2 | 6 |
| >1 | 7 | 3 | 10 |
| Totals | 38 | 196 | 234 |

There are numerous variables to consider when estimating the cost of upgrading facilities to achieve compliance with numeric nutrient criteria in lakes. Some facilities may already have some degree of nutrient control and may only need marginal upgrades or changes in operations to achieve compliance. Others may require more extensive improvements. For example, some facilities may be at or near the end of their planned operation life, and may require total or near total replacement for all systems, not just for nutrient removal. In any case, the department can take into consideration the optimal time to implement upgrades by working closely with the permit-holder to develop a reasonable and workable schedule of compliance.



ED_001605_00000523-00023

EPA (2015a) compiled capital and operating costs for upgrading over 350 wastewater facilities nationwide to control TP and TN (as well as a number of facilities in Spain). These costs are summarized in Figure 4.2.

Figure 4.2: Interquartile range and total distribution of costs for facility upgrades




*CAPDETS Analysis*

An analysis of the estimated economic cost of implementing numeric nutrient criteria for lakes using the CAPDETS model was performed in support of this RIR. Assumptions used in the model are described below, with specific expense assumptions found in Appendix A, Table 3.

1) Capital Installation and Operation and Maintenance (O&M) costs were estimated from CAPDETWorks models developed by Tetra Tech. Total installation capital costs and annual O&M costs were developed for four scenarios representing widely available nutrient reduction technologies. Scenario descriptions for each nutrient reduction technology can be found below and tables representing the range of costs are contained in Tables 4.5 – 4.8.

   **It is important to note that CAPDETWorks is mainly designed to assess systems with larger design flows (>0.1 MGD); estimates for smaller systems (≤ 0.1 MGD) are likely overstated. Since the overwhelming majority of treatment systems are smaller systems, it is expected that total cost estimates for each scenario are overstated, and that actual total costs may be considerably lower.**

2) Operation and maintenance includes chemical input, repairs, and lab analyses.

3) Estimates do not account for specific waste load allocations required by TMDLs or other situations

4) Upgrade scenarios considered in the CAPDETWorks analysis are listed in Table 4.4.

Table 4.4: Facility upgrade scenarios

| Upgrade Scenario # | Scenario Description | Total Phosphorus (mg/L) | Total Nitrogen (mg/L) |
|---|---|---|---|
| 1 | Addition of anoxic basin to existing aeration process without filtration | 0.5 | 8 |
| 2 | Addition of anoxic basin to existing aeration process with filtration | 0.5 | 8 |
| 3 | Addition of anoxic basin and chemical phosphorus removal to existing aeration process without filtration[1] | 1 | 10 |
| 4 | Addition of anoxic basin and chemical phosphorus removal to existing aeration process with filtration[2] | 0.5 | 10 |

DRAFT

[1] Use of this scenario statewide includes application of Scenario 1 in the Table Rock Lake and Lake Taneycomo watersheds.
[2] Use pf this scenario statewide includes application of Scenario 2 in the Table Rock Lake and Lake Taneycomo watersheds.

**Scenario 1: Existing extended aeration process adding anoxic basin without filtration.**

Table 4.5a: Estimated total installation costs for affected facilities for implementation of Scenario 1.

| Design Flow (MGD) | Public | Private | Totals | Annual Cost Based on 20-Year Amortization |
|---|---|---|---|---|
| <0.01 | $38,150,000 | $567,890,000 | $606,040,000 | $48,630,218 |
| 0.01-0.05 | $63,800,000 | $264,480,000 | $328,280,000 | $26,342,037 |
| 0.05-0.1 | $54,120,000 | $33,000,000 | $87,120,000 | $6,990,734 |
| 0.1-0.5 | $91,630,000 | $28,900,000 | $120,530,000 | $9,671,639 |
| 0.5-1 | $39,090,000 | $7,460,000 | $46,550,000 | $3,735,292 |
| >1 | $222,850,000 | $25,740,000 | $248,590,000 | $19,947,505 |
| Totals | $509,640,000 | $927,470,000 | $1,437,110,000 | $115,347,425 |

Table 4.5b: Estimated total annual operation and maintenance costs for affected facilities for implementation of Scenario 1:

| Design Flow (MGD) | Public | Private | Total O&M Cost | Total O&M plus Amortization Costs |
|---|---|---|---|---|
| <0.01 | $4,095,000 | $60,597,000 | $65,052,000 | $113,682,218 |
| 0.01-0.05 | $6,435,000 | $26,676,000 | $33,111,000 | $59,453,037 |
| 0.05-0.1 | $4,961,000 | $3,025,000 | $7,986,000 | $14,976,734 |
| 0.1-0.5 | $7,942,000 | $2,512,000 | $10,454,000 | $20,125,639 |
| 0.5-1 | $3,264,000 | $623,000 | $3,887,000 | $7,622,292 |
| >1 | $15,638,000 | $1,834,000 | $17,472,000 | $37,419,505 |
| Totals | $42,335,000 | $95,627,000 | $137,962,000 | $253,279,425 |

DRAFT

**Scenario 2: Existing extended aeration process adding anoxic basin with filtration.**

Table 4.6a: Estimated total installation costs for affected facilities for implementation of Scenario 2.

| Design Flow (MGD) | Public | Private | Totals | Annual Cost Based on 20-Year Amortization |
|---|---|---|---|---|
| <0.01 | $51,100,000 | $760,660,000 | $811,760,000 | $65,137,723 |
| 0.01-0.05 | $99,000,000 | $410,400,000 | $509,400,000 | $40,875,574 |
| 0.05-0.1 | $86,920,000 | $53,000,000 | $139,920,000 | $11,277,543 |
| 0.1-0.5 | $152,500,000 | $48,160,000 | $200,660,000 | $16,101,478 |
| 0.5-1 | $58,960,000 | $11,650,000 | $70,610,000 | $5,665,929 |
| >1 | $307,510,000 | $35,480,000 | $342,990,000 | $27,522,404 |
| Totals | $755,990,000 | $1,319,350,000 | $2,075,340,000 | $166,530,650 |

Table 4.6b: Estimated total annual operation and maintenance costs for affected facilities for implementation of Scenario 2:

| Design Flow (MGD) | Public | Private | Total O&M Cost | Total O&M plus Amortization Costs |
|---|---|---|---|---|
| <0.01 | $4,480,000 | $66,688,000 | $71,168,000 | $136,305,723 |
| 0.01-0.05 | $7,095,000 | $29,412,000 | $36,507,000 | $77,382,574 |
| 0.05-0.1 | $5,863,000 | $3,575,000 | $9,438,000 | $20,665,543 |
| 0.1-0.5 | $9,630,000 | $3,046,000 | $12,676,000 | $28,777,478 |
| 0.5-1 | $3,765,000 | $735,000 | $4,500,000 | $10,165,929 |
| >1 | $17,515,000 | $2,048,000 | $19,563,000 | $47,085,404 |
| Totals | $48,348,000 | $107,170,000 | $153,852,000 | $320,382,650 |

DRAFT

**Scenario 3: Existing extended aeration process adding anoxic basin with chemical phosphorus removal (Adding anoxic basin only in Table Rock Lake and Lake Taneycomo watersheds).**

Table 4.7a: Estimated total installation costs for affected facilities for implementation of Scenario 3.

| Design Flow (MGD) | Public | Private | Totals | Annual Cost Based on 20-Year Amortization |
|---|---|---|---|---|
| <0.01 | $41,230,000 | $613,980,000 | $655,210,000 | $52,575,746 |
| 0.01-0.05 | $75,020,000 | $297,920,000 | $372,940,000 | $29,925,670 |
| 0.05-0.1 | $63,980,000 | $38,510,000 | $102,490,000 | $8,224,063 |
| 0.1-0.5 | $119,240,000 | $35,600,000 | $154,840,000 | $12,424,762 |
| 0.5-1 | $60,470,000 | $8,530,000 | $69,000,000 | $5,536,739 |
| >1 | $336,800,000 | $25,740,000 | $362,540,000 | $29,091,148 |
| Totals | $696,740,000 | $1,020,280,000 | $1,717,020,000 | $137,778,127 |

Table 4.7b: Estimated total annual operation and maintenance costs for affected facilities for implementation of Scenario 3:

| Design Flow (MGD) | Public | Private | Total O&M Cost | Total O&M plus Amortization Costs |
|---|---|---|---|---|
| <0.01 | $5,271,000 | $78,555,000 | $83,826,000 | $136,401,746 |
| 0.01-0.05 | $9,669,000 | $36,404,000 | $46,103,000 | $76,028,670 |
| 0.05-0.1 | $7,919,000 | $4,678,000 | $12,597,000 | $20,821,063 |
| 0.1-0.5 | $13,840,000 | $3,983,000 | $17,823,000 | $30,247,762 |
| 0.5-1 | $6,256,000 | $804,000 | $7,060,000 | $12,596,739 |
| >1 | $25,979,000 | $1,834,000 | $27,813,000 | $56,904,148 |
| Totals | $68,964,000 | $126,258,000 | $195,222,000 | $333,000,127 |

DRAFT

**Scenario 4: Existing extended aeration process adding anoxic basin with filtration and phosphorus removal (Adding anoxic basin with filtration only in Table Rock Lake and Lake Taneycomo watersheds).**

Table 4.8a: Estimated total installation costs for affected facilities for implementation of Scenario 4.

| Design Flow (MGD) | Public | Private | Totals | Annual Cost Based on 20-Year Amortization |
|---|---|---|---|---|
| <0.01 | $53,060,000 | $789,990,000 | $843,050,000 | $67,648,513 |
| 0.01-0.05 | $110,270,000 | $443,840,000 | $554,060,000 | $44,459,208 |
| 0.05-0.1 | $96,780,000 | $58,510,000 | $155,290,000 | $12,460,871 |
| 0.1-0.5 | $179,810,000 | $54,770,000 | $234,580,000 | $18,823,306 |
| 0.5-1 | $72,680,000 | $12,760,000 | $85,440,000 | $6,855,927 |
| >1 | $376,420,000 | $35,480,000 | $411,900,000 | $33,051,921 |
| Totals | $888,970,000 | $1,395,350,000 | $2,284,320,000 | $183,299,746 |

Table 4.8b: Estimated total annual operation and maintenance costs for affected facilities for implementation of Scenario 4:

| Design Flow (MGD) | Public | Private | Total O&M Cost | Total O&M plus Amortization Costs |
|---|---|---|---|---|
| <0.01 | $5,460,000 | $81,353,000 | $86,813,000 | $154,461,513 |
| 0.01-0.05 | $10,665,000 | $40,052,000 | $50,717,000 | $95,176,208 |
| 0.05-0.1 | $8,855,000 | $5,247,000 | $14,102,000 | $26,562,871 |
| 0.1-0.5 | $15,870,000 | $4,529,000 | $20,099,000 | $38,922,306 |
| 0.5-1 | $5,921,000 | $915,000 | $6,836,000 | $13,691,927 |
| >1 | $24,380,000 | $2,048,000 | $26,428,000 | $59,479,921 |
| Totals | $70,851,000 | $134,144,000 | $204,995,000 | $388,294,746 |

DRAFT

*Fiscal Note Development*

Summary tables representing the estimated highest and lowest total capital installation costs and total annual O&M costs are contained in Tables 4.9 and 4.10 for public and private facilities, respectively. Application of a *de minimis* threshold or other cost reduction strategies as detailed below may reduce these estimates of cost. Additional tables presenting public and private total installation and total annual O&M costs by watershed using 8-digit hydrologic unit codes can be found in Appendix C.

Table 4.9. Estimated CAPDET Costs for all Public Facilities in Lake Watersheds

| Design Flow (DF) in MGD | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|
| DF≤0.05 | Low | $101,950,000 | $10,530,000 | $112,480,000 |
| | High | $163,280,000 | $16,125,000 | $179,405,000 |
| 0.05<DF≤1 | Low | $184,840,000 | $16,167,000 | $201,007,000 |
| | High | $349,270,000 | $30,346,000 | $379,616,000 |
| 1<DF≤20 | Low | $152,650,000 | $11,288,000 | $163,938,000 |
| | High | $281,920,000 | $19,500,000 | $301,420,000 |
| DF>20 | Low | $70,200,000 | $4,350,000 | $74,550,000 |
| | High | $94,500,000 | $4,880,000 | $99,380,000 |
| **Totals*** | **Low** | **$509,640,000** | **$42,335,000** | **$551,975,000** |
| | **High** | **$888,970,000** | **$70,851,000** | **$959,821,000** |

* Application of a *de minimis* threshold of 0.0225 MGD would reduce the number of public facilities affected (n = 173) and total CAPDET estimates to within the range of $488,021,000 – $863,868,000

Table 4.10. Estimated CAPDET Costs for all Private Facilities in Lake Watersheds

| Design Flow (DF) in MGD | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|
| DF≤0.05 | Low | $832,370,000 | $87,633,000 | $920,003,000 |
| | High | $1,233,830,000 | $121,405,000 | $1,355,235,000 |
| 0.05<DF≤1 | Low | $69,360,000 | $6,160,000 | $75,520,000 |
| | High | $126,040,000 | $10,691,000 | $136,731,000 |
| 1<DF≤20 | Low | $25,740,000 | $1,834,000 | $27,574,000 |
| | High | $35,480,000 | $2,048,000 | $37,528,000 |
| DF>20 | Low | $0 | $0 | $0 |
| | High | $0 | $0 | $0 |
| **Totals**** | **Low** | **$927,470,000** | **$95,627,000** | **$1,023,097,000** |
| | **High** | **$1,395,350,000** | **$134,144,000** | **$1,529,494,000** |

** Application of a *de minimis* threshold of 0.0225 MGD would reduce the number of private facilities affected (n = 123) and total CAPDET estimates to within the range of $197,592,000 – $331,795,000



ED_001605_00000523-00030

Range of Possible Treatment Costs

It should be noted that although the figures in Tables 4.9 and 4.10 represent significant potential public and private expenditures, some of these costs may be avoided by applying certain techniques in the management of wastewater facilities. For example, in some activated sludge facilities, cyclical reductions in aeration can accelerate denitrification, which, in addition to lowering the total nitrogen concentration in the effluent, reduces energy consumption. If applied prior to the activated sludge stage, reduced aeration can also support biological phosphorus removal. Lagoon systems can be managed for reduced nutrient discharge by restricting the release of effluent to warm season months, when absorption of nutrients by algae and bacteria within the lagoon is more active. More information on these methods can be found at US EPA (2015b).

In general, gains in efficiency of treatment through process improvements or modifications can result in reduction of capital costs, with perhaps minor or no change in costs for annual O&M. The estimated costs for implementation of the proposed numeric nutrient criteria, therefore, may be well within the lower (i.e., "Low") end of the range given in Tables 4.9 and 4.10.

Additionally, the proposed criteria have been developed using Missouri-based water quality data and methods to ensure that the unique nature of Missouri's man-made reservoirs is considered, and to prevent inaccurate assessment of waters as impaired based on overly conservative phosphorous or nitrogen values. In contrast, more stringent numeric nutrient criteria, such as the ecoregional values that are likely to be imposed by EPA[3] in the absence of state-developed criteria, are likely to result in impairment designations even when waters are meeting all designated uses. This may result in imposition of unnecessary treatment technologies, imposing a high cost for limited benefit. Consequently, EPA promulgated criteria are likely to result in costs toward the "high" end of the range estimates, and Missouri's proposed criteria are likely to result in costs toward the "low" end of the range estimates.

Industrial Wastewater

There are approximately 80 industrial facilities permitted to discharge wastewater in lake watersheds in Missouri. These include meat packers, other food processors, fish hatcheries, mines, and ore processors. The content of the effluent that they produce is highly variable, some of which has significant nutrient content, and some of which does not.

Available information on the costs of upgrading industrial wastewater facilities is limited. EPA (2015a) came up with figures from about 20 meat and poultry processors. Their capital costs ranged from approximately $500,000 to $6 million. Annual operation and maintenance costs ranged from $50,000 to nearly $3 million (Figure 4.4).

[3] The department originally promulgated numeric nutrient criteria for lakes in 2009. These criteria were disapproved in large part by EPA in 2011. The state tabled discussion on addressing the disapproval in preference for moving more quickly on its stream classification rulemaking, which concluded in 2014. The state renewed discussions to address the disapproval at the conclusion of that rulemaking. On February 24, 2016 the Missouri Coalition for the Environment sued the U.S. EPA citing EPA's failure to perform its mandatory duty pursuant to section 303(c)(3) of the Clean Water Act (33 U.S.C. § 1313(c)(3))to promulgate numeric nutrient criteria for the state of Missouri. The case is pending.



ED_001605_00000523-00031

Figure 4.4. Interquartile and total range of upgrade costs for meat and poultry processors to control nutrient discharge (US EPA 2015a).




DRAFT

Nonpoint Source Control

Mitigation of nutrient pollution from agricultural activity and urban runoff may be accomplished by implementing a wide variety of BMPs. Agricultural BMPs include structural practices, such as detention basins, buffer strips, and terracing, as well as management practices, such as cover crops, conservation tillage, and nutrient management plans. Urban runoff structural BMPs also include detention basins, but also include infiltration basins and wetland basins. Management practices include street sweeping and education programs to control fertilization and pet waste. Distributions of BMP costs per acre are in Figure 4.5. The department is unable at this time to determine how many BMPs would be initiated as part of implementation of this rule.

Figure 4.5: Interquartile and total ranges of BMPs to control nutrient runoff in agricultural and urban environments (US EPA 2015a)



### l. Water Quality Standards Variances

The proposed rule revisions to add clarification to the existing, approved variance language regarding state and federal variance procedures should not result in significant environmental and economic costs and benefits. However, the proposed revisions should provide needed clarity and reduce confusion on the applicability of state and federal variance procedures.

The incorporation by reference of Missouri's Multiple-Discharger Variance (MDV) framework will provide economic relief to individual permittees that may seek this variance. The MDV framework will require maintenance of the highest attainable effluent conditions that can be achieved from a well-functioning lagoon system without causing widespread social and economic impact. Additional required measures, such as a Pollutant Minimization Program (PMP), will improve processes and pollutant controls that will prevent and reduce pollutant loading from the facility. Monitoring and annual reporting will be required of the facility to ensure progress toward pollutant minimization and achievement of highest attainable effluent conditions. It is not anticipated that granting of individual variances under the MDV will jeopardize human health or the environment. Environmental benefit could be realized as the MDV provides an incentive for municipal facilities to direct already scarce resources toward cost-effective improvements in their infrastructure, which may not happen otherwise, and which will likely have both direct and ancillary benefits to water quality.

### m. Miscellaneous Text Revisions

No significant economic and environmental costs or benefits are expected to result from the revision of internal references, correction of typographical errors or updating of formatting.

## 5. The probable costs to the agency and to any other agency of the implementation and enforcement of the proposed rule and any anticipated effect on state revenue.

As the agency responsible for environmental rules and regulations, the Department of Natural Resources may incur costs for the implementation and enforcement of the proposed rule. Other state agencies that have a regulatory interest in environmental control and process may also have costs that may arise due to the Department's rulemaking efforts. This section of the report lists probable costs to the agency, to any other agency, and any anticipated effect the rule may have on state revenue for each revision:

### a. Waters of the State Definition

The fiscal note prepared to accompany HB 92 (No. 0070-01; February 19, 2015) provided information on the economic costs of the proposed legislation that is being implemented through the proposed revision. The fiscal note projected no fiscal impact (i.e., $0) for state and local governments and small businesses as a result of the proposal and its implementation. The fiscal note also projected no direct fiscal impact and no net effect (i.e., $0) on general revenue, other state funds, local funds or federal funds received by the state. Given the proposed revision is to replace an existing definition in regulation with reference to the updated definition in statute, no

fiscal impact to the agency, any other agency or general revenue is anticipated as documented in the legislative fiscal note.

**b. Mixing Zones and Zones of Initial Dilution**

The proposed revisions will lead to more accurate delineation of mixing zones for those permitted facilities that elect to conduct the studies and greater clarity of the expectations for zones of passage and sensitive species protection. It is unlikely that the proposed addition of site-specific mixing zone provisions in rule will add any significant work or cost to the department or to any other agency. The department currently reviews and processes site-specific permit applications in a timely manner. The proposed revisions would not change the department process for the review of permit applications. Staff would perform reasonable potential analyses and calculate waste load allocations for water quality-based effluent limitations in the same manner as done currently. Additional review and guidance for developing site-specific mixing zone studies will occur as currently done for permitted facilities that use the provision elsewhere in rule. No increased costs to the department or any other state agency are expected and no effects on state revenue are anticipated.

**c. Hardness**

The proposed rule changes the hardness criteria from a lower quartile (twenty-fifth percentile) to a median value. The department currently reviews and processes site-specific permit applications, water quality criteria derivations and water quality assessments that require hardness value calculations. Changing the hardness derivation process from a lower quartile to a median represents a change in process, but one that would not be linked to costs to the agency or to any other agency. The change merely substitutes one statistical calculation endpoint with another, without changes to data quality or quantity requirements. No increased costs to the department or any other state agency are expected and no effects on state revenue are anticipated.

**d. pH**

The proposed revision to clarify the pH criteria is not anticipated to result in costs to the department or any other state agency. The department will continue to monitor and assess waters for compliance with the criteria and clarification will not change department processes. The proposed revision is not anticipated to have an effect on state revenue.

**e. General Criteria Revisions**

The proposed revisions to the general criteria portion of the water quality standards merely clarify the operative language already contained in the effective rule or are a requirement of the federal clean water act. These revisions are not anticipated to result in costs to the department or any other state agency and no effects on state revenue are anticipated.

**f. Antidegradation Implementation Procedure**

This revision updates reference to Missouri's Antidegradation Implementation Procedure in rule. No costs to the department, other agencies or general revenue are anticipated as this rule revision merely updates a reference to a document approved by the Missouri Clean Water Commission.



ED_001605_00000523-00035

**g. Losing Stream Reference and Table J**

The proposed rule revisions should lead to more timely delivery of updated losing stream information to department staff, interested stakeholders and the public. These improvements will result in increased work efficiency and a reduction of costs for the department and the Missouri Secretary of State which publishes and updates the tables in regulation. These revisions are not anticipated to result in costs to the department or any other state agency. In addition, no effects on state revenue are anticipated.

**h. Remove Table K, Site-Specific Criteria**

The proposed revision removes disapproved or expired site-specific dissolved oxygen criteria from rule. The revision cleans up the administrative record for the affected water body segments and clarifies what dissolved oxygen criteria apply to those waters. Because the disapproved criteria were not yet effective for clean water act purposes, the department's work during water quality assessment or permit reviews will remain the same. The revision is not anticipated to result in costs to the department or any other state agency, nor are there anticipated effects on state revenue.

**i. Missouri Use Designation Dataset Update**

The proposed rule revisions should lead to more consistent and clear delineations of water bodies in the state and lead to increases in work efficiency and a reduction of costs for the department. The revision is not anticipated to result in costs to the department or any other state agency, nor are there anticipated effects on state revenue.

**j. Section 304(a) Water Quality Criteria**

The proposed revisions would not change the department process for the review of permit applications. Staff would perform reasonable potential analyses and calculate waste load allocations for water quality-based effluent limits in the same manner as done currently. Although the results of these analyses may be different, the amount of time involved with the effort will be the same. Therefore, no increased costs to the department are expected from this proposed rule. The proposed rule is also not anticipated to effect state revenue.

**k. Numeric Nutrient Criteria for Lakes**

While the proposed revisions would not change the department process for the review of permit applications, the review process may lengthen by a small amount. Approximately 1,000 facilities may need to implement additional treatment to achieve compliance, under a worst-case scenario (Table 4.2). The department will be required to conduct a review of these permits for "reasonable potential" for exceeding the new criteria and evaluate treatment plans to ensure compliance. Affordability analyses and compliance schedules would be established as per current department processes. As a result, no new costs are anticipated for the department in regard to permit issuance.

Increased monitoring by the department will be necessary to perform a complete assessment of water quality in lakes with nutrient criteria. Baseline monitoring sufficient to conduct water quality assessments will be needed for those lakes where data are not available in quantity or



ED_001605_00000523-00036

quality to conduct an assessment. For those lakes where a weight of evidence approach will be required, additional monitoring and investigation will be needed. Monitoring costs for both baseline assessment of water quality and for the weight of evidence analysis can be found in Appendix D.

### l. Water Quality Standards Variances

The proposed rule revisions to add clarification to the existing, approved variance language regarding state and federal variance procedures is not anticipated to result in costs to the department or any other state agency and is not anticipated to have an effect on state revenue.

The incorporation by reference of Missouri's Multiple-Discharger Variance (MDV) framework is likewise not anticipated to result in costs to the department or any other state agency and is not anticipated to have an effect on state revenue. The department currently performs economic analyses for municipal facilities upon renewal and the cost analysis of treatment alternatives will follow established procedures. Determination of whether a facility qualifies as a well-functioning lagoon system, and the resulting highest attainable effluent condition, will be incorporated into the current permit renewal process following approval of the variance. Variances are currently reviewed by existing staff on a case-by-case basis and no additional resources are anticipated for these efforts. Natural Heritage Review reports required under the MDV are anticipated to be completed by existing staff at the Missouri Department of Conservation as is current practice.

### m. Miscellaneous Text Revisions

No costs to the department or any other agency is expected from the revision of internal references, correction of typographical errors or updating of formatting. These revisions are likewise not anticipated to have an effect on state revenue.

## 6. A comparison of the probable costs and benefits of the proposed rule to the probable costs and benefits of inaction, which includes both economic and environmental costs and benefits.

One of the state's greatest natural resources is its abundant water. The WQS regulations are designed to protect and preserve that resource for the beneficial use of this and future generations. If this rulemaking does not become effective, some of those resources may not be protected to the extent required by federal law. Many of these impacts are immeasurable in terms of costs simply because the exact effects from lack of action are incalculable. While the potential economic cost explained in Section 4 of this report may be significant for portions of the rulemaking, no comparison can be made to environmental benefits without associating a cost to lowered health of citizens and the diminished resources that this rulemaking is intended to prevent.

The state of the economy depends to some extent on the state of the environment. For example, an area that can advertise good water quality is attractive to many human activities, from tourism to industry. Investments in infrastructure to meet regulatory requirements can also be a benefit to public and private facilities that wish to improve capacity or customer service. Improved



ED_001605_00000523-00037

infrastructure can attract additional industry and customers which, over time, can help subsidize and repay any costs incurred for the improvements. The following compares the probable costs and benefits of the proposed rule to the probable costs and benefits of inaction, which includes both economic and environmental costs and benefits for each item:

**a. Waters of the State Definition**

As described in 4a, no environmental and economic costs or benefits are anticipated as a result of the rule revision. Because the proposed revision updates state regulation to be consistent with state statute, inaction would allow inconsistencies between regulation and statute to persist. These inconsistencies could cause confusion and the need for resources to be expended to reconcile differences between regulation and statute on a case-by-case basis. The type and quantity of scenarios where inconsistencies may arise is difficult to estimate and quantify. As a result, the environmental and economic costs of inaction are likewise difficult to estimate and quantify. In general, however, inconsistencies will likely slow implementation of state and federal clean water law and environmental outcomes may be reduced.

**b. Mixing Zones and Zones of Initial Dilution**

Rule language clarifying that site-specific mixing zone determinations are allowed for stream flows greater than 20 cubic feet per second will have probable costs and benefits as described in 4b. While currently allowed in practice, specifically adding site-specific mixing zone determination allowances in rule for these flows will ensure clarity and understanding that the option is available. Inaction may result in continued confusion as to whether site-specific mixing zones would be allowed at these higher flows since they are not explicitly mentioned in rule. Revisions to mixing zone and zone of initial dilution conditions will also have the probable costs and benefits as described in 4b. These revisions will clearly state the expectations for zones of passage and protection of sensitive species currently in practice and ensure clarity for these provisions. Inaction may result in confusion or lack of clarity as to the expectations that apply to mixing zones and zones of initial dilution, and protection of sensitive species within these areas.

**c. Hardness**

The probable costs and benefits for revising the hardness definition and derivation methodology to a median are described in 4c. Inaction may result in episodes of noncompliance for those discharger specific situations where effluent limitations derived using the twenty-fifth percentile are difficult to achieve. It is anticipated, however, that differences in effluent limitations using the lower quartile and median values for hardness will be minor in most areas of the state (e.g., Big Rivers and Plains). More significant differences will likely exist where ecoregional hardness values are lower (e.g., the Ozarks) and not as variable. In these areas of the state, inaction will leave in place a more conservative water quality criteria target that to some would be an environmental benefit. Those permitted facilities requiring treatment to meet the lower-quartile hardness based effluent limitations might continue to see costs for treatment, but the magnitude of such costs is uncertain due to site-specific factors.

**d. pH**

As noted in 4d, revisions to clarify that the pH criteria are four-day average, chronic criteria may provide some relief to permitted facilities that discharge to waters with limited to no assimilative



ED_001605_00000523-00038

capacity. As also detailed in 4d, no economic costs are expected and some economic benefit may occur with minimal to no environmental costs or benefit. Inaction would result in perpetuation of an erroneous interpretation of the criteria as acute, instantaneous criteria rather than chronic.

**e. General Criteria Revisions**

As noted in 4e, no significant economic or environmental costs or benefits are expected to result from the revision of general criteria provisions. Inaction may allow any confusion that surrounds the provisions of the general criteria to persist and would also be a missed opportunity to clarify general criteria for protection against the effects of nutrient enrichment and to add required protection of downstream waters to state regulation.

**f. Antidegradation Implementation Procedure**

This revision updates the regulation to reference an updated procedure, allowing the department and others to use the document for Clean Water Act purposes. Inaction would leave the department unable to implement antidegradation water quality standards currently found in rule through the permit process. The inability to effectively implement antidegradation policies and procedures would be a significant program deficiency, one which EPA would consider during future program delegation reviews.

**g. Losing Stream Reference and Table J**

The proposed revision removes outdated tabular information from the rule and replaces it with reference to current and readily available digital geospatial information. No costs are expected to be created by this action. Some savings may be realized through reduction in costs for rule production and duplication. Inaction would perpetuate inconsistencies between outdated or incorrect losing stream locations in the published tables and the more accurate and up to date geospatial data. Removing the outdated tables and referencing the geospatial data should eliminate confusion in locating the losing stream segment for Clean Water Act purposes.

**h. Remove Table K, Site-Specific Criteria**

The proposed revision will remove disapproved or expired site-specific dissolved oxygen criteria from rule and will clarify the criteria that apply to these waters. Because the disapproved criteria were not yet effective for clean water act purposes, no costs or benefits to the economy or environment are expected to be created by this action. Inaction (i.e., leaving the disapproved or expired site-specific criteria in rule) would result in confusion as to the applicability of the site-specific criteria since EPA and state decisions on the criteria would not be reflected in regulation.

**i. Missouri Use Designation Dataset Update**

The proposed revisions incorporate and update water body features according to the effective, approved rule. As a result, no costs are expected to be created by these revisions. The revisions should eliminate confusion in locating and using the water body segments for Clean Water Act purposes and may result in some cost savings and efficiencies. Inaction would defer needed updates to the MUDD until a later date, potentially causing confusion as to which waters are covered by designated uses in rule.



ED_001605_00000523-00039

### j. Section 304(a) Water Quality Criteria

With adequate data from the facilities impacted, a comparison could be made between the increased or decreased costs in treatment and the revisions in water quality criteria which would result from this amendment. However, monitoring data are insufficient to determine the specific magnitude to which treatment systems would be affected although general estimates can be made (Appendix A, Tables 1 & 2 and supporting documentation). Inaction with regard to promulgating Section 304(a) water quality criteria would compel EPA to notify the state of the deficiency and promulgate these criteria at the federal level if Missouri is unresponsive. The difference in cost and impact of EPA promulgating these criteria instead of the state is not expected to be significant.

### k. Numeric Nutrient Criteria for Lakes

The following consequences of inaction are specified in EPA's June 1998 National Strategy for the Development of Regional Nutrient Criteria:

"…if EPA determines that a new or revised nutrient standard is necessary for a State or Tribe (because EPA determines that the State or Tribe has not demonstrated reasonable progress toward developing numerical nutrient standards), EPA will initiate rulemaking to promulgate nutrient criteria values…"

If, due to inaction, EPA has to promulgate nutrient criteria, it is probable that criteria set by EPA would be more restrictive and less site-specific than what are in the proposed rule. These criteria could result in reduced regulatory flexibility for both the department and the regulated community, which could result in higher costs for compliance due to the more restrictive standard.

Failure to protect a water body from excessive nutrient loading can be economically devastating to a community. In 2009 and 2010, Grand Lake St. Mary's, a 13,000 acre lake in Ohio, was the site of large algal blooms and fish kills. High concentrations of toxins produced by blue-green algae prompted Ohio EPA to post warning signs advising people to not contact the water. There were 23 cases of human illness, and several dog deaths that were associated with the blooms. The local tourism industry, which previously accounted for $150 million in annual economic activity, suffered losses of between 23 and 30 percent. Several boat dealers, marinas, and other small businesses closed. The city of Celina, which draws its drinking water supply from the lake, spent over $13 million in upgrades to control taste and odor problems in the treatment process (Davenport and Drake, 2011).

In Waco, TX, the public water supply system, for which the source water supply is Lake Waco, had to spend an estimated $70.4 million between 2002 and 2012 to treat taste and odor problems that resulted from high nutrient loading and algal blooms. Additionally, they lost between $6.9 million and $10.3 million in revenue due to the withdrawal of neighboring communities from the utility (Dunlap et al., 2015).

In Missouri, there are 45 public water supply systems that withdraw source water from lakes and reservoirs (MDNR, 2015). Inaction would leave these source waters unprotected, negatively



ED_001605_00000523-00040

impacting the primary drinking water supply for many communities. Additionally, any secondary water systems that utilize water from these public water supply systems would also be impacted. Reducing nutrients in source water will lead to concomitant improvements in finished water, more efficient and cost-effective water treatment, and a longer useful life of the source water supply.

### l. Water Quality Standards Variances

As noted in 4l, no significant economic or environmental costs or benefits are expected to result from the clarification of existing, approved variance language. Inaction may allow any confusion that surrounds the existing provisions to persist and would be a missed opportunity to clarify these provisions in state regulation.

As also noted in 4l, the incorporation by reference of Missouri's Multiple-Discharger Variance (MDV) framework will provide regulatory flexibility and economic relief to individual permittees that may seek this variance. Incorporation of the framework by reference will also streamline the variance review and approval process for this specific group of dischargers. Increases in efficiency gained through the framework should translate into net gains in environmental improvement for the facility and the state. Inaction would require individual facilities to go through the site-specific variance authorization and approval process, which would ultimately result in delays in environmental improvement.

### m. Miscellaneous Text Revisions

Neither action nor inaction to make the proposed rule text revisions would result in any significant difference in the costs or benefits associated with this rulemaking.

## 7. A determination of whether there are less costly or less intrusive methods for achieving the proposed rule.

Regional organizations, county governments, or municipal governments could enact laws or policies that provide similar or greater protection of water resources within their jurisdiction. This has been done in a few select areas of the state, but does not provide adequate protection for the entire state population or its water resources. As a result, statewide action through rulemaking is required for these items. EPA requires a regulatory program to ensure the effective administration of clean water standards. No other state agency has the authority or funding source to administer such a program. EPA has delegated its authority only to the Department for administering a water quality program, and that delegation hinges on the program being functionally equivalent to the federal Clean Water Act. The following discussion includes determinations of whether there are less costly or less intrusive methods for achieving the proposed rule for each item:

### a. Waters of the State Definition

The proposed revision updates Missouri's water quality standards regulation to be consistent with recently passed and enacted changes in state statute. Because state regulations implement state statute, and must be consistent with them, the proposed revisions must be promulgated into



ED_001605_00000523-00041

rule. Therefore, there are no known less costly or less intrusive methods for achieving the proposed rule.

**b. Mixing Zones and Zones of Initial Dilution**

Site-specific mixing zone determinations for permitted facilities discharging to waters with 7Q10 low-flows greater than 20 cubic feet per second have been conducted by permit applicants and the department in the past. Revising the mixing zone provisions in rule for these flows is the only reasonable alternative to ensure current practice is embodied in regulation for dischargers to these flows. Clarifying the expectations and requirements for mixing zones and zones of initial dilution as proposed will place current practice and implementation for these areas in rule. Less costly or intrusive methods for making these clarifications are not known.

**c. Hardness**

This revision does not create any new requirements or any costs; in fact, the revision may result in cost savings and benefits without negative effects to water quality. The purpose of the revision is to improve the manner in which the water quality standards for hardness dependent metals are implemented across the state. It should not result in any change in the cost of compliance and should lessen any potential for confusion regarding implementation of these criteria in permits and water quality assessments.

**d. pH**

Revising the pH water quality criteria to clarify that pH criteria are four-day average, chronic criteria does not create any new requirements or any costs. In fact, clarifying the duration of the criteria helps refine the regulation to ensure greater compliance and understanding of the rule. The proposed revisions will ensure discharges with limited assimilative capacity have a clear understanding of regulatory requirements while still protecting water quality standards.

**e. General Criteria Revisions**

Clarifying the applicability of chronic and acute toxicity and adding provisions for the prevention against the effects of nutrient enrichment and protection of downstream uses does not create any new requirements or any costs. It is reasonable that important or complex portions of the rule are clarified to ensure greater compliance and understanding of the effective rule. Clarifying toxicity requirements and the prevention of impacts from excess nutrients within the general criteria is reasonable and methods that may be less costly or intrusive are not known. It is likewise reasonable that required elements of the federal clean water act are included in state regulation (i.e., protection of downstream uses) to ensure state water quality standards are functionally equivalent to federal standards.

**f. Antidegradation Implementation Procedure**

This revision updates reference to Missouri's Antidegradation Implementation Procedure (AIP) in rule. The revision does not create new requirements or costs since it incorporates by reference a document that went through the public participation process and was approved by the Missouri Clean Water Commission. No other less costly or intrusive option exists to achieve the objective of the revision.



ED_001605_00000523-00042

**g. Losing Stream Reference and Table J**

The proposed revisions do not impose any new costs nor do they require significant changes in efforts to achieve compliance. Therefore, no other less costly or intrusive option exists to achieve the objective of the revisions.

**h. Remove Table K, Site-Specific Criteria**

The proposed revision to remove Table K does not impose any new costs nor does it require significant changes in effort to achieve compliance. Therefore, no other less costly or intrusive option exits to achieve the objective of the revision.

**i. Missouri Use Designation Dataset Update**

The update to the MUDD will incorporate and update water body features according the effective and approved rule using the latest peer-reviewed, scientific information. These revisions should not impose any new costs on dischargers nor will they require significant changes in efforts to achieve compliance. Therefore, no other less costly or intrusive option exists to achieve the objective of this revision.

**j. Section 304(a) Water Quality Criteria**

Other methods for achieving the proposed rule, such as a time-limited variance from the water quality standard or the use of another method for criteria development, would likely result in more stringent criteria. The federal criteria allow for some refinement of criteria to site-specific conditions through procedures called "species recalculation" and “water effects ratio”. However, these procedures are highly site-specific and resource intensive and, as such, would not be considered less costly or less intrusive methods.

**k. Numeric Nutrient Criteria for Lakes**

The department is proposing numeric nutrient criteria that address an EPA disapproval and less costly or less intrusive methods are not known. Development of the proposed criteria involved numerous discussions and meetings with general and technical workgroups. Because of the mix of participants in these groups, criteria development focused on finding the most scientifically defensible criteria that protected applicable designated uses. The proposed criteria reflect natural variations in reactions to nutrient loads and take into account ecoregional differences. The proposed rule also provides mechanisms to arrive at confident water quality assessment and impairment decisions. Given these considerations, the proposed criteria are the most effective that can be developed at this time.

**l. Water Quality Standards Variances**

Clarifying the expectations and requirements for water quality standards variances as proposed will place current practice and implementation in rule. Less costly or intrusive methods for making these clarifications are not known.



ED_001605_00000523-00043

Incorporating by reference Missouri's Multiple-Discharger Variance framework will provide regulatory flexibility and economic relief to individual permittees that may seek this variance. Efficiencies gained through the MDV process make it the most cost effective method of granting variances for a specific category of dischargers. No other less costly or intrusive option exists to achieve the objective of this revision.

**m. Miscellaneous Text Revisions**

The revisions to rule text proposed in this rulemaking are the only reasonable alternative for addressing the errors and inconsistencies. No other less costly or intrusive option exists to achieve the objective of this revision.

**8. A description of any alternative method for achieving the purpose of the proposed rule that were seriously considered by the department and the reasons why they were rejected in favor of the proposed rule.**

For most water quality rules, EPA guidelines and guidance offer justification and rationale for the selection of the proposed standards and the Department typically defers to EPA's rationale for the science used in developing the standards. In order to establish standards other than those contained in EPA's guidelines and guidance, the state would need to provide rationale that is equally thorough and pervasive. Such an effort could take years and significant resources, and would likely not result to standards any different from those developed by EPA. However, where the state has flexibility to establish its own requirements (e.g., mixing zones, low flows, and variances), revisions will be supported by the state's rationale and justification. The following provides a description of any alternative methods for achieving the purpose of the proposed rule that were seriously considered by the department and the reasons why they were rejected in favor of the proposed rule for each item:

**a. Waters of the State Definition**

As noted in 7a, the proposed revision updates Missouri's water quality standards regulation to be consistent with recently passed and enacted changes in state statute. The proposed revisions implement the enacted statutes in state regulation. No alternative methods for achieving the purpose of the proposed rule were seriously considered because state regulations must be consistent with the provisions of state statute.

**b. Mixing Zones and Zones of Initial Dilution**

The proposed mixing zone revision was submitted by stakeholders in response to the department's "Public Notice of Intent to Initiate Triennial Review of Missouri Water Quality Standards." The revision remedies an oversight in the mixing zone regulation whereby site-specific mixing zone determinations were not provided in rule for dischargers to 7Q10 low-flows greater than 20 cubic feet per second. The revision to mixing zone and zone of initial dilution requirements was incorporated by the department to help clarify the expectations and extent of these areas in rule. An alternative method would be to not make the revisions in rule and continue to allow these studies and protections as is current practice. This alternative was

rejected since the department believes that placing the provision and revision in rule help clarify current practice and protections.

**c. Hardness**

The proposed revision to change the hardness definition and derivation methodology in rule was submitted by stakeholders in response to the Department's "Public Notice of Intent to Initiate Triennial Review of Missouri Water Quality Standards." Research by the department indicates that many other states use the median or arithmetic average for hardness calculations when prescribed in rule. Research of archived water quality standards regulations also indicate that prior to 1994 Missouri also used an arithmetic average of the available data. Revision to a median value should not result in additional or unacceptable toxicity in Missouri's waters. Alternative regulatory approaches include not specifying the hardness derivation methodology in rule and using another percentile for the derivation. Placing the derivation methodology in rule provides transparency and clarity on how the derivation of these values will occur. Any other alternative percentile would need substantial justification to ensure it is not arbitrary and would ensure sufficient protection of the resource. Both of these alternative regulatory methods were rejected in favor of the proposed revision.

**d. pH**

The proposed rule change to the pH criteria was submitted by stakeholders in response to the Department's "Public Notice of Intent to Initiate Triennial Review of Missouri Water Quality Standards." Research by the department indicates that many states, including those that border Missouri, interpret pH as a chronic rather than an acute condition. The proposed revisions requested by stakeholders will aid in clarifying the intent and protections of the pH criteria. An alternative regulatory approach includes not revising the pH criteria and leaving the duration of the pH criteria up to interpretation. This alternative approach would result in no change to the water quality standards regulation and was rejected in favor of the proposed revision due to the greater clarity the proposed revision provides.

**e. General Criteria Revisions**

The proposed revision to toxicity language in the general criteria was submitted by stakeholders in response to the Department's "Public Notice of Intent to Initiate Triennial Review of Missouri Water Quality Standards." The revision provides clarity in the general criteria as to where chronic and acute toxicity may be allowed by permit. An alternative method would be to not make the revision in rule and continue with the current rule language. This alternative was rejected since the department agrees that placing the provision in rule clarifies that allowance of chronic and acute toxicity in certain situations. It also provides the opportunity to update and clarify toxic unit applicability to these criteria.

The proposed addition of general criteria for the prevention and protection of waters from the effects of nutrient enrichment clarifies existing implementation of the general criteria as they pertain to nutrients. An alternative method would be to not make the addition in rule and continue with the current rule language. This alternative was rejected since the department believes the addition will provide greater clarity in the general criteria with respect to nutrients and provide greater support for efforts geared toward nutrient reduction in the state.



ED_001605_00000523-00045

The proposed addition of general criteria for the protection of downstream uses was prompted by existing requirements in federal regulation at 40 CFR 131.10(b) to protect downstream uses. The additional, required provision will ensure consistency with the requirements of the federal clean water act and it's implementing regulations in Missouri's water quality standards. An alternative method would be to not make the addition in rule and continue to implement downstream use protections via other state water quality programs, such as permitting, TMDLs, and water quality standards development. This alternative was rejected because placing the provision in rule ensures consistency with federal regulatory requirements with respect to downstream use protection and solidifies current practice in state water quality standards.

**f. Antidegradation Implementation Procedure**

Because the department does not have an alternate AIP approved by the Commission, the method chosen to reference the most recently approved AIP is the only method available to satisfy the requirements of EPA and the rule.

**g. Losing Stream Reference and Table J**

The department relies on geologic and hydrologic field surveys to delineate the location and extent of losing stream segments. Determining boundaries of losing stream segments in terms of paper maps and legal descriptions (as presented in Table J) can be extremely inaccurate. Water body delineation and measurement using these methods may lead to either an under-application or over-application of the losing stream extent and criteria. The proposed revisions to incorporate accurate digital geospatial information should eliminate these potential problems by using more accurate digital data for use in developing permits and conducting water quality assessments.

**h. Remove Table K, Site-Specific Criteria**

State developed site-specific criteria must be based on sound scientific rationale and protect applicable designated uses per 40 CFR 131.11(a)(1). The department has not received additional data, information or interest from which to develop revised site-specific dissolved oxygen criteria in response to EPA's disapproval or the expired criteria. Therefore, the alternative of proposing revised criteria was rejected due to lack of new information and resources to continue the proposal. Removing Table K from regulation will provide clarity that these criteria are no longer applicable for clean water act purposes. Should the department receive interest or information from which to establish site-specific dissolved oxygen criteria, those actions will be considered during a future rulemaking.

**i. Missouri Use Designation Dataset Update**

The department has previously extrapolated the location and extent of water bodies from paper maps and reported their boundaries in terms of legal descriptions. This method of water body delineation and measurement is relatively inaccurate and may lead to either an under-application or over-application of the beneficial uses and criteria to waters covered by this rule. The proposed revisions will eliminate these potential problems by using more accurate GIS and field data to achieve the proposed rule revisions.



ED_001605_00000523-00046

### j. Section 304(a) Water Quality Criteria

Alternatives to Section 304(a) numeric water quality criteria include development of site-specific criteria for individual pollutants through species recalculation, water effects ratios or other methods. The revisions proposed were preferred as the most science-based alternative that would broadly protect aquatic communities.

### k. Numeric Nutrient Criteria for Lakes

The specific effects of nutrient loading on designated uses are difficult to quantify due to uncertainties associated with the relationship between causal variables (i.e., nitrogen and phosphorous) and response variables (chlorophyll-a). The tolerance of a waterbody for nutrient loading also varies with a number of factors, including local hydrology, geology, land cover and climate. Overall, however, excessive nutrient loading has been amply demonstrated to degrade the beneficial uses of surface waters.

Like the current proposal, several earlier drafts of the rule divided state numeric nutrient criteria by ecoregion to account for regional differences in hydrology, geology, land cover and climate. In contrast to the current proposal, earlier drafts derived predicted values for total phosphorus based largely on hydrologic factors in the Plains region and regional factors in the Ozarks. These early drafts also established a range between advisory and action levels to account for the uncertainty associated with the extent of nutrient loading that would lead to environmental degradation. These approaches lacked specific links to beneficial uses of water bodies, and also lacked identification of reference waters to be used as bench marks. The current draft resolves those deficiencies and refines the hydrologic approach.

### l. Water Quality Standards Variances

The proposed revisions clarify expectations and requirements for water quality standards variances at the state and federal levels. An alternative method would be to not make the revision in rule and continue with the current rule language. This alternative was rejected since the department believes that clarifying existing expectations and requirements is needed to ensure appropriate and efficient use of variances and to resolve disapproval of existing language.

As noted in previous sections, incorporating by reference Missouri's Multiple-Discharger Variance framework will provide regulatory flexibility and economic relief to individual permittees that may seek this variance. An alternative method would be to require all dischargers covered by the MDV to proceed through the individual variance application and approval process. This alternative was rejected since the department believes that the MDV process will result in greater efficiencies to the department, greater economic relief and flexibility to the permittee, and will ultimately lead to greater environmental improvement as variances are implemented.

### m. Miscellaneous Text Revisions

The proposed revisions to the rule text to update internal references, correct typographical errors and improve formatting are the only reasonable alternative for addressing these errors.



ED_001605_00000523-00047

## 9. An analysis of both short-term and long-term consequences of the proposed rule.

Rulemaking has inherent short- and long-term consequences that must be considered in the regulatory impact report process. Consequences of the short and long term could be fiscal, environmental, legislative or any other adverse condition that may arise as a result of implementation of the proposed rule. To the extent that short- and long-term consequences can be estimated for the proposed rule, those have been listed in the following section for each item:

### a. Waters of the State Definition

The proposed revisions implement enacted statutes in state regulation. Inconsistencies between enacted statutes and outdated regulations could have short-term consequences for rule implementation due to differences between the regulation and statute. Ultimately, state statute takes precedence over state regulation and any inconsistency between the two would be resolved over time. Due to the periodic review requirements of state water quality standards by state and federal regulation, long-term consequences due to inconsistencies are not anticipated since the water quality standards regulation should be updated at least once every three years.

### b. Mixing Zones and Zones of Initial Dilution

The proposed rule to clarify site-specific mixing zone allowances and existing provisions does not create any new requirements or costs. The purpose of the revisions is to improve the clarity of the rule and codify applicability of site-specific mixing zone allowances at stream low-flows greater than 20 cubic feet per second. It should not result in any change in the cost of compliance and should lessen any potential for confusion regarding implementation of the rule.

### c. Hardness

The rule revision to change the hardness derivation methodology from a lower quartile to median value does not create any new requirements or costs. The purpose of the revision is to revise the rule to more accurately reflect average or common values of hardness. It should not result in any change in the cost of compliance and should lessen any potential for confusion regarding implementation of the rule. As a result, no short-term or long-term consequences are anticipated.

### d. pH

The proposed rule revision to clarify the pH criteria in regulation as four-day average concentrations protective against chronic toxicity should offer both short and long term relief to discharges with limited assimilative capacity receiving streams. The revision should not result in any change in the cost of compliance and should lessen any potential negative impacts to facilities that may need relief where assimilative capacity is limited. Because EPA criteria documentation supports the notion of pH criteria as chronic, four-day average concentrations, no short or long term environmental consequences are anticipated following the rule revision and implementation.

### e. General Criteria Revisions

The proposed rule to clarify toxicity provisions within the general criteria, and the addition of narrative protection against the effects of nutrients and for protection of downstream uses, should



ED_001605_00000523-00048

not result in any change in the cost of compliance or administration of the rule. The revisions should serve to lessen any potential for confusion regarding implementation of the rule through clean water act programs. No short-term or long-term consequences are anticipated as a result of implementation of the proposed rule.

**f. Antidegradation Implementation Procedure**

The revision updates reference to Missouri's Antidegradation Implementation Procedure (AIP) at 10 CSR 20-7.031(3)(D). The short and long term consequences of the proposed revision are the same as it provides the department and others with a Missouri Clean Water Commission approved AIP that can be formally submitted to EPA for use and approval of future permitting and antidegradation decisions.

**g. Losing Stream Reference and Table J**

The proposed rule revisions will improve the efficiency and identification of losing stream segments statewide, making it easier to track the various types of information relative to each water body, such as the standards that apply, the status of water quality, the discharges affecting the water body, etc. These losing stream identifications are essential to decisions relating to effluent limitations, compliance determinations and water quality restoration activities.

**h. Remove Table K, Site-Specific Criteria**

The disapproved and expired site-specific dissolved oxygen criteria in Table K have not been effective or applicable for clean water act purposes due to federal regulations at 40 CFR 131.21 regarding WQS review and approval. As a result, no short or long-term consequences are anticipated as a result of the proposed revision to remove disapproved or expired criteria. Active and effective criteria in Missouri's WQS regulation for dissolved oxygen (i.e., 5.0 mg/L minimum) will continue to apply as during the period between site-specific criteria promulgation and EPA disapproval.

**i. Missouri Use Designation Dataset Update**

The proposed rule revisions will improve the identification of water body features, making it easier to track the various types of information relative to each water body, such as the standards that apply, the status of water quality, the discharges affecting the water body, etc. These identifications are essential to decisions relating to effluent limitations, compliance determinations and water quality restoration activities.

**j. Section 304(a) Water Quality Criteria**

The short-term and long-term consequences of this rule amendment are the same: the protection of aquatic habitat and human health without imposing unnecessary costs to the regulated community. Where revised Section 304(a) criteria are more stringent than currently found in rule, short-term consequences may be incurred by WWTFs. New permit conditions for these WWTFs will establish a regulatory requirement for achieving aquatic habitat and human health protection standards in the receiving stream. Some of these permits will contain schedules of compliance of appropriate length to design, build and operate treatment process upgrades. Depending on the level of treatment presently employed at each facility, the level of additional



ED_001605_00000523-00049

treatment needed may vary on a case-by-case basis. The long-term consequence is the annual O&M cost associated with wastewater treatment. Where revised Section 304(a) criteria are less stringent than currently found in rule, short-term and long-term consequences may include reduction of effluent limitation or monitoring frequency requirements found in the operating permit for the facility. These reductions should likewise result in a reduction in costs of either treatment or monitoring for the facility.

### k. Numeric Nutrient Criteria for Lakes

Implementation of nutrient criteria will be through department monitoring and assessment of lake water quality, as well as through the establishment of nutrient effluent limits in state operating permits. The earliest water quality assessments incorporating the proposed rule would likely be reflected in the 2018 303(d) list of impaired waters, with subsequent development of total maximum daily loads (TMDL) for lakes identified as not meeting water quality standards due to nutrient impairment. Prioritization of TMDL development and implementation is subject to a number of factors, and TMDL development itself is a long-term process. Furthermore, implementation of point source controls to meet TMDL WLAs is subject to permit cycles, and other factors. The department recognizes that this process may create uncertainties for certain permitted dischargers, and is committed to minimizing delays and uncertainty in the TMDL and permitting processes. Negligible expenses associated with the proposed rule are anticipated in the short term.

Long-term expenses will include point source upgrades as described in Section 4 of this report, as well as staff time developing TMDLs and bringing discharge permits into conformance with wasteload allocations. Another long-term expense includes efforts to educate and inform landowners about the installation of best management practices in those areas where the principle nutrient contributions are from nonpoint sources. As previously mentioned, expenditures associated with installation of BMPs can, in many cases, be substantially reimbursed to landowners through state and federal conservation incentive programs.

In some situations, the expense of upgrading wastewater treatment facilities may be mitigated, by the introduction of water quality trading. This involves the exchange of credits between point source and nonpoint source operators. If a landowner can demonstrate sufficient reduction in nutrient discharge with the introduction of a new BMP, a wastewater treatment facility may gain some relief with accredited compensation to the landowner. This approach is encouraged by EPA, and several pilot programs have been developed in other states. The department is in the process of developing this approach in Missouri through the Water Protection Forum, Nutrient Trading Workgroup.

Long term cost effectiveness and environmental benefits will support increased and sustainable quality of life for all, including, individuals and community businesses, agricultural facilities and other utilities in the watershed.

### l. Water Quality Standards Variances

The proposed rule to clarify existing state and federal variance procedures does not create any new requirements or costs. The purpose of the revisions is to improve the clarity of the rule and provide a straightforward description of variance procedures at the state and federal level. It



ED_001605_00000523-00050

should not result in any change in the cost of compliance and should lessen any potential for confusion regarding implementation of the rule.

Incorporation by reference of the Missouri Multiple-Discharger Variance framework will provide short- and long-term benefits to the state and regulated community. Municipal facilities identified in the MDV will be provided regulatory flexibility to implement upgrades and improvements to their collection and wastewater treatment systems. Implementation of the framework will ensure protection of aquatic habitat in the near-term without imposing undue burden on socially and economically stressed communities. The long-term benefit of the variance framework will be continuous improvement in water quality and pollutant reduction, while maintaining and enhancing delivery of services to the communities served.

**m. Miscellaneous Text Revisions**

The proposed rule text revisions will avoid any confusion or delay in decisions based on the sections of the rule affected by the errors.

## 10. An explanation of the risks to human health, public welfare or the environment addressed by the proposed rule.

Section 4 of this report details some of the risks that may exist should water quality not be protected by the new water quality standards proposed by this rulemaking. Because the Department is adopting federal standards for Clean Water Action Section 304(a) criteria, further information on risk assessment may be obtained by reviewing the administrative record created during EPA's development of their technical guidelines and guidance for these criteria. Many of the proposed rule revisions, however, do not pose or address risks to human health, public welfare or the environment. An explanation of the risks to human health, public welfare or the environment addressed by the proposed rule for each proposed revision are as follows:

**a. Waters of the State Definition**

The proposed rule revision provides reference in state regulation to the definition enacted in state statute, and ensures the definition of waters of the state is consistent between them. The revision does not address specific risks to human health, public welfare or the environment. Rather, the revision seeks to reduce potential conflicts or confusion between definitions found in state regulation and statute.

**b. Mixing Zones and Zones of Initial Dilution**

The purpose of these revisions is to improve the clarity of provisions already in rule and specify that site-specific mixing zone determinations are allowed for larger stream systems. The intent is to lessen any potential for confusion regarding implementation of the rule and promulgate what is currently common and accepted practice. The proposed rule revisions do not resolve or pose significant risks to human health, public welfare or the environment. Rather, the additional clarity offered by the revisions ensures unintentional risks do not occur singularly or collectively in Missouri waters.



ED_001605_00000523-00051

**c. Hardness**

The revision to hardness definition and derivation methodology merely changes the statistical basis for choosing what constitutes representative hardness for Missouri streams. The intent of the change is to revise how the hardness derivation is conducted while still being protective of aquatic resources. The proposed rule changes a derivation methodology and should not result in any additional risks to human health, public welfare or the environment.

**d. pH**

The proposed rule revision to clarify the pH criteria as a four-day average, chronic criteria will provide some relief to discharges with limited assimilative capacity. The change has basis in pH criteria toxicity testing (EPA "Red Book") and is not expected to pose any toxicity to aquatic life under normal circumstances. Any risks to human health, public welfare or the environment would have been addressed in EPA's derivation of the criteria and can be found in that administrative record. The proposed rule revision therefore does not address or pose any risks to human health, public welfare or the environment.

**e. General Criteria Revisions**

The purpose of these revisions is to improve the clarity of the rule regarding whether toxicity (acute and chronic) are allowed by permit and to add language for protection against the effects of nutrients and for the protection of downstream uses. Its intent is to lessen any potential for confusion regarding implementation of the rule. The proposed rule revisions do not address specific risks to human health, public welfare or the environment.

**f. Antidegradation Implementation Procedure**

The revision updates reference to Missouri's Antidegradation Implementation Procedure in rule. Including reference to a Missouri Clean Water Commission approved AIP will ensure that antidegradation requirements found in rule are upheld. As a result, unnecessary or unacceptable risks to human health, public welfare and the environment will be minimized.

**g. Losing Stream Reference and Table J**

The purpose of these revisions is to improve the accuracy and clarity of the rule with regard to losing streams. The revisions will also increase the accuracy and efficiency of decisions made using losing stream information. Having the most up-to-date and current locations of losing streams in geospatial format will increase the accuracy of Clean Water Act activities that may use this information. As a result, unnecessary or unacceptable risks to human health, public welfare and the environment will be minimized.

**h. Remove Table K, Site-Specific Criteria**

The revision to remove Table K from regulation is in response to EPA disapproval and expiration of site-specific dissolved oxygen criteria contained within the table. Removing Table K will improve the clarity of state water quality standards by incorporating EPA decisions and removing outdated information. These revisions do not significantly affect any risks to public health, welfare or the environment as protective criteria for dissolved oxygen will remain in rule at 10 CSR 20-7.031, Table A.



ED_001605_00000523-00052

### i. Missouri Use Designation Dataset Update

The purpose of these revisions is to improve the accuracy and clarity of the rule with regard to the water bodies contained in the dataset. The revisions will also increase the accuracy and efficiency of decisions made using water body information contained in the MUDD. Having the most up-to-date and current locations and uses of water bodies in the state will increase the accuracy of Clean Water Act activities that may use this information. As a result, unnecessary or unacceptable risks to human health, public welfare and the environment will be minimized.

### j. Section 304(a) Water Quality Criteria

The proposed revisions to Section 304(a) water quality criteria address the toxic effects of these pollutants to aquatic life and the toxic and carcinogenic effects of these pollutants to human health. This amendment proposes to revise the state criteria to reflect the latest federal criteria developed under Section 304(a) of the federal Clean Water Act. Further information on risk assessment may be obtained by reviewing the administrative record created during EPA's development of these documents.

### k. Numeric Nutrient Criteria for Lakes

Aquatic life is impacted by nutrient loading at several levels. Nutrient enrichment can increase the probability of fish kills due to oxygen depletion that results from excessive algae growth and its subsequent decomposition. Excess nutrients can also undermine aquatic diversity by creating conditions favorable to certain fast growing species, such as carp and benthivores, at the expense of other species (Edgertson and Downing, 2004).

Drinking water issues are frequently attributed to specific species of algae that produce a range of toxins that can impact human health through ingestion and dermal exposure pathways. The consequences include taste and odor problems in drinking water and risks to human health as well as to livestock and wildlife. (Downing et al. 2001).

### l. Water Quality Standards Variances

The purpose of these revisions is to improve the clarity of state and federal variance provisions already in rule and to provide reference to a multiple-discharger variance framework. Variances are time-limited and must meet specific state and federal requirements for the time period of the variance. These requirements ensure the highest attainable water quality condition is maintained without undue social or economic impact to the community. Variance terms and conditions also require continuous environmental improvement through facility upgrades and pollutant reduction activities. As a result, unnecessary or unacceptable risks to human health, public welfare and the environment will be minimized.

### m. Miscellaneous Text Revisions

The proposed revisions to the rule text to update references, correct typographical errors and improve formatting do not pose any risk to human health, public welfare or the environment.



ED_001605_00000523-00053

**11. <u>The identification of the sources of scientific information used in evaluating the risk and a summary of such information.</u>**

Section 2 and Appendix A of this report present information that was used in the development of the proposed rule. Because the Department is adopting federal Section 304(a) water quality criteria, further information on risk assessment may be obtained by reviewing the administrative record created during EPA's development of their guidelines and guidance for these criteria. In these cases, the Department defers to the science used in the national studies for evaluating risks to aquatic life and human health. The sources of scientific information used in evaluating the risk of the proposed revisions are listed as available:

**a. Waters of the State Definition**

As noted in response 10a, the proposed rule revision references enacted state statute in state regulation to ensure the definition of waters of the state is consistent. The proposed rule revision does not address specific risks to human health, public welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

**b. Mixing Zones and Zones of Initial Dilution**

As noted in response 10b, the proposed rule revisions are clarifications and do not resolve or pose any significant risk to human health, public welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

**c. Hardness**

As noted in response 10c, the proposed rule revision to the statistical derivation methodology for hardness does not resolve or pose any significant risk to human health, public welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

**d. pH**

As noted in response 10d, the proposed rule revision will clarify the pH criteria as a four-day average, chronic criteria. The criteria revisions do not adjust the range of allowable pH criteria in the water quality standards. No sources of scientific information were necessary to evaluate risk as the risks to human health, public welfare and the environment were conducted during EPA's development of the criteria and can be found in that administrative record.

**e. General Criteria Revisions**

As noted in response 10e, the proposed rule revisions are a clarification and addition to the general criteria and do not resolve or pose any significant risk to human health, public welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

**f. Antidegradation Implementation Procedure**

In adopting an Antidegradation Implementation Procedure on July 13, 2016 that aligns the *de minimis* provision with current regulatory requirements, the Missouri Clean Water Commission



ED_001605_00000523-00054

approved an AIP that provides the regulatory framework for minimizing risks to human health, public welfare and the environment.

### g. Losing Stream Reference and Table J

The purpose of the revision is to improve the accuracy and clarity of the rule. The revision will also increase the accuracy and efficiency of decisions made by using the most up-to-date losing stream information. These revisions do not significantly affect any risks to public health, welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

### h. Remove Table K, Site-Specific Criteria

The purpose of the revision is to improve the accuracy and clarity of the rule by removing disapproved and expired site-specific criteria. This change does not significantly affect any risks to public health, welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

### i. Missouri Use Designation Dataset Update

The purpose of the revisions is to improve the accuracy and clarity of water body information referenced in the rule. The revision will also increase the accuracy and efficiency of decisions made by using the most up-to-date water body information. These revisions do not significantly affect any risks to public health, welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

### j. Section 304(a) Water Quality Criteria

This amendment proposes to revise state criteria to reflect the latest federal criteria developed under Section 304(a) of the federal Clean Water Act. Scientific information used in evaluating risks to aquatic habitat and human health protection can be found in these documents.

### k. Numeric Nutrient Criteria for Lakes

This amendment proposes to revise numeric nutrient criteria for the aquatic habitat protection and drinking water supply uses. Scientific information used in evaluating risks can be found in the documentation and data used to derive the criteria. These documents can be found in the references section and on the Water Quality Standards Workgroup web page.

### l. Water Quality Standards Variances

The proposed rule revisions clarify existing state and federal variance procedures and incorporate by reference of Missouri's Multiple-Discharger Variance framework. These revisions do not resolve or pose any significant risk to human health, public welfare or the environment. As a result, no sources of scientific information were necessary to evaluate non-existent risk.

### m. Miscellaneous Text Revisions

The rule revisions are not proposed on the basis of science or reducing risk. Therefore, this section is not relevant to these revisions.



ED_001605_00000523-00055

**12. <u>A description and impact statement of any uncertainties and assumptions made in conducting the analysis on the resulting risk estimate.</u>**

Because the Department is adopting federal standards for portions of this rulemaking, further information on risk assessment may be obtained by reviewing the administrative record created during EPA's development of their technical guidelines and guidance. Providing information on uncertainties and assumptions would require an analysis of the preamble to the federal rule and it is uncertain that EPA documented all of the uncertainties and assumptions involved in their rule development. That stated, a description and impact statement of any uncertainties and assumptions made in conducting the analysis on the resulting risk estimate is presented for each proposed revision:

**a. Waters of the State Definition**

The purpose of the proposed revision is to reference enacted state statute in state regulation. It does not affect any risks to human health, public welfare or the environment and no risk analysis was conducted. Therefore, no uncertainties exist with respect to the revisions.

**b. Mixing Zones and Zones of Initial Dilution**

The purpose of the revisions is to improve the clarity of the rule with regard to mixing zones and zones of initial dilution. It does not affect any risks to human health, public welfare or the environment since mixing zones and zones of initial dilution are limited in extent to protect designated uses. Therefore, no uncertainties exist with respect to the revisions.

**c. Hardness**

The purpose of the revision is to change the definition and statistical derivation methodology for hardness in rule. It does not affect any risks to human health, public welfare or the environment since toxicity criteria are expected to be protective of aquatic life over a range of hardness values and any uncertainties in those criteria derivations would have included conservative assumptions. As a result of uncertainties being accounted for in criteria derivation, no uncertainties exist with respect to the revision.

**d. pH**

The purpose of the revision is to clarify the duration and averaging period of the pH criteria in rule and does not change the range of acceptable water quality conditions. It does not affect any risks to human health, public welfare or the environment since the pH criteria are expected to be protective of aquatic life and any uncertainties in pH criteria derivations would have included conservative assumptions. As a result of uncertainties being accounted for in the criteria derivation, no uncertainties exist with respect to the revision.

**e. General Criteria Revisions**

The purpose of the revisions is to improve the clarity of the general criteria with regard to areas of chronic and acute toxicity allowed by permit, and to add protection against the effects of



ED_001605_00000523-00056

nutrient enrichment and for the protection of downstream uses. The revisions do not affect any risks to human health, public welfare or the environment since general criteria are expected to protect all waters at all times except when time-limited variances or permit allowances are made. Therefore, no uncertainties exist with respect to the revisions.

### f. Antidegradation Implementation Procedure

This revision updates reference to Missouri's Antidegradation Implementation Procedure approved by the Missouri Clean Water Commission on July 13, 2016. No uncertainties or assumptions exist with respect to this revision as it is a simple update of a reference to an implementation procedure. Any risks to public health, welfare or the environment would be addressed in the development of the AIP itself and not the proposed rule reference revision.

### g. Losing Stream Reference and Table J

The purpose of the revisions is to improve the accuracy and clarity of the rule. The revisions will also increase the accuracy and efficiency of decisions made using the most up-to-date losing stream information. These revisions do not significantly affect any risks to public health, welfare or the environment. No uncertainties or assumptions exist with respect to these revisions.

### h. Remove Table K, Site-Specific Criteria

The proposed revision removes disapproved and expired site-specific criteria from rule and does not affect any risks to public health, welfare or the environment. No uncertainties or assumptions exist with respect to the revision.

### i. Missouri Use Designation Dataset Update

The purpose of the revisions is to improve the accuracy and clarity of the rule. The revisions will also increase the accuracy and efficiency of decisions made using the most up-to-date water body information. This change did not significantly affect any risks to public health, welfare or the environment. No uncertainties or assumptions exist with respect to these revisions.

### j. Section 304(a) Water Quality Criteria

This amendment proposes to revise state criteria to reflect the latest federal criteria developed under Section 304(a) of the federal Clean Water Act. Because the department is adopting federal standards for these revisions, further information on uncertainties and assumptions made during the risk assessment may be obtained by reviewing the administrative record created during EPA's development of technical guidelines and guidance for these pollutants.

### k. Numeric Nutrient Criteria for Lakes

The central paradigm on which the rule is based – that the most commonly occurring water quality impairments in lakes and reservoirs result from loading of nitrogen and phosphorus in quantities that are significantly in excess of natural loading levels – is well established in the scientific literature. These impairments include but are not limited to: frequent nuisance algal blooms, fish kills, overabundance or decline of macrophytes, and loss of top predators from the food chain (US-EPA, 2000).



ED_001605_00000523-00057

While the paradigm is well established, there is uncertainty about the degree of nutrient loading that will lead to impairment. A certain amount of nutrient concentration is desirable and necessary for the support of healthy aquatic ecosystems. There is no single nutrient concentration level that is appropriate for all lakes and reservoirs. Factors that affect threshold levels include the type of aquatic ecosystem in question, local geology, lake hydrology, turbidity resulting from sedimentation, and land cover.

The rule addresses these uncertainties by establishing numeric criteria for Chl-a (as a biological response to nutrient inputs) rather than calculating direct numeric criteria for TP and TN. This approach may allow a higher concentration for nitrogen and phosphorus if the lake is consistently in compliance with Chl-a criteria. The rule also delineates Chl-a criteria and nutrient screening values by ecoregion, and allows identification of those water bodies that merit more stringent protections than the others within each ecoregion.

### l. Water Quality Standards Variances

The proposed rule revisions clarify existing state and federal variance procedures and incorporate by reference of Missouri's Multiple-Discharger Variance framework. These revisions do not significantly affect any risks to public health, welfare or the environment. No uncertainties or assumptions exist with respect to these revisions.

### m. Miscellaneous Text Revisions

No uncertainties exist with respect to risk in making the proposed revisions as risk analyses are not relevant to revisions to internal text references, typographical errors or formatting.

## 13. A description of any significant countervailing risks that may be caused by the proposed rule

In addition to analyzing the risks to human health, public welfare, or the environment for the proposed rule, countervailing risks that may be caused by the proposed rule must also be analyzed. While many times countervailing risks may be minor or insignificant when compared to the risk being resolved by the rulemaking, there may be major countervailing risks that should be considered in a risk tradeoff analysis. It is in these cases where additional information or data may be necessary to fully characterize the risk/benefit of the proposed rulemaking. Descriptions of any significant countervailing risks that may be caused by the rulemaking are listed for each item:

### a. Waters of the State Definition

There are no significant countervailing risks associated with making state regulation consistent with state statute.

### b. Mixing Zones and Zones of Initial Dilution

There are no significant countervailing risks associated with making the clarifications to mixing zones and zones of initial dilution proposed by these revisions.



ED_001605_00000523-00058

**c. Hardness**

There are no significant countervailing risks associated with revising the hardness definition and derivation methodology from a lower quartile (twenty-fifth percentile) to a median (fiftieth percentile) value.

**d. pH**

There are no significant countervailing risks associated with making clarifications to averaging period and toxicity conditions protected by the pH criteria.

**e. General Criteria Revisions**

There are no significant countervailing risks associated with making clarifications to toxicity and adding protections against the effects of nutrient enrichment and for the protection of downstream uses to the general criteria as proposed by these revisions.

**f. Antidegradation Implementation Procedure**

There are no significant countervailing risks associated with updating reference in rule to the approved AIP. To the contrary, without this change the risk to water quality may be significant as the department would not have approved antidegradation procedures in place.

**g. Losing Stream Reference and Table J**

There are no significant countervailing risks associated with the proposed rule revision to improve the accuracy and clarity of losing stream locations.

**h. Remove Table K, Site-Specific Criteria**

There are no significant countervailing risks associated with removing disapproved and expired site-specific criteria from rule.

**i. Missouri Use Designation Dataset Update**

There are no significant countervailing risks associated with the proposed rule revision to improve the accuracy and clarity of water body information.

**j. Section 304(a) Water Quality Criteria**

The application of new or revised Section 304(a) criteria may result in an increase or decrease in pollutant concentrations within waters of the state depending on the criteria. Existing aquatic habitats and human health are not expected to be affected by the change where new or revised criteria may be less stringent than currently found in rule. Full attainment of aquatic communities and human health is expected as the new or revised criteria were developed to be protective of these uses. No significant countervailing risks are expected for the proposed revisions.

**k. Numeric Nutrient Criteria for Lakes**

Because of the complexity of the nutrient issue, there may be some risk that, in a given water body, the proposed criteria may be too stringent to adequately support a desired aquatic



ED_001605_00000523-00059

ecosystem, or not stringent enough to provide protection for all of the lake's designated uses. The criteria were developed following months of analysis of long-term data. The expertise and experience behind this effort will serve to minimize this type of risk.

The proposed rule is likely to result in some point source facilities being required to add phosphorus control to their systems. It is possible that nitrogen control may be required in a few instances as well.

The addition or alteration of phosphorus removal systems to point source facilities will result in increased production of sludge, due to the flocculation that results from the addition of alum to the wastewater stream. It is expected that sludge disposal will only be a significant challenge at larger facilities.

**l. Water Quality Standards Variances**

There are no significant countervailing risks associated with the proposed rule revisions to clarify existing variance procedures and incorporate Missouri's MDV framework by reference.

**m. Miscellaneous Text Revisions**

No countervailing risks have been identified in association with the proposed revisions to update internal references, correct typographical errors and improve formatting.

**14. <u>The identification of at least one, if any, alternative regulatory approaches that will produce comparable human health, public welfare or environmental outcomes.</u>**

In most cases, the purpose of the proposed revision or addition is to make Missouri's WQS regulation at 10 CSR 20-7.031 functionally equivalent to federal standards. Because federal technical guidelines and guidance was available in most cases, and development of state-specific alternatives can be resource intensive, no other approaches or alternatives were considered. However, persons who believe another approach is available, and can be supported by sufficient science and rationale, are encouraged to submit an explanation of the alternative approach to the Department during the public comment period on the proposed rule.

The identification of at least one, if any, alternative regulatory approach that will produce comparable human health, public welfare or environmental outcome are listed for each proposed revision (where available):

**a. Waters of the State Definition**

State regulations must be consistent with the state statutes that are being implemented. As a result, no alternative regulatory approaches were identified that would produce comparable human health, public welfare or environmental outcomes.

**b. Mixing Zones and Zones of Initial Dilution**

States have some flexibility to establish mixing zones and zones of initial dilution for permitted discharges to its waters. The Department has not identified any alternative regulatory



ED_001605_00000523-00060

approaches that would produce comparable results to the clarifications proposed by the revisions. Inaction would lead to greater confusion and potential misapplication of the rule.

**c. Hardness**

This revision changes the hardness definition and derivation methodology to reflect the median (fiftieth percentile) hardness condition within a water body. This condition is expected to statistically occur roughly half the time given a normal distribution of the data. While alternate statistical endpoints could be chosen, the department has not identified any alternative regulatory approaches that would produce comparable results. Having the derivation methodology in the water quality standards provides clarity to the rule and its implementation.

**d. pH**

The department has not identified any alternative regulatory approaches that would produce comparable results to the clarification of the pH criteria proposed by the revisions. Alternate regulatory approaches such as effluent studies or site-specific criteria for effluent dominated discharges would be much more involved and resource intensive than the proposed regulatory clarification. Inaction would lead to greater confusion and potential misapplication of the rule.

**e. General Criteria Revisions**

The department has not identified any alternative regulatory approaches that would produce comparable results to the clarification and addition to general criteria proposed by the revisions. Inaction would lead to greater confusion and potential misapplication of the rule.

**f. Antidegradation Implementation Procedure**

This revision updates reference to Missouri's Antidegradation Implementation Procedure to be consistent and functionally equivalent to federal antidegradation requirements. The department has not identified any alternative regulatory approach that would allow for approval of the AIP by EPA.

**g. Losing Stream Reference and Table J**

The department has not identified any alternative regulatory approaches that would produce comparable results to the proposed revisions. The removal of static tables and replacing them with reference to up-to-date digital geospatial information is anticipated to have increased benefit compared to inaction.

**h. Remove Table K, Site-Specific Criteria**

The department has not identified any alternative regulatory approaches that would produce comparable results to the proposed revision. The removal of disapproved and expired site-specific criteria from rule will increase clarity in the rule regarding the status of these criteria.

**i. Missouri Use Designation Dataset Update**

The department has not identified any alternative regulatory approaches that would produce comparable results to the proposed revisions.



ED_001605_00000523-00061

### j. Section 304(a) Water Quality Criteria

State water quality standards must be functionally equivalent to federal standards. The department has not identified any alternative regulatory approaches that would produce comparable results to the changes proposed by these revisions. Therefore, no other approaches or alternatives to federal Section 304(a) numeric water quality criteria were considered.

### k. Numeric Nutrient Criteria for Lakes

The most immediate alternative regulatory approach would be to establish direct regional numeric criteria for total nitrogen (TN) and total phosphorous (TP) in Missouri. The other viable alternative regulatory approach would be the adoption of EPA's national nutrient criteria. These numeric nutrient criteria are generally more stringent than what is in the proposed rule, as they employ a different regional delineation and do not account for the variability of existing uses in Missouri lakes.

### l. Water Quality Standards Variances

The department has not identified any alternative regulatory approaches that would produce comparable results to the clarification of existing variance procedures and incorporate reference to Missouri's MDV framework. Inaction would lead to greater confusion and potential misapplication of the rule.

### m. Miscellaneous Text Revisions

The proposed revisions to update internal references, correct typographical errors and improve formatting are the only reasonable alternative for addressing these errors.

## 15. Provide information on how to provide comments on the Regulatory Impact Report during the 60-day period before the proposed rule is filed with the Secretary of State

Regulatory Impact Reports for current rule developments of the Water Protection Program may be found on the program's Rule Development web page at: http://dnr.mo.gov/env/wpp/rules/wpp-rule-dev.htm

The Regulatory Impact Report provides information on rule development. Please provide comments in the time frame indicated. The comment period for this Regulatory Impact Report is September 23, 2016 to November 24, 2016.

Comments can be submitted by e-mail to John Hoke, john.hoke@dnr.mo.gov. E-mails must include the senders contact information (i.e. name, mailing address, telephone number) and reference the "2016 WQS Regulatory Impact Report".



ED_001605_00000523-00062

Comments may also be sent by mail to:

John Hoke
Water Protection Program
Missouri Department of Natural Resources
P.O. Box 176
Jefferson City, Missouri 65102-0176

16. **Provide information on how to request a copy of comments or the web information where the comments will be located.**

Hard copies of received comments may be requested via telephone at (573) 751-5723. Web posting will be to the Water Protection Program's Rule Development web page, listed above.

DRAFT

## References

### General Rulemaking Documents

Missouri Rulemaking Manual, Missouri Secretary of State
http://www.sos.mo.gov/adrules/manual/manual.asp

Missouri Revised Statutes, Chapter 536 – Administrative Procedure and Review
http://www.moga.mo.gov/mostatutes/chapters/chapText536.html

Missouri Clean Water Law – Chapter 640
http://www.moga.mo.gov/mostatutes/chapters/chapText640.html

Missouri Clean Water Law – Chapter 644
http://www.moga.mo.gov/mostatutes/chapters/chapText644.html

Missouri Water Quality Standards – Chapter 7, Water Quality
http://s1.sos.mo.gov/cmsimages/adrules/csr/current/10csr/10c20-7a.pdf

Missouri Department of Natural Resources, Public Notice of Intent to Initiate Triennial Review of Missouri Water Quality Standards, May 2, 2014
http://dnr.mo.gov/env/wpp/wqstandards/docs/2014-triennial-review-pn-050214.pdf

Federal Clean Water Act
http://www3.epa.gov/npdes/pubs/cwatxt.txt

Code of Federal Regulations (CFR), Title 40 Protection of Environment
http://www.ecfr.gov/cgi-bin/text-idx?tpl=/ecfrbrowse/Title40/40tab_02.tpl

### a. Waters of the State Definition

Missouri Revised Statutes, Chapter 644 Water Pollution, Section 644.016.1, August 28, 2015
http://www.moga.mo.gov/mostatutes/stathtml/64400000161.html

Missouri 98th General Assembly, House Bill No. 92, 0070S.02T, August 28, 2015
http://www.house.mo.gov/billsummary.aspx?bill=HB92&year=2015&code=R

### b. Mixing Zones and Zones of Initial Dilution

U.S. Environmental Protection Agency, Technical Support Document for Water Quality-based Toxics Control, (EPA-505-2-90-001), March 1991
http://water.epa.gov/scitech/datait/models/upload/2002_10_25_npdes_pubs_owm0264.pdf

### c. Hardness

Missouri Secretary of State, Water Quality Standards, 10 CSR 20-7.031, March 30, 1994



ED_001605_00000523-00064

### d. pH

U.S. Environmental Protection Agency, Quality Criteria for Water, (PB-263 943), 1976
http://water.epa.gov/scitech/swguidance/standards/upload/2009_01_13_criteria_redbook.pdf

### e. General Criteria Revisions

Letter, Missouri Pork Association, Missouri Corn Growers Association, Missouri Soybean Association, Missouri Farm Bureau, Re: Lake Numeric Nutrient Criteria, October 15, 2015
http://dnr.mo.gov/env/wpp/cwforum/docs/lake-numeric-nutrient-criteria-comment-letter.pdf

U.S. Environmental Protection Agency, Protection of Downstream Waters in Water Quality Standards: Frequently Asked Questions, (EPA-820-F-14-001), June 2014
http://www2.epa.gov/sites/production/files/2015-01/documents/downstream-faqs.pdf

U.S. Environmental Protection Agency, Templates for Narrative Downstream Protection Criteria in State Water Quality Standards, (EPA-820-F-14-002), June 2014
http://www2.epa.gov/sites/production/files/2015-01/documents/narrative-templates.pdf

### f. Antidegradation Implementation Procedure

Letter, U.S. Environmental Protection Agency, Re: 3rd Action Letter on March 19, 2014 Water Quality Standards Submittal, November 17, 2015
http://dnr.mo.gov/env/wpp/wqstandards/docs/3rd-action-letter-3-19-14-submittal.pdf

Letter, U.S. Environmental Protection Agency, Re: Antidegradation Implementation Methods (Idaho Docket Number 58-0102-1001), July 23, 2013
http://www3.epa.gov/region10/pdf/water/wqs/id_de_minimis_disapproval_072313.pdf

Missouri Department of Natural Resources, DRAFT Missouri Antidegradation Rule and Implementation Procedure, Revised April 6, 2016

Missouri Department of Natural Resources, Missouri Antidegradation Rule and Implementation Procedure, Revised May 7, 2008
http://dnr.mo.gov/env/wpp/wqstandards/docs/aip-cwc-appr-050708.pdf

### g. Losing Stream Reference and Table J

GIS Data, Missouri Department of Natural Resources, Losing_Stream
http://dnr.mo.gov/gis/WATER.LOSING_STREAM.xml, 2015

GIS Data, Missouri Spatial Data Information Service, Losing and Gaining Stream Segments
ftp://msdis.missouri.edu/pub/Environment_Conservation/MO_2015_Losing_and_Gaining_Stream_Segments_shp.zip

### h. Remove Table K, Site-Specific Criteria

Letter, U.S. Environmental Protection Agency, Re: EPA Action on Site-Specific Dissolved Oxygen Criteria Provision of Missouri's 2012 Water Quality Standards, May 10, 2013
http://dnr.mo.gov/env/wpp/wqstandards/docs/5-10-13-missouri-decision.pdf

Letter, U.S. Environmental Protection Agency, Re: EPA Action on Missouri's 2009 Water Quality Standards, August 16, 2011
http://dnr.mo.gov/env/wpp/wqstandards/docs/mowqs-2009-epa-decision.pdf

### i. Missouri Use Designation Dataset Update

Missouri Department of Natural Resources, Summary of Proposed Revisions – Table G, 2016

Missouri Department of Natural Resources, Summary of Proposed Revisions – Table H, 2016

Missouri Department of Natural Resources, Justification Comments – Table G, 2016

Missouri Department of Natural Resources, Justification Comments – Table H, 2016

### j. Section 304(a) Water Quality Criteria

U.S. Environmental Protection Agency, National Recommended Water Quality Criteria, 2015
http://www2.epa.gov/wqc/national-recommended-water-quality-criteria

U.S. Environmental Protection Agency, Human Health Ambient Water Quality Criteria: 2015 Update (EPA 820-F-15-001), June 2015
http://www2.epa.gov/sites/production/files/2015-10/documents/human-health-2015-update-factsheet.pdf

U.S. Environmental Protection Agency, Estimated Fish Consumption Rates for the U.S. Population and Selected Subpopulations (NHANES 2003-2010) Final Report (EPA 820-R-14-002), April 2014
http://www2.epa.gov/sites/production/files/2015-01/documents/fish-consumption-rates-2014.pdf

U.S. Environmental Protection Agency, 2011 Edition of the Drinking Water Standards and Health Advisories (EPA 820-R-11-002), January 2011
http://water.epa.gov/action/advisories/drinking/upload/dwstandards2011.pdf

U.S. Environmental Protection Agency, Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health (EPA 822-B-00-004), October 2000
http://water.epa.gov/scitech/swguidance/standards/upload/2005_05_06_criteria_humanhealth_method_complete.pdf



ED_001605_00000523-00066

U.S. Environmental Protection Agency, Quality Criteria for Water, (EPA 440-5-86-001)", 1986
http://water.epa.gov/scitech/swguidance/standards/upload/2009_01_13_criteria_goldbook.pdf

U.S. Environmental Protection Agency, Quality Criteria for Water, (PB-263 943), 1976
http://water.epa.gov/scitech/swguidance/standards/upload/2009_01_13_criteria_redbook.pdf

**k. Numeric Nutrient Criteria for Lakes**

Bouwes, N., & Schneider, R., Procedures in Estimating Benefits of Water Quality Change. *American Journal of Agricultural Economics*, 61(3)535-539, 1979

Davenport, T., & Drake, W., Grand Lake St. Marys, Ohio - The Case for Source Water Protection: Nutrients and Algae Blooms. *Lakeline*, pp. 41-46, 2011, Fall

Downing, J. A., Watson, S. B., & McCauley, E., Predicting Cyanobacteria dominance in lakes. *Can. J. Fish. Aquat. Sci.*, 58: 1905-1908, 2001

Dunlap, C., Sklenar, K., & Blake, L., A Costly Endeavor: Addressing Algae Problems in a Water Supply. *Journal of the American Water Works Association*, 107.0055 E255-E262, 2015

Egertson, C., & Downing, J., Relationship of fish catch and composition to water quality in a suite of agricuturally eutrophic lakes. *Can. J. Fish. Aquat. Sci.*, 61: 1784-1796, 2004

Kashian, R., & Kasper, J., *Tainter Lake & Lake Menomin: The Impact of Diminishing Water Quality on Value.* Madison, WI: University of Wisconsin, 2010

Keplinger, K., Houser, J., Tanter, A., Hauck, L., & Beran, L., Cost and Affordability of Phosphorus Removal at Small Wastewater Treatment Plants. *Small Flows Quarterly*, 6:4:36-48, 2004

Krysel, C., Boyer, E., Parson, C., & Welle, P., *Lakeshore Property Values and Water Quality: Evidence from Property Sales in the Mississippi Headwaters Region.* Bemidji, MN: Mississippi Headwaters Board and Bemidji State University, 2003

Michael, H., Boyle, K., & Bouchard, R., *Water Quality Affects Property Prices: A Case Study of Selected Maine Lakes, Miscellaneous Report 398.* Maine Agricultural and Forest Experiment Station, University of Maine, 1996

Missouri Department of Natural Resources, *Census of Public Water Systems 2015.* Jefferson City, MO, 2015

Missouri Department of Natural Resources, *Rationale for Missouri Numeric Nutrient Criteria for Lakes*, Jefferson City, MO, 2015



ED_001605_00000523-00067

Missouri Department of Natural Resources, *Total Maximum Daily Load for Spring Fork Lake, Pettis County, Missouri.* Jefferson City, MO, 2006

Ribaudo, M., & Epp, D, The Importance of Sample Discrimination in Using the Travel Cost Method to Estimate the Benefits of Improved Water Quality. *Land Economics*, 60:4:397-403, 1984

Smith, V., Desvousges, W., & Fisher, A., A Comparison of Direct and Indirect Methods for Estimating Environmental Benefits. *American Jornal of Agricultural Economics*, 68:2:280-290, 1986

Steinnes, D., Measuring the economic value of water quality, the case of lakeshore land. *Annals of Regional Science*, 26:171 – 176, 1992

U.S. Environmental Protection Agency, A Compilation of Cost Data Associated with the Impacts and Control of Nutrient Pollution (EPA 820-F-15-196), 2015a http://www2.epa.gov/sites/production/files/2015-04/documents/nutrient-economics-report-2015.pdf

U.S. Environmental Protection Agency, Case Studies on Implementing Low-Cost Modifications to Improve Nutrient Reduction at Wastewater Treatment Plants (EPA-841-R-15-004), 2015b http://www2.epa.gov/sites/production/files/2015-08/documents/case_studies_on_implementing_low-cost_modification_to_improve_potw_nutrient_reduction-combined_508_-_august.pdf

U.S. Environmental Protection Agency, Municipal Nutrient Removal Technologies Reference Document (EPA 832-R-08-006), 2008

U.S. Environmental Protection Agency, Biological Nutrient Removal Processes and Costs (EPA-823-R-07-002), 2007 http://www2.epa.gov/sites/production/files/documents/criteria_nutrient_bioremoval.pdf

U.S. Environmental Protection Agency, Nutrient Criteria Technical Guidance Manual - Lakes and Reservoirs (EPA 822-B00-001), 2000

U.S. Environmental Protection Agency, National Strategy for the Development of Regional Nutrient Criteria (822-R-98-002), 1998 http://www2.epa.gov/sites/production/files/documents/nutrient_strategy_1998.pdf

Wilson, M., & Carpenter, S., Economic Valuation of Freshwater Ecosystem Services in the United States: 1971-1997. *Ecological Applications*, 9:3:772-783, 1999

## I. Water Quality Standards Variances

Letter, U.S. Environmental Protection Agency, Re: 3rd Action Letter on March 19, 2014 Water Quality Standards Submittal, November 17, 2015
http://dnr.mo.gov/env/wpp/wqstandards/docs/3rd-action-letter-3-19-14-submittal.pdf

Mulitple-Discharger Variance

**m. Miscellaneous Text Revisions**

Missouri Department of Natural Resources, DRAFT Missouri Water Quality Standards, 10 CSR 20-7.031, 2015

DRAFT

## Appendix A

**Table 1. Number of facilities potentially affected by Section 304(a) criteria revisions.**

| **Category** | **Number of facilities** |
|---|---|
| Site Specific | 2676 |
| General | 1388 |
| Stormwater | 774 |
| Underground Injection | 3 |
| **Total Facilities** | **4841** |
| | |
| **Facilities Private/Public** | |
| Private | 3707 |
| Public | 1134 |
| | |
| **Expected limit change** | |
| Increased limit | 1376 |
| Decreased limit | 477 |
| No change expected | 4839 |

**Table 2. Number of permitted facilities for each relevant Section 304(a) parameter.**

| **Relevant 304(a) Parameter** | **Number of facilities** |
|---|---|
| 1,1,2-Trichloroethane | 2 |
| 1,1-Dichloroethylene | 3 |
| 1,2-Dichloroethane | 3 |
| 1,2-Diphenylhydrazine | 1 |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin 2,3,7,8-TCDD (Dioxin) | 1 |
| 2,4,5-Trichlorophenol | 1 |
| 2,4,6-Trichlorophenol | 14 |
| 2,4-Dichlorophenol | 1 |
| 2,4-Dimethylphenol | 15 |
| 2,4-Dinitrophenol | 14 |
| 2,4-Dinitrotoluene | 1 |
| 2-Chlorophenol | 14 |



ED_001605_00000523-00070

| Relevant 304(a) Parameter | Number of facilities |
|---|---|
| 3,3'-Dichlorobenzidine | 1 |
| Acenaphthene | 15 |
| Acrylonitrile (2-propenenitrile) | 1 |
| Aldrin | 1 |
| Anthracene | 3 |
| Antimony | 41 |
| Arsenic | 85 |
| Barium | 33 |
| Benzene | 61 |
| Benzo-a-Anthracene | 15 |
| Benzo-a-Pyrene | 16 |
| Benzo-k-Fluoranthene | 15 |
| Beryllium | 41 |
| Bis(2-Chloroethyl) Ether | 2 |
| Bis(2-Ethylhexyl) Phthalate | 3 |
| Cadmium | 115 |
| Carbon Tetrachloride (Tetrachloromethane) | 1 |
| Chlordane | 1 |
| Chloride | 117 |
| Chlorine, Total Residual | 1232 |
| Chlorobenzene | 1 |
| Chromium (III) | 95 |
| Chromium (Total) | 14 |
| Chromium (VI) | 107 |
| Chrysene | 15 |
| Copper | 383 |
| Cyanide | 50 |
| Diazinon | 1 |
| Dibenzo-a-h-Anthracene | 16 |
| Dieldrin | 1 |
| Ethylbenzene | 302 |
| Fluoranthene | 15 |
| Fluorene | 14 |
| gamma-Hexachlorocyclohexane (gamma-BHC; Lindane) | 1 |
| Heptachlor | 1 |
| Hexachlorobenzene | 1 |
| Hexachlorobutadiene | 1 |

DRAFT

| Relevant 304(a) Parameter | Number of facilities |
|---|---|
| Hexachloroethane | 1 |
| Indeno(1,2,3-cd)Pyrene | 16 |
| Mercury | 71 |
| Methoxychlor | 8 |
| Methylene Chloride (Dichloromethane) | 7 |
| Nickel | 91 |
| Nitrobenzene | 1 |
| N-Nitrosodimethylamine | 1 |
| Oxygen, Dissolved | 859 |
| Parathion | 1 |
| Pentachlorophenol | 16 |
| pH | 4604 |
| Phenol | 32 |
| Polychlorinated Biphenyls (PCBs) | 3 |
| Pyrene | 3 |
| Selenium | 60 |
| Silver | 67 |
| Solids Suspended and Turbidity | 4148 |
| Sulfate | 44 |
| Temperature | 1073 |
| Tetrachloroethylene | 4 |
| Thallium | 44 |
| Toluene | 59 |
| Toxaphene | 1 |
| trans-1,2-Dichloroethylene | 2 |
| Trichloroethylene | 10 |
| Trichloromethane (Chloroform) | 5 |
| Vinyl Chloride | 7 |
| Zinc | 399 |

DRAFT

**Table 3. Assumptions for Unit Costs for CAPDETS analysis**

| Description | Value | Units |
|---|---|---|
| Building Cost | 110 | $/ft$^2$ |
| Excavation | 8 | $/yd$^3$ |
| Wall Concrete | 650 | $/yd$^3$ |
| Slab Concrete | 350 | $/yd$^3$ |
| Crane Rental | 250 | $/hr |
| Canopy Roof | 20 | $/ft$^2$ |
| Electricity | 0.10 | $/kWh |
| Hand Rail | 75 | $/ft |
| Land Costs | 0 | $/acre |
| Construction Labor Rate | 40 | $/hr |
| Operator Labor Rate | 25 | $/hr |
| Administration Labor Rate | 20 | $/hr |
| Laboratory Labor Rate | 25 | $/hr |
| Hydrated Lime [$Ca(OH)^2$] | 0.18 | $/lb |
| Interest Rate (Public facility) | 1 | % |
| Interest Rate (Private facility) | 5 | % |
| Construction Period | 3 | yr |
| Operating Life of Plane | 20 | yr |
| Engineering Design Fee | 10 | % |
| Miscellaneous | 5 | % |
| Administration/ Legal | 2 | % |
| Inspection | 2 | % |
| Contingency | 10 | % |
| Technical | 2 | % |
| Profit and Overhead | 2 | % |
| Structural Life | 20 | yr |
| Mechanical Life | 20 | yr |
| Pump Replacement | 10 | yr |
| Filter Replacement | 10 | yr |
| Distance to haul sludge | 20 | mi |
| Sludge disposal cost | 125 | $/yd$^3$ |

DRAFT

## Appendix B

## Potential Candidates for the Multiple Discharger Variances

| Municipality (owner) | Facility Name | Permit Number | Effective Date | HUC 8 | Receiving Stream | First Classified Stream WBID | UTM Coordinates of Discharge Location (X,Y) |
|---|---|---|---|---|---|---|---|
| City of Advance | Advance WWTF | MO0126349 | 7/1/2014 | 08020204 | Unnamed Tributary to Ditch #24 | 3074 | (777283, 4110785) |
| City of Albany | Albany WWTF | MO0021466 | 11/1/2014 | 10280101 | Town Branch | 457 | (385357, 4455797) |
| City of Jefferson | Algoa Regional WWTF | MO0044300 | 5/20/2011 | 10300102 | Missouri River | 701 | (581833, 4267934) |
| City of Alma | Alma Sewage Treatment Lagoon | MO0048097 | 11/1/2015 | 10300104 | Tributary Elm Branch | 3960 | (453589, 4327869) |
| City of Amazonia | Amazonia Lagoons | MO0126802 | 6/4/2010 | 10240011 | Mace Cr. | 267 | (338539, 4417597) |
| City of Amsterdam | Amsterdam WWTF | MO0125091 | 9/1/2015 | 10290102 | Tributary to Mulberry Creek | 3960 | (361789, 4244967) |
| City of Anniston | Anniston WWTP | MO0114928 | 9/16/2010 | 08020201 | Spillway Ditch | 3135 | (828730, 4082650) |
| City of Arcadia | Arcadia East WWTF | MO0080667 | 4/1/2014 | 08020202 | Unnamed Tributary to Stouts Creek #2 | 2893 | (709906, 4163137) |
| City of Arcadia | Arcadia West WWTF | MO0050687 | 4/1/2014 | 08020202 | Unnamed Tributary to Stouts Creek #2 | 2893 | (709896, 4163135) |
| City of Armstrong | Armstrong WWTF | MO0093084 | 12/1/2015 | 10280203 | Unnamed Tributary to Batts Creek | 680 | (524915, 4347593) |
| City of Asbury | Asbury WWTF | MO0114740 | 6/1/2016 | 11070207 | Tributary to Spring River | 3960 | (359438, 4126530) |
| City of Ashland | Ashland Lagoons | MO0106844 | 2/1/2014 | 10300102 | Tributary to Foster Branch | 747 | (564694, 4290768) |
| City of Bates City | Bates City WWTF | MO0128716 | 2/1/2016 | 10300101 | Tributary to East Sni-a-bar Creek | 3960 | (409470, 4317938) |
| City of Bell City | Bell City WWTF | MO0080594 | 3/1/2014 | 08020204 | Unnamed tributary to Ditch #30 | 3075 | (782517, 4101876) |
| City of Bellflower | Bellflower WWTF | MO0103764 | 1/1/2016 | 07110008 | Tributary to East Branch Brush Creek | 3960 | (643051, 4319127) |
| Village of Benton City | Benton City WWTF | MO0103021 | 8/1/2015 | 07110008 | West Fork Cuivre River | 3960 | (607975, 4332035) |
| City of Benton | Benton WWTF | MO0055182 | 5/1/2013 | 08020204 | Unnamed Tributary to Caney Cr. | 3051 | (806013, 4111924) |
| City of Bertrand | Bertrand WWTF | MO0100111 | 4/1/2014 | 08020201 | Tributary to Ash Ditch | 3142 | (814945, 4090690) |
| City of Blackburn | Blackburn WWTF | MO0099678 | 1/1/2014 | 10300104 | East Fork Elm Branch | 899 | (457769, 4330614) |
| City of Bland | Bland WWTF | MO0055395 | 4/1/2016 | 07140103 | Tributary to Greedy Creek | 3960 | (619624, 4239296) |
| City of Blythedale | Blythedale WWTF | MO0123081 | 1/30/2009 | 10280101 | Unnamed trib to East Fork Big Creek | 447 | (421166, 4480139) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Brashear | Brashear WWTF | MO0046990 | 12/1/2013 | 07110005 | Unnamed Tributary to Hog Branch | 110 | (552515, 4443317) |
| City of Braymer | Braymer WWTF | MO0028061 | 12/1/2013 | 10280101 | Unnamed Tributary to Mud Creek | 538 | (432618, 4383356) |
| City of Breckenridge | Breckenridge WWTF | MO0093891 | 5/1/2013 | 10280101 | Tributary to Panther Creek | 521 | (430530, 4400383) |
| City of Bronaugh | Bronaugh WWTF | MO0120472 | 9/1/2015 | 10290104 | Tributary to Little Dry Wood Creek | 3960 | (371101, 4173844) |
| City of Brunswick | Brunswick WWTF | MO0032557 | 7/1/2014 | 10280103 | Grand River | 593 | (489916, 4362972) |
| City of Bucklin | Bucklin East WWTF | MO0085928 | 3/1/2014 | 10280202 | Tributary to Van Dorsan Creek | 670 | (510442, 4402203) |
| City of Bucklin | Bucklin West WWTF | MO0085910 | 3/1/2014 | 10280103 | Unnamed Tributary to Sights Branch | 597 | (508632, 4403653) |
| City of Bunceton | Bunceton WWTF | MO0055981 | 2/1/2016 | 10300102 | Stephans Branch | 3960 | (517119, 4293436) |
| City of Cainesville | Cainesville WWTF | MO0122467 | 5/1/2015 | 10280102 | Tributary to Brushy Creek | 3960 | (433976, 4476016) |
| Village of Cairo | Cairo WWTF | MO0103390 | 6/1/2013 | 07110006 | Unnamed tribuarty to Mud Creek | 128 | (549375, 4374398) |
| Village of Caledonia | Caledonia WWTF | MO0128571 | 3/1/2015 | 07140104 | Tributary to Goose Creek | 2153 | (695033, 4182606) |
| City of Callao | Callao WWTF | MO0114421 | 5/1/2013 | 10280203 | Unnamed tributary to Middle Fork. of Chariton River | 698 | (533196, 4400995) |
| City of Campbell | Campbell WWTF | MO0022861 | 12/1/2013 | 08020204 | Tributary to Main Ditch | 3960 | (763562, 4041729) |
| City of Canton | Canton Sewer Lagoon | MO0056278 | 6/1/2013 | 07110001 | Unnamed Tributary to Mississippi R. | 1 | (626622, 4441421) |
| City of Center | Center WWTF | MO0107719 | 7/1/2016 | 07110007 | Sugar Creek | 3960 | (628546, 4375669) |
| City of Centerview | Centerview WWTF | MO0106496 | 2/1/2015 | 10300104 | Unnamed Tributary to Devil's Branch | 928 | (426415, 4289510) |
| City of Chilhowee | Chilhowee WWTF | MO0096091 | 6/26/2009 | 10290108 | Unnamed Tributary to Norris Cr. | 1252 | (424264, 4270769) |
| City of Holts Summit | Choctaw Ridge Lagoon | MO0033910 | 6/1/2016 | 10300102 | Tributary to Turkey Creek | 3960 | (575821, 4275554) |
| City of Chula | Chula WWTP | MO0091146 | 5/1/2013 | 10280103 | Unnamed Tributary to Medicine Cr. | 616 | (459507, 4418720) |
| City of Clarksburg | Clarksburg WWTF | MO0109797 | 2/1/2016 | 10300102 | Tributary to Long Branch | 3960 | (528222, 4278743) |
| City of Clarksdale | Clarksdale WWTF | MO0117161 | 1/1/2014 | 10240012 | Little Third Fork Platte River | 328 | (367777, 4408385) |
| City of Clarksville | Clarksville WWTF | MO0039632 | 2/1/2014 | 07110004 | Unnamed tributary to Mississippi River | 3699 | (681653, 4358616) |
| City of Coffey | Coffey WWTF | MO0117862 | 5/1/2014 | 10280101 | Tributary to Little Cypress Creek | 443 | (413708, 4440074) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Collins | Collins WWTF | MO0103756 | 6/1/2015 | 10290106 | Tributary to Coon Creek | 3960 | (444994, 4195061) |
| City of Conception Junction | Conception Junction | MO0104914 | 6/1/2013 | 10240012 | Unnamed Tributary to Platte River | 312 | (355900, 4459301) |
| City of Concordia | Concordia Southeast WWTF | MO0025194 | 7/1/2013 | 10300104 | Unnamed Tributary to Panther Creek | 891 | (454301, 4312006) |
| City of Conway | Conway WWTF | MO0031674 | 7/1/2015 | 10290110 | Tributary to Jones Creek | 3960 | (515084, 4151167) |
| City of Corder | Corder North Lagoon | MO0022926 | 7/1/2014 | 10300104 | Tributary to South Salt Fork | 899 | (445283, 4328956) |
| City of Corder | Corder South Lagoon | MO0022934 | 7/1/2014 | 10300104 | Salt Fork | 899 | (444323, 4327043) |
| City of Cowgill | Cowgill WWTF | MO0130052 | 5/1/2015 | 10280101 | Tributary to South Mud Creek | 3960 | (420608, 4378033) |
| City of Craig | Craig WWTF | MO0107042 | 4/1/2015 | 10240005 | Old Channel Tarkio River | 3960 | (297370, 4451400) |
| City of Creighton | Creighton WWTF | MO0100102 | 5/1/2016 | 10290108 | Knob Creek | 3960 | (406451, 4260617) |
| City of Dearborn | Dearborn WWTF | MO003251 | 3/1/2015 | 10240011 | Bee Creek | 273 | (346917, 4376137) |
| City of Downing | Downing WWTF | MO0109240 | 7/1/2013 | 07110002 | North Fabius River | 56 | (554133, 4482818) |
| Village of Eagleville | Eagleville WWTF | MO0113930 | 3/1/2014 | 10280101 | Unnamed Tributary to East Fork Big Creek | 447 | (417255, 4479124) |
| City of Ellington | Ellington WWTF | MO0022896 | 9/1/2015 | 11010007 | Tributary to Logan Creek | 3960 | (680616, 4123720) |
| City of Emma | Emma South WWTF | MO0028584 | 1/1/2014 | 10300104 | Goose Creek | 891 | (457101, 4312772) |
| City of Ewing | Ewing WWTF | MO0104671 | 12/1/2014 | 07110002 | Tributary to Middle Fabius River | 63 | (609649, 4430851) |
| City of Fairfax | Fairfax WWTF | MO0050601 | 6/1/2015 | 10240005 | Tributary to Tarkio River | 242 | (296415, 4467398) |
| City of Festus | Festus Interim West WWTF | MO0122777 | 12/1/2014 | 07140101 | Joachim Creek | 1719 | (725077, 4234807) |
| City of Freeburg | Freeburg WWTF | MO0058220 | 1/1/2014 | 10290203 | Steuber Hollow Creek | 3780 | (594931, 4241243) |
| City of Gainesville | Gainesville WWTF | MO0027570 | 11/1/2013 | 11010006 | Lick Creek | 2572 | (550653, 4050296) |
| City of Galt | Galt WWTP | MO0095729 | 5/1/2013 | 10280103 | Unnamed Tributary to West Fork Medicine Creek | 623 | (467665, 4440553) |
| City of Garden City | Garden City WWTF | MO0046647 | 1/1/2016 | 10290108 | Tributary to Panther Creek | 3960 | (397275, 4269140) |
| City of Gilman City | Gilman City WWTF | MO0098663 | 8/1/2013 | 10280102 | Unnamed Tributary to Tombstone Creek | 585 | (426612, 4443837) |
| City of Glasgow | Glasgow WWTF | MO0034240 | 7/1/2013 | 10300102 | Hurricane Creek | 781 | (512946, 4339921) |
| City of Graham | Graham WWTF | MO0094307 | 5/1/2015 | 10240010 | Tributary to Elkhorn Creek | 287 | (327073, 4451917) |
| City of Grant City | Grant City West WWTF | MO0027600 | 6/1/2015 | 10280101 | Tributary to Marlowe Creek | 3960 | (378585, 4481795) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Green Castle | Green Castle Lagoon | MO0103322 | 6/1/2013 | 10280202 | Unnamed Tributary to Mussel Fork Creek | 674 | (510804, 4456060) |
| City of Green City | Green City WWTF | MO0112135 | 5/1/2013 | 10280202 | Unnamed Tributary to Mussel Fork Creek | 674 | (505189, 4457101) |
| City of Green Ridge | Green Ridge Lagoon | MO0049654 | 12/1/2013 | 10300103 | Tributary to Basin Fork | 3960 | (463908, 4275414) |
| City of Greentop | Greentop WWTF | MO0091642 | 7/1/2014 | 07110005 | Unnamed Tributary to North Fork Salt River | 3960 | (538026, 4465403) |
| City of Greenville | Greenville WWTF | MO0093432 | 5/1/2013 | 08020202 | Unnamed Tributary to St. Francis River | 2835 | (726464, 4111545) |
| City of Hamilton | Hamilton SE Municipal WWTF | MO0022071 | 6/9/2010 | 10280101 | Cottonwood Creek | 527 | (414861, 4398013) |
| City of Hamilton | Hamilton SW Municipal WWTF | MO0022063 | 6/9/2010 | 10280101 | Unnamed Tributary to Tom Creek | 518 | (413560, 4398780) |
| City of Hardin | Hardin WWTF | MO0046655 | 1/1/2014 | 10300101 | Norborne Drainage System | 369 | (429128, 4347499) |
| City of Hayti | Hayti Aerated Lagoon | MO0057673 | 12/1/2013 | 08020204 | Main Ditch #8 | 3031 | (792039, 4017182) |
| City of Hermann | Hermann WWTF | MO0106585 | 4/1/2016 | 10300200 | Tributary to Missouri River | 1604 | (637227, 4285469) |
| City of Higbee | Higbee WWTF | MO0093505 | 12/1/2014 | 10300102 | Unnamed Tributary to Salt Fork | 765 | (541399, 4349473) |
| City of Higginsville | Higginsville I-70 N Lagoon | MO0023094 | 5/1/2013 | 10300104 | Unnamed Tributary to Davis Creek | 907 | (436057, 4317677) |
| City of Higginsville | Higginsville I-70 S Lagoon | MO0111848 | 9/1/2013 | 10300104 | Unnamed Tributary to Davis Creek | 907 | (437501, 4316635) |
| City of High Hill | High Hill WWTF | MO0102083 | 2/1/2014 | 10300200 | Unnamed trib to Bear Creek | 1627 | (640839, 4303825) |
| City of Holcomb | Holcomb WWTF | MO0022331 | 12/9/2010 | 08020204 | Main Ditch | 3112 | (767539, 4033097) |
| City of Holt | Holt Wastewater Lagoon | MO0109002 | 10/1/2015 | 10300101 | Muddy Fork | 3960 | (383878, 4366732) |
| City of Hopkins | Hopkins WWTF | MO0054755 | 6/1/2013 | 10240013 | Middle Fork 102 River | 342 | (345039, 4490331) |
| City of Houstonia | Houstonis Lagoon | MO0058475 | 6/1/2014 | 10300104 | Buffalo Creek | 3539 | (469410, 4306016) |
| City of Hunnewell | Hunnewell WWTF | MO0084972 | 5/1/2014 | 07110004 | South Fork North River | 86 | (598588, 4391973) |
| City of Iberia | Iberia WWTF | MO0101273 | 5/1/2016 | 10290111 | Tributary to Rabbithead Creek | 3960 | (561639, 4216869) |
| City of Ionia | Ionia WWTF | MO0130028 | 2/16/2011 | 10300103 | Trib. to S. Flat Cr. | 3300 | (471819, 4261186) |
| Village of Jameson | Jameson WWTF | MO0118010 | 8/1/2015 | 10280101 | Tributary to Big Muddy Creek | 3960 | (416241, 4428931) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Jamestown | Jamestown North WWTF | MO0057410 | 1/1/2015 | 10300102 | Unnamed Tributary to Factory Creek | 804 | (545087, 4291274) |
| City of Jamestown | Jamestown South WWTF | MO0058203 | 1/1/2015 | 10300102 | Unnamed Tributary to Haldiman Branch | 807 | (545495, 4290464) |
| City of Jonesburg | Jonesburg WWTF | MO0040851 | 1/1/2014 | 07110008 | Unnamed Tributary to Little Bear Creek | 194 | (647131, 4303005) |
| City of King City | King City Lagoon | MO0049662 | 12/1/2015 | 10240012 | Tributary to Little Third Fork | 3960 | (370696, 4432722) |
| City of Kingdom City | Kingdom City Lagoon | MO0127370 | 7/1/2013 | 10300102 | Unnamed Tributary to McKinney Creek | 713 | (592770, 4311437) |
| City of Kingsville | Kingsville Wastewater Stabilization Lagoon | MO0025844 | 1/1/2014 | 10290108 | Unnamed Tributary to Big Creek | 1250 | (406692, 4288123) |
| City of LaBelle | LaBelle WWTF | MO0100684 | 11/25/2009 | 07110002 | Unnamed trib to Reddish Branch | 63 | (592229, 4442735) |
| City of La Monte | La Monte Northwest Lagoon | MO0108090 | 6/1/2015 | 10300104 | South Fork Blackwater River | 3960 | (462485, 4292261) |
| City of La Monte | La Monte Southeast Lagoon | MO0108081 | 1/24/2011 | 10300103 | Unnamed Tributary to Tributary to Muddy Creek | 3499 | (463858, 4290850) |
| City of Lancaster | Lancaster WWTF | MO0039691 | 5/1/2016 | 07110002 | Tributary to North Fork Middle Fabius | 3960 | (541855, 4485240) |
| City of Laredo | Laredo WWTF | MO0094692 | 5/1/2013 | 10280103 | Unnamed Tributary to Black Oak Branch | 616 | (462393, 4432640) |
| City of Lathrop | Lathrop Lagoon | MO0112704 | 7/1/2013 | 10280101 | Shoal Creek | 528 | (386914, 4379769) |
| City of Lawson | Lawson WWTF | MO0091031 | 6/1/2016 | 10300101 | Brushy Creek | 3960 | (395433, 4367075) |
| City of Lewistown | Lewistown WWTF | MO0120570 | 1/1/2014 | 7110002 | Middle Fabius R. | 63 | (601225, 4439181) |
| City of Liberal | Liberal WWTF | MO0045837 | 4/1/2016 | 10290104 | Tributary to Bitter Creek | 3960 | (366259, 4159079) |
| City of Linneus | Linneus WWTF | MO0093491 | 11/1/2013 | 10280103 | Unnamed tributary to Muddy Creek | 3769 | (484689, 4412968) |
| Village of Livonia | Livonia WWTF | MO0121916 | 9/1/2013 | 10280201 | Old Channel Chariton River | 649 | (526189, 4482073) |
| City of Lockwood | Lockwood WWTF | MO0030473 | 8/1/2015 | 10290106 | Horse Creek | 3960 | (414120, 4138134) |
| Village of Ludlow | Ludlow WWTF | MO0130869 | 5/1/2015 | 10280101 | Tributary to Shoal Creek Ditch | 3960 | (440120, 4390033) |
| Village of Luray | Luray WWTF | MO0129682 | 2/1/2015 | 7110001 | Unnamed Tributary to South Linn Creek | 41 | (595539, 4478459) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Malta Bend | Malta Bend WWTF | MO0094404 | 5/1/2013 | 10300104 | Unnamed Tributary to Salt Fork | 899 | (469415, 4336924) |
| City of Marble Hill | Marble Hill WWTF | MO0109762 | 5/1/2013 | 07140107 | Opossum Creek | 2269 | (768583, 4131669) |
| City of Mayview | Mayview Lagoon | MO0055131 | 2/1/2015 | 10300101 | Tabo Creek | 406 | (428516, 4323696) |
| City of Memphis | Memphis Municipal WWTF | MO0041173 | 4/1/2011 | 07110002 | North Fabius River | 56 | (571902, 4477414) |
| City of Mendon | Mendon WWTF | MO0094714 | 8/1/2015 | 10280103 | Hickory Branch | 596 | (487810, 4381402) |
| City of Mercer | Mercer WWTF | MO0056057 | 3/1/2014 | 10280102 | Unnamed Tributary to Muddy Creek | 557 | (455888, 4484084) |
| City of Miller | Miller WWTF | MO0041149 | 9/1/2013 | 11070207 | Unnamed Tributary to Stahl Creek | 3176 | (424627, 4118448) |
| City of Mindenmines | Mindenmines WWTF | MO0116581 | 6/1/2013 | 11070207 | Glendale Fork | 3202 | (360721, 4147783) |
| City of Miner | Miner WWTF | MO0095133 | 8/1/2013 | 08020201 | North Cut Ditch | 3143 | (809650, 4086942) |
| City of Morehouse | Morehouse WWTF | MO0030821 | 11/20/2009 | 08020204 | Tributary to Old Channel Little River | 3041 | (794108, 4082729) |
| City of Morley | Morley WWTF | MO0126195 | 7/1/2014 | 08020201 | St. Johns Ditch | 3138 | (803254, 4105702) |
| City of Morrison | Morrison WWTF | MO0119016 | 9/1/2013 | 10300102 | Baileys Creek | 842 | (618272, 4281405) |
| City of Moscow Mills | Moscow Mills Municipal WWTF | MO0119709 | 3/1/2014 | 07110008 | Cuivre River | 152 | (680155, 4314088) |
| City of New Cambria | New Cambria WWTF | MO0094706 | 7/1/2014 | 10280202 | Puzzle Creek | 666 | (520451, 4401850) |
| City of New Hampton | New Hampton WWTF | MO0114685 | 5/1/2013 | 10280101 | Sampson Creek | 455 | (398236, 4457231) |
| City of New London | New London WWTF | MO0092975 | 4/1/2016 | 7110007 | Tributary to Salt River | 3960 | (637474, 4384346) |
| City of Newtown | Newtown WWTF | MO0117871 | 9/1/2013 | 10280103 | Medicine Creek | 619 | (471734, 4468242) |
| City of Norborne | Norborne WWTF | MO0030791 | 2/1/2014 | 10300101 | Moss Creek | 369 | (441445, 4348279) |
| Village of Novelty | Novelty WWTF | MO0102032 | 2/1/2014 | 07110004 | North River | 83 | (568578, 4429466) |
| City of Novinger | Novinger WWTF | MO0056987 | 5/1/2013 | 10280202 | Spring Creek | 657 | (524462, 4452838) |
| City of Odessa | Odessa Southwest Lagoon | MO0026395 | 1/1/2014 | 10300101 | Tributary to East Fork Sni-a-bar | 3441 | (414694, 4315854) |
| City of Old Monroe | Old Monroe Wastewater Treatment Lagoon | MO0114359 | 1/8/2010 | 07110008 | Tributary to Argent Slough | 151 | (695395, 4312849) |
| City of Orrick | Orrick Municipal Lagoon | MO0022918 | 11/1/2013 | 10300101 | Keeney Creek | 384 | (403176, 4339141) |
| City of Otterville | Otterville WWTF | MO0101125 | 4/1/2014 | 10300103 | Lamine River | 847 | (500671, 4283288) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Pacific | Pacific WWTP | MO0041131 | 11/26/2008 | 07140102 | Meramec River | 1841 | (696277, 4257839) |
| City of Parma | Parma WWTF | MO0039900 | 5/1/2013 | 08020204 | Unnamed Tributary to Ditch #8 | 3094 | (784563, 4057993) |
| City of Perry | Perry WWTF | MO0111821 | 3/1/2014 | 07110007 | Triubutary to Lick Creek | 3960 | (614055, 4366145) |
| City of Pilot Grove | Pilot Grove East WWTF | MO0093076 | 12/1/2014 | 10300102 | Unnamed Tributary to Petite Saline Creek | 786 | (508697, 4302337) |
| City of Pilot Grove | Pilot Grove West WWTF | MO0093068 | 3/1/2014 | 10300103 | Lamine River | 847 | (507183, 4303275) |
| City of Purdin | Purdin WWTF | MO0125831 | 2/1/2016 | 10280103 | Tributary to Locust Creek | 3960 | (483901, 4423006) |
| City of Puxico | Puxico WWTF | MO0055158 | 5/1/2014 | 08020203 | Turkey Creek | 2985 | (752378, 4092539) |
| City of Queen City | Queen City WWTF | MO0093785 | 5/1/2013 | 07110005 | North Fork Salt River | 113 | (538520, 4472975) |
| City of Ravenwood | Ravenwood WWTF | MO0021458 | 7/1/2015 | 10240012 | Tributary to Platte River | 3960 | (357099, 4468227) |
| Village of Rhineland | Rhineland WWTF | MO0117013 | 3/1/2015 | 10300200 | Modoc Creek | 3821 | (629220, 4286449) |
| City of Ridgeway | Ridgeway West Lagoon | MO0048224 | 1/1/2015 | 10280101 | East Fork Big Creek | 446 | (419730, 4469365) |
| City of Risco | Risco Municipal WWTF | MO0025852 | 4/1/2014 | 08020204 | Ditch #8 | 3094 | (784034, 4041947) |
| City of Rockville | Rockville WWTP | MO0103748 | 4/1/2013 | 10290105 | HS Truman Lake | 7207 | (405619, 4213163) |
| City of Rosebud | Rosebud North Lagoon | MO0091367 | 3/1/2016 | 10300200 | City of Boeuf Creek | 3960 | (639700, 4250663) |
| City of Rosebud | Rosebud South Lagoon | MO0091375 | 9/1/2015 | 07140103 | Tributary to Soap Creek | 3960 | (639156, 4249142) |
| City of Salisbury | Salisbury 6 Acre Lagoon | MO0025313 | 2/1/2014 | 10280203 | Unnamed Tributary to Middle Fork Chariton River | 691 | (518127, 4362235) |
| City of Sarcoxie | Sarcoxie WWTF | MO0028657 | 9/1/2015 | 11070207 | Tributary to Center Creek | 3960 | (400806, 4103633) |
| City of Scott City | Scott City WWTF | MO0103594 | 3/1/2014 | 07140105 | Unnamed Tributary to Dorrity Creek | 3701 | (811423, 4125812) |
| City of Senath | Senath WWTF | MO0048666 | 4/1/2014 | 08020204 | Pole Cat Slough | 3120 | (755765, 4001445) |
| City of Sheldon | Sheldon WWTF | MO0040177 | 7/1/2013 | 10290105 | Unnamed tributary to Little Clear Creek | 1337 | (386809, 4168919) |
| City of Smithton | Smithton WWTF | MO0025828 | 2/1/2015 | 10300103 | Tributary to Flat Creek | 3960 | (491323, 4280836) |
| City of Spickard | Spickard WWTF | MO0113026 | 12/1/2013 | 10280102 | Unnamed Tributary to Weldon River | 560 | (449575, 4455970) |
| City of Steele | Steele Aerated Lagoon | MO0057444 | 3/27/2009 | 08020204 | Ditch #6 | 3022 | (782217, 3998705) |
| City of Sturgeon | Sturgeon WWTF | MO0052027 | 6/1/2013 | 07110006 | Reese Fork | 136 | (562804, 4343410) |
| City of Sumner | Sumner WWTF | MO0091600 | 2/1/2014 | 10280103 | Grand River | 593 | (480228, 4390420) |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| City of Sweet Springs | Sweet Springs WWTF | MO0054518 | 6/1/2013 | 10300104 | Unnamed trib to Davis Creek | 907 | (463243, 4314094) |
| City of Syracuse | Syracuse WWTF | MO0120111 | 9/1/2013 | 10300103 | Otter Creek | 887 | (510190, 4280361) |
| City of Tarkio | Tarkio WWTF | MO0051608 | 1/1/2014 | 10240005 | Tarkio River | 242 | (298678, 4477683) |
| City of Trimble | Trimble WWTF | MO0113751 | 6/1/2015 | 10240012 | Dick's Creek | 3960 | (364205, 4369146) |
| Village of Truxton | Truxton WWTF | MO0118192 | 3/1/2014 | 07110008 | Bear Creek | 193 | (652292, 4318917) |
| City of Union Star | Union Star Sewage WWTF | MO0096202 | 5/1/2015 | 10240012 | Tributary to Third Fork Platte River | 3960 | (364091, 4425699) |
| City of Urbana | Urbana WWTF | MO0095176 | 2/1/2014 | 10290110 | East Branch of Cahoochie Creek | 1195 | (485530, 4188837) |
| Village of Utica | Utica WWTF | MO0125679 | 4/1/2015 | 10280101 | Tributary to Wolf Creek | 3960 | (447022, 4399425) |
| Village of Vanduser | Vanduser WWTF | MO0122599 | 9/27/2010 | 08020204 | Old Chanel Little River | 3041 | (793223, 4098656) |
| City of Viburnum | Viburnum Wastewater Treatment Lagoon | MO0055751 | 4/14/2010 | 07140102 | Indian Creek | 3960 | (666062, 4175433) |
| City of Vienna | Vienna WWTF | MO0055352 | 7/1/2013 | 10290111 | Fly Creek | 1090 | (591092, 4227972) |
| Village of Fountain 'N Lakes | Village of Fountain N' Lake WWTF | MO0126101 | 6/1/2015 | 07110004 | Tributary to Bob's Creek | 35 | (686136, 4315887) |
| Village of Kelso | Village of Kelso WWTF | MO0115118 | 6/1/2013 | 07140107 | Unnamed Tributary to Ramsey Creek | 2346 | (806708, 4120741) |
| City of Weaubleau | Weaubleau WWTF | MO0040860 | 4/1/2011 | 10290105 | Unnamed Tributary to Possum Hollow | 3319 | (451527, 4193806) |
| City of Wellington | Wellington WWTF | MO0041165 | 2/1/2014 | 10300101 | Sni-a-bar Creek | 399 | (414904, 4330356) |
| City of Weston | Weston WTP | MOG640117 | 2/1/2014 | 10240011 | Bear Creek | 226 | (336439, 4362252) |
| City of Wheeling | Wheeling WWTF | MO0097608 | 6/1/2013 | 10280103 | Parson Creek | 614 | (467562, 4404080) |
| City of Williamsville | Williamsville WWTF | MO0090654 | 7/1/2013 | 11010007 | Tributary to Williams Creek | 2785 | (718249, 4093930) |

Public and private estimated total capital costs and total annual O&M costs by watershed using 8-digit hydrologic unit codes (HUC). Watersheds not represented in the tables below do not have facilities discharging to lake watersheds affected by the proposed rule.

## Appendix C

### Public Facilities

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| All | DF≤0.05 | 90 | Low | $101,950,000 | $10,530,000 | $112,480,000 |
| | | | High | $163,280,000 | $16,125,000 | $179,405,000 |
| | 0.05<DF≤1 | 111 | Low | $184,840,000 | $16,167,000 | $201,007,000 |
| | | | High | $349,270,000 | $30,346,000 | $379,616,000 |
| | 1<DF≤20 | 23 | Low | $152,650,000 | $11,288,000 | $163,938,000 |
| | | | High | $281,920,000 | $19,500,000 | $301,420,000 |
| | DF>20 | 1 | Low | $70,200,000 | $4,350,000 | $74,550,000 |
| | | | High | $94,500,000 | $4,880,000 | $99,380,000 |
| | **Totals** | **225** | **Low** | **$509,640,000** | **$42,335,000** | **$551,975,000** |
| | | | **High** | **$888,970,000** | **$70,851,000** | **$959,821,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110001 Bear - Wyaconda | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $2,110,000 | $180,000 | $2,290,000 |
| | | | High | $4,360,000 | $381,000 | $4,741,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$2,110,000** | **$180,000** | **$2,290,000** |
| | | | **High** | **$4,360,000** | **$381,000** | **$4,741,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110005 North Fork Salt | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 6 | Low | $9,250,000 | $821,000 | $10,071,000 |
| | | | High | $17,810,000 | $1,639,000 | $19,449,000 |
| | 1<DF≤20 | 1 | Low | $8,280,000 | $572,000 | $8,852,000 |
| | | | High | $16,700,000 | $1,120,000 | $17,820,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **8** | **Low** | **$18,620,000** | **$1,510,000** | **$20,130,000** |
| | | | **High** | **$36,040,000** | **$2,922,000** | **$38,962,000** |



ED_001605_00000523-00082

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110006 South Fork Salt | DF≤0.05 | 5 | Low | $5,800,000 | $585,000 | $6,385,000 |
| | | | High | $10,100,000 | $995,000 | $11,095,000 |
| | 0.05<DF≤1 | 6 | Low | $9,280,000 | $818,000 | $10,098,000 |
| | | | High | $18,300,000 | $1,680,000 | $19,980,000 |
| | 1<DF≤20 | 3 | Low | $19,980,000 | $1,478,000 | $21,458,000 |
| | | | High | $41,100,000 | $2,934,000 | $44,034,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **14** | **Low** | **$35,060,000** | **$2,881,000** | **$37,941,000** |
| | | | **High** | **$69,500,000** | **$5,609,000** | **$75,109,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110007 Salt | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 2 | Low | $2,640,000 | $242,000 | $2,882,000 |
| | | | High | $4,820,000 | $462,000 | $5,282,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,800,000** | **$359,000** | **$4,159,000** |
| | | | **High** | **$6,840,000** | **$661,000** | **$7,501,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110009 Peruque - Piasa | DF≤0.05 | 3 | Low | $3,480,000 | $351,000 | $3,831,000 |
| | | | High | $6,060,000 | $597,000 | $6,657,000 |
| | 0.05<DF≤1 | 1 | Low | $2,110,000 | $180,000 | $2,290,000 |
| | | | High | $4,360,000 | $381,000 | $4,741,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **4** | **Low** | **$5,590,000** | **$531,000** | **$6,121,000** |
| | | | **High** | **$10,420,000** | **$978,000** | **$11,398,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07140104 Big | DF≤0.05 | 3 | Low | $3,410,000 | $351,000 | $3,761,000 |
| | | | High | $5,570,000 | $561,000 | $6,131,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,410,000** | **$351,000** | **$3,761,000** |
| | | | **High** | **$5,570,000** | **$561,000** | **$6,131,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 08020202 Upper St Francis | DF≤0.05 | 3 | Low | $3,410,000 | $351,000 | $3,761,000 |
| | | | High | $5,570,000 | $561,000 | $6,131,000 |
| | 0.05<DF≤1 | 6 | Low | $10,000,000 | $879,000 | $10,879,000 |
| | | | High | $18,910,000 | 1,737,000 | $20,647,000 |
| | 1<DF≤20 | 2 | Low | $10,470,000 | $815,000 | $11,285,000 |
| | | | High | $21,320,000 | $1,624,000 | $22,944,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **11** | **Low** | **$23,880,000** | **$2,045,000** | **$25,925,000** |
| | | | **High** | **$45,800,000** | **$3,922,000** | **$49,722,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10240012 Platte | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $1,720,000 | $149,000 | $1,869,000 |
| | | | High | $3,490,000 | $315,000 | $3,805,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,720,000** | **$149,000** | **$1,869,000** |
| | | | **High** | **$3,490,000** | **$315,000** | **$3,805,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10280101 Upper Grand | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $1,510,000 | $132,000 | $1,642,000 |
| | | | High | $3,040,000 | $279,000 | $3,319,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,510,000** | **$132,000** | **$1,642,000** |
| | | | **High** | **$3,040,000** | **$279,000** | **$3,319,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10280203 Little Chariton | DF≤0.05 | 3 | Low | $3,480,000 | $351,000 | $3,831,000 |
| | | | High | $6,060,000 | $597,000 | $6,657,000 |
| | 0.05<DF≤1 | 2 | Low | $3,230,000 | $281,000 | $3,511,000 |
| | | | High | $6,530,000 | $594,000 | $7,124,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **5** | **Low** | **$6,710,000** | **$632,000** | **$7,342,000** |
| | | | **High** | **$12,590,000** | **$1,191,000** | **$13,781,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290102 Lower Marais de Cygnes | DF≤0.05 | 3 | Low | $3,480,000 | $351,000 | $3,831,000 |
| | | | High | $6,060,000 | $597,000 | $6,657,000 |
| | 0.05<DF≤1 | 1 | Low | $1,720,000 | $149,000 | $1,869,000 |
| | | | High | $3,490,000 | $315,000 | $3,805,000 |
| | 1<DF≤20 | 1 | Low | $4,620,000 | $362,000 | $4,982,000 |
| | | | High | $9,120,000 | $717,000 | $9,837,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **5** | **Low** | **$9,820,000** | **$862,000** | **$10,682,000** |
| | | | **High** | **$18,670,000** | **$1,629,000** | **$20,299,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290104 Marmaton | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 1 | Low | $1,320,000 | $121,000 | $1,441,000 |
| | | | High | $2,410,000 | $231,000 | $2,641,000 |
| | 1<DF≤20 | 1 | Low | $4,620,000 | $362,000 | $4,982,000 |
| | | | High | $9,120,000 | $717,000 | $9,837,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$7,100,000** | **$600,000** | **$7,700,000** |
| | | | **High** | **$13,550,000** | **$1,147,000** | **$14,697,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290105 Harry S Truman Reservoir | DF≤0.05 | 3 | Low | $3,410,000 | $351,000 | $3,761,000 |
| | | | High | $5,570,000 | $561,000 | $6,131,000 |
| | 0.05<DF≤1 | 7 | Low | $12,510,000 | $1,088,000 | $13,598,000 |
| | | | High | $24,060,000 | $2,184,000 | $26,244,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **10** | **Low** | **$15,920,000** | **$1,439,000** | **$17,359,000** |
| | | | **High** | **$29,630,000** | **$2,745,000** | **$32,375,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290106 Sac | DF≤0.05 | 12 | Low | $13,360,000 | $1,404,000 | $14,764,000 |
| | | | High | $20,320,000 | $2,100,000 | $22,420,000 |
| | 0.05<DF≤1 | 10 | Low | $15,620,000 | $1,372,000 | $16,992,000 |
| | | | High | $30,700,000 | $2,814,000 | $33,514,000 |
| | 1<DF≤20 | 2 | Low | $19,980,000 | $1,413,000 | $21,393,000 |
| | | | High | $41,600,000 | $2,730,000 | $44,330,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **24** | **Low** | **$48,960,000** | **$4,189,000** | **$53,149,000** |
| | | | **High** | **$92,620,000** | **$7,644,000** | **$100,264,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290107 Pomme de Terre | DF≤0.05 | 6 | Low | $6,680,000 | $702,000 | $7,382,000 |
| | | | High | $10,160,000 | $1,050,000 | $11,210,000 |
| | 0.05<DF≤1 | 5 | Low | $8,560,000 | $745,000 | $9,305,000 |
| | | | High | $16,900,000 | $1,522,000 | $18,422,000 |
| | 1<DF≤20 | 1 | Low | $5,850,000 | $453,000 | $6,303,000 |
| | | | High | $12,200,000 | $907,000 | $13,107,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **12** | **Low** | **$21,090,000** | **$1,900,000** | **$22,990,000** |
| | | | **High** | **$39,260,000** | **$3,479,000** | **$42,739,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290108 South Grand | DF≤0.05 | 6 | Low | $6,890,000 | $702,000 | $7,592,000 |
| | | | High | $11,630,000 | $1,158,000 | $12,788,000 |
| | 0.05<DF≤1 | 16 | Low | $25,640,000 | $2,260,000 | $27,900,000 |
| | | | High | $49,560,000 | $4,560,000 | $54,120,000 |
| | 1<DF≤20 | 3 | Low | $16,320,000 | $1,268,000 | $17,588,000 |
| | | | High | $33,520,000 | $2,531,000 | $36,051,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **25** | **Low** | **$48,850,000** | **$4,230,000** | **$53,080,000** |
| | | | **High** | **$94,710,000** | **$8,249,000** | **$102,959,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290109 Lake of the Ozarks | DF≤0.05 | 15 | Low | $16,910,000 | $1,755,000 | $18,665,000 |
| | | | High | $26,870,000 | $2,733,000 | $29,603,000 |
| | 0.05<DF≤1 | 6 | Low | $10,310,000 | $891,000 | $11,201,000 |
| | | | High | $20,880,000 | $1,878,000 | $22,758,000 |
| | 1<DF≤20 | 1 | Low | $5,850,000 | $453,000 | $6,303,000 |
| | | | High | $12,200,000 | $907,000 | $13,107,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **22** | **Low** | **$33,070,000** | **$3,099,000** | **$36,169,000** |
| | | | **High** | **$59,950,000** | **$5,518,000** | **$65,468,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290110 Niangua | DF≤0.05 | 5 | Low | $5,730,000 | $585,000 | $6,315,000 |
| | | | High | $9,610,000 | $959,000 | $10,569,000 |
| | 0.05<DF≤1 | 5 | Low | $8,120,000 | $711,000 | $8,831,000 |
| | | | High | $16,030,000 | $1,456,000 | $17,486,000 |
| | 1<DF≤20 | 1 | Low | $4,620,000 | $362,000 | $4,982,000 |
| | | | High | $9,120,000 | $717,000 | $9,837,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **11** | **Low** | **$18,470,000** | **$1,658,000** | **$20,128,000** |
| | | | **High** | **$34,760,000** | **$3,132,000** | **$37,892,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10300101 Lower Missouri – Crooked | DF≤0.05 | 3 | Low | $3,410,000 | $351,000 | $3,761,000 |
| | | | High | $5,570,000 | $561,000 | $6,131,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,410,000** | **$351,000** | **$3,761,000** |
| | | | **High** | **$5,570,000** | **$561,000** | **$6,131,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10300104 Blackwater | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $1,720,000 | $149,000 | $1,869,000 |
| | | | High | $3,490,000 | $315,000 | $3,805,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,720,000** | **$149,000** | **$1,869,000** |
| | | | **High** | **$3,490,000** | **$315,000** | **$3,805,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010001 Beaver Reservoir | DF≤0.05 | 7 | Low | $7,770,000 | $819,000 | $8,589,000 |
| | | | High | $10,900,000 | $898,000 | $11,798,000 |
| | 0.05<DF≤1 | 2 | Low | $3,430,000 | $301,000 | $3,731,000 |
| | | | High | $5,600,000 | $361,000 | $5,961,000 |
| | 1<DF≤20 | | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **9** | **Low** | **$11,200,000** | **$1,120,000** | **$12,320,000** |
| | | | **High** | **$16,500,000** | **$1,259,000** | **$17,759,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010002 James | DF≤0.05 | 4 | Low | $4,500,000 | $468,000 | $4,968,000 |
| | | | High | $6,250,000 | $514,000 | $7,034,000 |
| | 0.05<DF≤1 | 15 | Low | $26,700,000 | $2,317,000 | $29,017,000 |
| | | | High | $42,140,000 | $2,726,000 | $44,866,000 |
| | 1<DF≤20 | 3 | Low | $18,750,000 | $1,387,000 | $20,137,000 |
| | | | High | $26,120,000 | $1,552,000 | $27,672,000 |
| | DF>20 | 1 | Low | $70,200,000 | $4,350,000 | $74,550,000 |
| | | | High | $94,500,000 | $4,880,000 | $99,380,000 |
| | **Totals** | **23** | **Low** | **$120,150,000** | **$8,522,000** | **$128,672,000** |
| | | | **High** | **$169,280,000** | **$9,672,000** | **$178,952,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010003 Bull Shoals Lake | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 7 | Low | $14,080,000 | $1,229,000 | $15,309,000 |
| | | | High | $25,710,000 | $2,103,000 | $27,813,000 |
| | 1<DF≤20 | 3 | Low | $27,460,000 | $1,910,000 | $29,370,000 |
| | | | High | $37,600,000 | $2,137,000 | $39,737,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **11** | **Low** | **$42,630,000** | **$3,256,000** | **$45,886,000** |
| | | | **High** | **$64,840,000** | **$4,403,000** | **$69,243,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010006 North Fork White | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,160,000** | **$117,000** | **$1,277,000** |
| | | | **High** | **$2,020,000** | **$199,000** | **$2,219,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010007 Upper Black | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,160,000** | **$117,000** | **$1,277,000** |
| | | | **High** | **$2,020,000** | **$199,000** | **$2,219,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11070207 Spring | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 4 | Low | $6,270,000 | $551,000 | $6,821,000 |
| | | | High | $12,430,000 | $1,140,000 | $13,750,000 |
| | 1<DF≤20 | 1 | Low | $5,850,000 | $453,000 | $6,303,000 |
| | | | High | $12,200,000 | $907,000 | $13,107,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **6** | **Low** | **$13,210,000** | **$1,121,000** | **$14,331,000** |
| | | | **High** | **$26,160,000** | **$2,210,000** | **$28,370,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11070208 Elk | DF≤0.05 | 2 | Low | $2,320,000 | $234,000 | $2,554,000 |
| | | | High | $4,040,000 | $398,000 | $4,438,000 |
| | 0.05<DF≤1 | 4 | Low | $6,990,000 | $601,000 | $7,591,000 |
| | | | High | $14,250,000 | $1,273,000 | $15,523,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **6** | **Low** | **$9,310,000** | **$835,000** | **$10,145,000** |
| | | | **High** | **$18,290,000** | **$1,671,000** | **$19,961,000** |

DRAFT

## Private Facilities

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| All | DF≤0.05 | 749 | Low | $832,370,000 | $87,633,000 | $920,003,000 |
| | | | High | $1,233,830,000 | $121,405,000 | $1,355,235,000 |
| | 0.05<DF≤1 | 46 | Low | $69,360,000 | $6,160,000 | $75,520,000 |
| | | | High | $126,040,000 | $10,691,000 | $136,731,000 |
| | 1<DF≤20 | 3 | Low | $25,740,000 | $1,834,000 | $27,574,000 |
| | | | High | $35,480,000 | $2,048,000 | $37,528,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **798** | **Low** | **$927,470,000** | **$95,627,000** | **$1,023,097,000** |
| | | | **High** | **$1,395,350,000** | **$134,144,000** | **$1,529,494,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110005 North Fork Salt | DF≤0.05 | 3 | Low | $3,340,000 | $351,000 | $3,691,000 |
| | | | High | $5,080,000 | $525,000 | $5,605,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,340,000** | **$351,000** | **$3,691,000** |
| | | | **High** | **$5,080,000** | **$525,000** | **$5,605,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110006 South Fork Salt | DF≤0.05 | 18 | Low | $20,320,000 | $2,106,000 | $22,426,000 |
| | | | High | $32,440,000 | $3,294,000 | $35,734,000 |
| | 0.05<DF≤1 | 1 | Low | $1,510,000 | $132,000 | $1,642,000 |
| | | | High | $3,040,000 | $279,000 | $3,319,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **19** | **Low** | **$21,830,000** | **$2,238,000** | **$24,068,000** |
| | | | **High** | **$35,480,000** | **$3,573,000** | **$39,053,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110007 Salt | DF≤0.05 | 2 | Low | $2,250,000 | $234,000 | $2,484,000 |
| | | | High | $3,550,000 | $362,000 | $3,912,000 |
| | 0.05<DF≤1 | 1 | Low | $1,320,000 | $121,000 | $1,441,000 |
| | | | High | $2,410,000 | $231,000 | $2,641,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,570,000** | **$355,000** | **$3,925,000** |
| | | | **High** | **$5,960,000** | **$593,000** | **$6,553,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110008 Cuivre | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,160,000** | **$117,000** | **$1,277,000** |
| | | | **High** | **$2,020,000** | **$199,000** | **$2,219,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07110009 Peruque – Piasa | DF≤0.05 | 3 | Low | $3,340,000 | $351,000 | $3,691,000 |
| | | | High | $5,080,000 | $525,000 | $5,605,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,340,000** | **$351,000** | **$3,691,000** |
| | | | **High** | **$5,080,000** | **$525,000** | **$5,605,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07140101 Cahokia – Joachim | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07140102 Meramec | DF≤0.05 | 2 | Low | $2,250,000 | $234,000 | $2,484,000 |
| | | | High | $3,550,000 | $362,000 | $3,912,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **2** | **Low** | **$2,250,000** | **$234,000** | **$2,484,000** |
| | | | **High** | **$3,550,000** | **$362,000** | **$3,912,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07140103 Bourbeuse | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,160,000** | **$117,000** | **$1,277,000** |
| | | | **High** | **$2,020,000** | **$199,000** | **$2,219,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 07140104 Big | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 08020202 Upper St Francis | DF≤0.05 | 22 | Low | $24,330,000 | $2,574,000 | $26,904,000 |
| | | | High | $36,110,000 | 3,766,000 | $39,876,000 |
| | 0.05<DF≤1 | 1 | Low | $1,720,000 | $149,000 | $1,869,000 |
| | | | High | $3,490,000 | $315,000 | $3,805,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **23** | **Low** | **$26,050,000** | **$2,723,000** | **$28,773,000** |
| | | | **High** | **$39,600,000** | **$4,081,000** | **$43,681,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10240012 Platte | DF≤0.05 | 2 | Low | $2,250,000 | $234,000 | $2,484,000 |
| | | | High | $3,550,000 | $362,000 | $3,912,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **2** | **Low** | **$2,250,000** | **$234,000** | **$2,484,000** |
| | | | **High** | **$3,550,000** | **$362,000** | **$3,912,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10280102 Thompson | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $1,510,000 | $132,000 | $1,642,000 |
| | | | High | $3,040,000 | $279,000 | $3,319,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,510,000** | **$132,000** | **$1,642,000** |
| | | | **High** | **$3,040,000** | **$279,000** | **$3,319,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10280103 Lower Grand | DF≤0.05 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 0.05<DF≤1 | 1 | Low | $1,510,000 | $132,000 | $1,642,000 |
| | | | High | $3,040,000 | $279,000 | $3,319,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,510,000** | **$132,000** | **$1,642,000** |
| | | | **High** | **$3,040,000** | **$279,000** | **$3,319,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10280203 Little Chariton | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290102 Lower Marais des Cygnes | DF≤0.05 | 2 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **2** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290104 Marmaton | DF≤0.05 | 2 | Low | $2,180,000 | $234,000 | $2,414,000 |
| | | | High | $3,060,000 | $326,000 | $3,386,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **2** | **Low** | **$2,180,000** | **$234,000** | **$2,414,000** |
| | | | **High** | **$3,060,000** | **$326,000** | **$3,386,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290105 Harry S Truman Reservoir | DF≤0.05 | 10 | Low | $11,040,000 | $1,170,000 | $12,210,000 |
| | | | High | $16,280,000 | $1,702,000 | $17,982,000 |
| | 0.05<DF≤1 | 1 | Low | $1,320,000 | $121,000 | $1,441,000 |
| | | | High | $2,410,000 | $231,000 | $2,641,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **11** | **Low** | **$12,360,000** | **$1,291,000** | **$13,651,000** |
| | | | **High** | **$18,690,000** | **$1,933,000** | **$20,623,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290106 Sac | DF≤0.05 | 10 | Low | $11,180,000 | $1,170,000 | $12,350,000 |
| | | | High | $17,260,000 | $1,774,000 | $19,034,000 |
| | 0.05<DF≤1 | 2 | Low | $2,640,000 | $242,000 | $2,882,000 |
| | | | High | $4,820,000 | $462,000 | $5,282,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **12** | **Low** | **$13,820,000** | **$1,412,000** | **$15,232,000** |
| | | | **High** | **$22,080,000** | **$2,236,000** | **$24,316,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290107 Pomme de Terre | DF≤0.05 | 11 | Low | $12,340,000 | $1,287,000 | $13,627,000 |
| | | | High | $19,280,000 | $1,973,000 | $21,253,000 |
| | 0.05<DF≤1 | 2 | Low | $2,830,000 | $253,000 | $3,083,000 |
| | | | High | $5,450,000 | $510,000 | $5,960,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **13** | **Low** | **$15,170,000** | **$1,540,000** | **$16,710,000** |
| | | | **High** | **$24,730,000** | **$2,483,000** | **$27,213,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290108 South Grand | DF≤0.05 | 36 | Low | $40,010,000 | $4,212,000 | $44,222,000 |
| | | | High | $60,470,000 | $6,264,000 | $66,734,000 |
| | 0.05<DF≤1 | 2 | Low | $2,640,000 | $242,000 | $2,882,000 |
| | | | High | $4,820,000 | $462,000 | $5,282,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **38** | **Low** | **$42,650,000** | **$4,454,000** | **$47,104,000** |
| | | | **High** | **$65,290,000** | **$6,726,000** | **$72,016,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290109 Lake of the Ozarks | DF≤0.05 | 319 | Low | $353,380,000 | $37,323,000 | $390,703,000 |
| | | | High | $527,760,000 | $54,913,000 | $582,673,000 |
| | 0.05<DF≤1 | 14 | Low | $20,990,000 | $1,868,000 | $22,858,000 |
| | | | High | $40,590,000 | $3,755,000 | $44,345,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **333** | **Low** | **$374,370,000** | **$39,191,000** | **$413,561,000** |
| | | | **High** | **$568,350,000** | **$58,668,000** | **$627,018,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290110 Niangua | DF≤0.05 | 82 | Low | $90,570,000 | $9,594,000 | $100,164,000 |
| | | | High | $133,790,000 | $13,978,000 | $147,768,000 |
| | 0.05<DF≤1 | 6 | Low | $8,300,000 | $748,000 | $9,048,000 |
| | | | High | $15,720,000 | $1,482,000 | $17,202,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **88** | **Low** | **$98,870,000** | **$10,342,000** | **$109,212,000** |
| | | | **High** | **$149,510,000** | **$15,460,000** | **$164,970,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10290111 Lower Osage | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10300101 Lower Missouri – Crooked | DF≤0.05 | 6 | Low | $6,680,000 | $702,000 | $7,382,000 |
| | | | High | $10,160,000 | $1,050,000 | $11,210,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **6** | **Low** | **$6,680,000** | **$702,000** | **$7,382,000** |
| | | | **High** | **$10,160,000** | **$1,050,000** | **$11,210,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10300102 Lower Missouri – Moreau | DF≤0.05 | 7 | Low | $7,700,000 | $819,000 | $8,519,000 |
| | | | High | $11,200,000 | $1,177,000 | $12,377,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **7** | **Low** | **$7,700,000** | **$819,000** | **$8,519,000** |
| | | | **High** | **$11,200,000** | **$1,177,000** | **$12,377,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 10300200 Lower Missouri | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |



ED_001605_00000523-00100

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010001 Beaver Reservoir | DF≤0.05 | 117 | Low | $130,820,000 | $13,689,000 | $144,509,000 |
| | | | High | $186,800,000 | $15,023,000 | $201,823,000 |
| | 0.05<DF≤1 | 7 | Low | $10,250,000 | $914,000 | $11,164,000 |
| | | | High | $16,740,000 | $1,093,000 | $17,833,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **124** | **Low** | **$141,070,000** | **$14,603,000** | **$155,673,000** |
| | | | **High** | **$203,540,000** | **$16,116,000** | **$219,656,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010002 James | DF≤0.05 | 40 | Low | $44,860,000 | $4,680,000 | $49,540,000 |
| | | | High | $64,520,000 | $5,138,000 | $69,658,000 |
| | 0.05<DF≤1 | 3 | Low | $4,950,000 | $430,000 | $5,380,000 |
| | | | High | $8,260,000 | $522,000 | $8,782,000 |
| | 1<DF≤20 | 3 | Low | $25,740,000 | $1,834,000 | $27,574,000 |
| | | | High | $35,480,000 | $2,048,000 | $37,528,000 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **46** | **Low** | **$75,550,000** | **$6,944,000** | **$82,494,000** |
| | | | **High** | **$108,260,000** | **$7,708,000** | **$115,968,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010003 Bull Shoals Lake | DF≤0.05 | 33 | Low | $36,880,000 | $3,861,000 | $40,741,000 |
| | | | High | $53,740,000 | $4,727,000 | $58,467,000 |
| | 0.05<DF≤1 | 4 | Low | $7,870,000 | $676,000 | $8,546,000 |
| | | | High | $12,210,000 | $791,000 | $13,001,000 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **37** | **Low** | **$44,750,000** | **$4,537,000** | **$49,287,000** |
| | | | **High** | **$65,950,000** | **$5,518,000** | **$71,468,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010006 North Fork White | DF≤0.05 | 1 | Low | $1,160,000 | $117,000 | $1,277,000 |
| | | | High | $2,020,000 | $199,000 | $2,219,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,160,000** | **$117,000** | **$1,277,000** |
| | | | **High** | **$2,020,000** | **$199,000** | **$2,219,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11010010 Spring | DF≤0.05 | 1 | Low | $1,090,000 | $117,000 | $1,207,000 |
| | | | High | $1,530,000 | $163,000 | $1,693,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **1** | **Low** | **$1,090,000** | **$117,000** | **$1,207,000** |
| | | | **High** | **$1,530,000** | **$163,000** | **$1,693,000** |

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11070207 Spring | DF≤0.05 | 11 | Low | $12,200,000 | $1,287,000 | $13,487,000 |
| | | | High | $18,300,000 | $1,901,000 | $20,201,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **11** | **Low** | **$12,200,000** | **$1,287,000** | **$13,487,000** |
| | | | **High** | **$18,300,000** | **$1,901,000** | **$20,201,000** |

DRAFT

| HUC8 | Design Flow (DF) in MGD | Number of Facilities | | Capital Costs | Annual O&M | Total |
|---|---|---|---|---|---|---|
| 11070208 Elk | DF≤0.05 | 3 | Low | $3,340,000 | $351,000 | $3,691,000 |
| | | | High | $5,080,000 | $525,000 | $5,605,000 |
| | 0.05<DF≤1 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | 1<DF≤20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | DF>20 | 0 | Low | $0 | $0 | $0 |
| | | | High | $0 | $0 | $0 |
| | **Totals** | **3** | **Low** | **$3,340,000** | **$351,000** | **$3,691,000** |
| | | | **High** | **$5,080,000** | **$525,000** | **$5,605,000** |

DRAFT

## Appendix D

Water quality monitoring costs by watershed for implementation of numeric nutrient criteria using 8-digit hydrologic unit codes (HUC). Watersheds not represented in the below tables do not have facilities discharging to lake watersheds affected by the proposed rule.

### Monitoring Expenses by HUC – All Lakes

Assumptions:

- A staff of two will not be able to accomplish this workload in one year. Assignation of more staff will result in the same expense as if two carry out sample collection over a number of years.

- Round trip distance from the DNR lab in Jefferson City was estimated by selecting a town centrally located in each HUC 8, running a MapQuest quarry, and doubling the mileage presented.

- Time spent visiting each lake included travel time to and from the HUC 8 at an average speed of 50 mph, and an additional 3 hours for location of the lake and sampling activity. Each trip is devoted to sampling a single lake. It is probable that most actual sampling trips will involve work on more than one lake at a time.

- Staffing expenses are based on a salary of $23.15 per hour plus fringe and indirect expenses that total to $42.90 per hour.

- Vehicle expenses are set at $0.50 per mile.

- Overnight expenses are included if the round trip distance from the Lab is greater than 250 miles. It includes lodging, meals, and incidental expenses for a total of $188.33 per staff member per night.

- Sample analysis is based on the following costs per sample:
    - Total Nitrogen - $22
    - Total Phosphorus - $22
    - Chlorophyll-a - $11.75
    - Non-volatile Suspended Solids - $7.10
    - Total - $62.85



ED_001605_00000523-00104

| HUC 8 | | |
|---|---|---|
| All | Number of Lakes | 1,034 |
| | Round Trip Distance from Lab (mi) | |
| | Hours to visit each lake | |
| | Staff Expense (2 Employees) | $722,281.56 |
| | Vehicle Expense | $132,905.00 |
| | Overnight Expense | $227,5023.64 |
| | Sample Analysis | $64,986.90 |
| | Total Expense for single visit of all lakes | $1,147,676.11 |
| | Single Year Sampling (4 visits) | $4,590,704.44 |
| | Three Year Sampling (12 visits) | $13,772,113.32 |

| HUC 8 | | |
|---|---|---|
| 07110001 Bear-Wyaconda | Number of Lakes | 14 |
| | Round Trip Distance from Lab (mi) | 324 |
| | Hours to visit each lake | 9.5 |
| | Staff Expense (2 Employees) | $11,387.38 |
| | Vehicle Expense | $2,268.00 |
| | Overnight Expense | $5,273.24 |
| | Sample Analysis | $879.90 |
| | Total Expense for single visit of all lakes | $19,908.52 |
| | Single Year Sampling (4 visits) | $68,687.60 |
| | Three Year Sampling (12 visits) | $237,702.24 |

| HUC 8 | | |
|---|---|---|
| 07110002 North Fabius | Number of Lakes | 22 |
| | Round Trip Distance from Lab (mi) | 310 |
| | Hours to visit each lake | 9.2 |
| | Staff Expense (2 Employees) | $17,365.92 |
| | Vehicle Expense | $3,410.00 |
| | Overnight Expense | $8,268.52 |
| | Sample Analysis | $1,382.70 |
| | Total Expense for single visit of all lakes | $30,445.14 |
| | Single Year Sampling (4 visits) | $121,780.56 |
| | Three Year Sampling (12 visits) | $365,341.68 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07110003 South Fabius | Number of Lakes | 7 |
| | Round Trip Distance from Lab (mi) | 274 |
| | Hours to visit each lake | 8.5 |
| | Staff Expense (2 Employees) | $5,093.09 |
| | Vehicle Expense | $959.00 |
| | Overnight Expense | $2,636.62 |
| | Sample Analysis | $439.95 |
| | Total Expense for single visit of all lakes | $9,128.66 |
| | Single Year Sampling (4 visits) | $36,514.64 |
| | Three Year Sampling (12 visits) | $109,543.92 |

| HUC 8 | | |
|---|---|---|
| 07110004 The Sny | Number of Lakes | 11 |
| | Round Trip Distance from Lab (mi) | 212 |
| | Hours to visit each lake | 7.2 |
| | Staff Expense (2 Employees) | $6,833.11 |
| | Vehicle Expense | $1, 166.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $691.35 |
| | Total Expense for single visit of all lakes | $8,690.46 |
| | Single Year Sampling (4 visits) | $34,761.84 |
| | Three Year Sampling (12 visits) | $104,285.52 |

| HUC 8 | | |
|---|---|---|
| 07110005 North Fork Salt | Number of Lakes | 17 |
| | Round Trip Distance from Lab (mi) | 204 |
| | Hours to visit each lake | 7.1 |
| | Staff Expense (2 Employees) | $10,326.89 |
| | Vehicle Expense | $1,734.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,068.45 |
| | Total Expense for single visit of all lakes | $13,129.34 |
| | Single Year Sampling (4 visits) | $52,517.36 |
| | Three Year Sampling (12 visits) | $157,522.08 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07110006 South Fork Salt | Number of Lakes | 41 |
| | Round Trip Distance from Lab (mi) | 150 |
| | Hours to visit each lake | 6.0 |
| | Staff Expense (2 Employees) | $21,106.80 |
| | Vehicle Expense | $3,075.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $2,576.85 |
| | Total Expense for single visit of all lakes | $26,758.65 |
| | Single Year Sampling (4 visits) | $107,034.60 |
| | Three Year Sampling (12 visits) | $321,103.80 |

| HUC 8 | | |
|---|---|---|
| 07110007 Salt | Number of Lakes | 13 |
| | Round Trip Distance from Lab (mi) | 174 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $7,227.79 |
| | Vehicle Expense | $1,131.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $817.05 |
| | Total Expense for single visit of all lakes | $9,175.84 |
| | Single Year Sampling (4 visits) | $36,703.36 |
| | Three Year Sampling (12 visits) | $110,110.08 |

| HUC 8 | | |
|---|---|---|
| 07110008 Cuivre | Number of Lakes | 30 |
| | Round Trip Distance from Lab (mi) | 150 |
| | Hours to visit each lake | 6.0 |
| | Staff Expense (2 Employees) | $15,444.00 |
| | Vehicle Expense | $$2,250.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,885.50 |
| | Total Expense for single visit of all lakes | $19,579.50 |
| | Single Year Sampling (4 visits) | $78,318.00 |
| | Three Year Sampling (12 visits) | $234,954.00 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07110009 Peruque – Piasa | Number of Lakes | 12 |
| | Round Trip Distance from Lab (mi) | 216 |
| | Hours to visit each lake | 7.3 |
| | Staff Expense (2 Employees) | $7,536.37 |
| | Vehicle Expense | $1,296.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $754.20 |
| | Total Expense for single visit of all lakes | $9.586.87 |
| | Single Year Sampling (4 visits) | $38.347.48 |
| | Three Year Sampling (12 visits) | $115.042.44 |

| HUC 8 | | |
|---|---|---|
| 07140101 Cahokia – Joachim | Number of Lakes | 26 |
| | Round Trip Distance from Lab (mi) | 270 |
| | Hours to visit each lake | 8.4 |
| | Staff Expense (2 Employees) | $18,738.72 |
| | Vehicle Expense | $3,510.00 |
| | Overnight Expense | $9,793.16 |
| | Sample Analysis | $1,634.10 |
| | Total Expense for single visit of all lakes | $33,675.98 |
| | Single Year Sampling (4 visits) | $134,703.92 |
| | Three Year Sampling (12 visits) | $404,111.76 |

| HUC 8 | | |
|---|---|---|
| 07140102 Meramec | Number of Lakes | 37 |
| | Round Trip Distance from Lab (mi) | 218 |
| | Hours to visit each lake | 8.4 |
| | Staff Expense (2 Employees) | $23,365.06 |
| | Vehicle Expense | $4,033.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $2,325.45 |
| | Total Expense for single visit of all lakes | $29,723.51 |
| | Single Year Sampling (4 visits) | $118,894.04 |
| | Three Year Sampling (12 visits) | $356,682.12 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07140103 Bourbeuse | Number of Lakes | 14 |
| | Round Trip Distance from Lab (mi) | 176 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $7,831.82 |
| | Vehicle Expense | $1,232.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $2,325.45 |
| | Total Expense for single visit of all lakes | $29,723.51 |
| | Single Year Sampling (4 visits) | $118,894.04 |
| | Three Year Sampling (12 visits) | $356,682.12 |

| HUC 8 | | |
|---|---|---|
| 07140104 Big | Number of Lakes | 47 |
| | Round Trip Distance from Lab (mi) | 266 |
| | Hours to visit each lake | 8.3 |
| | Staff Expense (2 Employees) | $33,551.23 |
| | Vehicle Expense | $6,251.00 |
| | Overnight Expense | $17,703.02 |
| | Sample Analysis | $2,953.95 |
| | Total Expense for single visit of all lakes | $60,459.20 |
| | Single Year Sampling (4 visits) | $241,836.80 |
| | Three Year Sampling (12 visits) | $725,510.40 |

| HUC 8 | | |
|---|---|---|
| 07140105 Upper Mississippi – Cape Girardeau | Number of Lakes | 27 |
| | Round Trip Distance from Lab (mi) | 412 |
| | Hours to visit each lake | 11.2 |
| | Staff Expense (2 Employees) | $26,038.58 |
| | Vehicle Expense | $5,562.00 |
| | Overnight Expense | $10,169.82 |
| | Sample Analysis | $1,696.95 |
| | Total Expense for single visit of all lakes | $43,467.35 |
| | Single Year Sampling (4 visits) | $173,869.40 |
| | Three Year Sampling (12 visits) | $521,608.20 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07140107 Whitewater | Number of Lakes | 14 |
| | Round Trip Distance from Lab (mi) | 394 |
| | Hours to visit each lake | 10.9 |
| | Staff Expense (2 Employees) | $13,069.06 |
| | Vehicle Expense | $2,758.00 |
| | Overnight Expense | $5,273.24 |
| | Sample Analysis | $879.90 |
| | Total Expense for single visit of all lakes | $21,980.20 |
| | Single Year Sampling (4 visits) | $87,920.80 |
| | Three Year Sampling (12 visits) | $263,762.40 |

| HUC 8 | | |
|---|---|---|
| 08020202 Upper St Francis | Number of Lakes | 32 |
| | Round Trip Distance from Lab (mi) | 332 |
| | Hours to visit each lake | 9.6 |
| | Staff Expense (2 Employees) | $26,467.58 |
| | Vehicle Expense | $5,312.00 |
| | Overnight Expense | $12,053.12 |
| | Sample Analysis | $2,011.20 |
| | Total Expense for single visit of all lakes | $45,843.90 |
| | Single Year Sampling (4 visits) | $183,375.60 |
| | Three Year Sampling (12 visits) | $550,126.80 |

| HUC 8 | | |
|---|---|---|
| 08020203 Lower St Francis | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 464 |
| | Hours to visit each lake | 12.3 |
| | Staff Expense (2 Employees) | $2,107.25 |
| | Vehicle Expense | $464.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $125.70 |
| | Total Expense for single visit of all lakes | $3,450.27 |
| | Single Year Sampling (4 visits) | $13,801.08 |
| | Three Year Sampling (12 visits) | $41,403.24 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 08020204<br>Little River Ditches | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 486 |
| | Hours to visit each lake | 12.7 |
| | Staff Expense (2 Employees) | $1,091.38 |
| | Vehicle Expense | $243.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $1,773.89 |
| | Single Year Sampling (4 visits) | $7,095.56 |
| | Three Year Sampling (12 visits) | $21,286.68 |

| HUC 8 | | |
|---|---|---|
| 10240010<br>Nodaway | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 498 |
| | Hours to visit each lake | 13.0 |
| | Staff Expense (2 Employees) | $3,335.90 |
| | Vehicle Expense | $747.00 |
| | Overnight Expense | $1,129.98 |
| | Sample Analysis | $188.55 |
| | Total Expense for single visit of all lakes | $5,401.43 |
| | Single Year Sampling (4 visits) | $21,605.72 |
| | Three Year Sampling (12 visits) | $64,817.16 |

| HUC 8 | | |
|---|---|---|
| 10240011<br>Independence – Sugar | Number of Lakes | 9 |
| | Round Trip Distance from Lab (mi) | 392 |
| | Hours to visit each lake | 10.8 |
| | Staff Expense (2 Employees) | $8,370.65 |
| | Vehicle Expense | $1,764.00 |
| | Overnight Expense | $3,389.94 |
| | Sample Analysis | $565.65 |
| | Total Expense for single visit of all lakes | $14,090.24 |
| | Single Year Sampling (4 visits) | $56,360.96 |
| | Three Year Sampling (12 visits) | $169,082.88 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10240012 Platte | Number of Lakes | 15 |
| | Round Trip Distance from Lab (mi) | 380 |
| | Hours to visit each lake | 10.6 |
| | Staff Expense (2 Employees) | $13,642.20 |
| | Vehicle Expense | $2,850.00 |
| | Overnight Expense | $5,649.90 |
| | Sample Analysis | $942.75 |
| | Total Expense for single visit of all lakes | $23,084.85 |
| | Single Year Sampling (4 visits) | $92,339.40 |
| | Three Year Sampling (12 visits) | $277,018.20 |

| HUC 8 | | |
|---|---|---|
| 10240013 One Hundred and Two | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 484 |
| | Hours to visit each lake | 12.7 |
| | Staff Expense (2 Employees) | $3,263.83 |
| | Vehicle Expense | $726.00 |
| | Overnight Expense | $1,129.98 |
| | Sample Analysis | $188.55 |
| | Total Expense for single visit of all lakes | $5,308.36 |
| | Single Year Sampling (4 visits) | $21,233.44 |
| | Three Year Sampling (12 visits) | $63,700.32 |

| HUC 8 | | |
|---|---|---|
| 10280101 Upper Grand | Number of Lakes | 39 |
| | Round Trip Distance from Lab (mi) | 422 |
| | Hours to visit each lake | 11.4 |
| | Staff Expense (2 Employees) | $38,280.53 |
| | Vehicle Expense | $8,229.00 |
| | Overnight Expense | $14,689.74 |
| | Sample Analysis | $2,451.15 |
| | Total Expense for single visit of all lakes | $63,650.42 |
| | Single Year Sampling (4 visits) | $254,601.68 |
| | Three Year Sampling (12 visits) | $763,805.04 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10280102 Thompson | Number of Lakes | 19 |
| | Round Trip Distance from Lab (mi) | 374 |
| | Hours to visit each lake | 10.5 |
| | Staff Expense (2 Employees) | $17,084.50 |
| | Vehicle Expense | $3,553.00 |
| | Overnight Expense | $7,156.54 |
| | Sample Analysis | $1,194.15 |
| | Total Expense for single visit of all lakes | $28,988.19 |
| | Single Year Sampling (4 visits) | $115,952.76 |
| | Three Year Sampling (12 visits) | $347,858.28 |

| HUC 8 | | |
|---|---|---|
| 10280103 Lower Grand | Number of Lakes | 35 |
| | Round Trip Distance from Lab (mi) | 312 |
| | Hours to visit each lake | 9.2 |
| | Staff Expense (2 Employees) | $27,747.72 |
| | Vehicle Expense | $5,460.00 |
| | Overnight Expense | $13,183.30 |
| | Sample Analysis | $2,199.75 |
| | Total Expense for single visit of all lakes | $48,590.57 |
| | Single Year Sampling (4 visits) | $194,362.28 |
| | Three Year Sampling (12 visits) | $583,086.84 |

| HUC 8 | | |
|---|---|---|
| 10280201 Upper Chariton | Number of Lakes | 5 |
| | Round Trip Distance from Lab (mi) | 340 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $4,204.20 |
| | Vehicle Expense | $850.00 |
| | Overnight Expense | $1,833.30 |
| | Sample Analysis | $314.25 |
| | Total Expense for single visit of all lakes | $7,251.75 |
| | Single Year Sampling (4 visits) | $29,007.00 |
| | Three Year Sampling (12 visits) | $87,021.00 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10280202 Lower Chariton | Number of Lakes | 13 |
| | Round Trip Distance from Lab (mi) | 242 |
| | Hours to visit each lake | 7.8 |
| | Staff Expense (2 Employees) | $8,744.74 |
| | Vehicle Expense | $1,573.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $817.05 |
| | Total Expense for single visit of all lakes | $11,134.79 |
| | Single Year Sampling (4 visits) | $44,539.16 |
| | Three Year Sampling (12 visits) | $133,617.48 |

| HUC 8 | | |
|---|---|---|
| 10280203 Little Chariton | Number of Lakes | 18 |
| | Round Trip Distance from Lab (mi) | 178 |
| | Hours to visit each lake | 6.6 |
| | Staff Expense (2 Employees) | $10,131.26 |
| | Vehicle Expense | $1,602.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,131.30 |
| | Total Expense for single visit of all lakes | $12,864.56 |
| | Single Year Sampling (4 visits) | $51,458.24 |
| | Three Year Sampling (12 visits) | $154,374.72 |

| HUC 8 | | |
|---|---|---|
| 10290102 Lower Marais des Cygnes | Number of Lakes | 11 |
| | Round Trip Distance from Lab (mi) | 278 |
| | Hours to visit each lake | 8.6 |
| | Staff Expense (2 Employees) | $8,078.93 |
| | Vehicle Expense | $1,529.00 |
| | Overnight Expense | $4,143.26 |
| | Sample Analysis | $691.35 |
| | Total Expense for single visit of all lakes | $14,442.54 |
| | Single Year Sampling (4 visits) | $57,770.16 |
| | Three Year Sampling (12 visits) | $173,310.48 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290103 Little Osage | Number of Lakes | 4 |
| | Round Trip Distance from Lab (mi) | 348 |
| | Hours to visit each lake | 10.0 |
| | Staff Expense (2 Employees) | $3,418.27 |
| | Vehicle Expense | $696.00 |
| | Overnight Expense | $1,506.64 |
| | Sample Analysis | $251.40 |
| | Total Expense for single visit of all lakes | $5,872.31 |
| | Single Year Sampling (4 visits) | $23,489.24 |
| | Three Year Sampling (12 visits) | $70,467.72 |

| HUC 8 | | |
|---|---|---|
| 10290104 Marmaton | Number of Lakes | 4 |
| | Round Trip Distance from Lab (mi) | 342 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $3,377.09 |
| | Vehicle Expense | $684.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $251.40 |
| | Total Expense for single visit of all lakes | $5,065.81 |
| | Single Year Sampling (4 visits) | $20,263.24 |
| | Three Year Sampling (12 visits) | $60,789.72 |

| HUC 8 | | |
|---|---|---|
| 10290105 Harry S Truman Reservoir | Number of Lakes | 20 |
| | Round Trip Distance from Lab (mi) | 268 |
| | Hours to visit each lake | 8.4 |
| | Staff Expense (2 Employees) | $14,345.76 |
| | Vehicle Expense | $2,680.00 |
| | Overnight Expense | $7,533.20 |
| | Sample Analysis | $1,257.00 |
| | Total Expense for single visit of all lakes | $25,815.96 |
| | Single Year Sampling (4 visits) | $103,263.84 |
| | Three Year Sampling (12 visits) | $309,791.52 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290106 Sac | Number of Lakes | 12 |
| | Round Trip Distance from Lab (mi) | 280 |
| | Hours to visit each lake | 8.6 |
| | Staff Expense (2 Employees) | $8,854.56 |
| | Vehicle Expense | $1,680.00 |
| | Overnight Expense | $4,519.92 |
| | Sample Analysis | $754.20 |
| | Total Expense for single visit of all lakes | $15,808.68 |
| | Single Year Sampling (4 visits) | $63,234.72 |
| | Three Year Sampling (12 visits) | $189,704.16 |

| HUC 8 | | |
|---|---|---|
| 10290107 Pomme de Terre | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 232 |
| | Hours to visit each lake | 7.6 |
| | Staff Expense (2 Employees) | $1,966.54 |
| | Vehicle Expense | $348.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $188.55 |
| | Total Expense for single visit of all lakes | $2,503.09 |
| | Single Year Sampling (4 visits) | $10,012.36 |
| | Three Year Sampling (12 visits) | $30,037.08 |

| HUC 8 | | |
|---|---|---|
| 10290108 South Grand | Number of Lakes | 103 |
| | Round Trip Distance from Lab (mi) | 252 |
| | Hours to visit each lake | 8.0 |
| | Staff Expense (2 Employees) | $71,052.0 |
| | Vehicle Expense | $12,978.00 |
| | Overnight Expense | $38,795.98 |
| | Sample Analysis | $6,473.55 |
| | Total Expense for single visit of all lakes | $129,300.23 |
| | Single Year Sampling (4 visits) | $517,200.92 |
| | Three Year Sampling (12 visits) | $1,551,602.76 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290109<br>Lake of the Ozarks | Number of Lakes | 12 |
| | Round Trip Distance from Lab (mi) | 116 |
| | Hours to visit each lake | 5.3 |
| | Staff Expense (2 Employees) | $5,477.47 |
| | Vehicle Expense | $696.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $754.20 |
| | Total Expense for single visit of all lakes | $6,927.67 |
| | Single Year Sampling (4 visits) | $27,710.68 |
| | Three Year Sampling (12 visits) | $83,132.04 |

| HUC 8 | | |
|---|---|---|
| 10290110<br>Niangua | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 190 |
| | Hours to visit each lake | 6.8 |
| | Staff Expense (2 Employees) | $1,166.88 |
| | Vehicle Expense | $190.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $125.70 |
| | Total Expense for single visit of all lakes | $1,482.58 |
| | Single Year Sampling (4 visits) | $5,930.32 |
| | Three Year Sampling (12 visits) | $17,790.96 |

| HUC 8 | | |
|---|---|---|
| 10290111<br>Lower Osage | Number of Lakes | 7 |
| | Round Trip Distance from Lab (mi) | 70 |
| | Hours to visit each lake | 4.4 |
| | Staff Expense (2 Employees) | $2,642.64 |
| | Vehicle Expense | $245.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $439.95 |
| | Total Expense for single visit of all lakes | $3,327.59 |
| | Single Year Sampling (4 visits) | $13,310.36 |
| | Three Year Sampling (12 visits) | $39,931.08 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290201 Upper Gasconade | Number of Lakes | 9 |
| | Round Trip Distance from Lab (mi) | 240 |
| | Hours to visit each lake | 7.8 |
| | Staff Expense (2 Employees) | $6,023.16 |
| | Vehicle Expense | $1,080.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $565.65 |
| | Total Expense for single visit of all lakes | $5,435.08 |
| | Single Year Sampling (4 visits) | $21,740.32 |
| | Three Year Sampling (12 visits) | $65,220.96 |

| HUC 8 | | |
|---|---|---|
| 10290202 Big Piney | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 226 |
| | Hours to visit each lake | 7.5 |
| | Staff Expense (2 Employees) | $645.22 |
| | Vehicle Expense | $113.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $821.07 |
| | Single Year Sampling (4 visits) | $3,284.25 |
| | Three Year Sampling (12 visits) | $9,852.84 |

| HUC 8 | | |
|---|---|---|
| 10290203 Lower Gasconade | Number of Lakes | 9 |
| | Round Trip Distance from Lab (mi) | 128 |
| | Hours to visit each lake | 5.6 |
| | Staff Expense (2 Employees) | $4,293.43 |
| | Vehicle Expense | $576 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $565.65 |
| | Total Expense for single visit of all lakes | $7,668.81 |
| | Single Year Sampling (4 visits) | $30,675.24 |
| | Three Year Sampling (12 visits) | $92,025.72 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10300101 Lower Missouri – Crooked | Number of Lakes | 55 |
| | Round Trip Distance from Lab (mi) | 266 |
| | Hours to visit each lake | 8.3 |
| | Staff Expense (2 Employees) | $39,262.08 |
| | Vehicle Expense | $7,315.00 |
| | Overnight Expense | $20,716.30 |
| | Sample Analysis | $3,456.75 |
| | Total Expense for single visit of all lakes | $70,750.13 |
| | Single Year Sampling (4 visits) | $283,000.52 |
| | Three Year Sampling (12 visits) | $849,001.56 |

| HUC 8 | | |
|---|---|---|
| 10300102 Lower Missouri – Moreau | Number of Lakes | 82 |
| | Round Trip Distance from Lab (mi) | 96 |
| | Hours to visit each lake | 4.9 |
| | Staff Expense (2 Employees) | $34,615.15 |
| | Vehicle Expense | $3,936.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $5,153.70 |
| | Total Expense for single visit of all lakes | $43,704.85 |
| | Single Year Sampling (4 visits) | $174,567.92 |
| | Three Year Sampling (12 visits) | $524,458.20 |

| HUC 8 | | |
|---|---|---|
| 10300103 Lamine | Number of Lakes | 14 |
| | Round Trip Distance from Lab (mi) | 118 |
| | Hours to visit each lake | 5.4 |
| | Staff Expense (2 Employees) | $6,438.43 |
| | Vehicle Expense | $826.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $879.90 |
| | Total Expense for single visit of all lakes | $8,144.33 |
| | Single Year Sampling (4 visits) | $32,577.32 |
| | Three Year Sampling (12 visits) | $97,731.96 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10300104 Blackwater | Number of Lakes | 38 |
| | Round Trip Distance from Lab (mi) | 176 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $21,257,.81 |
| | Vehicle Expense | $3,344.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $2,388.30 |
| | Total Expense for single visit of all lakes | $26,990.11 |
| | Single Year Sampling (4 visits) | $107,960.44 |
| | Three Year Sampling (12 visits) | $323,881.32 |

| HUC 8 | | |
|---|---|---|
| 10300200 Lower Missouri | Number of Lakes | 47 |
| | Round Trip Distance from Lab (mi) | 228 |
| | Hours to visit each lake | 7.6 |
| | Staff Expense (2 Employees) | $30,486.46 |
| | Vehicle Expense | $5,358.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $2,953.95 |
| | Total Expense for single visit of all lakes | $38,798.41 |
| | Single Year Sampling (4 visits) | $155,193.64 |
| | Three Year Sampling (12 visits) | $465,580.92 |

| HUC 8 | | |
|---|---|---|
| 11010001 Beaver Reservoir | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 380 |
| | Hours to visit each lake | 10.6 |
| | Staff Expense (2 Employees) | $909.48 |
| | Vehicle Expense | $190.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $1,538.99 |
| | Single Year Sampling (4 visits) | $6,155.96 |
| | Three Year Sampling (12 visits) | $18,467.88 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 11010002 James | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 338 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $837.41 |
| | Vehicle Expense | $169.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $1,445.92 |
| | Single Year Sampling (4 visits) | $5,783.68 |
| | Three Year Sampling (12 visits) | $17,351.04 |

| HUC 8 | | |
|---|---|---|
| 11010003 Bull Shoals Lake | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 362 |
| | Hours to visit each lake | 10.2 |
| | Staff Expense (2 Employees) | $2,635.78 |
| | Vehicle Expense | $543.00 |
| | Overnight Expense | $1,129.98 |
| | Sample Analysis | $188.55 |
| | Total Expense for single visit of all lakes | $4,497.31 |
| | Single Year Sampling (4 visits) | $17,989.24 |
| | Three Year Sampling (12 visits) | $53,967.72 |

| HUC 8 | | |
|---|---|---|
| 11010006 North Fork White | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 352 |
| | Hours to visit each lake | 10.0 |
| | Staff Expense (2 Employees) | $861.43 |
| | Vehicle Expense | $176.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $1,476.94 |
| | Single Year Sampling (4 visits) | $5,907.76 |
| | Three Year Sampling (12 visits) | $17,723.28 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 11010007 Upper Black | Number of Lakes | 22 |
| | Round Trip Distance from Lab (mi) | 416 |
| | Hours to visit each lake | 11.3 |
| | Staff Expense (2 Employees) | $21,367.63 |
| | Vehicle Expense | $4,576.00 |
| | Overnight Expense | $8,286.52 |
| | Sample Analysis | $1,382.70 |
| | Total Expense for single visit of all lakes | $35,612.85 |
| | Single Year Sampling (4 visits) | $142,451.40 |
| | Three Year Sampling (12 visits) | $427,354.20 |

| HUC 8 | | |
|---|---|---|
| 11010008 Current | Number of Lakes | 8 |
| | Round Trip Distance from Lab (mi) | 338 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $6,699.26 |
| | Vehicle Expense | $1,352.00 |
| | Overnight Expense | $3,013.28 |
| | Sample Analysis | $502.80 |
| | Total Expense for single visit of all lakes | $11,567.34 |
| | Single Year Sampling (4 visits) | $46,269.36 |
| | Three Year Sampling (12 visits) | $138,808.08 |

| HUC 8 | | |
|---|---|---|
| 11010009 Lower Black | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 410 |
| | Hours to visit each lake | 11.2 |
| | Staff Expense (2 Employees) | $1,921.92 |
| | Vehicle Expense | $410.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $125.70 |
| | Total Expense for single visit of all lakes | $3,210.94 |
| | Single Year Sampling (4 visits) | $12,843.76 |
| | Three Year Sampling (12 visits) | $38,531.28 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 11010010 Spring | Number of Lakes | 8 |
| | Round Trip Distance from Lab (mi) | 350 |
| | Hours to visit each lake | 10.0 |
| | Staff Expense (2 Employees) | $6,864.00 |
| | Vehicle Expense | $1,400.00 |
| | Overnight Expense | $3,013.28 |
| | Sample Analysis | $502.80 |
| | Total Expense for single visit of all lakes | $11,780.08 |
| | Single Year Sampling (4 visits) | $47,120.32 |
| | Three Year Sampling (12 visits) | $141,360.96 |

| HUC 8 | | |
|---|---|---|
| 11010011 Eleven Point | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 348 |
| | Hours to visit each lake | 10.0 |
| | Staff Expense (2 Employees) | $2,563.70 |
| | Vehicle Expense | $522.00 |
| | Overnight Expense | $1,129.98 |
| | Sample Analysis | $188.55 |
| | Total Expense for single visit of all lakes | $4,404.23 |
| | Single Year Sampling (4 visits) | $17,616.92 |
| | Three Year Sampling (12 visits) | $52,850.76 |

| HUC 8 | | |
|---|---|---|
| 11070207 Spring | Number of Lakes | 25 |
| | Round Trip Distance from Lab (mi) | 404 |
| | Hours to visit each lake | 11.1 |
| | Staff Expense (2 Employees) | $23,766.60 |
| | Vehicle Expense | $5,050.00 |
| | Overnight Expense | $9,416.50 |
| | Sample Analysis | $1,571.25 |
| | Total Expense for single visit of all lakes | $39,804.35 |
| | Single Year Sampling (4 visits) | $159,217.40 |
| | Three Year Sampling (12 visits) | $477,652.20 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 11070208 Elk | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 470 |
| | Hours to visit each lake | 12.4 |
| | Staff Expense (2 Employees) | $1,063.92 |
| | Vehicle Expense | $235.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $62.85 |
| | Total Expense for single visit of all lakes | $1,738.43 |
| | Single Year Sampling (4 visits) | $6,953.72 |
| | Three Year Sampling (12 visits) | $20,861.16 |

DRAFT

**Monitoring Expenses – Weight of Evidence Analysis**

This section is a compilation of costs for weight of evidence studies on those lakes that are in Category 3 of the Integrated Report. It is expected that the list of lakes in this category willgrow as more data become available. It is not known how Category 3 lakes will ultimately be distributed among the HUC 8s, so only those sections with lakes that are known to be in this status are included in the following tables.

Weight of evidence evaluations will include continuous studies of dissolved oxygen, as well as pH and turbidity. This will require a one-time purchase of 5 sondes that will be equipped with probes to read levels of dissolved oxygen, conductivity, pH and turbidity. The total cost of this equipment is estimated to be $89,588.00.

Assumptions:

- All of the assumptions applicable to the previous section are also effective for this section.
- Sample analysis will also include microcystin which is estimated to cost $150 for each sample
- There are two additional trips to each of the lakes each year, for installation and removal of the sonde equipment. Calculation of one-year and three year costs include sampling analysis for four of the six trips each year.

| HUC 8 | | |
|---|---|---|
| All | Number of Lakes | 107 |
| | Round Trip Distance from Lab (mi) | |
| | Hours to visit each lake | |
| | Staff Expense (2 Employees) | $76,990.06 |
| | Vehicle Expense | $14,408.00 |
| | Overnight Expense | $21,469.62 |
| | Sample Analysis | $22,774.95 |
| | Total Expense for single visit of all lakes | $135,6423.65 |
| | Single Year Sampling (6 visits) | $768,305.95 |
| | Three Year Sampling (18 visits) | $2,304,917.85 |

| HUC 8 | | |
|---|---|---|
| 07110002 North Fabius | Number of Lakes | 4 |
| | Round Trip Distance from Lab (mi) | 310 |
| | Hours to visit each lake | 9.2 |
| | Staff Expense (2 Employees) | $3,157.44 |
| | Vehicle Expense | $620 |
| | Overnight Expense | $1,506.64 |
| | Sample Analysis | $851.40 |
| | Total Expense for single visit of all lakes | $6,135.48 |
| | Single Year Sampling (6 visits) | $35,110.08 |
| | Three Year Sampling (18 visits) | $105,330.24 |

| HUC 8 | | |
|---|---|---|
| 07110003 South Fabius | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 274 |
| | Hours to visit each lake | 8.5 |
| | Staff Expense (2 Employees) | $727.58 |
| | Vehicle Expense | $137.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,454.09 |
| | Single Year Sampling (6 visits) | $8,298.85 |
| | Three Year Sampling (18 visits) | $24,896.55 |

| HUC 8 | | |
|---|---|---|
| 07110004 The Sny | Number of Lakes | 4 |
| | Round Trip Distance from Lab (mi) | 212 |
| | Hours to visit each lake | 7.2 |
| | Staff Expense (2 Employees) | $2,484.77 |
| | Vehicle Expense | $424.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $851.40 |
| | Total Expense for single visit of all lakes | $3,760.17 |
| | Single Year Sampling (6 visits) | $20,858.22 |
| | Three Year Sampling (18 visits) | $62,574.66 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07110005 North Fork Salt | Number of Lakes | 5 |
| | Round Trip Distance from Lab (mi) | 204 |
| | Hours to visit each lake | 7.1 |
| | Staff Expense (2 Employees) | $3,037.32 |
| | Vehicle Expense | $510.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,064.25 |
| | Total Expense for single visit of all lakes | $4,644.57 |
| | Single Year Sampling (6 visits) | $25,540.92 |
| | Three Year Sampling (18 visits) | $76,622.76 |

| HUC 8 | | |
|---|---|---|
| 07110006 South Fork Salt | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 150 |
| | Hours to visit each lake | 6.0 |
| | Staff Expense (2 Employees) | $514.80 |
| | Vehicle Expense | $75.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $802.65 |
| | Single Year Sampling (6 visits) | $4,390.20 |
| | Three Year Sampling (18 visits) | $13,170.60 |

| HUC 8 | | |
|---|---|---|
| 07110007 Salt | Number of Lakes | 5 |
| | Round Trip Distance from Lab (mi) | 174 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $2,779.92 |
| | Vehicle Expense | $435.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,064.25 |
| | Total Expense for single visit of all lakes | $4,279.17 |
| | Single Year Sampling (6 visits) | $23,546.52 |
| | Three Year Sampling (18 visits) | $70,639.56 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07110008 Cuivre | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 150 |
| | Hours to visit each lake | 6.0 |
| | Staff Expense (2 Employees) | $514.80 |
| | Vehicle Expense | $75.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $802.65 |
| | Single Year Sampling (6 visits) | $4,390.20 |
| | Three Year Sampling (18 visits) | $13,170.60 |

| HUC 8 | | |
|---|---|---|
| 07110009 Peruque – Piasa | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 216 |
| | Hours to visit each lake | 7.3 |
| | Staff Expense (2 Employees) | $826.06 |
| | Vehicle Expense | $108.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $948.91 |
| | Single Year Sampling (6 visits) | $5,627.75 |
| | Three Year Sampling (18 visits) | $15,803.25 |

| HUC 8 | | |
|---|---|---|
| 07140101 Cahokia – Joachim | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 270 |
| | Hours to visit each lake | 8.4 |
| | Staff Expense (2 Employees) | $720.72 |
| | Vehicle Expense | $135.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,445.23 |
| | Single Year Sampling (6 visits) | $8,245.68 |
| | Three Year Sampling (18 visits) | $24,737.04 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07140102 Meramec | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 218 |
| | Hours to visit each lake | 7.4 |
| | Staff Expense (2 Employees) | $631.49 |
| | Vehicle Expense | $109.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $953.34 |
| | Single Year Sampling (6 visits) | $5,294.34 |
| | Three Year Sampling (18 visits) | $15,883.02 |

| HUC 8 | | |
|---|---|---|
| 07140103 Bourbeuse | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 176 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $1,118.83 |
| | Vehicle Expense | $176.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $1,720.53 |
| | Single Year Sampling (6 visits) | $9,471.78 |
| | Three Year Sampling (18 visits) | $28,415.34 |

| HUC 8 | | |
|---|---|---|
| 07140104 Big | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 266 |
| | Hours to visit each lake | 8.3 |
| | Staff Expense (2 Employees) | $713.86 |
| | Vehicle Expense | $133.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,436.37 |
| | Single Year Sampling (6 visits) | $8,192.51 |
| | Three Year Sampling (18 visits) | $24,577.53 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 07140105 Upper Mississippi - Cape Girardeau | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 412 |
| | Hours to visit each lake | 11.2 |
| | Staff Expense (2 Employees) | $1,928.78 |
| | Vehicle Expense | $412.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $3,519.80 |
| | Single Year Sampling (6 visits) | $20,267.41 |
| | Three Year Sampling (18 visits) | $60,802.23 |

| HUC 8 | | |
|---|---|---|
| 07140107 Whitewater | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 394 |
| | Hours to visit each lake | 10.9 |
| | Staff Expense (2 Employees) | $933.50 |
| | Vehicle Expense | $197.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,720.01 |
| | Single Year Sampling (6 visits) | $9,894.37 |
| | Three Year Sampling (18 visits) | $29,603.34 |

| HUC 8 | | |
|---|---|---|
| 08020202 Upper St Francis | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 332 |
| | Hours to visit each lake | 9.6 |
| | Staff Expense (2 Employees) | $1,654.22 |
| | Vehicle Expense | $332.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $3,165.24 |
| | Single Year Sampling (6 visits) | $18,140.05 |
| | Three Year Sampling (18 visits) | $54,420.15 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 08020204 Little River Ditches | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 486 |
| | Hours to visit each lake | 12.7 |
| | Staff Expense (2 Employees) | $1,091.38 |
| | Vehicle Expense | $243.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,923.89 |
| | Single Year Sampling (6 visits) | $11,173.63 |
| | Three Year Sampling (18 visits) | $33,352.89 |

| HUC 8 | | |
|---|---|---|
| 10240010 Nodaway | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 498 |
| | Hours to visit each lake | 13.0 |
| | Staff Expense (2 Employees) | $1,111.97 |
| | Vehicle Expense | $249.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,950.48 |
| | Single Year Sampling (6 visits) | $11,277.18 |
| | Three Year Sampling (18 visits) | $33,831.54 |

| HUC 8 | | |
|---|---|---|
| 10240011 Independence - Sugar | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 392 |
| | Hours to visit each lake | 10.8 |
| | Staff Expense (2 Employees) | $930.07 |
| | Vehicle Expense | $196.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,715.58 |
| | Single Year Sampling (6 visits) | $9,867.78 |
| | Three Year Sampling (18 visits) | $29,603.34 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10240012 Platte | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 380 |
| | Hours to visit each lake | 10.6 |
| | Staff Expense (2 Employees) | $909.48 |
| | Vehicle Expense | $190.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,688.99 |
| | Single Year Sampling (6 visits) | $9,708.24 |
| | Three Year Sampling (18 visits) | $29,124.72 |

| HUC 8 | | |
|---|---|---|
| 10240013 One Hundred and Two | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 484 |
| | Hours to visit each lake | 12.7 |
| | Staff Expense (2 Employees) | $2,175.89 |
| | Vehicle Expense | $484.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $3,838.91 |
| | Single Year Sampling (6 visits) | $22,182.06 |
| | Three Year Sampling (18 visits) | $66,546.18 |

| HUC 8 | | |
|---|---|---|
| 10280101 Upper Grand | Number of Lakes | 12 |
| | Round Trip Distance from Lab (mi) | 422 |
| | Hours to visit each lake | 11.4 |
| | Staff Expense (2 Employees) | $11,778.62 |
| | Vehicle Expense | $2,532.00 |
| | Overnight Expense | $4,519.92 |
| | Sample Analysis | $2,554.20 |
| | Total Expense for single visit of all lakes | $21,384.74 |
| | Single Year Sampling (6 visits) | $123,200.05 |
| | Three Year Sampling (18 visits) | $369,600.15 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10280103 Lower Grand | Number of Lakes | 5 |
| | Round Trip Distance from Lab (mi) | 312 |
| | Hours to visit each lake | 9.2 |
| | Staff Expense (2 Employees) | $3,963.96 |
| | Vehicle Expense | $780.00 |
| | Overnight Expense | $1,883.30 |
| | Sample Analysis | $1,064.25 |
| | Total Expense for single visit of all lakes | $7,691.51 |
| | Single Year Sampling (6 visits) | $44,020.56 |
| | Three Year Sampling (18 visits) | $132,061.68 |

| HUC 8 | | |
|---|---|---|
| 10280201 Upper Chariton | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 340 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $2,522.52 |
| | Vehicle Expense | $510.00 |
| | Overnight Expense | $1,129.98 |
| | Sample Analysis | $638.55 |
| | Total Expense for single visit of all lakes | $4,801.05 |
| | Single Year Sampling (6 visits) | $27,529.20 |
| | Three Year Sampling (18 visits) | $82,587.60 |

| HUC 8 | | |
|---|---|---|
| 10280202 Lower Chariton | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 242 |
| | Hours to visit each lake | 7.8 |
| | Staff Expense (2 Employees) | $2,018.02 |
| | Vehicle Expense | $363.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $638.55 |
| | Total Expense for single visit of all lakes | $3,019.57 |
| | Single Year Sampling (6 visits) | $16,840.31 |
| | Three Year Sampling (18 visits) | $50,520.93 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10280203 Little Chariton | Number of Lakes | 5 |
| | Round Trip Distance from Lab (mi) | 178 |
| | Hours to visit each lake | 6.6 |
| | Staff Expense (2 Employees) | $2,814.24 |
| | Vehicle Expense | $445.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,0664.25 |
| | Total Expense for single visit of all lakes | $4,323.49 |
| | Single Year Sampling (6 visits) | $23,812.44 |
| | Three Year Sampling (18 visits) | $71,437.32 |

| HUC 8 | | |
|---|---|---|
| 10290102 Lower Marais des Cygnes | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 278 |
| | Hours to visit each lake | 8.6 |
| | Staff Expense (2 Employees) | $1,468.90 |
| | Vehicle Expense | $278.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $2,925.92 |
| | Single Year Sampling (6 visits) | $116,704.11 |
| | Three Year Sampling (18 visits) | $50,112.33 |

| HUC 8 | | |
|---|---|---|
| 10290103 Little Osage | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 348 |
| | Hours to visit each lake | 10.0 |
| | Staff Expense (2 Employees) | $854.57 |
| | Vehicle Expense | $174.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,618.08 |
| | Single Year Sampling (6 visits) | $9,282.78 |
| | Three Year Sampling (18 visits) | $27,848.34 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290105<br>Harry S Truman Reservoir | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 268 |
| | Hours to visit each lake | 8.4 |
| | Staff Expense (2 Employees) | $1,434.58 |
| | Vehicle Expense | $268.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $2,881.60 |
| | Single Year Sampling (6 visits) | $16,438.19 |
| | Three Year Sampling (18 visits) | $49,314.57 |

| HUC 8 | | |
|---|---|---|
| 10290106<br>Sac | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 280 |
| | Hours to visit each lake | 8.6 |
| | Staff Expense (2 Employees) | $737.88 |
| | Vehicle Expense | $140.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,467.39 |
| | Single Year Sampling (6 visits) | $8,378.64 |
| | Three Year Sampling (18 visits) | $25,135.92 |

| HUC 8 | | |
|---|---|---|
| 10290107<br>Pomme de Terre | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 232 |
| | Hours to visit each lake | 7.6 |
| | Staff Expense (2 Employees) | $655.51 |
| | Vehicle Expense | $116.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $984.36 |
| | Single Year Sampling (6 visits) | $5,480.46 |
| | Three Year Sampling (18 visits) | $16,441.38 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290108 South Grand | Number of Lakes | 8 |
| | Round Trip Distance from Lab (mi) | 252 |
| | Hours to visit each lake | 8.0 |
| | Staff Expense (2 Employees) | $5,518.66 |
| | Vehicle Expense | $1,008.00 |
| | Overnight Expense | $3,013.28 |
| | Sample Analysis | $1,702.80 |
| | Total Expense for single visit of all lakes | $11,242.74 |
| | Single Year Sampling (6 visits) | $64,050.83 |
| | Three Year Sampling (18 visits) | $192,152.49 |

| HUC 8 | | |
|---|---|---|
| 10290109 Lake of the Ozarks | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 116 |
| | Hours to visit each lake | 5.3 |
| | Staff Expense (2 Employees) | $456.46 |
| | Vehicle Expense | $58.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $727.31 |
| | Single Year Sampling (6 visits) | $3,938.15 |
| | Three Year Sampling (18 visits) | $11,814.45 |

| HUC 8 | | |
|---|---|---|
| 10290110 Niangua | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 190 |
| | Hours to visit each lake | 6.8 |
| | Staff Expense (2 Employees) | $583.44 |
| | Vehicle Expense | $95.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $891.29 |
| | Single Year Sampling (6 visits) | $4,922.04 |
| | Three Year Sampling (18 visits) | $14,766.12 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10290201 Upper Gasconade | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 240 |
| | Hours to visit each lake | 7.8 |
| | Staff Expense (2 Employees) | $669.24 |
| | Vehicle Expense | $120.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,002.09 |
| | Single Year Sampling (6 visits) | $5,586.84 |
| | Three Year Sampling (18 visits) | $16,760.52 |

| HUC 8 | | |
|---|---|---|
| 10300101 Lower Missouri – Crooked | Number of Lakes | 2 |
| | Round Trip Distance from Lab (mi) | 266 |
| | Hours to visit each lake | 8.3 |
| | Staff Expense (2 Employees) | $1,427.71 |
| | Vehicle Expense | $266.00 |
| | Overnight Expense | $753.32 |
| | Sample Analysis | $425.70 |
| | Total Expense for single visit of all lakes | $2,872.73 |
| | Single Year Sampling (6 visits) | $16,384.98 |
| | Three Year Sampling (18 visits) | $49,154.94 |

| HUC 8 | | |
|---|---|---|
| 10300102 Lower Missouri – Moreau | Number of Lakes | 7 |
| | Round Trip Distance from Lab (mi) | 96 |
| | Hours to visit each lake | 4.9 |
| | Staff Expense (2 Employees) | $2,954.95 |
| | Vehicle Expense | $336.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $731.74 |
| | Single Year Sampling (6 visits) | $3,964.74 |
| | Three Year Sampling (18 visits) | $11,894.22 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 10300103 Lamine | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 118 |
| | Hours to visit each lake | 5.4 |
| | Staff Expense (2 Employees) | $459.89 |
| | Vehicle Expense | $59.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $731.74 |
| | Single Year Sampling (6 visits) | $3,964.74 |
| | Three Year Sampling (18 visits) | $11,894.22 |

| HUC 8 | | |
|---|---|---|
| 10300104 Blackwater | Number of Lakes | 3 |
| | Round Trip Distance from Lab (mi) | 176 |
| | Hours to visit each lake | 6.5 |
| | Staff Expense (2 Employees) | $1,678.25 |
| | Vehicle Expense | $264.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $638.55 |
| | Total Expense for single visit of all lakes | $2,580.80 |
| | Single Year Sampling (6 visits) | $14,207.70 |
| | Three Year Sampling (18 visits) | $42,623.10 |

| HUC 8 | | |
|---|---|---|
| 10300200 Lower Missouri | Number of Lakes | 7 |
| | Round Trip Distance from Lab (mi) | 228 |
| | Hours to visit each lake | 7.6 |
| | Staff Expense (2 Employees) | $4,540.54 |
| | Vehicle Expense | $798.00 |
| | Overnight Expense | $0.00 |
| | Sample Analysis | $1,489.95 |
| | Total Expense for single visit of all lakes | $6,828.49 |
| | Single Year Sampling (6 visits) | $37,991.03 |
| | Three Year Sampling (18 visits) | $113,973.09 |

DRAFT

| HUC 8 | | |
|---|---|---|
| 11010003 Bull Shoals Lake | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 362 |
| | Hours to visit each lake | 10.2 |
| | Staff Expense (2 Employees) | $878.59 |
| | Vehicle Expense | $181.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,649.10 |
| | Single Year Sampling (6 visits) | $9,468.90 |
| | Three Year Sampling (18 visits) | $28,406.70 |

| HUC 8 | | |
|---|---|---|
| 11010007 Upper Black | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 416 |
| | Hours to visit each lake | 11.3 |
| | Staff Expense (2 Employees) | $971.26 |
| | Vehicle Expense | $208.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,768.77 |
| | Single Year Sampling (6 visits) | $10,186.91 |
| | Three Year Sampling (18 visits) | $30,560.73 |

| HUC 8 | | |
|---|---|---|
| 11010008 Current | Number of Lakes | 1 |
| | Round Trip Distance from Lab (mi) | 338 |
| | Hours to visit each lake | 9.8 |
| | Staff Expense (2 Employees) | $837.41 |
| | Vehicle Expense | $169.00 |
| | Overnight Expense | $376.66 |
| | Sample Analysis | $212.85 |
| | Total Expense for single visit of all lakes | $1,595.92 |
| | Single Year Sampling (6 visits) | $9,149.82 |
| | Three Year Sampling (18 visits) | $27,449.46 |

DRAFT