PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Cascade Technical Services- Vermont

1 Home Farm Way, Montpelier, VT 05602

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2005 "General Requirements for the competence of Testing and Calibration Laboratories" and the DoD Quality Systems Manual for Environmental Laboratories Version 5.1 January 2017 and is accredited is accordance with the:

United States Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP)

This accreditation demonstrates technical competence for the defined scope:

Environmental Testing

(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Initial Accreditation Date:	*Issue Date:*	*Expiration Date:*
June 19, 2017	June 19, 2017	July 31, 2019
Revision Date:	*Accreditation No.:*	*Certificate No.:*
November 16, 2017	74140	L17-248-R4

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com

ED_001670_00009858-00001

Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

PJLA

Cascade Technical Services-Vermont

1 Home Farm Way, Montpelier, VT 05602
Contact Name: Hillary Easter Phone: 802-229-2197

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorobutanoic acid (PFBA)
Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	N-ethyl Perfluorooctanesulfonamidoacetic acid (EtFOSAA)
Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	N-methyl perfluorooactanesulfonamidoacetic acid (NMeFOSAA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorotetradecanoic acid (PFTeDA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Fluorotelomer sulfonate 4:2 (4:2 FTS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Fluorotelomer sulfonate 6:2 (6:2 FTS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Fluorotelomer sulfonate 8:2 (8:2 FTS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorodecanesulfonate (PFDS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorododecanoic acid (PFDoA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoroheptanoic acid (PFHpA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorohexanesulfonate (PFHxS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorohexanoic acid (PFHxA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorodecanoic acid (PFDA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorononanoic acid (PFNA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorononanesulfonate (PFNS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorooctanesulfonate (PFOS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorooctanoic acid (PFOA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoropentanoic acid (PFPeA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorotridecanoic Acid (PFTrDA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoroundecanoic Acid (PFUnA or PFUdA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorobutanesulfonic acid (PFBS)

Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

PJLA

Cascade Technical Services-Vermont

1 Home Farm Way, Montpelier, VT 05602
Contact Name: Hillary Easter Phone: 802-229-2197

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoroheptanesulfonate (PFHpS)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorooctanesulfonamide (PFOSA)
Aqueous/Solid	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoropentansulfonate (PFPeS)
Aqueous/Solid	EPA 8260C	GC-MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,1,1,2-Tetrachloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,1-Trichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2,2-Tetrachloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2-Trichloro-1,2,2-trifluoroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1,2-Trichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1-Dichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,1-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2,4-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dibromo-3-chloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dibromoethane
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichloroethane
Aqueous/Solid	EPA 8260C	GC-MS	1,2-Dichloropropane
Aqueous/Solid	EPA 8260C	GC-MS	1,3,5-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	1,4- Dioxane
Aqueous/Solid	EPA 8260C	GC-MS	Benzene
Aqueous/Solid	EPA 8260C	GC-MS	Bromodichloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Bromoform
Aqueous/Solid	EPA 8260C	GC-MS	Carbon Disulfide
Aqueous/Solid	EPA 8260C	GC-MS	Carbon Tetrachloride
Aqueous/Solid	EPA 8260C	GC-MS	Chlorobenzene
Aqueous/Solid	EPA 8260C	GC-MS	Chloroethane
Aqueous/Solid	EPA 8260C	GC-MS	Chloroform
Aqueous/Solid	EPA 8260C	GC-MS	Chloromethane
Aqueous/Solid	EPA 8260C	GC-MS	cis-1,2-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	cis-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC-MS	Dibromochloromethane
Aqueous/Solid	EPA 8260C	GC-MS	Ethylbenzene

ED_001670_00009858-00003

Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

PJLA

Cascade Technical Services-Vermont

1 Home Farm Way, Montpelier, VT 05602
Contact Name: Hillary Easter Phone: 802-229-2197

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC-MS	Isopropylbenzene
Aqueous/Solid	EPA 8260C	GC-MS	m+p-Xylenes
Aqueous/Solid	EPA 8260C	GC-MS	Methylene Chloride
Aqueous/Solid	EPA 8260C	GC-MS	Naphthalene
Aqueous/Solid	EPA 8260C	GC-MS	o-Xylene
Aqueous/Solid	EPA 8260C	GC-MS	Styrene
Aqueous/Solid	EPA 8260C	GC-MS	t-Butyl-methyl ether
Aqueous/Solid	EPA 8260C	GC-MS	Tetrachloroethene
Aqueous/Solid	EPA 8260C	GC-MS	Toluene
Aqueous/Solid	EPA 8260C	GC-MS	trans-1,2-Dichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	trans-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC-MS	Trichloroethene
Aqueous/Solid	EPA 8260C	GC-MS	Vinyl Chloride
Aqueous/Solid	EPA 8260C	GC-MS	Xylenes (Total)

ED_001670_00009858-00004