To: Rao, Kate[Rao.kate@epa.gov]
Cc: Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]; Rumrill, Nancy[Rumrill.Nancy@epa.gov]; Albright, David[Albright.David@epa.gov]
From: JAMES D WALKER
Sent: Tue 4/11/2017 8:50:11 PM
Subject: RE: Excelsior Gunnison --

Kate,

I doubt this will be an issue that would impact the due date, but will let you know after reviewing the data on the CD.

Thanks,

Jim

From: Rao, Kate
Sent: Tuesday, April 11, 2017 2:43 PM
To: JAMES D WALKER
Cc: Jonathan.Koplos@cadmusgroup.com; Rumrill, Nancy; Albright, David
Subject: FW: Excelsior Gunnison --

Hello Jim –

Nancy just handed me a CD with water quality data that could not be sent electronically. This data is referenced in the first attached email (Draft responses to comments – 1 of 4). I will put it in the mail to you today/tomorrow. Please let me know if this will impact the deliverable due date of April 18/19th.

Thanks. Kate

****
Kate Rao

Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Rumrill, Nancy
Sent: Tuesday, April 04, 2017 11:23 AM
To: JAMES D WALKER <jameswalker5@msn.com>
Cc: Rao, Kate <Rao.kate@epa.gov>
Subject: FW: Excelsior Gunnison

Hi Jim,

Our response from Excelsior.

Thanks, Nancy

From: Rumrill, Nancy
Sent: Wednesday, March 29, 2017 5:44 PM
To: Albright, David <Albright.David@epa.gov>; Rao, Kate <Rao.kate@epa.gov>
Subject: Excelsior Gunnison

New submittal has come in from Excelsior. Checking to make sure the TDM is updated before sending to Jim. Thanks, Nancy