To: Rao, Kate[Rao.kate@epa.gov]; Shari.Ring@cadmusgroup.com[Shari.Ring@cadmusgroup.com]
Cc: Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]; Rumrill, Nancy[Rumrill.Nancy@epa.gov]
From: JAMES D WALKER
Sent: Thur 4/20/2017 5:37:34 PM
Subject: RE: Excelsior -- evaluation of applicant responses
removed.txt

Hi Kate,

I can confirm that the evaluation of responses includes my initial preliminary overview and comments on the Excelsior responses. The preliminary overview was provided in response to Nancy's request for update of any big issues overall midway in my review. The responses discussed in the mid-point update are partly or conditionally acceptable for the most part, but will require some clarification by Excelsior, as was indicated in the update email. A total of 25 or the 65 responses are considered fully acceptable and most of the other responses are considered generally, partially, or conditionally acceptable, which will require clarification or a review of the permit application language to be revised in response to EPA comments We believe the few incomplete or unacceptable responses can be resolved through further discussion or clarification of their responses.

Please let me know if you have any questions.

Thanks,

Jim

From: Rao, Kate
Sent: Thursday, April 20, 2017 10:56 AM
To: Shari.Ring@cadmusgroup.com
Cc: JAMES D WALKER; Jonathan.Koplos@cadmusgroup.com
Subject: RE: Excelsior -- evaluation of applicant responses

Thanks Shari.

Hi Jim – please confirm that the attached evaluation of responses includes your initial comment overview/download that you provided to Nancy via email on 4/17?

Thanks! Kate

****
Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Shari Ring [mailto:Shari.Ring@cadmusgroup.com]
Sent: Thursday, April 20, 2017 8:58 AM
To: Rao, Kate <Rao.kate@epa.gov>
Cc: JAMES D WALKER <jameswalker5@msn.com>; Jonathan.Koplos@cadmusgroup.com
Subject: Excelsior -- evaluation of applicant responses

Hi Kate,

Attached please find the Cadmus technical review of the Excelsior's responses to EPA's February 27 questions on the permit application.

Please let me know if you have any questions.

I'm looking forward to working with you. Please let me know if you'd like to catch up.

Shari Ring

The Cadmus Group, Inc.

703.247.6159



Follow us on social media:

This email message and its contents are for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.