To: Shari Ring[Shari.Ring@cadmusgroup.com]
Cc: JAMES D WALKER[jameswalker5@msn.com]; Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]
From: Rao, Kate
Sent: Thur 4/20/2017 4:55:55 PM
Subject: RE: Excelsior -- evaluation of applicant responses
Excelsior Gunnison Copper Project - April 2017 -Evaluation of responses.....docx

Thanks Shari.

Hi Jim – please confirm that the attached evaluation of responses includes your initial comment overview/download that you provided to Nancy via email on 4/17?

Thanks! Kate

****
Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Shari Ring [mailto:Shari.Ring@cadmusgroup.com]
Sent: Thursday, April 20, 2017 8:58 AM
To: Rao, Kate <Rao.kate@epa.gov>
Cc: JAMES D WALKER <jameswalker5@msn.com>; Jonathan.Koplos@cadmusgroup.com
Subject: Excelsior -- evaluation of applicant responses

Hi Kate,

Attached please find the Cadmus technical review of the Excelsior's responses to EPA's February 27 questions on the permit application.

Please let me know if you have any questions.

I'm looking forward to working with you. Please let me know if you'd like to catch up.

Shari Ring

The Cadmus Group, Inc.

703.247.6159

Follow us on social media:

This email message and its contents are for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.