To: Patrick, Monique[Patrick.Monique@epa.gov]; Cooper, Geoffrey[cooper.geoff@epa.gov]
From: Scalise, Laura
Sent: Mon 12/4/2017 7:01:09 PM
Subject: FW: Will miss todays AWG call

Oops – you weren't included in Reply All – sorry.

From: Scalise, Laura
Sent: Monday, December 04, 2017 1:59 PM
To: Garland, Jay <Garland.Jay@epa.gov>; Nye, Michael <nye.michael@epa.gov>
Subject: RE: Will miss todays AWG call

Monique, I can cover the call, unless Elise wants to cancel. I agree with Geoff.

"Everything should be made as simple as possible,
but not simpler." - Albert Einstein

Laura Scalise

Patent Attorney

WJCN 7426-S

Office: 202-564-8303

iPhone: 202-839-1488 (for telework)

From: Garland, Jay
Sent: Monday, December 04, 2017 1:46 PM
To: Nye, Michael <nye.michael@epa.gov>; Scalise, Laura <Scalise.Laura@epa.gov>
Subject: RE: Will miss todays AWG call

I'll be on and will cover.

From: Nye, Michael
Sent: Monday, December 04, 2017 1:44 PM
To: Scalise, Laura <Scalise.Laura@epa.gov>
Cc: Garland, Jay <Garland.Jay@epa.gov>
Subject: Will miss todays AWG call

I'll be commuting to an off site meeting during the call and so probably cannot participate. We are still working with SKY H20 to nail down testing arrangements and sampling, but moving forward. As far as I am aware, we have not received the watergen unit yet for testing.

All best

Mike

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259