To: Bauer, Sarah[Bauer.Sarah@epa.gov]; Morgan, Ardra[Morgan.Ardra@epa.gov]; Nye, Michael[nye.michael@epa.gov]
Cc: Garland, Jay[Garland.Jay@epa.gov]; Goodrich, James[Goodrich.James@epa.gov]; Graham, Kathleen[Graham.Kathleen@epa.gov]
From: Scalise, Laura
Sent: Wed 11/8/2017 10:06:10 PM
Subject: RE: Updating the MTA and NDA

Hi folks. I went on line to look at Water Gen's website and found:

http://water-gen.com/about-us/water-gen-usa/

First sentence: "Water-Gen USA was formed to work directly within the United States." [Doesn't say when or where.]

Last sentence: To date, Water-Gen has had tremendous success in demonstrating its products in the United States."

I do not see an US office address or an office phone number.

I tried looking up Water-Gen on Dun & Bradstreet. I found them in Israel, but did not find them in Florida. What US address did the company want to use? Wasn't it Florida?

Unless someone can show me a *bona fide* address in the US, we keep the agreements as they are.

- Laura

"Everything should be made as simple as possible,
but not simpler." - Albert Einstein

Laura Scalise

Patent Attorney

WJCN 7426-S

Office: 202-564-8303

iPhone: 202-839-1488 (for telework)

From: Bauer, Sarah
Sent: Wednesday, November 08, 2017 3:56 PM
To: Morgan, Ardra <Morgan.Ardra@epa.gov>; Nye, Michael <nye.michael@epa.gov>
Cc: Garland, Jay <Garland.Jay@epa.gov>; Goodrich, James <Goodrich.James@epa.gov>; Scalise, Laura <Scalise.Laura@epa.gov>; Graham, Kathleen <Graham.Kathleen@epa.gov>
Subject: RE: Updating the MTA and NDA

Hi All,

Is the unit being shipped to Cincy – does anyone know?

Please keep Kathleen and Laura on all emails regarding this matter. We all back each other up.

FYI – Kathleen and I will be out all of next week at a Face to Face meeting.

Laura do we need to amend the MTA to list the correct address?

Sarah

Sarah Bauer
U.S. Environmental Protection Agency

ORD, OARS, EMD, PMB
Federal Technology Transfer Act (FTTA) Program Coordinator
http://www.epa.gov/ftta
202-564-3267

Courier Address
Sarah Bauer
U. S. Environmental Protection Agency MC 8106R
Ronald Reagan Building Room 41180
1300 Pennsylvania Avenue NW
Washington, DC 20004
202-564-3267

From: Morgan, Ardra
Sent: Tuesday, November 07, 2017 10:17 AM
To: Nye, Michael <nye.michael@epa.gov>; Bauer, Sarah <Bauer.Sarah@epa.gov>
Cc: Garland, Jay <Garland.Jay@epa.gov>; Goodrich, James <Goodrich.James@epa.gov>
Subject: RE: Updating the MTA and NDA

It has not. I spoke with Yehuda yesterday and he was looking for the address for where to ship the unit. My understanding is that it's going to the T&E facility so, im assuming Jim will be the POC for delivery and can give us the address?

Ardra Morgan
Deputy Director

Systems Exposure Division

National Exposure Research Laboratory
Office of Research and Development

US Environmental Protection Agency
(919) 541-3658

From: Nye, Michael
Sent: Tuesday, November 07, 2017 10:08 AM

To: Morgan, Ardra <Morgan.Ardra@epa.gov>; Bauer, Sarah <Bauer.Sarah@epa.gov>
Cc: Garland, Jay <Garland.Jay@epa.gov>
Subject: RE: Updating the MTA and NDA

I presume this is more in Sarah's wheelhouse. This was not raised on the call yesterday. Has the unit arrived in Cincy?

Mike

Michael B. Nye PhD, FAC-P/PM

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

From: Morgan, Ardra
Sent: Monday, November 06, 2017 1:55 PM
To: Bauer, Sarah <Bauer.Sarah@epa.gov>; Nye, Michael <nye.michael@epa.gov>
Cc: Garland, Jay <Garland.Jay@epa.gov>
Subject: Updating the MTA and NDA

Mike and Sarah,

Jay and I spoke with Yehuda last week and he was asking to have the subject documents updated to reflect the US-based personnel and addresses. I thought that's what we'd included but, at some point, the Israeli address(es) were written back in. Can we do an amendment to have those addresses updated?

Ardra Morgan
Deputy Director

Systems Exposure Division

National Exposure Research Laboratory
Office of Research and Development

US Environmental Protection Agency
(919) 541-3658