To: Packard, Elise[Packard.Elise@epa.gov]
From: Scalise, Laura
Sent: Mon 11/27/2017 6:03:32 PM
Subject: RE: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

Hi Elise. I'm guessing that Roy is from Water Gen, since the excerpt says "we." I didn't see an email from Roy, So I don't know for sure.

Whoever he is, the clause he raised is not an issue.

"Everything should be made as simple as possible,
but not simpler." - Albert Einstein

Laura Scalise

Patent Attorney

WJCN 7426-S

Office: 202-564-8303

iPhone: 202-839-1488 (for telework)

From: Packard, Elise
Sent: Monday, November 27, 2017 12:58 PM
To: Scalise, Laura <Scalise.Laura@epa.gov>
Subject: RE: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

Is Roy WaterGen or the other company?

Elise B. Packard

Acting Principal Deputy General Counsel

U.S. EPA Office of General Counsel, Rm. 4020

(202) 564-7729

From: Scalise, Laura
Sent: Monday, November 27, 2017 12:57 PM
To: Graham, Kathleen <Graham.Kathleen@epa.gov>
Cc: Nye, Michael <nye.michael@epa.gov>; Packard, Elise <Packard.Elise@epa.gov>
Subject: RE: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

Hi Kathleen. This is the clause under 4.1 that appears in the draft CRADA I sent Liat on 11-15. Some of it is her language:

No funds are anticipated to be collected from the Company in the course of this effort. The Company shall incur all costs and expenses associated with the delivery of the WG Devices to and back from the Laboratory's designated facilities at the end of the CRADA.

"Everything should be made as simple as possible,
but not simpler." - Albert Einstein

Laura Scalise

Patent Attorney

WJCN 7426-S

Office: 202-564-8303

iPhone: 202-839-1488 (for telework)

From: Graham, Kathleen
Sent: Monday, November 27, 2017 10:00 AM
To: Nye, Michael <nye.michael@epa.gov>; Packard, Elise <Packard.Elise@epa.gov>; Lape, Jeff <lape.jeff@epa.gov>; Simon, Nigel <Simon.Nigel@epa.gov>; Scozzafava, MichaelE

<Scozzafava.MichaelE@epa.gov>; Fitz-James, Schatzi <Fitz-James.Schatzi@epa.gov>; Fotouhi, David <Fotouhi.David@epa.gov>; Shapiro, Mike <Shapiro.Mike@epa.gov>; Scalise, Laura <Scalise.Laura@epa.gov>; Costanza, Jed <costanza.jed@epa.gov>; Breen, Barry <Breen.Barry@epa.gov>; vanDrunick, Suzanne <vanDrunick.Suzanne@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Speth, Thomas <Speth.Thomas@epa.gov>; Trudeau, Shaun <Trudeau.Shaun@epa.gov>; Barr, Pamela <Barr.Pamela@epa.gov>; Patrick, Monique <Patrick.Monique@epa.gov>; Hill, Teresa <Hill.Teresa@epa.gov>; Morgan, Ardra <Morgan.Ardra@epa.gov>; Adler, Jacob <adler.jacob@epa.gov>; Gutierrez, Sally <Gutierrez.Sally@epa.gov>; Kelly, Albert <kelly.albert@epa.gov>; Cooper, Geoff <Cooper.Geoff@epa.gov>; Falvo, Nicholas <falvo.nicholas@epa.gov>
Cc: Bauer, Sarah <Bauer.Sarah@epa.gov>; Garland, Jay <Garland.Jay@epa.gov>
Subject: RE: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

Previously we have inserted this language into 4.1 when there is not going to be a transfer of funds:

There will be no transfer of funds from the Cooperator to the Laboratory.

Alternatively, they can insert "$0.00" into the standard template language.

Laura let us know if you have a preference for one of these two approaches.

Thanks!

Kathleen

Kathleen Graham
Federal Technology Transfer Act (FTTA) Program
Office of Research and Development
U.S. Environmental Protection Agency

Denver, CO (303) 312-6137

www.epa.gov/ftta

From: Nye, Michael
Sent: Monday, November 27, 2017 7:36 AM
To: Packard, Elise <Packard.Elise@epa.gov>; Lape, Jeff <lape.jeff@epa.gov>; Simon, Nigel <Simon.Nigel@epa.gov>; Scozzafava, MichaelE <Scozzafava.MichaelE@epa.gov>; Fitz-James, Schatzi <Fitz-James.Schatzi@epa.gov>; Fotouhi, David <Fotouhi.David@epa.gov>; Shapiro, Mike <Shapiro.Mike@epa.gov>; Scalise, Laura <Scalise.Laura@epa.gov>; Costanza, Jed <costanza.jed@epa.gov>; Breen, Barry <Breen.Barry@epa.gov>; vanDrunick, Suzanne <vanDrunick.Suzanne@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Speth, Thomas <Speth.Thomas@epa.gov>; Trudeau, Shaun <Trudeau.Shaun@epa.gov>; Barr, Pamela <Barr.Pamela@epa.gov>; Patrick, Monique <Patrick.Monique@epa.gov>; Hill, Teresa <Hill.Teresa@epa.gov>; Morgan, Ardra <Morgan.Ardra@epa.gov>; Adler, Jacob <adler.jacob@epa.gov>; Gutierrez, Sally <Gutierrez.Sally@epa.gov>; Kelly, Albert <kelly.albert@epa.gov>; Cooper, Geoff <Cooper.Geoff@epa.gov>; Graham, Kathleen <Graham.Kathleen@epa.gov>; Falvo, Nicholas <falvo.nicholas@epa.gov>
Cc: Bauer, Sarah <Bauer.Sarah@epa.gov>; Garland, Jay <Garland.Jay@epa.gov>
Subject: RE: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

I'd like to get an answer to Roy's question about deleting this clause from the CRADA, but we can probably do that via this email. See below:

Michael and EPA Team,

Thank you for the phone meeting.

The draft SOW discusses testing over a period of three months. We will clean and sterilize the AWG system using food industry methods prior to operation and testing. Do you have an idea of how long you want us to continuously operate the system and does this need to be 24 x 7?

We would like to delete clause 4.1 in the CRADA which also has payment address and wire transfer instructions:

4.1 **Transfer of Funds**. The Cooperator agrees to pay $_____to EPA for the performance of research specified in Article 2 and the SOW in Attachment A. A check payable to the U.S Environmental Protection Agency (EPA) must be delivered to EPA before work can be initiated by the Laboratory. The check (made payable to U.S. Environmental Protection Agency) shall be mailed to:

Michael B. Nye PhD

Net Zero Program Manager

National Exposure Research Laboratory

EPA Region 8 - Denver

US Environmental Protection Agency

T: 303 312 6986

M: 303 912 8259

From: Packard, Elise
Sent: Monday, November 27, 2017 7:31 AM
To: Lape, Jeff <lape.jeff@epa.gov>; Simon, Nigel <Simon.Nigel@epa.gov>; Scozzafava, MichaelE <Scozzafava.MichaelE@epa.gov>; Fitz-James, Schatzi <Fitz-James.Schatzi@epa.gov>; Fotouhi, David <Fotouhi.David@epa.gov>; Shapiro, Mike <Shapiro.Mike@epa.gov>; Scalise, Laura <Scalise.Laura@epa.gov>; Costanza, Jed <costanza.jed@epa.gov>; Nye, Michael <nye.michael@epa.gov>; Breen, Barry <Breen.Barry@epa.gov>; vanDrunick, Suzanne <vanDrunick.Suzanne@epa.gov>; Crossland, Ronnie <Crossland.Ronnie@epa.gov>; Speth, Thomas <Speth.Thomas@epa.gov>; Trudeau, Shaun <Trudeau.Shaun@epa.gov>; Barr, Pamela <Barr.Pamela@epa.gov>; Patrick, Monique <Patrick.Monique@epa.gov>; Hill, Teresa <Hill.Teresa@epa.gov>; Morgan, Ardra <Morgan.Ardra@epa.gov>; Adler, Jacob <adler.jacob@epa.gov>; Gutierrez, Sally <Gutierrez.Sally@epa.gov>; Kelly, Albert <kelly.albert@epa.gov>; Cooper, Geoff <Cooper.Geoff@epa.gov>; Graham, Kathleen <Graham.Kathleen@epa.gov>; Falvo, Nicholas <falvo.nicholas@epa.gov>
Cc: Bauer, Sarah <Bauer.Sarah@epa.gov>; Garland, Jay <Garland.Jay@epa.gov>
Subject: Atmospheric Water Generator/Call-in #1-866-299-3188, Code: 1474534

Hi all,

Does anyone have any news to report or, because of the Thanksgiving break, should we cancel this meeting and convene again in a week?

Thanks,

Elise

Elise B. Packard

Acting Principal Deputy General Counsel

U.S. EPA Office of General Counsel, Rm. 4020

(202) 564-7729