To: Conlan, Linda[linda.conlan@amecfw.com]
Cc: Dadap, Nathan C.[dadap.nathan@epa.gov]
From: Santos, Carmen
Sent: Wed 4/1/2015 4:33:52 AM
Subject: RE: PCBs - Pechiney - Summary of USEPA Conditional Approvals and Information

Hello Linda:

Thank you for sending the information that I had requested to expedite our review of the cleanup completion reports.

A lot of work went into preparing the table. Thank you.

Sincerely,
Carmen

Carmen D. Santos
PCB Coordinator
USEPA Region 9 (LND-4-1)
Land Division
75 Hawthorne Street
San Francisco, CA 94105
Voice: 415.972.3360
santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

---

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Conlan, Linda [mailto:linda.conlan@amecfw.com]
Sent: Tuesday, March 31, 2015 6:35 AM
To: Santos, Carmen; Dadap, Nathan C.
Cc: Gerald Pepper; Sultana, Chand@DTSC; Holland, Kim
Subject: PCBs - Pechiney - Summary of USEPA Conditional Approvals and Information

Hi Carmen and Nathan,

Per your request, please find attached a summary table listing USEPA's Conditions, Response/Information related to the conditions, and the applicable section(s) of the Completion Reports that applies to the conditions. Attached to the summary table is the as-constructed drawing of the current site grade after demolition (Appendix A) and a site-wide Record Drawing with the locations and information for the underground warning barriers (UWB) and structures left in place below 10 feet (Appendix B). Please note that an updated version of the site-wide Record Drawing with the maximum concentration of total PCBs that remain in place below the UWBs will follow later this week. In addition, the excel summary table with the PCB verification sample results and parameters requested will also follow.

Please let us know if you need any additional information.

Thank you, Linda

Linda Conlan, PG
Principal Geologist
Amec Foster Wheeler
Environment & Infrastructure
121 Innovation Drive, Suite 200, Irvine, CA 92617
Main: 949.642.0245 | Direct: 949.574.7083 | Cell: 949.355.3631| Fax: 949.642.4474

NEW EMAIL Address: linda.conlan@amecfw.com

NOTICE: The information contained in (and attached to) this e-mail is intended only for the personal and confidential use of the designated recipient(s) named above. This message may be a consultant/client, attorney/client or attorney work product communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you received this communication in error, please notify us immediately by reply e-mail, and delete the original message (including attachments).

amec
foster
wheeler

This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click http://amecfw.com/email-disclaimer for notices and company information in relation to emails originating in the UK, Italy or France.