Table 1. Summary of Indicator Parameters, Ambient Monitoring

Well ID	Sample Date	Magnesium	Sulfate	Fluoride	Total Dissolved Solids	Field Temp	Field pH	Field EC
M52-UBF								
M52-UBF	Jul 19 2017	24	190	0.69	860	24.1	7.44	1449
M52-UBF	Aug 17 2017	23	180	0.65	870	24.9	7.37	1454
M52-UBF	Sep 14 2017	23	180	0.74	860	24.9	7.47	1444
M52-UBF	Oct 25 2017	23	180	0.71	850	23.5	7.41	1439
M52-UBF	Nov 16 2017	23	180	0.71	870	23.8	7.52	1433
M52-UBF	Dec 12 2017	24	180	0.59	870	23	7.31	1453
M52-UBF	Jan 09 2018	23	180	<0.4	820	22.5	7.35	1434
M52-UBF	Feb 09 2018	23	180	0.66	860	20.8	7.38	1426
Minimum		23	180	<0.4	820	20.8	7.31	1426
Maximum		24	190	0.74	870	24.9	7.52	1454
Average		23.3	181	0.62	858	23.4	7.41	1442
Standard Deviation		0.5	4	0.18	17	1.4	0.07	10
Count		8	8	8	8	8	8	8
Count Detect		8	8	7	8	8	8	8
95% UCL		25.1	195	1.32	924	28.8	8.00	1482
M54-LBF								
M54-LBF	Jul 18 2017	23	180	0.67	890	24.2	7.33	1515
M54-LBF	Aug 15 2017	23	160	0.61	450	24.5	7.42	1507
M54-LBF	Sep 12 2017	24	160	0.69	900	24	7.4	1512
M54-LBF	Oct 23 2017	23	170	0.75	880	23.3	7.39	1512
M54-LBF	Nov 15 2017	23	170	0.69	910	23	7.44	1514
M54-LBF	Dec 12 2017	23	170	0.57	900	22.9	7.31	1539
M54-LBF	Jan 09 2018	24	170	<0.4	890	22.3	7.57	1511
M54-LBF	Feb 07 2018	24	180	0.6	900	22	7.28	1481
Minimum		23	160	<0.4	450	22	7.28	1481
Maximum		24	180	0.75	910	24.5	7.57	1539
Average		23.4	170	0.60	840	23.3	7.39	1511
Standard Deviation		0.5	8	0.17	158	0.9	0.09	16
Count		8	8	8	8	8	8	8
Count Detect		8	8	7	8	8	8	8
95% UCL		25.4	200	1.28	1470	26.9	8.00	1574
M54-0								
M54-0	Jul 18 2017	5.6	56	0.61	420	24.3	8.16	749
M54-0	Aug 15 2017	5.2	47	0.64	910	24.1	8.08	749
M54-0	Sep 12 2017	5.5	43	0.74	470	24.7	8.21	760
M54-0	Oct 23 2017	5.3	44	0.74	440	23.7	8.22	767
M54-0	Nov 16 2017	5.2	42	0.8	430	22.4	8.34	754

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb:WQ Level 1 New POC Rpt_v2\3/23/2018

ED_002245_00000078-00001

Table 1. Summary of Indicator Parameters, Ambient Monitoring

Well ID	Sample Date	Magnesium	Sulfate	Fluoride	Total Dissolved Solids	Field Temp	Field pH	Field EC
M54-0	Dec 12 2017	6.2	43	0.68	440	22	7.98	746
M54-0	Jan 09 2018	5.2	42	0.56	460	21.8	8.16	768
M54-0	Feb 07 2018	5.8	48	0.71	430	21.4	7.77	725
Minimum		5.2	42	0.56	420	21.4	7.77	725
Maximum		6.2	56	0.8	910	24.7	8.34	768
Average		5.5	46	0.69	500	23.1	8.12	752
Standard Deviation		0.4	5	0.08	166	1.3	0.17	14
Count		8	8	8	8	8	8	8
Count Detect		8	8	8	8	8	8	8
95% UCL		6.9	65	1.00	1164	28.2	8.00	807
M55-UBF								
M55-UBF	Jul 17 2017	29	240	<0.4	1100	24.9	7.15	1715
M55-UBF	Aug 16 2017	28	230	0.52	1100	24.1	7.23	1727
M55-UBF	Sep 13 2017	27	230	0.62	1100	25.3	7.19	1697
M55-UBF	Oct 25 2017	25	180	0.63	910	24.2	7.31	1503
M55-UBF	Nov 21 2017	24	180	0.58	910	22.1	7.15	1508
M55-UBF	Dec 12 2017	25	180	0.52	890	22.6	7.2	1509
M55-UBF	Jan 15 2018	23	150	<0.4	900	22.3	7.22	1480
M55-UBF	Feb 09 2018	24	180	0.56	890	22.5	7.02	1480
Minimum		23	150	<0.4	890	22.1	7.02	1480
Maximum		29	240	0.63	1100	25.3	7.31	1727
Average		25.6	196	0.48	975	23.5	7.18	1577
Standard Deviation		2.1	32	0.18	104	1.3	0.08	113
Count		8	8	8	8	8	8	8
Count Detect		8	8	6	8	8	8	8
95% UCL		34.1	326	1.18	1389	28.6	8.00	2029
M56-LBF								
M56-LBF	Jul 17 2017	26	180	<0.4	870	24.2	7.23	1490
M56-LBF	Aug 16 2017	24	170	<0.4	890	25.5	7.43	1493
M56-LBF	Sep 13 2017	24	160	<0.4	890	24.4	7.45	1483
M56-LBF	Oct 25 2017	23	160	<0.4	840	23.6	7.36	1435
M56-LBF	Nov 20 2017	23	160	<0.4	810	22.67	7.347	1428
M56-LBF	Dec 12 2017	23	160	<0.4	820	21.9	7.56	1408
M56-LBF	Jan 15 2018	23	130	<0.4	840	24.4	7.37	1402
M56-LBF	Feb 09 2018	22	170	<0.4	850	21.3	7.46	1419

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb:WQ Level 1 New POC Rpt_v2\3/23/2018

ED_002245_00000078-00002

Table 1. Summary of Indicator Parameters, Ambient Monitoring								
Well ID	Sample Date	Magnesium	Sulfate	Fluoride	Total Dissolved Solids	Field Temp	Field pH	Field EC
Minimum		22	130	<0.4	810	21.3	7.23	1402
Maximum		26	180	<0.4	890	25.5	7.56	1493
Average		23.5	161	0.20	851	23.5	7.40	1445
Standard Deviation		1.2	15	0.00	30	1.4	0.10	38
Count		8	8	8	8	8	8	8
Count Detect		8	8	0	8	8	8	8
95% UCL		28.3	219	0.20	971	29.2	8.00	1596
M57-O								
M57-O	Jul 17 2017	11	88	0.51	520	24.2	7.9	882
M57-O	Aug 17 2017	7.5	62	0.57	440	23.4	7.9	784
M57-O	Sep 13 2017	7.6	60	0.63	450	23.8	7.72	787
M57-O	Oct 25 2017	10	74	<0.4	500	22.8	7.78	883
M57-O	Nov 20 2017	9.4	75	0.54	500	22.51	7.85	877
M57-O	Dec 13 2017	9	73	<0.4	500	22	7.74	862
M57-O	Jan 10 2018	9	65	<0.4	470	21.4	7.83	842
M57-O	Feb 08 2018	8.6	70	0.52	480	21	7.67	840
Minimum		7.5	60	<0.4	440	21	7.67	784
Maximum		11	88	0.63	520	24.2	7.9	883
Average		9.0	71	0.42	483	22.6	7.80	845
Standard Deviation		1.2	9	0.19	28	1.1	0.09	40
Count		8	8	8	8	8	8	8
Count Detect		8	8	5	8	8	8	8
95% UCL		13.7	106	1.17	593	27.2	8.00	1005
M58-O								
M58-O	Jul 18 2017	10	140	0.96	640	24	7.73	1069
M58-O	Aug 15 2017	14	170	0.72	780	25	7.76	1293
M58-O	Sep 12 2017	20	200	0.57	890	24.2	7.71	1424
M58-O	Oct 24 2017	16	180	0.68	800	23.6	7.66	1367
M58-O	Nov 16 2017	17	190	0.6	870	22.7	7.69	1424
M58-O	Dec 13 2017	20	210	<0.4	900	23.3	7.53	1488
M58-O	Jan 09 2018	21	220	<0.4	930	22.3	7.6	1505
M58-O	Feb 07 2018	22	220	<0.4	920	22.3	7.19	1491

Table 1. Summary of Indicator Parameters, Ambient Monitoring

Well ID	Sample Date	Magnesium	Sulfate	Fluoride	Total Dissolved Solids	Field Temp	Field pH	Field EC
Minimum		10	140	<0.4	640	22.3	7.19	1069
Maximum		22	220	0.96	930	25	7.76	1505
Average		17.5	191	0.52	841	23.4	7.61	1383
Standard Deviation		4.1	27	0.29	98	1.0	0.18	145
Count		8	8	8	8	8	8	8
Count Detect		8	8	5	8	8	8	8
95% UCL		33.7	301	1.66	1231	27.3	8.00	1963
M59-0								
M59-0	Jul 19 2017	8	72	0.68	460	23.5	7.74	808
M59-0	Aug 17 2017	8.3	66	0.62	470	24.3	7.95	838
M59-0	Sep 14 2017	8	68	0.73	500	24.5	7.96	859
M59-0	Oct 24 2017	6.9	70	0.74	480	24.3	7.86	824
M59-0	Nov 20 2017	9	66	0.66	490	22.53	7.81	827
M59-0	Dec 14 2017	5	76	0.72	470	21.8	7.83	818
M59-0	Jan 10 2018	3.6	120	0.78	510	21.1	7.98	860
M59-0	Feb 08 2018	9.1	71	0.61	500	22.8	7.66	868
Minimum		3.6	66	0.61	460	21.1	7.66	808
Maximum		9.1	120	0.78	510	24.5	7.98	868
Average		7.2	76	0.69	485	23.1	7.85	838
Standard Deviation		2.0	18	0.06	18	1.3	0.11	22
Count		8	8	8	8	8	8	8
Count Detect		8	8	8	8	8	8	8
95% UCL		15.1	148	0.93	556	28.1	8.00	926
M60-0								
M60-0	Jul 19 2017	12	97	0.55	590	24	7.69	1020
M60-0	Aug 16 2017	7.5	81	0.67	540	23.7	7.89	928
M60-0	Sep 14 2017	10	98	0.66	590	23.7	7.56	1037
M60-0	Oct 24 2017	18	130	<0.4	720	24.5	7.59	1264
M60-0	Nov 21 2017	18	130	<0.4	740	21.1	7.48	1276
M60-0	Dec 14 2017	15	140	<0.4	740	22.5	7.47	1262
M60-0	Jan 15 2018	8.7	100	0.54	530	21	7.67	1023
M60-0	Feb 07 2018	7.4	98	0.65	560	22.2	7.52	952

Table 1. Summary of Indicator Parameters, Ambient Monitoring								
Well ID	Sample Date	Magnesium	Sulfate	Fluoride	Total Dissolved Solids	Field Temp	Field pH	Field EC
Minimum		7.4	81	<0.4	530	21	7.47	928
Maximum		18	140	0.67	740	24.5	7.89	1276
Average		12.1	109	0.46	626	22.8	7.61	1095
Standard Deviation		4.4	21	0.22	91	1.3	0.14	147
Count		8	8	8	8	8	8	8
Count Detect		8	8	5	8	8	8	8
95% UCL		29.7	193	1.33	991	28.2	8.00	1683

Table 4. Summary of Common Inorganic Analytical Results, Ambient Monitoring

Well ID	Sample Date	Bicarbonate Alkalinity	Carbonate Alkalinity	Hydroxide Alkalinity	Total Alkalinity	Cyanide (Free)	Calcium	Chloride	Nitrate as N	Nitrite as N	Potassium	Sodium	pH (Lab)	EC (Lab)	Ion Balance
Minimum		180	<2.	<2.	180	<0.1	110	250	9.9	<0.1	<5.	140	7.3	1500	1.93
Maximum		190	<2.	<2.	190	<0.1	120	290	11.	<0.1	5.4	160	7.6	1700	9.9
Average		182.5	1.0	1.0	182.5	0.1	112.5	266.3	10.6	0.1	4.2	151.3	7.5	1600.0	6.7
Standard Deviation		4.6	0.0	0.0	4.6	0.0	4.6	15.1	0.6	0.0	1.4	6.4	0.1	53.5	2.7
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	5	8	8	8	8
95% UCL		201.0	1.0	1.0	201.0	0.1	131.0	326.3	12.8	0.1	9.7	176.8	7.8	1813.3	17.5
M54-0															
M54-0	Jul 18 2017	100	<2.	<2.	100	<0.1	27	150	<0.5	<0.1	5.5	100	8.1	770	8.22
M54-0	Aug 15 2017	120	<2.	<2.	120	<0.1	24	130	<0.5	<0.1	5.4	110	8.	800	9.62
M54-0	Sep 12 2017	140	<2.	<2.	140	<0.1	26	130	<0.5	<0.1	6.3	120	8.	770	7.18
M54-0	Oct 23 2017	120	<2.	<2.	120	<0.1	25	150	<0.5	<0.1	7.3	120	8.	750	7.62
M54-0	Nov 16 2017	130	<2.	<2.	130	<0.1	24	130	<0.5	<0.1	6.	110	7.8	800	10.1
M54-0	Dec 12 2017	130	<2.	<2.	130	<0.1	29	150	<0.5	<0.1	6.6	130	8.	760	4.64
M54-0	Jan 09 2018	130	<2.	<2.	130	<0.1	25	150	<0.5	<0.1	7.2	120	8.	810	9.19
M54-0	Feb 07 2018	120	<2.	<2.	120	<0.1	27	140	<0.5	<0.1	5.4	120	7.9	720	7.23
Minimum		100	<2.	<2.	100	<0.1	24	130	<0.5	<0.1	5.4	100	7.8	720	4.64
Maximum		140	<2.	<2.	140	<0.1	29	150	<0.5	<0.1	7.3	130	8.1	810	10.1
Average		123.8	1.0	1.0	123.8	0.1	25.9	141.3	0.3	0.1	6.2	116.3	8.0	772.5	8.0
Standard Deviation		11.9	0.0	0.0	11.9	0.0	1.7	9.9	0.0	0.0	0.8	9.2	0.1	30.1	1.7
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	0	0	8	8	8	8	8
95% UCL		171.1	1.0	1.0	171.1	0.1	32.8	180.8	0.3	0.1	9.3	152.8	8.3	892.7	14.9
M55-UBF															
M55-UBF	Jul 17 2017	220	<2.	<2.	220	<0.1	140	290	9.2	<0.1	5.7	170	7.3	1900	3.74
M55-UBF	Aug 16 2017	220	<2.	<2.	220	<0.1	140	300	9.	<0.1	5.2	170	7.3	1900	6.72
M55-UBF	Sep 13 2017	200	<2.	<2.	200	<0.1	130	260	9.3	<0.1	5.1	170	7.5	1800	4.43
M55-UBF	Oct 25 2017	220	<2.	<2.	220	<0.1	110	240	10.	<0.1	<5.	160	7.3	1600	3.84
M55-UBF	Nov 21 2017	220	<2.	<2.	220	<0.1	110	220	9.8	<0.1	<5.	160	7.4	1500	5.19
M55-UBF	Dec 12 2017	220	<2.	<2.	220	<0.1	110	250	11.	<0.1	<5.	150	7.4	1400	9.23

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb:WQ Common Ion New POC Rpt_y2\3/18/2018\Admin

ED_002245_00000078-00006

Table 4. Summary of Common Inorganic Analytical Results, Ambient Monitoring

Well ID	Sample Date	Bicarbonate Alkalinity	Carbonate Alkalinity	Hydroxide Alkalinity	Total Alkalinity	Cyanide (Free)	Calcium	Chloride	Nitrate as N	Nitrite as N	Potassium	Sodium	pH (Lab)	EC (Lab)	Ion Balance
M55-UBF	Jan 15 2018	220	<2.	<2.	220	<0.1	110	200	9.8	<0.1	<5.	150	7.3	1500	3.15
M55-UBF	Feb 09 2018	220	<2.	<2.	220	<0.1	110	230	10.	<0.1	<5.	150	7.5	1900	7.71
Minimum		200	<2.	<2.	200	<0.1	110	200	9.	<0.1	<5.	150	7.3	1400	3.15
Maximum		220	<2.	<2.	220	<0.1	140	300	11.	<0.1	5.7	170	7.5	1900	9.23
Average		217.5	1.0	1.0	217.5	0.1	120.0	248.8	9.8	0.1	3.6	160.0	7.4	1687.5	5.5
Standard Deviation		7.1	0.0	0.0	7.1	0.0	14.1	34.0	0.6	0.0	1.5	9.3	0.1	210.0	2.2
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	3	8	8	8	8
95% UCL		245.7	1.0	1.0	245.7	0.1	176.4	384.4	12.3	0.1	9.5	196.9	7.7	2525.5	14.2
M56-LBF															
M56-LBF	Jul 17 2017	190	<2.	<2.	190	<0.1	110	270	9.8	<0.1	6.2	150	7.5	1600	5.07
M56-LBF	Aug 16 2017	180	<2.	<2.	180	<0.1	110	280	8.8	<0.1	5.9	150	7.4	1600	7.48
M56-LBF	Sep 13 2017	190	<2.	<2.	190	<0.1	100	250	8.3	<0.1	6.1	150	7.6	1500	6.13
M56-LBF	Oct 25 2017	180	<2.	<2.	180	<0.1	98	250	9.3	<0.1	5.5	150	7.4	1500	4.27
M56-LBF	Nov 20 2017	190	<2.	<2.	190	<0.1	98	230	8.8	<0.1	5.8	150	7.5	1500	5.2
M56-LBF	Dec 12 2017	180	<2.	<2.	180	<0.1	98	260	9.3	<0.1	5.8	150	7.5	1400	7.08
M56-LBF	Jan 15 2018	180	<2.	<2.	180	<0.1	100	210	8.5	<0.1	5.6	150	7.4	1400	0.02
M56-LBF	Feb 09 2018	190	<2.	<2.	190	<0.1	96	250	8.8	<0.1	5.8	140	7.4	1400	9.79
Minimum		180	<2.	<2.	180	<0.1	96	210	8.3	<0.1	5.5	140	7.4	1400	0.02
Maximum		190	<2.	<2.	190	<0.1	110	280	9.8	<0.1	6.2	150	7.6	1600	9.79
Average		185.0	1.0	1.0	185.0	0.1	101.3	250.0	9.0	0.1	5.8	148.8	7.5	1487.5	5.6
Standard Deviation		5.3	0.0	0.0	5.3	0.0	5.5	22.0	0.5	0.0	0.2	3.5	0.1	83.5	2.9
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	8	8	8	8	8
95% UCL		206.3	1.0	1.0	206.3	0.1	123.4	337.9	10.9	0.1	6.8	162.9	7.8	1820.5	17.0
M57-0															
M57-0	Jul 17 2017	110	<2.	<2.	110	<0.1	50	180	1.6	<0.1	<5.	96	8.	930	9.95
M57-0	Aug 17 2017	110	<2.	<2.	110	<0.1	37	150	0.55	<0.1	<5.	100	8.	830	11.8
M57-0	Sep 13 2017	110	<2.	<2.	110	<0.1	37	140	0.6	<0.1	<5.	100	8.	830	9.87
M57-0	Oct 25 2017	100	<2.	<2.	100	<0.1	46	180	1.5	<0.1	5.5	110	7.7	890	4.06

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb:WQ Common Ion New POC Rpt_r2\3/18/2018\Admin

ED_002245_00000078-00007

Table 4. Summary of Common Inorganic Analytical Results, Ambient Monitoring

Well ID	Sample Date	Bicarbonate Alkalinity	Carbonate Alkalinity	Hydroxide Alkalinity	Total Alkalinity	Cyanide (Free)	Calcium	Chloride	Nitrate as N	Nitrite as N	Potassium	Sodium	pH (Lab)	EC (Lab)	Ion Balance
M57-0	Nov 20 2017	110	<2.	<2.	110	<0.1	43	160	1.3	<0.1	5.3	120	7.9	930	5.5
M57-0	Dec 13 2017	100	<2.	<2.	100	<0.1	41	180	1.1	<0.1	5.2	100	7.8	860	12.8
M57-0	Jan 10 2018	100	<2.	<2.	100	<0.1	41	180	1.1	<0.1	<5.	99	7.8	860	13.3
M57-0	Feb 08 2018	110	<2.	<2.	110	<0.1	41	160	1.	<0.1	<5.	110	7.9	830	9.58
Minimum		100	<2.	<2.	100	<0.1	37	140	0.55	<0.1	<5.	96	7.7	830	4.06
Maximum		110	<2.	<2.	110	<0.1	50	180	1.6	<0.1	5.5	120	8	930	13.3
Average		106.3	1.0	1.0	106.3	0.1	42.0	166.3	1.1	0.1	3.6	104.4	7.9	870.0	9.6
Standard Deviation		5.2	0.0	0.0	5.2	0.0	4.4	16.0	0.4	0.0	1.5	8.1	0.1	42.4	3.3
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	3	8	8	8	8
95% UCL		126.9	1.0	1.0	126.9	0.1	59.5	230.0	2.6	0.1	9.4	136.9	8.3	1039.3	22.8
M58-0															
M58-0	Jul 18 2017	160	<2.	<2.	160	<0.1	52	160	2.9	<0.1	<5.	140	8.	1100	6.76
M58-0	Aug 15 2017	190	<2.	<2.	190	<0.1	69	180	4.6	<0.1	6.2	170	7.8	1300	5.73
M58-0	Sep 12 2017	200	<2.	<2.	200	<0.1	94	210	6.6	<0.1	7.3	190	7.8	1600	2.21
M58-0	Oct 24 2017	180	<2.	<2.	180	<0.1	78	210	5.9	<0.1	6.1	160	7.9	1400	8.44
M58-0	Nov 16 2017	200	<2.	<2.	200	<0.1	84	200	6.6	<0.1	6.8	180	7.6	1500	4.81
M58-0	Dec 13 2017	190	<2.	<2.	190	<0.1	95	260	7.4	<0.1	6.9	170	7.6	1400	9.39
M58-0	Jan 09 2018	180	<2.	<2.	180	<0.1	99	270	7.	<0.1	6.4	170	7.7	1700	9.28
M58-0	Feb 07 2018	200	<2.	<2.	200	<0.1	110	250	7.5	<0.1	7.4	190	7.7	1700	3.91
Minimum		160	<2.	<2.	160	<0.1	52	160	2.9	<0.1	<5.	140	7.6	1100	2.21
Maximum		200	<2.	<2.	200	<0.1	110	270	7.5	<0.1	7.4	190	8	1700	9.39
Average		187.5	1.0	1.0	187.5	0.1	85.1	217.5	6.1	0.1	6.2	171.3	7.8	1462.5	6.3
Standard Deviation		13.9	0.0	0.0	13.9	0.0	18.5	39.2	1.6	0.0	1.6	16.4	0.1	206.6	2.6
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	7	8	8	8	8
95% UCL		242.9	1.0	1.0	242.9	0.1	159.0	373.9	12.4	0.1	12.5	236.8	8.3	2286.8	16.8
M59-0															
M59-0	Jul 19 2017	110	<2.	<2.	110	<0.1	41	160	0.58	<0.1	<5.	95	7.9	860	9.6
M59-0	Aug 17 2017	110	<2.	<2.	110	<0.1	42	160	0.69	<0.1	<5.	100	8.	860	12.2

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb;WQ Common Ion New POC Rpt_v2\3/18/2018\Admin

ED_002245_00000078-00008

Table 4. Summary of Common Inorganic Analytical Results, Ambient Monitoring

Well ID	Sample Date	Bicarbonate Alkalinity	Carbonate Alkalinity	Hydroxide Alkalinity	Total Alkalinity	Cyanide (Free)	Calcium	Chloride	Nitrate as N	Nitrite as N	Potassium	Sodium	pH (Lab)	EC (Lab)	Ion Balance
M59-0	Sep 14 2017	110	<2.	<2.	110	<0.1	41	160	0.75	<0.1	<5.	110	7.9	900	9.5
M59-0	Oct 24 2017	110	<2.	<2.	110	<0.1	37	150	<0.5	<0.1	<5.	110	8.	840	10.3
M59-0	Nov 20 2017	110	<2.	<2.	110	<0.1	45	150	0.63	<0.1	<5.	110	7.8	860	6.23
M59-0	Dec 14 2017	120	<2.	<2.	120	<0.1	29	160	<0.5	<0.1	<5.	130	7.9	820	10.3
M59-0	Jan 10 2018	120	<2.	<2.	120	<0.1	26	130	<0.5	<0.1	<5.	140	8.	890	10.2
M59-0	Feb 08 2018	110	<2.	<2.	110	<0.1	46	170	1.1	<0.1	<5.	110	7.9	860	9.39
Minimum		110	<2.	<2.	110	<0.1	26	130	<0.5	<0.1	<5.	95	7.8	820	6.23
Maximum		120	<2.	<2.	120	<0.1	46	170	1.1	<0.1	<5.	140	8	900	12.2
Average		112.5	1.0	1.0	112.5	0.1	38.4	155.0	0.6	0.1	2.5	113.1	7.9	861.3	9.7
Standard Deviation		4.6	0.0	0.0	4.6	0.0	7.3	12.0	0.3	0.0	0.0	14.9	0.1	25.3	1.7
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	5	0	0	8	8	8	8
95% UCL		131.0	1.0	1.0	131.0	0.1	67.5	202.7	1.8	0.1	2.5	172.4	8.2	962.3	16.4
M60-0															
M60-0	Jul 19 2017	120	<2.	<2.	120	<0.1	61	210	3.	<0.1	<5.	110	7.8	1100	9.12
M60-0	Aug 16 2017	120	<2.	<2.	120	<0.1	39	170	1.4	<0.1	5.1	130	8.1	990	8.55
M60-0	Sep 14 2017	130	<2.	<2.	130	<0.1	52	190	2.3	<0.1	5.3	130	7.9	1100	9.28
M60-0	Oct 24 2017	140	<2.	<2.	140	<0.1	87	240	5.7	<0.1	5.4	130	7.8	1300	7.5
M60-0	Nov 21 2017	150	<2.	<2.	150	<0.1	82	220	5.1	<0.1	6.1	140	7.5	1300	5.01
M60-0	Dec 14 2017	150	<2.	<2.	150	<0.1	72	250	4.9	<0.1	6.8	150	7.6	1300	9.78
M60-0	Jan 15 2018	130	<2.	<2.	130	<0.1	45	200	1.9	<0.1	6.	150	7.7	1000	8.05
M60-0	Feb 07 2018	130	<2.	<2.	130	<0.1	38	170	1.6	<0.1	5.9	140	7.8	960	8.88
Minimum		120	<2.	<2.	120	<0.1	38	170	1.4	<0.1	<5.	110	7.5	960	5.01
Maximum		150	<2.	<2.	150	<0.1	87	250	5.7	<0.1	6.8	150	8.1	1300	9.78
Average		133.8	1.0	1.0	133.8	0.1	59.5	206.3	3.2	0.1	5.4	135.0	7.8	1131.3	8.3
Standard Deviation		11.9	0.0	0.0	11.9	0.0	19.2	29.7	1.7	0.0	1.3	13.1	0.2	148.3	1.5
Count		8	8	8	8	8	8	8	8	8	8	8	8	8	8
Count Detect		8	0	0	8	0	8	8	8	0	7	8	8	8	8
95% UCL		181.1	1.0	1.0	181.1	0.1	136.0	324.9	10.2	0.1	10.5	187.2	8.5	1722.8	14.3
M61-LBF															

Brown AND Caldwell

P:\Hunter Dickinson\Database\Florence DB.accdb:WQ Common Ion New POC Rpt_v2\3/18/2018\Admin

ED_002245_00000078-00009