Delivery Report

From: postmaster@brauschenv.com [postmaster@brauschenv.com]
Sent: 9/21/2016 9:55:16 PM
To: Leo Brausch [Lbrausch@brauschenv.com]
Subject: Delivered: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels
Attachments: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels

Your message
To: Leo Brausch
CC: Wilson, Patrick; Cepko, Russ P; Rykaczewski, Dave A.; Romano, Amy M.; Rob Neal; Diana Olson; Cousineau, Mark S.; Carvalho, Moises@DTSC; Shukla.Roy-Semmen@dtsc.ca.gov
Subject: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels
Sent: 9/21/2016 9:55:11 PM

Your message has been delivered to the following recipients:

Leo Brausch (Lbrausch@brauschenv.com)

Subject: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - CBS Response and EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels