Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 9/19/2016 7:13:46 PM
To: Wilson, Patrick [Wilson.Patrick@epa.gov]
Subject: Delivered: RE: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels
Attachments: RE: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels

Your message
To: Leo Brausch
CC: Wilson, Patrick; Cepko, Russ P; Rykaczewski, Dave A.; Romano, Amy M.; Rob Neal; Diana Olson; Cousineau, Mark S.; Wilson, Patrick
Subject: RE: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels
Sent: 9/19/2016 7:13:44 PM

Your message has been delivered to the following recipients:

Wilson, Patrick (Wilson.Patrick@epa.gov)

Subject: RE: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels