Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
BULK-1	3/25/2014	bulk dust	11000 U	11000 U	11000 U	11000 U	28000	11000 U	84000	11000 U	11000 U	112000
BULK-2	3/25/2014	bulk dust	6900 U	6900 U	6900 U	6900 U	4900 J	6900 U	18000	6900 U	6900 U	22900
BULK-3	3/25/2014	bulk dust	2100 U	2100 U	2100 U	2100 U	5400	2100 U	30000	2100 U	2100 U	35400
BULK-4	3/25/2014	bulk dust	4200 U	4200 U	4200 U	4200 U	6600	4200 U	17000	4200 U	4200 U	23600
BULK-5	3/25/2014	bulk dust	3000 U	3000 U	3000 U	3000 U	4000	3000 U	14000	3000 U	3000 U	18000
BULK-6	3/25/2014	bulk dust	4100 U	4100 U	4100 U	4100 U	6000	4100 U	26000	4100 U	4100 U	32000
CC-EW-01	3/26/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	1200	200 U	200 U	1200
CC-N310-E260	3/27/2015	concrete	10000 U	10000 U	10000 U	10000 U	10000 U	10000 U	41000	10000 U	10000 U	41000
CC-N350-E220	3/27/2015	concrete	1000 U	1000 U	1000 U	1000 U	1300	1000 U	5200	1000 U	1000 U	6500
CC-NW-01	3/27/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	1200	200 U	200 U	1200
CC-270-E260	3/28/2015	concrete	10000 U	10000 U	10000 U	10000 U	42000	10000 U	42000	10000 U	10000 U	84000
CC-N270-E240	3/28/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	110000	20000 U	20000 U	110000
CC-290-E240	3/28/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	84000	20000 U	20000 U	84000
CC-N290-E260	3/28/2015	concrete	4100 U	4100 U	4100 U	4100 U	4100 U	4100 U	21000	4100 U	4100 U	21000
CC-N310-E220	3/28/2015	concrete	2000 U	2000 U	2000 U	2000 U	5800	2000 U	5600	2000 U	2000 U	11400
CC-N230-E220	3/30/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	1200	200 U	200 U	1200
CC-N230-E240	3/30/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	14000	2000 U	2000 U	14000
CC-N250-E220	3/30/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	6400	980 U	980 U	6400
CC-N250-E240	3/30/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	18000	2000 U	2000 U	18000
CC-N250-E260	3/30/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	17000	2000 U	2000 U	17000
CC-N190-E220	3/31/2015	concrete	1000 U	1000 U	1000 U	1000 U	3400	1000 U	10000	1000 U	1000 U	13400
CC-N190-E240	3/31/2015	concrete	1000 U	1000 U	1000 U	450 J	1000 U	1000 U	5500	1000 U	1000 U	5950
CC-N210-E220	3/31/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	12000	980 U	980 U	12000
CC-N210-E240	3/31/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	6200	1000 U	1000 U	6200
CC-N230-E260	3/31/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	8600	1000 U	1000 U	8600
CC-N213-E262	3/31/2015	concrete	200 U	200 U	200 U	73 J	200 U	200 U	3000	200 U	200 U	3073
CC-N170-E240	4/1/2015	concrete	2000 UF1	2000 U	2000 U	2000 U	2000 U	2000 U	17000	2000 U	2000 U	17000
CC-DUP-01 (c)	4/1/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	17000	2000 U	2000 U	17000
CC-N170-E220	4/1/2015	concrete	1000 U	1000 U	1000 U	1000 U	1500	1000 U	5000	1000 U	1000 U	6500
CC-N170-E260	4/1/2015	concrete	200 U	200 U	200 U	120 J	200 U	200 U	510	200 U	200 U	630
CC-N110-E220	4/1/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	11000	2000 U	2000 U	11000
CC-N130-E240	4/1/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	15000	2000 U	2000 U	15000
CC-N134-E220	4/1/2015	concrete	200 U	200 U	200 U	66 J	200 U	200 U	1300	200 U	200 U	1366
CC-N150-E220	4/1/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	9100	2000 U	2000 U	9100
CC-N150-E240	4/1/2015	concrete	960 U	960 U	960 U	960 U	960 U	960 U	4900	960 U	960 U	4900
CC-N150-E260	4/1/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	560	200 U	200 U	560
CC-N190-E262	4/1/2015	concrete	190 U	190 U	190 U	190 U	190 U	190 U	320	190 U	190 U	320
CC-N110-E260	4/2/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	16000	2000 U	2000 U	16000

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-N130-E240	4/2/2015	concrete	1900 U	1900 U	1900 U	1900 U	1900 U	1900 U	9500	1900 U	1900 U	9500
CC-N130-E260	4/2/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8400	2000 U	2000 U	8400
CC-N90-E260	4/2/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	9300	2000 U	2000 U	9300
CC-N30-E221	4/3/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	9900	2000 U	2000 U	9900
CC-N50-E240	4/3/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8700	2000 U	2000 U	8700
CC-N50-E260	4/3/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8000	2000 U	2000 U	8000
CC-N70-E220	4/3/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	810	200 U	200 U	810
CC-N70-E240	4/3/2015	concrete	1900 U	1900 U	1900 U	1900 U	1900 U	1900 U	7600	1900 U	1900 U	7600
CC-N70-E260	4/3/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	1100	200 U	200 U	1100
CC-N90-E221	4/3/2015	concrete	1900 U	1900 U	1900 U	1900 U	1900 U	1900 U	11000	1900 U	1900 U	11000
CC-N90-E240	4/3/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	4900	980 U	980 U	4900
CC-N10-E221	4/3/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	2500	990 U	990 U	2500
CC-N50-E220	4/3/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	540	200 U	200 U	540
CC-N10-E240	4/4/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	1100	200 U	200 U	1100
CC-N10-E260	4/4/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	2200	990 U	990 U	2200
CC-N30-E235	4/4/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	7000	2000 U	2000 U	7000
CC-N30-E260	4/4/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	11000	2000 U	2000 U	11000
FDBK-N184-E265	4/4/2015	floor drain bulk dust	4400 U	4400 U	4400 U	4400 U	4400 U	4400 U	6500	4400 U	4400 U	6500
CC-N250-E180	4/7/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	21000	4000 U	4000 U	21000
CC-N270-E180	4/7/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	72000	20000 U	20000 U	72000
CC-N270-E200	4/7/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	60000	20000 U	20000 U	60000
CC-N330-E220	4/7/2015	concrete	2100 U	2100 U	2100 U	2100 U	2100 U	2100 U	7800	2100 U	2100 U	7800
CC-N350-E260	4/7/2015	concrete	200 U	200 U	200 U	200 U	120 J	200 U	270	200 U	200 U	390
CC-N370-E220	4/7/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8900	2000 U	2000 U	8900
CC-N250-E200	4/7/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	12000	2000 U	2000 U	12000
CC-N330-E245	4/7/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	81000	20000 U	20000 U	81000
CC-N370-E245	4/7/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	130000	20000 U	20000 U	130000
BK-N115-E265	4/7/2015	bulk dust	5000 U	5000 U	5000 U	5000 U	5000 U	5000 U	23000	5000 U	5000 U	23000
CC-N310-E236	4/7/2015	concrete	200 U	200 U	200 U	200 U	680	200 U	830	200 U	200 U	1510
CC-N346-E235	4/7/2015	concrete	1000 U	1000 U	1000 U	1700	1000 U	1000 U	3600	1000 U	1000 U	5300
CC-N190-E180	4/8/2015	concrete	980 U	980 U	980 U	980 U	390 J	980 U	3600	980 U	980 U	3990
CC-N190-E200	4/8/2015	concrete	2000 U	2000 U	2000 U	2000 U	620 J	2000 U	6200	2000 U	2000 U	6820
CC-N210-E200	4/8/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8300	2000 U	2000 U	8300
CC-DUP-02 (c)	4/8/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	11000	2000 U	2000 U	11000
CC-N230-E180	4/8/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	21000	4000 U	4000 U	21000
CC-N230-E200	4/8/2015	concrete	4100 U	4100 U	4100 U	4100 U	4100 U	4100 U	14000	4100 U	4100 U	14000
CC-N50-E200	4/8/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	980	200 U	200 U	980
FDBK-N217-E202	4/8/2015	floor drain bulk dust	5300 U	5300 U	5300 U	7800	5300 U	5300 U	21000	5300 U	5300 U	28800

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-N210-E180	4/8/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	4500	1000 U	1000 U	4500
CC-N130-E200	4/9/2015	concrete	210 U	210 U	210 U	210 U	210 U	210 U	270	210 U	210 U	270
CC-N150-E180	4/9/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	7300	2000 U	2000 U	7300
CC-N150-E200	4/9/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	6300	2000 U	2000 U	6300
CC-N170-E180	4/9/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3100	1000 U	1000 U	3100
CC-N50-E180	4/9/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1900	1000 U	1000 U	1900
CC-DUP-03 (c)	4/9/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	2100	990 U	990 U	2100
CC-N170-E200	4/9/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	3000	990 U	990 U	3000
CC-N110-E180	4/10/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	13000	2000 U	2000 U	13000
CC-N110-E200	4/10/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	610	200 U	200 U	610
CC-N90-E180	4/10/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	6800	2000 U	2000 U	6800
CC-SELD-01	4/10/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	280	200 U	200 U	280
CC-SELD-02	4/10/2015	wall	200 U	200 U	200 U	200 U	200 U	110 J	200 U	200 U	200 U	110
CC-N130-E180	4/10/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	3300	990 U	990 U	3300
CC-DUP-04 (c)	4/10/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	3900	990 U	990 U	3900
CC-N90-E200	4/10/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	410	200 U	200 U	410
CC-EW-02	4/10/2015	wall	3900 U	3900 U	3900 U	3900 U	17000	3900 U	34000	3900 U	3900 U	51000
CC-SELD-03	4/10/2015	wall	200 U	200 U	200 U	160 J	200 U	200 U	2200	200 U	200 U	2360
CC-WW-01	4/10/2015	wall	2000 U	2000 U	2000 U	730 J	2000 U	2000 U	4100	2000 U	2000 U	4830
CC-EW-03	4/10/2015	wall	1000 U	1000 U	1000 U	820 J	1000 U	1000 U	2700	1000 U	1000 U	3520
CC-EW-05	4/10/2015	wall	200 U	200 U	200 U	130 J	200 U	200 U	1700	200 U	200 U	1830
CC-WW-02	4/10/2015	wall	1000 U	1000 U	1000 U	580 J	1000 U	1000 U	2500	1000 U	1000 U	3080
CC-WW-03	4/10/2015	wall	200 U	200 U	200 U	170 J	200 U	200 U	1200	200 U	200 U	1370
CC-N30-E181	4/11/2015	concrete	200 U	200 U	200 U	68 J	200 U	200 U	1400	200 U	200 U	1468
CC-N70-E180	4/11/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	2000	1000 U	1000 U	2000
CC-N10-E180	4/11/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	3000	990 U	990 U	3000
CC-N10-E200	4/11/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	2700	200 U	200 U	2700
CC-N30-E200	4/11/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	5000	1000 U	1000 U	5000
CC-N70-E200	4/11/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	5100	2000 U	2000 U	5100
CC-TPSW-01	4/13/2015	wall	990 U	990 U	990 U	990 U	3400	990 U	1300	990 U	990 U	4700
CC-TPWW-01	4/13/2015	wall	1000 U	1000 U	1000 U	1000 U	2000	1000 U	1900	1000 U	1000 U	3900
HVACBK-01	4/13/2015	bulk dust	770 U	770 U	770 U	360 J	770 U	770 U	3400	770 U	770 U	3760
CC-E57-N230	4/14/2015	concrete	2000 U	2000 U	2000 U	1100 J	2000 U	2000 U	12000	2000 U	2000 U	13100
CC-E77-N270	4/14/2015	concrete	9800 U	9800 U	9800 U	9800 U	72000	9800 U	51000	9800 U	9800 U	123000
CC-N370-E240	4/14/2015	concrete	100000 U	100000 U	100000 U	100000 U	100000 U	100000 U	510000	100000 U	100000 U	510000
CC-BREW-01	4/14/2015	wall	980 U	980 U	980 U	1000	980 U	980 U	2800	980 U	980 U	3800
CC-EW-04	4/14/2015	wall	970 U	970 U	970 U	970 U	970 U	970 U	2200	970 U	970 U	2200
CC-OSEW-01	4/14/2015	wall	1000 U	1000 U	1000 U	970 J	1000 U	1000 U	2400	1000 U	1000 U	3370

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-E57-N250	4/14/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	150000	20000 U	20000 U	150000
CC-E57-N270	4/14/2015	concrete	10000 U	10000 U	10000 U	10000 U	35000	10000 U	9500 J	10000 U	10000 U	44500
CC-E77-N230	4/14/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	5700	2000 U	2000 U	5700
CC-E77-N250	4/14/2015	concrete	2000 U	2000 U	2000 U	2200	2000 U	2000 U	12000	2000 U	2000 U	14200
CC-DUP-05 (c)	4/14/2015	concrete	2000 U	2000 U	2000 U	2000 U	3500	2000 U	8700	2000 U	2000 U	12200
CC-N310-E240	4/14/2015	concrete	10000 U	10000 U	10000 U	10000 U	55000	10000 U	41000	10000 U	10000 U	96000
CC-N330-E238	4/14/2015	concrete	4100 U	4100 U	4100 U	4100 U	60000	4100 U	27000	4100 U	4100 U	87000
CC-N350-E240	4/14/2015	concrete	20000 U	20000 U	20000 U	14000 J	20000 U	20000 U	300000	20000 U	20000 U	314000
CC-TP-EW-01	4/14/2015	wall	2000 U	2000 U	2000 U	1100 J	2000 U	2000 U	14000	2000 U	2000 U	15100
CC-TPNW-01	4/14/2015	wall	200 U	200 U	200 U	440	200 U	200 U	1900	200 U	200 U	2340
CC-OSEW-02	4/14/2015	wall	400 U	400 U	400 U	280 J	400 U	400 U	570	400 U	400 U	850
CC-E60-N150	4/15/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	2200	980 U	980 U	2200
CC-E60-N190	4/15/2015	concrete	1000 U	1000 U	1000 U	580 J	1000 U	1000 U	5300	1000 U	1000 U	5880
CC-E60-N210	4/15/2015	concrete	9800 U	9800 U	9800 U	9800 U	58000	9800 U	4100 J	9800 U	9800 U	62100
CC-E80-N150	4/15/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3600	1000 U	1000 U	3600
CC-E80-N190	4/15/2015	concrete	4000 U	4000 U	4000 U	1700 J	4000 U	4000 U	18000	4000 U	4000 U	19700
CC-E80-N210	4/15/2015	concrete	2000 U	2000 U	2000 U	1100 J	2000 U	2000 U	7300	2000 U	2000 U	8400
CC-E60-N170	4/15/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	130000	20000 U	20000 U	130000
CC-E80-N170	4/15/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1900	1000 U	1000 U	1900
CC-E60-N110	4/16/2015	concrete	3900 U	3900 U	3900 U	3900 U	29000	3900 U	2900 J	3900 U	3900 U	31900
CC-E60-N90	4/16/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1700	1000 U	1000 U	1700
CC-E80-N110	4/16/2015	concrete	1000 U	1000 U	1000 U	970 J	1000 U	1000 U	3100	1000 U	1000 U	4070
CC-E80-N130	4/16/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1300	1000 U	1000 U	1300
CC-E60-N130	4/16/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	1500	990 U	990 U	1500
CC-E80-N90	4/16/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	190 J	200 U	200 U	190
CC-LDNE-EW01	4/16/2015	wall	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	2200	1000 U	1000 U	2200
CC-LDNE-WW01	4/16/2015	wall	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	62000	20000 U	20000 U	62000
CC-E60-N70	4/16/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	500	200 U	200 U	500
CC-DUP-06 (c)	4/16/2015	concrete	210 U	210 U	210 U	210 U	210 U	210 U	370	210 U	210 U	370
CC-LDNE-SW01	4/16/2015	wall	140000 U	140000 U	140000 U	140000 U	140000 U	140000 U	390000	140000 U	140000 U	390000
CC-E60-N30	4/17/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	2500	990 U	990 U	2500
CC-E60-N50	4/17/2015	concrete	990 U	990 U	990 U	370 J	990 U	990 U	4700	990 U	990 U	5070
CC-E80-N30	4/17/2015	concrete	280 U	280 U	280 U	280 U	280 U	280 U	930	280 U	280 U	930
CC-E80-N50	4/17/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	2700	990 U	990 U	2700
CC-NW-04	4/17/2015	wall	960 U	960 U	960 U	960 U	960 U	960 U	1700	960 U	960 U	1700
CC-WW-04	4/17/2015	wall	260 U	260 U	260 U	260 U	260 U	260 U	450	260 U	260 U	450
CC-WW-06	4/17/2015	wall	200 U	200 U	200 U	220	200 U	920	200 U	200 U	200 U	1140
CC-WW-07	4/17/2015	wall	200 U	200 U	200 U	140 J	200 U	200 U	810	200 U	200 U	950

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-WW-09	4/17/2015	wall	200 U	200 U	200 U	110 J	200 U	200 U	850	200 U	200 U	960
CC-E80-N70	4/17/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	760	200 U	200 U	760
CC-WW-05	4/17/2015	wall	200 U	200 U	200 U	490	200 U	200 U	1000	200 U	200 U	1490
CC-WW-08	4/17/2015	wall	210 U	210 U	210 U	150 J	210 U	210 U	420	210 U	210 U	570
CC-E60-N10	4/18/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3300	1000 U	1000 U	3300
CC-E80-N10	4/18/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	1500	980 U	980 U	1500
CC-E100-N250	4/21/2015	concrete	20000 U	20000 U	20000 U	20000 U	190000	20000 U	20000	20000 U	20000 U	210000
CC-E100-N270	4/21/2015	concrete	2000 U	2000 U	2000 U	2000 U	7200	2000 U	8300	2000 U	2000 U	15500
CC-E120-N190	4/21/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	6500	2000 U	2000 U	6500
CC-E120-N210	4/21/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8900	2000 U	2000 U	8900
CC-E120-N230	4/21/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	7800	2000 U	2000 U	7800
CC-E120-N270	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	2900	1000 U	6100	1000 U	1000 U	9000
CC-E140-N170	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3100	1000 U	1000 U	3100
CC-E140-N190	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	2500	1000 U	1000 U	2500
CC-E140-N210	4/21/2015	concrete	2100 U	2100 U	2100 U	1100 J	2100 U	2100 U	3900	2100 U	2100 U	5000
CC-E140-N230	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3700	1000 U	1000 U	3700
CC-E140-N270	4/21/2015	concrete	2100 U	2100 U	2100 U	2100 U	2800	2100 U	15000	2100 U	2100 U	17800
CC-NW-05	4/21/2015	wall	190 U	190 U	190 U	120 J	190 U	190 U	580	190 U	190 U	700
CC-E100-N190	4/21/2015	concrete	1000 U	1000 U	1000 U	610 J	1000 U	1000 U	1700	1000 U	1000 U	2310
CC-E100-N210	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1300	1000 U	1000 U	1300
CC-E100-N230	4/21/2015	concrete	1900 U	1900 U	1900 U	1500 J	1900 U	1900 U	9800	1900 U	1900 U	11300
CC-E120-N250	4/21/2015	concrete	3900 U	3900 U	3900 U	3500 J	3900 U	3900 U	20000	3900 U	3900 U	23500
CC-E140-N250	4/21/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	2400	1000 U	1000 U	2400
CC-E100-N170	4/22/2015	concrete	200 U	200 U	200 U	180 J	200 U	200 U	520	200 U	200 U	700
CC-E120-N170	4/22/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	4800	2000 U	2000 U	4800
CC-E100-N150	4/22/2015	concrete	3900 U	3900 U	3900 U	3900 U	3900 U	3900 U	12000	3900 U	3900 U	12000
CC-E100-N90	4/22/2015	concrete	200 U	200 U	200 U	200 U	640	200 U	560	200 U	200 U	1200
CC-E120-N110	4/22/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	930	200 U	200 U	930
CC-E140-N130	4/22/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	3100	1000 U	1000 U	3100
CC-E100-N110	4/22/2015	concrete	180 U	180 U	180 U	180 U	250	180 U	1000	180 U	180 U	1250
CC-E100-N130	4/22/2015	concrete	200 U	200 U	200 U	200 U	110 J	200 U	410	200 U	200 U	520
CC-E120-N130	4/22/2015	concrete	380 U	380 U	380 U	380 U	380 U	380 U	860	380 U	380 U	860
CC-E120-N150	4/22/2015	concrete	950 U	950 U	950 U	950 U	950 U	950 U	5100	950 U	950 U	5100
CC-E120-N90	4/22/2015	concrete	190 U	190 U	190 U	530	190 U	190 U	1400	190 U	190 U	1930
CC-E140-N110	4/22/2015	concrete	930 U	930 U	930 U	930 U	930 U	930 U	3100	930 U	930 U	3100
CC-E140-N150	4/22/2015	concrete	1900 U	1900 U	1900 U	1900 U	1900 U	1900 U	14000	1900 U	1900 U	14000
CC-E140-N10	4/23/2015	concrete	190 U	190 U	190 U	190 U	190 U	190 U	150 J	190 U	190 U	150
CC-E140-N30	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	440	200 U	200 U	440

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-E140-N50	4/23/2015	concrete	190 U	190 U	190 U	190 U	190 U	190 U	880	190 U	190 U	880
CC-E140-N70	4/23/2015	concrete	970 U	970 U	970 U	970 U	490 J	970 U	1200	970 U	970 U	1690
CC-E100-N10	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	110 J	200 U	200 U	110
CC-E100-N30	4/23/2015	concrete	190 U	190 U	190 U	190 U	62 J	190 U	350	190 U	190 U	412
CC-E100-N50	4/23/2015	concrete	190 U	190 U	190 U	190 U	190 U	190 U	330	190 U	190 U	330
CC-DUP-08 (c)	4/23/2015	concrete	190 UF2	190 U	190 U	190 U	190 U	190 U	84 JF2	190 U	190 U	84
CC-E100-N70	4/23/2015	concrete	180 U	180 U	180 U	360	180 U	180 U	980	180 U	180 U	1340
CC-E120-N10	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	190 J	200 U	200 U	190
CC-E120-N30	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	490	200 U	200 U	490
CC-E120-N50	4/23/2015	concrete	200 U	200 U	200 U	200 U	200	200 U	640	200 U	200 U	840
CC-E120-N70	4/23/2015	concrete	190 U	190 U	190 U	290	190 U	190 U	1300	190 U	190 U	1590
CC-E140-N90	4/23/2015	concrete	190 U	190 U	190 U	330	190 U	190 U	2900	190 U	190 U	3230
CC-E160-N50	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	370	200 U	200 U	370
CC-DUP-07 (c)	4/23/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	250	200 U	200 U	250
CC-E160-N10	4/24/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	72 J	200 U	200 U	72
CC-E160-N150	4/24/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	8500	2000 U	2000 U	8500
CC-E160-N190	4/24/2015	concrete	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	2300	1000 U	1000 U	2300
CC-E160-N210	4/24/2015	concrete	9900 U	9900 U	9900 U	9900 U	9900 U	9900 U	56000	9900 U	9900 U	56000
CC-E160-N30	4/24/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	410	200 U	200 U	410
CC-E160-N70	4/24/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	920	200 U	200 U	920
BK-CR-01	4/28/2015	bulk dust	4600 U	4600 U	4600 U	4600 U	4600 U	4600 U	14000	4600 U	4600 U	14000
BK-MO-01	4/30/2015	bulk dust	480 U	480 U	480 U	2200	480 U	480 U	1700	480 U	480 U	3900
BK-SR-01	4/30/2015	bulk dust	470 U	470 U	470 U	470 U	470 U	470 U	2800	470 U	470 U	2800
CC-N290-E180	5/1/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	27000 F2	4000 U	4000 U	27000
CC-DUP-09 (c)	5/1/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	28000	4000 U	4000 U	28000
CC-N290-E208	5/1/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	1000	200 U	200 U	1000
CC-N310-E180	5/1/2015	concrete	10000 U	10000 U	10000 U	10000 U	10000 U	10000 U	45000	10000 U	10000 U	45000
CC-SRNW-01	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	390	200 U	200 U	390
CC-SRSW-01	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	250	200 U	200 U	250
CC-SRWW-01	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	560	200 U	200 U	560
CC-CREW-01	5/1/2015	wall	190 U	190 U	190 U	190 U	190 U	190 U	410	190 U	190 U	410
CC-DUP-10 (c)	5/1/2015	wall	190 U	190 U	190 U	190 U	190 U	190 U	470	190 U	190 U	470
CC-CRNW-01	5/1/2015	wall	990 U	990 U	990 U	990 U	990 U	990 U	2900	990 U	990 U	2900
CC-CRSW-01	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	540	200 U	200 U	540
CC-CRSW-02	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	470	200 U	200 U	470
CC-CRWW-01	5/1/2015	wall	190 U	190 U	190 U	190 U	190 U	190 U	160 J	190 U	190 U	160
CC-CRWW-02	5/1/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	320	200 U	200 U	320
CC-N315-E208	5/1/2015	concrete	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	60000	20000 U	20000 U	60000

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-SREW-01	5/1/2015	wall	190 U	190 U	190 U	190 U	190 U	190 U	570	190 U	190 U	570
CC-TPEW-02	5/1/2015	wall	970 U	970 U	970 U	970 U	830 J	970 U	3100	970 U	970 U	3930
CC-TPWW-02	5/1/2015	wall	390000 U	390000 U	390000 U	390000 U	390000 U	390000 U	5E+06	390000 U	390000 U	4500000
CC-BREW-03	5/2/2015	wall	200 U	200 U	200 U	200 U	390	200 U	1000	200 U	200 U	1390
CC-BRWW-01	5/2/2015	wall	200 U	200 U	200 U	200 U	580	200 U	1000	200 U	200 U	1580
CC-OSNW-01	5/2/2015	wall	190 U	190 U	190 U	190 U	410	190 U	760	190 U	190 U	1170
CC-OSWW-01	5/2/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	78 J	200 U	200 U	78
CC-DUP-11 (c)	5/2/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	73 J	200 U	200 U	73
CC-OSWW-02	5/2/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	85 J	200 U	200 U	85
CC-BRMEW-02	5/5/2015	wall	990 U	990 U	990 U	990 U	780 J	990 U	1800	990 U	990 U	2580
CC-BRMSW-01	5/5/2015	wall	990 U	990 U	990 U	990 U	580 J	990 U	1700	990 U	990 U	2280
CC-BRMWW-02	5/5/2015	wall	190 U	190 U	190 U	190 U	520	190 U	900	190 U	190 U	1420
CC-BRMWW-01	5/5/2015	wall	200 U	200 U	200 U	200 U	600	200 U	1400	200 U	200 U	2000
CC-OSWW-03	5/5/2015	wall	200 U	200 U	200 U	200 U	82 J	200 U	210	200 U	200 U	292
CC-BRWW-02	5/5/2015	wall	230 U	230 U	230 U	230 U	150 J	230 U	420	230 U	230 U	570
CC-BRMEW-01	5/6/2015	wall	1000 U	1000 U	1000 U	1000 U	1000	1000 U	2600	1000 U	1000 U	3600
CC-DUP-12 (c)	5/6/2015	concrete	970 U	970 U	970 U	970 U	950 J	970 U	2100	970 U	970 U	3050
CC-BRWW-04	5/6/2015	wall	200 U	200 U	200 U	200 U	170 J	200 U	540	200 U	200 U	710
CC-BRWW-03	5/6/2015	wall	970 U	970 U	970 U	970 U	900 J	970 U	2300	970 U	970 U	3200
CC-BRNW-01	5/6/2015	wall	1000 U	1000 U	1000 U	1000 U	900 J	1000 U	2100	1000 U	1000 U	3000
CC-N170-E160-M (d)	5/6/2015	concrete	1000 U	1000 U	1000 U	1000 U	610 J	1000 U	5700	1000 U	1000 U	6310
CC-N147-E160-M	5/6/2015	concrete	980 U	980 U	980 U	980 U	980 U	980 U	2700	980 U	980 U	2700
CC-BRMNW-01	5/6/2015	wall	200 U	200 U	200 U	200 U	420	200 U	960	200 U	200 U	1380
CC-N190-E160-M	5/6/2015	concrete	990 U	990 U	990 U	990 U	330 J	990 U	3500	990 U	990 U	3830
CC-OSSW-01	5/7/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	300	200 U	200 U	300
CC-OSMNW-01	5/7/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	140 J	200 U	200 U	140
CC-N128-E160-M	5/7/2015	concrete	190 U	190 U	190 U	190 U	190 U	190 U	180 J	190 U	190 U	180
CC-N110-E160-M	5/7/2015	concrete	200 U	200 U	200 U	120 J	200 U	200 U	1300	200 U	200 U	1420
CC-DUP-13 (c)	5/7/2015	concrete	200 U	200 U	200 U	110 J	200 U	200 U	990	200 U	200 U	1100
CC-N90-E190-M	5/7/2015	concrete	970 U	970 U	970 U	970 U	970 U	970 U	2300	970 U	970 U	2300
CC-BREW-02	5/12/2015	wall	200 U	200 U	200 U	220	200 U	200 U	1100	200 U	200 U	1320
CC-NW-03	5/12/2015	wall	200 U	200 U	200 U	140 J	200 U	200 U	960	200 U	200 U	1100
CC-E160-N270	5/12/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	1200	200 U	200 U	1200
CC-E160-N250	5/12/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	25000	4000 U	4000 U	25000
CC-E160-N230	5/12/2015	concrete	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	11000	2000 U	2000 U	11000
CC-BREW-04	5/12/2015	wall	200 U	200 U	200 U	350	200 U	200 U	1200	200 U	200 U	1550
CC-BRSW-01	5/12/2015	wall	200 U	200 U	200 U	200 U	200 U	200 U	610	200 U	200 U	610
CC-N168-E160	5/12/2015	concrete	200 U	200 U	200 U	200 U	200 U	200 U	540	200 U	200 U	540

Table 2 - Bulk Sample Results
Building Cleaning and Sampling Project
Former Westinghouse Apparatus Repair Facility
Rancho Dominguez, California

			Polychlorinated Biphenyls (µg/kg)									
Sample ID	Date	Type	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Aroclor 1262	Aroclor 1268	Total PCBs (b)
CC-N300-E190-R	5/13/2015	concrete	4000 U	4000 U	4000 U	4000 U	4000 U	4000 U	25000	4000 U	4000 U	25000
CC-NW-02	5/13/2015	wall	190 U	190 U	190 U	690	190 U	190 U	1000	190 U	190 U	1690
CC-N270-E222	5/13/2015	concrete	9700 U	9700 U	9700 U	9700 U	9700 U	9700 U	36000	9700 U	9700 U	36000
CC-N290-E220	5/13/2015	concrete	990 U	990 U	990 U	990 U	990 U	990 U	4800	990 U	990 U	4800
CC-OSEW-03	5/13/2015	wall	200 U	200 U	200 U	95 J	200 U	200 U	460	200 U	200 U	555
CC-SW-03	5/14/2015	wall	200 U	200 U	200 U	200 U	57 J	200 U	630	200 U	200 U	687
CC-N130-E158	5/14/2015	concrete	190 U	190 U	190 U	410	190 U	190 U	300	190 U	190 U	710
CC-N110-E160	5/14/2015	concrete	200 U	200 U	200 U	470	200 U	200 U	960	200 U	200 U	1430
CC-N89-E160	5/14/2015	concrete	200 U	200 U	200 U	360	200 U	200 U	1300	200 U	200 U	1660
CC-WW-10	5/14/2015	wall	200 U	200 U	200 U	110 J	200 U	200 U	580	200 U	200 U	690
CC-SWLD-01	5/14/2015	wall	200 U	200 U	200 U	110 J	200 U	200 U	440	200 U	200 U	550
CC-SWLD-02	5/14/2015	wall	190 U	190 U	190 U	190 U	190 U	190 U	660	190 U	190 U	660
CC-DUP-14 (c)	5/14/2015	concrete	200 U	200 U	200 U	68 J	200 U	200 U	510	200 U	200 U	578
CC-SW-01	5/14/2015	wall	200 U	200 U	200 U	200 U	82 J	200 U	290	200 U	200 U	372
CC-SW-02	5/14/2015	wall	200 U	200 U	200 U	200 U	280	200 U	1200	200 U	200 U	1480

samples highlighted in orange are bulk dusts that were removed during the cleaning process
samples highlighted in green are bulk residuals associated with floor drains and grated pits; this material was removed during the cleaning process
samples highlighted in blue are bulk dust samples associated with the HVAC system in the western office area; this material was not removed during the cleaning process

a/ µg/kg = micrograms per kilogram;
U = Analyte not detected above reporting limit (RL);
J = Analyte is less than the RL but greater than or equal to the MDL and the concentration is an approximate value;
F1 = MS and/or MSD Recovery exceeds the control limits;
F2 = MS/MSD RPD exceeds control limits;
* = LCS or LCSD is outside acceptance limits;
b/ Total PCBs are the sum of detectable concentrations of the individual aroclors.
c/ Duplicate of previous sample
d/ "M" at end of sample identification indicates that sample was collected from the mezzanine level of the interior breakroom or office space