Message

From: Chalfant, Mark [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8C1D644333F94EA2AFF756BE6469E5AD-CHALFANT, MARK]
Sent: 1/31/2019 6:03:17 PM
To: Hallauer, Lori [Hallauer.Lori@epa.gov]
Subject: FW: Assign Access Control for DOCID 100005883

Lori, I think I'm caught up. Thanks for getting these into SEMS! Mark

Mark A.R. Chalfant
Senior Enforcement Attorney | Office of Enforcement, Compliance and Environmental Justice | U.S. EPA Region 8
Work: 303.312.6177 | Fax: 303-312-6953 | chalfant.mark@epa.gov

This email is for the intended recipient only and may contain material that is privileged and/or confidential. If you believe you have received this email in error, please notify the sender. Thank you.

From: SEMS_EDS@epa.gov <SEMS_EDS@epa.gov>
Sent: Thursday, January 31, 2019 10:38 AM
To: Chalfant, Mark <Chalfant.Mark@epa.gov>
Subject: Assign Access Control for DOCID 100005883

Dear Mark Chalfant,

Please click here to open the EDS form to assign the appropriate Access Control.

Site Name: ANACONDA ALUMINUM CO COLUMBIA FALLS REDUCTION PLANT
Tracking ID: 21783
Document ID: 100005883
Document Title: Letter approves Sep. 28, 2018 Final Baseline Human Health Risk Assessment Work Plan Columbia Falls Aluminum Company Columbia Falls Flathead County Montana

Thanks,
SEMS