Message

From: Laura Jensen [ljensen@rouxinc.com]
Sent: 5/29/2018 2:39:13 PM
To: Cirian, Mike [Cirian.Mike@epa.gov]
CC: Gunnar Emilsson [EmilssonGR@cdmsmith.com]; Sanchez, Brian [sanchez.brian@epa.gov]; Berry, David [Berry.David@epa.gov]; Dick Sloan [rsloan@mt.gov]; John.Stroiazzo@glencore.ca; Steve Wright - CFAC [swright@cfaluminum.com]; Skipper, Sherry [Skipper.Sherry@epa.gov]; Andrew Baris [abaris@rouxinc.com]; Roux IT [mritorto@rouxinc.com]
Subject: CFAC Weekly Report 5/21/2018 - 5/27/2018
Attachments: 2018.05.21 to 05.27 - Weekly Report.docx

Flag: Follow up

Mr. Cirian,

Please see the attached weekly CFAC report from May 21, 2018 through May 27, 2018 for the Phase II Site Characterization.

Laura Jensen | Project Hydrogeologist
209 Shafter Street, Islandia, New York 11749
Main: (631) 232-2600 | Direct: (631) 630-2358
Email: ljensen@rouxinc.com | Website: www.rouxinc.com

ROUX

California | Illinois | Massachusetts | New Jersey | New York | Texas

Please consider the environment before printing this email
NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.