Message

From: Sloan, Richard [RSloan@mt.gov]
Sent: 10/27/2017 2:04:31 PM
To: John.Stroiazzo@glencore.ca; Roux IT [mritorto@rouxinc.com]; Cirian, Mike [Cirian.Mike@epa.gov]
CC: jim.perris@calbag.com; cliff.boyd@calbag.com; swright@cfaluminum.com; abaris@rouxinc.com; ljensen@rouxinc.com; Gunnar Emilsson [EmilssonGR@cdmsmith.com]
Subject: RE: CFAC Crushed Concrete Sampling Results

2:30 on October 30 is fine.
Dick Sloan

-----Original Message-----
From: John.Stroiazzo@glencore.ca [mailto:John.Stroiazzo@glencore.ca]
Sent: Thursday, October 26, 2017 3:11 PM
To: mritorto@rouxinc.com; Cirian.Mike@epa.gov
Cc: jim.perris@calbag.com; cliff.boyd@calbag.com; swright@cfaluminum.com; abaris@rouxinc.com; ljensen@rouxinc.com; Sloan, Richard; EmilssonGR@cdmsmith.com
Subject: RE: CFAC Crushed Concrete Sampling Results

Ok with me

John

-----Original Message-----
From: Michael Ritorto [mailto:mritorto@rouxinc.com]
Sent: October-26-17 4:29 PM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Jim Perris <jim.perris@calbag.com>; cliff.boyd@calbag.com; Stroiazzo, John (Toronto - CA) <John.Stroiazzo@glencore.ca>; Steve Wright - CFAC <swright@cfaluminum.com>; Andrew Baris <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>; Dick Sloan <rsloan@mt.gov>; Gunnar Emilsson <EmilssonGR@cdmsmith.com>
Subject: RE: CFAC Crushed Concrete Sampling Results

230 pm MT is good for Roux. How about everyone else?

-----Original Message-----
From: Cirian, Mike [mailto:Cirian.Mike@epa.gov]
Sent: Thursday, October 26, 2017 4:13 PM
To: Michael Ritorto <mritorto@rouxinc.com>
Cc: Jim Perris <jim.perris@calbag.com>; cliff.boyd@calbag.com; John.Stroiazzo@glencore-ca.com; Steve Wright - CFAC <swright@cfaluminum.com>; Andrew Baris <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>; Dick Sloan <rsloan@mt.gov>; Gunnar Emilsson <EmilssonGR@cdmsmith.com>
Subject: Re: CFAC Crushed Concrete Sampling Results

Hi Michael,

I cannot do 2:00 pm MT Monday. 2:30 pm should work.

Mike

Sent from my iPhone

> On Oct 26, 2017, at 2:08 PM, Michael Ritorto <mritorto@rouxinc.com> wrote:
>
> Mr. Cirian,
>
> Roux Associates, on behalf of CFAC, is providing the attached two letters which summarize the results of crushed concrete sampling from stockpiles 01 and 02 at the CFAC Site.
>
> We would like to setup a conference call early next week to discuss these letters with the group. I am proposing Monday at 4pm EST, 2 pm MT. Please let me know if that works for everyone.
>
>
> Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.
> 209 Shafter Street, Islandia, NY 11749
> Main: 631-232-2600 | Direct: 631-630-2370
> Email: mritorto@rouxinc.com<mailto:mritorto@rouxinc.com> | Website:
https://na01.safelinks.protection.outlook.com/?url=www.rouxinc.com&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=ARrGdBbKdGNPI520dqf%2BEbR47P8B09BVfvPlwn%2FG4WE%3D&reserved=0<https://na01.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.rouxinc.com%2F&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a9

4c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=%2Bzq6vg55b9LlN591Nj%2Fo%2B5NN9KAqeHNMwh7tKNPK0Is%3D&reserved=0>
>
>
[cid:image001.png@01D34E68.FE12B300]<https://na01.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.rouxinc.com%2F&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=%2Bzq6vg55b9LlN591Nj%2Fo%2B5NN9KAqeHNMwh7tKNPK0Is%3D&reserved=0>
>
[cid:image002.jpg@01D31124.C2C60AD0]<https://na01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fwww.linkedin.com%2Fcompany%2Froux-associates&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=VegeLWm6wNFRfootL%2FtYhfmKiz1NWIyF9Sn0q4w1ps8%3D&reserved=0>
[cid:image003.jpg@01D31124.C2C60AD0]
<https://na01.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.facebook.com%2FRouxAssociatesInc&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=ue5KtB8s6vCKgbJ7Bt2mm%2BkZtooRRSVhf2bqM221S3g%3D&reserved=0>
[cid:image004.jpg@01D31124.C2C60AD0]
<https://na01.safelinks.protection.outlook.com/?url=https%3A%2F%2Ftwitter.com%2FRouxAssociates&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=i3vAzYuY5I9FBq1WkAa3WdEZKainHPyC209Pz5Nt5UY%3D&reserved=0>
[cid:image005.jpg@01D31124.C2C60AD0]
<https://na01.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.rouxinc.com%2Fnews%2F&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=U0I%2B%2B3QjlQWsU3NbuOONcN8dNTLf0jRStP9%2BEfvTfcg%3D&reserved=0>
[cid:image006.jpg@01D31124.C2C60AD0]
<https://na01.safelinks.protection.outlook.com/?url=https%3A%2F%2Fplus.google.com%2F%2Brouxassociates%2Fposts&data=02%7C01%7Crsloan%40mt.gov%7C84ea0e414b004b2eb9d508d51cb60927%7C07a94c98f30f4abbbd7ed63f8720dc02%7C0%7C0%7C636446490525163370&sdata=G9iYpl%2F6cJPdIo9obaE%2BcIbAcsZMAZC01DbonlwOUoA%3D&reserved=0>
>
> P Please consider the environment before printing this email.
> NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.
>
>
>
> <image001.png>
> <image002.jpg>
> <image003.jpg>
> <image004.jpg>
> <image005.jpg>
> <image006.jpg>
> <2476.0001y193.ml.pdf>
> <2476.0001y194.ml.pdf>

LEGAL DISCLAIMER. The contents of this electronic communication and any attached documents are strictly confidential and they may not be used or disclosed by someone who is not a named recipient.
If you have received this electronic communication in error please notify the sender by replying to this electronic communication inserting the word "misdirected" as the subject and delete this communication from your system.

MENTION LEGALE: Le contenu de cette communication électronique et ses pièces jointes sont strictement confidentiels et ne peuvent pas être utilisés ou divulgués par une personne qui n'est pas le destinataire désigné.
Si vous avez reçu cette communication électronique par erreur, s'il vous plaît, veuillez aviser l'expéditeur en répondant à cette communication électronique en insérant le mot 'mauvais destinataire' dans le sujet et supprimer ce message de votre système informatique.