		Sample Location	CFWC-004-WG
		Sample Date	06/30/2017
		Sample Designation	CFWC-004-WCL
		Sample Type	WC
Parameter	TCLP	Unit	
Fluoride	--	ug/l	509 T
Hardness as calcium carbonate	--	ug/l	164000

		Sample Location	CFWC-004-WG
		Sample Date	06/30/2017
		Sample Designation	CFWC-004-WCL
		Sample Type	WC
Parameter	TCLP	Unit	
Aluminum	--	ug/l	548
Antimony	--	ug/l	0.86 J
Arsenic	5000	ug/l	1.5 J
Barium	100000	ug/l	87.7
Beryllium	--	ug/l	0.24 U
Cadmium	1000	ug/l	0.71 U
Calcium	--	ug/l	42800
Chromium	5000	ug/l	3.2 J
Cobalt	--	ug/l	1.6 J
Copper	--	ug/l	13.6
Cyanide, Total	--	ug/l	59.6
Iron	--	ug/l	1370
Lead	5000	ug/l	1 J
Magnesium	--	ug/l	8750
Manganese	--	ug/l	70.6
Mercury	200	ug/l	0.17 U
Nickel	--	ug/l	3.4 J
Potassium	--	ug/l	3610
Selenium	1000	ug/l	0.73 U
Silver	5000	ug/l	1.3 U
Sodium	--	ug/l	24700
Thallium	--	ug/l	0.26 U
Vanadium	--	ug/l	3 J
Zinc	--	ug/l	35.9

		Sample Location	CFWC-004-WG
		Sample Date	06/30/2017
		Sample Designation	CFWC-004-WCL
		Sample Type	WC
Parameter	TCLP	Unit	
1,1'-Biphenyl	--	ug/l	0.63 U
1,2,4,5-Tetrachlorobenzene	--	ug/l	0.43 U
1,4-Dioxane	--	ug/l	3.1 U
2,2'-oxybis[1-chloropropane]	--	ug/l	0.93 U
2,3,4,6-Tetrachlorophenol	--	ug/l	0.69 U
2,4,5-Trichlorophenol	400000	ug/l	0.49 U
2,4,6-Trichlorophenol	2000	ug/l	0.53 U
2,4-Dichlorophenol	--	ug/l	0.63 U
2,4-Dimethylphenol	--	ug/l	2 J
2,4-Dinitrophenol	--	ug/l	2.4 U
2,4-Dinitrotoluene	130	ug/l	1 U
2,6-Dinitrotoluene	--	ug/l	0.88 U
2-Chloronaphthalene	--	ug/l	0.61 U
2-Chlorophenol	--	ug/l	0.74 U
2-Methylnaphthalene	--	ug/l	0.88 U
2-Methylphenol	200000	ug/l	1.3 U
2-Nitroaniline	--	ug/l	0.65 U
2-Nitrophenol	--	ug/l	0.59 U
3 & 4 Methylphenol	--	ug/l	0.88 U
3,3'-Dichlorobenzidine	--	ug/l	1 U
3-Nitroaniline	--	ug/l	0.82 U
4,6-Dinitro-2-methylphenol	--	ug/l	2 U
4-Bromophenyl phenyl ether	--	ug/l	1 U
4-Chloro-3-methylphenol	--	ug/l	0.76 U
4-Chloroaniline	--	ug/l	0.73 U
4-Chlorophenyl phenyl ether	--	ug/l	0.96 U
4-Nitroaniline	--	ug/l	0.48 U
4-Nitrophenol	--	ug/l	4.7 U
Acenaphthene	--	ug/l	0.88 U

Acenaphthylene	--	ug/l	0.65 U
Acetophenone	--	ug/l	1 U
Anthracene	--	ug/l	0.57 U
Atrazine	--	ug/l	0.77 U
Benzaldehyde	--	ug/l	0.86 U
Benzo[a]anthracene	--	ug/l	0.55 U
Benzo[a]pyrene	--	ug/l	0.16 U
Benzo[b]fluoranthene	--	ug/l	0.44 U
Benzo[g,h,i]perylene	--	ug/l	0.75 U
Benzo[k]fluoranthene	--	ug/l	0.18 U
Bis(2-chloroethoxy)methane	--	ug/l	0.69 U
Bis(2-chloroethyl)ether	--	ug/l	0.12 U
Bis(2-ethylhexyl) phthalate	--	ug/l	4.2
Butyl benzyl phthalate	--	ug/l	0.6 U
Caprolactam	--	ug/l	1.1 U
Carbazole	--	ug/l	0.85 U
Chrysene	--	ug/l	0.67 U
Dibenz(a,h)anthracene	--	ug/l	0.09 U
Dibenzofuran	--	ug/l	0.85 U
Diethyl phthalate	--	ug/l	1 U
Dimethyl phthalate	--	ug/l	0.98 U
Di-n-butyl phthalate	--	ug/l	0.82 U
Di-n-octyl phthalate	--	ug/l	0.69 U
Fluoranthene	--	ug/l	0.72 U
Fluorene	--	ug/l	0.8 U
Hexachlorobenzene	130	ug/l	0.47 U
Hexachlorobutadiene	500	ug/l	0.76 U
Hexachlorocyclopentadiene	--	ug/l	0.61 U
Hexachloroethane	3000	ug/l	0.09 U
Indeno[1,2,3-cd]pyrene	--	ug/l	0.21 U
Isophorone	--	ug/l	0.67 U
Naphthalene	--	ug/l	0.8 U
Nitrobenzene	2000	ug/l	0.49 U
N-Nitrosodi-n-propylamine	--	ug/l	0.83 U

N-Nitrosodiphenylamine	--	ug/l	0.74 U
Pentachlorophenol	100000	ug/l	2.2 U
Phenanthrene	--	ug/l	0.65 U
Phenol	--	ug/l	150
Pyrene	--	ug/l	0.83 U

	Sample Location		CFWC-004-WG
	Sample Date		06/30/2017
	Sample Designation		CFWC-004-WCL
	Sample Type		WC
Parameter	TCLP	Unit	
1,1,1-Trichloroethane	--	ug/l	0.28 U
1,1,2,2-Tetrachloroethane	--	ug/l	0.19 U
1,1,2-Trichloro-1,2,2-trifluoroethane	--	ug/l	0.34 U
1,1,2-Trichloroethane	--	ug/l	0.08 U
1,1-Dichloroethane	--	ug/l	0.24 U
1,1-Dichloroethene	700	ug/l	0.34 U
1,2,3-Trichlorobenzene	--	ug/l	0.35 U
1,2,4-Trichlorobenzene	--	ug/l	0.27 U
1,2-Dibromo-3-Chloropropane	--	ug/l	0.23 U
1,2-Dichlorobenzene	--	ug/l	0.22 U
1,2-Dichloroethane	500	ug/l	0.25 U
1,2-Dichloropropane	--	ug/l	0.18 U
1,3-Dichlorobenzene	--	ug/l	0.33 U
1,4-Dichlorobenzene	7500	ug/l	0.33 U
2-Butanone (MEK)	200000	ug/l	19
2-Hexanone	--	ug/l	2.3 J
4-Methyl-2-pentanone (MIBK)	--	ug/l	0.88 J
Acetone	--	ug/l	45
Benzene	500	ug/l	0.21 J
Bromoform	--	ug/l	0.18 U
Bromomethane	--	ug/l	0.18 U
Carbon disulfide	--	ug/l	0.89 J
Carbon tetrachloride	500	ug/l	0.33 U
Chlorobenzene	100000	ug/l	0.24 U
Chlorobromomethane	--	ug/l	0.3 U
Chlorodibromomethane	--	ug/l	0.22 U
Chloroethane	--	ug/l	0.37 U
Chloroform	6000	ug/l	0.22 U
Chloromethane	--	ug/l	0.22 U

cis-1,2-Dichloroethene	--	ug/l	0.26 U
cis-1,3-Dichloropropene	--	ug/l	0.16 U
Cyclohexane	--	ug/l	0.26 U
Dichlorobromomethane	--	ug/l	0.15 U
Dichlorodifluoromethane	--	ug/l	0.14 U
Ethylbenzene	--	ug/l	0.3 U
Ethylene Dibromide	--	ug/l	0.19 U
Isopropylbenzene	--	ug/l	0.32 U
Methyl acetate	--	ug/l	4.5 J
Methyl tert-butyl ether	--	ug/l	0.13 U
Methylcyclohexane	--	ug/l	0.22 U
Methylene Chloride	--	ug/l	0.21 U
m-Xylene & p-Xylene	--	ug/l	0.91 J
o-Xylene	--	ug/l	0.32 U
Styrene	--	ug/l	0.17 U
Tetrachloroethene	700	ug/l	0.12 U
Toluene	--	ug/l	2.9
trans-1,2-Dichloroethene	--	ug/l	0.18 U
trans-1,3-Dichloropropene	--	ug/l	0.19 UT
Trichloroethene	500	ug/l	0.22 U
Trichlorofluoromethane	--	ug/l	0.15 U
Vinyl chloride	200	ug/l	0.06 U

				Sample Location	CFWC-004-WG
				Sample Date	06/30/2017
				Sample Designation	CFWC-004-WCL
				Sample Type	WC
Parameter	DEQ-7 Human Health Standards	EPA Risk Based Screening Level Drinking water MCL	EPA Risk Based Screening Level Tapwater RSL	Unit	
Corrosivity	--	--	--	ph Units	7.4
Fluoride	4000	4000	80	ug/l	509 T
Hardness as calcium carbonate	--	--	--	ug/l	164000
Ignitability	--	--	--	deg f	0 U
ph	--	--	--	ph Units	7.4

T - LCS or LCSD is outside acceptance limits
D - a secondary analysis after dilution due to exceedance of the calibration range in the original sample.

				Sample Location	CFWC-004-WG
				Sample Date	06/30/2017
				Sample Designation	CFWC-004-WCL
				Sample Type	WC
Parameter	DEQ-7 Human Health Standards	EPA Risk Based Screening Level Drinking water MCL	EPA Risk Based Screening Level Tapwater RSL	Unit	
Aluminum			2000	ug/l	548
Antimony	6	6	0.78	ug/l	0.86 J
Arsenic	10	10	0.052	ug/l	1.5 J
Barium	1000	2000	380	ug/l	87.7
Beryllium	4	4	2.5	ug/l	0.24 U
Cadmium	5	5	0.92	ug/l	0.71 U
Calcium				ug/l	42800
Chromium	100	100	0.035	ug/l	3.2 J
Cobalt			0.6	ug/l	1.6 J
Copper	1300	1300	80	ug/l	13.6
Cyanide, Total	200	200	0.15	ug/l	59.6
Iron			1400	ug/l	1370
Lead	15	15	15	ug/l	1 J
Magnesium				ug/l	8750
Manganese			43	ug/l	70.6
Mercury	2	2	0.063	ug/l	0.17 U
Nickel	100		39	ug/l	3.4 J
Potassium				ug/l	3610
Selenium	50	50	10	ug/l	0.73 U
Silver	100		9.4	ug/l	1.3 U
Sodium				ug/l	24700
Thallium	2	2	0.02	ug/l	0.26 U
Vanadium			8.6	ug/l	3 J
Zinc	2000		600	ug/l	35.9

				Sample Location	CFWC-004-WG
				Sample Date	06/30/2017
				Sample Designation	CFWC-004-WCL
				Sample Type	WC
Parameter	DEQ-7 Human Health Standards	EPA Risk Based Screening Level Drinking water MCL	EPA Risk Based Screening Level Tapwater RSL	Unit	
1,1'-Biphenyl			0.083	ug/l	0.63 U
1,2,4,5-Tetrachlorobenzene	0.97		0.17	ug/l	0.43 U
1,4-Dioxane			0.46	ug/l	3.1 U
2,2'-oxybis[1-chloropropane]	1400			ug/l	0.93 U
2,3,4,6-Tetrachlorophenol			24	ug/l	0.69 U
2,4,5-Trichlorophenol	1800		120	ug/l	0.49 U
2,4,6-Trichlorophenol	30		1.2	ug/l	0.53 U
2,4-Dichlorophenol	77		4.6	ug/l	0.63 U
2,4-Dimethylphenol	380		36	ug/l	2 J
2,4-Dinitrophenol	69		3.9	ug/l	2.4 U
2,4-Dinitrotoluene	1.1		0.24	ug/l	1 U
2,6-Dinitrotoluene	0.5		0.049	ug/l	0.88 U
2-Chloronaphthalene	1000			ug/l	0.61 U
2-Chlorophenol	81		9.1	ug/l	0.74 U
2-Methylnaphthalene			3.6	ug/l	0.88 U
2-Methylphenol				ug/l	1.3 U
2-Nitroaniline			19	ug/l	0.65 U
2-Nitrophenol				ug/l	0.59 U
3 & 4 Methylphenol				ug/l	0.88 U
3,3'-Dichlorobenzidine	0.21		0.13	ug/l	1 U
3-Nitroaniline				ug/l	0.82 U
4,6-Dinitro-2-methylphenol	13			ug/l	2 U
4-Bromophenyl phenyl ether				ug/l	1 U
4-Chloro-3-methylphenol	3000			ug/l	0.76 U

4-Chloroaniline			0.37	ug/l	0.73 U
4-Chlorophenyl phenyl ether				ug/l	0.96 U
4-Nitroaniline			3.8	ug/l	0.48 U
4-Nitrophenol	60			ug/l	4.7 U
Acenaphthene	670		53	ug/l	0.88 U
Acenaphthylene				ug/l	0.65 U
Acetophenone			190	ug/l	1 U
Anthracene	2100		180	ug/l	0.57 U
Atrazine	3	3	0.3	ug/l	0.77 U
Benzaldehyde			190	ug/l	0.86 U
Benzo[a]anthracene	0.5			ug/l	0.55 U
Benzo[a]pyrene	0.05	0.2	0.0034	ug/l	0.16 U
Benzo[b]fluoranthene	0.5		0.034	ug/l	0.44 U
Benzo[g,h,i]perylene				ug/l	0.75 U
Benzo[k]fluoranthene	5		0.34	ug/l	0.18 U
Bis(2-chloroethoxy)methane			5.9	ug/l	0.69 U
Bis(2-chloroethyl)ether	0.3		0.014	ug/l	0.12 U
Bis(2-ethylhexyl) phthalate	6	6	5.6	ug/l	4.2
Butyl benzyl phthalate	1500		16	ug/l	0.6 U
Caprolactam			990	ug/l	1.1 U
Carbazole				ug/l	0.85 U
Chrysene	50		3.4	ug/l	0.67 U
Dibenz(a,h)anthracene	0.05		0.0034	ug/l	0.09 U
Dibenzofuran			0.79	ug/l	0.85 U
Diethyl phthalate	17000			ug/l	1 U
Dimethyl phthalate	270000			ug/l	0.98 U
Di-n-butyl phthalate	2000			ug/l	0.82 U
Di-n-octyl phthalate			20	ug/l	0.69 U
Fluoranthene	130		80	ug/l	0.72 U
Fluorene	1100		29	ug/l	0.8 U
Hexachlorobenzene	0.2	1	0.0098	ug/l	0.47 U
Hexachlorobutadiene	5		0.14	ug/l	0.76 U
Hexachlorocyclopentadiene	50	50	0.041	ug/l	0.61 U
Hexachloroethane	30		0.33	ug/l	0.09 U

Indeno[1,2,3-cd]pyrene	0.5		0.034	ug/l	0.21 U
Isophorone	400		78	ug/l	0.67 U
Naphthalene	100		0.17	ug/l	0.8 U
Nitrobenzene	17		0.14	ug/l	0.49 U
N-Nitrosodi-n-propylamine	0.5		0.011	ug/l	0.83 U
N-Nitrosodiphenylamine	33		12	ug/l	0.74 U
Pentachlorophenol	1	1	0.041	ug/l	2.2 U
Phenanthrene				ug/l	0.65 U
Phenol	300		580	ug/l	150
Pyrene	830		12	ug/l	0.83 U

				Sample Location	CFWC-004-WG
				Sample Date	06/30/2017
				Sample Designation	CFWC-004-WCL
				Sample Type	WC
Parameter	DEQ-7 Human Health Standards	EPA Risk Based Screening Level Drinking water MCL	EPA Risk Based Screening Level Tapwater RSL	Unit	
1,1,1-Trichloroethane	200	200	800	ug/l	0.28 U
1,1,2,2-Tetrachloroethane	2			ug/l	0.19 U
1,1,2-Trichloro-1,2,2-trifluoroethane			5500	ug/l	0.34 U
1,1,2-Trichloroethane	3			ug/l	0.08 U
1,1-Dichloroethane	4		2.8	ug/l	0.24 U
1,1-Dichloroethene	7			ug/l	0.34 U
1,2,3-Trichlorobenzene	0.7		0.7	ug/l	0.35 U
1,2,4-Trichlorobenzene	70		0.4	ug/l	0.27 U
1,2-Dibromo-3-Chloropropane	0.2	0.2	0.00033	ug/l	0.23 U
1,2-Dichlorobenzene	600	600	30	ug/l	0.22 U
1,2-Dichloroethane	4	5	0.17	ug/l	0.25 U
1,2-Dichloropropane	5	5	0.44	ug/l	0.18 U
1,3-Dichlorobenzene	600			ug/l	0.33 U
1,4-Dichlorobenzene	75	75	0.48	ug/l	0.33 U
2-Butanone (MEK)			560	ug/l	19
2-Hexanone			3.8	ug/l	2.3 J
4-Methyl-2-pentanone (MIBK)			630	ug/l	0.88 J
Acetone			1400	ug/l	45
Benzene	5	5	0.46	ug/l	0.21 J
Bromoform	80	80	3.3	ug/l	0.18 U
Bromomethane	10		0.75	ug/l	0.18 U
Carbon disulfide			81	ug/l	0.89 J
Carbon tetrachloride	3	5	0.46	ug/l	0.33 U
Chlorobenzene	100	100	7.8	ug/l	0.24 U

Chlorobromomethane			8.3	ug/l	0.3 U
Chlorodibromomethane	4	80	0.87	ug/l	0.22 U
Chloroethane			2100	ug/l	0.37 U
Chloroform	70	80	0.22	ug/l	0.22 U
Chloromethane	30		19	ug/l	0.22 U
cis-1,2-Dichloroethene	70			ug/l	0.26 U
cis-1,3-Dichloropropene	4			ug/l	0.16 U
Cyclohexane			1300	ug/l	0.26 U
Dichlorobromomethane	10	80	0.13	ug/l	0.15 U
Dichlorodifluoromethane	1000		20	ug/l	0.14 U
Ethylbenzene	700	700	1.5	ug/l	0.3 U
Ethylene Dibromide	0.004			ug/l	0.19 U
Isopropylbenzene				ug/l	0.32 U
Methyl acetate			2000	ug/l	4.5 J
Methyl tert-butyl ether	30		14	ug/l	0.13 U
Methylcyclohexane				ug/l	0.22 U
Methylene Chloride	5	5	11	ug/l	0.21 U
m-Xylene & p-Xylene				ug/l	0.91 J
o-Xylene	10000		19	ug/l	0.32 U
Styrene	100	100	120	ug/l	0.17 U
Tetrachloroethene	5			ug/l	0.12 U
Toluene	1000	1000	110	ug/l	2.9
trans-1,2-Dichloroethene	100			ug/l	0.18 U
trans-1,3-Dichloropropene	2			ug/l	0.19 UT
Trichloroethene	5			ug/l	0.22 U
Trichlorofluoromethane	10000		520	ug/l	0.15 U
Vinyl chloride	0.2	2	0.019	ug/l	0.06 U