Message

From: Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]
Sent: 4/4/2017 10:06:41 PM
To: Michael Ritorto [mritorto@rouxinc.com]
CC: wayne.krafft@ecy.wa.gov; John.Stroiazzo@glencore-ca.com; Andrew Baris [abaris@rouxinc.com]; Laura Jensen [ljensen@rouxinc.com]; Steve Wright - CFAC [swright@cfaluminum.com]; 'cowen@mt.gov' [cowen@mt.gov]; lidewitt@mt.gov
Subject: RE: CFAC Investigation Derived Waste - Water Disposal

Thanks for the follow up Michael. I concur.

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Michael Ritorto [mailto:mritorto@rouxinc.com]
Sent: Tuesday, April 4, 2017 3:36 PM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: wayne.krafft@ecy.wa.gov; John.Stroiazzo@glencore-ca.com; Andrew Baris <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>; Steve Wright - CFAC <swright@cfaluminum.com>
Subject: RE: CFAC Investigation Derived Waste - Water Disposal

Hi Mike,

As discussed today on the phone, you provided your concurrence for Roux/CFAC to proceed with the disposal of the water IDW described in the email dated March 24, 2017 (See below).

We would appreciate if you could respond in writing when you have the opportunity.

Mr. Krafft, please let us know if you have any comments or questions regarding the proposed disposal. Thank you.

Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.
209 Shafter Street, Islandia, NY 11749
Main: 631-232-2600 | Direct: 631-630-2370
Email: mritorto@rouxinc.com | Website: www.rouxinc.com

ROUX *Environmental Consulting & Management*

We solve our clients' most challenging environmental problems

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

From: Michael Ritorto
Sent: Wednesday, March 29, 2017 8:24 PM
To: Cirian.Mike@epa.gov
Cc: 'wayne.krafft@ecy.wa.gov' <wayne.krafft@ecy.wa.gov>; John.Stroiazzo@glencore-ca.com
Subject: RE: CFAC Investigation Derived Waste - Water Disposal

Hello Mike,

I'm just checking in on this request. We'd like to start scheduling the pickup of the IDW if it is ok with you and Wayne.

Please let us know if you have any questions. Thanks.

Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.
209 Shafter Street, Islandia, NY 11749
Main: 631-232-2600 | Direct: 631-630-2370
Email: mritorto@rouxinc.com | Website: www.rouxinc.com

ROUX *Environmental Consulting & Management*

We solve our clients' most challenging environmental problems

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

From: Michael Ritorto
Sent: Friday, March 24, 2017 2:59 PM
To: Cirian.Mike@epa.gov
Cc: 'wayne.krafft@ecy.wa.gov' <wayne.krafft@ecy.wa.gov>; John.Stroiazzo@glencore-ca.com; swright@cfaluminum.com; Andrew Baris (abaris@rouxinc.com) <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>
Subject: CFAC Investigation Derived Waste - Water Disposal

Mr. Cirian,

Roux Associates, on behalf of Columbia Falls Aluminum Company (CFAC), is providing the attached sample results from three waste characterization water samples (CFWC-001-WG, CFWC-002-WG, CFWC-003-WG), collected as part of the CFAC Phase I Site Characterization. Samples were collected in accordance with the Investigation Derived Waste (IDW) Management Plan dated May 9, 2016. Sample results show the water is non-hazardous. PDFs containing final laboratory results will be provided for download via secure file exchange due to the size of the files.

In accordance with paragraph 43b of the Administrative Order on Consent between CFAC and the USEPA (CERCLA docket# 08-2016-0002), CFAC is providing notification of plans to ship the IDW water to an out-of-state facility. Information about the proposed shipment is provided below as required in paragraph 43b:

1) Name and location of receiving facility – Waste Management Graham Road Recycling and Disposal, 1820 S. Graham Road Medical Lake, WA 99022.

2) Type and quantity of IDW – Water generated from the Phase I Site Characterization, including monitoring well development purge water and groundwater sampling purge water. Approximately 7,000 gallons of water.
3) Schedule – To be scheduled following this notification.
4) Method of transportation – Delivery in vacuum truck.

Please note that I have copied Mr. Wayne Krafft from the Washington Department of Ecology on this email for notification purposes.

Please let us know if it is okay to proceed with scheduling the disposal of the referenced IDW. Should you have any questions regarding this notification or require any additional information, please contact me at the number below.

Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.
209 Shafter Street, Islandia, NY 11749
Main: 631-232-2600 | Direct: 631-630-2370
Email: mritorto@rouxinc.com | Website: www.rouxinc.com

ROUX *Environmental Consulting & Management*

We solve our clients' most challenging environmental problems