Message

From: Paul, Thomas J. [tpaul@barclaydamon.com]
Sent: 10/17/2018 12:46:48 PM
To: Hayden, Melva [Hayden.Melva@epa.gov]
CC: Guster, Edward [Guster.Edward@epa.gov]; Thomas, Derval [Thomas.Derval@epa.gov]; Oropallo, Michael A. [MOropallo@barclaydamon.com]; Leja, Andrew J. [ALeja@barclaydamon.com]; Sawyer, William [Sawyer.William@epa.gov]
Subject: RE: Lansing Rod and Gun Club - RCRA-02-2016-7301 [IWOV-Active.FID1716645]

Ms. Hayden,

I write to keep you apprised of the status of the Lansing Rod & Gun Club's local permitting process. The Club has received a determination from the Town's Code Enforcement Officer that the proposed relocation of the Club's shooting ranges will not require any site plan review, special permit, or Zoning Board of Appeals review; it will only require a ministerial building permit and ground disturbance permit subject to stormwater and erosion control practices. As you know, the Club has already submitted applications for a building permit and for ground disturbance, and is currently finalizing its stormwater/erosion control report with input from the Town Engineer.

We expect imminent issuance of the Town building permit, at which time the Club will immediately commence range relocation work, with an eye toward completing the relocation as quickly as possible.

We will continue to update you as events warrant. Thank you.

Thomas J. Paul
Associate

BARCLAY DAMON LLP
Barclay Damon Tower • 125 East Jefferson Street • Syracuse, NY 13202
D: (315) 425-2785 • F: (518) 427-3476 • C: (315) 350-1330
E: tpaul@barclaydamon.com

barclaydamon.com • vCard • Profile

This electronic mail transmission is intended only for the use of the individual or entity to which it is addressed and may contain confidential information belonging to the sender which is protected by the attorney-client privilege. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents of this information is strictly prohibited. If you have received this transmission in error, please notify the sender immediately by e-mail and delete the original message.