Message

From: Davis, Patrick [davis.patrick@epa.gov]
Sent: 3/1/2018 9:54:06 PM
To: Kelly, Albert [kelly.albert@epa.gov]
CC: Benevento, Douglas [benevento.douglas@epa.gov]
Subject: FW: Silverton Standard3-1-2018.pdf
Attachments: standard3-1-2018.pdf

Hi Kell,

Sunnyside is making their case for water treatment in the Silverton press.

Patrick Davis
Environmental Protection Agency
Senior Advisor to the Regional Administrator for Public Engagement
1595 Wynkoop Street
Denver, CO 80202
303-312-6855 (direct)
720-607-9055 (cell)

From: Davis, Patrick
Sent: Thursday, March 1, 2018 10:14 AM
To: Portillos, Christine <Portillos.Christine@epa.gov>; Smidinger, Betsy <Smidinger.Betsy@epa.gov>; Benevento, Douglas <benevento.douglas@epa.gov>; Peterson, Cynthia <Peterson.Cynthia@epa.gov>
Subject: FW: Silverton Standard3-1-2018.pdf

Interesting story about Sunnyside in the Silverton paper.

Patrick Davis
Environmental Protection Agency
Senior Advisor to the Regional Administrator for Public Engagement
1595 Wynkoop Street
Denver, CO 80202
303-312-6855 (direct)
720-607-9055 (cell)

From: Mylott, Richard
Sent: Thursday, March 1, 2018 10:06 AM
To: Davis, Patrick <davis.patrick@epa.gov>
Subject: FW: Silverton Standard3-1-2018.pdf

Patrick—fyi, BPMD news in Silverton paper.

From: Henderson, Dedre
Sent: Thursday, March 1, 2018 9:34 AM
To: Mylott, Richard <Mylott.Richard@epa.gov>; Peterson, Cynthia <Peterson.Cynthia@epa.gov>
Subject: Silverton Standard3-1-2018.pdf

Dedre Henderson
Librarian, ASMS contractor
U.S.EPA Region 8 Technical Library
1595 Wynkoop Street, 80C-L
Denver, CO 80202-1129
303.312.6745
henderson.dedre@epa.gov

Library hours: 8:00-4:00, M-TR