Health Hazardous Materials Division
5825 Rickenbacker Rd., Commerce 90040

SEMS-RM DOCID # 1166406

LOG SHEET

Page _____ of _____

Site Name: | #

Address:

Date	HMS Init.	Findings /Remarks
10/17/05	CY	Conduct Haz Mat and Haz Waste inspections in the facility, and observed no violation at the of inspection.
06-03-09	CY	Conducted a routine inspection at the facility and observed no significant violations at the time of inspection.

HHMD-LS 03/11/08

COMPANY / NAME

or attach business card

Address

Phone( )

CASE UPDATE \ PHONE LOG
Los Angeles County Fire Department
Hazardous Waste Control Program
Health Haz Mat Division

PHL 429156 Code 225

DATE:	INITIAL	FINDINGS/REMARKS
12-20-95	EG	Conducted routine inspection. Facility in compliance. No NOV issued.
2-23-98	EG	Received certified mail with copy of request for closure of treatment unit (by operator).
11-X-98	EG	Received letter from DTSC ~~[illegible]~~ (dated 9-11-98) indicating that they received closure notification of treatment unit by operator.
12-17-99	EG	Conducted routine inspection. Business in compliance; did not issue NOV
9/26/00	BC	Tiered permitting database corrected.
5/28/02	BC	Per phone call from Bill Woyshner, the TP account is still showing up. The computer had it fee exempt rather than inactive. Change was made, and printed for file.