Message

From: Hughes, Rhonda [Rhonda.Hughes@dep.state.fl.us]
on behalf of SWD_WF_Permitting (Shared Mailbox) [SWD_WF_Permitting@dep.state.fl.us]
Sent: 11/23/2015 3:58:48 PM
To: Eric Weiss (Eric.Weiss@tampagov.net) [Eric.Weiss@tampagov.net]
CC: R4NPDESPermits [R4NPDESPermits@epa.gov]; Jeff Hilton (jeffrey.hilton@tampagov.net) [jeffrey.hilton@tampagov.net]; dan.vanderschuur@tampagov.net; Tony Alhomsi (alhomsi@epchc.org) [alhomsi@epchc.org]; ifetayo.venner@arcadis-us.com; Monica Sudano [Monica.Sudano@dep.state.fl.us]; Kaur, Ramandeep [Ramandeep.Kaur@dep.state.fl.us]; Jordan, Jaclyn [Jaclyn.Jordan@dep.state.fl.us]; FloresThiebaud, Astrid [Astrid.FloresThiebaud@dep.state.fl.us]; Champion, Jacquelyn [Jacquelyn.Champion@dep.state.fl.us]
Subject: Tampa City of-Howard F, Curran AWWTP / FL0020940-019-DW1P-NR / Notice of Permit Issuance / 11-23-2015 / Hillsborough County
Attachments: 019-DW1P-NR NOP.pdf; 019-DW1P-NR Permit .pdf; 019-DW1P-NR- DMRS.pdf; 019-DW1P-NR FactSheet.pdf; 019-DW1P-NR Pathogen Monitoring Report.pdf

Good morning,

Attached, please find the above-subject Notice of Permit Issuance documents. In an effort to reduce costs and waste, our agency is moving to electronic rather than paper correspondence. This is the only copy that you will receive, unless you request otherwise.

Acrobat Reader 6.0 or greater is required to read the documents. It is available for downloading at http://www.adobe.com/products/acrobat/readstep.html

If you have any questions concerning the contents of the attached documents, please contact the FDEP Permit Engineer Ms. Astrid FloresThiebaud at (813) 470-5760 or via email Astrid.Floresthiebaud@dep.state.fl.us.

Sincerely,

Rhonda Hughes
Secretary Specialist
Florida Department of Environmental Protection
Southwest District
13051 N. Telecom Parkway
Temple Terrace, Florida 33637
Phone: (813) 813-470-5718
Fax: (813) 470-5993
Rhonda.Hughes@dep.state.fl.us