IN THE UNITED STATES DISTRICT COURT
FOR THE WESTERN DISTRICT OF PENNSYLVANIA

UNITED STATES OF AMERICA, Plaintiff v. COMMONWEALTH OF PENNSYLVANIA, DEPARTMENT OF ENVIRONMENTAL RESOURCES, AND COUNTY OF ALLEGHENY, Plaintiff-Intervenors, GROUP AGAINST SMOG AND POLLUTION, Intervenor, v. USX CORPORATION, Defendant	)	Civil Action Nos. 79-709, 91-329

DEFENDANT'S MOTION TO TERMINATE SECOND CONSENT DECREE AS TO THE CLAIRTON WORKS

RECORD OF COMPLIANCE DEMONSTRATION

Volume V, Attachments 22 through 25

NESHAP PART 63. L

Attachment 22. Summary Tables showing VEO compliance for Doors, Topsides, and Charging with the Coke Oven NESHAP 30-day averages, since 12/14/93, the first 30-day average after daily inspections commenced on 11/15/93.

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 01

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.09%	1	0.05%	1
12/15/93	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	2	0.8%	1	1.14%	1	0.08%	1
12/16/93	A	0	0.0%	0	1	0	0	0	1	0.8%	1	8	0	0.0%	1	1.06%	1	0.07%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.04%	1	0.07%	1
12/18/93	B	1	0.8%	0	2	0	0	0	3	2.5%	1	6	1	0.4%	1	1.12%	1	0.08%	1
12/19/93	B	1	0.8%	0	1	0	0	0	2	1.6%	1	4	0	0.0%	1	1.17%	1	0.08%	1
12/20/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	2	0.8%	1	1.17%	1	0.10%	1
12/21/93	B	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.17%	1	0.10%	1
12/22/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.15%	1	0.10%	1
12/23/93	C	2	1.6%	0	1	0	0	0	3	2.4%	1	2	0	0.0%	1	1.17%	1	0.10%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.17%	1	0.09%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.17%	1	0.09%	1
12/26/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.14%	1	0.09%	1
12/27/93	C	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.14%	1	0.09%	1
12/28/93	D	4	3.2%	0	0	0	0	0	4	3.2%	1	4	0	0.0%	1	1.25%	1	0.09%	1
12/29/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.17%	1	0.09%	1
12/30/93	D	2	1.6%	0	0	0	0	0	2	1.6%	1	0	0	0.0%	1	1.22%	1	0.09%	1
12/31/93	D	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.25%	1	0.09%	1
01/01/94	D	0	0.0%	1	1	0	0	0	2	1.7%	1	10	0	0.0%	1	1.28%	1	0.09%	1
01/02/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.28%	1	0.09%	1
01/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	1.25%	1	0.09%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.11%	1	0.09%	1
01/06/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	10	0	0.0%	1	1.03%	1	0.09%	1
01/07/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.06%	1	0.09%	1
01/08/94	B	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.09%	1	0.09%	1
01/09/94	B	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.00%	1	0.09%	1
01/10/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	8	2	0.8%	1	1.00%	1	0.12%	1
01/11/94	B	0	0.0%	1	1	0	0	0	2	1.7%	1	9	1	0.4%	1	1.01%	1	0.13%	1
01/12/94	C	2	1.7%	0	0	0	1	0	3	2.5%	1	8	0	0.0%	1	1.06%	1	0.13%	1
01/13/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	1.09%	1	0.10%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.09%	1	0.10%	1
01/15/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.04%	1	0.08%	1
01/16/94	C	0	0.0%	1	1	0	0	0	2	1.7%	1	8	0	0.0%	1	1.07%	1	0.08%	1
01/17/94	D	4	3.2%	0	0	0	0	0	4	3.2%	1	4	0	0.0%	1	1.17%	1	0.08%	1
01/18/94	D	4	3.3%	0	1	0	0	0	5	4.2%	1	8	0	0.0%	1	1.23%	1	0.07%	1
01/19/94	D	4	3.2%	0	0	0	0	0	4	3.2%	1	4	0	0.0%	1	1.28%	1	0.07%	1
01/20/94	D	3	2.5%	0	0	1	0	0	4	3.3%	1	6	0	0.0%	1	1.39%	1	0.04%	1
01/21/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.42%	1	0.04%	1
01/22/94	A	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.45%	1	0.04%	1
01/23/94	A	1	0.8%	0	3	0	0	0	4	3.3%	1	6	2	0.8%	1	1.48%	1	0.07%	1
01/24/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	8	1	0.4%	1	1.56%	1	0.08%	1
01/25/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	8	0	0.0%	1	1.59%	1	0.08%	1
01/26/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	2	0.8%	1	1.61%	1	0.10%	1
01/27/94	D	0	0.0%	0	2	0	0	0	2	1.6%	1	6	0	0.0%	1	1.61%	1	0.10%	1
01/28/94	B	0	0.0%	1	0	0	0	0	1	0.8%	1	4	1	0.4%	1	1.53%	1	0.12%	1
01/29/94	B	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.62%	1	0.12%	1

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 01

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	4	0	0.0%	1	1.62%	1	0.12%	1
01/31/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.59%	1	0.12%	1
02/01/94	C	2	1.7%	0	0	0	0	0	2	1.7%	1	10	0	0.0%	1	1.59%	1	0.12%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	1	0.4%	1	1.53%	1	0.13%	1
02/03/94	C	0	0.0%	0	3	0	0	0	3	2.5%	1	6	0	0.0%	1	1.62%	1	0.13%	1
02/04/94	C	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.67%	1	0.13%	1
02/05/94	C	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.67%	1	0.13%	1
02/06/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.64%	1	0.13%	1
02/07/94	D	3	2.5%	0	0	0	0	0	3	2.5%	1	10	0	0.0%	1	1.70%	1	0.13%	1
02/08/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.67%	1	0.13%	1
02/09/94	D	1	0.8%	0	1	0	0	0	2	1.7%	1	10	0	0.0%	1	1.67%	1	0.10%	1
02/10/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.67%	1	0.09%	1
02/11/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.59%	1	0.09%	1
02/12/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.56%	1	0.09%	1
02/13/94	A	1	0.8%	1	0	0	0	0	2	1.6%	1	0	1	0.4%	1	1.61%	1	0.10%	1
02/14/94	A	1	0.8%	0	0	1	0	0	2	1.6%	1	6	1	0.4%	1	1.67%	1	0.12%	1
02/15/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	1.61%	1	0.12%	1
02/16/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	1	0.4%	1	1.53%	1	0.13%	1
02/17/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.42%	1	0.13%	1
02/18/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.34%	1	0.13%	1
02/19/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	1.23%	1	0.14%	1
02/20/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	4	0	0.0%	1	1.23%	1	0.14%	1
02/21/94	C	2	1.7%	1	1	0	0	0	4	3.3%	1	8	0	0.0%	1	1.29%	1	0.14%	1
02/22/94	C	2	1.6%	0	0	0	0	0	2	1.6%	1	4	1	0.4%	1	1.23%	1	0.13%	1
02/23/94	C	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.20%	1	0.12%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.18%	1	0.12%	1
02/25/94	C	1	0.8%	0	0	0	1	0	2	1.7%	1	8	0	0.0%	1	1.18%	1	0.09%	1
02/26/94	D	4	3.3%	0	0	0	0	0	4	3.3%	1	8	0	0.0%	1	1.24%	1	0.09%	1
02/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	1.21%	1	0.09%	1
02/28/94	J	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.16%	1	0.09%	1
03/01/94	D	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.18%	1	0.09%	1
03/02/94	D	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.27%	1	0.09%	1
03/03/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	2	0.8%	1	1.26%	1	0.12%	1
03/04/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.29%	1	0.10%	1
03/05/94	A	2	1.7%	0	1	0	0	0	3	2.5%	1	8	0	0.0%	1	1.29%	1	0.10%	1
03/06/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.29%	1	0.10%	1
03/07/94	A	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.29%	1	0.10%	1
03/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.29%	1	0.10%	1
TOTAL	84																		
AVERAGE		1.11	0.90%	0.11	0.36	0.02	0.02	0.00	1.62	1.32%	100.00%	6.04	0.27	0.11%	100.00%	1.32%	100.00%	0.10%	100.00%

ED_002508A_00000600-00004

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 02 # OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	0.96%	1	0.05%	1
12/15/93	A	4	3.3%	0	0	0	0	0	4	3.3%	1	6	2	0.8%	1	0.99%	1	0.07%	1
12/16/93	A	1	0.8%	0	0	0	0	0	1	0.8%	1	0	1	0.4%	1	0.98%	1	0.08%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.96%	1	0.08%	1
12/18/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	2	0.8%	1	0.93%	1	0.10%	1
12/19/93	B	3	2.3%	0	0	0	0	0	3	2.3%	1	0	0	0.0%	1	0.95%	1	0.10%	1
12/20/93	B	1	0.8%	0	1	0	0	0	2	1.6%	1	0	1	0.4%	1	1.01%	1	0.12%	1
12/21/93	B	0	0.0%	0	1	0	0	0	1	0.8%	1	4	0	0.0%	1	1.00%	1	0.12%	1
12/22/93	B	3	2.4%	1	0	0	0	0	4	3.2%	1	2	2	0.8%	1	1.08%	1	0.14%	1
12/23/93	C	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.00%	1	0.14%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.94%	1	0.14%	1
12/25/93	C	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	0.97%	1	0.14%	1
12/26/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.00%	1	0.14%	1
12/27/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.00%	1	0.14%	1
12/28/93	D	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.00%	1	0.14%	1
12/29/93	D	0	0.0%	0	1	0	0	0	1	0.8%	1	0	0	0.0%	1	1.03%	1	0.14%	1
12/30/93	D	2	1.6%	0	0	0	0	0	2	1.6%	1	3	1	0.4%	1	1.05%	1	0.16%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	1.05%	1	0.16%	1
01/01/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.03%	1	0.16%	1
01/02/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.00%	1	0.16%	1
01/03/94	A	0	0.0%	0	0	1	0	0	1	0.8%	1	7	0	0.0%	1	1.00%	1	0.16%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	5	4.2%	0	0	0	0	0	5	4.2%	1	8	0	0.0%	1	1.05%	1	0.16%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	0	1	0.4%	1	1.00%	1	0.17%	1
01/07/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.03%	1	0.17%	1
01/08/94	B	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.06%	1	0.16%	1
01/09/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.03%	1	0.16%	1
01/10/94	B	2	1.6%	0	1	0	0	0	3	2.4%	1	2	1	0.4%	1	1.08%	1	0.17%	1
01/11/94	B	4	3.3%	0	0	0	0	0	4	3.3%	1	6	0	0.0%	1	1.11%	1	0.17%	1
01/12/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	1.11%	1	0.16%	1
01/13/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.13%	1	0.14%	1
01/14/94	C	0	0.0%	0	1	0	0	0	1	0.8%	1	8	0	0.0%	1	1.14%	1	0.14%	1
01/15/94	C	0	0.0%	0	1	0	1	0	2	1.6%	1	6	0	0.0%	1	1.08%	1	0.12%	1
01/16/94	C	2	1.7%	0	0	1	0	0	3	2.5%	1	8	1	0.4%	1	1.14%	1	0.12%	1
01/17/94	D	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.19%	1	0.12%	1
01/18/94	D	5	3.9%	0	0	0	0	0	5	3.9%	1	0	2	0.8%	1	1.32%	1	0.12%	1
01/19/94	D	5	4.1%	0	0	0	0	0	5	4.1%	1	6	0	0.0%	1	1.38%	1	0.12%	1
01/20/94	D	5	3.9%	0	0	0	0	0	5	3.9%	1	0	1	0.4%	1	1.46%	1	0.12%	1
01/21/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	4	1	0.4%	1	1.49%	1	0.13%	1
01/22/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	10	0	0.0%	1	1.44%	1	0.10%	1
01/23/94	A	1	0.8%	0	0	2	0	0	3	2.4%	1	2	1	0.4%	1	1.49%	1	0.12%	1
01/24/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.55%	1	0.12%	1
01/25/94	A	3	2.3%	0	0	0	0	0	3	2.3%	1	0	0	0.0%	1	1.60%	1	0.12%	1
01/26/94	A	1	0.8%	0	2	0	0	0	3	2.5%	1	10	1	0.4%	1	1.65%	1	0.13%	1
01/27/94	D	2	1.7%	0	2	0	0	0	4	3.3%	1	8	1	0.4%	1	1.76%	1	0.14%	1
01/28/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.71%	1	0.14%	1
01/29/94	B	4	3.1%	1	0	0	0	0	5	3.9%	1	0	2	0.8%	1	1.81%	1	0.17%	1

ED_002508A_00000600-00005

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 02 # OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	3	2.5%	0	1	0	0	0	4	3.3%	1	6	0	0.0%	1	1.87%	1	0.16%	1
01/31/94	B	0	0.0%	0	1	0	0	0	1	0.8%	1	0	0	0.0%	1	1.89%	1	0.16%	1
02/01/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	1.89%	1	0.16%	1
02/02/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	10	1	0.4%	1	1.90%	1	0.17%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.87%	1	0.17%	1
02/04/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.73%	1	0.17%	1
02/05/94	C	2	1.6%	0	1	0	0	0	3	2.3%	1	0	0	0.0%	1	1.81%	1	0.16%	1
02/06/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	2	0	0.0%	1	1.83%	1	0.16%	1
02/07/94	D	0	0.0%	0	1	0	0	0	1	0.8%	1	10	0	0.0%	1	1.83%	1	0.16%	1
02/08/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	1.83%	1	0.17%	1
02/09/94	D	1	0.8%	0	1	0	0	0	2	1.6%	1	4	0	0.0%	1	1.81%	1	0.16%	1
02/10/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.70%	1	0.16%	1
02/11/94	A	0	0.0%	0	2	0	0	0	2	1.7%	1	8	0	0.0%	1	1.75%	1	0.16%	1
02/12/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.78%	1	0.16%	1
02/13/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	10	0	0.0%	1	1.84%	1	0.16%	1
02/14/94	A	4	3.3%	0	0	0	0	0	4	3.3%	1	8	0	0.0%	1	1.89%	1	0.16%	1
02/15/94	A	1	0.9%	0	1	0	0	0	2	1.7%	1	12	0	0.0%	1	1.87%	1	0.14%	1
02/16/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	1	0.4%	1	1.81%	1	0.16%	1
02/17/94	B	3	2.5%	0	0	0	0	0	3	2.5%	1	6	0	0.0%	1	1.76%	1	0.13%	1
02/18/94	B	1	0.8%	0	1	0	0	0	2	1.6%	1	0	0	0.0%	1	1.68%	1	0.13%	1
02/19/94	B	1	0.8%	0	1	0	0	0	2	1.6%	1	4	2	0.8%	1	1.60%	1	0.14%	1
02/20/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	1	0.4%	1	1.58%	1	0.14%	1
02/21/94	C	5	3.9%	0	0	0	0	0	5	3.9%	1	0	0	0.0%	1	1.65%	1	0.14%	1
02/22/94	C	3	2.4%	1	0	0	0	0	4	3.2%	1	4	0	0.0%	1	1.68%	1	0.13%	1
02/23/94	C	3	2.3%	0	0	0	0	0	3	2.3%	1	0	0	0.0%	1	1.70%	1	0.13%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.62%	1	0.13%	1
02/25/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.57%	1	0.12%	1
02/26/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.46%	1	0.10%	1
02/27/94	D	1	0.8%	1	0	0	0	0	2	1.6%	1	0	1	0.4%	1	1.51%	1	0.12%	1
02/28/94	J	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.38%	1	0.09%	1
03/01/94	D	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.30%	1	0.09%	1
03/02/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.30%	1	0.09%	1
03/03/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	12	1	0.4%	1	1.30%	1	0.10%	1
03/04/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.33%	1	0.09%	1
03/05/94	A	2	1.6%	0	1	0	0	0	3	2.5%	1	6	2	0.8%	1	1.41%	1	0.12%	1
03/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.41%	1	0.12%	1
03/07/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	8	0	0.0%	1	1.41%	1	0.12%	1
03/08/94	B	0	0.0%	0	0	0	1	0	1	0.8%	1	6	0	0.0%	1	1.39%	1	0.12%	1
TOTAL	84																		
AVERAGE		1.38	1.12%	0.07	0.29	0.05	0.02	0.00	1.81	1.46%	100.00%	5.14	0.37	0.15%	100.00%	1.39%	100.00%	0.14%	100.00%

ED_002508A_00000600-00006

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 03 # OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.8%	0	0	0	0	0	1	0.8%	1	0	1	0.4%	1	1.13%	1	0.14%	1
12/15/93	A	1	0.8%	0	0	0	0	0	1	0.8%	1	4	1	0.4%	1	1.08%	1	0.16%	1
12/16/93	A	0	0.0%	1	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.05%	1	0.16%	1
12/17/93	A	0	0.0%	1	0	0	0	0	1	0.8%	1	7	0	0.0%	1	1.08%	1	0.16%	1
12/18/93	B	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.14%	1	0.16%	1
12/19/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	1	0.4%	1	1.14%	1	0.17%	1
12/20/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.09%	1	0.17%	1
12/21/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.06%	1	0.14%	1
12/22/93	B	4	3.3%	0	0	0	0	0	4	3.3%	1	6	0	0.0%	1	1.17%	1	0.12%	1
12/23/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	7	0	0.0%	1	1.11%	1	0.12%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	1.06%	1	0.12%	1
12/25/93	C	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.08%	1	0.12%	1
12/26/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	1.08%	1	0.12%	1
12/27/93	C	2	1.7%	0	0	0	0	0	2	1.7%	1	7	0	0.0%	1	1.14%	1	0.12%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	1.14%	1	0.13%	1
12/29/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.03%	1	0.13%	1
12/30/93	D	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.03%	1	0.13%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.03%	1	0.10%	1
01/01/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.00%	1	0.10%	1
01/02/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.00%	1	0.09%	1
01/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.00%	1	0.08%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	4	3.4%	0	0	0	0	0	4	3.4%	1	10	0	0.0%	1	1.11%	1	0.07%	1
01/06/94	A	5	4.2%	0	0	0	0	0	5	4.2%	1	8	0	0.0%	1	1.25%	1	0.07%	1
01/07/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	1.20%	1	0.07%	1
01/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.20%	1	0.07%	1
01/09/94	B	0	0.0%	1	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.20%	1	0.05%	1
01/10/94	B	4	3.4%	0	0	0	0	0	4	3.4%	1	10	0	0.0%	1	1.23%	1	0.05%	1
01/11/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	4	0	0.0%	1	1.15%	1	0.05%	1
01/12/94	C	0	0.0%	1	1	0	0	0	2	1.7%	1	10	0	0.0%	1	1.18%	1	0.05%	1
01/13/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.13%	1	0.05%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.10%	1	0.04%	1
01/15/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.08%	1	0.03%	1
01/16/94	C	3	2.3%	0	1	0	0	0	4	3.1%	1	0	2	0.8%	1	1.15%	1	0.05%	1
01/17/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.13%	1	0.05%	1
01/18/94	D	3	2.5%	0	0	0	0	0	3	2.5%	1	8	0	0.0%	1	1.15%	1	0.05%	1
01/19/94	D	4	3.3%	0	0	0	0	0	4	3.3%	1	6	0	0.0%	1	1.23%	1	0.04%	1
01/20/94	D	5	4.1%	0	0	0	0	0	5	4.1%	1	6	0	0.0%	1	1.34%	1	0.04%	1
01/21/94	D	3	2.4%	0	1	0	0	0	4	3.1%	1	1	1	0.4%	1	1.45%	1	0.05%	1
01/22/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	8	1	0.4%	1	1.42%	1	0.07%	1
01/23/94	A	4	3.3%	0	1	0	0	0	5	4.1%	1	6	0	0.0%	1	1.56%	1	0.07%	1
01/24/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	5	0	0.0%	1	1.61%	1	0.07%	1
01/25/94	A	1	0.8%	1	0	0	0	0	2	1.7%	1	7	0	0.0%	1	1.61%	1	0.07%	1
01/26/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	8	1	0.4%	1	1.62%	1	0.08%	1
01/27/94	D	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.64%	1	0.08%	1
01/28/94	B	3	2.5%	0	0	0	1	0	4	3.3%	1	6	0	0.0%	1	1.75%	1	0.07%	1
01/29/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.75%	1	0.07%	1

ED_002508A_00000600-00007

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 03

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.70%	1	0.07%	1
01/31/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.70%	1	0.07%	1
02/01/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.67%	1	0.07%	1
02/02/94	C	2	1.6%	0	0	0	0	0	2	1.6%	1	6	1	0.4%	1	1.70%	1	0.08%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.70%	1	0.08%	1
02/04/94	C	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.64%	1	0.08%	1
02/05/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.53%	1	0.08%	1
02/06/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.50%	1	0.08%	1
02/07/94	D	4	3.2%	0	0	1	0	0	5	4.0%	1	4	2	0.8%	1	1.63%	1	0.10%	1
02/08/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.64%	1	0.10%	1
02/09/94	D	3	2.6%	0	0	0	0	0	3	2.6%	1	12	0	0.0%	1	1.61%	1	0.10%	1
02/10/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	6	1	0.4%	1	1.61%	1	0.12%	1
02/11/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.55%	1	0.12%	1
02/12/94	A	0	0.0%	0	4	0	0	0	4	3.3%	1	6	0	0.0%	1	1.64%	1	0.12%	1
02/13/94	A	3	2.5%	0	2	0	0	0	5	4.2%	1	8	2	0.8%	1	1.78%	1	0.14%	1
02/14/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.80%	1	0.14%	1
02/15/94	A	2	1.7%	1	0	0	1	0	4	3.3%	1	8	0	0.0%	1	1.81%	1	0.12%	1
02/16/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	5	0	0.0%	1	1.81%	1	0.12%	1
02/17/94	B	3	2.5%	0	0	0	0	0	3	2.5%	1	10	0	0.0%	1	1.81%	1	0.12%	1
02/18/94	B	2	1.7%	0	2	0	0	0	4	3.3%	1	8	0	0.0%	1	1.81%	1	0.12%	1
02/19/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	2	0.8%	1	1.70%	1	0.14%	1
02/20/94	B	0	0.0%	0	3	0	0	0	3	2.5%	1	6	1	0.4%	1	1.68%	1	0.14%	1
02/21/94	C	3	2.5%	0	0	0	0	0	3	2.5%	1	8	1	0.4%	1	1.68%	1	0.14%	1
02/22/94	C	0	0.0%	0	1	0	0	0	1	0.8%	1	10	0	0.0%	1	1.57%	1	0.14%	1
02/23/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.52%	1	0.14%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.46%	1	0.14%	1
02/25/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	1.44%	1	0.13%	1
02/26/94	D	2	1.7%	0	1	0	0	0	3	2.5%	1	8	0	0.0%	1	1.44%	1	0.13%	1
02/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	1.33%	1	0.14%	1
02/28/94	J	0	0.0%	0	0	0	0	0	0	0.0%	1	6	2	0.8%	1	1.33%	1	0.17%	1
03/01/94	D	1	0.8%	1	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.41%	1	0.17%	1
03/02/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.41%	1	0.17%	1
03/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	1.41%	1	0.17%	1
03/04/94	A	4	3.3%	0	1	0	0	0	5	4.1%	1	6	1	0.4%	1	1.49%	1	0.17%	1
03/05/94	A	4	3.3%	1	0	0	0	0	5	4.1%	1	6	2	0.8%	1	1.63%	1	0.20%	1
03/06/94	A	2	1.6%	1	0	0	0	0	3	2.5%	1	6	0	0.0%	1	1.66%	1	0.20%	1
03/07/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	10	2	0.8%	1	1.71%	1	0.22%	1
03/08/94	B	0	0.0%	1	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.74%	1	0.22%	1
TOTAL	84																		
AVERAGE		1.33	1.10%	0.13	0.27	0.01	0.02	0.00	1.77	1.46%	100.00%	6.49	0.32	0.13%	100.00%	1.39%	100.00%	0.11%	100.00%

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 07

OF OVENS: 62

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.97%	1	0.09%	1
12/15/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.97%	1	0.08%	1
12/16/93	A	0	0.0%	1	2	0	0	0	3	2.5%	1	6	0	0.0%	1	1.05%	1	0.08%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	1.05%	1	0.08%	1
12/18/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.99%	1	0.08%	1
12/19/93	B	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	0.96%	1	0.08%	1
12/20/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.93%	1	0.08%	1
12/21/93	B	1	0.9%	1	0	0	0	0	2	1.7%	1	9	0	0.0%	1	0.91%	1	0.08%	1
12/22/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.91%	1	0.09%	1
12/23/93	C	2	1.8%	0	0	0	0	0	2	1.8%	1	12	0	0.0%	1	0.97%	1	0.08%	1
12/24/93	C	2	1.7%	0	0	0	0	0	2	1.7%	1	4	0	0.0%	1	0.99%	1	0.08%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.96%	1	0.07%	1
12/26/93	C	0	0.0%	0	0	1	0	0	1	0.8%	1	4	0	0.0%	1	0.94%	1	0.04%	1
12/27/93	C	0	0.0%	0	0	1	0	0	1	0.9%	1	12	0	0.0%	1	0.94%	1	0.04%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	13	0	0.0%	1	0.94%	1	0.03%	1
12/29/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.94%	1	0.03%	1
12/30/93	D	3	2.7%	0	0	0	1	0	4	3.6%	1	14	0	0.0%	1	0.97%	1	0.03%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.83%	1	0.01%	1
01/01/94	D	1	0.8%	0	1	0	0	0	2	1.7%	1	4	0	0.0%	1	0.86%	1	0.01%	1
01/02/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	2	0.8%	1	0.83%	1	0.04%	1
01/03/94	A	2	1.8%	0	0	0	0	0	2	1.8%	1	12	0	0.0%	1	0.86%	1	0.04%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.84%	1	0.04%	1
01/06/94	A	0	0.0%	0	3	1	0	0	4	3.4%	1	6	0	0.0%	1	0.92%	1	0.04%	1
01/07/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	10	0	0.0%	1	0.89%	1	0.04%	1
01/08/94	B	3	2.6%	0	0	1	0	0	4	3.4%	1	8	0	0.0%	1	1.01%	1	0.04%	1
01/09/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	6	1	0.4%	1	1.01%	1	0.05%	1
01/10/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.01%	1	0.05%	1
01/11/94	B	0	0.0%	1	0	0	0	0	1	0.9%	1	8	0	0.0%	1	1.04%	1	0.05%	1
01/12/94	C	3	2.7%	0	0	0	0	0	3	2.7%	1	12	0	0.0%	1	1.10%	1	0.05%	1
01/13/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.10%	1	0.05%	1
01/14/94	C	2	1.7%	1	0	0	0	0	3	2.6%	1	8	0	0.0%	1	1.15%	1	0.05%	1
01/15/94	C	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.21%	1	0.05%	1
01/16/94	C	0	0.0%	0	2	0	0	0	2	1.6%	1	2	0	0.0%	1	1.18%	1	0.05%	1
01/17/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	16	1	0.4%	1	1.21%	1	0.07%	1
01/18/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	14	0	0.0%	1	1.19%	1	0.07%	1
01/19/94	D	4	3.4%	0	0	0	0	0	4	3.4%	1	8	1	0.4%	1	1.27%	1	0.08%	1
01/20/94	D	2	1.7%	0	0	0	0	0	2	1.7%	1	6	0	0.0%	1	1.33%	1	0.08%	1
01/21/94	D	1	0.9%	1	1	0	0	0	3	2.6%	1	8	0	0.0%	1	1.36%	1	0.08%	1
01/22/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.39%	1	0.07%	1
01/23/94	A	3	2.6%	2	0	0	0	0	5	4.4%	1	10	0	0.0%	1	1.47%	1	0.07%	1
01/24/94	A	3	2.5%	0	0	1	0	0	4	3.4%	1	6	0	0.0%	1	1.53%	1	0.07%	1
01/25/94	A	1	0.9%	0	0	1	0	0	2	1.8%	1	10	0	0.0%	1	1.59%	1	0.07%	1
01/26/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	12	0	0.0%	1	1.59%	1	0.07%	1
01/27/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.59%	1	0.07%	1
01/28/94	B	1	0.9%	0	1	0	0	0	2	1.8%	1	10	1	0.4%	1	1.65%	1	0.08%	1
01/29/94	B	1	0.9%	1	0	0	0	0	2	1.8%	1	10	0	0.0%	1	1.70%	1	0.08%	1

ED_002508A_00000600-00009

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 07

OF OVENS: 62

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	1	0.8%	1	1	1	0	0	4	3.4%	1	6	0	0.0%	1	1.70%	1	0.08%	1
01/31/94	B	4	3.2%	0	1	0	0	0	5	4.0%	1	0	0	0.0%	1	1.83%	1	0.08%	1
02/01/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.78%	1	0.08%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.75%	1	0.05%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.69%	1	0.05%	1
02/04/94	C	0	0.0%	0	0	2	0	0	2	1.7%	1	6	1	0.4%	1	1.74%	1	0.07%	1
02/05/94	C	3	2.5%	0	0	0	0	0	3	2.5%	1	6	1	0.4%	1	1.71%	1	0.08%	1
02/06/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	1.69%	1	0.08%	1
02/07/94	D	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.60%	1	0.08%	1
02/08/94	D	3	2.5%	0	1	0	0	0	4	3.3%	1	4	0	0.0%	1	1.65%	1	0.07%	1
02/09/94	D	1	0.9%	0	0	0	1	0	2	1.8%	1	10	0	0.0%	1	1.71%	1	0.07%	1
02/10/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.68%	1	0.07%	1
02/11/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	4	2	0.8%	1	1.68%	1	0.09%	1
02/12/94	A	1	0.9%	1	2	0	0	0	4	3.4%	1	8	0	0.0%	1	1.79%	1	0.09%	1
02/13/94	A	0	0.0%	1	2	0	0	0	3	2.4%	1	0	0	0.0%	1	1.79%	1	0.09%	1
02/14/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	6	1	0.4%	1	1.81%	1	0.11%	1
02/15/94	A	1	0.8%	0	0	1	0	0	2	1.6%	1	0	0	0.0%	1	1.81%	1	0.11%	1
02/16/94	B	0	0.0%	1	0	0	0	0	1	0.9%	1	8	1	0.4%	1	1.81%	1	0.11%	1
02/17/94	B	2	1.6%	1	0	2	0	0	5	4.0%	1	0	2	0.8%	1	1.94%	1	0.13%	1
02/18/94	B	4	3.4%	0	0	0	0	0	4	3.4%	1	6	0	0.0%	1	1.94%	1	0.12%	1
02/19/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.91%	1	0.12%	1
02/20/94	B	2	1.7%	3	0	0	0	0	4	3.3%	1	4	0	0.0%	1	1.94%	1	0.12%	1
02/21/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.91%	1	0.12%	1
02/22/94	C	1	0.9%	2	0	0	0	0	3	2.6%	1	10	0	0.0%	1	1.85%	1	0.12%	1
02/23/94	C	0	0.0%	0	0	2	0	0	2	1.8%	1	14	0	0.0%	1	1.80%	1	0.12%	1
02/24/94	C	0	0.0%	1	0	1	0	0	2	1.8%	1	12	0	0.0%	1	1.80%	1	0.12%	1
02/25/94	C	0	0.0%	3	1	0	0	0	4	3.4%	1	6	0	0.0%	1	1.88%	1	0.12%	1
02/26/94	D	0	0.0%	3	0	0	1	0	3	2.6%	1	8	0	0.0%	1	1.94%	1	0.12%	1
02/27/94	D	1	0.9%	1	0	0	1	0	3	2.6%	1	8	0	0.0%	1	1.97%	1	0.11%	1
02/28/94	J	0	0.0%	1	0	0	0	0	1	0.9%	1	8	0	0.0%	1	1.94%	1	0.11%	1
03/01/94	D	3	2.4%	1	0	0	0	0	4	3.2%	1	0	0	0.0%	1	1.94%	1	0.11%	1
03/02/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.80%	1	0.11%	1
03/03/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	1.83%	1	0.11%	1
03/04/94	A	2	1.8%	0	0	1	0	0	3	2.6%	1	10	0	0.0%	1	1.92%	1	0.11%	1
03/05/94	A	1	0.9%	0	0	1	0	0	2	1.7%	1	8	1	0.4%	1	1.97%	1	0.12%	1
03/06/94	A	2	1.7%	2	0	0	0	0	4	3.4%	1	8	1	0.4%	1	2.03%	1	0.12%	1
03/07/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	6	0	0.0%	1	2.00%	1	0.11%	1
03/08/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	2.03%	1	0.11%	1
TOTAL	84																		
AVERAGE		1.06	0.91%	0.37	0.24	0.20	0.05	0.00	1.89	1.61%	100.00%	7.57	0.20	0.08%	100.00%	1.44%	100.00%	0.08%	100.00%

ED_002508A_00000600-00010

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 08

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.8%	0	0	0	0	0	1	0.8%	1	2	1	0.4%	1	0.80%	1	0.05%	1
12/15/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.80%	1	0.05%	1
12/16/93	A	1	0.8%	0	1	0	0	0	2	1.6%	1	0	0	0.0%	1	0.85%	1	0.05%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.80%	1	0.05%	1
12/18/93	B	3	2.5%	0	0	0	0	0	3	2.5%	1	8	0	0.0%	1	0.86%	1	0.05%	1
12/19/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.86%	1	0.05%	1
12/20/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	0.83%	1	0.05%	1
12/21/93	B	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	0.86%	1	0.04%	1
12/22/93	B	2	1.6%	0	0	0	0	0	2	1.6%	1	4	0	0.0%	1	0.91%	1	0.04%	1
12/23/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	5	0	0.0%	1	0.85%	1	0.03%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.82%	1	0.03%	1
12/25/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.85%	1	0.03%	1
12/26/93	C	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	0.85%	1	0.03%	1
12/27/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	2	0.8%	1	0.85%	1	0.05%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.82%	1	0.05%	1
12/29/93	D	0	0.0%	1	0	0	0	0	1	0.8%	1	8	0	0.0%	1	0.82%	1	0.05%	1
12/30/93	D	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	0.74%	1	0.05%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.65%	1	0.04%	1
01/01/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	0.65%	1	0.04%	1
01/02/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.63%	1	0.04%	1
01/03/94	A	2	1.6%	0	1	0	0	0	3	2.3%	1	0	0	0.0%	1	0.70%	1	0.04%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.70%	1	0.04%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.70%	1	0.04%	1
01/07/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	0	0	0.0%	1	0.76%	1	0.04%	1
01/08/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	0.78%	1	0.04%	1
01/09/94	B	2	1.7%	0	0	1	0	0	3	2.5%	1	8	0	0.0%	1	0.84%	1	0.04%	1
01/10/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.84%	1	0.04%	1
01/11/94	B	1	0.8%	1	0	0	0	0	2	1.6%	1	4	0	0.0%	1	0.84%	1	0.04%	1
01/12/94	C	3	2.5%	0	1	0	0	0	4	3.3%	1	6	1	0.4%	1	0.86%	1	0.05%	1
01/13/94	C	5	4.1%	0	0	0	0	0	5	4.1%	1	6	0	0.0%	1	1.00%	1	0.05%	1
01/14/94	C	2	1.6%	1	0	0	0	0	3	2.4%	1	2	0	0.0%	1	1.05%	1	0.04%	1
01/15/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.08%	1	0.04%	1
01/16/94	C	0	0.0%	0	0	2	0	0	2	1.6%	1	6	0	0.0%	1	1.08%	1	0.04%	1
01/17/94	D	4	3.2%	0	0	0	0	0	4	3.2%	1	2	1	0.4%	1	1.19%	1	0.05%	1
01/18/94	D	1	0.9%	1	0	0	0	0	2	1.7%	1	12	0	0.0%	1	1.16%	1	0.05%	1
01/19/94	D	5	3.9%	0	0	0	0	0	5	3.9%	1	0	0	0.0%	1	1.29%	1	0.05%	1
01/20/94	D	3	2.5%	0	0	1	0	0	4	3.3%	1	8	0	0.0%	1	1.38%	1	0.05%	1
01/21/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.35%	1	0.05%	1
01/22/94	A	2	1.6%	0	1	0	0	0	3	2.3%	1	0	0	0.0%	1	1.38%	1	0.05%	1
01/23/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	8	1	0.4%	1	1.43%	1	0.07%	1
01/24/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	6	0	0.0%	1	1.51%	1	0.07%	1
01/25/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	1.49%	1	0.07%	1
01/26/94	A	3	2.5%	1	0	0	0	0	4	3.4%	1	10	0	0.0%	1	1.57%	1	0.07%	1
01/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.57%	1	0.04%	1
01/28/94	B	0	0.0%	0	1	0	0	0	1	0.8%	1	6	0	0.0%	1	1.60%	1	0.04%	1
01/29/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	14	0	0.0%	1	1.57%	1	0.04%	1

ED_002508A_00000600-00011

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 08

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	4	3.2%	0	0	0	0	0	4	3.2%	1	2	0	0.0%	1	1.65%	1	0.04%	1
01/31/94	B	4	3.5%	0	0	0	0	0	4	3.5%	1	14	0	0.0%	1	1.77%	1	0.04%	1
02/01/94	C	3	2.6%	0	0	0	0	0	3	2.6%	1	12	2	0.8%	1	1.83%	1	0.07%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.83%	1	0.07%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	1.75%	1	0.07%	1
02/04/94	C	0	0.0%	1	0	0	0	0	1	0.9%	1	12	0	0.0%	1	1.78%	1	0.07%	1
02/05/94	C	1	0.8%	1	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.83%	1	0.07%	1
02/06/94	D	3	2.5%	0	0	0	0	0	3	2.5%	1	6	0	0.0%	1	1.86%	1	0.07%	1
02/07/94	D	0	0.0%	1	4	0	0	0	5	4.1%	1	6	0	0.0%	1	1.94%	1	0.07%	1
02/08/94	D	0	0.0%	1	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.89%	1	0.07%	1
02/09/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	6	2	0.8%	1	1.89%	1	0.09%	1
02/10/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	1.86%	1	0.09%	1
02/11/94	A	4	3.3%	0	0	1	0	0	5	4.1%	1	6	2	0.8%	1	1.89%	1	0.10%	1
02/12/94	A	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	1.83%	1	0.10%	1
02/13/94	A	0	0.0%	1	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.81%	1	0.10%	1
02/14/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	2	0.8%	1	1.84%	1	0.13%	1
02/15/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	1.81%	1	0.13%	1
02/16/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	4	1	0.4%	1	1.70%	1	0.13%	1
02/17/94	B	1	0.8%	0	1	0	0	0	2	1.6%	1	6	1	0.4%	1	1.70%	1	0.14%	1
02/18/94	B	4	3.3%	0	1	0	0	0	5	4.1%	1	6	0	0.0%	1	1.71%	1	0.14%	1
02/19/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.65%	1	0.14%	1
02/20/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	1.68%	1	0.14%	1
02/21/94	C	0	0.0%	2	0	1	0	0	3	2.5%	1	6	0	0.0%	1	1.68%	1	0.14%	1
02/22/94	C	2	1.6%	0	3	0	0	0	5	3.9%	1	0	0	0.0%	1	1.76%	1	0.13%	1
02/23/94	C	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.70%	1	0.13%	1
02/24/94	C	0	0.0%	1	0	1	0	0	2	1.6%	1	0	0	0.0%	1	1.75%	1	0.13%	1
02/25/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.64%	1	0.13%	1
02/26/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	1.64%	1	0.13%	1
02/27/94	D	0	0.0%	1	1	1	0	0	3	2.5%	1	8	1	0.4%	1	1.70%	1	0.14%	1
02/28/94	J	1	0.8%	1	0	0	0	0	2	1.6%	1	0	0	0.0%	1	1.75%	1	0.14%	1
03/01/94	D	0	0.0%	0	0	1	0	0	1	0.9%	1	12	0	0.0%	1	1.67%	1	0.14%	1
03/02/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.55%	1	0.14%	1
03/03/94	A	0	0.0%	0	2	0	0	0	2	1.6%	1	6	0	0.0%	1	1.52%	1	0.12%	1
03/04/94	A	2	1.6%	0	1	0	0	0	3	2.3%	1	0	0	0.0%	1	1.60%	1	0.12%	1
03/05/94	A	1	0.8%	0	1	0	0	0	2	1.7%	1	8	1	0.4%	1	1.66%	1	0.13%	1
03/06/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	2	0	0.0%	1	1.65%	1	0.13%	1
03/07/94	A	0	0.0%	0	1	0	0	0	1	0.8%	1	2	0	0.0%	1	1.62%	1	0.13%	1
03/08/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.57%	1	0.13%	1
TOTAL	84																		
AVERAGE		1.17	0.95%	0.18	0.29	0.11	0.00	0.00	1.74	1.42%	100.00%	5.30	0.21	0.09%	100.00%	1.33%	100.00%	0.07%	100.00%

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 09

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	3	2.5%	0	0	0	0	0	3	2.5%	1	10	0	0.0%	1	1.43%	1	0.04%	1
12/15/93	A	0	0.0%	0	1	0	0	0	1	0.8%	1	10	0	0.0%	1	1.33%	1	0.04%	1
12/16/93	A	4	3.3%	0	0	0	0	0	4	3.3%	1	6	2	0.8%	1	1.35%	1	0.07%	1
12/17/93	A	2	1.6%	0	0	1	0	0	3	2.4%	1	4	0	0.0%	1	1.41%	1	0.07%	1
12/18/93	B	2	1.7%	1	0	1	0	0	4	3.3%	1	8	0	0.0%	1	1.52%	1	0.07%	1
12/19/93	B	0	0.0%	0	2	0	0	0	2	1.7%	1	8	0	0.0%	1	1.46%	1	0.07%	1
12/20/93	B	0	0.0%	0	1	1	0	0	2	1.6%	1	6	0	0.0%	1	1.48%	1	0.07%	1
12/21/93	B	0	0.0%	1	0	0	0	0	1	0.8%	1	9	0	0.0%	1	1.43%	1	0.07%	1
12/22/93	B	3	2.4%	0	0	0	0	0	3	2.4%	1	4	0	0.0%	1	1.48%	1	0.07%	1
12/23/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.43%	1	0.07%	1
12/24/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.43%	1	0.07%	1
12/25/93	C	0	0.0%	1	2	0	0	0	2	1.6%	1	6	0	0.0%	1	1.45%	1	0.07%	1
12/26/93	C	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.45%	1	0.07%	1
12/27/93	C	3	2.5%	0	0	0	0	0	3	2.5%	1	6	1	0.4%	1	1.51%	1	0.08%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	3	0	0.0%	1	1.51%	1	0.08%	1
12/29/93	D	1	0.8%	0	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.48%	1	0.08%	1
12/30/93	D	1	0.8%	0	1	0	0	0	2	1.6%	1	6	0	0.0%	1	1.54%	1	0.08%	1
12/31/93	D	0	0.0%	0	1	0	0	0	1	0.8%	1	0	0	0.0%	1	1.43%	1	0.07%	1
01/01/94	D	1	0.8%	0	2	0	0	0	3	2.5%	1	10	0	0.0%	1	1.51%	1	0.07%	1
01/02/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.54%	1	0.07%	1
01/03/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	6	0	0.0%	1	1.54%	1	0.07%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	1	1	0	0	2	1.7%	1	8	0	0.0%	1	1.54%	1	0.07%	1
01/06/94	A	0	0.0%	0	3	0	0	0	3	2.5%	1	6	0	0.0%	1	1.60%	1	0.05%	1
01/07/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.65%	1	0.05%	1
01/08/94	B	2	1.6%	0	0	0	0	0	2	1.6%	1	0	0	0.0%	1	1.65%	1	0.04%	1
01/09/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	9	0	0.0%	1	1.59%	1	0.04%	1
01/10/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.56%	1	0.04%	1
01/11/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.54%	1	0.04%	1
01/12/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	12	0	0.0%	1	1.46%	1	0.04%	1
01/13/94	C	1	0.8%	2	0	0	0	0	3	2.5%	1	10	0	0.0%	1	1.54%	1	0.04%	1
01/14/94	C	3	2.4%	1	0	0	0	0	4	3.2%	1	4	0	0.0%	1	1.56%	1	0.04%	1
01/15/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	10	0	0.0%	1	1.56%	1	0.04%	1
01/16/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.46%	1	0.01%	1
01/17/94	D	1	0.9%	1	0	0	0	0	2	1.7%	1	12	0	0.0%	1	1.43%	1	0.01%	1
01/18/94	D	1	0.8%	1	0	0	0	0	2	1.7%	1	8	0	0.0%	1	1.38%	1	0.01%	1
01/19/94	D	5	4.2%	0	0	0	0	0	5	4.2%	1	8	2	0.8%	1	1.46%	1	0.04%	1
01/20/94	D	4	3.1%	1	0	0	0	0	5	3.9%	1	0	1	0.4%	1	1.54%	1	0.05%	1
01/21/94	D	3	2.5%	1	0	0	0	0	4	3.3%	1	8	0	0.0%	1	1.62%	1	0.05%	1
01/22/94	A	0	0.0%	0	1	1	0	0	2	1.6%	1	6	0	0.0%	1	1.59%	1	0.05%	1
01/23/94	A	4	3.4%	1	0	0	0	0	5	4.2%	1	10	0	0.0%	1	1.73%	1	0.05%	1
01/24/94	A	4	3.3%	1	0	0	0	0	5	4.1%	1	6	0	0.0%	1	1.84%	1	0.05%	1
01/25/94	A	3	2.5%	1	0	0	0	0	4	3.3%	1	6	0	0.0%	1	1.90%	1	0.05%	1
01/26/94	A	2	1.7%	2	0	0	0	0	4	3.3%	1	8	0	0.0%	1	1.98%	1	0.05%	1
01/27/94	D	2	1.6%	1	0	0	0	0	3	2.4%	1	2	0	0.0%	1	1.98%	1	0.04%	1
01/28/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	2.01%	1	0.04%	1
01/29/94	B	4	3.2%	0	0	0	1	0	5	4.0%	1	4	0	0.0%	1	2.11%	1	0.04%	1

ED_002508A_00000600-00013

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 09

OF OVENS: 64

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	0	0.0%	0	4	1	0	0	5	4.1%	1	6	0	0.0%	1	2.19%	1	0.04%	1
01/31/94	B	4	3.4%	0	0	0	0	0	4	3.4%	1	12	0	0.0%	1	2.28%	1	0.04%	1
02/01/94	C	3	2.5%	1	0	0	0	0	4	3.4%	1	10	0	0.0%	1	2.31%	1	0.04%	1
02/02/94	C	0	0.0%	1	1	0	0	0	2	1.7%	1	12	0	0.0%	1	2.31%	1	0.04%	1
02/03/94	C	0	0.0%	2	0	0	0	0	2	1.7%	1	10	0	0.0%	1	2.32%	1	0.04%	1
02/04/94	C	4	3.4%	1	0	0	0	0	5	4.2%	1	10	0	0.0%	1	2.40%	1	0.04%	1
02/05/94	C	2	1.6%	0	1	0	0	0	3	2.5%	1	6	0	0.0%	1	2.40%	1	0.04%	1
02/06/94	D	4	3.2%	0	0	0	0	0	4	3.2%	1	4	0	0.0%	1	2.45%	1	0.04%	1
02/07/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	8	0	0.0%	1	2.43%	1	0.04%	1
02/08/94	D	2	1.7%	1	0	0	0	0	3	2.6%	1	12	0	0.0%	1	2.49%	1	0.04%	1
02/09/94	D	1	0.9%	0	1	0	0	0	2	1.8%	1	16	1	0.4%	1	2.55%	1	0.05%	1
02/10/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	12	1	0.4%	1	2.52%	1	0.07%	1
02/11/94	A	4	3.3%	0	0	0	0	0	4	3.3%	1	6	0	0.0%	1	2.60%	1	0.07%	1
02/12/94	A	0	0.0%	2	1	0	0	0	3	2.5%	1	8	0	0.0%	1	2.60%	1	0.07%	1
02/13/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	2.49%	1	0.07%	1
02/14/94	A	3	2.5%	1	0	1	0	0	5	4.1%	1	6	0	0.0%	1	2.60%	1	0.07%	1
02/15/94	A	4	3.4%	0	0	0	0	0	4	3.4%	1	12	0	0.0%	1	2.71%	1	0.07%	1
02/16/94	B	1	0.9%	0	1	0	0	0	2	1.7%	1	12	1	0.4%	1	2.71%	1	0.08%	1
02/17/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	2	0.8%	1	2.66%	1	0.11%	1
02/18/94	B	3	2.4%	1	0	1	0	0	5	4.0%	1	4	0	0.0%	1	2.65%	1	0.08%	1
02/19/94	B	2	1.6%	0	1	0	0	0	3	2.3%	1	0	0	0.0%	1	2.60%	1	0.07%	1
02/20/94	B	1	0.8%	1	0	1	0	0	3	2.3%	1	0	0	0.0%	1	2.57%	1	0.07%	1
02/21/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	2.54%	1	0.07%	1
02/22/94	C	1	0.8%	1	2	0	0	0	4	3.3%	1	6	1	0.4%	1	2.51%	1	0.08%	1
02/23/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	0	0	0.0%	1	2.40%	1	0.08%	1
02/24/94	C	0	0.0%	0	0	2	0	0	2	1.7%	1	10	0	0.0%	1	2.35%	1	0.08%	1
02/25/94	C	0	0.0%	2	1	0	0	0	3	2.5%	1	6	0	0.0%	1	2.32%	1	0.08%	1
02/26/94	D	0	0.0%	2	0	0	0	0	2	1.7%	1	12	0	0.0%	1	2.29%	1	0.08%	1
02/27/94	D	1	0.8%	1	1	1	0	0	4	3.3%	1	8	0	0.0%	1	2.38%	1	0.08%	1
02/28/94	1	1	0.8%	0	0	0	0	0	1	0.8%	1	10	0	0.0%	1	2.27%	1	0.08%	1
03/01/94	D	3	2.6%	2	0	0	0	0	5	4.3%	1	12	1	0.4%	1	2.28%	1	0.09%	1
03/02/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	2.16%	1	0.09%	1
03/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	2.05%	1	0.09%	1
03/04/94	A	2	1.8%	0	0	0	0	0	2	1.8%	1	14	0	0.0%	1	2.05%	1	0.09%	1
03/05/94	A	1	0.8%	3	1	0	0	0	5	4.0%	1	4	0	0.0%	1	2.13%	1	0.09%	1
03/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	1.99%	1	0.10%	1
03/07/94	A	0	0.0%	1	0	0	0	0	1	0.8%	1	6	0	0.0%	1	1.93%	1	0.10%	1
03/08/94	B	2	1.8%	0	1	0	0	0	3	2.6%	1	14	0	0.0%	1	1.91%	1	0.10%	1
TOTAL	84																		
AVERAGE		1.44	1.19%	0.50	0.37	0.14	0.01	0.00	2.45	2.02%	100.00%	7.30	0.17	0.07%	100.00%	1.93%	100.00%	0.06%	100.00%

ED_002508A_00000600-00014

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 13

OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.66%	1	0.11%	1
12/15/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.67%	1	0.11%	1
12/16/93	A	0	0.0%	1	0	0	0	0	1	0.9%	1	6	1	0.4%	1	0.66%	1	0.12%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.63%	1	0.12%	1
12/18/93	B	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	0.66%	1	0.12%	1
12/19/93	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.69%	1	0.12%	1
12/20/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.69%	1	0.12%	1
12/21/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.66%	1	0.14%	1
12/22/93	B	0	0.0%	1	0	2	0	0	3	2.6%	1	6	0	0.0%	1	0.69%	1	0.14%	1
12/23/93	C	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.66%	1	0.14%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.63%	1	0.14%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.61%	1	0.14%	1
12/26/93	C	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	0.61%	1	0.14%	1
12/27/93	C	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	0.67%	1	0.14%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	12	2	0.8%	1	0.64%	1	0.14%	1
12/29/93	D	0	0.0%	1	0	1	0	0	2	1.7%	1	6	0	0.0%	1	0.70%	1	0.14%	1
12/30/93	D	0	0.0%	0	0	1	0	0	1	0.8%	1	8	0	0.0%	1	0.69%	1	0.14%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	0.69%	1	0.15%	1
01/01/94	D	4	3.4%	0	0	0	0	0	4	3.4%	1	4	1	0.4%	1	0.78%	1	0.15%	1
01/02/94	A	0	0.0%	1	0	0	0	0	1	0.9%	1	6	1	0.4%	1	0.78%	1	0.16%	1
01/03/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	10	1	0.4%	1	0.81%	1	0.18%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.78%	1	0.16%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.78%	1	0.18%	1
01/07/94	B	0	0.0%	2	0	1	0	0	3	2.5%	1	4	0	0.0%	1	0.83%	1	0.18%	1
01/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.75%	1	0.18%	1
01/09/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	1	0.4%	1	0.78%	1	0.19%	1
01/10/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.80%	1	0.19%	1
01/11/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.80%	1	0.18%	1
01/12/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.78%	1	0.18%	1
01/13/94	C	0	0.0%	0	0	2	0	0	2	1.7%	1	4	0	0.0%	1	0.83%	1	0.15%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.80%	1	0.15%	1
01/15/94	C	0	0.0%	0	1	0	0	0	1	0.9%	1	10	0	0.0%	1	0.80%	1	0.15%	1
01/16/94	C	1	0.9%	0	0	1	0	0	2	1.8%	1	8	1	0.4%	1	0.83%	1	0.15%	1
01/17/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.83%	1	0.16%	1
01/18/94	D	1	0.9%	1	0	0	0	0	2	1.8%	1	10	0	0.0%	1	0.86%	1	0.16%	1
01/19/94	D	2	1.8%	0	0	0	0	0	2	1.8%	1	10	1	0.4%	1	0.89%	1	0.18%	1
01/20/94	D	0	0.0%	0	0	1	0	0	1	0.9%	1	6	1	0.4%	1	0.92%	1	0.19%	1
01/21/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	2	1	0.4%	1	0.95%	1	0.19%	1
01/22/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.89%	1	0.19%	1
01/23/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.86%	1	0.19%	1
01/24/94	A	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	0.89%	1	0.19%	1
01/25/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.89%	1	0.19%	1
01/26/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.86%	1	0.19%	1
01/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.81%	1	0.19%	1
01/28/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.83%	1	0.16%	1
01/29/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	6	0	0.0%	1	0.83%	1	0.16%	1

ED_002508A_00000600-00015

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 13 # OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.81%	1	0.16%	1
01/31/94	B	3	2.5%	0	0	0	0	0	3	2.5%	1	0	0	0.0%	1	0.89%	1	0.15%	1
02/01/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.78%	1	0.14%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.75%	1	0.12%	1
02/03/94	C	2	1.7%	0	0	1	0	0	3	2.6%	1	6	0	0.0%	1	0.80%	1	0.11%	1
02/04/94	C	1	0.9%	0	0	1	0	0	2	1.8%	1	8	0	0.0%	1	0.86%	1	0.11%	1
02/05/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.86%	1	0.10%	1
02/06/94	D	2	1.7%	0	0	0	0	0	2	1.7%	1	6	2	0.8%	1	0.83%	1	0.12%	1
02/07/94	D	1	0.9%	0	1	0	0	0	2	1.7%	1	6	0	0.0%	1	0.89%	1	0.12%	1
02/08/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	0	2	0.8%	1	0.89%	1	0.14%	1
02/09/94	D	1	0.9%	1	0	0	0	0	2	1.7%	1	6	0	0.0%	1	0.92%	1	0.12%	1
02/10/94	D	2	1.7%	1	0	0	0	0	3	2.6%	1	6	0	0.0%	1	1.01%	1	0.12%	1
02/11/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	2	0	0.0%	1	1.03%	1	0.12%	1
02/12/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.98%	1	0.12%	1
02/13/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	6	1	0.4%	1	1.03%	1	0.14%	1
02/14/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	6	1	0.4%	1	1.06%	1	0.15%	1
02/15/94	A	3	2.6%	0	0	0	0	0	3	2.6%	1	8	2	0.8%	1	1.09%	1	0.17%	1
02/16/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	1.12%	1	0.17%	1
02/17/94	B	0	0.0%	1	0	0	0	0	1	0.9%	1	10	0	0.0%	1	1.09%	1	0.17%	1
02/18/94	B	0	0.0%	0	0	1	0	0	1	0.8%	1	2	2	0.8%	1	1.06%	1	0.18%	1
02/19/94	B	0	0.0%	0	0	1	0	0	1	0.9%	1	6	1	0.4%	1	1.06%	1	0.18%	1
02/20/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.06%	1	0.17%	1
02/21/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	4	1	0.4%	1	1.06%	1	0.18%	1
02/22/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	1.06%	1	0.18%	1
02/23/94	C	2	1.8%	0	0	0	0	0	2	1.8%	1	12	0	0.0%	1	1.09%	1	0.18%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	1	0.4%	1	1.09%	1	0.19%	1
02/25/94	C	0	0.0%	0	0	2	0	0	2	1.7%	1	6	0	0.0%	1	1.12%	1	0.19%	1
02/26/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	1.15%	1	0.19%	1
02/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.12%	1	0.19%	1
02/28/94	J	3	2.6%	0	0	1	0	0	4	3.5%	1	8	1	0.4%	1	1.18%	1	0.21%	1
03/01/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	1.21%	1	0.21%	1
03/02/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	10	0	0.0%	1	1.15%	1	0.21%	1
03/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	1.15%	1	0.22%	1
03/04/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	9	0	0.0%	1	1.15%	1	0.22%	1
03/05/94	A	1	0.9%	1	0	0	0	0	2	1.7%	1	6	0	0.0%	1	1.12%	1	0.22%	1
03/06/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	1.10%	1	0.23%	1
03/07/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.10%	1	0.23%	1
03/08/94	B	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	1.10%	1	0.21%	1
TOTAL	84																		
AVERAGE		0.71	0.62%	0.14	0.02	0.21	0.00	0.00	1.10	0.95%	100.00%	6.99	0.39	0.16%	100.00%	0.88%	100.00%	0.16%	100.00%

ED_002508A_00000600-00016

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 14

OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	0	0.0%	0	0	1	0	0	1	0.8%	1	0	0	0.0%	1	0.78%	1	0.11%	1
12/15/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.69%	1	0.11%	1
12/16/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.66%	1	0.11%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.63%	1	0.11%	1
12/18/93	B	0	0.0%	1	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.63%	1	0.10%	1
12/19/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.63%	1	0.10%	1
12/20/93	B	0	0.0%	0	0	1	0	0	1	0.8%	1	0	0	0.0%	1	0.63%	1	0.10%	1
12/21/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.60%	1	0.10%	1
12/22/93	B	0	0.0%	1	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.63%	1	0.10%	1
12/23/93	C	0	0.0%	1	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.66%	1	0.10%	1
12/24/93	C	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	0.69%	1	0.10%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.60%	1	0.08%	1
12/26/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.60%	1	0.08%	1
12/27/93	C	0	0.0%	0	1	0	0	0	1	0.9%	1	6	0	0.0%	1	0.60%	1	0.08%	1
12/28/93	D	0	0.0%	2	0	0	0	0	2	1.7%	1	4	1	0.4%	1	0.66%	1	0.07%	1
12/29/93	D	0	0.0%	1	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.69%	1	0.07%	1
12/30/93	D	0	0.0%	1	1	0	0	0	2	1.7%	1	4	0	0.0%	1	0.68%	1	0.07%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	0	1	0.4%	1	0.68%	1	0.08%	1
01/01/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.68%	1	0.08%	1
01/02/94	A	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	0.66%	1	0.08%	1
01/03/94	A	0	0.0%	0	1	0	0	0	1	0.9%	1	6	1	0.4%	1	0.66%	1	0.08%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	0	0.0%	1	0.71%	1	0.08%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.68%	1	0.10%	1
01/07/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.65%	1	0.08%	1
01/08/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	10	0	0.0%	1	0.66%	1	0.08%	1
01/09/94	B	0	0.0%	2	0	0	0	0	2	1.8%	1	8	1	0.4%	1	0.69%	1	0.10%	1
01/10/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.66%	1	0.10%	1
01/11/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.66%	1	0.08%	1
01/12/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.63%	1	0.08%	1
01/13/94	C	1	0.9%	0	0	1	0	0	2	1.8%	1	8	0	0.0%	1	0.66%	1	0.07%	1
01/14/94	C	0	0.0%	0	0	2	0	0	2	1.7%	1	4	0	0.0%	1	0.68%	1	0.07%	1
01/15/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.68%	1	0.07%	1
01/16/94	C	1	0.9%	1	0	0	0	0	2	1.8%	1	8	1	0.4%	1	0.71%	1	0.08%	1
01/17/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.71%	1	0.08%	1
01/18/94	D	3	2.6%	0	0	0	0	0	3	2.6%	1	8	0	0.0%	1	0.77%	1	0.08%	1
01/19/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.80%	1	0.08%	1
01/20/94	D	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	0.80%	1	0.08%	1
01/21/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	0	2	0.8%	1	0.86%	1	0.11%	1
01/22/94	A	0	0.0%	0	1	1	0	0	2	1.8%	1	8	1	0.4%	1	0.89%	1	0.12%	1
01/23/94	A	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	0.92%	1	0.12%	1
01/24/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	0.89%	1	0.12%	1
01/25/94	A	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	0.95%	1	0.12%	1
01/26/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	2	0.8%	1	0.98%	1	0.15%	1
01/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	4	1	0.4%	1	0.95%	1	0.16%	1
01/28/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.92%	1	0.15%	1
01/29/94	B	1	0.8%	0	0	1	0	0	2	1.6%	1	0	0	0.0%	1	0.94%	1	0.15%	1

ED_002508A_00000600-00017

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 14

OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	2	1.7%	0	0	0	0	0	2	1.7%	1	6	0	0.0%	1	0.95%	1	0.15%	1
01/31/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.98%	1	0.14%	1
02/01/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.95%	1	0.14%	1
02/02/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	6	1	0.4%	1	0.95%	1	0.15%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	2	0.8%	1	0.92%	1	0.16%	1
02/04/94	C	1	0.9%	1	0	0	0	0	2	1.7%	1	6	1	0.4%	1	0.92%	1	0.18%	1
02/05/94	C	1	0.8%	0	1	0	0	0	2	1.7%	1	4	0	0.0%	1	0.98%	1	0.16%	1
02/06/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.98%	1	0.16%	1
02/07/94	D	2	1.8%	1	0	0	0	0	3	2.6%	1	8	0	0.0%	1	1.03%	1	0.16%	1
02/08/94	D	3	2.6%	0	0	0	0	0	3	2.6%	1	8	1	0.4%	1	1.06%	1	0.17%	1
02/09/94	D	4	3.3%	0	0	0	0	0	4	3.3%	1	2	0	0.0%	1	1.17%	1	0.17%	1
02/10/94	D	2	1.8%	0	0	0	0	0	2	1.8%	1	8	0	0.0%	1	1.23%	1	0.17%	1
02/11/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.23%	1	0.17%	1
02/12/94	A	2	1.7%	0	0	0	0	0	2	1.7%	1	2	0	0.0%	1	1.23%	1	0.17%	1
02/13/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	6	2	0.8%	1	1.20%	1	0.19%	1
02/14/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	1.23%	1	0.19%	1
02/15/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	4	1	0.4%	1	1.20%	1	0.19%	1
02/16/94	B	1	0.9%	1	0	0	0	0	2	1.7%	1	6	0	0.0%	1	1.26%	1	0.19%	1
02/17/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.17%	1	0.19%	1
02/18/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.14%	1	0.19%	1
02/19/94	B	0	0.0%	0	0	1	0	0	1	0.8%	1	0	1	0.4%	1	1.14%	1	0.21%	1
02/20/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	1	0.4%	1	1.09%	1	0.19%	1
02/21/94	C	2	1.7%	0	0	1	0	0	3	2.6%	1	6	0	0.0%	1	1.12%	1	0.18%	1
02/22/94	C	0	0.0%	1	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.08%	1	0.18%	1
02/23/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	1.08%	1	0.19%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	2	1	0.4%	1	1.03%	1	0.21%	1
02/25/94	C	0	0.0%	0	0	1	0	0	1	0.9%	1	6	0	0.0%	1	1.03%	1	0.18%	1
02/26/94	D	1	0.9%	0	0	1	0	0	2	1.8%	1	10	0	0.0%	1	1.09%	1	0.17%	1
02/27/94	D	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	1.08%	1	0.17%	1
02/28/94	1	2	1.8%	0	0	0	0	0	2	1.8%	1	10	1	0.4%	1	1.09%	1	0.18%	1
03/01/94	D	1	0.9%	1	0	0	0	0	2	1.7%	1	6	0	0.0%	1	1.09%	1	0.18%	1
03/02/94	D	2	1.6%	0	0	0	0	0	2	1.6%	1	0	0	0.0%	1	1.11%	1	0.18%	1
03/03/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	1	0.4%	1	1.17%	1	0.19%	1
03/04/94	A	0	0.0%	0	0	1	0	0	1	0.9%	1	10	0	0.0%	1	1.17%	1	0.18%	1
03/05/94	A	0	0.0%	0	1	0	0	0	1	0.9%	1	8	0	0.0%	1	1.20%	1	0.15%	1
03/06/94	A	3	2.5%	0	0	0	0	0	3	2.5%	1	0	0	0.0%	1	1.22%	1	0.14%	1
03/07/94	A	0	0.0%	0	0	1	0	0	1	0.9%	1	8	2	0.8%	1	1.20%	1	0.16%	1
03/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	3	0	0.0%	1	1.20%	1	0.16%	1
TOTAL	84																		
AVERAGE		0.68	0.58%	0.18	0.07	0.19	0.00	0.00	1.12	0.96%	100.00%	5.27	0.33	0.13%	100.00%	0.89%	100.00%	0.13%	100.00%

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 15

OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.49%	1	0.11%	1
12/15/93	A	1	0.9%	0	1	0	0	0	2	1.7%	1	6	0	0.0%	1	0.52%	1	0.11%	1
12/16/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.55%	1	0.11%	1
12/17/93	A	1	0.9%	0	0	0	0	0	1	0.9%	1	12	0	0.0%	1	0.58%	1	0.11%	1
12/18/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.58%	1	0.11%	1
12/19/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.55%	1	0.11%	1
12/20/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.52%	1	0.11%	1
12/21/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	0.52%	1	0.10%	1
12/22/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.49%	1	0.10%	1
12/23/93	C	1	0.9%	0	0	0	0	0	1	0.9%	1	10	0	0.0%	1	0.52%	1	0.08%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	0.52%	1	0.08%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.49%	1	0.10%	1
12/26/93	C	1	0.9%	0	0	0	0	0	1	0.9%	1	9	0	0.0%	1	0.49%	1	0.10%	1
12/27/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	7	0	0.0%	1	0.47%	1	0.10%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.44%	1	0.07%	1
12/29/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	0.44%	1	0.05%	1
12/30/93	D	0	0.0%	0	1	0	0	0	1	0.9%	1	6	0	0.0%	1	0.38%	1	0.05%	1
12/31/93	D	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.41%	1	0.05%	1
01/01/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.38%	1	0.05%	1
01/02/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.38%	1	0.05%	1
01/03/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.41%	1	0.07%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	1	1	0	0	0	2	1.8%	1	10	0	0.0%	1	0.47%	1	0.05%	1
01/06/94	A	2	1.6%	0	0	0	0	0	2	1.6%	1	0	1	0.4%	1	0.52%	1	0.07%	1
01/07/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.49%	1	0.05%	1
01/08/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.46%	1	0.05%	1
01/09/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	2	0.8%	1	0.46%	1	0.08%	1
01/10/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.49%	1	0.08%	1
01/11/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	0	0	0.0%	1	0.49%	1	0.08%	1
01/12/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.49%	1	0.08%	1
01/13/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.47%	1	0.10%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	0.47%	1	0.11%	1
01/15/94	C	0	0.0%	0	3	0	0	0	3	2.6%	1	6	0	0.0%	1	0.49%	1	0.11%	1
01/16/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.49%	1	0.11%	1
01/17/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	0.46%	1	0.11%	1
01/18/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.49%	1	0.11%	1
01/19/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.52%	1	0.12%	1
01/20/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.52%	1	0.11%	1
01/21/94	D	4	3.6%	0	0	0	0	0	4	3.6%	1	10	1	0.4%	1	0.64%	1	0.12%	1
01/22/94	A	4	3.4%	0	0	0	0	0	4	3.4%	1	6	0	0.0%	1	0.76%	1	0.12%	1
01/23/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	2	0.8%	1	0.73%	1	0.15%	1
01/24/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.73%	1	0.15%	1
01/25/94	A	0	0.0%	1	1	0	0	0	2	1.6%	1	0	0	0.0%	1	0.78%	1	0.14%	1
01/26/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.78%	1	0.14%	1
01/27/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.78%	1	0.14%	1
01/28/94	B	0	0.0%	0	1	0	0	0	1	0.8%	1	4	0	0.0%	1	0.81%	1	0.14%	1
01/29/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.84%	1	0.14%	1

ED_002508A_00000600-00019

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 15

OF OVENS: 61

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	1	0.8%	0	0	0	0	0	1	0.8%	1	0	0	0.0%	1	0.84%	1	0.14%	1
01/31/94	B	2	1.8%	0	1	0	0	0	3	2.7%	1	10	0	0.0%	1	0.90%	1	0.14%	1
02/01/94	C	0	0.0%	1	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.93%	1	0.15%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.93%	1	0.15%	1
02/03/94	C	2	1.7%	0	0	0	0	0	2	1.7%	1	6	0	0.0%	1	0.95%	1	0.14%	1
02/04/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	0.89%	1	0.14%	1
02/05/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.84%	1	0.12%	1
02/06/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	10	2	0.8%	1	0.87%	1	0.15%	1
02/07/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.87%	1	0.15%	1
02/08/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	10	1	0.4%	1	0.90%	1	0.14%	1
02/09/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.87%	1	0.14%	1
02/10/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	4	0	0.0%	1	0.87%	1	0.14%	1
02/11/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.87%	1	0.14%	1
02/12/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.84%	1	0.12%	1
02/13/94	A	1	0.8%	0	0	0	0	0	1	0.8%	1	4	0	0.0%	1	0.87%	1	0.11%	1
02/14/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	2	0.8%	1	0.78%	1	0.14%	1
02/15/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	7	2.9%	0	0.75%	1	0.23%	1
02/16/94	B	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.78%	1	0.23%	1
02/17/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.75%	1	0.23%	1
02/18/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	1	0.4%	1	0.72%	1	0.23%	1
02/19/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	6	1	0.4%	1	0.72%	1	0.25%	1
02/20/94	B	3	2.5%	0	0	0	0	0	3	2.5%	1	4	0	0.0%	1	0.69%	1	0.23%	1
02/21/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.60%	1	0.23%	1
02/22/94	C	4	3.5%	0	0	0	0	0	4	3.5%	1	8	0	0.0%	1	0.72%	1	0.21%	1
02/23/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	6	2	0.8%	1	0.75%	1	0.23%	1
02/24/94	C	1	0.9%	0	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.72%	1	0.23%	1
02/25/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.4%	1	0.69%	1	0.25%	1
02/26/94	D	1	0.9%	0	0	0	0	0	1	0.9%	1	8	1	0.4%	1	0.72%	1	0.26%	1
02/27/94	D	0	0.0%	0	2	0	0	0	2	1.7%	1	6	0	0.0%	1	0.75%	1	0.26%	1
02/28/94	1	3	2.6%	0	0	1	0	0	4	3.4%	1	6	0	0.0%	1	0.84%	1	0.26%	1
03/01/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.81%	1	0.26%	1
03/02/94	D	2	1.8%	0	0	0	0	0	2	1.8%	1	8	1	0.4%	1	0.78%	1	0.27%	1
03/03/94	A	1	0.9%	0	0	0	0	0	1	0.9%	1	6	0	0.0%	1	0.78%	1	0.26%	1
03/04/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	2	0	0.0%	1	0.78%	1	0.26%	1
03/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.72%	1	0.26%	1
03/06/94	A	2	1.8%	0	0	0	0	0	2	1.8%	1	10	0	0.0%	1	0.78%	1	0.26%	1
03/07/94	A	0	0.0%	0	0	1	0	0	1	0.8%	1	2	0	0.0%	1	0.81%	1	0.26%	1
03/08/94	B	0	0.0%	1	0	0	0	0	1	0.9%	1	8	0	0.0%	1	0.81%	1	0.23%	1
TOTAL	84																		
AVERAGE		0.64	0.57%	0.05	0.13	0.02	0.00	0.00	0.85	0.74%	100.00%	6.74	0.38	0.15%	98.81%	0.66%	100.00%	0.14%	100.00%

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 19

OF OVENS: 85

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	0	0.0%	0	0	1	0	0	1	0.6%	1	10	0	0.0%	1	0.81%	1	0.07%	1
12/15/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	11	0	0.0%	1	0.79%	1	0.07%	1
12/16/93	A	1	0.6%	0	0	2	0	0	3	1.9%	1	11	1	0.3%	1	0.85%	1	0.08%	1
12/17/93	A	0	0.0%	0	0	1	0	0	1	0.6%	1	8	0	0.0%	1	0.83%	1	0.06%	1
12/18/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.81%	1	0.06%	1
12/19/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.77%	1	0.05%	1
12/20/93	B	0	0.0%	0	0	1	0	0	1	0.6%	1	8	0	0.0%	1	0.70%	1	0.04%	1
12/21/93	B	1	0.6%	0	0	0	0	0	1	0.6%	1	8	0	0.0%	1	0.66%	1	0.04%	1
12/22/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.60%	1	0.04%	1
12/23/93	C	2	1.2%	0	0	0	0	0	2	1.2%	1	6	0	0.0%	1	0.64%	1	0.04%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.60%	1	0.04%	1
12/25/93	C	0	0.0%	0	1	0	0	0	1	0.6%	1	8	0	0.0%	1	0.60%	1	0.04%	1
12/26/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.58%	1	0.04%	1
12/27/93	C	1	0.6%	0	1	0	0	0	2	1.2%	1	6	0	0.0%	1	0.62%	1	0.04%	1
12/28/93	D	1	0.6%	0	0	0	0	0	1	0.6%	1	8	1	0.3%	1	0.60%	1	0.05%	1
12/29/93	D	1	0.6%	0	0	1	0	0	2	1.3%	1	12	1	0.3%	1	0.64%	1	0.06%	1
12/30/93	D	0	0.0%	1	0	0	0	0	1	0.6%	1	8	0	0.0%	1	0.62%	1	0.05%	1
12/31/93	D	2	1.2%	0	0	0	0	0	2	1.2%	1	7	0	0.0%	1	0.64%	1	0.05%	1
01/01/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.3%	1	0.62%	1	0.06%	1
01/02/94	A	2	1.2%	0	0	0	0	0	2	1.2%	1	6	1	0.3%	1	0.64%	1	0.07%	1
01/03/94	A	2	1.2%	0	2	1	0	0	5	3.0%	1	6	0	0.0%	1	0.70%	1	0.07%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	2	1.2%	0	1	1	0	0	4	2.5%	1	8	0	0.0%	1	0.78%	1	0.07%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.72%	1	0.07%	1
01/07/94	B	3	1.9%	0	1	0	1	0	5	3.1%	1	8	0	0.0%	1	0.78%	1	0.07%	1
01/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.78%	1	0.06%	1
01/09/94	B	0	0.0%	2	1	0	0	0	3	1.9%	1	10	1	0.3%	1	0.85%	1	0.07%	1
01/10/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.85%	1	0.07%	1
01/11/94	B	0	0.0%	0	1	0	1	0	2	1.2%	1	8	2	0.6%	1	0.85%	1	0.09%	1
01/12/94	C	1	0.6%	0	0	1	0	0	2	1.3%	1	10	0	0.0%	1	0.87%	1	0.08%	1
01/13/94	C	0	0.0%	0	0	3	0	0	3	1.9%	1	8	0	0.0%	1	0.91%	1	0.08%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.89%	1	0.08%	1
01/15/94	C	1	0.6%	0	0	0	1	0	2	1.2%	1	6	0	0.0%	1	0.93%	1	0.08%	1
01/16/94	C	5	3.1%	0	0	0	0	0	5	3.1%	1	8	2	0.6%	1	0.97%	1	0.09%	1
01/17/94	D	0	0.0%	0	1	0	0	0	1	0.6%	1	6	0	0.0%	1	0.97%	1	0.09%	1
01/18/94	D	2	1.2%	0	0	0	0	0	2	1.2%	1	6	0	0.0%	1	1.01%	1	0.09%	1
01/19/94	D	5	3.0%	0	0	0	0	0	5	3.0%	1	6	0	0.0%	1	1.11%	1	0.09%	1
01/20/94	D	3	1.8%	0	0	0	0	0	3	1.8%	1	6	2	0.6%	1	1.15%	1	0.11%	1
01/21/94	D	6	3.7%	0	0	0	0	0	6	3.7%	1	6	2	0.6%	1	1.25%	1	0.13%	1
01/22/94	A	0	0.0%	0	1	0	0	0	1	0.6%	1	8	0	0.0%	1	1.27%	1	0.13%	1
01/23/94	A	0	0.0%	0	1	2	0	0	3	1.8%	1	6	0	0.0%	1	1.29%	1	0.13%	1
01/24/94	A	1	0.6%	0	0	1	0	0	2	1.3%	1	12	2	0.6%	1	1.33%	1	0.15%	1
01/25/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	7	0	0.0%	1	1.31%	1	0.15%	1
01/26/94	A	1	0.6%	0	3	0	0	0	4	2.5%	1	8	0	0.0%	1	1.40%	1	0.15%	1
01/27/94	D	2	1.2%	0	1	0	1	0	4	2.5%	1	8	1	0.3%	1	1.44%	1	0.16%	1
01/28/94	B	0	0.0%	0	1	0	1	0	2	1.2%	1	8	0	0.0%	1	1.46%	1	0.15%	1
01/29/94	B	0	0.0%	0	2	0	0	0	2	1.2%	1	6	0	0.0%	1	1.46%	1	0.14%	1

ED_002508A_00000600-00021

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 5.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 2.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 19

OF OVENS: 85

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	0	0.0%	0	4	0	0	0	4	2.5%	1	10	0	0.0%	1	1.52%	1	0.14%	1
01/31/94	B	0	0.0%	0	2	0	1	0	3	1.8%	1	6	0	0.0%	1	1.54%	1	0.14%	1
02/01/94	C	0	0.0%	1	0	0	0	0	1	0.6%	1	10	1	0.3%	1	1.56%	1	0.14%	1
02/02/94	C	1	0.6%	0	1	0	0	0	2	1.2%	1	4	0	0.0%	1	1.56%	1	0.13%	1
02/03/94	C	2	1.2%	0	0	0	0	0	2	1.2%	1	6	0	0.0%	1	1.50%	1	0.13%	1
02/04/94	C	1	0.6%	0	1	0	0	0	2	1.2%	1	8	0	0.0%	1	1.46%	1	0.13%	1
02/05/94	C	2	1.2%	1	1	0	0	0	4	2.5%	1	8	0	0.0%	1	1.54%	1	0.13%	1
02/06/94	D	4	2.4%	1	1	0	0	0	6	3.7%	1	6	1	0.3%	1	1.56%	1	0.14%	1
02/07/94	D	1	0.6%	0	0	1	0	0	2	1.3%	1	10	0	0.0%	1	1.60%	1	0.14%	1
02/08/94	D	1	0.6%	0	0	0	0	0	1	0.6%	1	8	0	0.0%	1	1.56%	1	0.13%	1
02/09/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.56%	1	0.13%	1
02/10/94	D	0	0.0%	1	0	0	0	0	1	0.6%	1	6	0	0.0%	1	1.54%	1	0.11%	1
02/11/94	A	1	0.6%	1	0	0	0	0	2	1.3%	1	10	0	0.0%	1	1.54%	1	0.11%	1
02/12/94	A	0	0.0%	0	1	0	0	0	1	0.6%	1	6	1	0.3%	1	1.50%	1	0.12%	1
02/13/94	A	1	0.6%	0	0	0	0	0	1	0.6%	1	10	0	0.0%	1	1.52%	1	0.12%	1
02/14/94	A	0	0.0%	1	0	0	0	0	1	0.6%	1	8	0	0.0%	1	1.50%	1	0.12%	1
02/15/94	A	0	0.0%	1	1	0	0	0	2	1.3%	1	10	0	0.0%	1	1.44%	1	0.10%	1
02/16/94	B	1	0.6%	0	1	0	0	0	2	1.3%	1	12	0	0.0%	1	1.46%	1	0.10%	1
02/17/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	1.42%	1	0.10%	1
02/18/94	B	0	0.0%	2	1	0	0	0	3	1.9%	1	9	0	0.0%	1	1.38%	1	0.10%	1
02/19/94	B	0	0.0%	0	1	0	0	0	1	0.6%	1	10	0	0.0%	1	1.34%	1	0.08%	1
02/20/94	B	0	0.0%	0	3	2	0	0	5	3.0%	1	6	1	0.3%	1	1.32%	1	0.07%	1
02/21/94	C	2	1.2%	0	0	0	0	0	2	1.2%	1	9	0	0.0%	1	1.34%	1	0.07%	1
02/22/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.28%	1	0.07%	1
02/23/94	C	0	0.0%	1	1	0	0	0	2	1.2%	1	9	0	0.0%	1	1.28%	1	0.05%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	2	0.6%	1	1.28%	1	0.07%	1
02/25/94	C	3	1.9%	0	1	1	0	0	3	1.9%	1	14	2	0.6%	1	1.26%	1	0.09%	1
02/26/94	D	0	0.0%	0	1	0	1	0	2	1.2%	1	6	0	0.0%	1	1.22%	1	0.08%	1
02/27/94	D	3	1.8%	0	1	0	0	0	4	2.5%	1	7	1	0.3%	1	1.26%	1	0.09%	1
02/28/94	J	3	1.9%	1	0	0	0	0	4	2.5%	1	8	1	0.3%	1	1.30%	1	0.10%	1
03/01/94	D	1	0.6%	0	0	0	0	0	1	0.6%	1	8	2	0.6%	1	1.24%	1	0.12%	1
03/02/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	1	0.3%	1	1.17%	1	0.13%	1
03/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.15%	1	0.12%	1
03/04/94	A	1	0.6%	1	0	0	0	0	2	1.2%	1	8	0	0.0%	1	1.15%	1	0.12%	1
03/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.11%	1	0.12%	1
03/06/94	A	1	0.6%	1	3	1	0	0	6	3.7%	1	8	0	0.0%	1	1.20%	1	0.12%	1
03/07/94	A	2	1.2%	0	0	0	0	0	2	1.2%	1	8	0	0.0%	1	1.15%	1	0.12%	1
03/08/94	B	2	1.3%	0	0	1	0	0	3	1.9%	1	12	0	0.0%	1	1.10%	1	0.11%	1
TOTAL	84																		
AVERAGE		0.93	0.56%	0.19	0.51	0.25	0.08	0.00	1.94	1.19%	100.00%	8.21	0.36	0.11%	100.00%	1.11%	100.00%	0.09%	100.00%

ED_002508A_00000600-00022

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 20

OF OVENS: 87

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.6%	2	0	1	0	0	4	2.4%	1	10	1	0.3%	1	1.47%	1	0.18%	1
12/15/93	A	1	0.6%	0	0	1	0	0	2	1.2%	1	8	0	0.0%	1	1.45%	1	0.17%	1
12/16/93	A	0	0.0%	1	2	0	0	0	3	1.8%	1	6	0	0.0%	1	1.39%	1	0.17%	1
12/17/93	A	1	0.6%	1	0	1	0	0	3	1.8%	1	8	0	0.0%	1	1.39%	1	0.17%	1
12/18/93	B	0	0.0%	1	1	0	0	0	2	1.2%	1	8	0	0.0%	1	1.37%	1	0.17%	1
12/19/93	B	0	0.0%	1	0	0	2	0	3	1.8%	1	10	0	0.0%	1	1.33%	1	0.16%	1
12/20/93	B	1	0.6%	1	2	0	0	0	4	2.4%	1	8	0	0.0%	1	1.39%	1	0.09%	1
12/21/93	B	1	0.6%	1	0	0	0	0	2	1.2%	1	10	1	0.3%	1	1.35%	1	0.10%	1
12/22/93	B	2	1.2%	1	0	0	0	0	2	1.2%	1	10	0	0.0%	1	1.35%	1	0.10%	1
12/23/93	C	2	1.2%	1	3	0	0	0	6	3.6%	1	6	0	0.0%	1	1.43%	1	0.10%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.41%	1	0.10%	1
12/25/93	C	1	0.6%	0	1	0	0	0	2	1.2%	1	8	0	0.0%	1	1.41%	1	0.10%	1
12/26/93	C	1	0.6%	0	0	0	0	0	1	0.6%	1	12	0	0.0%	1	1.39%	1	0.09%	1
12/27/93	C	2	1.2%	0	1	0	0	0	3	1.8%	1	6	1	0.3%	1	1.41%	1	0.10%	1
12/28/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.39%	1	0.10%	1
12/29/93	D	3	1.8%	0	0	0	0	0	3	1.8%	1	6	2	0.6%	1	1.43%	1	0.11%	1
12/30/93	D	0	0.0%	0	0	0	1	0	1	0.6%	1	10	0	0.0%	1	1.41%	1	0.10%	1
12/31/93	D	2	1.2%	0	0	0	0	0	2	1.2%	1	8	0	0.0%	1	1.34%	1	0.10%	1
01/01/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.28%	1	0.09%	1
01/02/94	A	1	0.6%	0	3	0	0	0	4	2.4%	1	8	0	0.0%	1	1.32%	1	0.08%	1
01/03/94	A	3	1.8%	1	0	0	0	0	4	2.4%	1	6	0	0.0%	1	1.36%	1	0.08%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	4	2.4%	0	0	0	0	0	4	2.4%	1	8	2	0.6%	1	1.40%	1	0.10%	1
01/06/94	A	0	0.0%	2	1	1	0	0	4	2.4%	1	10	0	0.0%	1	1.49%	1	0.10%	1
01/07/94	B	2	1.2%	0	0	2	0	0	4	2.4%	1	6	0	0.0%	1	1.51%	1	0.10%	1
01/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.51%	1	0.08%	1
01/09/94	B	2	1.2%	0	0	0	0	0	2	1.2%	1	8	0	0.0%	1	1.51%	1	0.08%	1
01/10/94	B	3	1.9%	0	0	0	0	0	3	1.9%	1	12	0	0.0%	1	1.49%	1	0.08%	1
01/11/94	B	2	1.2%	0	0	1	0	0	3	1.8%	1	6	1	0.3%	1	1.49%	1	0.09%	1
01/12/94	C	1	0.6%	0	0	1	0	0	2	1.2%	1	10	0	0.0%	1	1.49%	1	0.08%	1
01/13/94	C	0	0.0%	0	2	1	0	0	3	1.8%	1	6	0	0.0%	1	1.53%	1	0.08%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.44%	1	0.07%	1
01/15/94	C	0	0.0%	1	0	0	0	0	1	0.6%	1	4	0	0.0%	1	1.42%	1	0.07%	1
01/16/94	C	0	0.0%	1	0	0	0	0	1	0.6%	1	6	1	0.3%	1	1.38%	1	0.08%	1
01/17/94	D	0	0.0%	0	2	0	0	0	2	1.2%	1	6	0	0.0%	1	1.36%	1	0.08%	1
01/18/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.32%	1	0.08%	1
01/19/94	D	5	3.0%	0	0	0	0	0	5	3.0%	1	8	0	0.0%	1	1.36%	1	0.08%	1
01/20/94	D	5	2.9%	0	0	0	0	0	5	2.9%	1	4	2	0.6%	1	1.38%	1	0.10%	1
01/21/94	D	3	1.8%	2	0	1	0	0	6	3.6%	1	6	2	0.6%	1	1.46%	1	0.11%	1
01/22/94	A	3	1.8%	1	0	0	0	0	4	2.4%	1	10	0	0.0%	1	1.50%	1	0.11%	1
01/23/94	A	2	1.2%	0	1	0	1	0	3	1.8%	1	10	2	0.6%	1	1.44%	1	0.12%	1
01/24/94	A	2	1.2%	1	0	0	0	0	3	1.8%	1	8	1	0.3%	1	1.50%	1	0.13%	1
01/25/94	A	0	0.0%	1	0	0	0	0	1	0.6%	1	8	0	0.0%	1	1.48%	1	0.13%	1
01/26/94	A	0	0.0%	1	2	0	0	0	3	1.8%	1	8	0	0.0%	1	1.52%	1	0.13%	1
01/27/94	D	0	0.0%	3	0	0	0	0	3	1.8%	1	6	1	0.3%	1	1.52%	1	0.13%	1
01/28/94	B	2	1.2%	2	2	0	0	0	6	3.7%	1	10	0	0.0%	1	1.64%	1	0.13%	1
01/29/94	B	1	0.6%	0	1	0	0	0	2	1.2%	1	6	0	0.0%	1	1.62%	1	0.12%	1

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: 20

OF OVENS: 87

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	2	1.2%	1	0	0	0	0	3	1.8%	1	10	1	0.3%	1	1.66%	1	0.12%	1
01/31/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.62%	1	0.12%	1
02/01/94	C	1	0.6%	0	0	0	0	0	1	0.6%	1	8	1	0.3%	1	1.64%	1	0.13%	1
02/02/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.56%	1	0.13%	1
02/03/94	C	1	0.6%	1	1	1	0	0	4	2.4%	1	9	0	0.0%	1	1.57%	1	0.13%	1
02/04/94	C	0	0.0%	0	1	0	0	0	1	0.6%	1	10	0	0.0%	1	1.51%	1	0.12%	1
02/05/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.42%	1	0.12%	1
02/06/94	D	2	1.2%	1	0	0	0	0	3	1.8%	1	6	0	0.0%	1	1.40%	1	0.12%	1
02/07/94	D	0	0.0%	0	2	0	0	0	2	1.3%	1	14	0	0.0%	1	1.45%	1	0.12%	1
02/08/94	D	1	0.6%	0	0	0	0	0	1	0.6%	1	0	0	0.0%	1	1.43%	1	0.12%	1
02/09/94	D	0	0.0%	0	1	0	0	0	1	0.6%	1	6	0	0.0%	1	1.38%	1	0.12%	1
02/10/94	D	1	0.6%	1	0	0	0	0	2	1.2%	1	6	0	0.0%	1	1.36%	1	0.11%	1
02/11/94	A	5	3.0%	0	0	0	0	0	5	3.0%	1	8	0	0.0%	1	1.42%	1	0.11%	1
02/12/94	A	3	1.8%	0	0	0	0	0	3	1.8%	1	6	0	0.0%	1	1.42%	1	0.11%	1
02/13/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	1.42%	1	0.11%	1
02/14/94	A	0	0.0%	0	3	0	0	0	3	1.8%	1	8	0	0.0%	1	1.46%	1	0.11%	1
02/15/94	A	2	1.2%	0	0	0	0	0	2	1.2%	1	10	0	0.0%	1	1.48%	1	0.10%	1
02/16/94	B	4	2.5%	0	0	1	0	0	5	3.1%	1	12	0	0.0%	1	1.55%	1	0.10%	1
02/17/94	B	2	1.2%	0	0	0	0	0	2	1.2%	1	8	2	0.6%	1	1.59%	1	0.12%	1
02/18/94	B	0	0.0%	0	3	0	0	0	3	1.8%	1	8	0	0.0%	1	1.55%	1	0.12%	1
02/19/94	B	1	0.6%	0	1	0	0	0	2	1.2%	1	10	0	0.0%	1	1.49%	1	0.10%	1
02/20/94	B	0	0.0%	0	0	1	0	0	1	0.6%	1	8	0	0.0%	1	1.39%	1	0.08%	1
02/21/94	C	2	1.2%	0	0	0	0	0	2	1.2%	1	6	0	0.0%	1	1.35%	1	0.08%	1
02/22/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	1.29%	1	0.06%	1
02/23/94	C	0	0.0%	1	1	1	0	0	3	1.8%	1	8	0	0.0%	1	1.29%	1	0.05%	1
02/24/94	C	1	0.6%	0	0	1	1	0	3	1.8%	1	6	2	0.6%	1	1.33%	1	0.07%	1
02/25/94	C	1	0.6%	0	2	1	0	0	4	2.5%	1	12	2	0.6%	1	1.35%	1	0.09%	1
02/26/94	D	0	0.0%	0	1	0	0	0	1	0.6%	1	6	0	0.0%	1	1.31%	1	0.08%	1
02/27/94	D	2	1.2%	0	0	0	0	0	2	1.2%	1	6	0	0.0%	1	1.23%	1	0.08%	1
02/28/94	J	0	0.0%	1	0	0	0	0	1	0.6%	1	8	2	0.6%	1	1.21%	1	0.10%	1
03/01/94	D	0	0.0%	0	0	1	0	0	1	0.6%	1	10	1	0.3%	1	1.17%	1	0.10%	1
03/02/94	D	1	0.6%	0	0	0	0	0	1	0.6%	1	8	1	0.3%	1	1.19%	1	0.11%	1
03/03/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.17%	1	0.10%	1
03/04/94	A	3	1.8%	0	1	0	0	0	4	2.4%	1	8	0	0.0%	1	1.25%	1	0.10%	1
03/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	1.17%	1	0.10%	1
03/06/94	A	1	0.6%	1	1	0	1	0	4	2.4%	1	8	1	0.3%	1	1.23%	1	0.11%	1
03/07/94	A	0	0.0%	1	1	1	0	0	3	1.8%	1	10	1	0.3%	1	1.29%	1	0.12%	1
03/08/94	B	1	0.6%	0	0	2	0	0	3	1.9%	1	14	0	0.0%	1	1.29%	1	0.12%	1
TOTAL	84																		
AVERAGE		1.14	0.69%	0.40	0.51	0.24	0.07	0.00	2.35	1.41%	100.00%	8.01	0.37	0.11%	100.00%	1.41%	100.00%	0.11%	100.00%

ED_002508A_00000600-00024

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: B

OF OVENS: 75

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
12/14/93	A	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.79%	1	0.10%	1
12/15/93	A	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.79%	1	0.10%	1
12/16/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.73%	1	0.08%	1
12/17/93	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.70%	1	0.08%	1
12/18/93	B	0	0.0%	0	1	0	0	0	1	0.7%	1	10	0	0.0%	1	0.73%	1	0.08%	1
12/19/93	B	1	0.7%	0	1	0	0	0	2	1.4%	1	10	0	0.0%	1	0.77%	1	0.08%	1
12/20/93	B	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.77%	1	0.08%	1
12/21/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.75%	1	0.08%	1
12/22/93	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.75%	1	0.08%	1
12/23/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.70%	1	0.08%	1
12/24/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.70%	1	0.08%	1
12/25/93	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.70%	1	0.08%	1
12/26/93	C	0	0.0%	0	0	1	0	0	1	0.7%	1	10	1	0.3%	1	0.73%	1	0.09%	1
12/27/93	C	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.70%	1	0.09%	1
12/28/93	D	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.68%	1	0.09%	1
12/29/93	D	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.66%	1	0.09%	1
12/30/93	D	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.66%	1	0.09%	1
12/31/93	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.61%	1	0.09%	1
01/01/94	D	0	0.0%	0	2	1	0	0	3	2.1%	1	8	0	0.0%	1	0.65%	1	0.07%	1
01/02/94	A	0	0.0%	0	1	1	0	0	2	1.4%	1	8	0	0.0%	1	0.65%	1	0.07%	1
01/03/94	A	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.61%	1	0.06%	1
01/04/94																NA	NA	NA	NA
01/05/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.58%	1	0.06%	1
01/06/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.54%	1	0.06%	1
01/07/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.54%	1	0.04%	1
01/08/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.51%	1	0.04%	1
01/09/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.47%	1	0.02%	1
01/10/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.45%	1	0.02%	1
01/11/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.45%	1	0.02%	1
01/12/94	C	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.42%	1	0.01%	1
01/13/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	16	0	0.0%	1	0.42%	1	0.01%	1
01/14/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.40%	1	0.01%	1
01/15/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.38%	1	0.01%	1
01/16/94	C	1	0.7%	0	0	1	0	0	2	1.4%	1	10	1	0.3%	1	0.42%	1	0.02%	1
01/17/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.42%	1	0.02%	1
01/18/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.40%	1	0.02%	1
01/19/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.35%	1	0.02%	1
01/20/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.33%	1	0.02%	1
01/21/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.33%	1	0.02%	1
01/22/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.33%	1	0.02%	1
01/23/94	A	2	1.4%	0	0	2	0	0	4	2.9%	1	12	0	0.0%	1	0.43%	1	0.02%	1
01/24/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.43%	1	0.02%	1
01/25/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.43%	1	0.02%	1
01/26/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.40%	1	0.01%	1
01/27/94	D	0	0.0%	0	0	1	0	0	1	0.7%	1	10	0	0.0%	1	0.40%	1	0.01%	1
01/28/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.38%	1	0.01%	1
01/29/94	B	2	1.4%	0	1	0	0	0	3	2.1%	1	8	0	0.0%	1	0.43%	1	0.01%	1

Printed 03/09/94

TOPSIDE OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP OFFTAKES PERFORMANCE LIMIT: 4.00%
NESHAP OFFTAKES PERFORMANCE LIMIT: 4.20%
SIP LIDS PERFORMANCE LIMIT: 1.00%
NESHAP LIDS PERFORMANCE LIMIT: 0.83%

BATTERY: B

OF OVENS: 75

DATE	CREW	CAPS LEAKING	% CAPS LEAKING	PIPING LEAKING	SLIP LEAKING	BASE LEAKING	FLANGE LEAKING	MISC. LEAKING	OFFTAKE LEAKING	% OFFTAKE LEAKING	SIP OFFTAKE COMPLY	CAPS OPEN	LIDS LEAKING	% LIDS LEAKING	SIP LIDS COMPLY	% OFFTAKE 30 DAY AVG	NESHAP OFFTAKE COMPLY-AVG	% LIDS 30 DAY AVG	NESHAP LIDS COMPLY-AVG
01/30/94	B	3	2.1%	0	0	0	0	0	3	2.1%	1	10	0	0.0%	1	0.47%	1	0.01%	1
01/31/94	B	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.47%	1	0.01%	1
02/01/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.40%	1	0.01%	1
02/02/94	C	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.38%	1	0.01%	1
02/03/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.36%	1	0.01%	1
02/04/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	12	0	0.0%	1	0.36%	1	0.01%	1
02/05/94	C	2	1.4%	0	1	0	0	0	3	2.1%	1	10	0	0.0%	1	0.43%	1	0.01%	1
02/06/94	D	2	1.4%	0	2	0	0	0	4	2.8%	1	8	1	0.3%	1	0.52%	1	0.02%	1
02/07/94	D	2	1.4%	0	0	0	0	0	2	1.4%	1	10	0	0.0%	1	0.57%	1	0.02%	1
02/08/94	D	2	1.4%	0	0	0	0	0	2	1.4%	1	8	0	0.0%	1	0.62%	1	0.02%	1
02/09/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.62%	1	0.02%	1
02/10/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.62%	1	0.02%	1
02/11/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.59%	1	0.02%	1
02/12/94	A	1	0.7%	0	0	0	0	0	1	0.7%	1	8	1	0.3%	1	0.62%	1	0.03%	1
02/13/94	A	2	1.4%	0	0	0	0	0	2	1.4%	1	8	0	0.0%	1	0.66%	1	0.03%	1
02/14/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	6	0	0.0%	1	0.66%	1	0.03%	1
02/15/94	A	1	0.7%	0	0	1	0	0	2	1.4%	1	6	0	0.0%	1	0.66%	1	0.02%	1
02/16/94	B	1	0.7%	0	0	0	0	0	1	0.7%	1	10	0	0.0%	1	0.69%	1	0.02%	1
02/17/94	B	1	0.7%	0	0	0	0	0	1	0.7%	1	10	0	0.0%	1	0.71%	1	0.02%	1
02/18/94	B	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.73%	1	0.02%	1
02/19/94	B	2	1.4%	0	0	1	0	0	3	2.1%	1	9	1	0.3%	1	0.80%	1	0.03%	1
02/20/94	B	3	2.1%	0	0	0	0	0	3	2.1%	1	8	0	0.0%	1	0.87%	1	0.03%	1
02/21/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.87%	1	0.03%	1
02/22/94	C	1	0.7%	0	0	0	0	0	1	0.7%	1	10	0	0.0%	1	0.80%	1	0.03%	1
02/23/94	C	1	0.7%	0	0	0	0	0	1	0.7%	1	8	0	0.0%	1	0.82%	1	0.03%	1
02/24/94	C	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.82%	1	0.03%	1
02/25/94	C	2	1.4%	0	0	0	0	0	2	1.4%	1	10	0	0.0%	1	0.87%	1	0.03%	1
02/26/94	D	0	0.0%	0	0	0	0	0	0	0.0%	1	8	0	0.0%	1	0.85%	1	0.03%	1
02/27/94	D	2	1.4%	1	0	0	0	0	3	2.1%	1	10	0	0.0%	1	0.92%	1	0.03%	1
02/28/94	J	0	0.0%	0	0	0	0	0	0	0.0%	1	9	0	0.0%	1	0.85%	1	0.03%	1
03/01/94	D	2	1.4%	0	0	0	0	0	2	1.4%	1	8	0	0.0%	1	0.83%	1	0.03%	1
03/02/94	D	1	0.7%	0	0	0	0	0	1	0.7%	1	10	0	0.0%	1	0.85%	1	0.03%	1
03/03/94	A	0	0.0%	0	0	1	0	0	1	0.7%	1	8	0	0.0%	1	0.87%	1	0.03%	1
03/04/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.85%	1	0.03%	1
03/05/94	A	1	0.7%	0	0	2	0	0	3	2.1%	1	8	0	0.0%	1	0.92%	1	0.03%	1
03/06/94	A	2	1.4%	0	0	0	0	0	2	1.4%	1	8	0	0.0%	1	0.97%	1	0.03%	1
03/07/94	A	0	0.0%	0	0	0	0	0	0	0.0%	1	10	0	0.0%	1	0.89%	1	0.03%	1
03/08/94	B	1	0.7%	0	0	1	0	0	2	1.4%	1	8	0	0.0%	1	0.85%	1	0.02%	1
TOTAL	84																		
AVERAGE		0.62	0.43%	0.01	0.11	0.15	0.00	0.00	0.89	0.63%	100.00%	8.81	0.06	0.02%	100.00%	0.62%	100.00%	0.04%	100.00%

ED_002508A_00000600-00026

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

BATTERY: 01 # OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	5	3.25%	3.21%	1
12/15/93	2	64	2	7	3.9%	1	2	3.1%	4	6.3%	1	1.6%	0	0.0%	0	5.47%	3.26%	1
12/16/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.21%	1
12/17/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.13%	1
12/18/93	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.18%	1
12/19/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.21%	1
12/20/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.23%	1
12/21/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.13%	1
12/22/93	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.29%	1
12/23/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.13%	1
12/24/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.10%	1
12/25/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.10%	1
12/26/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.05%	1
12/27/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.97%	1
12/28/93	2	64	2	7	3.9%	1	1	1.6%	6	9.5%	0	0.0%	0	0.0%	1	5.51%	3.03%	1
12/29/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	1	0.79%	2.97%	1
12/30/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.03%	1
12/31/93	2	64	2	4	1.6%	1	0	0.0%	3	4.7%	1	1.6%	0	0.0%	0	3.13%	3.08%	1
01/01/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	3.24%	1
01/02/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.16%	1
01/03/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	3.21%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	64	2	6	3.1%	1	0	0.0%	5	7.8%	0	0.0%	1	0.8%	0	4.69%	3.37%	1
01/07/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	3.37%	1
01/08/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.39%	1
01/09/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.47%	1
01/10/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.47%	1
01/11/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	3.58%	1
01/12/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	1	0.79%	3.39%	1
01/13/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.29%	1
01/14/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.21%	1
01/15/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.23%	1
01/16/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.13%	1
01/17/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.18%	1
01/18/94	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	3.23%	1
01/19/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.13%	1
01/20/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.00%	1
01/21/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.02%	1
01/22/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.10%	1
01/23/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.97%	1
01/24/94	2	64	2	8	4.7%	1	3	4.7%	5	7.8%	0	0.0%	0	0.0%	0	6.25%	3.05%	1
01/25/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.02%	1
01/26/94	2	64	2	11	7.0%	1	2	3.1%	9	14.1%	0	0.0%	0	0.0%	0	8.59%	3.21%	1
01/27/94	2	64	2	7	3.9%	1	0	0.0%	6	9.4%	1	1.6%	0	0.0%	0	5.47%	3.34%	1
01/28/94	2	64	2	8	4.7%	1	5	7.8%	3	4.7%	0	0.0%	0	0.0%	0	6.25%	3.49%	1
01/29/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.44%	1

ED_002508A_00000600-00027

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 01

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.57%	1
01/31/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.62%	1
02/01/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.73%	1
02/02/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.62%	1
02/03/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.59%	1
02/04/94	2	64	2	8	4.7%	1	4	6.3%	4	6.3%	0	0.0%	0	0.0%	0	6.25%	3.73%	1
02/05/94	2	64	2	8	4.7%	1	0	0.0%	6	9.4%	2	3.1%	0	0.0%	0	6.25%	3.78%	1
02/06/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	3.78%	1
02/07/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.70%	1
02/08/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.72%	1
02/09/94	2	64	2	8	4.7%	1	0	0.0%	5	7.8%	3	4.7%	0	0.0%	0	6.25%	3.88%	1
02/10/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.75%	1
02/11/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.78%	1
02/12/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.88%	1
02/13/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.99%	1
02/14/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.99%	1
02/15/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	4.01%	1
02/16/94	2	64	2	8	4.7%	1	4	6.3%	4	6.3%	0	0.0%	0	0.0%	0	6.25%	4.12%	1
02/17/94	2	64	2	11	7.0%	1	2	3.1%	9	14.1%	0	0.0%	0	0.0%	0	8.59%	4.22%	1
02/18/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	4.38%	1
02/19/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	4.43%	1
02/20/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	4.48%	1
02/21/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	4.48%	1
02/22/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	4.53%	1
02/23/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	4.43%	1
02/24/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	4.51%	1
02/25/94	2	64	2	11	7.0%	1	0	0.0%	11	17.2%	0	0.0%	0	0.0%	0	8.59%	4.51%	1
02/26/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	4.40%	1
02/27/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	4.25%	1
02/28/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	4.25%	1
03/01/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	4.30%	1
03/02/94	2	64	2	10	6.3%	1	3	4.7%	6	9.4%	1	1.6%	0	0.0%	0	7.81%	4.40%	1
03/03/94	2	64	2	3	0.8%	1	0	0.0%	2	3.1%	1	1.6%	0	0.0%	0	2.34%	4.27%	1
03/04/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	4.25%	1
03/05/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	4.35%	1
03/06/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	4.32%	1
03/07/94	2	64	2	8	4.7%	1	1	1.6%	5	7.8%	1	1.6%	1	0.8%	0	6.25%	4.32%	1
03/08/94	2	64	2	11	7.0%	1	1	1.6%	8	12.5%	2	3.1%	0	0.0%	0	8.59%	4.43%	1
TOTAL	83																	
AVERAGE				5.01	2.42%	100.00%	0.71	1.12%	4.12	6.45%	0.16	0.25%	0.02	0.02%	0.10	3.92%	3.61%	100.00%

ED_002508A_00000600-00028

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 02

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	64	2	2	0.0%	1	0	0.0%	1	1.6%	0	0.0%	1	0.8%	0	1.56%	3.21%	1
12/15/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.97%	1
12/16/93	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	2.97%	1
12/17/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.87%	1
12/18/93	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	2.97%	1
12/19/93	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.08%	1
12/20/93	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	3.23%	1
12/21/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.26%	1
12/22/93	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.34%	1
12/23/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.36%	1
12/24/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.28%	1
12/25/93	2	64	2	2	0.0%	1	2	3.1%	0	0.0%	0	0.0%	0	0.0%	0	1.56%	3.23%	1
12/26/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.21%	1
12/27/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.15%	1
12/28/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.26%	1
12/29/93	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.26%	1
12/30/93	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	3.36%	1
12/31/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.39%	1
01/01/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.49%	1
01/02/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.47%	1
01/03/94	2	64	2	2	0.0%	1	2	3.1%	0	0.0%	0	0.0%	0	0.0%	0	1.56%	3.44%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	64	2	8	4.7%	1	2	3.1%	5	7.8%	1	1.6%	0	0.0%	0	6.25%	3.52%	1
01/07/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.41%	1
01/08/94	2	64	2	7	3.9%	1	3	4.7%	4	6.3%	0	0.0%	0	0.0%	0	5.47%	3.52%	1
01/09/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.36%	1
01/10/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.39%	1
01/11/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.33%	1
01/12/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	3.49%	1
01/13/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.54%	1
01/14/94	2	64	2	10	6.3%	1	5	7.8%	4	6.3%	1	1.6%	0	0.0%	0	7.81%	3.67%	1
01/15/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.70%	1
01/16/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.67%	1
01/17/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.62%	1
01/18/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.57%	1
01/19/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	3.44%	1
01/20/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.23%	1
01/21/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.05%	1
01/22/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.18%	1
01/23/94	2	64	2	11	7.0%	1	1	1.6%	10	15.6%	0	0.0%	0	0.0%	0	8.59%	3.31%	1
01/24/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.33%	1
01/25/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.52%	1
01/26/94	2	64	2	11	7.0%	1	2	3.1%	9	14.1%	0	0.0%	0	0.0%	0	8.59%	3.75%	1
01/27/94	2	64	2	6	3.1%	1	3	4.7%	3	4.7%	0	0.0%	0	0.0%	0	4.69%	3.85%	1
01/28/94	2	64	2	10	6.3%	1	1	1.6%	9	14.1%	0	0.0%	0	0.0%	0	7.81%	4.09%	1
01/29/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	4.14%	1

ED_002508A_00000600-00029

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 02

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	4.22%	1
01/31/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	4.04%	1
02/01/94	2	64	2	14	9.4%	0	2	3.1%	12	18.8%	0	0.0%	0	0.0%	0	10.94%	4.30%	1
02/02/94	2	64	2	11	7.0%	1	3	4.7%	7	10.9%	0	0.0%	1	0.8%	0	8.59%	4.37%	1
02/03/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	4.45%	1
02/04/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	4.58%	1
02/05/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	4.48%	1
02/06/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	4.48%	1
02/07/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	4.43%	1
02/08/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	4.51%	1
02/09/94	2	64	2	5	2.3%	1	0	0.0%	4	6.3%	1	1.6%	0	0.0%	0	3.91%	4.58%	1
02/10/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	4.48%	1
02/11/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	4.43%	1
02/12/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	4.30%	1
02/13/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	4.19%	1
02/14/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	4.22%	1
02/15/94	2	64	2	7	3.9%	1	4	6.3%	3	4.7%	0	0.0%	0	0.0%	0	5.47%	4.35%	1
02/16/94	2	64	2	5	2.3%	1	3	4.7%	2	3.1%	0	0.0%	0	0.0%	0	3.91%	4.38%	1
02/17/94	2	64	2	12	7.8%	1	3	4.7%	9	14.1%	0	0.0%	0	0.0%	0	9.38%	4.69%	1
02/18/94	2	64	2	3	0.8%	1	1	1.6%	1	1.6%	1	1.6%	0	0.0%	0	2.34%	4.74%	1
02/19/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	4.95%	1
02/20/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	5.16%	1
02/21/94	2	64	2	7	3.9%	1	3	4.7%	4	6.3%	0	0.0%	0	0.0%	0	5.47%	5.13%	1
02/22/94	2	64	2	8	4.7%	1	5	7.8%	3	4.7%	0	0.0%	0	0.0%	0	6.25%	5.05%	1
02/23/94	2	64	2	8	4.7%	1	3	4.7%	5	7.8%	0	0.0%	0	0.0%	0	6.25%	5.10%	1
02/24/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	5.10%	1
02/25/94	2	64	2	9	5.5%	1	2	3.1%	6	9.4%	1	1.6%	0	0.0%	0	7.03%	5.05%	1
02/26/94	2	64	2	7	3.9%	1	4	6.3%	3	4.7%	0	0.0%	0	0.0%	0	5.47%	5.08%	1
02/27/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	5.03%	1
02/28/94	2	64	2	6	3.1%	1	4	6.3%	2	3.1%	0	0.0%	0	0.0%	0	4.69%	5.00%	1
03/01/94	2	64	2	8	4.7%	1	3	4.7%	5	7.8%	0	0.0%	0	0.0%	0	6.25%	5.00%	1
03/02/94	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	5.13%	1
03/03/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	4.84%	1
03/04/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	4.69%	1
03/05/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	4.69%	1
03/06/94	2	64	2	7	3.9%	1	4	6.3%	3	4.7%	0	0.0%	0	0.0%	0	5.47%	4.69%	1
03/07/94	2	64	2	8	4.7%	1	5	7.8%	2	3.1%	0	0.0%	1	0.8%	0	6.25%	4.79%	1
03/08/94	2	64	2	8	4.7%	1	4	6.3%	4	6.3%	0	0.0%	0	0.0%	0	6.25%	4.92%	1
TOTAL	83																	
AVERAGE				5.58	2.92%	98.80%	1.42	2.23%	4.06	6.36%	0.06	0.10%	0.04	0.03%	0.00	4.36%	3.98%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 03

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	2.86%	1
12/15/93	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	2.68%	1
12/16/93	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	2.73%	1
12/17/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.73%	1
12/18/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.66%	1
12/19/93	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	2.66%	1
12/20/93	2	64	2	6	3.1%	1	2	3.1%	3	4.7%	1	1.6%	0	0.0%	0	4.69%	2.79%	1
12/21/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.79%	1
12/22/93	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	2.84%	1
12/23/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.71%	1
12/24/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	2.63%	1
12/25/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	2.63%	1
12/26/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.58%	1
12/27/93	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	2.63%	1
12/28/93	2	64	2	2	0.0%	1	0	0.0%	1	1.6%	1	1.6%	0	0.0%	0	1.56%	2.55%	1
12/29/93	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	2.60%	1
12/30/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.63%	1
12/31/93	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	2.68%	1
01/01/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	2.73%	1
01/02/94	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	2.84%	1
01/03/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.76%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	64	2	7	3.9%	1	1	1.6%	4	6.3%	2	3.1%	0	0.0%	0	5.47%	2.86%	1
01/07/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	3.00%	1
01/08/94	2	64	2	2	0.0%	1	2	3.1%	0	0.0%	0	0.0%	0	0.0%	0	1.56%	2.94%	1
01/09/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	2.97%	1
01/10/94	2	64	2	6	3.1%	1	0	0.0%	5	7.8%	1	1.6%	0	0.0%	0	4.69%	3.05%	1
01/11/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.05%	1
01/12/94	2	64	2	8	4.7%	1	4	6.3%	4	6.3%	0	0.0%	0	0.0%	0	6.25%	3.20%	1
01/13/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	3.28%	1
01/14/94	2	64	2	9	5.5%	1	4	6.3%	5	7.8%	0	0.0%	0	0.0%	0	7.03%	3.41%	1
01/15/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.33%	1
01/16/94	2	64	2	2	0.0%	1	0	0.0%	1	1.6%	1	1.6%	0	0.0%	0	1.56%	3.36%	1
01/17/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.28%	1
01/18/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.36%	1
01/19/94	2	64	2	1	0.0%	1	0	0.0%	0	0.0%	1	1.6%	0	0.0%	0	0.78%	3.31%	1
01/20/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	3.26%	1
01/21/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.18%	1
01/22/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.23%	1
01/23/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.15%	1
01/24/94	2	64	2	4	1.6%	1	1	1.6%	2	3.1%	1	1.6%	0	0.0%	0	3.13%	3.26%	1
01/25/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.26%	1
01/26/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.20%	1
01/27/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	3.31%	1
01/28/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.28%	1
01/29/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.28%	1

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 03

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.18%	1
01/31/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	3.23%	1
02/01/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.28%	1
02/02/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.31%	1
02/03/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.20%	1
02/04/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.31%	1
02/05/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.28%	1
02/06/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.18%	1
02/07/94	2	64	2	7	3.9%	1	3	4.7%	4	6.3%	0	0.0%	0	0.0%	0	5.47%	3.31%	1
02/08/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.18%	1
02/09/94	2	64	2	4	1.6%	1	1	1.6%	2	3.2%	1	1.6%	0	0.0%	1	3.15%	3.13%	1
02/10/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.21%	1
02/11/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.02%	1
02/12/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	3.00%	1
02/13/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.79%	1
02/14/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	2.92%	1
02/15/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.89%	1
02/16/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.79%	1
02/17/94	2	64	2	6	3.1%	1	1	1.6%	4	6.3%	1	1.6%	0	0.0%	0	4.69%	2.81%	1
02/18/94	2	64	2	7	3.9%	1	3	4.7%	4	6.3%	0	0.0%	0	0.0%	0	5.47%	2.97%	1
02/19/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.94%	1
02/20/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	2.92%	1
02/21/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	2.97%	1
02/22/94	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	3.00%	1
02/23/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.00%	1
02/24/94	2	64	2	4	1.6%	1	1	1.6%	2	3.1%	1	1.6%	0	0.0%	0	3.13%	2.97%	1
02/25/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.02%	1
02/26/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.92%	1
02/27/94	2	64	2	6	3.1%	1	3	4.7%	3	4.7%	0	0.0%	0	0.0%	0	4.69%	2.97%	1
02/28/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.94%	1
03/01/94	2	64	2	8	4.7%	1	2	3.1%	4	6.3%	2	3.1%	0	0.0%	0	6.25%	3.07%	1
03/02/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	3.21%	1
03/03/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.21%	1
03/04/94	2	64	2	8	4.7%	1	1	1.6%	5	7.8%	2	3.1%	0	0.0%	0	6.25%	3.28%	1
03/05/94	2	64	2	8	4.7%	1	2	3.1%	5	7.8%	1	1.6%	0	0.0%	0	6.25%	3.41%	1
03/06/94	2	64	2	6	3.1%	1	2	3.1%	1	1.6%	3	4.7%	0	0.0%	0	4.69%	3.47%	1
03/07/94	2	64	2	12	7.8%	1	2	3.1%	9	14.1%	1	1.6%	0	0.0%	0	9.38%	3.62%	1
03/08/94	2	64	2	11	7.0%	1	3	4.7%	8	12.5%	0	0.0%	0	0.0%	0	8.59%	3.80%	1
TOTAL	83																	
AVERAGE				4.36	2.01%	100.00%	1.02	1.61%	3.10	4.85%	0.24	0.38%	0.00	0.00%	0.01	3.41%	3.04%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 07

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 62

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	62	2	6	3.2%	1	0	0.0%	6	9.7%	0	0.0%	0	0.0%	0	4.84%	3.87%	1
12/15/93	2	62	2	5	2.4%	1	2	3.2%	3	4.8%	0	0.0%	0	0.0%	0	4.03%	3.87%	1
12/16/93	2	62	2	5	2.4%	1	0	0.0%	5	8.1%	0	0.0%	0	0.0%	0	4.03%	3.79%	1
12/17/93	2	62	2	3	0.8%	1	1	1.6%	2	3.2%	0	0.0%	0	0.0%	0	2.42%	3.66%	1
12/18/93	2	62	2	7	4.0%	1	4	6.5%	3	4.8%	0	0.0%	0	0.0%	0	5.65%	3.85%	1
12/19/93	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.79%	1
12/20/93	2	62	2	11	7.3%	1	2	3.2%	9	14.5%	0	0.0%	0	0.0%	0	8.87%	3.90%	1
12/21/93	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.85%	1
12/22/93	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.74%	1
12/23/93	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.58%	1
12/24/93	2	62	2	3	0.8%	1	2	3.2%	1	1.6%	0	0.0%	0	0.0%	0	2.42%	3.55%	1
12/25/93	2	62	2	8	4.8%	1	0	0.0%	8	12.9%	0	0.0%	0	0.0%	0	6.45%	3.63%	1
12/26/93	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.60%	1
12/27/93	2	62	2	6	3.2%	1	2	3.2%	4	6.5%	0	0.0%	0	0.0%	0	4.84%	3.77%	1
12/28/93	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	3.63%	1
12/29/93	2	62	2	5	2.4%	1	0	0.0%	5	8.1%	0	0.0%	0	0.0%	0	4.03%	3.68%	1
12/30/93	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.50%	1
12/31/93	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	3.36%	1
01/01/94	2	62	2	7	4.0%	1	1	1.6%	5	8.1%	1	1.6%	0	0.0%	0	5.65%	3.55%	1
01/02/94	2	62	2	9	5.6%	1	2	3.2%	7	11.3%	0	0.0%	0	0.0%	0	7.26%	3.74%	1
01/03/94	2	62	2	6	3.2%	1	0	0.0%	6	9.7%	0	0.0%	0	0.0%	0	4.84%	3.71%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	62	2	14	9.7%	0	3	4.8%	11	17.7%	0	0.0%	0	0.0%	0	11.29%	3.98%	1
01/07/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	3.82%	1
01/08/94	2	62	2	5	2.4%	1	0	0.0%	5	8.1%	0	0.0%	0	0.0%	0	4.03%	3.95%	1
01/09/94	2	62	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.76%	1
01/10/94	2	62	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.76%	1
01/11/94	2	62	2	6	3.2%	1	1	1.6%	5	8.1%	0	0.0%	0	0.0%	0	4.84%	3.74%	1
01/12/94	2	62	2	5	2.4%	1	0	0.0%	5	8.1%	0	0.0%	0	0.0%	0	4.03%	3.82%	1
01/13/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	1	4.07%	3.90%	1
01/14/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.76%	1
01/15/94	2	62	2	6	3.2%	1	2	3.2%	4	6.5%	0	0.0%	0	0.0%	0	4.84%	3.76%	1
01/16/94	2	62	2	6	3.2%	1	3	4.8%	3	4.8%	0	0.0%	0	0.0%	0	4.84%	3.79%	1
01/17/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	3.79%	1
01/18/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	3.74%	1
01/19/94	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.63%	1
01/20/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	3.60%	1
01/21/94	2	62	2	4	1.6%	1	0	0.0%	4	6.5%	0	0.0%	0	0.0%	0	3.23%	3.42%	1
01/22/94	2	62	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.36%	1
01/23/94	2	62	2	5	2.4%	1	2	3.2%	3	4.8%	0	0.0%	0	0.0%	0	4.03%	3.42%	1
01/24/94	2	62	2	4	1.6%	1	0	0.0%	4	6.5%	0	0.0%	0	0.0%	0	3.23%	3.47%	1
01/25/94	2	62	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.81%	3.42%	1
01/26/94	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.28%	1
01/27/94	2	62	2	7	4.0%	1	2	3.2%	5	8.1%	0	0.0%	0	0.0%	0	5.65%	3.39%	1
01/28/94	2	62	2	12	8.1%	0	4	6.5%	8	12.9%	0	0.0%	0	0.0%	0	9.68%	3.55%	1
01/29/94	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	3.60%	1

ED_002508A_00000600-00033

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 07

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 62

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	62	2	6	3.2%	1	3	4.8%	3	4.8%	0	0.0%	0	0.0%	0	4.84%	3.63%	1
01/31/94	2	62	2	4	1.6%	1	0	0.0%	4	6.5%	0	0.0%	0	0.0%	0	3.23%	3.66%	1
02/01/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	3.66%	1
02/02/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	3.60%	1
02/03/94	2	62	2	7	4.0%	1	0	0.0%	7	11.3%	0	0.0%	0	0.0%	0	5.65%	3.55%	1
02/04/94	2	62	2	7	4.0%	1	0	0.0%	7	11.3%	0	0.0%	0	0.0%	0	5.65%	3.58%	1
02/05/94	2	62	2	7	4.0%	1	0	0.0%	7	11.3%	0	0.0%	0	0.0%	0	5.65%	3.39%	1
02/06/94	2	62	2	7	4.0%	1	2	3.2%	5	8.1%	0	0.0%	0	0.0%	0	5.65%	3.55%	1
02/07/94	2	62	2	8	4.8%	1	0	0.0%	8	12.9%	0	0.0%	0	0.0%	0	6.45%	3.63%	1
02/08/94	2	62	2	11	7.3%	1	1	1.6%	10	16.1%	0	0.0%	0	0.0%	0	8.87%	3.93%	1
02/09/94	2	62	2	4	1.6%	1	2	3.2%	2	3.2%	0	0.0%	0	0.0%	0	3.23%	4.04%	1
02/10/94	2	62	2	4	1.6%	1	2	3.2%	2	3.2%	0	0.0%	0	0.0%	0	3.23%	3.98%	1
02/11/94	2	62	2	6	3.2%	1	1	1.6%	5	8.1%	0	0.0%	0	0.0%	0	4.84%	4.01%	1
02/12/94	2	62	2	7	4.0%	1	2	3.2%	5	8.1%	0	0.0%	0	0.0%	0	5.65%	4.06%	1
02/13/94	2	62	2	4	1.6%	1	2	3.2%	2	3.2%	0	0.0%	0	0.0%	0	3.23%	4.12%	1
02/14/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	4.09%	1
02/15/94	2	62	2	8	4.8%	1	3	4.8%	5	8.1%	0	0.0%	0	0.0%	0	6.45%	4.14%	1
02/16/94	2	62	2	5	2.4%	1	0	0.0%	5	8.1%	0	0.0%	0	0.0%	0	4.03%	4.14%	1
02/17/94	2	62	2	3	0.8%	1	2	3.2%	1	1.6%	0	0.0%	0	0.0%	0	2.42%	4.20%	1
02/18/94	2	62	2	8	4.8%	1	2	3.2%	6	9.7%	0	0.0%	0	0.0%	0	6.45%	4.33%	1
02/19/94	2	62	2	8	4.8%	1	4	6.5%	4	6.5%	0	0.0%	0	0.0%	0	6.45%	4.52%	1
02/20/94	2	62	2	8	4.8%	1	3	4.8%	5	8.1%	0	0.0%	0	0.0%	0	6.45%	4.63%	1
02/21/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	4.65%	1
02/22/94	2	62	2	4	1.6%	1	0	0.0%	4	6.7%	0	0.0%	0	0.0%	2	3.28%	4.63%	1
02/23/94	2	62	2	4	1.6%	1	0	0.0%	4	6.7%	0	0.0%	0	0.0%	2	3.28%	4.63%	1
02/24/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	4.66%	1
02/25/94	2	62	2	3	0.8%	1	0	0.0%	3	4.8%	0	0.0%	0	0.0%	0	2.42%	4.66%	1
02/26/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	4.49%	1
02/27/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	4.23%	1
02/28/94	2	62	2	3	0.8%	1	1	1.6%	2	3.2%	0	0.0%	0	0.0%	0	2.42%	4.23%	1
03/01/94	2	62	2	5	2.4%	1	1	1.6%	4	6.5%	0	0.0%	0	0.0%	0	4.03%	4.20%	1
03/02/94	2	62	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.81%	4.12%	1
03/03/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	4.04%	1
03/04/94	2	62	2	3	0.8%	1	1	1.6%	2	3.2%	0	0.0%	0	0.0%	0	2.42%	3.98%	1
03/05/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.85%	1
03/06/94	2	62	2	7	4.0%	1	2	3.2%	5	8.1%	0	0.0%	0	0.0%	0	5.65%	3.85%	1
03/07/94	2	62	2	2	0.0%	1	0	0.0%	2	3.2%	0	0.0%	0	0.0%	0	1.61%	3.71%	1
03/08/94	2	62	2	3	0.8%	1	1	1.6%	2	3.2%	0	0.0%	0	0.0%	0	2.42%	3.61%	1
TOTAL	83																	
AVERAGE				4.61	2.23%	97.59%	0.90	1.45%	3.70	5.97%	0.01	0.02%	0.00	0.00%	0.06	3.72%	3.85%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 08

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	64	2	5	2.3%	1	1	1.6%	3	4.7%	1	1.6%	0	0.0%	0	3.91%	2.76%	1
12/15/93	2	64	2	4	1.6%	1	2	3.1%	1	1.6%	0	0.0%	1	0.8%	0	3.13%	2.87%	1
12/16/93	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	2.94%	1
12/17/93	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	3.05%	1
12/18/93	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	3.18%	1
12/19/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.20%	1
12/20/93	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	3.36%	1
12/21/93	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.31%	1
12/22/93	2	64	2	7	3.9%	1	4	6.3%	3	4.7%	0	0.0%	0	0.0%	0	5.47%	3.36%	1
12/23/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.23%	1
12/24/93	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	3.23%	1
12/25/93	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.26%	1
12/26/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.10%	1
12/27/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.92%	1
12/28/93	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.00%	1
12/29/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.89%	1
12/30/93	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	2.84%	1
12/31/93	2	64	2	2	0.0%	1	2	3.1%	0	0.0%	0	0.0%	0	0.0%	0	1.56%	2.76%	1
01/01/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	2.89%	1
01/02/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	2.84%	1
01/03/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	2.76%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	2.74%	1
01/07/94	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	2.81%	1
01/08/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.79%	1
01/09/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	2.76%	1
01/10/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.74%	1
01/11/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	2.79%	1
01/12/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.84%	1
01/13/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	2.92%	1
01/14/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.02%	1
01/15/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	2.92%	1
01/16/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	2.89%	1
01/17/94	2	64	2	5	2.3%	1	3	4.7%	2	3.1%	0	0.0%	0	0.0%	0	3.91%	2.92%	1
01/18/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	2.84%	1
01/19/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	2.66%	1
01/20/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	2.66%	1
01/21/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.47%	1
01/22/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.47%	1
01/23/94	2	64	2	5	2.3%	1	3	4.7%	2	3.1%	0	0.0%	0	0.0%	0	3.91%	2.42%	1
01/24/94	2	64	2	9	5.5%	1	1	1.6%	8	12.5%	0	0.0%	0	0.0%	0	7.03%	2.66%	1
01/25/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	2.60%	1
01/26/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	2.55%	1
01/27/94	2	64	2	3	0.8%	1	3	4.7%	0	0.0%	0	0.0%	0	0.0%	0	2.34%	2.63%	1
01/28/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	2.76%	1
01/29/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.68%	1

ED_002508A_00000600-00035

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 08

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	2.71%	1
01/31/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	2.86%	1
02/01/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.81%	1
02/02/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	2.73%	1
02/03/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	2.81%	1
02/04/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	2.76%	1
02/05/94	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	2.79%	1
02/06/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	2.68%	1
02/07/94	2	64	2	5	2.3%	1	3	4.7%	2	3.1%	0	0.0%	0	0.0%	0	3.91%	2.76%	1
02/08/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	2.84%	1
02/09/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	2.89%	1
02/10/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.73%	1
02/11/94	2	64	2	6	3.1%	1	2	3.1%	4	6.3%	0	0.0%	0	0.0%	0	4.69%	2.84%	1
02/12/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	2.79%	1
02/13/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.58%	1
02/14/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.63%	1
02/15/94	2	64	2	8	4.7%	1	3	4.7%	4	6.3%	1	1.6%	0	0.0%	0	6.25%	2.76%	1
02/16/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	2.68%	1
02/17/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	2.76%	1
02/18/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	2.81%	1
02/19/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	2.89%	1
02/20/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.10%	1
02/21/94	2	64	2	11	7.0%	1	6	9.4%	5	7.8%	0	0.0%	0	0.0%	0	8.59%	3.33%	1
02/22/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.33%	1
02/23/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.20%	1
02/24/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	3.26%	1
02/25/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.26%	1
02/26/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.23%	1
02/27/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	3.18%	1
02/28/94	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	3.33%	1
03/01/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.33%	1
03/02/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.13%	1
03/03/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	3.15%	1
03/04/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	3.23%	1
03/05/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.05%	1
03/06/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	3.15%	1
03/07/94	2	64	2	3	0.8%	1	2	3.1%	1	1.6%	0	0.0%	0	0.0%	0	2.34%	3.05%	1
03/08/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.10%	1
TOTAL	83																	
AVERAGE				3.72	1.62%	100.00%	1.06	1.66%	2.63	4.11%	0.02	0.04%	0.01	0.01%	0.00	2.91%	2.91%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 09

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	3.59%	1
12/15/93	2	64	2	2	0.0%	1	0	0.0%	1	1.6%	0	0.0%	1	0.8%	0	1.56%	3.54%	1
12/16/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.41%	1
12/17/93	2	64	2	7	3.9%	1	0	0.0%	6	9.4%	1	1.6%	0	0.0%	0	5.47%	3.52%	1
12/18/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.59%	1
12/19/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.57%	1
12/20/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.49%	1
12/21/93	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.54%	1
12/22/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.52%	1
12/23/93	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.54%	1
12/24/93	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	3.67%	1
12/25/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.67%	1
12/26/93	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.70%	1
12/27/93	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.75%	1
12/28/93	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.73%	1
12/29/93	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.86%	1
12/30/93	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.78%	1
12/31/93	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.59%	1
01/01/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.57%	1
01/02/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.57%	1
01/03/94	2	64	2	8	4.7%	1	2	3.1%	6	9.4%	0	0.0%	0	0.0%	0	6.25%	3.59%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	64	2	12	7.8%	1	0	0.0%	12	18.8%	0	0.0%	0	0.0%	0	9.38%	3.88%	1
01/07/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.91%	1
01/08/94	2	64	2	8	4.7%	1	3	4.7%	5	7.8%	0	0.0%	0	0.0%	0	6.25%	4.04%	1
01/09/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	4.01%	1
01/10/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.93%	1
01/11/94	2	64	2	7	3.9%	1	0	0.0%	7	10.9%	0	0.0%	0	0.0%	0	5.47%	4.04%	1
01/12/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	4.06%	1
01/13/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	4.04%	1
01/14/94	2	64	2	4	1.6%	1	0	0.0%	3	4.7%	1	1.6%	0	0.0%	0	3.13%	4.04%	1
01/15/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.99%	1
01/16/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	4.09%	1
01/17/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	4.09%	1
01/18/94	2	64	2	11	7.0%	1	3	4.7%	8	12.5%	0	0.0%	0	0.0%	0	8.59%	4.19%	1
01/19/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	4.22%	1
01/20/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	4.22%	1
01/21/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	4.25%	1
01/22/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	4.17%	1
01/23/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	4.09%	1
01/24/94	2	64	2	13	8.6%	0	3	4.7%	9	14.1%	1	1.6%	0	0.0%	0	10.16%	4.32%	1
01/25/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	4.32%	1
01/26/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	4.22%	1
01/27/94	2	64	2	4	1.6%	1	2	3.1%	2	3.1%	0	0.0%	0	0.0%	0	3.13%	4.25%	1
01/28/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	4.17%	1
01/29/94	2	64	2	5	2.3%	1	2	3.1%	3	4.7%	0	0.0%	0	0.0%	0	3.91%	4.27%	1

ED_002508A_00000600-00037

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 09

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 64

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	4.25%	1
01/31/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	4.38%	1
02/01/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	4.53%	1
02/02/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	4.48%	1
02/03/94	2	64	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.78%	4.35%	1
02/04/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	4.25%	1
02/05/94	2	64	2	8	4.7%	1	1	1.6%	7	10.9%	0	0.0%	0	0.0%	0	6.25%	4.14%	1
02/06/94	2	64	2	7	3.9%	1	2	3.1%	5	7.8%	0	0.0%	0	0.0%	0	5.47%	4.12%	1
02/07/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.93%	1
02/08/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.88%	1
02/09/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.88%	1
02/10/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.91%	1
02/11/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.88%	1
02/12/94	2	64	2	8	4.7%	1	0	0.0%	8	12.5%	0	0.0%	0	0.0%	0	6.25%	3.93%	1
02/13/94	2	64	2	5	2.3%	1	0	0.0%	5	7.8%	0	0.0%	0	0.0%	0	3.91%	3.96%	1
02/14/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	3.99%	1
02/15/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.93%	1
02/16/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.96%	1
02/17/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.73%	1
02/18/94	2	64	2	7	3.9%	1	1	1.6%	6	9.4%	0	0.0%	0	0.0%	0	5.47%	3.80%	1
02/19/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.75%	1
02/20/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.67%	1
02/21/94	2	64	2	6	3.1%	1	1	1.6%	5	7.8%	0	0.0%	0	0.0%	0	4.69%	3.78%	1
02/22/94	2	64	2	4	1.6%	1	0	0.0%	4	6.3%	0	0.0%	0	0.0%	0	3.13%	3.86%	1
02/23/94	2	64	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.52%	1
02/24/94	2	64	2	4	1.6%	1	1	1.6%	3	4.7%	0	0.0%	0	0.0%	0	3.13%	3.44%	1
02/25/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.49%	1
02/26/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.44%	1
02/27/94	2	64	2	6	3.1%	1	0	0.0%	6	9.4%	0	0.0%	0	0.0%	0	4.69%	3.46%	1
02/28/94	2	64	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.56%	3.39%	1
03/01/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.36%	1
03/02/94	2	64	2	2	0.0%	1	0	0.0%	2	3.1%	0	0.0%	0	0.0%	0	1.56%	3.23%	1
03/03/94	2	64	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.78%	3.10%	1
03/04/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.18%	1
03/05/94	2	64	2	7	3.9%	1	3	4.7%	4	6.3%	0	0.0%	0	0.0%	0	5.47%	3.33%	1
03/06/94	2	64	2	5	2.3%	1	1	1.6%	4	6.3%	0	0.0%	0	0.0%	0	3.91%	3.36%	1
03/07/94	2	64	2	3	0.8%	1	0	0.0%	3	4.7%	0	0.0%	0	0.0%	0	2.34%	3.23%	1
03/08/94	2	64	2	3	0.8%	1	1	1.6%	2	3.1%	0	0.0%	0	0.0%	0	2.34%	3.13%	1
TOTAL	83																	
AVERAGE				4.76	2.25%	98.80%	0.61	0.97%	4.10	6.41%	0.04	0.06%	0.01	0.01%	0.00	3.72%	3.83%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 13

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.60%	1
12/15/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.54%	1
12/16/93	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.38%	1
12/17/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.38%	1
12/18/93	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.30%	1
12/19/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.24%	1
12/20/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.30%	1
12/21/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.16%	1
12/22/93	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.19%	1
12/23/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.30%	1
12/24/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.16%	1
12/25/93	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	2.27%	1
12/26/93	2	61	2	5	2.5%	1	4	6.6%	1	1.6%	0	0.0%	0	0.0%	0	4.10%	2.41%	1
12/27/93	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.38%	1
12/28/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.46%	1
12/29/93	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.35%	1
12/30/93	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.32%	1
12/31/93	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.35%	1
01/01/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.32%	1
01/02/94	2	61	2	4	1.6%	1	2	3.3%	2	3.3%	0	0.0%	0	0.0%	0	3.28%	2.41%	1
01/03/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.27%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	2.30%	1
01/07/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.32%	1
01/08/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	2.24%	1
01/09/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.24%	1
01/10/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.30%	1
01/11/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.30%	1
01/12/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	2.21%	1
01/13/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.13%	1
01/14/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	2.24%	1
01/15/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.19%	1
01/16/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	2.30%	1
01/17/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.24%	1
01/18/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.24%	1
01/19/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.30%	1
01/20/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.21%	1
01/21/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.21%	1
01/22/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.30%	1
01/23/94	2	61	2	8	4.9%	1	2	3.3%	6	9.8%	0	0.0%	0	0.0%	0	6.56%	2.38%	1
01/24/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.35%	1
01/25/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.38%	1
01/26/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.35%	1
01/27/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.21%	1
01/28/94	2	61	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.82%	2.24%	1
01/29/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.27%	1

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 13

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.27%	1
01/31/94	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	2.38%	1
02/01/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.38%	1
02/02/94	2	61	2	2	0.0%	1	1	1.6%	0	0.0%	1	1.6%	0	0.0%	0	1.64%	2.35%	1
02/03/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.35%	1
02/04/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.51%	1
02/05/94	2	61	2	4	1.6%	1	3	4.9%	1	1.6%	0	0.0%	0	0.0%	0	3.28%	2.57%	1
02/06/94	2	61	2	8	4.9%	1	3	4.9%	5	8.2%	0	0.0%	0	0.0%	0	6.56%	2.65%	1
02/07/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.73%	1
02/08/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.76%	1
02/09/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.76%	1
02/10/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.73%	1
02/11/94	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	2.76%	1
02/12/94	2	61	2	4	1.6%	1	0	0.0%	3	4.9%	1	1.6%	0	0.0%	0	3.28%	2.79%	1
02/13/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.82%	1
02/14/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.90%	1
02/15/94	2	61	2	7	4.1%	1	1	1.6%	6	9.8%	0	0.0%	0	0.0%	0	5.74%	2.95%	1
02/16/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.95%	1
02/17/94	2	61	2	8	4.9%	1	1	1.6%	7	11.5%	0	0.0%	0	0.0%	0	6.56%	3.09%	1
02/18/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	3.20%	1
02/19/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	3.33%	1
02/20/94	2	61	2	5	2.5%	1	0	0.0%	4	6.6%	1	1.6%	0	0.0%	0	4.10%	3.36%	1
02/21/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	3.36%	1
02/22/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	3.25%	1
02/23/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.17%	1
02/24/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	3.17%	1
02/25/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.01%	1
02/26/94	2	61	2	8	4.9%	1	0	0.0%	8	13.1%	0	0.0%	0	0.0%	0	6.56%	3.23%	1
02/27/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	3.36%	1
02/28/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.23%	1
03/01/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	3.31%	1
03/02/94	2	61	2	8	4.9%	1	1	1.6%	7	11.5%	0	0.0%	0	0.0%	0	6.56%	3.36%	1
03/03/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	3.36%	1
03/04/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.31%	1
03/05/94	2	61	2	8	4.9%	1	2	3.3%	6	9.8%	0	0.0%	0	0.0%	0	6.56%	3.42%	1
03/06/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	3.39%	1
03/07/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	3.31%	1
03/08/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	3.23%	1
TOTAL	83																	
AVERAGE				3.36	1.48%	100.00%	0.65	1.06%	2.67	4.38%	0.04	0.06%	0.00	0.00%	0.00	2.76%	2.61%	100.00%

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 14

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.71%	1
12/15/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.71%	1
12/16/93	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.71%	1
12/17/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.60%	1
12/18/93	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.76%	1
12/19/93	2	61	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.82%	2.79%	1
12/20/93	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.79%	1
12/21/93	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.84%	1
12/22/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.76%	1
12/23/93	2	61	2	6	3.3%	1	1	1.6%	4	6.6%	1	1.6%	0	0.0%	0	4.92%	2.82%	1
12/24/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.87%	1
12/25/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.73%	1
12/26/93	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.76%	1
12/27/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.79%	1
12/28/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.71%	1
12/29/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.73%	1
12/30/93	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.60%	1
12/31/93	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.68%	1
01/01/94	2	61	2	2	0.0%	1	2	3.3%	0	0.0%	0	0.0%	0	0.0%	0	1.64%	2.73%	1
01/02/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.82%	1
01/03/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.84%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.87%	1
01/07/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.84%	1
01/08/94	2	61	2	5	2.5%	1	2	3.3%	3	4.9%	0	0.0%	0	0.0%	0	4.10%	2.79%	1
01/09/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.68%	1
01/10/94	2	61	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.82%	2.57%	1
01/11/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.62%	1
01/12/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.62%	1
01/13/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.46%	1
01/14/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.49%	1
01/15/94	2	61	2	8	4.9%	1	1	1.6%	6	9.8%	1	1.6%	0	0.0%	0	6.56%	2.62%	1
01/16/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.62%	1
01/17/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.68%	1
01/18/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.60%	1
01/19/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.49%	1
01/20/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.49%	1
01/21/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.46%	1
01/22/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.35%	1
01/23/94	2	61	2	3	0.8%	1	0	0.0%	1	1.6%	2	3.3%	0	0.0%	0	2.46%	2.41%	1
01/24/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.32%	1
01/25/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.35%	1
01/26/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.32%	1
01/27/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.32%	1
01/28/94	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	2.41%	1
01/29/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.43%	1

ED_002508A_00000600-00041

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 14

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	2.51%	1
01/31/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.60%	1
02/01/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.60%	1
02/02/94	2	61	2	7	4.1%	1	1	1.6%	6	9.8%	0	0.0%	0	0.0%	0	5.74%	2.73%	1
02/03/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.60%	1
02/04/94	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	2.68%	1
02/05/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.65%	1
02/06/94	2	61	2	1	0.0%	1	0	0.0%	0	0.0%	1	1.6%	0	0.0%	0	0.82%	2.68%	1
02/07/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.62%	1
02/08/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.60%	1
02/09/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.71%	1
02/10/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.68%	1
02/11/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.71%	1
02/12/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.76%	1
02/13/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.84%	1
02/14/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.62%	1
02/15/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.62%	1
02/16/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.60%	1
02/17/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.71%	1
02/18/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.65%	1
02/19/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.71%	1
02/20/94	2	61	2	6	3.3%	1	1	1.6%	5	8.2%	0	0.0%	0	0.0%	0	4.92%	2.76%	1
02/21/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.82%	1
02/22/94	2	61	2	6	3.3%	1	1	1.6%	5	8.2%	0	0.0%	0	0.0%	0	4.92%	2.90%	1
02/23/94	2	61	2	8	4.9%	1	1	1.6%	7	11.5%	0	0.0%	0	0.0%	0	6.56%	3.03%	1
02/24/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	3.01%	1
02/25/94	2	61	2	8	4.9%	1	2	3.3%	5	8.2%	1	1.6%	0	0.0%	0	6.56%	3.23%	1
02/26/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	3.12%	1
02/27/94	2	61	2	8	4.9%	1	1	1.6%	7	11.5%	0	0.0%	0	0.0%	0	6.56%	3.14%	1
02/28/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	3.12%	1
03/01/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.95%	1
03/02/94	2	61	2	7	4.1%	1	1	1.6%	6	9.8%	0	0.0%	0	0.0%	0	5.74%	3.06%	1
03/03/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	3.01%	1
03/04/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.95%	1
03/05/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.98%	1
03/06/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.95%	1
03/07/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.92%	1
03/08/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.92%	1
TOTAL	83																	
AVERAGE				3.36	1.41%	100.00%	0.35	0.57%	2.94	4.82%	0.07	0.12%	0.00	0.00%	0.00	2.76%	2.71%	100.00%

ED_002508A_00000600-00042

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 15

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	61	2	3	0.8%	1	2	3.3%	1	1.6%	0	0.0%	0	0.0%	0	2.46%	2.68%	1
12/15/93	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.62%	1
12/16/93	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.62%	1
12/17/93	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.54%	1
12/18/93	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	2.71%	1
12/19/93	2	61	2	8	4.9%	1	2	3.3%	6	9.8%	0	0.0%	0	0.0%	0	6.56%	2.87%	1
12/20/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.84%	1
12/21/93	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	2.90%	1
12/22/93	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	3.03%	1
12/23/93	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	3.03%	1
12/24/93	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	3.03%	1
12/25/93	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	3.14%	1
12/26/93	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	3.09%	1
12/27/93	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	3.09%	1
12/28/93	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.98%	1
12/29/93	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.95%	1
12/30/93	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	2.92%	1
12/31/93	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	2.92%	1
01/01/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	3.01%	1
01/02/94	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	2.95%	1
01/03/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.92%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.90%	1
01/07/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.76%	1
01/08/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.73%	1
01/09/94	2	61	2	8	4.9%	1	1	1.6%	7	11.5%	0	0.0%	0	0.0%	0	6.56%	2.87%	1
01/10/94	2	61	2	1	0.0%	1	1	1.6%	0	0.0%	0	0.0%	0	0.0%	0	0.82%	2.82%	1
01/11/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.76%	1
01/12/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.79%	1
01/13/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.79%	1
01/14/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.82%	1
01/15/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.82%	1
01/16/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.82%	1
01/17/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.82%	1
01/18/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.84%	1
01/19/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.65%	1
01/20/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.43%	1
01/21/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.41%	1
01/22/94	2	61	2	6	3.3%	1	3	4.9%	3	4.9%	0	0.0%	0	0.0%	0	4.92%	2.41%	1
01/23/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.43%	1
01/24/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.43%	1
01/25/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.27%	1
01/26/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.19%	1
01/27/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.16%	1
01/28/94	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	2.30%	1
01/29/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.30%	1
01/30/94	2	61	2	2	0.0%	1	0	0.0%	2	4.3%	0	0.0%	0	0.0%	14	1.85%	2.28%	1

ED_002508A_00000600-00043

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 15

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 61

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/31/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.36%	1
02/01/94	2	61	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	2.30%	1
02/02/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.30%	1
02/03/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	2.28%	1
02/04/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.28%	1
02/05/94	2	61	2	6	3.3%	1	2	3.3%	4	6.6%	0	0.0%	0	0.0%	0	4.92%	2.36%	1
02/06/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	2.41%	1
02/07/94	2	61	2	5	2.5%	1	0	0.0%	5	8.2%	0	0.0%	0	0.0%	0	4.10%	2.52%	1
02/08/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.41%	1
02/09/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.44%	1
02/10/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.49%	1
02/11/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.41%	1
02/12/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.41%	1
02/13/94	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	2.44%	1
02/14/94	2	61	2	8	4.9%	1	2	3.3%	6	9.8%	0	0.0%	0	0.0%	0	6.56%	2.58%	1
02/15/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.60%	1
02/16/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.60%	1
02/17/94	2	61	2	7	4.1%	1	2	3.3%	5	8.2%	0	0.0%	0	0.0%	0	5.74%	2.71%	1
02/18/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	2.82%	1
02/19/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.85%	1
02/20/94	2	61	2	1	0.0%	1	0	0.0%	1	1.6%	0	0.0%	0	0.0%	0	0.82%	2.88%	1
02/21/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.80%	1
02/22/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	2.71%	1
02/23/94	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	2.71%	1
02/24/94	2	61	2	2	0.0%	1	0	0.0%	2	3.3%	0	0.0%	0	0.0%	0	1.64%	2.77%	1
02/25/94	2	61	2	7	4.1%	1	1	1.6%	6	9.8%	0	0.0%	0	0.0%	0	5.74%	2.85%	1
02/26/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	2.99%	1
02/27/94	2	61	2	7	4.1%	1	2	3.3%	3	4.9%	2	3.3%	0	0.0%	0	5.74%	2.99%	1
02/28/94	2	61	2	6	3.3%	1	0	0.0%	6	9.8%	0	0.0%	0	0.0%	0	4.92%	3.15%	1
03/01/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	3.20%	1
03/02/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	3.09%	1
03/03/94	2	61	2	5	2.5%	1	1	1.6%	4	6.6%	0	0.0%	0	0.0%	0	4.10%	3.23%	1
03/04/94	2	61	2	4	1.6%	1	0	0.0%	4	6.6%	0	0.0%	0	0.0%	0	3.28%	3.23%	1
03/05/94	2	61	2	4	1.6%	1	1	1.6%	3	4.9%	0	0.0%	0	0.0%	0	3.28%	3.28%	1
03/06/94	2	61	2	3	0.8%	1	1	1.6%	2	3.3%	0	0.0%	0	0.0%	0	2.46%	3.25%	1
03/07/94	2	61	2	3	0.8%	1	0	0.0%	3	4.9%	0	0.0%	0	0.0%	0	2.46%	3.17%	1
03/08/94	2	61	2	2	0.0%	1	1	1.6%	1	1.6%	0	0.0%	0	0.0%	0	1.64%	3.12%	1
TOTAL	83																	
AVERAGE				3.42	1.39%	100.00%	0.63	1.02%	2.77	4.56%	0.02	0.04%	0.00	0.00%	0.17	2.81%	2.73%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 19

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 85

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	85	2	2	0.0%	1	0	0.0%	2	2.4%	0	0.0%	0	0.0%	0	1.18%	3.04%	1
12/15/93	2	85	2	1	0.0%	1	1	1.2%	0	0.0%	0	0.0%	0	0.0%	0	0.59%	2.86%	1
12/16/93	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	2.86%	1
12/17/93	2	85	2	4	1.2%	1	2	2.4%	2	2.4%	0	0.0%	0	0.0%	0	2.35%	2.76%	1
12/18/93	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	2.69%	1
12/19/93	2	85	2	6	2.4%	1	3	3.5%	3	3.5%	0	0.0%	0	0.0%	0	3.53%	2.76%	1
12/20/93	2	85	2	4	1.2%	1	2	2.4%	2	2.4%	0	0.0%	0	0.0%	0	2.35%	2.69%	1
12/21/93	2	85	2	6	2.4%	1	0	0.0%	6	7.1%	0	0.0%	0	0.0%	0	3.53%	2.65%	1
12/22/93	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	2.61%	1
12/23/93	2	85	2	1	0.0%	1	0	0.0%	1	1.2%	0	0.0%	0	0.0%	0	0.59%	2.53%	1
12/24/93	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	2.41%	1
12/25/93	2	85	2	4	1.2%	1	1	1.2%	3	3.5%	0	0.0%	0	0.0%	0	2.35%	2.43%	1
12/26/93	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	2.47%	1
12/27/93	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	2.53%	1
12/28/93	2	85	2	6	2.4%	1	2	2.4%	4	4.7%	0	0.0%	0	0.0%	0	3.53%	2.57%	1
12/29/93	2	85	2	2	0.0%	1	1	1.2%	1	1.2%	0	0.0%	0	0.0%	0	1.18%	2.53%	1
12/30/93	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	2.53%	1
12/31/93	2	85	2	3	0.6%	1	1	1.2%	1	1.2%	1	1.2%	0	0.0%	0	1.76%	2.39%	1
01/01/94	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	2.39%	1
01/02/94	2	85	2	7	2.9%	1	0	0.0%	7	8.2%	0	0.0%	0	0.0%	0	4.12%	2.41%	1
01/03/94	2	85	2	3	0.6%	1	1	1.2%	1	1.2%	1	1.2%	0	0.0%	0	1.76%	2.31%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	85	2	3	0.6%	1	0	0.0%	2	2.4%	1	1.2%	0	0.0%	0	1.76%	2.31%	1
01/07/94	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	2.25%	1
01/08/94	2	85	2	2	0.0%	1	0	0.0%	2	2.4%	0	0.0%	0	0.0%	0	1.18%	2.21%	1
01/09/94	2	85	2	2	0.0%	1	0	0.0%	2	2.4%	0	0.0%	0	0.0%	0	1.18%	2.16%	1
01/10/94	2	85	2	1	0.0%	1	0	0.0%	1	1.2%	0	0.0%	0	0.0%	0	0.59%	2.02%	1
01/11/94	2	85	2	1	0.0%	1	0	0.0%	1	1.2%	0	0.0%	0	0.0%	0	0.59%	1.90%	1
01/12/94	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	1.92%	1
01/13/94	2	85	2	4	1.2%	1	1	1.2%	3	3.5%	0	0.0%	0	0.0%	0	2.35%	1.94%	1
01/14/94	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	2.02%	1
01/15/94	2	85	2	3	0.6%	1	0	0.0%	2	2.4%	1	1.2%	0	0.0%	0	1.76%	2.04%	1
01/16/94	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	2.08%	1
01/17/94	2	85	2	2	0.0%	1	0	0.0%	2	2.4%	0	0.0%	0	0.0%	0	1.18%	2.06%	1
01/18/94	2	85	2	2	0.0%	1	0	0.0%	2	2.4%	0	0.0%	0	0.0%	0	1.18%	2.02%	1
01/19/94	2	85	2	1	0.0%	1	0	0.0%	1	1.2%	0	0.0%	0	0.0%	0	0.59%	1.98%	1
01/20/94	2	85	2	1	0.0%	1	0	0.0%	1	1.2%	0	0.0%	0	0.0%	0	0.59%	1.88%	1
01/21/94	2	85	2	6	2.4%	1	1	1.2%	5	5.9%	0	0.0%	0	0.0%	0	3.53%	1.92%	1
01/22/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	1.88%	1
01/23/94	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	1.88%	1
01/24/94	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	1.92%	1
01/25/94	2	85	2	2	0.0%	1	1	1.2%	1	1.2%	0	0.0%	0	0.0%	0	1.18%	1.90%	1
01/26/94	2	85	2	8	3.5%	1	2	2.4%	5	5.9%	1	1.2%	0	0.0%	0	4.71%	1.98%	1
01/27/94	2	85	2	11	5.3%	1	2	2.4%	9	10.6%	0	0.0%	0	0.0%	0	6.47%	2.14%	1
01/28/94	2	85	2	4	1.2%	1	2	2.4%	2	2.4%	0	0.0%	0	0.0%	0	2.35%	2.12%	1
01/29/94	2	85	2	7	2.9%	1	0	0.0%	7	8.2%	0	0.0%	0	0.0%	0	4.12%	2.14%	1

ED_002508A_00000600-00045

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 19

SIP DOOR PERFORMANCE LIMIT: 8.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 85

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/30/94	2	85	2	6	2.4%	1	0	0.0%	6	7.1%	0	0.0%	0	0.0%	0	3.53%	2.22%	1
01/31/94	2	85	2	7	2.9%	1	1	1.2%	6	7.1%	0	0.0%	0	0.0%	0	4.12%	2.25%	1
02/01/94	2	85	2	5	1.8%	1	1	1.2%	4	4.7%	0	0.0%	0	0.0%	0	2.94%	2.29%	1
02/02/94	2	85	2	8	3.5%	1	1	1.2%	7	8.2%	0	0.0%	0	0.0%	0	4.71%	2.35%	1
02/03/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	2.29%	1
02/04/94	2	85	2	7	2.9%	1	1	1.2%	6	7.1%	0	0.0%	0	0.0%	0	4.12%	2.37%	1
02/05/94	2	85	2	8	3.5%	1	0	0.0%	7	8.2%	1	1.2%	0	0.0%	0	4.71%	2.47%	1
02/06/94	2	85	2	6	2.4%	1	2	2.4%	4	4.7%	0	0.0%	0	0.0%	0	3.53%	2.53%	1
02/07/94	2	85	2	10	4.7%	1	1	1.2%	9	10.6%	0	0.0%	0	0.0%	0	5.88%	2.69%	1
02/08/94	2	85	2	5	1.8%	1	2	2.4%	3	3.5%	0	0.0%	0	0.0%	0	2.94%	2.75%	1
02/09/94	2	85	2	6	2.4%	1	2	2.4%	2	2.4%	2	2.4%	0	0.0%	0	3.53%	2.84%	1
02/10/94	2	85	2	7	2.9%	1	2	2.4%	5	5.9%	0	0.0%	0	0.0%	0	4.12%	2.96%	1
02/11/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	2.98%	1
02/12/94	2	85	2	6	2.4%	1	2	2.4%	3	3.5%	1	1.2%	0	0.0%	0	3.53%	3.02%	1
02/13/94	2	85	2	3	0.6%	1	0	0.0%	3	3.5%	0	0.0%	0	0.0%	0	1.76%	2.98%	1
02/14/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	3.00%	1
02/15/94	2	85	2	10	4.7%	1	0	0.0%	9	10.6%	1	1.2%	0	0.0%	0	5.88%	3.14%	1
02/16/94	2	85	2	8	3.5%	1	5	5.9%	3	3.5%	0	0.0%	0	0.0%	0	4.71%	3.26%	1
02/17/94	2	85	2	6	2.4%	1	1	1.2%	5	5.9%	0	0.0%	0	0.0%	0	3.53%	3.33%	1
02/18/94	2	85	2	8	3.5%	1	0	0.0%	7	8.2%	1	1.2%	0	0.0%	0	4.71%	3.47%	1
02/19/94	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	3.55%	1
02/20/94	2	85	2	7	2.9%	1	0	0.0%	6	7.1%	1	1.2%	0	0.0%	0	4.12%	3.57%	1
02/21/94	2	85	2	7	2.9%	1	3	3.5%	4	4.7%	0	0.0%	0	0.0%	0	4.12%	3.63%	1
02/22/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	3.65%	1
02/23/94	2	85	2	5	1.8%	1	2	2.4%	3	3.5%	0	0.0%	0	0.0%	0	2.94%	3.69%	1
02/24/94	2	85	2	3	0.6%	1	1	1.2%	2	2.4%	0	0.0%	0	0.0%	0	1.76%	3.71%	1
02/25/94	2	85	2	8	3.5%	1	2	2.4%	6	7.1%	0	0.0%	0	0.0%	0	4.71%	3.71%	1
02/26/94	2	85	2	6	2.4%	1	1	1.2%	5	5.9%	0	0.0%	0	0.0%	0	3.53%	3.61%	1
02/27/94	2	85	2	4	1.2%	1	0	0.0%	4	4.7%	0	0.0%	0	0.0%	0	2.35%	3.61%	1
02/28/94	2	85	2	1	0.0%	1			1	1.2%			0	0.0%	0	0.59%	3.49%	1
03/01/94	2	85	2	3	0.6%	1	2	2.4%	1	1.2%	1	1.2%	0	0.0%	0	1.76%	3.43%	1
03/02/94	2	85	2	2	0.0%	1	2	2.4%	0	0.0%	0	0.0%	0	0.0%	0	1.18%	3.33%	1
03/03/94	2	85	2	5	1.8%	1	0	0.0%	5	5.9%	0	0.0%	0	0.0%	0	2.94%	3.33%	1
03/04/94	2	85	2	5	1.8%	1	1	1.2%	4	4.7%	0	0.0%	0	0.0%	0	2.94%	3.27%	1
03/05/94	2	85	2	7	2.9%	1	0	0.0%	7	8.2%	0	0.0%	0	0.0%	0	4.12%	3.33%	1
03/06/94	2	85	2	6	2.4%	1	0	0.0%	6	7.1%	0	0.0%	0	0.0%	0	3.53%	3.31%	1
03/07/94	2	85	2	6	2.4%	1	3	3.5%	3	3.5%	0	0.0%	0	0.0%	0	3.53%	3.27%	1
03/08/94	2	85	2	7	2.9%	1	2	2.4%	4	4.7%	1	1.2%	0	0.0%	0	4.12%	3.29%	1
TOTAL	83																	
AVERAGE				4.60	1.59%	100.00%	0.83	0.99%	3.63	4.28%	0.17	0.20%	0.00	0.00%	0.00	2.71%	2.66%	100.00%

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 20

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 87

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
12/14/93	2	87	2	10	4.6%	1	3	3.4%	7	8.0%	0	0.0%	0	0.0%	0	5.75%	3.35%	1
12/15/93	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	3.31%	1
12/16/93	2	87	2	7	2.9%	1	0	0.0%	7	8.0%	0	0.0%	0	0.0%	0	4.02%	3.35%	1
12/17/93	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	3.14%	1
12/18/93	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	3.08%	1
12/19/93	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	3.03%	1
12/20/93	2	87	2	4	1.1%	1	0	0.0%	4	4.6%	0	0.0%	0	0.0%	0	2.30%	2.97%	1
12/21/93	2	87	2	7	2.9%	1	1	1.1%	6	6.9%	0	0.0%	0	0.0%	0	4.02%	3.01%	1
12/22/93	2	87	2	6	2.3%	1	2	2.3%	4	4.6%	0	0.0%	0	0.0%	0	3.45%	2.97%	1
12/23/93	2	87	2	2	0.0%	1	0	0.0%	2	2.3%	0	0.0%	0	0.0%	0	1.15%	2.99%	1
12/24/93	2	87	2	4	1.1%	1	1	1.1%	3	3.4%	0	0.0%	0	0.0%	0	2.30%	2.97%	1
12/25/93	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	2.95%	1
12/26/93	2	87	2	7	2.9%	1	4	4.6%	3	3.4%	0	0.0%	0	0.0%	0	4.02%	2.97%	1
12/27/93	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.93%	1
12/28/93	2	87	2	5	1.7%	1	2	2.3%	2	2.3%	1	1.1%	0	0.0%	0	2.87%	2.93%	1
12/29/93	2	87	2	1	0.0%	1	1	1.1%	0	0.0%	0	0.0%	0	0.0%	0	0.57%	2.83%	1
12/30/93	2	87	2	7	2.9%	1	1	1.1%	4	4.6%	2	2.3%	0	0.0%	0	4.02%	2.83%	1
12/31/93	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	2.72%	1
01/01/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.62%	1
01/02/94	2	87	2	5	1.7%	1	1	1.1%	4	4.6%	0	0.0%	0	0.0%	0	2.87%	2.62%	1
01/03/94	2	87	2	4	1.1%	1	3	3.4%	1	1.1%	0	0.0%	0	0.0%	0	2.30%	2.55%	1
01/04/94																	NA	NA
01/05/94																	NA	NA
01/06/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.43%	1
01/07/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.35%	1
01/08/94	2	87	2	2	0.0%	1	1	1.1%	1	1.1%	0	0.0%	0	0.0%	0	1.15%	2.30%	1
01/09/94	2	87	2	3	0.6%	1	2	2.3%	1	1.1%	0	0.0%	0	0.0%	0	1.72%	2.20%	1
01/10/94	2	87	2	2	0.0%	1	1	1.1%	1	1.1%	0	0.0%	0	0.0%	0	1.15%	2.16%	1
01/11/94	2	87	2	1	0.0%	1	1	1.1%	0	0.0%	0	0.0%	0	0.0%	0	0.57%	2.11%	1
01/12/94	2	87	2	2	0.0%	1	0	0.0%	2	2.3%	0	0.0%	0	0.0%	0	1.15%	2.07%	1
01/13/94	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	2.09%	1
01/14/94	2	87	2	3	0.6%	1	2	2.3%	1	1.1%	0	0.0%	0	0.0%	0	1.72%	2.05%	1
01/15/94	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	1.87%	1
01/16/94	2	87	2	2	0.0%	1	0	0.0%	2	2.3%	0	0.0%	0	0.0%	0	1.15%	1.86%	1
01/17/94	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	1.74%	1
01/18/94	2	87	2	4	1.1%	1	1	1.1%	3	3.4%	0	0.0%	0	0.0%	0	2.30%	1.80%	1
01/19/94	2	87	2	2	0.0%	1	0	0.0%	1	1.1%	1	1.1%	0	0.0%	0	1.15%	1.78%	1
01/20/94	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	1.78%	1
01/21/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	1.76%	1
01/22/94	2	87	2	4	1.1%	1	2	2.3%	2	2.3%	0	0.0%	0	0.0%	0	2.30%	1.70%	1
01/23/94	2	87	2	8	3.4%	1	3	3.4%	4	4.6%	1	1.1%	0	0.0%	0	4.60%	1.74%	1
01/24/94	2	87	2	5	1.7%	1	1	1.1%	4	4.6%	0	0.0%	0	0.0%	0	2.87%	1.80%	1
01/25/94	2	87	2	5	1.7%	1	0	0.0%	5	5.7%	0	0.0%	0	0.0%	0	2.87%	1.82%	1
01/26/94	2	87	2	5	1.7%	1	0	0.0%	5	5.7%	0	0.0%	0	0.0%	0	2.87%	1.89%	1
01/27/94	2	87	2	6	2.3%	1	2	2.3%	4	4.6%	0	0.0%	0	0.0%	0	3.45%	1.88%	1
01/28/94	2	87	2	0	0.0%	1	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.00%	1.82%	1
01/29/94	2	87	2	1	0.0%	1	1	1.1%	0	0.0%	0	0.0%	0	0.0%	0	0.57%	1.74%	1
01/30/94	2	87	2	5	1.7%	1	0	0.0%	4	4.6%	1	1.1%	0	0.0%	0	2.87%	1.82%	1

ED_002508A_00000600-00047

Printed 03/09/94

DOOR OBSERVATIONS

Report for PLANT=CLAIRTON WORKS and (INSPECTION DATE>=12/14/93 and INSPECTION DATE<=03/08/94)

BATTERY: 20

SIP DOOR PERFORMANCE LIMIT: 5.00%
NESHAP DOOR PERFORMANCE LIMIT: 7.00%

OF OVENS: 87

DATE	DOORS EXCLUDE	OVEN #	DOORS PER OVEN	DOORS LEAKING	SIP % DOORS LEAKING	SIP DOOR COMPLY	PUSH SIDE LEAKING	% PUSH LEAKING	COKE SIDE LEAKING	% COKE LEAKING	CHUCK LEAKING	% CHUCK LEAKING	OTHER LEAKING	% OTHER LEAKING	BLOCKED DOORS	NESHAP % DOORS LEAKING	NESHAP % DOORS LEAKING 30 DAY AVG	NESHAP DOOR COMPLY-AVG
01/31/94	2	87	2	5	1.7%	1	1	1.1%	3	3.4%	1	1.1%	0	0.0%	0	2.87%	1.78%	1
02/01/94	2	87	2	4	1.1%	1	0	0.0%	3	3.4%	1	1.1%	0	0.0%	0	2.30%	1.84%	1
02/02/94	2	87	2	2	0.0%	1	0	0.0%	2	2.3%	0	0.0%	0	0.0%	0	1.15%	1.82%	1
02/03/94	2	87	2	8	3.4%	1	2	2.3%	6	6.9%	0	0.0%	0	0.0%	0	4.60%	1.88%	1
02/04/94	2	87	2	1	0.0%	1	1	1.1%	0	0.0%	0	0.0%	0	0.0%	0	0.57%	1.82%	1
02/05/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	1.82%	1
02/06/94	2	87	2	6	2.3%	1	3	3.4%	3	3.4%	0	0.0%	0	0.0%	0	3.45%	1.88%	1
02/07/94	2	87	2	6	2.3%	1	1	1.1%	5	5.7%	0	0.0%	0	0.0%	0	3.45%	1.95%	1
02/08/94	2	87	2	4	1.1%	1	1	1.1%	3	3.4%	0	0.0%	0	0.0%	0	2.30%	1.97%	1
02/09/94	2	87	2	4	1.1%	1	2	2.3%	2	2.3%	0	0.0%	0	0.0%	0	2.30%	2.01%	1
02/10/94	2	87	2	7	2.9%	1	5	5.7%	2	2.3%	0	0.0%	0	0.0%	0	4.02%	2.13%	1
02/11/94	2	87	2	4	1.1%	1	1	1.1%	3	3.4%	0	0.0%	0	0.0%	0	2.30%	2.16%	1
02/12/94	2	87	2	4	1.1%	1	2	2.3%	2	2.3%	0	0.0%	0	0.0%	0	2.30%	2.18%	1
02/13/94	2	87	2	2	0.0%	1	0	0.0%	2	2.3%	0	0.0%	0	0.0%	0	1.15%	2.16%	1
02/14/94	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	2.20%	1
02/15/94	2	87	2	7	2.9%	1	2	2.3%	5	5.7%	0	0.0%	0	0.0%	0	4.02%	2.30%	1
02/16/94	2	87	2	7	2.9%	1	2	2.3%	3	3.4%	2	2.3%	0	0.0%	0	4.02%	2.41%	1
02/17/94	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	2.39%	1
02/18/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.41%	1
02/19/94	2	87	2	5	1.7%	1	1	1.1%	4	4.6%	0	0.0%	0	0.0%	0	2.87%	2.49%	1
02/20/94	2	87	2	6	2.3%	1	0	0.0%	6	6.9%	0	0.0%	0	0.0%	0	3.45%	2.55%	1
02/21/94	2	87	2	5	1.7%	1	2	2.3%	3	3.4%	1	1.1%	0	0.0%	0	2.87%	2.57%	1
02/22/94	2	87	2	6	2.3%	1	1	1.1%	4	4.6%	1	1.1%	0	0.0%	0	3.45%	2.53%	1
02/23/94	2	87	2	10	4.6%	1	2	2.3%	6	6.9%	2	2.3%	0	0.0%	0	5.75%	2.62%	1
02/24/94	2	87	2	7	2.9%	1	1	1.1%	5	5.7%	1	1.1%	0	0.0%	0	4.02%	2.66%	1
02/25/94	2	87	2	5	1.7%	1	2	2.3%	3	3.4%	0	0.0%	0	0.0%	0	2.87%	2.66%	1
02/26/94	2	87	2	2	0.0%	1	1	1.1%	1	1.1%	0	0.0%	0	0.0%	0	1.15%	2.59%	1
02/27/94	2	87	2	5	1.7%	1	3	3.4%	2	2.3%	0	0.0%	0	0.0%	0	2.87%	2.68%	1
02/28/94	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	2.72%	1
03/01/94	2	87	2	4	1.1%	1	0	0.0%	4	4.6%	0	0.0%	0	0.0%	0	2.30%	2.70%	1
03/02/94	2	87	2	3	0.6%	1	0	0.0%	2	2.3%	1	1.1%	0	0.0%	0	1.72%	2.66%	1
03/03/94	2	87	2	3	0.6%	1	1	1.1%	2	2.3%	0	0.0%	0	0.0%	0	1.72%	2.64%	1
03/04/94	2	87	2	3	0.6%	1	0	0.0%	3	3.4%	0	0.0%	0	0.0%	0	1.72%	2.66%	1
03/05/94	2	87	2	6	2.3%	1	1	1.1%	5	5.7%	0	0.0%	0	0.0%	0	3.45%	2.62%	1
03/06/94	2	87	2	1	0.0%	1	0	0.0%	1	1.1%	0	0.0%	0	0.0%	0	0.57%	2.62%	1
03/07/94	2	87	2	4	1.1%	1	0	0.0%	4	4.6%	0	0.0%	0	0.0%	0	2.30%	2.64%	1
03/08/94	2	87	2	4	1.1%	1	2	2.3%	2	2.3%	0	0.0%	0	0.0%	0	2.30%	2.60%	1
TOTAL	83																	
AVERAGE				3.92	1.19%	100.00%	1.01	1.14%	2.72	3.11%	0.19	0.22%	0.00	0.00%	0.00	2.25%	2.37%	100.00%