Message

From: Stein, Mark [Stein.Mark@epa.gov]
Sent: 11/9/2017 4:28:45 PM
To: Ken Hickey [khickey@hydroanalysisinc.com]; DeMeo, Sharon M. [Demeo.Sharon@epa.gov]
CC: Edan Rotenberg [edan@superlawgroup.com]; Nelson, Eric [nelson.ericp@epa.gov]
Subject: RE: Merrimack Station AR document scans - missing pages problem
Attachments: report pages.pdf

Ken – Pages 66 & 67 are attached.

From: Ken Hickey [mailto:khickey@hydroanalysisinc.com]
Sent: Wednesday, November 08, 2017 10:59 AM
To: DeMeo, Sharon M. <Demeo.Sharon@epa.gov>
Cc: Stein, Mark <Stein.Mark@epa.gov>; Edan Rotenberg <edan@superlawgroup.com>
Subject: [SPAM-Sender] Merrimack Station AR document scans - missing pages problem

Sharon,

There are two missing pages in the copy of AR-168 that was sent to us. They are pages 66 and 67. I noticed because these pages are part of the "Continuous Dissolved Oxygen and Temperature Monitoring" section that we are most interested in.

Could you please check and see if these two pages are in your version of the AR-168 report? If so, please scan them and send the pages along to me.

Thank you,

Ken

Ken Hickey
HydroAnalysis, Inc
978-501-5111 (m)
978-263-1092 (o)

From: Ken Hickey <khickey@hydroanalysisinc.com>
Date: Tuesday, November 7, 2017 at 1:39 PM
To: "Stein, Mark" <Stein.Mark@epa.gov>, "DeMeo, Sharon M." <Demeo.Sharon@epa.gov>
Cc: Edan Rotenberg <edan@superlawgroup.com>, "Nelson, Eric" <nelson.ericp@epa.gov>
Subject: Re: Request for Merrimack Station AR document scans

Mark,

We received the paper copies of AR-168 and AR-199 in the mail today. Thank you very much for the prompt delivery.

Ken

Ken Hickey
HydroAnalysis, Inc
978-501-5111 (m)
978-263-1092 (o)

From: "Stein, Mark" <Stein.Mark@epa.gov>
Date: Monday, November 6, 2017 at 12:56 PM
To: Ken Hickey <khickey@hydroanalysisinc.com>, "DeMeo, Sharon M." <Demeo.Sharon@epa.gov>
Cc: Edan Rotenberg <edan@superlawgroup.com>, "Nelson, Eric" <nelson.ericp@epa.gov>
Subject: RE: Request for Merrimack Station AR document scans

Apparently, the copying was easier. (Also, we made color copies so the colors on certain graphs, etc., should be visible to you.) We'll get them in the mail.

Thanks.

From: Ken Hickey [mailto:khickey@hydroanalysisinc.com]
Sent: Monday, November 06, 2017 12:23 PM
To: Stein, Mark <Stein.Mark@epa.gov>; DeMeo, Sharon M. <Demeo.Sharon@epa.gov>
Cc: Edan Rotenberg <edan@superlawgroup.com>; Nelson, Eric <nelson.ericp@epa.gov>
Subject: Re: Request for Merrimack Station AR document scans

Mark,

Thank you very much. Is scanning more difficult than copying? Scanned versions would be fine, if that is easier.

Our mailing address is:

HydroAnalysis, Inc.
481 Great Road, Suite 3
Acton, MA 01720

Thanks again,

Ken

Ken Hickey
President
HydroAnalysis, Inc
978-501-5111 (m)
978-263-1092 (o)

From: "Stein, Mark" <Stein.Mark@epa.gov>
Date: Monday, November 6, 2017 at 11:33 AM
To: Ken Hickey <khickey@hydroanalysisinc.com>, "DeMeo, Sharon M." <Demeo.Sharon@epa.gov>
Cc: Edan Rotenberg <edan@superlawgroup.com>, "Nelson, Eric" <nelson.ericp@epa.gov>
Subject: RE: Request for Merrimack Station AR document scans

Ken –
We're getting the two reports copied and will mail them to you. Please send me the address to which you would like us to mail the copies.

Thanks.

- Mark Stein

From: Ken Hickey [mailto:khickey@hydroanalysisinc.com]
Sent: Monday, November 06, 2017 7:27 AM
To: DeMeo, Sharon M. <Demeo.Sharon@epa.gov>
Cc: Edan Rotenberg <edan@superlawgroup.com>; Stein, Mark <Stein.Mark@epa.gov>; Nelson, Eric <nelson.ericp@epa.gov>
Subject: Request for Merrimack Station AR document scans

Sharon,

We had a call with Mark Stein and Eric Nelson last Thursday regarding public comments on the PSNH Merrimack Station NPDES permit renewal. During that call, we identified two important documents that are missing from the administrative record (AR). Mark suggested that I contact you to make arrangements to have the two documents, AR-199 and AR-168, scanned and sent to us.

We are happy to pay for a service to scan the documents and we will share those scans so that they may be added to the AR.

Timing in important on this task because the comment period ends soon. Please let me know what I can do to make this task as easy as possible for you and your team.

Thank you,

Ken

Ken Hickey
HydroAnalysis, Inc
978-501-5111 (m)
978-263-1092 (o)