Message

From: Mitschele, Becky [Mitschele.Becky@epa.gov]
Sent: 9/27/2018 10:48:44 PM
To: VonVacano, Marcela [VonVacano.Marcela@epa.gov]; Jessica Watkins [Jessica.Watkins@Waterboards.ca.gov]
CC: Blake, Ellen [Blake.Ellen@epa.gov]; Smith, DavidW [Smith.DavidW@epa.gov]; Johnson, Bill@Waterboards [Bill.Johnson@waterboards.ca.gov]; Kermish, Laurie [Kermish.Laurie@epa.gov]; Austin, Tamarin@Waterboards [Tamarin.Austin@waterboards.ca.gov]
Subject: RE: LTCP Table for Draft Oceanside Permit

Works for me too. Please let me know if I need to get a conference line or if we can use the Board's number.

Thanks,

Becky Mitschele
U.S. EPA Region 9, Water Division
(415) 972 - 3492

From: VonVacano, Marcela
Sent: Thursday, September 27, 2018 3:42 PM
To: Jessica Watkins <Jessica.Watkins@Waterboards.ca.gov>; Mitschele, Becky <Mitschele.Becky@epa.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; Smith, DavidW <Smith.DavidW@epa.gov>; Johnson, Bill@Waterboards <Bill.Johnson@waterboards.ca.gov>; Kermish, Laurie <Kermish.Laurie@epa.gov>; Austin, Tamarin@Waterboards <Tamarin.Austin@waterboards.ca.gov>
Subject: RE: LTCP Table for Draft Oceanside Permit

I can do Monday at 9:30 am. Thank you,

Marcela

From: Watkins, Jessica@Waterboards [mailto:Jessica.Watkins@Waterboards.ca.gov]
Sent: Thursday, September 27, 2018 3:12 PM
To: Mitschele, Becky <Mitschele.Becky@epa.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; Smith, DavidW <Smith.DavidW@epa.gov>; Johnson, Bill@Waterboards <Bill.Johnson@waterboards.ca.gov>; Kermish, Laurie <Kermish.Laurie@epa.gov>; Austin, Tamarin@Waterboards <Tamarin.Austin@waterboards.ca.gov>
Subject: RE: LTCP Table for Draft Oceanside Permit

Hi Becky,

Great, it doesn't look like there are too many changes (and the few changes look good to me). Do you want to have the call before we send to SFPUC? It looks like Tamarin, Bill, and I are free the following times over the next week and a half:

- Friday: 1:15-1:45 pm, any time after 2:30 pm
- Monday: 9:30-10:30am

Jessica

From: Mitschele, Becky <Mitschele.Becky@epa.gov>
Sent: Thursday, September 27, 2018 2:25 PM
To: Watkins, Jessica@Waterboards <Jessica.Watkins@waterboards.ca.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; David W. Smith

<smith.davidw@epa.gov>; Johnson, Bill@Waterboards <bill.johnson@waterboards.ca.gov>; Kermish, Laurie <Kermish.Laurie@epa.gov>
Subject: RE: LTCP Table for Draft Oceanside Permit

Hi Jessica,

Please see a few small tweaks to the draft you sent over last Friday. If you are good with these few edits, then this version may be sent to SFPUC.

We would also like to discuss two topics (discuss the Basin Plan applicability and the discharge prohibition related to bypasses) so we have a better understanding.
When would be a good time for a call? We could discuss these two topics along with Tamarin and Marcela discussing the LTCP.

Thanks,
Becky Mitschele
U.S. EPA Region 9, Water Division
(415) 972 - 3492

From: Watkins, Jessica@Waterboards [mailto:Jessica.Watkins@Waterboards.ca.gov]
Sent: Friday, September 21, 2018 9:25 AM
To: Mitschele, Becky <Mitschele.Becky@epa.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; Smith, DavidW <Smith.DavidW@epa.gov>; Johnson, Bill@Waterboards <Bill.Johnson@waterboards.ca.gov>
Subject: RE: LTCP Table for Draft Oceanside Permit

Hi Becky,

Attached is the revised Oceanside permit. Bill and I accepted most of EPA's revisions and made some additional revisions to the draft permit. Only a couple points worth mentioning:

1. We think the discharge prohibitions in our Basin Plan apply throughout the Region, including discharges to the ocean; thus, we kept the language regarding the exception to the shallow water discharge prohibition. Tamarin is going to review this when she has time in the next couple weeks.
2. There are only a couple comments in the margins for your review. Give me or Bill a call if you'd like to discuss our changes to the LTCP Table.
3. At some point, we would like Marcela (or any EPA attorney) to explain to Tamarin why EPA does not want to include LTCP Element No. 4 (Evaluation of Alternatives) in the LTCP Table. We just want to understand EPA's point of view better to help us get on board.

Thanks for all your hard work on this.

Best,
Jessica

Jessica Watkins, P.E.
Water Resource Control Engineer
San Francisco Bay Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, CA 94612
Phone (510) 622-2349
Fax (510) 622-2460

From: Mitschele, Becky <Mitschele.Becky@epa.gov>
Sent: Tuesday, September 18, 2018 4:55 PM
To: Watkins, Jessica@Waterboards <Jessica.Watkins@waterboards.ca.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; David W. Smith <smith.davidw@epa.gov>; Johnson, Bill@Waterboards <bill.johnson@waterboards.ca.gov>
Subject: LTCP Table for Draft Oceanside Permit

Hi Jessica,

Please find attached a revised version of the LTCP table.

Thanks,
Becky Mitschele
U.S. EPA Region 9, Water Division
(415) 972 - 3492