Message

From: Cholmondeley, Jo Beth - OSHA [Cholmondeley.JoBeth@dol.gov]
Sent: 12/5/2016 9:00:07 PM
To: Blunk, Terri [Blunk.Terri@epa.gov]
Subject: RE: Information about July 2016 Belfonte Release

Thanks for the info. I will pass it onto the Area Office.

Since the employee was not hospitalized we may not have opened and inspection.... But I'm not sure....

Sincerely
Jo Beth Cholmondeley
cholmondeley.jobeth@dol.gov
Two Pershing Square Building
2300 Main Street, Suite 1010
Kansas City, MO 64108-2416

PHN: 816 502 9009

Preventing Heat Illness in Outdoor Workers
WATER. REST. SHADE.
Preventing Falls in Construction
PLAN. PROVIDE. TRAIN.

Sign up for the latest news
OSHA QuickTakes

www.osha.gov

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. Notify sender if this email was received in error.

From: Blunk, Terri [mailto:Blunk.Terri@epa.gov]
Sent: Monday, December 05, 2016 2:51 PM
To: Cholmondeley, Jo Beth - OSHA
Subject: Information about July 2016 Belfonte Release

JoBeth,

I am reviewing a case and wanted to forward you this information in case it would be of interest to OSHA. The facility indicated they called OSHA as part of the emergency calls but I didn't see anything on the online establishment search. They indicated one contractor was injured – including an anhydrous ammonia burn to the eyes.

Terri Blunk
EPA Region 7
Chemical & Oil Release Prevention Branch
Outreach/EO 13650 Coordinator
EPCRA Nebraska State Coordinator
blunk.terri@epa.gov
913-551-7013